

Oracle® Banking Trade Finance Cloud Service

Common Core - Messaging User Guide



Release 14.8.1.0.0

G47113-01

October 2025

ORACLE®

Copyright © 2017, 2025, Oracle and/or its affiliates.

Primary Authors: (primary author), (primary author)

Contributing Authors: (contributing author), (contributing author)

Contributors: (contributor), (contributor)

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Acronyms and Abbreviations	i
Audience	ii
Basic Actions	ii
Critical Patches	iii
Conventions	iii
Diversity and Inclusion	iii
Documentation Accessibility	iv
Prerequisite	iv
Related Resources	iv
Screenshot Disclaimer	iv
Symbols and Icons	iv

1 EMS Maintenance

1.1 Message Media Control Maintenance	2
1.1.1 Maintain Message Media Control	2
1.2 Message Queues Mapping Maintenance	6
1.2.1 Maintain Message Queue Mapping	6
1.3 Message Queue Maintenance	8
1.3.1 Maintain Message Queues	8
1.4 SWIFT Message Notification Browser	9
1.4.1 Process SWIFT Message Notification Browser	10
1.5 SWIFT Net Service Definition	12
1.5.1 Maintain SWIFTNet Service Definition	12
1.5.2 Process SWIFT Net Service Definition Summary	13
1.6 SWIFT Local Authentication Maintenance	14
1.6.1 Maintain SWIFT LAU Key	15
1.6.2 Process SWIFT LAU Key Summary	16
1.6.3 Process Outgoing SWIFT LAU	17
1.6.4 Process Incoming SWIFT LAU	18
1.7 Mapping Rule Group	19
1.7.1 Maintain Rule Group Mapping	19

1.7.2	Process Rule Group Mapping Summary	20
1.8	Define Rule Group	21
1.8.1	Maintain Rule Group Definition	21
1.8.2	Process Rule Group Definition Summary	22
1.9	Define Routing Rule	23
1.9.1	Maintain Routing Rule Definition	23
1.9.2	Process Routing Rule Definition Summary	26
1.10	Define Protocol Parameter	27
1.10.1	Maintain Protocol Parameter Definition	27
1.10.2	Process Protocol Parameter Definition Summary	28
1.11	File Transfer Adapter Connector Configuration	29
1.11.1	Maintain File Transfer Adapter Connector Configuration	30
1.11.2	Process SWIFTNet FTA Connector Definition Summary	31
1.12	Distinguished Name Definition	32
1.12.1	Maintain Distinguished Name Definition	33
1.12.2	Process Distinguished Name Definition Summary	34
1.13	Define Debulk Rule	35
1.13.1	Maintain De Bulk Rule Definition	35
1.13.2	Process Debulk Rule Summary	36
1.14	Connectivity Operation Manager	37
1.14.1	Maintain Connectivity Operation Manager	37
1.15	Process Outbound File Browser	38
1.16	Process Inbound File Browser	40
1.17	Define Bulk Preference	41
1.17.1	Maintain Bulking Preference Definition	41
1.17.2	Process Bulking Preference Definition Summary	43
1.18	Process Bulk Monitor Summary	45

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Acronyms and Abbreviations](#)
- [Audience](#)
- [Basic Actions](#)
- [Critical Patches](#)
- [Conventions](#)
- [Diversity and Inclusion](#)
- [Documentation Accessibility](#)
- [Prerequisite](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)
- [Symbols and Icons](#)

Purpose

This user manual is designed to help you quickly get acquainted with the many functions routinely executed everyday in Oracle Banking Trade Finance.

To access information specific to a particular field, place the cursor on the relevant field and press **F1** on the keyboard.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Abbreviation

Abbreviation	Description
POSTEOPD	Post End of Previous Day
MARKEOPD	Mark End of Previous Day
MARKTI	Mark Transaction Input
POSTEOBOD	Post End of Beginning of Day
MARKBOD	Mark Beginning of Day
MARKEOD	Mark End of Day
POSTEOED	Post End of End of Day
MARKEOFI	Mark End of Financial Input

Table 1 (Cont.) Abbreviation

Abbreviation	Description
POSTEOF	Post End of Financial Input
MARKEOTI	Mark End of Transaction Input
POSTEOTI	Post End of Transaction Input
TI	Transaction Input
EOC	End of Cycle
BOD	Beginning of Day
EOD	End of Day
EOPD	End of Previous Day
FI	Financial Input
EOTI	End of Transaction Input

Audience

This manual is intended for the following User/User Roles:

Table 2 Audience

Role	Function
Back office clerk	Input functions for contracts
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of Day operators	Processing during End of Day/Beginning of Day
Financial Controller/Product Managers	Generation of reports

Basic Actions

Table 3 List of Basic Actions

Action	Description
Approve	Click Approve to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Click Audit to view the maker details, checker details of the particular record, and record status. This button is displayed only for the records that are already created.
Authorize	Click Authorize to authorize the record created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a record. This button is displayed only for the already created records.
Close	Click Close to close a record. This action is available only when a record is created.
Confirm	Click Confirm to confirm the performed action.
Cancel	Click Cancel to cancel the performed action.

Table 3 (Cont.) List of Basic Actions

Action	Description
Compare	Click Compare to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Click Collapse All to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Click Expand All to expand and view all the details in the sections. This button is displayed, once the user click Compare .
New	Click New to add a new record. The system displays a new record to specify the required data. Note: The fields which are marked in asterisk red are mandatory fields.
OK	Click OK to confirm the details in the screen.
Save	Click Save to save the details entered or selected in the screen.
View	Click View to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Click View Difference only to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Conventions

The following text conventions are used in this document:

Table 4 Conventions and Meaning

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also

mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Prerequisite

Specify the **User ID** and **Password**, and login to **Home** screen.

Related Resources

For more information on any related features, refer to the following documents in the FLEXCUBE Universal Banking Documentation Library:

- Procedures User Guide
- Products User Guide
- End of Day User Guide

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Symbols and Icons

The list of symbols and icons available on the screens are as follows:

Table 5 Symbols and Icons - Common





Symbol/Icon	Function
	Minimize
	Maximize
	Close
	Perform Search

Table 5 (Cont.) Symbols and Icons - Common




















Symbol/Icon	Function
	Open a list
	Navigate to the first record
	Navigate to the last record
	Navigate to the previous record
	Navigate to the next record
	Grid view
	List view
	Refresh
	Click this icon to add a new row.
	Click this icon to delete a row, which is already added.
	Calendar
	Alerts
	Unlock Option
	View Option
	New
	Enter query
	Execute query
	Copy
	Delete

Table 5 (Cont.) Symbols and Icons - Common










Symbol/Icon	Function
	Save
	Search
	Advanced search
	Clear all
	Reset
	Export
	Print
	View Details
	Sorting

Table 6 Symbols and Icons - Widget











Symbol/Icon	Function
	Open status
	Unauthorized status
	Rejected status
	Closed status
	Authorized status
	Modification Number
	Hold
	Reverse

Table 6 (Cont.) Symbols and Icons - Widget

Symbol/Icon	Function
	Authorize
	Rollover

1

EMS Maintenance

This topic provides an overview of the maintenance required on the Electronic Messaging System.

This topic contains the following sub-topics:

- [Message Media Control Maintenance](#)
This topic provides an overview of the maintenance required on the Message Media Control.
- [Message Queues Mapping Maintenance](#)
This topic provides an overview of the message queues mapping maintenance required on the Electronic Messaging System.
- [Message Queue Maintenance](#)
This topic provides an overview of the message queue maintenance required on the Electronic Messaging System.
- [SWIFT Message Notification Browser](#)
This topic provides an overview of the SWIFT Message Notification Browser.
- [SWIFT Net Service Definition](#)
This topic provides an overview of the SWIFT Net Service Definition.
- [SWIFT Local Authentication Maintenance](#)
This topic provides an overview of the SWIFT Local Authentication Maintenance.
- [Mapping Rule Group](#)
This topic provides an overview of the Mapping Rule Group.
- [Define Rule Group](#)
This topic provides an overview of the Rule Group Definition.
- [Define Routing Rule](#)
This topic provides an overview of the Routing Group Definition.
- [Define Protocol Parameter](#)
This topic provides an overview of the Protocol Parameter Definition.
- [File Transfer Adapter Connector Configuration](#)
This topic provides an overview of the file transfer adapter connector configuration.
- [Distinguished Name Definition](#)
This topic provides an overview of the Distinguished Name Definition.
- [Define Debulk Rule](#)
This topic provides an overview of the Debulk Rule Definition.
- [Connectivity Operation Manager](#)
This topic provides an overview of the Connectivity Operation Manager.
- [Process Outbound File Browser](#)
This topic explains systematic instructions to search and view the outbound files.
- [Process Inbound File Browser](#)
This topic explains systematic instructions to process the summary of the inbound file browser.

- [Define Bulk Preference](#)
This topic provides an overview of the Bulk Preference Definition.
- [Process Bulk Monitor Summary](#)
This topic explains systematic instructions to process the summary of messages and executions in bulk.

1.1 Message Media Control Maintenance

This topic provides an overview of the maintenance required on the Message Media Control.

The messages that are sent from and delivered to the bank are transmitted and received over sources that are external to Oracle Banking Corporate Lending. These external sources are called Media Control Systems (MCS).

In a distributed environment, the database of a branch is located in a node or server. The MCS of the messages is also installed in a node. Thus, while defining an MCS, also indicate the node in which it is installed.

An MCS can handle only one media, hence the user needs to set up several media control systems for the various media types maintained for the bank. Apart from indicating the media type for an MCS, the user can indicate separate directories from which Oracle Banking Corporate Lending should read and write incoming and outgoing messages for a given media.

The user can maintain MCS details in the **Message Media Control Maintenance** screen. The details that are specified in this screen control the medium of delivery and reception of messages.

This topic contains the following sub-topics:

- [Maintain Message Media Control](#)
This topic explains systematic instructions to maintain message media control.

1.1.1 Maintain Message Media Control

This topic explains systematic instructions to maintain message media control.

1. On **Homescreen**, type **MSDMGMCS** in the text box, and click **Next**.
The **Message Media Control Maintenance** screen displays.

Figure 1-1 Message Media Control Maintenance - Delivery Preference

The screenshot displays the 'Message Media Control Maintenance' window. At the top, there are 'New' and 'Enter Query' buttons. Below them are input fields for 'Node', 'Media Control System', and 'Media', each with a search icon. A 'Status' dropdown is set to 'Active'. The 'Delivery Preference' section contains three radio buttons: 'Folder' (selected), 'Queue', and 'Message over Rest'. The 'MX Preference' section is currently empty. At the bottom, there are input fields for 'In Directory', 'Out Directory', and 'File Prefix'. A 'Fields' button is on the left, and 'Audit' and 'Exit' buttons are on the right.

2. Click **New** to maintain details of a new media control system.

The **Message Media Control Maintenance** screen displays.

- On the **Message Media Control Maintenance** screen, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-1 Message Media Control Maintenance - Field Description


Field	Description
Node	Click Search and specify the Node from the list of values. A node is the database instance on which Oracle Banking Corporate Lending is installed. On assigning a code to an MCS, specify the node or server at which the MCS is located. A branch's database is located in a node and an MCS is also installed in a node. Thus, while defining an MCS, specify the node at which it has been installed.
Media Control System	Click Search and specify the Media Control System from the list of values. In Oracle Banking Corporate Lending, each media control system is identified by a 15- character code called an MCS code. If required, follow own convention for devising this code. The code that is assigned an MCS should be unique as it is used to identify the external source.
Media	Click Search and specify the Media from the list of values. Specify the media for which the bank is using the MCS. For example, if an MCS is set as MCSSWIFT and the media type is set as SWIFT, it indicates that Oracle Banking Corporate Lending can receive and transmit SWIFT messages through the media control system MCSSWIFT .
Status	Select the status of an MCS from the drop-down list: <ul style="list-style-type: none"> Active Passive It is only when an MCS is Active that messages will be directed to it. For example, if an MCS located at the node in which the branch operates malfunctions, indicate that the MCS is Passive . In this case, Oracle Banking Corporate Lending will not write into or read from the directories on the node. No message will be routed through a passive MCS.
Delivery Type	Select the delivery type from the Folder and Queue options. Depending on the selection, specify the details in the corresponding fields as follows: <ul style="list-style-type: none"> Folder - If the Folder option is selected as the Delivery Type, specify the In Directory and the Out Directory. Further, after selecting Folder, if the Unix Swift Server option is checked for a UNIX SWIFT server, then specify the Unix In-Directory and the Unix Out-Directory. For a Windows Server, the In Directory and Out Directory must be maintained. Queue - If the Queue option is selected as the Delivery Type, specify In Queue, Out Queue, and the type of queue that means Microsoft Message Queue or WebSphere Messaging Queue.

Table 1-1 (Cont.) Message Media Control Maintenance - Field Description

Field	Description
In Directory and Out Directory	If the Delivery Type is selected as Folder , and the SWIFT server is a Windows server then specify the full path of the directories from which Oracle Banking Corporate Lending should read and write incoming and outgoing messages respectively instead of specifying the node on which an MCS is located.
File Prefix	For the Media Control System, identify the outgoing message files generated in a different media with unique prefixes. Specify the unique identifier in this field.
In Queue	If the Delivery Type is Queue , then enter the full path of the queue in the node or server into which the MCS should store the incoming message hand-off file. Oracle Banking Corporate Lending by default pickup up and read all incoming messages transmitted through the specified media from this queue.
Out Queue	Specify the full path of the queue in the node or server into which the message hand-off file from Oracle Banking Corporate Lending for the specified media should be stored. The MCS which is located on the same node, will by default store the outgoing messages in this queue.
Unix Swift Server	Switch this toggle if the SWIFT server is on UNIX at the bank. In this screen, specify the default In and Out Directories for the SWIFT message hand-off files. To continue with the normal banking operations, connect to another node and indicate the directory on that node from which Oracle Banking Corporate Lending should read from and write into.

The following process flow explains about MCS setup:

Figure 1-2 MCS setup



SWIFT Server on UNIX - In the **Message Media Control Maintenance** screen, indicate if the SWIFT server at the bank is on UNIX. Subsequently, specify the default In and Out Directories for the SWIFT message hand-off files.

Table 1-2 SWIFT Server on UNIX - Field Description

Field	Description
UNIX In-Directory	Specify the full path of the directory on the SWIFT server where would like to store incoming SWIFT message files. Oracle Banking Corporate Lending pickups and process all incoming SWIFT message files from this directory.
UNIX Out-Directory	Specify the directory on the SWIFT server where would like to store outgoing SWIFT message hand-off files.

4. Click **MX Preference** tab

Figure 1-3 Message Media Control Maintenance - MX Preference

5. On the **Message Media Control Maintenance - MX Preference** tab, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-3 MX Preference - Field Description

Field	Description
Data PDU Required	Switch this toggle, if the data PDU is required.
XMLv2 Revision	Select the XMLv2 revision from the drop-down list: <ul style="list-style-type: none"> Revision 11 Revision 10
Swift LAU Required	Switch this toggle, if the Swift LAU is required.

Table 1-3 (Cont.) MX Preference - Field Description

Field	Description
LAU Type	Select LAU type from the drop-down list: <ul style="list-style-type: none"> • HMAC • GCM
Delivery Notification Required	Switch this toggle to get the delivery notification.
File Type	Select the required file extension from the drop-down list: <ul style="list-style-type: none"> • .ia • .xml

Table 1-4 LAU Key Outgoing - Field Description

Field	Description
Key First Part	Specify LAU outgoing key first part.
Key Second Part	Specify LAU outgoing key second part.

Table 1-5 LAU Key Incoming - Field Description

Field	Description
Key First Part	Specify LAU incoming key first part.
Key Second Part	Specify LAU incoming key second part.

- After making mandatory entries, save the record.

For the MCS, identify outgoing message files generated in the media with unique prefixes. Oracle Banking Corporate Lending will automatically prefix outgoing message hand-off files for the MCS with the prefix that is specified.

An MCS record that has been created should be authorized by a user, bearing a different **Login ID**, before the End of Day process (EOD) runs.

- Click **Exit** to end the transaction.

1.2 Message Queues Mapping Maintenance

This topic provides an overview of the message queues mapping maintenance required on the Electronic Messaging System.

This topic contains the following sub-topic:

- [Maintain Message Queue Mapping](#)
This topic explains systematic instructions to maintain the mapping of Message Queues.

1.2.1 Maintain Message Queue Mapping

This topic explains systematic instructions to maintain the mapping of Message Queues.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDQMAP** in the text box, and click **Next**.
The **Message Queue Mapping Maintenance** screen displays.

Figure 1-4 Message Queue Mapping Maintenance

2. On the **Message Queue Mapping Maintenance** screen, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-6 Message Queue Mapping Maintenance - Field Description

Field	Description
Media	Click Search and specify the Media from the list of values. This field represents the delivery media. For example, SWIFT
BIC Code	Click Search and specify the BIC Code from the list of values. This field represents the receiver's BIC for which a message is to be routed to a specific queue in a particular branch. Select ALL as a BIC Code to specify the wildcard for all entries.
Currency	Click Search and specify the Currency from the list of values. This field represents the currency of the incoming message. For example, In an MT103 it would be from tag 32A. This is an additional parameter to determine the Booking Branch and Queue . Select ALL as a currency code to maintain the wild card for all entries.
Booking Branch	Click Search and specify the Booking Branch from the list of values. This field indicates the branch in which incoming messages are routed. A set of all the branches having the same SWIFT BIC as that mentioned in the BIC Code field is displayed in the list of values.
Branch Name	The system displays the Branch Name .
Message Type	Click Search and specify the Message Type from the list of values. This field indicates the message type for which the routing procedure is required.
Queue	Click Search and specify the Queue from the list of values.

While processing **MT700** and **MT701** messages, the system ensures the following points:

- **MT700** and **MT701** are routed to the branch using the incoming routing specifications maintained in the **Message Queue Mapping Maintenance** screen.
- For **MT700**, in case the branch of the corresponding **MT701** is different from that of the **MT700**, it is re-aligned to the branch of the **MT700**.
- **MT701** messages are processed only after the receipt of **MT700**.

Note

It is allowed to maintain the same BIC for the main branch and the sub-branch as well.

3. Click **Exit** to end the transaction.

1.3 Message Queue Maintenance

This topic provides an overview of the message queue maintenance required on the Electronic Messaging System.

This topic contains the following sub-topic:

- [Maintain Message Queues](#)
This topic explains systematic instructions to maintain message queues.

1.3.1 Maintain Message Queues

This topic explains systematic instructions to maintain message queues.

All Incoming SWIFT and Non-SWIFT messages are routed through a messaging queue. Maintain different user queues to which incoming messages are directed. Users with appropriate rights are allowed to access a particular queue. All 798 incoming index messages 770,761,784 are also captured on the **Message Queue Maintenance** screen.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDQMNT** in the text box, and click **Next**.
The **Message Queue Maintenance** screen displays.

Figure 1-5 Message Queue Maintenance

2. On the **Message Queue Maintenance** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-7 Message Queue Maintenance - Field Description

Field	Description
Queue	Specify a name of a queue.
Description	Type a short description of a queue.
STP Preference	Select STP preference from the drop-down list: <ul style="list-style-type: none"> • No STP • Auto STP • Suppress Select Auto STP to process the SWIFT message automatically if it is part of any queue.
Collection Queue	The codes of various SWIFT and Non-SWIFT messages would be routed to this queue. Switch this toggle button for maintaining the unique queue. Note: The codes of various SWIFT and Non-SWIFT message lists in the grid do not apply to the Collection Queue .

Assign a message to more than one messaging queue. At the time of maintaining rules for a message (discussed in the subsequent sections of this document), select the appropriate queue for each rule from the list of queues to which the message is linked.

3. Click **Add** to add a message to the queue being defined.
4. Click **Delete** to remove a message from the queue.
5. Click **Exit** to end the transaction.

1.4 SWIFT Message Notification Browser

This topic provides an overview of the SWIFT Message Notification Browser.

This topic contains the following sub-topic:

- [Process SWIFT Message Notification Browser](#)
This topic explains systematic instructions to process the SWIFT message notification browser.

1.4.1 Process SWIFT Message Notification Browser

This topic explains systematic instructions to process the SWIFT message notification browser.

The SWIFT explains the following two types of notification messages to Oracle Banking Corporate Lending:


- **ACK/NAK** acknowledgment messages indicating whether the message has been successfully delivered to **SWIFTNet FIN** service from where it gets forwarded to the receiving system.
- Delivery notification messages indicate whether the message was successfully delivered to the receiving system.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSNOTIB** in the text box, and click **Next**.
The **SWIFT Message Notification Browser** screen displays.

Figure 1-6 SWIFT Message Notification Browser



SWIFT Message Notification Browser

Search Advanced Search Reset Clear All Records per page 15

Search (Case Sensitive)

Document Number * Reference Number * User Reference *

SWIFT Message Type * Acknowledgement Status * Delivery Notification *

Non-Delivery Warning * Authorization Status * Process Status *

Acknowledgement Message Format * Reconciliation Reference * Failed Delivery Notification *

Search Results Lock Columns 0

☐ Branch ☐ Document Number ☐ Reference Number ☐ Message Reference ☐ User Reference ☐ SWIFT Message Type ☐ Acknowledgement Status ☐ Delivery Notification

No data to display.

Page 1 Of 1 < >

View ACK/NAK Message View Delivery Notification Message View Non-Delivery Warning Message View Failed Delivery Warning Message Exit

2. On the **SWIFT Message Notification Browser** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-8 SWIFT Message Notification Browser - Field Description

Field	Description
Document Number	Click Search and specify the Document Number from the list of values.
Reference Number	Click Search and specify the Reference Number from the list of values.
User Reference	Click Search and specify the User Reference from the list of values.
SWIFT Message Type	Click Search and specify the SWIFT Message Type from the list of values.

Table 1-8 (Cont.) SWIFT Message Notification Browser - Field Description

Field	Description
Acknowledgment Status	Click Search and specify the Acknowledgment Status from the list of values.
Delivery Notification	Click Search and specify the Delivery Notification from the list of values.
Non-Delivery Warning	Click Search and specify the Non-Delivery Warning from the list of values.
Authorization Status	Select authorization status from the drop-down list: <ul style="list-style-type: none"> • Authorized • Unauthorized • Rejected
Process Status	Select the process status from the drop-down list: <ul style="list-style-type: none"> • Processed • Unprocessed
Acknowledgment Message Format	Select the acknowledgment message format from the drop-down list: <ul style="list-style-type: none"> • MT • MX
Reconciliation Reference	Click Search and specify the Reconciliation Reference from the list of values.
Failed Delivery Notification	Click Search and specify the Failed Delivery Notification from the list of values.

3. Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Branch**
- **Document Number**
- **Reference Number**
- **Message Reference**
- **User Reference**
- **SWIFT Message Type**
- **Acknowledgment Status**
- **Delivery Notification**
- **Non-Delivery Warning**
- **Acknowledgment Time**
- **Delivery Notification Time**
- **Non-Delivery Warning Time**
- **Receiver**
- **Branch Date**
- **Authorization Status**
- **Release Time**
- **Running Number**
- **Process Status**

- **Acknowledgment Message Format**
- **Reconciliation Reference**
- **Media**
- **Failed Delivery Warning**
- **Failed Delivery Notification Time**
- **Failed Delivery Notification**

A background job running on this browser updates the outgoing browser with the **ACK/NAK** and the delivery status of the message. The sender MUR from SWIFT is used to match the corresponding outgoing browser record.

4. Select the record and click **View ACK/NAK Message** to view the ACK/NAK message.
5. Select the record and click **View Delivery Notification Message** to view the delivery notification message.
6. Select the record and click **View Non-Delivery Warning Message** to view the non-delivery warning message.
7. Select the record and click **View Failed Delivery Warning Message** to view failed delivery warning message.
8. Click **Exit** to end the transaction.

1.5 SWIFT Net Service Definition

This topic provides an overview of the SWIFT Net Service Definition.

This topic contains the following sub-topics:

- [Maintain SWIFTNet Service Definition](#)
This topic explains systematic instructions to maintain the SWIFTNet service definition.
- [Process SWIFT Net Service Definition Summary](#)
This topic explains systemic instructions to process the SWIFT Net service definition summary.

1.5.1 Maintain SWIFTNet Service Definition

This topic explains systematic instructions to maintain the SWIFTNet service definition.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDSWTSR** in the text box, and click **Next**.
The **SWIFTNet Service Definition** screen displays.

Figure 1-7 SWIFTNet Service Definition

- On the **SWIFTNet Service Definition** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-9 SWIFTNet Service Definition - Field Description

Field	Description
Service Name	Specify the SWIFTNet service name.
Service Mode	Select the service modes from the following options: <ul style="list-style-type: none"> Real Time (RT) - Select this option to send and receive messages in real time. By default, the Real Time (RT) option is selected. Store and Forward (SnF) - Select this option to send and receive messages by storing them in a location and then forwarding them accordingly.
Requestor DN	Specify the DN that sends the request to the service. Provide at least one DN.
Responder DN	Specify the DN that responds request for the service. Provide at least one DN.

- Click **Exit** to end the transaction.

1.5.2 Process SWIFT Net Service Definition Summary

This topic explains systemic instructions to process the SWIFT Net service definition summary.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSSSWTSR** in the text box, and click **Next**.
The **Swift Net Service Definition Summary** screen displays.

Figure 1-8 SWIFT Net Service Definition Summary

- On the **Swift Net Service Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-10 Swift Net Service Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list. The available options are: <ul style="list-style-type: none"> Authorized Unauthorized Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> Open Closed
Service Name	Click Search and specify the Service Name from the list of values.

- Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:
 - Authorization Status**
 - Service Name**
 - Record Status**
- Click **Exit** to end the transaction.

1.6 SWIFT Local Authentication Maintenance

This topic provides an overview of the SWIFT Local Authentication Maintenance.

This topic contains the following sub-topics:

- [Maintain SWIFT LAU Key](#)
This topic explains systematic instructions to maintain the SWIFT LAU key.
- [Process SWIFT LAU Key Summary](#)
This topic explains systematic instructions to process SWIFT LAU key maintenance details.

- [Process Outgoing SWIFT LAU](#)
This topic describes the flowchart of the outgoing message SWIFT LAU.
- [Process Incoming SWIFT LAU](#)
This topic describes the flowchart of the incoming message SWIFT LAU.

1.6.1 Maintain SWIFT LAU Key

This topic explains systematic instructions to maintain the SWIFT LAU key.


Through the **SWIFT LAU Key Maintenance** screen, maintain SWIFT authentication parameters. This screen can be accessed from the Head office only. The EMS module refers to SWIFT LAU maintenance data for calculating checksum for outbound and authentication of inbound messages. HMAC-SHA256 algorithm validation will be used to calculate the checksum and ensure the integrity of messages exchanged with SWIFT.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDLAUMN** in the text box, and click **Next**.
The **SWIFT LAU Key Maintenance** screen displays.

Figure 1-9 SWIFT LAU Key Maintenance



2. On the **SWIFT LAU Key Maintenance** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-11 SWIFT LAU Key Maintenance - Field Description

Field	Description
Host Code	Click Search and specify the Host Code from the list of values.
Description	The system displays the description of the host code.
Message Direction	Select the direction of the message from the drop-down list based on the key maintained for the SWIFT message: <ul style="list-style-type: none"> • Incoming • Outgoing

Table 1-11 (Cont.) SWIFT LAU Key Maintenance - Field Description

Field	Description
SWIFT LAU Required	Switch the toggle button to enable SWIFT local authentication in the bank. If this toggle is enabled, then all other parameters in this screen are mandatory.
Key First Part	Specify the first part of the key. The length of the key must be in sixteen hexadecimal characters.
Key Second Part	Specify the second part of the key. The length of the key must also be in sixteen hexadecimal characters.

- Click **Exit** to end the transaction.

1.6.2 Process SWIFT LAU Key Summary

This topic explains systematic instructions to process SWIFT LAU key maintenance details.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSSLAUMN** in the text box, and click **Next**.
The **SWIFT LAU Key Summary** screen displays.

Figure 1-10 SWIFT LAU Key Summary

- On the **SWIFT LAU Key Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-12 SWIFT LAU Key Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none"> Authorized Unauthorized Rejected

Table 1-12 (Cont.) SWIFT LAU Key Summary - Field Description

Field	Description
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> • Open • Closed
Host Code	Click Search and specify the Host Code from the list of values.
Message Direction	Select the message direction from the drop-down list: <ul style="list-style-type: none"> • Incoming • Outgoing

- Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:


- **Authorization Status**
- **Record Status**
- **Host Code**
- **Message Direction**
- **SWIFT LAU Required**
- **Key First Part**
- **Key Second Part**

- Click **Exit** to end the transaction.

1.6.3 Process Outgoing SWIFT LAU

This topic describes the flowchart of the outgoing message SWIFT LAU.

Figure 1-11 Outgoing SWIFT LAU



The outbound message workflow is explained below:


- Oracle Banking Corporate Lending generates the S-Block for all outbound SWIFT messages with the message status as **Generated**.

- **Common Core - Electronic Messaging Service User Guide** refers to SWIFT LAU parameters in Oracle Banking Corporate Lending **SWIFT LAU Key Maintenance** screen and applies HMAC-SHA256 algorithm to generate the checksum in S-Block for all outbound messages from Oracle Banking Corporate Lending.
- For all outbound messages, Electronic Messaging Service generated checksum is appended in the S-block of the message, and the same is updated in the **SWIFT LAU** field of the **Outgoing Message Browser** screen.
- Successful generation of S-Block data and message hand-off to the folder will update the message status to **Handoff**. If there is a failure in appending the S-Block data in the message, Electronic Messaging Service will not update the message status to **Handoff** in the **Outgoing Message Browser** screen.
- The next handoff job of Electronic Messaging Service picks up the messages with the status **Generated** regenerates S-Block data, appends the same in the message and updates the message status to **Handoff** in **Outgoing Message Browser** screen.

1.6.4 Process Incoming SWIFT LAU

This topic describes the flowchart of the incoming message SWIFT LAU.

Figure 1-12 Incoming SWIFT LAU



The Inbound message workflow is explained below:

- The user can validate inbound messages with the S-Block data. The checksum value is regenerated in Electronic Messaging Service, based on SWIFT LAU parameters and the HMAC-SHA256 algorithm.
- The regenerated checksum is compared with the checksum present in the received message, and further processing is carried out in Oracle Banking Corporate Lending based on data verification.
- LAU checksum-validated messages are uploaded into the **Incoming Message Browser** screen with the status **Unprocessed**, for Oracle Banking Corporate Lending to create relevant contracts.
- The encrypted S-Block checksum values in the received messages are updated in the **SWIFT LAU** field and the checksum generated by Electronic Messaging Service for all incoming messages are updated in the **LAU Validation** field of the **Incoming Message Browser** screen.

- Messages that have failed in LAU checksum validation are uploaded into the incoming message browser with the status **Repair**.
- Messages with the status **Repair** in the incoming message browser will hold differences in checksum data present in **SWIFT LAU** and **LAU Validation** fields.
- Incoming messages without S-Block are uploaded in the incoming browser with the status **Repair**, and data is not updated in the **SWIFT LAU** field while the Electronic Messaging Service generated checksum is updated in the **LAU VALIDATION** field.

1.7 Mapping Rule Group

This topic provides an overview of the Mapping Rule Group.

This topic contains the following sub-topics:

- [Maintain Rule Group Mapping](#)
This topic explains systematic instructions to maintain the mapping of Rule Groups.
- [Process Rule Group Mapping Summary](#)
This topic explains systematic instructions to process the rule group mapping summary screen.

1.7.1 Maintain Rule Group Mapping


This topic explains systematic instructions to maintain the mapping of Rule Groups.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDRLMAP** in the text box, and click **Next**.
The **Rule Group Mapping** screen displays.

Figure 1-13 Rule Group Mapping



2. On the **Rule Group Mapping** screen, specify the fields.

Table 1-13 Rule Group Mapping - Field Description

Field	Description
Module Identification	Click Search and specify the module that needs to be mapped to the created rule group.
Rule Group Name	Click Search and specify the unique name of the rule group.

- Click **Exit** to end the transaction.


1.7.2 Process Rule Group Mapping Summary

This topic explains systematic instructions to process the rule group mapping summary screen.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, specify **MSSRLMAP** in the text box, and click **Next**.
The **Rule Group Mapping Summary** screen displays.

Figure 1-14 Rule Group Mapping Summary


- On the **Rule Group Mapping Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-14 Rule Group Mapping Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list. <ul style="list-style-type: none"> Authorized Unauthorized Rejected
Record Status	Select the record status from the drop-down list. <ul style="list-style-type: none"> Open Closed
Module Identification	Click Search and specify the module ID from the list of values.

- Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Authorization Status**
- **Record Status**
- **Module Identification**
- **Rule Group Name**

- Click **Exit** to end the transaction.

1.8 Define Rule Group

This topic provides an overview of the Rule Group Definition.

This topic contains the following sub-topics:

- [Maintain Rule Group Definition](#)
This topic explains systematic instructions to maintain the Rule Group definition.
- [Process Rule Group Definition Summary](#)
This topic explains systematic instructions to process the rule group definition summary.

1.8.1 Maintain Rule Group Definition


This topic explains systematic instructions to maintain the Rule Group definition.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSDRLGRP** in the text box, and click **Next**.
The **Rule Group Definition** screen displays.

Figure 1-15 Rule Group Definition



- On the **Rule Group Definition** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-15 Rule Group Definition - Field Description

Field	Description
Rule Group Name	Specify the unique rule group name.
Description	Type a description of the rule group.
Rule Name	Click Search and specify the rule name from the list of values.
Rule Description	Type a Rule Description .
Priority	Specify the Priority .
Move to/Swap to	Specify whether the priority must be swapped or moved.
Move	Click Move to move the priority record.
Swap	Click Swap to swap the priority record.

- Click **Exit** to end the transaction.


1.8.2 Process Rule Group Definition Summary

This topic explains systematic instructions to process the rule group definition summary.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSSRLGRP** in the text box, and click **Next**.
The **Rule Group Definition Summary** screen displays.

Figure 1-16 Rule Group Definition Summary


- On the **Rule Group Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-16 Rule Group Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none">• Authorized• Unauthorized• Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none">• Open• Closed
Rule Group Name	Click Search and specify the name of the rule group from the list of values.

3. Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Authorization Status**
- **Record Status**
- **Rule Group Name**
- **Description**

4. Click **Exit** to end the transaction.

1.9 Define Routing Rule

This topic provides an overview of the Routing Group Definition.

This topic contains the following sub-topics:

- [Maintain Routing Rule Definition](#)
This topic explains systematic instructions to maintain the Routing Rule definition.
- [Process Routing Rule Definition Summary](#)
This topic explains systematic instructions to process the routing rule definition summary.

1.9.1 Maintain Routing Rule Definition

This topic explains systematic instructions to maintain the Routing Rule definition.

1. On **Homescreen**, type **MSDRLDFN** in the text box, and click **Next**.

The **Routing Rule Definition** screen displays.

Figure 1-17 Routing Rule Definition

Routing Rule Definition

New Enter Query

Rule Details

Rule Name *
Rule Description

Destination Details

Destination Type *
Folder Path
Queue JNDI Name
Protocol Type
Protocol Name
Swift Net Connectivity
Bulk Rule Name

Expression Details

Expression Section Scope LOP Type LOP Data Type Left Operand Operator ROP Type

No data to display.

Audit Exit

- On the **Routing Rule Definition** screen, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-17 Routing Rule Definition - Field Description

Field	Description
Rule Name	Specify the Rule Name .
Rule Description	Type a description of the selected Rule Name .
Destination Type	Specify the type of destination to which the messages matching the rule criteria are being sent from the drop-down list: <ul style="list-style-type: none"> SWIFT Net Connectivity Bulker Folder Queue
Folder Path	Specify the path of the folder if the Destination Type is selected as a Folder .
Queue JNDI Name	Specify the JNDI name of the queue. This field is mandatory if the Destination Type is selected as a Queue .
Protocol Type	Specify the type of protocol from the drop-down list: <ul style="list-style-type: none"> FTA MQHA This field is mandatory if the Destination Type is selected as a SWIFT Net Connectivity .
Protocol Name	Click Search and specify the required protocol name for the selected protocol.
SWIFTNet Connectivity	Click Search and specify the name of the connector if the Destination Type is selected as a SWIFT Net Connectivity .
Bulk Rule Name	Click Search and specify the Bulk Rule Name from the list of values.
Expression Section	Specify the Expression Section .
Scope	Specify the Scope .

Table 1-17 (Cont.) Routing Rule Definition - Field Description

Field	Description
Left Operand Type (LOP Type)	Select the type of the left operand from the drop-down list: <ul style="list-style-type: none"> • Constant • Parameter • Expression
Left Operand Data Type (LOP Data Type)	Select the LOP data type from the drop-down list: <ul style="list-style-type: none"> • String • Date • Boolean • Number
Left Operand	Click Search and specify the left operand from the list of values.
Operator	Select the operator from the drop-down list: <ul style="list-style-type: none"> • Greater Than • Less Than • Equal to • Not Equal to • Greater Than or Equal to • Less Than or Equal to
Right Operand Type (ROP Type)	Select the type of the right operand from the drop-down list: <ul style="list-style-type: none"> • Constant • Parameter • Expression
Right Operand Data Type (ROP Data Type)	Select the ROP data type from the drop-down list: <ul style="list-style-type: none"> • String • Date • Boolean • Number
Right Operand	Click Search and specify the right operand from the list of values.
Scope	Specify the Scope .
Logical Operators	Select the logical operators from the drop-down list: <ul style="list-style-type: none"> • AND • OR
Pre Defined Functions	Select the predefined functions from the drop-down list: <ul style="list-style-type: none"> • Index Of • Substring • Length • Replace • Uppercase • Lowercase • Trim • Replace all
Parameter Name	Specify the Parameter Name .
Parameter Value	Specify the Parameter Value .
Parameter Type	Specify the Parameter Type .
Expression For	Select the expression for from the drop-down list: <ul style="list-style-type: none"> • Right Operand • Left Operand
Final Expression	Specify the Final Expression .
Build Expression	Click Build Expression to build the expression.

3. Click **Exit** to end the transaction.

1.9.2 Process Routing Rule Definition Summary

This topic explains systematic instructions to process the routing rule definition summary.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSRLDFN** in the text box, and click **Next**.
The **Routing Rule Definition Summary** screen displays.

Figure 1-18 Routing Rule Definition Summary

2. On the **Routing Rule Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-18 Routing Rule Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none">• Authorized• Unauthorized• Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none">• Open• Closed
Rule Name	Click Search and specify the Rule Name from the list of values.
Rule Description	Click Search and specify the Rule Description from the list of values.
Rule Group Name	Click Search and specify the Rule Group Name from the list of values.

Table 1-18 (Cont.) Routing Rule Definition Summary - Field Description

Field	Description
Destination Type	Select the destination type from the drop-down list: <ul style="list-style-type: none">• Folder• Queue• Swift Net Connectivity• Bulker

3. Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Authorization Status**
- **Record Status**
- **Rule Name**
- **Rule Description**
- **Rule Group Name**
- **Destination Type**

4. Click **Exit** to end the transaction.

1.10 Define Protocol Parameter

This topic provides an overview of the Protocol Parameter Definition.

This topic contains the following sub-topics:

- [Maintain Protocol Parameter Definition](#)
This topic explains systematic instructions to maintain the protocol parameter definition.
- [Process Protocol Parameter Definition Summary](#)
This topic explains systematic instructions to process protocol parameter definition summary.

1.10.1 Maintain Protocol Parameter Definition

This topic explains systematic instructions to maintain the protocol parameter definition.

① Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDPTPRM** in the text box, and click **Next**.
The **Protocol Parameter Definition** screen displays.

Figure 1-19 Protocol Parameter Definition

Protocol Parameter Definition

New

Enter Query

Protocol Parameter Name *

Description

Protocol Type MQHA

Overlapping Parameter Set

☐

Parameter *

Value

No data to display.

Page 1 (0 of 0 items) < 1 >

Audit

Exit

2. On the **Protocol Parameter Definition** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-19 Protocol Parameter Definition - Field Description

Field	Description
Protocol Parameter Name	Specify the name of the protocol for which the parameter list is defined.
Description	Specify the description of the protocol parameter.
Protocol Type Mode	Select the mode of the protocol type from the drop-down list: <ul style="list-style-type: none">FTAMQHA
Parameters	Specify the parameters for the protocol.
Value	Specify the value of the parameter.

3. Click **Exit** to end the transaction.

1.10.2 Process Protocol Parameter Definition Summary

This topic explains systematic instructions to process protocol parameter definition summary.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSPTPRM** in the text box, and click **Next**.
The **Protocol Parameter Definition Summary** screen displays.

Figure 1-20 Protocol Parameter Definition Summary

- On the **Protocol Parameter Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-20 Protocol Parameter Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none"> Authorized Unauthorized Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> Open Closed
Protocol Parameter Name	Click Search and select the name of the protocol parameter from the list of values.

- Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:
 - Authorization Status**
 - Record Status**
 - Protocol Parameter Name**
 - Description**
 - Protocol Type**
- Click **Exit** to end the transaction.

1.11 File Transfer Adapter Connector Configuration

This topic provides an overview of the file transfer adapter connector configuration.

Create below folder structure for the Swift Net connectivity:

- Create an application base directory as per the path mentioned in the mstm_ems_system_parameters (APP_BASE_DIR).
- Create below folder structure in the application base directory:

- **payload\EMS_OUT**
 - **XSL**
3. In the XSL folder, copy all the XSL required for message transformation

This topic contains the following sub-topics:

- [Maintain File Transfer Adapter Connector Configuration](#)
This topic explains systematic instructions to maintain the **File Transfer Adapter Connector Configuration** screen.
- [Process SWIFTNet FTA Connector Definition Summary](#)
This topic explains systematic instructions to process the SWIFTNet FTA connector definition summary.

1.11.1 Maintain File Transfer Adapter Connector Configuration


This topic explains systematic instructions to maintain the **File Transfer Adapter Connector Configuration** screen.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDFTACN** in the text box, and click **Next**.
The **File Transfer Adapter Connector Configuration** screen displays.

Figure 1-21 File Transfer Adapter Connector Configuration



2. On the **File Transfer Adapter Connector Configuration** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-21 File Transfer Adapter Connector Configuration - Field Description

Field	Description
FTA Connector Name	Specify the FTA Connector Name .

Table 1-21 (Cont.) File Transfer Adapter Connector Configuration - Field Description

Field	Description
Operation Type	Select the type of operation from the drop-down list: <ul style="list-style-type: none"> Inbound Outbound
Node	Specify the Node . This is mandatory for the Inbound operation type.
Media	Specify the Media . This is mandatory for the Inbound operation type.
Media Control System	Specify the Media Control System . This is mandatory for the Inbound operation type.
Host Code	Specify the Host Code .
File Directory	Specify store details of the emission directory for outbound connectivity and the reception directory for inbound flow.
Success Directory	For outbound connectivity, delivery notification responses related to file transfer status from the SAG are placed in this directory. For inbound connectivity file transfer, success status files are placed in this folder.
Log Directory	Specify the responses from SAG.
Parameter File	Switch this toggle if FCM creates or receives a parameter file corresponding to every data file in configured file directory along with the data file.
Data file LAU	Switch this toggle if FCM calculates the LAU of the data file and puts the calculated value in the parameter file.
Companion LAU	Switch this toggle if parameters defined at the emission profile of the SAG side are overridden by information in the companion file.
Override	Switch this toggle if parameters defined at the emission profile of the SAG side will be overridden by information in the companion file.
Debulk Required	Switch this toggle, if debulk is required for inbound messages.
Debulk Rule Name	Specify the Debulk Rule Name .

- Click **Exit** to end the transaction.

1.11.2 Process SWIFTNet FTA Connector Definition Summary

This topic explains systematic instructions to process the SWIFTNet FTA connector definition summary.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSSFTACN** in the text box, and click **Next**.
The **SWIFTNet FTA Connector Definition Summary** screen displays.

Figure 1-22 SWIFTNet FTA Connector Definition Summary

- On the **SWIFTNet FTA Connector Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-22 SWIFTNet FTA Connector Definition Summary - Field Description

Field	Description
Authorization Status	Select the status of the authorization from the drop-down list: <ul style="list-style-type: none"> • Authorized • Unauthorized • Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> • Open • Closed
FTA Connector Name	Click Search and specify the FTA Connector Name from the list of values.
Operation Type	Select the operation type from the drop-down list: <ul style="list-style-type: none"> • Inbound • Outbound

- Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:
 - **FTA Connector Name**
 - **Operation Type**
 - **Authorization Status**
 - **Record Status**
- Click **Exit** to end the transaction.

1.12 Distinguished Name Definition

This topic provides an overview of the Distinguished Name Definition.

This topic contains the following sub-topics:

- [Maintain Distinguished Name Definition](#)
This topic explains systematic instructions to process the distinguished name definition.

- [Process Distinguished Name Definition Summary](#)
This topic explains systematic instructions to process the summary of distinguished name definitions.

1.12.1 Maintain Distinguished Name Definition

This topic explains systematic instructions to process the distinguished name definition.

① Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDDSTNM** in the text box, and click **Next**.
The **Distinguished Name Definition** screen displays.

Figure 1-23 Distinguished Name Definition

2. On **Distinguished Name Definition** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-23 Distinguished Name Definition - Field Description

Field	Description
Distinguished Name ID	Specify the unique identification of the distinguished name.
Distinguished Name	Specify the distinguished name to identify the entity that sends or gets messages.
Description	Specify the description of the distinguished name.

3. Click **Exit** to end the transaction.

1.12.2 Process Distinguished Name Definition Summary

This topic explains systematic instructions to process the summary of distinguished name definitions.

① Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSDSTNM** in the text box, and click **Next**.
The **Distinguished Name Definition Summary** screen displays.

Figure 1-24 Distinguished Name Definition Summary

2. On the **Distinguished Name Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-24 Distinguished Name Definition Summary - Field Description

Field	Description
Distinguished Name ID	Click Search and specify the unique identification of the distinguished name.
Distinguished Name	Click Search and specify the distinguished name to identify the entity that sends or gets messages.
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none"> • Authorized • Unauthorized • Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> • Open • Closed

3. Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Distinguished Name ID**
 - **Distinguished Name**
 - **Description**
 - **Authorization Status**
 - **Record Status**
4. Click **Exit** to end the transaction.

1.13 Define Debulk Rule

This topic provides an overview of the Debulk Rule Definition.

This topic contains the following sub-topics:

- [Maintain De Bulk Rule Definition](#)
This topic explains systematic instructions to maintain the De Bulk rule definition.
- [Process Debulk Rule Summary](#)
This topic explains systematic instructions to process the summary of debulk rule.

1.13.1 Maintain De Bulk Rule Definition


This topic explains systematic instructions to maintain the De Bulk rule definition.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDDEBRL** in the text box, and click **Next**.
The **De Bulk Rule Definition** screen displays.

Figure 1-25 De Bulk Rule Definition



2. On the **De Bulk Rule Definition** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-25 De Bulk Rule Definition - Field Description

Field	Description
Debulk Rule Name	Specify the name of the debulk file.
Payload Delimiter	Specify the delimiter between payloads.
Protocol	Select the type of protocol from the drop-down list: <ul style="list-style-type: none"> • MQHA • FTA
Decompression Required	Switch this toggle if debulk processing requires decompression.
Description	The system displays the description of the Debulk rule.
Decompression Type	Select the type of decompression from the drop-down list: <ul style="list-style-type: none"> • Zip • GZIP

- Click **Exit** to end the transaction.

1.13.2 Process Debulk Rule Summary


This topic explains systematic instructions to process the summary of debulk rule.

Note

The fields which are marked in asterisk are mandatory.

- On **Homescreen**, type **MSSDEBRL** in the text box, and click **Next**.
The **Debulk Rule Definition Summary** screen displays.

Figure 1-26 Debulk Rule Definition Summary



- On **Debulk Rule Definition Summary** screen, specify the details.
For more information on fields, refer to the field description table.

Table 1-26 Debulk Rule Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none">• Authorized• Unauthorized• Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none">• Open• Closed
Debulk Rule Name	Click Search and specify the Debulk Rule Name from the list of values.
Protocol	Select the protocol from the drop-down list: <ul style="list-style-type: none">• MQHA• FTA

3. Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Authorization Status**
- **Record Status**
- **Debulk Rule Name**
- **Payload Delimiter**
- **Protocol**

4. Click **Exit** to end the transaction.

1.14 Connectivity Operation Manager

This topic provides an overview of the Connectivity Operation Manager.

This topic contains the following sub-topics:

- [Maintain Connectivity Operation Manager](#)
This topic explains systematic instructions to maintain the connectivity operation manager.

1.14.1 Maintain Connectivity Operation Manager

This topic explains systematic instructions to maintain the connectivity operation manager.

① Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDCNMGR** in the text box, and click **Next**.
The **Connectivity Operation Manager** screen displays.

Figure 1-27 Connectivity Operation Manager

2. On the **Connectivity Operation Manager** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-27 Connectivity Operation Manager - Field Description

Field	Description
Connectivity Line	Click Search and specify the required connectivity line.
Operation Type	Select the type of operation from the drop-down list: <ul style="list-style-type: none"> • Inbound • Outbound
Status	The system displays the display line status.
Operation	The system displays the operation.
Start	Click Start to start the connectivity line.
Stop	Click Stop to stop the connectivity line.

3. Click **Exit** to end the transaction.

1.15 Process Outbound File Browser

This topic explains systematic instructions to search and view the outbound files.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSFLBRW** in the text box, and click **Next**.
The **Outbound File Browser** screen displays.

Figure 1-28 Outbound File Browser

2. On the **Outbound File Browser** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-28 Outbound File Browser - Field Description

Field	Description
File Reference Number	Click Search and specify the File Reference Number from the list of values.
File Type	Click Search and specify the File Type from the list of values.
Generated Date	Click Search and specify the Generated Date from the list of values.
Handoff Status	Click Search and specify the Handoff Status from the list of values.
File Status	Click Search and specify the File Status from the list of values.
Media	Click Search and specify the Media from the list of values.
Network Code	Click Search and specify the Network Code from the list of values.
Module	Click Search and specify the Module from the list of values.

3. Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **File Reference Number**
- **File Type**
- **Generated Date**
- **Handoff Status**
- **Receiver BIC**
- **Sender BIC**
- **File Format Type**
- **File Status**
- **Media**
- **Network Code**
- **File Name**
- **Source Code**

- **Module**
 - **External Reference**
4. Select the record and click **View** to view details.
 5. Click **Exit** to end the transaction.

1.16 Process Inbound File Browser

This topic explains systematic instructions to process the summary of the inbound file browser.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSIFBRW** in the text box, and click **Next**.
The **Inbound File Browser Summary** screen displays.

Figure 1-29 Inbound File Browser Summary

2. On the **Inbound File Browser Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-29 Inbound File Browser Summary - Field Description

Field	Description
File Reference Number	Click Search and specify the File Reference Number from the list of values.
Received Date	Click Calendar and select the Received Date .
Source Code	Click Search and specify the Source Code from the list of values.
File Name	Click Search and specify the File Name from the list of values.
Host Code	Click Search and specify the Host Code from the list of values.
Status	Click Search and specify the Status from the list of values.
Media	Click Search and specify the Media from the list of values.
Swift Net Connector Name	Click Search and specify the Swift Net Connector Name from the list of values.

3. Click **Search** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **File Reference Number**
- **Host Code**
- **File Format Type**
- **Received Date**
- **Network Code**
- **Status**
- **Source Code**
- **Media**
- **File Name**
- **Swift Net Connector Name**
- **External Reference**
- **Error Code**
- **Error Description**
- **Error Message**
- **Receiver BIC**
- **Sender BIC**

4. Click **Exit** to end the transaction.

1.17 Define Bulk Preference

This topic provides an overview of the Bulk Preference Definition.

This topic contains the following sub-topics:

- [Maintain Bulking Preference Definition](#)
This topic explains systematic instructions to maintain the bulking preference definition.
- [Process Bulking Preference Definition Summary](#)
This topic explains systematic instructions to process bulking preference definition summary.

1.17.1 Maintain Bulking Preference Definition

This topic explains systematic instructions to maintain the bulking preference definition.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSDBLKRL** in the text box, and click **Next**.

The **Bulking Preference Definition** screen displays.

Figure 1-30 Bulking Preference Definition

- On the **Bulking Preference Definition** screen, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-30 Bulking Preference Definition - Field Description

Field	Description
Bulking Preference Name	Specify the name used for storing the bulk preference.
Volume Restriction Required?	Switch this toggle to configure volume based bulking.
Maximum number of messages	Specify the maximum number of messages that can be stored in a bulk file.
Size Restriction Required?	Switch this toggle to configure size based bulking.
Size (In KB)	Specify the size in KB.
Scheduler Type	Select the type of scheduler from the following options: <ul style="list-style-type: none"> Time Based Frequency
Scheduling Number	Specify the scheduling sequence.
Start Hour	Specify the start hour of the scheduling sequence.
Start Minute	Specify the start minute for frequency based scheduler.
Start Time (HH:MM)	Specify the start time of the trigger. Enter the format in HH:MM format.
End Time (HH:MM)	Specify the end time of the trigger. Enter the format in HH:MM format.
Time Interval in Min	Specify the interval of the repeat in MM format.

Table 1-30 (Cont.) Bulking Preference Definition - Field Description

Field	Description
Bulk File Name Prefix	Specify the prefix to indicate the name of the bulk file.
Maximum size of Bulk File (In KB)	Specify the maximum size of a bulk file in KB.
Payload Delimiter	Specify the delimiter while bulking messages.
File Extension	Select the file format that must be used while bulking messages.
Compression Required	Switch this toggle to indicate that file compression is required.
Compression Type	Specify the required type of compression from the drop-down list: <ul style="list-style-type: none"> • Zip • GZip
Destination Type	Specify the type of destination from the drop-down list: <ul style="list-style-type: none"> • Folder • Queue • SwiftNet Connectivity If the Destination Type is SwiftNet Connectivity , then a field SwiftNet Connectivity needs to be selected from list of values which gives the list of connectivity lines.
Folder Path	Specify the user defined destination folder path.
Queue JNDI Name	Specify the JNDI name of the queue if the Destination Type is selected as Queue .
Protocol Type	Select the type of protocol from the drop-down list: <ul style="list-style-type: none"> • FTA • MQHA
Swift Net Connectivity	Select the Swift Net connectivity from the list of values.
Protocol Name	Specify the protocol name for the selected protocol.

3. Click **Exit** to end the transaction.

1.17.2 Process Bulking Preference Definition Summary

This topic explains systematic instructions to process bulking preference definition summary.

Note

The fields which are marked in asterisk are mandatory.

1. On **Homescreen**, type **MSSBLKRL** in the text box, and click **Next**.
The **Bulking Preference Definition Summary** screen displays.

Figure 1-31 Bulking Preference Definition Summary

2. On the **Bulking Preference Definition Summary** screen, specify the fields.
For more information on fields, refer to the field description table.

Table 1-31 Bulking Preference Definition Summary - Field Description

Field	Description
Authorization Status	Select the authorization status from the drop-down list: <ul style="list-style-type: none"> • Authorized • Unauthorized • Rejected
Record Status	Select the record status from the drop-down list: <ul style="list-style-type: none"> • Open • Closed
Bulk Preference Name	Click Search and specify the name used for storing the bulk preference.
Bulk Initiated	Select Yes/No from the drop-down list to configure volume based bulking.

3. Click **Search** after specifying the search parameters.
The system identifies all records satisfying the specified criteria and displays the following details for each one of them:
 - **Authorization Status**
 - **Record Status**
 - **Bulking Preference Name**
 - **Max Number of Messages**
 - **Size in (in KB)**
 - **Bulk File Name Prefix**
 - **Maximum Size of Bulk File (in KB)**
 - **Bulk Initiated**
4. Click **Exit** to end the transaction.

1.18 Process Bulk Monitor Summary

This topic explains systematic instructions to process the summary of messages and executions in bulk.

1. On **Homescreen**, type **MSSBLKMN** in the text box, and click **Next**.

The **Bulk Monitor Summary** screen displays.

Figure 1-32 Bulk Monitor Summary

2. On the **Bulk Monitor Summary** screen, specify the fields.

Note

The fields, which are marked with an asterisk, are mandatory.

For more information on fields, refer to the field description table.

Table 1-32 Bulk Monitor Summary - Field Description

Field	Description
Execution Start Date	Click Calendar and select the Execution Start Date .
Number of Files Generated	Click Search and specify the Number of Files Generated .
Status	Click Search and specify the Status .
Bulk Preference Name	Click Search and specify the Bulk Preference Name .
Execution End Date	Click Calendar and select the Execution End Date .
Process Reference Number	Click Search and specify the Process Reference Number .

3. Click **Execute Query** after specifying the search parameters.

The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- **Execution Start Date**
- **Execution Start Time**

- **Number of Files Generated**
 - **Status**
 - **Bulk Preference Name**
 - **Execution End Date**
 - **Execution End Time**
 - **Process Reference Number**
 - **Number of Transactions**
 - **Total Size**
 - **Error Code**
 - **Error Parameter**
 - **Error Description**
4. Double-click a record from the results to view the details of each record in the results. The **Bulk Monitor** screen displays.

Figure 1-33 Bulk Monitor

Bulk Monitor

Enter Query

Process Reference Number

Execution Start Date

Execution Start Time

Execution End Date

Execution End Time

Status

Bulk Preference Name

No Of Files Generated

Error Code

Error Parameter

Error Description

Regenerate

Initiate Adhoc Bulking

Exit

5. Click **Regenerate** to regenerate the files due to any error in the file generation. The records get generated again.
6. Click **Initiate Adhoc Bulking** to bulk a selected bulk preference ad-hoc.
7. Click **Exit** to end the transaction.