

Oracle® Banking Treasury Management

Extensibility Hooks



Release 14.7.2.0.0
F89128-01
November 2023

ORACLE®

Copyright © 2022, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	vi
Conventions	vi

1 ICCB Module Hooks

1.1 CFPKS_TR_CLASS Package	1-1
1.2 CFPKS_TR_SERVICES Package	1-2
1.3 CFPKS_TR_INTEREST Package	1-3

2 Core Module Hooks

2.1 CSPKS_TR_SPLIT Package	2-1
2.2 CSPKS_TR_UPLOAD Package	2-3
2.3 CSPKS_TR_FUNCTION_CACHE Package	2-4

3 Derivatives Module Hooks

3.1 DVPKS_ADVICE_SERVICES_0 Package	3-1
3.2 DVPKS_CONTRACT_SERVICES_0 Package	3-2
3.3 DVPKS_CONTRACT_EVENT_0 Package	3-4
3.4 DVPKS_DVDTRAUT_UTILS Package	3-9
3.5 DVPKS_DVDTRONL_UTILS Package	3-10
3.6 DVPKS_EOD_BATCH Package	3-12
3.7 DVPKS_REVAL_1 Package	3-14
3.8 DVPKS_REVAL_REVERSAL Package	3-15
3.9 DVPKS_SCHEDULES_0 Package	3-17

4 Exchange Traded Derivatives Module Hooks

4.1 EDPKS_EVENTS Package	4-1
4.2 EDPKS_BATCH Package	4-4

5 Foreign Exchange Module Hooks

5.1	FN_SERVERBOOK Package	5-1
5.2	FXPKS_ACCTG Package	5-2
5.3	FXPKS_ADV	5-4
5.4	FXPKS_BATCH	5-5
5.5	FN_CONTRACT_COPY	5-7
5.6	FXPKS_CREATE_CONTRACT Package	5-9
5.7	FXPKS_FXDSPA_U_UTILS Package	5-11
5.8	FXPKS_FXDTRONL_DEFAULT Package	5-12
5.9	FXPKS_FXDTRONL_UPLOAD	5-14
5.10	FXPKS_FXDTRONL_UTILS	5-14
5.11	FXPKS_FXDTRONL_VALIDATE	5-23
5.12	FXPKS_MESG Package	5-24
5.13	FXPKS_NET Package	5-26
5.14	FXPKS_REVAL Package	5-29
5.15	FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD	5-31

6 Settlement Instructions Module Hooks

6.1	ISPKS_DRCRADV Package	6-1
6.2	ISPKS_ISCTRSET_UTILS Package	6-1
6.3	ISPKS_ADDON	6-2
6.4	ISPKS_TR_ADV Package	6-3
6.5	ISPKS_TR Package	6-4
6.6	ISPKS_TR_ADV1 Package	6-4

7 Management Information System Hooks

7.1	MIPKS_TR_REFERRAL Package	7-1
-----	---------------------------	-----

8 Messaging Module Hooks

8.1	MSCOMS_TR Package	8-1
-----	-------------------	-----

9 Money Market Hooks

9.1	LDPKS_AUTOLIQ Package	9-1
9.2	LDPKS_COMM_CHG Package	9-2
9.3	LDPKS_SCHEDULES Package	9-2
9.4	LDADV_INPUT/1/1 Package	9-3
9.5	LDPKS_TR_REVERSE_PMT Package	9-4

9.6	LDPKS_TR_SCHEDULES Package	9-5
9.7	FN_AUTHORISE Package	9-6
9.8	FXPKS_ACCTG Package	9-7
9.9	MMPKS_MMDPAMIN_UTILS0 Package	9-8
9.10	MMPKS_MMDVAMIA_KERNEL Package	9-8
9.11	MMPKS_OPERATIONS Package	9-9

10 Securities Module Hooks

10.1	FN_PASS_POSITION_ENTRY Package	10-1
10.1.1	FN_PASS_POSITION_ENTRY Package	10-2
10.2	SEPKS_DPRP_BATCH Package	10-2
10.3	SEPKS_DPRP_REBUILD Package	10-3
10.4	SEPKS_EVENT Package	10-4
10.5	SEPKS_INSERT_MASTER Package	10-5
10.6	SEPKS_REVAL_0 Package	10-6

11 Tax Module Hooks

11.1	TAPKS_TR_NEW Package	11-1
------	----------------------	------

12 Treasury Module Hooks

12.1	CVPKS_TR_UTILS Package	12-1
12.2	TRPKS_EAC_SERVICE Package	12-4
12.3	TRPKS_PROCESS_EVENT_RFR/8/0	12-5
12.4	FN_CALC_SPREAD	12-6

Preface

This manual is designed to help you to quickly get acquainted with the Extensibility Hooks (EHD) documents for the modules of Oracle Banking Treasury Management.

- [Audience](#)
- [Conventions](#)

Audience

This guide is intended for Back Office Data Entry Clerk, Back Office Managers/Officers, Product Managers, End of Day Operators, and Financial Controller users.

Conventions

The following text conventions are used in this document:

Table 1 Conventions and Meaning

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

ICCB Module Hooks

The hooks released in the ICCB Module are as follows:

- [CFPKS_TR_CLASS Package](#)
- [CFPKS_TR_SERVICES Package](#)
- [CFPKS_TR_INTEREST Package](#)

1.1 CFPKS_TR_CLASS Package

Pre hook provided for custom - FN_PRE_AMOUNT_TAG_INSERT and FN_POST_AMOUNT_TAG_INSERT.

Table 1-1 FN_AMOUNT_TAG_INSERT/5/1 - FN_PRE_AMOUNT_TAG_INSERT

Parameter	Description
Function	FN_AMOUNT_TAG_INSERT
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_AMOUNT_TAG_INSERT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom
Description	Hook is provided in FN_AMOUNT_TAG_INSERT. Hook required to additional accounting entries will be maintained in Coupon Collection (CPCD) event by introducing new amount tags. PK All parameters received by kernel function are passed to the custom hook. Additional parameters passed to custom hook are mentioned in field "Additional Parameters". The variables mentioned in " Sent to Extensible Layer" field are passed to custom hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33149015

Table 1-2 FN_AMOUNT_TAG_INSERT/5/1

Parameter	Description
Function	FN_AMOUNT_TAG_INSERT
No of Parameters	5
Function Call Id	1

Table 1-2 (Cont.) FN_AMOUNT_TAG_INSERT/5/1

Parameter	Description
Cluster/Custom Function Name	FN_POST_AMOUNT_TAG_INSERT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom
Description	Hook is provided in FN_AMOUNT_TAG_INSERT. Hook required to additional accounting entries will be maintained in Coupon Collection (CPCD) event by introducing new amount tags. PK All parameters received by kernel function are passed to the custom hook. Additional parameters passed to custom hook are mentioned in field "Additional Parameters". The variables mentioned in " Sent to Extensible Layer" field are passed to custom hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33149015

1.2 CFPKS_TR_SERVICES Package

Table 1-3 FN_POPULATE_INTEREST/0/1- FN_PRE_POPULATE_INTEREST

Parameter	Description
Function	FN_POPULATE_INTEREST
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_POPULATE_INTEREST
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook has been provided at the beginning of the function fn_populate_interest in package cfpks_services.
Description	Hook has been provided at the beginning of the function fn_populate_interest in package cfpks_services. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	29432848

Table 1-4 FN_POPULATE_INTEREST/0/2 - FN_POST_POPULATE_INTEREST

Parameter	Description
Function	FN_POPULATE_INTEREST
No of Parameters	0
Function Call Id	2
Cluster/Custom Function Name	FN_POST_POPULATE_INTEREST
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook has been provided at the end of the function fn_populate_interest in package cfps_services.
Description	Hook has been provided at the end of the function fn_populate_interest in package cfps_services. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	29432848

1.3 CFPKS_TR_INTEREST Package

Hook provided for FN_DATE_DIFF() - FN_PRE_DATE_DIFF and FN_POST_DATE_DIFF

Table 1-5 FN_DATE_DIFF/6/1- FN_PRE_DATE_DIFF

Parameter	Description
Function	FN_DATE_DIFF
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_DATE_DIFF
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook has been provided at the beginning of the function fn_populate_interest in package cfps_services.

Table 1-5 (Cont.) FN_DATE_DIFF/6/1- FN_PRE_DATE_DIFF

Parameter	Description
Description	Hooks provided for FN_DATE_DIFF() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Table 1-6 FN_DATE_DIFF/6/1- FN_POST_DATE_DIFF

Parameter	Description
Function	FN_POPULATE_INTEREST
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_DATE_DIFF
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for FN_DATE_DIFF()
Description	Hooks provided for FN_DATE_DIFF() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

2

Core Module Hooks

The hooks released in the Core Module are as follows:

- [CSPKS_TR_SPLIT Package](#)
- [CSPKS_TR_UPLOAD Package](#)
- [CSPKS_TR_FUNCTION_CACHE Package](#)

2.1 CSPKS_TR_SPLIT Package

Hook provided to change the value of the collateral amount to be used in liquidation.

Table 2-1 FN_COLLAT_DTLS/7/1

Parameter	Description
Function	FN_COLLAT_DTLS/7/1
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_COLLAT_DTLS
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

Table 2-2 FN_COLLAT_DTLS/7/2

Parameter	Description
Function	FN_COLLAT_DTLS/7/2
No of Parameters	7
Function Call Id	2

Table 2-2 (Cont.) FN_COLLAT_DTLS/7/2

Parameter	Description
Cluster/Custom Function Name	FN_COLLAT_DTLS
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

Table 2-3 FN_CREATE_SPLIT_MASTER/8/1

Parameter	Description
Function	FN_CREATE_SPLIT_MASTER
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	Name FN_CREATE_SPLIT_MASTER
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

2.2 CSPKS_TR_UPLOAD Package

Pre Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed.

FN_WHAT_TO_DO/7/1

Table 2-4 FN_WHAT_TO_DO/7/1

Parameter	Description
Function	FN_WHAT_TO_DO/7/1
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_WHAT_TO_DO/7/1
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed.
Description	Pre Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23651519

FN_WHAT_TO_DO/7/2

Table 2-5 FN_WHAT_TO_DO/7/2

Parameter	Description
Function	FN_WHAT_TO_DO/7/2
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_WHAT_TO_DO
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed.

Table 2-5 (Cont.) FN_WHAT_TO_DO/7/2

Parameter	Description
Description	Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23651519

2.3 CSPKS_TR_FUNCTION_CACHE Package

Pre Hook is provided as, All the values are required to be passed to the custom layer using which various activities will be performed.

Table 2-6 FN_GET_ACCLS_MIN_BAL/0/1

Parameter	Description
Function	FN_GET_ACCLS_MIN_BAL
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_GET_ACCLS_MIN_BAL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	PRE HOOK PROVIDED.
Description	PRE HOOK PROVIDED. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28385609

Table 2-7 FN_GET_ERTB_MSGS_REC_FRC/0/1

Parameter	Description
Function	FN_GET_ERTB_MSGS_REC_FRC

Table 2-7 (Cont.) FN_GET_ERTB_MSGS_REC_FRC/0/1

Parameter	Description
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_GET_ERTB_MSGS_REC_FRC
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided.
Description	PRE HOOK PROVIDED. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	25040249

3

Derivatives Module Hooks

The hooks released in the DV Module are as follows:

- [DVPKS_ADVICE_SERVICES_0 Package](#)
- [DVPKS_CONTRACT_SERVICES_0 Package](#)
- [DVPKS_CONTRACT_EVENT_0 Package](#)
- [DVPKS_DVDTRAUT_UTILS Package](#)
- [DVPKS_DVDTRONL_UTILS Package](#)
- [DVPKS_EOD_BATCH Package](#)
- [DVPKS_REVAL_1 Package](#)
- [DVPKS_REVAL_REVERSAL Package](#)
- [DVPKS_SCHEDULES_0 Package](#)

3.1 DVPKS_ADVICE_SERVICES_0 Package

Hook is provided in DVPKS_ADVICE_SERVICES_0_CUSTOM.FN_PRE_ADVICE_INPUT

Table 3-1 FN_PRE_ADVICE_INPUT1/1 - FN_PRE_ADVICE_INPUT

Parameter	Description
Function	FN_ADVICE_INPUT
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ADVICE_INPUT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_ADVICE_SERVICES_0_CUSTOM.FN_PRE_ADVICE_INPUT
Description	Hook is provided in DVPKS_ADVICE_SERVICES_0_CUSTOM.FN_PRE_ADVICE_INPUT All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 3-1 (Cont.) FN_PRE_ADVICE_INPUT1/1 - FN_PRE_ADVICE_INPUT

Parameter	Description
Bug No	33945089

Table 3-2 FN_ADVICE_INPUT1/2 - FN_PRE_ADVICE_INPUT

Parameter	Description
Function	FN_ADVICE_INPUT
No of Parameters	1
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ADVICE_INPUT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_ADVICE_SERVICES_0_CUSTOM.FN_POST_ADVICE_I NPUT
Description	Hook is provided in DVPKS_ADVICE_SERVICES_0_CUSTOM.FN_POST_ADVICE_I NPUT All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33945089

3.2 DVPKS_CONTRACT_SERVICES_0 Package

Hook is provided in
DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_PRE_AUTHORISE and
DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_POST_AUTHORISE

Table 3-3 FN_AUTHORISE/3/1 - FN_PRE_AUTHORISE

Parameter	Description
Function	FN_AUTHORISE
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_AUTHORISE
Additional parameters	None

Table 3-3 (Cont.) FN_AUTHORISE/3/1 - FN_PRE_AUTHORISE

Parameter	Description
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_PRE_AUTHORISE.
Description	Hook is provided in DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_PRE_AUTHORISE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33944281

Table 3-4 FN_AUTHORISE/3/2 - FN_POST_AUTHORISE

Parameter	Description
Function	FN_AUTHORISE
No of Parameters	3
Function Call Id	2
Cluster/Custom Function Name	FN_POST_AUTHORISE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_POST_AUTHORISE
Description	Hook is provided in DVPKS_CONTRACT_SERVICES_0_CUSTOM.FN_POST_AUTHORISE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33944281

3.3 DVPKS_CONTRACT_EVENT_0 Package

Hook is provided in DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_BOOK, DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BOOK, DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BUILD_TAGS_FOR_DTER, DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_DTER, DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_DTER, DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_TERMINATE_CONTRACT, and DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_TERMINATE_CONTRACT.

Table 3-5 FN_BOOK/5/1-FN_PRE_BOOK

Parameter	Description
Function	FN_BOOK
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_BOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_BOOK.
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_BOOK. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33508584

Table 3-6 FN_BOOK/5/2-FN_POST_BOOK

Parameter	Description
Function	FN_BOOK
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_POST_BOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None

Table 3-6 (Cont.) FN_BOOK/5/2-FN_POST_BOOK

Parameter	Description
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BOOK
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BOOK All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33508584

Table 3-7 FN_BUILD_TAGS_FOR_DTER6/3-FN_PRE_BUILD_TAGS_FOR_DTER

Parameter	Description
Function	FN_BUILD_TAGS_FOR_DTER
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_PRE_BUILD_TAGS_FOR_DTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_BUILD_TAGS_F OR_DTER
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_BUILD_TAGS_F OR_DTER All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33830232

Table 3-8 FN_BUILD_TAGS_FOR_DTER/6/4-FN_POST_BUILD_TAGS_FOR_DTER

Parameter	Description
Function	FN_BUILD_TAGS_FOR_DTER

**Table 3-8 (Cont.) FN_BUILD_TAGS_FOR_DTER/6/4-
FN_POST_BUILD_TAGS_FOR_DTER**

Parameter	Description
No of Parameters	6
Function Call Id	4
Cluster/Custom Function Name	FN_POST_BUILD_TAGS_FOR_DTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BUILD_TAGS_FOR_DTER
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_BUILD_TAGS_FOR_DTER All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33830232

Table 3-9 FN_DTER/6/5 - FN_PRE_DTER

Parameter	Description
Function	FN_DTER
No of Parameters	6
Function Call Id	5
Cluster/Custom Function Name	FN_PRE_DTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_DTER

Table 3-9 (Cont.) FN_DTER/6/5 - FN_PRE_DTER

Parameter	Description
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_DTER All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33941324

Table 3-10 FN_DTER6/6-FN_POST_DTER

Parameter	Description
Function	FN_DTER
No of Parameters	6
Function Call Id	6
Cluster/Custom Function Name	FN_POST_DTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_DTER
Description	HOOK IS PROVIDED IN DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_DTER All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33941324

Table 3-11 FN_TERMINATE_CONTRACT/5/7-FN_PRE_TERMINATE_CONTRACT

Parameter	Description
Function	FN_TERMINATE_CONTRACT
No of Parameters	5
Function Call Id	7

**Table 3-11 (Cont.) FN_TERMINATE_CONTRACT/5/7-
FN_PRE_TERMINATE_CONTRACT**

Parameter	Description
Cluster/Custom Function Name	FN_PRE_TERMINATE_CONTRACT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_TERMINATE_C ONTRACT
Description	Hook is provided in DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_TERMINATE_C ONTRACT All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33941695

**Table 3-12 FN_TERMINATE_CONTRACT/5/8-
FN_POST_TERMINATE_CONTRACT**

Parameter	Description
Function	FN_TERMINATE_CONTRACT
No of Parameters	5
Function Call Id	8
Cluster/Custom Function Name	FN_POST_TERMINATE_CONTRACT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_POST_TERMINA TE_CONTRACT

**Table 3-12 (Cont.) FN_TERMINATE_CONTRACT/5/8-
FN_POST_TERMINATE_CONTRACT**

Parameter	Description
Description	Hook is provided in DVPKS_CONTRACT_EVENT_0_CUSTOM.FN_PRE_TERMINATE_CONTRACT All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33941695

3.4 DVPKS_DVDTRAUT_UTILS Package

Hook provided to change the value of the collateral amount to be used in liquidation.

Table 3-13 FN_REKEY_VALDN/10/1

Parameter	Description
Function	FN_REKEY_VALDN
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REKEY_VALDN
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_DVDTRAUT_CUSTOM.FN_PRE_REKEY_VALDN
Description	HOOK IS PROVIDED IN DVPKS_DVDTRAUT_CUSTOM.FN_PRE_REKEY_VALDN All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33523169

Table 3-14 FN_REKEY_VALDN/10/2

Parameter	Description
Function	FN_REKEY_VALDN
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_POST_REKEY_VALDN
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_DVDTRAUT_CUSTOM.FN_POST_REKEY_VALDN
Description	HOOK IS PROVIDED IN DVPKS_DVDTRAUT_CUSTOM.FN_POST_REKEY_VALDN All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33523169

3.5 DVPKS_DVDTRONL_UTILS Package

Hook is provided in
DVPKS_DVDTRONL_UTILS_CUSTOM.FN_PRE_BUILD_TAGS_LIST and
DVPKS_DVDTRONL_UTILS_CUSTOM.FN_POST_BUILD_TAGS_LIST

Table 3-15 FN_BUILD_TAGS_LIST/6/1

Parameter	Description
Function	FN_BUILD_TAGS_LIST
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_BUILD_TAGS_LIST
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_DVDTRONL_UTILS_CUSTOM.FN_PRE_BUILD_TAGS_LIST

Table 3-15 (Cont.) FN_BUILD_TAGS_LIST/6/1

Parameter	Description
Description	HOOK IS PROVIDED IN DVPKS_DVDTRONL_UTILS_CUSTOM.FN_PRE_BUILD_TAGS_LIST All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33830165

Table 3-16 FN_BUILD_TAGS_LIST/6/2

Parameter	Description
Function	FN_BUILD_TAGS_LIST
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_BUILD_TAGS_LIST
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKS_DVDTRONL_UTILS_CUSTOM.FN_POST_BUILD_TAGS_LIST
Description	HOOK IS PROVIDED IN DVPKS_DVDTRONL_UTILS_CUSTOM.FN_POST_BUILD_TAGS_LIST All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33830165

FN_CREATE_SPLIT_MASTER/8/1**Table 3-17 FN_CREATE_SPLIT_MASTER/8/1**

Parameter	Description
Function	FN_CREATE_SPLIT_MASTER
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	Name FN_CREATE_SPLIT_MASTER
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

3.6 DVPKS_EOD_BATCH Package

Hook is provided in
DVPKSS_EOD_BATCH_CUSTOM.FN_PRE_PROCESS_A_TASK_BATCH and
DVPKSS_EOD_BATCH_CUSTOM.FN_POST_PROCESS_A_TASK_BATCH

Table 3-18 FN_PROCESS_A_TASK_BATCH/12/1

Parameter	Description
Function	FN_PROCESS_A_TASK_BATCH
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PROCESS_A_TASK_BATCH
Additional parameters	Hook
Sent to Extensible layer	None
Received from Extensible layer	None

Table 3-18 (Cont.) FN_PROCESS_A_TASK_BATCH/12/1

Parameter	Description
Hook Description	HOOK IS PROVIDED IN DVPKSS_EOD_BATCH_CUSTOM.FN_PRE_PROCESS_A_TASK_BATCH
Description	HOOK IS PROVIDED IN DVPKSS_EOD_BATCH_CUSTOM.FN_PRE_PROCESS_A_TASK_BATCH All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33812897

Table 3-19 FN_PROCESS_A_TASK_BATCH/12/2

Parameter	Description
Function	FN_PROCESS_A_TASK_BATCH
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_POST_PROCESS_A_TASK_BATCH
Additional parameters	Hook
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	HOOK IS PROVIDED IN DVPKSS_EOD_BATCH_CUSTOM.FN_POST_PROCESS_A_TASK_BATCH
Description	HOOK IS PROVIDED IN DVPKSS_EOD_BATCH_CUSTOM.FN_POST_PROCESS_A_TASK_BATCH All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33812897

Table 3-20 FN_CREATE_SPLIT_MASTER/8/1

Parameter	Description
Function	FN_CREATE_SPLIT_MASTER
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	Name FN_CREATE_SPLIT_MASTER
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

3.7 DVPKS_REVAL_1 Package

Inline Hook with skip kernel has been provided.

Table 3-21 FN_REVALUE_FOR_A_CONTRACT/0/1

Parameter	Description
Function	FN_REVALUE_FOR_A_CONTRACT
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_REVALUE_FOR_A_CONTRACT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Inline Hook with skip kernel has been provided.

Table 3-21 (Cont.) FN_REVALUE_FOR_A_CONTRACT/0/1

Parameter	Description
Description	Inline Hook with skip kernel has been provided. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24801068

3.8 DVPKS_REVAL_REVERSAL Package

Hook provided to change the value of the collateral amount to be used in liquidation.

Table 3-22 FN_REVERSE_A_CONTRACT/0/1

Parameter	Description
Function	FN_REVERSE_A_CONTRACT
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_REVERSE_A_CONTRACT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Inline Hook with skip kernel has been provided.
Description	Inline Hook with skip kernel has been provided. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

Table 3-23 FN_COLLAT_DTLS/7/2

Parameter	Description
Function	FN_COLLAT_DTLS/7/2
No of Parameters	7

Table 3-23 (Cont.) FN_COLLAT_DTLS/7/2

Parameter	Description
Function Call Id	2
Cluster/Custom Function Name	FN_COLLAT_DTLS
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

Table 3-24 FN_CREATE_SPLIT_MASTER/8/1

Parameter	Description
Function	FN_CREATE_SPLIT_MASTER
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	Name FN_CREATE_SPLIT_MASTER
Additional parameters	I_Fn_Call_Id,I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to change the value of the collateral amount to be used in liquidation.
Description	Hook provided to change the value of the collateral amount to be used in liquidation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654497

3.9 DVPKS_SCHEDULES_0 Package

Table 3-25 FN_COMPUTE_RESET_DATE/12/1

Parameter	Description
Function	FN_COMPUTE_RESET_DATE
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COMPUTE_RESET_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_SCHEDULES_0_CUSTOM.FN_PRE_COMPUTE_RESET_DATE
Description	Hook is provided in DVPKS_SCHEDULES_0_CUSTOM.FN_PRE_COMPUTE_RESET_DATE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32530290

Table 3-26 FN_COMPUTE_RESET_DATE/12/2

Parameter	Description
Function	FN_COMPUTE_RESET_DATE
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_COMPUTE_RESET_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_SCHEDULES_0_CUSTOM.FN_PRE_COMPUTE_RESET_DATE

Table 3-26 (Cont.) FN_COMPUTE_RESET_DATE/12/2

Parameter	Description
Description	Hook is provided in DVPKS_SCHEDULES_0_CUSTOM.FN_PRE_COMPUTE_RESET_DATE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32530290

Table 3-27 FN_COMPUTE_RESET_DATE/12/3

Parameter	Description
Function	FN_COMPUTE_RESET_DATE
No of Parameters	12
Function Call Id	3
Cluster/Custom Function Name	Name FN_CREATE_SPLIT_MASTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_SCHEDULES_0_CLUSTER.FN_POST_COMPUTE_RESET_DATE.
Description	Hook is provided in DVPKS_SCHEDULES_0_CLUSTER.FN_POST_COMPUTE_RESET_DATE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32530290

Table 3-28 FN_COMPUTE_RESET_DATE/12/4

Parameter	Description
Function	FN_COMPUTE_RESET_DATE
No of Parameters	12

Table 3-28 (Cont.) FN_COMPUTE_RESET_DATE/12/4

Parameter	Description
Function Call Id	4
Cluster/Custom Function Name	FN_POST_COMPUTE_RESET_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in DVPKS_SCHEDULES_0_CLUSTER.FN_POST_COMPUTE_RESET_DATE.
Description	Hook is provided in DVPKS_SCHEDULES_0_CLUSTER.FN_POST_COMPUTE_RESET_DATE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32530290

4

Exchange Traded Derivatives Module Hooks

The hooks released in the ETD Module are as follows:

- [EDPKS_EVENTS Package](#)
- [EDPKS_BATCH Package](#)

4.1 EDPKS_EVENTS Package

This hook is required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter.

Table 4-1 FN_ERVL/11/1-FN_POST_ERVL

Parameter	Description
Function	FN_ERVL
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_POST_ERVL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.
Description	Hook is provided in FN_ERVL. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

Table 4-2 FN_ERVS/11/1- FN_PRE_ERVS

Parameter	Description
Function	FN_ERVS

Table 4-2 (Cont.) FN_ERVS/11/1- FN_PRE_ERVS

Parameter	Description
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ERVS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_ERVS. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

Table 4-3 FN_EXRL/9/1 - FN_POST_EXRL

Parameter	Description
Function	FN_EXRL
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_POST_EXRL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.

Table 4-3 (Cont.) FN_EXRL/9/1 - FN_POST_EXRL

Parameter	Description
Description	Hook is provided in FN_EXRL. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

Table 4-4 FN_PRE_EAXS

Parameter	Description
Function	FN_EAXS
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_EAXS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_EAXS. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

Table 4-5 FN_EAXS/9/1- FN_POST_EAXS

Parameter	Description
Function	FN_EAXS
No of Parameters	9

Table 4-5 (Cont.) FN_EAXS/9/1- FN_POST_EAXS

Parameter	Description
Function Call Id	1
Cluster/Custom Function Name	FN_POST_EAXS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.
Description	Hook is provided in FN_EAXS. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

4.2 EDPKS_BATCH Package

This hook is required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter

Table 4-6 FN_CHECK_EXPIRY_TODAY/12/1

Parameter	Description
Function	FN_CHECK_EXPIRY_TODAY
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_CHECK_EXPIRY_TODAY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.

Table 4-6 (Cont.) FN_CHECK_EXPIRY_TODAY/12/1

Parameter	Description
Description	Hook is provided in FN_CHECK_EXPIRY_TODAY. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

Table 4-7 FN_CHECK_EXPIRY_TODAY/12/2 - FN_POST_CHECK_EXPIRY_TODAY

Parameter	Description
Function	FN_WHAT_TO_DO/12/2
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_POST_CHECK_EXPIRY_TODAY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.
Description	Hook is provided in FN_CHECK_EXPIRY_TODAY. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33208012

5

Foreign Exchange Module Hooks

The hooks released in the FX Module are as follows:

- [FN_SERVERBOOK Package](#)
- [FXPKS_ACCTG Package](#)
- [FXPKS_ADV](#)
- [FXPKS_BATCH](#)
- [FN_CONTRACT_COPY](#)
- [FXPKS_CREATE_CONTRACT Package](#)
- [FXPKS_FXDSWPAU_UTILS Package](#)
- [FXPKS_FXDTRONL_DEFAULT Package](#)
- [FXPKS_FXDTRONL_UPLOAD](#)
- [FXPKS_FXDTRONL_UTILS](#)
- [FXPKS_FXDTRONL_VALIDATE](#)
- [FXPKS_MESG Package](#)
- [FXPKS_NET Package](#)
- [FXPKS_REVAL Package](#)
- [FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD](#)

5.1 FN_SERVERBOOK Package

Hook is provided in FN_SERVERBOOK.

Table 5-1 FN_SERVERBOOK/6/1- FN_PRE_SERVERBOOK

Parameter	Description
Function	FN_SERVERBOOK
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SERVERBOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_SERVERBOOK. Hook is added to skip accounting entries for BOOK event and post it to New INIT event.

Table 5-1 (Cont.) FN_SERVERBOOK/6/1- FN_PRE_SERVERBOOK

Parameter	Description
Description	Hook is provided in FN_SERVERBOOK. Hook is added to skip accounting entries for BOOK event and post it to New INIT event. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-2 FN_SERVERBOOK/6/2- FN_POST_SERVERBOOK

Parameter	Description
Function	FN_SERVEBOOK
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SERVERBOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_SERVERBOOK. Hook is added to skip accounting entries for BOOK event and post it to New INIT event.
Description	Hook is provided in FN_SERVERBOOK. Hook is added to skip accounting entries for BOOK event and post it to New INIT event. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

5.2 FXPKS_ACCTG Package

Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount.

Table 5-3 FN_FRAMEENTRIES/13/1

Parameter	Description
Function	FN_FRAMEENTRIES

Table 5-3 (Cont.) FN_FRAMEENTRIES/13/1

Parameter	Description
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_FRAMEENTRIES
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount.
Description	Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837265

Table 5-4 FN_FRAMEENTRIES/13/1- FN_POST_FRAMEENTRIES

Parameter	Description
Function	FN_FRAMEENTRIES
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_POST_FRAMEENTRIES
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount.
Description	Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-4 (Cont.) FN_FRAMEENTRIES/13/1- FN_POST_FRAMEENTRIES

Parameter	Description
Bug No	18837265

5.3 FXPKS_ADV

This Hook is provided in FN_MT304.

Table 5-5 FN_MT304/1/1- FN_PRE_MT304

Parameter	Description
Function	FN_MT304
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_MT304
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_MT304.
Description	Hook is provided in FN_MT304. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-6 FN_MT304/1/1- FN_POST_MT304

Parameter	Description
Function	FN_MT304
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_POST_MT304
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_MT304.

Table 5-6 (Cont.) FN_MT304/1/1- FN_POST_MT304

Parameter	Description
Description	Hook is provided in FN_MT304. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-7 FN_MT304

Parameter	Description
Function	FN_MT304
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_MT304
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_MT304.
Description	Hook is provided in FN_MT304. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

5.4 FXPKS_BATCH

A call with standard pre and post hooks has been made from fxpks_batch.sql in the function fn_chooseprds_rvl().

Table 5-8 FN_CHOOSEPRDS_RVL/4/1-FN_PRE_CHOOSEPRDS_RVL

Parameter	Description
Function	FN_CHOOSEPRDS_RVL
No of Parameters	4
Function Call Id	1

Table 5-8 (Cont.) FN_CHOOSEPRDS_RVL/4/1-FN_PRE_CHOOSEPRDS_RVL

Parameter	Description
Cluster/Custom Function Name	FN_PRE_CHOOSEPRDS_RVL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_batch.sql in the function fn_chooseprds_rvl()
Description	A call with standard pre and post hooks has been made from fxpks_batch.sql in the function fn_chooseprds_rvl() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18708858

Table 5-9 FN_CHOOSEPRDS_RVL/4/1-FN_POST_CHOOSEPRDS_RVL

Parameter	Description
Function	FN_CHOOSEPRDS_RVL
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_POST_CHOOSEPRDS_RVL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_batch.sql in the function fn_chooseprds_rvl()
Description	A call with standard pre and post hooks has been made from fxpks_batch.sql in the function fn_chooseprds_rvl() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18708858

Table 5-10 FN_MT304

Parameter	Description
Function	FN_MT304
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_MT304
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_MT304.
Description	Hook is provided in FN_MT304. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

5.5 FN_CONTRACT_COPY

This Hook is provided in FN_CONTRACT_COPY()

Table 5-11 FN_CONTRACT_COPY/4/1- FN_PRE_CONTRACT_COPY

Parameter	Description
Function	FN_CONTRACT_COPY
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_CONTRACT_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_CONTRACT_COPY()

Table 5-11 (Cont.) FN_CONTRACT_COPY/4/1- FN_PRE_CONTRACT_COPY

Parameter	Description
Description	Hook is provided in FN_CONTRACT_COPY(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-12 FN_CONTRACT_COPY/4/2- FN_POST_CONTRACT_COPY

Parameter	Description
Function	FN_CONTRACT_COPY
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_POST_CONTRACT_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_CONTRACT_COPY()
Description	Hook is provided in FN_CONTRACT_COPY(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-13 FN_IMPORT_COPY/9/1- FN_PRE_IMPORT_COPY

Parameter	Description
Function	FN_IMPORT_COPY
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_IMPORT_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None

Table 5-13 (Cont.) FN_IMPORT_COPY/9/1- FN_PRE_IMPORT_COPY

Parameter	Description
Hook Description	Hook is provided in FN_IMPORT_COPY().
Description	Hook is provided in FN_IMPORT_COPY(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-14 FN_IMPORT_COPY/9/2- FN_POST_IMPORT_COPY

Parameter	Description
Function	FN_IMPORT_COPY
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_IMPORT_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_IMPORT_COPY().
Description	Hook is provided in FN_IMPORT_COPY(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

5.6 FXPKS_CREATE_CONTRACT Package

Table 5-15 FN_VALIDATE_SPOT_DATE/5/0- FN_POST_VALIDATE_SPOT_DATE

Parameter	Description
Function	FN_VALIDATE_SPOT_DATE
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POST_VALIDATE_SPOT_DATE

**Table 5-15 (Cont.) FN_VALIDATE_SPOT_DATE/5/0-
FN_POST_VALIDATE_SPOT_DATE**

Parameter	Description
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_create_contract.sql in the function fn_validate_spot_date().
Description	A call with standard pre and post hooks has been made from fxpks_create_contract.sql in the function fn_validate_spot_date(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011496

FN_VALIDATE_SPOT_DATE/5/0- FN_PRE_VALIDATE_SPOT_DATE**Table 5-16 FN_VALIDATE_SPOT_DATE/5/0- FN_PRE_VALIDATE_SPOT_DATE**

Parameter	Description
Function	FN_VALIDATE_SPOT_DATE
No of Parameters	5
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_VALIDATE_SPOT_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_create_contract.sql in the function fn_validate_spot_date().
Description	A call with standard pre and post hooks has been made from fxpks_create_contract.sql in the function fn_validate_spot_date(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 5-16 (Cont.) FN_VALIDATE_SPOT_DATE/5/0-FN_PRE_VALIDATE_SPOT_DATE

Parameter	Description
Bug No	34011496

5.7 FXPKS_FXDSWPAU_UTILS Package

Hook is provided in FN_UPLOAD_FXMM_CONTRACTS. This hook is required to update the work variable with UDF values before the underlying FX contracts are created

Table 5-17 FN_UPLOAD_FXMM_CONTRACTS/2/1-FN_POST_UPLOAD_FXMM_CONTRACTS

Parameter	Description
Function	FN_UPLOAD_FXMM_CONTRACTS
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_POST_UPLOAD_FXMM_CONTRACTS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_FXMM_CONTRACTS. Hook required to update the work variable with UDF values before the underlying FX contracts are created.
Description	Hook is provided in FN_UPLOAD_FXMM_CONTRACTS. Hook required to update the work variable with UDF values before the underlying FX contracts are created. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32892411

Table 5-18 FN_UPLOAD_FXMM_CONTRACTS/2/0-FN_PRE_UPLOAD_FXMM_CONTRACTS

Parameter	Description
Function	FN_UPLOAD_FXMM_CONTRACTS
No of Parameters	2
Function Call Id	0

**Table 5-18 (Cont.) FN_UPLOAD_FXMM_CONTRACTS/2/0-
FN_PRE_UPLOAD_FXMM_CONTRACTS**

Parameter	Description
Cluster/Custom Function Name	FN_PRE_UPLOAD_FXMM_CONTRACTS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_FXMM_CONTRACTS. Hook required to update the work variable with UDF values before the underlying FX contracts are created.
Description	Hook is provided in FN_UPLOAD_FXMM_CONTRACTS. Hook required to update the work variable with UDF values before the underlying FX contracts are created. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32892411

5.8 FXPKS_FXDTRONL_DEFAULT Package

A call with standard pre and post hooks has been made from `fxpks_fxdtronl_default.sql` in the function `Fn_Default_Base_Data()`.

Table 5-19 FN_DEFAULT_BASE_DATA/8/0- FN_POST_DEFAULT_BASE_DATA

Parameter	Description
Function	FN_DEFAULT_BASE_DATA
No of Parameters	8
Function Call Id	0
Cluster/Custom Function Name	FN_POST_DEFAULT_BASE_DATA
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from <code>fxpks_fxdtronl_default.sql</code> in the function <code>Fn_Default_Base_Data()</code> .

**Table 5-19 (Cont.) FN_DEFAULT_BASE_DATA/8/0-
FN_POST_DEFAULT_BASE_DATA**

Parameter	Description
Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_default.sql in the function Fn_Default_Base_Data(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33839807

Table 5-20 FN_DEFAULT_BASE_DATA/8/0- FN_PRE_DEFAULT_BASE_DATA

Parameter	Description
Function	FN_DEFAULT_BASE_DATA
No of Parameters	8
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_DEFAULT_BASE_DATA
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_default.sql in the function Fn_Default_Base_Data().
Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_default.sql in the function Fn_Default_Base_Data(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33839807

5.9 FXPKS_FXDTRONL_UPLOAD

Table 5-21 FN_MAIN

Parameter	Description
Function	FN_MAIN
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_MAIN
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	This hook is provided in FN_MAIN
Description	This hook is provided in FN_MAIN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

5.10 FXPKS_FXDTRONL_UTILS

Table 5-22 FN_COPY/8/1- FN_PRE_COPY

Parameter	Description
Function	FN_COPY
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Copy()

Table 5-22 (Cont.) FN_COPY/8/1- FN_PRE_COPY

Parameter	Description
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Copy() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-23 FN_COPY/8/2- FN_POST_COPY

Parameter	Description
Function	FN_COPY
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Copy()
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Copy() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17448488

Table 5-24 FN_DELETE/8/1- FN_PRE_DELETE

Parameter	Description
Function	FN_DELETE
No of Parameters	8
Function Call Id	2

Table 5-24 (Cont.) FN_DELETE/8/1- FN_PRE_DELETE

Parameter	Description
Cluster/Custom Function Name	FN_POST_DELETE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()
Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17448488

Table 5-25 FN_DELETE/8/2- FN_POST_DELETE

Parameter	Description
Function	FN_DELETE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_DELETE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()
Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17448488

Table 5-26 FN_ENRICH_ON_AMEND/9/1- FN_PRE_ENRICH_ON_AMEND

Parameter	Description
Function	FN_ENRICH_ON_AMEND
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ENRICH_ON_AMEND
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Enrich_On_Amend()
Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Enrich_On_Amend() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-27 FN_ENRICH_ON_AMEND/9/2- FN_POST_ENRICH_ON_AMEND

Parameter	Description
Function	FN_ENRICH_ON_AMEND
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ENRICH_ON_AMEND
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function fn_product_default(). Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.

Table 5-27 (Cont.) FN_ENRICH_ON_AMEND/9/2- FN_POST_ENRICH_ON_AMEND

Parameter	Description
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default(). Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-28 FN_PRODUCT_DEFAULT/8/2- FN_POST_PRODUCT_DEFAULT

Parameter	Description
Function	FN_PRODUCT_DEFAULT
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_PRODUCT_DEFAULT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default(). Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default(). Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-29 FN_REVERSE/8/1- FN_PRE_REVERSE

Parameter	Description
Function	FN_REVERSE
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REVERSE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_REVERSE()
Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_REVERSE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17448488

Table 5-30 FN_REVERSE/8/2- FN_POST_REVERSE

Parameter	Description
Function	FN_REVERSE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_REVERSE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_REVERSE()
Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_REVERSE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17448488

Table 5-31 FN_SAVE/9/1- FN_PRE_SAVE

Parameter	Description
Function	FN_SAVE
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SAVE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Save()
Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Save() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-32 FN_SAVE/9/2- FN_POST_SAVE

Parameter	Description
Function	FN_SAVE
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SAVE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Save()

Table 5-32 (Cont.) FN_SAVE/9/2- FN_POST_SAVE

Parameter	Description
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Save() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-33 FN_SUBSYS_PICKUP/9/1- FN_PRE_SUBSYS_PICKUP

Parameter	Description
Function	FN_SUBSYS_PICKUP
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SUBSYS_PICKUP
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup()
Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-34 FN_SUBSYS_PICKUP/9/2- FN_POST_SUBSYS_PICKUP

Parameter	Description
Function	FN_SUBSYS_PICKUP
No of Parameters	9
Function Call Id	2

Table 5-34 (Cont.) FN_SUBSYS_PICKUP/9/2- FN_POST_SUBSYS_PICKUP

Parameter	Description
Cluster/Custom Function Name	FN_POST_SUBSYS_PICKUP
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Subsys_Pickup()
Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Subsys_Pickup() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837266

Table 5-35 FN_UPLOAD_DB/9/1- FN_PRE_UPLOAD_DB

Parameter	Description
Function	FN_UPLOAD_DB
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_UPLOAD_DB
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_DB().
Description	Hook is provided in FN_UPLOAD_DB(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	NA

Table 5-36 FN_UPLOAD_DB/9/2- FN_POST_UPLOAD_DB

Parameter	Description
Function	FN_UPLOAD_DB
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_UPLOAD_DB
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_DB().
Description	Hook is provided in FN_UPLOAD_DB(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	NA

5.11 FXPKS_FXDTRONL_VALIDATE

A call with standard post hook has been made from fxpks_fxdtronl_validate.sql in the function Fn_Validate_Spot_Date().

Table 5-37 FN_VALIDATE_SPOT_DATE/9/0- FN_POST_VALIDATE_SPOT_DATE

Parameter	Description
Function	FN_VALIDATE_SPOT_DATE
No of Parameters	9
Function Call Id	0
Cluster/Custom Function Name	FN_POST_VALIDATE_SPOT_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard post hook has been made from fxpks_fxdtronl_validate.sql in the function Fn_Validate_Spot_Date().

**Table 5-37 (Cont.) FN_VALIDATE_SPOT_DATE/9/0-
FN_POST_VALIDATE_SPOT_DATE**

Parameter	Description
Description	A call with standard post hook has been made from fxpks_fxdtronl_validate.sql in the function Fn_Validate_Spot_Date(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33839807

5.12 FXPKS_MESG Package

Hook is provided in FN_SETGENSINGLE()

Table 5-38 FN_SETGENSINGLE/6/1- FN_PRE_SETGENSINGLE

Parameter	Description
Function	FN_SETGENSINGLE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SETGENSINGLE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_SETGENSINGLE()
Description	Hook is provided in FN_SETGENSINGLE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	NA

Table 5-39 FN_SETGENSINGLE/6/2- FN_POST_SETGENSINGLE

Parameter	Description
Function	FN_SETGENSINGLE

Table 5-39 (Cont.) FN_SETGENSINGLE/6/2- FN_POST_SETGENSINGLE

Parameter	Description
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SETGENSINGLE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_SETGENSINGLE()
Description	Hook is provided in FN_SETGENSINGLE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	NA

Table 5-40 FN_UPDMESG/8/1- FN_PRE_UPDMESG

Parameter	Description
Function	FN_UPDMESG
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_UPDMESG
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given to SGEN event during batch run if confirmation has not happened.
Description	Hooks given to SGEN event during batch run if confirmation has not happened. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837262

Table 5-41 FN_UPDMESG/8/2- FN_POST_UPDMESG

Parameter	Description
Function	FN_UPDMESG
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_UPDMESG
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given to SGEN event during batch run if confirmation has not happened.
Description	Hooks given to SGEN event during batch run if confirmation has not happened. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837262

5.13 FXPKS_NET Package

Pre Hook has been provided in function FN_PAIRWISE_NETTING in package fxpks_net.

Table 5-42 FN_PAIRWISE_NETTING/0/1- FN_PRE_PAIRWISE_NETTING

Parameter	Description
Function	FN_PAIRWISE_NETTING
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PAIRWISE_NETTING
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook has been provided in function FN_PAIRWISE_NETTING in package fxpks_net.

Table 5-42 (Cont.) FN_PAIRWISE_NETTING/0/1- FN_PRE_PAIRWISE_NETTING

Parameter	Description
Description	Pre Hook has been provided in function FN_PAIRWISE_NETTING in package fxpks_net. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	26583569

Table 5-43 FN_SETGENSINGLE/6/2- FN_POST_SETGENSINGLE

Parameter	Description
Function	FN_SETGENSINGLE
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SETGENSINGLE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_SETGENSINGLE()
Description	Hook is provided in FN_SETGENSINGLE() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	26583569

Table 5-44 FN_PAIRWISE_NETTING/0/2- FN_POST_PAIRWISE_NETTING

Parameter	Description
Function	FN_PAIRWISE_NETTING
No of Parameters	0
Function Call Id	2
Cluster/Custom Function Name	FN_POST_PAIRWISE_NETTING
Additional parameters	None

Table 5-44 (Cont.) FN_PAIRWISE_NETTING/0/2- FN_POST_PAIRWISE_NETTING

Parameter	Description
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post Hook has been provided in function FN_PAIRWISE_NETTING in package fxpks_net.
Description	Post Hook has been provided in function FN_PAIRWISE_NETTING in package fxpks_net. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	26583569

Table 5-45 FN_UPDMESG/8/2- FN_POST_UPDMESG

Parameter	Description
Function	FN_UPDMESG
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_UPDMESG
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given to SGEN event during batch run if confirmation has not happened.
Description	Hooks given to SGEN event during batch run if confirmation has not happened. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837262

5.14 FXPKS_REVAL Package

Hook is given in FN_MARK_TO_MARKET().

Table 5-46 FN_MARK_TO_MARKET/16/1 - FN_PRE_MARK_TO_MARKET

Parameter	Description
Function	FN_MARK_TO_MARKET
No of Parameters	16
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_MARK_TO_MARKET
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given in FN_MARK_TO_MARKET().
Description	Hooks given in FN_MARK_TO_MARKET(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656173

Table 5-47 FN_MARK_TO_MARKET/16/2 - FN_POST_MARK_TO_MARKET

Parameter	Description
Function	FN_MARK_TO_MARKET
No of Parameters	16
Function Call Id	2
Cluster/Custom Function Name	FN_POST_MARK_TO_MARKET
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given in FN_MARK_TO_MARKET().

Table 5-47 (Cont.) FN_MARK_TO_MARKET/16/2 - FN_POST_MARK_TO_MARKET

Parameter	Description
Description	Hooks given in FN_MARK_TO_MARKET(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656173

Table 5-48 FN_REVEAL_CONTRACT/11/1- FN_PRE_REVEAL_CONTRACT

Parameter	Description
Function	FN_REVEAL_CONTRACT
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REVEAL_CONTRACT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given in FN_REVAL_CONTRACT(). Code in kernel package is skipped.
Description	Hooks given in FN_REVAL_CONTRACT(). Code in kernel package is skipped. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18708858

Table 5-49 FN_REVEAL_CONTRACT/11/2- FN_POST_REVEAL_CONTRACT

Parameter	Description
Function	FN_REVEAL_CONTRACT
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REVEAL_CONTRACT

**Table 5-49 (Cont.) FN_REVEAL_CONTRACT/11/2-
FN_POST_REVEAL_CONTRACT**

Parameter	Description
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks given in FN_REVAL_CONTRACT(). Code in kernel package is skipped.
Description	Hooks given in FN_REVAL_CONTRACT(). Code in kernel package is skipped. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18708858

5.15 FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD

A call with standard pre and post hooks has been made from fxpks_services.sql in the function fn_calc_spread().

Table 5-50 FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD

Parameter	Description
Function	FN_CALC_SPREAD
No of Parameters	11
Function Call Id	0
Cluster/Custom Function Name	FN_POST_CALC_SPREAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_services.sql in the function fn_calc_spread().

Table 5-50 (Cont.) FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD

Parameter	Description
Description	A call with standard pre and post hooks has been made from fxpks_services.sql in the function fn_calc_spread(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011496

Table 5-51 FN_MARK_TO_MARKET/11/0 - FN_PRE_CALC_SPREAD

Parameter	Description
Function	FN_CALC_SPREAD
No of Parameters	11
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_CALC_SPREAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_services.sql in the function fn_calc_spread().
Description	A call with standard pre and post hooks has been made from fxpks_services.sql in the function fn_calc_spread(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011496

6

Settlement Instructions Module Hooks

The hooks released in the Settlement Instructions Module are as follows:

- [ISPKS_DRCRADV Package](#)
- [ISPKS_ISCTRSET_UTILS Package](#)
- [ISPKS_ADDON](#)
- [ISPKS_TR_ADV Package](#)
- [ISPKS_TR Package](#)
- [ISPKS_TR_ADV1 Package](#)

6.1 ISPKS_DRCRADV Package

An inline hook is provided in FN_DETAILS function.

Table 6-1 FN_DETAILS/2/3

Parameter	Description
Function	FN_DETAILS
No of Parameters	2
Function Call Id	3
Cluster/Custom Function Name	FN_DETAILS
Additional parameters	L_FN_CALL_ID, L_TB_CLUSTER_DATA
Sent to Extensible layer	L_TB_CLUSTER_DATA('L_QUERY)
Received from Extensible layer	L_TB_CLUSTER_DATA('L_QUERY)
Hook Description	An inline hook provided in FN_DETAILS function
Description	An inline hook provided in FN_DETAILS function All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

6.2 ISPKS_ISCTRSET_UTILS Package

An inline hook is provided in FN_VALIDATE_ISTBS_CONTRACTIS/10/1 function.

Table 6-2 FN_VALIDATE_ISTBS_CONTRACTIS/10/1

Parameter	Description
Function	FN_VALIDATE_ISTBS_CONTRACTIS
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ISTBS_CONTRACTIS
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_Flg_Rcvcores)
Received from Extensible layer	I_tb_cluster_data(I_Flg_Rcvcores)
Hook Description	Hook Provided in the ISPKS_ISCTRSTL_UTILS package to skip the cover required validation when message_through = U.
Description	Hook provided in ISPKS_ISCTRSTL_UTILS function All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18715378

6.3 ISPKS_ADDON

Hook is provided in FN_UPDATE_PARTY/18/1 function.

FN_UPDATE_PARTY/18/1

Table 6-3 FN_UPDATE_PARTY/18/1

Parameter	Description
Function	FN_UPDATE_PARTY
No of Parameters	18
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ISTBS_CONTRACTIS
Additional parameters	I_Fn_Call_Id , I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data('LO_TRANSFER_TYPE') I_Tb_Cluster_Data('L_RTGS_PRODUCT') I_Tb_Cluster_Data('L_RTGS_PAYMENT') I_Tb_Cluster_Data('L_RTGS_NETWORK') I_Tb_Cluster_Data('LO_AMOUNT_TAG') I_Tb_Cluster_Data('LO_ACC_WITH_INSTN_SET_1') I_Tb_Cluster_Data('LO_INTERMEDIARY_SET_1')

Table 6-3 (Cont.) FN_UPDATE_PARTY/18/1

Parameter	Description
Received from Extensible layer	l_Tb_Cluster_Data('LO_TRANSFER_TYPE') l_Tb_Cluster_Data('L_RTGS_PRODUCT') l_Tb_Cluster_Data('L_RTGS_PAYMENT') l_Tb_Cluster_Data('L_RTGS_NETWORK') l_Tb_Cluster_Data('LO_AMOUNT_TAG') l_Tb_Cluster_Data('LO_ACC_WITH_INSTN_SET_1') l_Tb_Cluster_Data('LO_INTERMEDIARY_SET_1')
Hook Description	Hook is provided in the package ispk_addon in the function fn_update_party() for Africa EAPS payments development.
Description	Hook is provided in the package ispk_addon in the function fn_update_party() for Africa EAPS payments development. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel
Bug No	28591488

6.4 ISPKS_TR_ADV Package

Hook is provided in FN_UPDATE_PARTY/18/1 function.

FN_MK_ADV_INPUT

Table 6-4 FN_MK_ADV_INPUT

Parameter	Description
Function	FN_MK_ADV_INPUT
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_MK_ADV_INPUT
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided to implement internationally recognized 4 corner method for both inward remittance and outward remittance.

Table 6-4 (Cont.) FN_MK_ADV_INPUT

Parameter	Description
Description	Hook Provided to implement internationally recognized 4 corner method for both inward remittance and outward remittance. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18702440

6.5 ISPKS_TR Package

Hook is provided in FN_VALIDATE_ISTBS_CONTRACTIS/10/1 function.

Table 6-5 FN_VALIDATE_ISTBS_CONTRACTIS/10/1

Parameter	Description
Function	FN_VALIDATE_ISTBS_CONTRACTIS
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ISTBS_CONTRACTIS
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(l_Flg_Rcvcores)
Received from Extensible layer	l_tb_cluster_data(l_Flg_Rcvcores)
Hook Description	Hook Provided in the ISPKS_ISCTRSTL_UTILS package to skip the cover required validation when message_through = U.
Description	Hook provided in ISPKS_ISCTRSTL_UTILS function All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18715378

6.6 ISPKS_TR_ADV1 Package

Hook is provided in FN_UPDATE_PARTY/18/1 function.

FN_UPDATE_PARTY/18/1

Table 6-6 FN_UPDATE_PARTY/18/1

Parameter	Description
Function	FN_UPDATE_PARTY
No of Parameters	18
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ISTBS_CONTRACTIS
Additional parameters	I_Fn_Call_Id , I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data('LO_TRANSFER_TYPE') I_Tb_Cluster_Data('L_RTGS_PRODUCT') I_Tb_Cluster_Data('L_RTGS_PAYMENT') I_Tb_Cluster_Data('L_RTGS_NETWORK') I_Tb_Cluster_Data('LO_AMOUNT_TAG') I_Tb_Cluster_Data('LO_ACC_WITH_INSTN_SET_1') I_Tb_Cluster_Data('LO_INTERMEDIARY_SET_1')
Received from Extensible layer	I_Tb_Cluster_Data('LO_TRANSFER_TYPE') I_Tb_Cluster_Data('L_RTGS_PRODUCT') I_Tb_Cluster_Data('L_RTGS_PAYMENT') I_Tb_Cluster_Data('L_RTGS_NETWORK') I_Tb_Cluster_Data('LO_AMOUNT_TAG') I_Tb_Cluster_Data('LO_ACC_WITH_INSTN_SET_1') I_Tb_Cluster_Data('LO_INTERMEDIARY_SET_1')
Hook Description	Hook is provided in the package ispks_addon in the function fn_update_party() for Africa EAPS payments development.
Description	Hook is provided in the package ispks_addon in the function fn_update_party() for Africa EAPS payments development. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel
Bug No	28591488

7

Management Information System Hooks

The hooks released in the Management Information System Module are as follows:

- [MIPKS_TR_REFERRAL Package](#)

7.1 MIPKS_TR_REFERRAL Package

Hook is provided in the package in the function `fn_get_con_default()`.

Table 7-1 FN_GET_CON_DEFAULT/8/1

Parameter	Description
Function	FN_GET_CON_DEFAULT
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GET_CON_DEFAULT
Additional parameters	lo_product_record , l_Fn_Call_Id , l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in the package in the function <code>fn_get_con_default()</code> .
Description	Hook is provided in the package in the function <code>fn_get_con_default()</code>. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28472790

Table 7-2 FN_GET_CON_DEFAULT/8/2

Parameter	Description
Function	FN_GET_CON_DEFAULT
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GET_CON_DEFAULT

Table 7-2 (Cont.) FN_GET_CON_DEFAULT/8/2

Parameter	Description
Additional parameters	lo_product_record , l_Fn_Call_Id , l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in the package in the function fn_get_con_default().
Description	Hook is provided in the package in the function fn_get_con_default(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28472790

8

Messaging Module Hooks

The hooks released in the Messaging System Module are as follows:

- [MSCOMS_TR Package](#)

8.1 MSCOMS_TR Package

Hook is provided in the package in the function `fn_get_con_default()`.

Table 8-1 FN_BUILD_MESSAGE/5/1 - FN_PRE_BUILD_MESSAGE

Parameter	Description
Function	FN_BUILD_MESSAGE
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_BUILD_MESSAGE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook given for customization
Description	Pre hook given for customization Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27297078

Table 8-2 FN_BUILD_MESSAGE/5/2- FN_POST_BUILD_MESSAGE

Parameter	Description
Function	FN_BUILD_MESSAGE
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_POST_BUILD_MESSAGE

Table 8-2 (Cont.) FN_BUILD_MESSAGE/5/2- FN_POST_BUILD_MESSAGE

Parameter	Description
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook given for customization
Description	Post hook given for customization. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27297078

Table 8-3 FN_BUILD_MESSAGE/7/1

Parameter	Description
Function	FN_BUILD_MESSAGE
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_BUILD_MESSAGE
Additional parameters	None
Sent to Extensible layer	msg_type
Received from Extensible layer	None
Hook Description	Inline hook given for msg_type '98'
Description	Inline hook given for msg_type '98'. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27453408

9

Money Market Hooks

The hooks released in the Money Market Module are as follows:

- [LDPKS_AUTOLIQ Package](#)
- [LDPKS_COMM_CHG Package](#)
- [LDPKS_SCHEDULES Package](#)
- [LDADV_INPUT/1/1 Package](#)
- [LDPKS_TR_REVERSE_PMT Package](#)
- [LDPKS_TR_SCHEDULES Package](#)
- [FN_AUTHORISE Package](#)
- [FXPKS_ACCTG Package](#)
- [MMPKS_MMDPAMIN_UTILS0 Package](#)
- [MMPKS_MMDVAMIA_KERNEL Package](#)
- [MMPKS_OPERATIONS Package](#)

9.1 LDPKS_AUTOLIQ Package

An inline hook provided in FN_DETAILS function.

Table 9-1 FN_DETAILS/2/3

Parameter	Description
Function	FN_DETAILS/2/3
No of Parameters	2
Function Call Id	3
Cluster/Custom Function Name	FN_DETAILS
Additional parameters	L_FN_CALL_ID, L_TB_CLUSTER_DATA
Sent to Extensible layer	L_TB_CLUSTER_DATA('L_QUERY')
Received from Extensible layer	L_TB_CLUSTER_DATA('L_QUERY')
Hook Description	An inline hook provided in FN_DETAILS function
Description	An inline hook provided in FN_DETAILS function All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 9-1 (Cont.) FN_DETAILS/2/3

Parameter	Description
Bug No	31474459

9.2 LDPKS_COMM_CHG Package

An inline hook provided in FN_POP_ICCF_CALC function.

Table 9-2 FN_POP_ICCF_CALC/5/1

Parameter	Description
Function	FN_POP_ICCF_CALC
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POP_ICCF_CALC
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layerN	none
Received from Extensible layer	None
Hook Description	An inline hook provided in FN_POP_ICCF_CALC function
Description	An inline hook provided in FN_POP_ICCF_CALC function All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	31467669

9.3 LDPKS_SCHEDULES Package

EXTENSIBILITY HOOK PROVIDED in LDPKS_SCHEDULES in the function FN_NEW_REDEF

Table 9-3 FN_NEW_REDEF/12/2

Parameter	Description
Function	FN_NEW_REDEF
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_NEW_REDEF
Additional parameters	L_FN_CALL_ID, L_TB_CLUSTER_DATA
Sent to Extensible layer	P_REFERENCE_NO,I

Table 9-3 (Cont.) FN_NEW_REDEF/12/2

Parameter	Description
Received from Extensible layer	None
Hook Description	EXTENSIBILITY HOOK PROVIDED in LDPKS_SCHEDULES in the function FN_NEW_REDEF
Description	EXTENSIBILITY HOOK PROVIDED in LDPKS_SCHEDULES in the function FN_NEW_REDEF All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	31467148

9.4 LDADV_INPUT/1/1 Package

Hook is provided in LDADV_INPUT.

Table 9-4 LDADV_INPUT/1/1

Parameter	Description
Function	LDADV_INPUT/1/1
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	LDADV_INPUT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in LDADV_INPUT.
Description	Hook is provided in LDADV_INPUT. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

9.5 LDPKS_TR_REVERSE_PMT Package

Hook is provided in FN_PMT_REVERSAL.

Table 9-5 1. FN_PMT_REVERSAL/5/1- FN_PRE_PMT_REVERSAL

Parameter	Description
Function	FN_PMT_REVERSAL
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PMT_REVERSAL
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_PMT_REVERSAL. Hook is required to allow reversal of future dated redemption. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in " Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Description	Hook is provided in FN_PMT_REVERSAL. Hook is required to allow reversal of future dated redemption. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32482478

Table 9-6 FN_PMT_REVERSAL/5/1- FN_POST_PMT_REVERSAL

Parameter	Description
Function	FN_PMT_REVERSAL
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POST_PMT_REVERSAL
Additional parameters	None
Sent to Extensible layer	None

Table 9-6 (Cont.) FN_PMT_REVERSAL/5/1- FN_POST_PMT_REVERSAL

Parameter	Description
Received from Extensible layer	None
Hook Description	Hook is provided in FN_PMT_REVERSAL. Hook is required to allow reversal of future dated redemption. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Description	Hook is provided in FN_PMT_REVERSAL. Hook is required to allow reversal of future dated redemption. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32482478

9.6 LDPKS_TR_SCHEDULES Package

A call with standard pre and post hooks has been made from `ldpks_tr_schedules.sql` in the function `fn_pr_for_true_discount()`.

Table 9-7 FN_PR_FOR_TRUE_DISCOUNT/3/0

Parameter	Description
Function	FN_PR_FOR_TRUE_DISCOUNT/3/0
No of Parameters	3
Function Call Id	0
Cluster/Custom Function Name	FN_PR_FOR_TRUE_DISCOUNT/3/0
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from <code>ldpks_tr_schedules.sql</code> in the function <code>fn_pr_for_true_discount()</code> .

Table 9-7 (Cont.) FN_PR_FOR_TRUE_DISCOUNT/3/0

Parameter	Description
Description	A call with standard pre and post hooks has been made from <code>ldpks_tr_schedules.sql</code> in the function <code>fn_pr_for_true_discount()</code>. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011464

9.7 FN_AUTHORISE Package

Hook is required to skip SGEN generation for which TBA SSI flag is checked for the applicable leg.

Table 9-8 FN_AUTHORISE/4/1

Parameter	Description
Function	FN_AUTHORISE
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	None
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is required to skip SGEN generation for which TBA SSI flag is checked for the applicable leg. global variable <code>Nvl(ldpks_tr_services.g_is_msg_suppressed,l_Is_Msg_Suppressed)</code> added to support this functionality.
Description	Hook is required to skip SGEN generation for which TBA SSI flag is checked for the applicable leg. Global variable <code>Nvl(ldpks_tr_services.g_is_msg_suppressed,l_Is_Msg_Suppressed)</code> added to support this functionality. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

9.8 FXPKS_ACCTG Package

Pre Hooks provided in `fxpks_acctg.fn_frameentries` to populate the settlement account, bought amount and sold amount.

Table 9-9 FN_FRAMEENTRIES/13/1

Parameter	Description
Function	FN_FRAMEENTRIES
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_FRAMEENTRIES
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hooks provided in <code>fxpks_acctg.fn_frameentries</code> to populate the settlement account, bought amount and sold amount.
Description	Pre Hooks provided in <code>fxpks_acctg.fn_frameentries</code> to populate the settlement account, bought amount and sold amount. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837265

Table 9-10 FN_FRAMEENTRIES/13/1- FN_POST_FRAMEENTRIES

Parameter	Description
Function	FN_FRAMEENTRIES
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_POST_FRAMEENTRIES
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hooks provided in <code>fxpks_acctg.fn_frameentries</code> to populate the settlement account, bought amount and sold amount.

Table 9-10 (Cont.) FN_FRAMEENTRIES/13/1- FN_POST_FRAMEENTRIES

Parameter	Description
Description	Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18837265

9.9 MMPKS_MMDPAMIN_UTILSO Package

Hook is provided in FN_COMPUTE_TAX.

Table 9-11 FN_COMPUTE_TAX/2/1

Parameter	Description
Function	FN_COMPUTE_TAX
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COMPUTE_TAX
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_COMPUTE_TAX. Hook is required for changes in MM tax computation
Description	Hook is provided in FN_COMPUTE_TAX. Hook is required for changes in MM tax computation All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

9.10 MMPKS_MMDVAMIA_KERNEL Package

Hook is provided in FN_POST_DEFAULT_AND_VALIDATE.

Table 9-12 FN_POST_DEFAULT_AND_VALIDATE/10/1

Parameter	Description
Function	FN_POST_DEFAULT_AND_VALIDATE
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_POST_DEFAULT_AND_VALIDATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_POST_DEFAULT_AND_VALIDATE. Hook required to skip kernel validations for rekey fields.
Description	Hook is provided in FN_POST_DEFAULT_AND_VALIDATE. Hook required to skip kernel validations for rekey fields. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	32482435

9.11 MMPKS_OPERATIONS Package

Hook is provided in FN_REKEY_CHECK.

Table 9-13 FN_REKEY_CHECK/4/1

Parameter	Description
Function	FN_REKEY_CHECK
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_REKEY_CHECK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_REKEY_CHECK Hook is added to skip kernel validations for rekey fields.

Table 9-13 (Cont.) FN_REKEY_CHECK/4/1

Parameter	Description
Description	Hook is provided in FN_REKEY_CHECK Hook is added to skip kernel validations for rekey fields. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

10

Securities Module Hooks

The hooks released in the Securities Module are as follows:

- [FN_PASS_POSITION_ENTRY Package](#)
- [SEPKS_DPRP_BATCH Package](#)
- [SEPKS_DPRP_REBUILD Package](#)
- [SEPKS_EVENT Package](#)
- [SEPKS_INSERT_MASTER Package](#)
- [SEPKS_REVAL_0 Package](#)

10.1 FN_PASS_POSITION_ENTRY Package

Hook is provided in FN_PASS_POSITION_ENTRY.

Table 10-1 FN_PASS_POSITION_ENTRY/13/1

Parameter	Description
Function	FN_PASS_POSITION_ENTRY
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PASS_POSITION_ENTRY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_PASS_POSITION_ENTRY. Hook required to override the RTH picked up by the FLEXCUBE system in SEPKS_ACC_ENTRY. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

- [FN_PASS_POSITION_ENTRY Package](#)

10.1.1 FN_PASS_POSITION_ENTRY Package

Hook is provided in FN_PASS_POSITION_ENTRY.

Table 10-2 FN_PASS_POSITION_ENTRY/13/1

Parameter	Description
Function	FN_PASS_POSITION_ENTRY
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_POST_PASS_POSITION_ENTRY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_PASS_POSITION_ENTRY. Hook required to override the RTH picked up by the FLEXCUBE system in SEPKS_ACC_ENTRY. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

10.2 SEPKS_DPRP_BATCH Package

Hook is provided in SEPKS_DPRP_BATCH Package.

Table 10-3 FN_COMPUTE_TAX/2/1

Parameter	Description
Function	FN_COMPUTE_TAX
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COMPUTE_TAX
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_COMPUTE_TAX. Hook is required for changes in MM tax computation

Table 10-3 (Cont.) FN_COMPUTE_TAX/2/1

Parameter	Description
Description	Hook is provided in FN_COMPUTE_TAX. Hook is required for changes in MM tax computation All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

10.3 SEPKS_DPRP_REBUILD Package

Pre hook provided for custom.

Table 10-4 FN_REBUILD_SLABS/4/1

Parameter	Description
Function	FN_REBUILD_SLABS
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REBUILD_SLABS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_REBUILD_SLABS. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

Table 10-5 FN_REBUILD_SLABS/4/1- FN_POST_REBUILD_SLABS

Parameter	Description
Function	FN_REBUILD_SLABS
No of Parameters	4

Table 10-5 (Cont.) FN_REBUILD_SLABS/4/1- FN_POST_REBUILD_SLABS

Parameter	Description
Function Call Id	1
Cluster/Custom Function Name	FN_POST_REBUILD_SLABS
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.
Description	Hook is provided in FN_REBUILD_SLABS. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

10.4 SEPKS_EVENT Package

Post hook provided for custom.

Table 10-6 FN_AUTHORIZE_EVENT/6/1

Parameter	Description
Function	FN_AUTHORIZE_EVENT
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_POST_AUTHORIZE_EVENT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom

Table 10-6 (Cont.) FN_AUTHORIZE_EVENT/6/1

Parameter	Description
Description	Hook is provided in FN_POST_AUTHORIZE_EVENT. Hook request to enable Functionality to update the transaction type as Repurchase for a CP deal triggered on redemption is required. To support the functionality , post hook is required for sepks_event.FN_AUTHORIZE_EVENT. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

10.5 SEPKS_INSERT_MASTER Package

Pre hook provided for custom.

Table 10-7 FN_DPRP_MASTER/2/1- FN_PRE_DPRP_MASTER

Parameter	Description
Function	FN_DPRP_MASTER
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_DPRP_MASTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.
Description	Hook is provided in FN_DPRP_MASTER. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

Table 10-8 FN_DPRP_MASTER/2/1- FN_POST_DPRP_MASTER

Parameter	Description
Function	FN_DPRP_MASTER
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_POST_DPRP_MASTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom
Description	Hook is provided in FN_DPRP_MASTER. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

10.6 SEPKS_REVAL_0 Package

Pre Hooks provided in fxpks_acctg.fn_frameentries to populate the settlement account, bought amount and sold amount.

Table 10-9 FN_REVERSAL_OF_REVALUATION/6/1- FN_PRE_REVERSAL_OF_REVALUATION

Parameter	Description
Function	FN_REVERSAL_OF_REVALUATION
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REVERSAL_OF_REVALUATION
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre hook provided for custom.

**Table 10-9 (Cont.) FN_REVERSAL_OF_REVALUATION/6/1-
FN_PRE_REVERSAL_OF_REVALUATION**

Parameter	Description
Description	Hook is provided in FN_REVERSAL_OF_REVALUATION. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

**Table 10-10 FN_REVERSAL_OF_REVALUATION/6/1-
FN_POST_REVERSAL_OF_REVALUATION**

Parameter	Description
Function	FN_REVERSAL_OF_REVALUATION
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_POST_REVERSAL_OF_REVALUATION
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook provided for custom.
Description	Hook is provided in FN_REVERSAL_OF_REVALUATION. Hook required to compute the Memo Amortization and Memo Revaluation for Securities Portfolio. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	33202898

11

Tax Module Hooks

The hooks released in the Tax Module are as follows:

- [TAPKS_TR_NEW Package](#)

11.1 TAPKS_TR_NEW Package

Table 11-1 FN_COMPUTE_AMOUNT

Parameter	Description
Function	FN_COMPUTE_AMOUNT
No of Parameters	17
Function Call Id	0
Cluster/Custom Function Name	FN_COMPUTE_AMOUNT
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(g_Unique_Tax_Id) I_Tb_Cluster_Data(I_Effective_Date) I_Tb_Cluster_Data(I_Cust_Category) I_Tb_Cluster_Data(I_Country_Code)
Received from Extensible layer	I_Tb_Cluster_Data(g_Unique_Tax_Id) I_Tb_Cluster_Data(I_Effective_Date) I_Tb_Cluster_Data(I_Cust_Category) I_Tb_Cluster_Data(I_Country_Code)
Hook Description	Hook provided for Tax Rule maintenance and Tax processing for getting customised Tax computed amount based on the PK
Description	Hook provided for Tax Rule maintenance and Tax processing for getting customised Tax computed amount based on the PK. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16754493

Table 11-2 FN_COMPUTE_TAX/0/1

Parameter	Description
Function	FN_COMPUTE_TAX
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_COMPUTE_TAX
Additional parameters	None
Sent to Extensible layer	I_Tb_Cluster_Data('I_Category') := I_Category; I_Tb_Cluster_Data('I_Country_Code') := I_Country_Code;
Received from Extensible layer	None
Hook Description	Hook has been provided in function Fn_Compute_Tax in package tapks_new.
Description	Hook has been provided in function Fn_Compute_Tax in package tapks_new. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28737398

Table 11-3 FN_GET_UNIQUETAXID/4/0-FN_POST_GET_UNIQUETAXID

Parameter	Description
Function	FN_GET_UNIQUETAXID
No of Parameters	4
Function Call Id	0
Cluster/Custom Function Name	FN_POST_GET_UNIQUETAXID
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided for Tax Rule maintenance and Tax processing

Table 11-3 (Cont.) FN_GET_UNIQUETAXID/4/0-FN_POST_GET_UNIQUETAXID

Parameter	Description
Description	Hook provided for Tax Rule maintenance and Tax processing. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16754493

Table 11-4 FN_GET_UNIQUETAXID/4/0 - FN_PRE_GET_UNIQUETAXID

Parameter	Description
Function	FN_GET_UNIQUETAXID
No of Parameters	4
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_GET_UNIQUETAXID
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided for Tax Rule maintenance and Tax processing
Description	Hook provided for Tax Rule maintenance and Tax processing. Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16754493

12

Treasury Module Hooks

The hooks released in the Treasury Module are as follows:

- [CVPKS_TR_UTILS Package](#)
- [TRPKS_EAC_SERVICE Package](#)
- [TRPKS_PROCESS_EVENT_RFR/8/0](#)
- [FN_CALC_SPREAD](#)

12.1 CVPKS_TR_UTILS Package

Inline hook has been provided with skip kernal in function FN_GET_DR_DD_AGMT_MASTER and GET_STTB_ACC.

Table 12-1 FN_GET_ACC_MIN_BAL

Parameter	Description
Function	FN_GET_ACC_MIN_BAL
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_GET_ACC_MIN_BAL
Additional parameters	I_fn_call_id , I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data ('L_CUSTACC_REC.ACCOUNT_CLASS') I_Tb_Cluster_Data ('L_CUSTACC_REC.CCY')
Received from Extensible layer	None
Hook Description	Hooks is provided in the package cvpks_utils in the function fn_get_acc_min_bal().
Description	Hooks is provided in the package cvpks_utils in the function fn_get_acc_min_bal(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28591775

Table 12-2 FN_GET_DR_DD_AGMT_MASTER/0/1

Parameter	Description
Function	FN_GET_DR_DD_AGMT_MASTER
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_GET_DR_DD_AGMT_MASTER
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Inline hook has been provided with skip kernal in function FN_GET_DR_DD_AGMT_MASTER
Description	Inline hook has been provided with skip kernal in function FN_GET_DR_DD_AGMT_MASTER All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27360397

Table 12-3 FN_POST_GET_STTB_ACC

Parameter	Description
Function	FN_POST_GET_STTB_ACC
No of Parameters	0
Function Call Id	2
Cluster/Custom Function Name	FN_POST_GET_STTB_ACC
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post hook has been provided in function Get_Sttb_Acc.
Description	Post hook has been provided in function Get_Sttb_Acc. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 12-3 (Cont.) FN_POST_GET_STTB_ACC

Parameter	Description
Bug No	27297069

Table 12-4 GET_BRANCH_DATE/4/1

Parameter	Description
Function	GET_BRANCH_DATE
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_GET_DR_DD_AGMT_MASTER
Additional parameters	I_fn_call_id , I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in cvpks_utils package in the procedure Get_Branch_Date().
Description	Hook is provided in cvpks_utils package in the procedure Get_Branch_Date(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28117675

Table 12-5 GET_STTB_ACC/0/1

Parameter	Description
Function	GET_STTB_ACC
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	GET_STTB_ACC
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	I_Accrec := Global_Cache(I_Idx); I_Accrec := Global_Cache(I_Idx1)
Hook Description	Inline hook has been provided with skip kernal in function GET_STTB_ACC

Table 12-5 (Cont.) GET_STTB_ACC/0/1

Parameter	Description
Description	Inline hook has been provided with skip kernel in function GET_STTB_ACC All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27297069

12.2 TRPKS_EAC_SERVICE Package

A call with standard pre and post hooks has been made from trpks_eac_service.sql in the function fn_eac_process1().

Table 12-6 FN_EAC_PROCESS1/4/0

Parameter	Description
Function	FN_EAC_PROCESS1/4/0
No of Parameters	4
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_EAC_PROCESS1
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from trpks_eac_service.sql in the function fn_eac_process1().
Description	A call with standard pre and post hooks has been made from trpks_eac_service.sql in the function fn_eac_process1(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16754493

12.3 TRPKS_PROCESS_EVENT_RFR/8/0

A call with standard pre and post hooks has been made from trpks_process_event_rfr.sql in the function Fn_process_event().

Table 12-7 FN_PROCESS_EVENT- FN_POST_PROCESS_EVENT

Parameter	Description
Function	FN_PROCESS_EVENT
No of Parameters	8
Function Call Id	0
Cluster/Custom Function Name	FN_POST_PROCESS_EVENT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from trpks_process_event_rfr.sql in the function Fn_process_event().
Description	A call with standard pre and post hooks has been made from trpks_process_event_rfr.sql in the function Fn_process_event(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011489

Table 12-8 FN_PROCESS_EVENT/8/0- FN_PRE_PROCESS_EVENT

Parameter	Description
Function	FN_PROCESS_EVENT
No of Parameters	8
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_PROCESS_EVENT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from trpks_process_event_rfr.sql in the function Fn_process_event().

Table 12-8 (Cont.) FN_PROCESS_EVENT/8/0- FN_PRE_PROCESS_EVENT

Parameter	Description
Description	A call with standard pre and post hooks has been made from trpks_process_event_rfr.sql in the function Fn_process_event(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011489

12.4 FN_CALC_SPREAD

A call with standard pre and post hooks has been made from trpks_utils.sql in the function fn_calc_spread().

Table 12-9 FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD

Parameter	Description
Function	FN_CALC_SPREAD
No of Parameters	11
Function Call Id	0
Cluster/Custom Function Name	FN_CALC_SPREAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from trpks_utils.sql in the function fn_calc_spread().
Description	A call with standard pre and post hooks has been made from trpks_utils.sql in the function fn_calc_spread(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Table 12-9 (Cont.) FN_CALC_SPREAD/11/0- FN_POST_CALC_SPREAD

Parameter	Description
Bug No	34011496

Table 12-10 FN_CALC_SPREAD/11/0- FN_PRE_CALC_SPREAD

Parameter	Description
Function	FN_CALC_SPREAD
No of Parameters	11
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_CALC_SPREAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from trpks_utils.sql in the function fn_calc_spread().
Description	A call with standard pre and post hooks has been made from trpks_utils.sql in the function fn_calc_spread(). Hook required to modify the expiry date check based on new Grace day's parameter and to check for running the reval function based on expiry date calculated using new Grace days parameter. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	34011496