

# Oracle® Banking Enterprise Limits and Collateral Management

## Development of Report Forms



Release 14.8.1.0.0  
G45885-01  
October 2025

ORACLE®

Copyright © 2020, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

1	Preface	
1.1	Audience	1
1.2	Documentation Accessibility	1
1.3	Critical Patches	2
1.4	Diversity and Inclusion	2
1.5	Basic Actions	2
1.6	Related Documents	3
1.7	Conventions	3
1.8	Screenshot Disclaimer	3
1.9	Acronyms and Abbreviations	3
1.10	Symbols and Icons	4
1.11	Prerequisite	5
2	Introduction	
3	Overview of FLEXCUBE Reports	
4	Designing Report Form	
5	RTF and XDO Files	
6	Coding in Hook Package	

# 1

## Preface

This document describes the steps to develop the notification XML and notification trigger using Oracle FLEXCUBE Development Workbench.

- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Basic Actions](#)
- [Related Documents](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

The list of the acronyms and abbreviations used in this guide are as follows:

- [Symbols and Icons](#)  
The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.
- [Prerequisite](#)

## 1.1 Audience

This guide is intended for the following User/User Roles:

**Table 1-1 Audience**

Role	Function
Back office data entry clerk	Input functions for funds
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of day operators	Processing during end of day / beginning of day

## 1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## 1.3 Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

## 1.4 Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## 1.5 Basic Actions

**Table 1-2 Basic Actions**

Action	Description
<b>Approve</b>	Used to approve the initiated report. This button is displayed, once the user click <b>Authorize</b> .
<b>Audit</b>	Used to view the maker details, checker details, and report status.
<b>Authorize</b>	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
<b>Close</b>	Used to close a record. This action is available only when a record is created.
<b>Confirm</b>	Used to confirm the performed action.
<b>Cancel</b>	Used to cancel the performed action.
<b>Compare</b>	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click <b>Authorize</b> .
<b>Collapse All</b>	Used to hide the details in the sections. This button is displayed, once the user click <b>Compare</b> .
<b>Expand All</b>	Used to expand and view all the details in the sections. This button is displayed, once the user click <b>Compare</b> .
<b>New</b>	Used to add a new record. When the user click <b>New</b> , the system displays a new record enabling to specify the required data.
<b>OK</b>	Used to confirm the details in the screen.
<b>Save</b>	Used to save the details entered or selected in the screen.
<b>View</b>	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click <b>Authorize</b> .

Table 1-2 (Cont.) Basic Actions

Action	Description
<b>View Difference only</b>	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click <b>Compare</b> .
<b>Unlock</b>	Used to update the details of an existing record. System displays an existing record in editable mode.

## 1.6 Related Documents

For more information refer to the Oracle Banking manuals on:

- Development of Launch Forms and Others Screens
- Enterprise Collaterals User Guide
- Enterprise Limits and Collaterals Common User Guide

## 1.7 Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## 1.8 Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

## 1.9 Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1-3 Acronyms and Abbreviations

Acronyms	Abbreviations
CIF	Customer Information File
CASA	Current Account and Savings Account
DDA	System that holds the CASA account and balances
ELCM	Enterprise Limits and Collateral Management
ECA	External Credit Approval

**Table 1-3 (Cont.) Acronyms and Abbreviations**

Acronyms	Abbreviations
FCUBS	Oracle FLEXCUBE Universal Banking Solution
GW	Gateway
HTTP	Hyper Text Transfer Protocol
ID	Identification Number
Mark EOTI	Mark End of Transaction Input
Mark TI	Mark Transaction Input
OFSA	Oracle Financial Services Analytical Applications
ORMD	Oracle Revenue and Billing Management
PK	Primary Key
RDBMS	Relational Data Base Management System
SMS	Security Services
UI	User Interface
VD	Value Date
XML	Extensible Mark-up Language
XSD	XML Schema Definition
XSLT	Extensible Stylesheet Language Transformations

## 1.10 Symbols and Icons

The lists of symbols, buttons and shortcut key that are used in the application to perform various tasks are covered in this topic.

**Table 1-4 Symbols and Icons**











Icons	Function
	Perform search
	Minimize
	Navigate to the next record
	Navigate to the previous record
	Toggle OFF
	Toggle ON
	Delete
	Click this icon to add a new row.
	Click this icon to delete an existing row.
	List view

Table 1-4 (Cont.) Symbols and Icons












Icons	Function
	Maximize
	Navigate to the first record
	Navigate to the last record
	Advance search
	Search record
	Save the record
	Reset the record
	Clear the record

Table 1-5 Symbols and Icons - Audit Details

Icons	Function
	A user
	Branch details
	Date and Time

## 1.11 Prerequisite

Specify the **User ID** and **Password**, and login to **Home** screen.



# 2

## Introduction

# 3

## Overview of FLEXCUBE Reports

This topic describes about the Overview of FLEXCUBE Reports.

Reports in FLEXCUBE UBS are used to fetch the data from Oracle FLEXCUBE Universal Banking database Schema based on the report Query criteria and render on screen or print.

FLEXCUBE UBS uses two software as reporting platforms.

- Oracle Business Intelligence Publisher ( BIP)
- Oracle Business Intelligence Enterprise Edition (OBIEE)

This document describes the process of designing a Report Form for a BIP Report using Development Workbench. The process of designing RTF and XDO files are not explained in this manual.

### **Note**

This document assumes a given report RTF file and data template XML is already available.

# 4

## Designing Report Form

This topic describes the systematic instruction to Designing Report Form

Login to FLEXCUBE Development workbench

1. From browser, select '**Function Generation**'
2. Select '**New**' from '**Action**', and set the function type as '**Report**' from the drop down list in '**Function Category**'. Type in the name of the screen; make sure that the third letter of the name is '**R**'
3. Add data sources by right clicking on '**DataSource**'. In a report screen, the only table that should be added is '**CSTB\_UI\_COLUMNS**'. Add columns from the table as required. The number of columns to be added depends on the number of report parameters required in the report screen. Add as many fields as required in the report screen.
4. Right click on data blocks and add block fields.

There are some generic report parameters which needed to be added in any report screen. They are:

- PM\_MINOR
- PM\_BRANCH\_CODE
- PM\_BRANCH\_DATE
- PM\_BRANCH\_DESC
- PM\_CURRENT\_USER
- PM\_LCY
- PM\_LANGUAGE
- PM\_MODULE

### Note

While adding columns to the data source CSTB\_UI\_COLUMNS, take these generic parameters also into consideration.

**Figure 4-1 Report Screen design**

The screenshot shows the 'Function Generation' window with the following sections:

- Top Bar:**
  - Action: New
  - Function Id: STRCU000
  - Save XML Path: D:\RADTOOL
  - Function Type: Parent
  - Parent Function:
  - Parent XML:
  - Function Category: Report
  - Header Template: None
  - Footer Template: None
- Search:** A search bar.
- Preferences:**
  - Left sidebar: A tree view containing folders like Preferences, DataSource, ListOfValues, DataBlocks, Screens, FieldSets, Actions, CallForms, LaunchForms, and Summary.
  - Main area: A list of checkboxes for various preferences:
    - Head Office Function
    - Logging Required
    - Auto Authorization
    - Tank Modifications
    - Field Log Required
    - Multi Branch Access
    - Excel Export Required
  - Right area: Fields for Module (ST), Module Description (Static Maintenance), Branch Program Id, Process Code, SVN Repository URL, Transaction Block Name (Choose Block), and Transaction Field Name (Choose Field).
- Table:** A table with columns: Function Id, Module, and Module Description. It contains one row: STRCU000, ST, Static Maintenance.

The 'Report Parameter' checkbox has to be checked in case of report parameters. Also, 'Visible' has to be unchecked in all generic parameters. Also, default values are to be given to some of these fields

For example,

PM\_BRANCH\_CODE specify the Default value as GLOBAL.CURRENT\_BRANCH,  
 PM\_BRANCH\_DATE specify the Default value as GLOBAL.APPLICATION\_DATE,  
 PM\_CURRENT\_USER specify the Default value as GLOBAL.USER\_ID.

Development Workbench would automatically add the Report Options for all Report screens. Following are the report options

- Report Format
  - Report Output ( Print, Spool, View)
  - Print At ( Client/Server)
  - Printer ID
5. To add new field set, right click on field set.
  6. Give field set properties:
  7. Save and generate the files:
  8. Deploy the files

Figure 4-2 Adding Data Sources





Figure 4-3 Adding Data Block Fields



The report screen can be deployed by clicking on the 'Deploy' button.

# 5

## RTF and XDO Files

This topic describes about the RTF and XDO Files

The rtf file contains the specification for the layout of the report screen.

The xdo file contains the queries which will pick up the relevant values from the back end. The columns to be loaded also should be added in this file.

Both RTF and xdo files needs to be deployed in the BIP server for launching Reports from FLEXCUBE

# 6

## Coding in Hook Package

### Coding in Hook Package

- Code for deriving the bind values in xdo query has to be written in Hook package and the same has to be called on loading the xdo .Usually the function **Afterpform** is written in Hook package for this purpose.
- Any functions used in the xdo query is usually written in the Hook package.