

Oracle® Banking Treasury Management

Resources to be Created



Release 14.8.1.0.0
G45337-01
October 2025

ORACLE®

Oracle Banking Treasury Management Resources to be Created, Release 14.8.1.0.0

G45337-01

Copyright © 2020, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Create Resources on Application Server

1.1	Resource prerequisites for Plug-ins	1
1.1.1	Oracle Banking Treasury Management	1
1.1.2	Scheduler	3
1.1.3	Gateway	5
1.1.4	ELCM	5
1.1.5	REST API Services	7

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Related Resources](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide helps the user to create the required resources for Oracle Banking Treasury Management.

Audience

This guide is intended for anyone responsible for installing Oracle Banking Application.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to make sure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also

mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

For more information, see these Oracle Banking Treasury Management resources:

- [Oracle Banking Treasury Management Release Notes](#)
- [Oracle Banking Treasury Management Installer Index](#)
- [Oracle Banking Treasury Management Installer Prerequisite](#)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The acronyms and abbreviations are listed in this below table:

Table Acronyms and Abbreviations

Abbreviations or Acronyms	Definition
DV	Derivatives
ETD	Exchange Traded Derivatives
FX	Foreign Exchange
MM	Money Market
OBTR	Oracle Banking Treasury Management
OT	Over the Counter Options
SE	Securities
SR	Securities Repo

1

Create Resources on Application Server

Configure the application server for Oracle Banking Treasury Management Application. Ensure that the following resources are available before deployment:

- Data source
- JMS resources
- Debug paths for host and branch

Note

In case of Multi Entity, all data sources must be created separately for each entity. The JNDI name will be differentiated by suffixing entity name.

- [Resource prerequisites for Plug-ins](#)

1.1 Resource prerequisites for Plug-ins

Resource prerequisites for different plug-ins are explained below. In case you wish to include a plug-in, ensure that the corresponding resources are created.

This topic has the following sub-topic:

- [Oracle Banking Treasury Management](#)
- [Scheduler](#)
- [Gateway](#)
- [ELCM](#)
- [REST API Services](#)

1.1.1 Oracle Banking Treasury Management

OBTR needs below resources before deployment. Create the following queues and connection factories in the application server.

Table 1-1 JMS Connection Factories

QCF Label	QCF
Notify Destination QCF	NotifyDestQCF
Deferred QCF	DeferredDestQCF
Notify QCF	NOTIFY_MDB_QCF
Incoming QCF	EmsQcf
GI Upload QCF	GI_UPLOAD_QCF
Sanction Check QCF	SNCKREQQCF

Table 1-1 (Cont.) JMS Connection Factories

QCF Label	QCF
<Internally Referred>	ELMDBQCF
<Internally Referred>	EL_NOTIFY_QCF

Table 1-2 Queues

QUEUE Label	QUEUE
Notify Destination Queue Name	NOTIFY_DEST_QUEUE
Deferred Queue Name	DEFERRED_DEST_QUEUE
Notify Queue Name	NOTIFY_QUEUE
Dead Letter Queue name	NOTIFY_QUEUE_DLQ
Incoming BackupQueue name	EMS_QUEUE_BACK
Incoming Dead Letter Queue name	EMS_QUEUE_DLQ
Incoming Queue Name	EMS_INQUEUE
Outgoing Queue Name	EMS_OUTQUEUE
SFMS Incoming Queue	SFMS_INQUEUE
RTGS Incoming Queue	RTGS_INQUEUE
GI Upload Queue Name	INTERNAL_GI_UPLOAD_QUEUE
GI Upload Dead Letter Queue Name	INTERNAL_GI_UPLOAD_DLQ
BulkerMDB Queue	EMS_BULKERQUE
Sanction Check Request Queue	SNCKREQ_QUEUE
Sanction Check Response Queue	SNCKRES_QUEUE
Sanction Check Listener Queue	SNCKASYNC_QUEUE
<Internally Referred>	ELMDB_REQ_Q
<Internally Referred>	ELMDB_RES_Q
<Internally Referred>	ELMDB_DLQ
<Internally Referred>	EL_NOTIFY_REQ_Q
<Internally Referred>	EL_NOTIFY_RES_Q
<Internally Referred>	EL_NOTIFY_DLQ

Table 1-3 Data Source

Datasource Name	Datasource Label	Type	Default Value
INIT_DATASOURCE	Data Source	NON-XA	jdbc/fcjdevDS
BRANCH_CENTRALIZED_DS	Data Source	XA	jdbc/fcjDevXADS
SCHEDULER_DS	Scheduler Datasource	XA	jdbc/fcjSchedulerDS

Note

You need to create two more data sources for Oracle FCUBS.

- **Scheduler:** You need to create an XA data source for Oracle FCUBS with the JNDI name '`_XA`' for the scheduler. For example, if the Oracle FCUBS HOST Non XA data source JNDI name is `jdbc/fcjdevDS`, then you need to create another data source for FCUBS with the JNDI name `jdbc/fcjdevDS_XA`.
- **Batch Process:** You need to create the data source for Oracle FCUBS with the JNDI name '`_ASync`' for the batch process. For example, if the Oracle FCUBS HOST Non XA data source JNDI name is `jdbc/fcjdevDS`, then you need to create another data source for FCUBS with the JNDI name `jdbc/fcjdevDS_ASYNC`.

1.1.2 Scheduler

If the scheduler is included in the property file, create the following queues and connection factories in the application server.

In the case of Remote Scheduler, create the following queues, connection factories, and Datasources in the application server where scheduler EAR will be deployed.

Table 1-4 Connection Factories

QCF Label	QCF
Notify Destination QCF	NotifyDestQCF
Deferred QCF	DeferredDestQCF
Notify QCF	NOTIFY_MDB_QCF
Incoming QCF	EmsQcf
Sanction Check QCF	SNCKREQQCF
GI Upload QCF	GI_UPLOAD_QCF

All these must be XA enabled.

Table 1-5 Queues

QUEUE Label	QUEUE
Notify Destination Queue Name	NOTIFY_DEST_QUEUE
Deferred Queue Name	DEFERRED_DEST_QUEUE
Notify Queue Name	NOTIFY_QUEUE
Dead Letter Queue name	NOTIFY_QUEUE_DLQ
Incoming BackupQueue name	EMS_QUEUE_BACK
Incoming Dead Letter Queue name	EMS_QUEUE_DLQ
Incoming Queue Name	EMS_INQUEUE
Outgoing Queue Name	EMS_OUTQUEUE
SFMS Incoming Queue	SFMS_INQUEUE
RTGS Incoming Queue	RTGS_INQUEUE

Table 1-5 (Cont.) Queues

QUEUE Label	QUEUE
Sanction Check Request Queue	SNCKREQ_QUEUE
Sanction Check Response Queue	SNCKRES_QUEUE
Sanction Check Listener Queue	SNCKASYNC_QUEUE
GI Upload Queue Name	INTERNAL_GI_UPLOAD_QUEUE
GI Upload Dead Letter Queue Name	INTERNAL_GI_UPLOAD_DLQ

Topic Connection Factory

- NotifyDestTCF

Topic

- NOTIFY_DEST_TOPIC

To configure scheduler and EMS with MQ series, follow the steps given below.

- Create queues in MQ Series.
- Create binding file.
- Copy the MQ series JAR files to Oracle WebLogic domain library folder.

Table 1-6 Datasources

Datasource Name	Datasource Label	Type	Default Value
INIT_DATASOURCE	Data Source	NON-XA	jdbc/fcjdevDS
SCHEDULER_DS	Scheduler Datasource	XA	jdbc/fcjSchedulerDS

Note the following:

- You need to create another XA data source for Oracle FCUBS with the JNDI name ‘_XA’ for Scheduler. For example, if the Oracle FCUBS HOST Non-XA data source JNDI name is jdbc/fcjdevDS’, then you need to create another data source for FCUBS with the JNDI name jdbc/fcjdevDS_XA.

Security Provider Libraries

If you wish to include the signing process for SFMS messages, you need to set the following library.

Table 1-7 Security Provider Libraries

File Name	Download Location	Instructions
bcprovjdk.jar (Latest Qualified Version)	https://www.bouncycastle.org/latest_releases.html	Copy the file bcprovjdk.jar (Latest Qualified Version) to the directory {WL_JAVA_HOME}/jre/lib/ext Here, WL_JAVA_HOME is the Java root directory from which the WebLogic server is running. Restart Oracle WebLogic server.

For details on the latest version of the software qualified with Oracle Banking Treasury Management, refer to the release certificate.

1.1.3 Gateway

If scheduler is included in the property file, create the following queues and connection factories in the application server.

Table 1-8 Connection Factories

QCF Label	QCF
MDB QCF	MDBQCF

All these must be XA enabled.

Table 1-9 Queues

QUEUE Label	QUEUE
MDB Request Queue	MDB_QUEUE
MDB Response Queue	MDB_QUEUE_RESPONSE
MDB DL Queue	MDB_QUEUE_DLQ

Table 1-10 Data Source

Datasource Name	Datasource Label	Type	Default Value
FCUBS_MSG_SCHEM A_CON_POOLNAME	DataSource	XA for MDB and NON- XA for others.	FLEXTTEST.WORLD
FCUBS_SMS_POOL_N AME	DataSource	NON-XA	jdbc/fcjsmsDS

1.1.4 ELCM

If the ELCM application has to be deployed, create the following queues and connection factories in the application server.

Table 1-11 JMS Connection Factories

QCF Label	QCF
EL gateway Notify QCF	EL_NOTIFY_QCF
EL Gateway MDB QCF	ELMDBQCF
Notify Destination QCF	NotifyDestQCF
Deferred QCF	DeferredDestQCF
Notify QCF	NOTIFY_MDB_QCF
Incoming QCF	EmsQcf
GI Upload QCF	GI_UPLOAD_QCF

Table 1-12 JMS Queues

QUEUE Label	QUEUE
EL gateway Notify Request Queue Name	EL_NOTIFY_REQ_Q
EL gateway Notify Response Queue Name	EL_NOTIFY_RES_Q
EL gateway Notify DeadLetter Queue Name	EL_NOTIFY_DLQ
EL Gateway MDB Request Queue Name	ELMDB_REQ_Q
EL Gateway MDB Response Queue Name	ELMDB_RES_Q
EL Gateway MDB DeadLetter Queue Name	ELMDB_DLQ
Notify Destination Queue Name	NOTIFY_DEST_QUEUE
Deferred Queue Name	DEFERRED_DEST_QUEUE
Notify Queue Name	NOTIFY_QUEUE
Dead Letter Queue name	NOTIFY_QUEUE_DLQ
Incoming BackupQueue name	EMS_QUEUE_BACK
Incoming Dead Letter Queue name	EMS_QUEUE_DLQ
Incoming Queue Name	EMS_INQUEUE
Outgoing Queue Name	EMS_OUTQUEUE
SFMS Incoming Queue	SFMS_INQUEUE
RTGS Incoming Queue	RTGS_INQUEUE
GI Upload Queue Name	INTERNAL_GI_UPLOAD_QUEUE
GI Upload Dead Letter Queue Name	INTERNAL_GI_UPLOAD_DLQ

For ELCM, We need to create the following data sources for JDBC resources:

Table 1-13 Data Source

Datasource Name	Datasource Label	Type	Default Value
INIT_DATASOURCE	Data Source	NON-XA	jdbc/fcjdevDS
EL_INIT_DATASOURCE	Scheduler DataSource	NON-XA	jdbc/fcjSchedulerDS

1.1.5 REST API Services

The following Datasource has to be created for REST API Service Application:

Table 1-14 Data Source

Datasource Name	Datasource Label	Type	Default Value
INIT_DATASOURCE	Data Source	XA	jdbc/fcliteAPIDS