Oracle® FLEXCUBE Investor Servicing ODT Database Setup





Oracle FLEXCUBE Investor Servicing ODT Database Setup, Release 14.7.6.0.0

G30395-01

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	iv
Audience	iv
Documentation Accessibility	iv
Critical Patches	V
Diversity and Inclusion	V
Conventions	V
Screenshot Disclaimer	V
Acronyms and Abbreviations	V
Set un Datahase for ODT	

1 Set up Database for ODT



Preface

Oracle FLEXCUBE Investor Servicing is a comprehensive mutual funds automation software from Oracle® Financial Servicing Software Ltd.©.

You can use the system to achieve optimum automation of all your mutual fund investor servicing processes, as it provides guidelines for specific tasks, descriptions of various features and processes, and general information.

This topic contains the following sub-topics:

- Purpose
- Audience
- Documentation Accessibility
- Critical Patches
- Diversity and Inclusion
- Conventions
- Screenshot Disclaimer
- Acronyms and Abbreviations

Purpose

This manual is designed to help acquaint you with the installation of **Oracle FLEXCUBE Investor Servicing** application.

Audience

This manual is intended for the following User/User Roles:

Table 1 Users and Roles

Users	Roles
Implementation team	Implementation of Oracle FLEXCUBE Investor Servicing
Presales team	Install Oracle FLEXCUBE Investor Servicing for demo purpose
Bank personnel	Who installs Oracle FLEXCUBE Investor Servicing

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.



Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at Critical Patches, Security Alerts and Bulletins. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by Oracle Software Security Assurance.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used are as follows:

Table 2 Acronyms and Abbreviations

Abbreviation	Description
FCIS	Oracle FLEXCUBE Investor Servicing
OEM	Oracle Enterprise Manager

Table 2 (Cont.) Acronyms and Abbreviations

Abbreviation	Description
EMS	Electronic Messaging Service
EJB	Enterprise Java Bean
MDB	Message Driven Beans



Set up Database for ODT


This topic explains the steps to set up Database for ODT.

Run FCUBSInstaller.bat batch file to start Oracle FLEXCUBE Investor Servicing Installer.

1. Start Oracle FLEXCUBE Universal Installer.

The **Oracle FLEXCUBE Universal Installer** is displayed.

Figure 1-1 Oracle FLEXCUBE Universal Installer



2. On Oracle FLEXCUBE Universal Installer screen, enter the following details.

Refer to the table for JDK and Oracle Home path.

Table 1-1 JDK and Oracle Home path

Field	Description
JDK Path	Provide Home folder path of JDK1.8.
Oracle Home	Provide home folder path of Oracle Client or Database.


Table 1-1 (Cont.) JDK and Oracle Home path

Field	Description
Application Server Home	Provide home folder path of Application Server.
Application Server Location	Select location of the application server either local or remote.

- 3. Click **Next** to select the option for installation.
- 4. Select **Open Development Tool** from the lists of **Oracle FLEXCUBE** options.


The available options for installation are displayed.

Figure 1-2 Option for Installation



- 5. Click **Next** to choose **Oracle FLEXCUBE** component for installation.
- 6. Select Database.


Figure 1-3 Select Database



- 7. Select the appropriate operating system from the File Seperator Style drop-down.
- 8. Choose **Weblogic** from the **Application Server** drop-down.
- 9. Select the appropriate **DataBase Server** from the drop-down and click **Next**.
- **10.** Click **Next** to specify **Installation Type**.

The following screen is displayed.

Figure 1-4 Installation Type_FC Home




- 11. Browse for file Console EXEC in the FC Home and click Next.
- **12.** Specify the destination path.

You can use the directory icon to browse to the source directory location.

The following screen is displayed.


Figure 1-5 Destination Path



13. Click **Next** to specify the patch list details.


The following screen is displayed.

Figure 1-6 Valid Patch List



14. Click **Next** to view the status of sources being copied to destination folder.


Figure 1-7 Status of the objects sources being copied



15. Click Copy.

The following screen is displayed.

Figure 1-8 Copy in Progress



16. Click **Next** once the source is copied to specify schema details.

Figure 1-9 Schema Details



17. Specify the following schema details in the database installation screen and click Next.
Refer to the table for schema details.

Table 1-2 Schema details

Field	Description
User Name	Specify the user name to access the schema.
Password	Specify the schema password for the above user name.
Service Name	Specify service name of database.
IP Address	Specify the IP address of the system where the database schema is installed.
Port	Specify the port number.
TNS Connect Descriptor	Specify a valid connect string that contains the details for database connectivity.

18. Click **Test Connection** to test the connection with the Application server.

If there is an error in establishing the connection, the system displays the message ${\tt Invalid}\ {\tt DB}\ {\tt Credentials}.$

If the TNS entry is not proper, the installer displays the message ${\tt TNS}$ entries are not proper.

If the connection is established, the installer displays the message Connection Successful.


Figure 1-10 Information Message on Successful Connection



19. Click Next to view the status of the ODT DDL objects being compiled.

The following screen is displayed.

Figure 1-11 Status of the ODT DDL objects being Compiled



20. Click Load ODT DDL button to start compiling.


You can verify the DDL objects compilation by comparing the current count and the release count. The release count is the number of files in the temporary folder to which the files are copied.

The objects Type, Table, and Sequence will be compiled and the count will be updated.

- 21. Click **ODT DDL log** to see the log.
- 22. Click Next to view the status of the ODT APP objects being compiled.

The following screen is displayed.

Figure 1-12 Status of the ODT APP objects being Compiled



23. Click Load ODT Objects button to compile APP objects.

The installer loads the functions, procedures, views, triggers and packages as per selection and compiles them.



You can verify the application objects compilation by comparing the count shown in this screen with the release count.

24. Click **ODT Objects Log** to view the log.




The log file ${\tt LoadODTObj.log}$ will be available in the destination directory under the folder <code>DBLogs</code>.

25. Click **Next** to view the list of invalid objects in the DB.

The following screen is displayed.

Figure 1-13 Invalid Lists in DB



26. Click Invalids List button to view the count of invalid objects in the database.

The installer creates the file InvalidList.txt in the destination directory under the folder **DBLogs**.

27. Click **Recompile** to recompile any invalid objects if present. This reduces the invalid object count.



The Installer allows **Recompile** multiple times in order to reduce the invalid objects count.

28. You can view the status of recompilation of ODT objects.

The database is set up for the ODT installation.