

Oracle® FLEXCUBE Investor Servicing Blockchain Utility



Release 14.8.0.0.0
G32095-02
April 2025

ORACLE®

Oracle FLEXCUBE Investor Servicing Blockchain Utility, Release 14.8.0.0.0

G32095-02

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Critical Patches	ii
Diversity and Inclusion	ii
Conventions	ii
Screenshot Disclaimer	ii
Acronyms and Abbreviations	ii

1 Blockchain Utility

1.1 Set up RestService REST EJB Application	1
1.2 Deploy Blockchain Adapter in Application Server	5

Preface

Oracle FLEXCUBE Investor Servicing is a comprehensive mutual funds automation software from Oracle® Financial Servicing Software Ltd.©.

You can use the system to achieve optimum automation of all your mutual fund investor servicing processes, as it provides guidelines for specific tasks, descriptions of various features and processes, and general information.

This topic contains the following sub-topics:

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This manual is designed to help acquaint you with the installation of **Oracle FLEXCUBE Investor Servicing** application.

Audience

This manual is intended for the following User/User Roles:

Table 1 Users and Roles

Users	Roles
Implementation team	Implementation of Oracle FLEXCUBE Investor Servicing
Presales team	Install Oracle FLEXCUBE Investor Servicing for demo purpose
Bank personnel	Who installs Oracle FLEXCUBE Investor Servicing

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used are as follows:

Table 2 Acronyms and Abbreviations

Abbreviation	Description
FCIS	Oracle FLEXCUBE Investor Servicing
OEM	Oracle Enterprise Manager

Table 2 (Cont.) Acronyms and Abbreviations

Abbreviation	Description
EMS	Electronic Messaging Service
EJB	Enterprise Java Bean
MDB	Message Driven Beans

1

Blockchain Utility

This topic explains the steps for updating property and configuration XML files available in Blockchain Adapter WAR using Oracle FLEXCUBE Investor Servicing Installer.

This topic contains the following sub-topics:.

- [Set up RestService REST EJB Application](#)
This topic explains the steps involved in setting up Blockchain Adapter WAR.
- [Deploy Blockchain Adapter in Application Server](#)
This topic provides the information about the deployment of BlockChain Adapter in Application Server.

1.1 Set up RestService REST EJB Application

This topic explains the steps involved in setting up Blockchain Adapter WAR.

Blockchain Adapter WAR file needs to be copied from ADAPTERS folder in Shipment Location.

1. Double-click **FCUBSInstaller.bat** batch file to start **Oracle FLEXCUBE Universal Installer**.

The **Oracle FLEXCUBE Universal Installer** screen is displayed.

Figure 1-1 Oracle FLEXCUBE Universal Installer

The screenshot shows the Oracle FLEXCUBE Universal Installer window. The title bar is red with the text "Oracle FLEXCUBE Investor Servicing" and the Oracle logo. The main content area is titled "Prerequisites" and contains the instruction "Please specify the JDK and Oracle Home path." Below this, there are four fields with folder selection icons to the right: "JDK Path" with the value "c:/Software/Java/jdk1.8.0_91", "Oracle Home" with the value "c:/Software/Oracle12c/product/12.1.0/dbhome_1", "Application Server Home" with the value "c:/Software/Weblogic12211/wlserver", and "Application Server Location" with a dropdown menu set to "Local". At the bottom of the window, there are four buttons: "Log", "Back", "Next", and "Exit".

2. On **Oracle FLEXCUBE Universal Installer** screen, enter the following details.


Refer to the table for JDK and Oracle Home path.

Table 1-1 JDK and Oracle Home path

Field	Description
JDK Path	Provide Home folder path of JDK1.8.
Oracle Home	Provide home folder path of Oracle Client or Database.
Application Server Home	Provide home folder path of Application Server. Note: In case any of the selected directories is incorrect, the Installer will display an appropriate error message. In that case, you need to correct the directory path and proceed.
Application Server Location	Select location of the application server either as local or remote.

3. Click **Next** to select the utility option for installation.
4. Select **Blockchain** from the lists of **Utilities** option.
The options available for installation are displayed.

Figure 1-2 Utilities_Blockchain




5. Click **Next** to modify property file in WAR file.
The following screen is displayed.

Figure 1-3 Modify Property file in WAR file_WAR Path Location

Oracle FLEXCUBE Investor Servicing

Modify Property File in WAR file

War Path Location 

Select Property File

Property name	Value


6. Select the **Blockchain Adapter WAR** file in the **WAR Path Location** for modifying the properties and Configuration XMLs.
7. Select the **application.properties** to modify the JNDI name for the respective LOB schema.

The following screen is displayed.

Figure 1-4 Modify Property file in WAR file_Select Property File

Oracle FLEXCUBE Investor Servicing

Modify Property File in WAR file

War Path Location 


Select Property File

100%


Property Name	Value
spring.datasource.jndi-name	jdbc/BATMB
spring.datasource.testWhileIdle	true
spring.datasource.validationQuery	SELECT 1
spring.jpa.show-sql	true
spring.jpa.hibernate.naming.implicit-str...	org.hibernate.boot.model.naming.Implici...
spring.jpa.hibernate.naming.physical-str...	org.springframework.boot.orm.jpa.hiber...
spring.jpa.properties.hibernate.dialect	org.hibernate.dialect.Oracle10gDialect

8. Click **Save** to commit the changes.
No other property file requires changes.
9. Click **Next** to modify XML file in WAR file.
The following screen is displayed.

Figure 1-5 Modify XML file in WAR file_Select XML File



10. Select **CamelContext.xml** file in the **Select XML File** to modify the configuration.
Update Distributed Ledger Client URI as to uri in P2, P4, P6 route ids.
11. Click **Save** to commit the changes.
No other configuration XML requires changes.
12. Click **Next** to modify YAML file in WAR file.
The following screen is displayed if there are no YAML files to modify and the WAR file is ready for the deployment.

Figure 1-6 Modify YAML file in WAR file_Select YAML File

1.2 Deploy Blockchain Adapter in Application Server

This topic provides the information about the deployment of BlockChain Adapter in Application Server.

1. Deploy the Blockchain Adapter WAR in different WebLogic/WebSphere Application Server or in a different Managed Server.
2. Create the data source JNDI as given in the configuration XML pointing to LOB schema.
For Each LOB, an adapter installation is required.

This completes the deployment of Blockchain Adapter in Application Server.