Oracle® FLEXCUBE Investor Servicing Installation of Individual Fixes





Oracle FLEXCUBE Investor Servicing Installation of Individual Fixes, Release 14.8.0.0.0

G32094-02

Copyright © 2007, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1

Preface

Purpose		i
Audience		i
Documentation Accessibility		i
Critical Patches		ii
Diversity and Inc	clusion	ii
Conventions		ii
Screenshot Disc	laimer	ii
Acronyms and Abbreviations		ii
Installation of	of Individual Fixes	
1.1 Prerequisi	tes for Individual fix installation	1
1.2 Individual	Fix Installer	1
1.2.1 Runi	ning Individual Fix Installer	2
1.2.2 Hom	ne Screen of Individual Fix Installer	4
1.2.3 Bug	View Screen	6
1.2.3.1	BugFix Dependency Tree	6
1.2.3.2	Search Feature	7
1.2.3.3	Refresh Page Button	8
1.2.3.4	Bug Details Button	8
1.2.3.5	Logs Button	8
1.2.4 Statu	us Flags	8
1.2.5 App	Fixes	8
1.2.6 Warı	nings	9
1.2.7 Limitations		11
1.2.8 Prop	perty File Creation	11



Preface

Oracle FLEXCUBE Investor Servicing is a comprehensive mutual funds automation software from Oracle® Financial Servicing Software Ltd.©.

You can use the system to achieve optimum automation of all your mutual fund investor servicing processes, as it provides guidelines for specific tasks, descriptions of various features and processes, and general information.

This topic contains the following sub-topics:

- Purpose
- Audience
- Documentation Accessibility
- Critical Patches
- Diversity and Inclusion
- Conventions
- Screenshot Disclaimer
- Acronyms and Abbreviations

Purpose

This manual is designed to help acquaint you with the installation of **Oracle FLEXCUBE Investor Servicing** application.

Audience

This manual is intended for the following User/User Roles:

Table 1 Users and Roles

Users	Roles
Implementation team	Implementation of Oracle FLEXCUBE Investor Servicing
Presales team	Install Oracle FLEXCUBE Investor Servicing for demo purpose
Bank personnel	Who installs Oracle FLEXCUBE Investor Servicing

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.



Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at <u>Critical Patches</u>, <u>Security Alerts and Bulletins</u>. All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by <u>Oracle Software Security Assurance</u>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning	
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.	
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.	
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.	

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used are as follows:

Table 2 Acronyms and Abbreviations

Abbreviation	Description
FCIS	Oracle FLEXCUBE Investor Servicing
OEM	Oracle Enterprise Manager



Table 2 (Cont.) Acronyms and Abbreviations

Abbreviation	Description
EMS	Electronic Messaging Service
EJB	Enterprise Java Bean
MDB	Message Driven Beans

Installation of Individual Fixes

This topic gives information on Installation of Individual Fixes.

The individual fix consists of a fix for only one bug. The customer has to download the fix from ARU area and input it to an Individual fix installer. During installation, the user may be asked to install dependent bug fixes as well.

This topic contains the following sub-topics:

- Prerequisites for Individual fix installation
 This topic gives the lists of prerequisites for Individual Fix Installation.
- <u>Individual Fix Installer</u>
 This topic gives instructions to install Individual Fix Installer.

1.1 Prerequisites for Individual fix installation

This topic gives the lists of prerequisites for Individual Fix Installation.

- 1. Users need existing working installer setup.
- Place the file env.properties under logs folder. Also, keep the file fcubs.properties in the location as mentioned in the env.properties. Similarly, for each deployable ear/war/jar, there must be corresponding properties existing. For Example: Gateway, EAR, etc.,)
- It is assumed that the existing FCIS setup is done by the selected installer and properties file.
- 4. Customization needs to be applied manually after extraction of kernel sources and before applying the Fix. It includes some of the following:
 - RAD Refresh
 - Customization in infra level like theme changes.
 - Artifacts from Customization: Customization team has to modify the ARU zip files with artifacts from customized units.

1.2 Individual Fix Installer

This topic gives instructions to install Individual Fix Installer.

This topic contains the following sub-topics:

- <u>Running Individual Fix Installer</u>
 This topic provides information on running Individual Fix Installer.
- Home Screen of Individual Fix Installer
 This topic explains the home screen of Individual Fix Installer.
- <u>Bug View Screen</u>
 This topic provides instructions to view all the available bug fixes for the current RolledUp patchset.



Status Flags

This topic provides information on Status Flags.

App Fixes

This topic provides information on App Fixes.

Warnings

This topics explains the different warnings that can be encountered.

Limitations

This topic explains the limitations of Individual Fix Installer.

Property File Creation

This topic provides information on Property File creation.

1.2.1 Running Individual Fix Installer


This topic provides information on running Individual Fix Installer.

Source folder in the local system appears as <<EXEC_PATH>>/INSTALLER/POINTFIX.

- Start the Individual Fix Installer using files from the installer source folder.
 IndividualFixInstaller.sh on linux OS (or) IndividualFixInstaller.bat on windows OS.
- **2.** Enter the Java Home Path and press **Enter** key.

It is prompted to enter the Java Home Path. This is a mandatory input and the value entered is validated.


Figure 1-1 Java Home Path



Enter the ORACLE DB Client Path and press Enter key.



Figure 1-2 ORACLE Home Path



Proceed with the installation process.

On the first launch of the installer, all the fields in the installer will be displayed according to the values entered by the user and the same data is saved in **PointFix.properties**.


On subsequent launches of installer on the same machine, the installer will read the inputs from **PointFix.properties**.

5. Relaunch the installer, which was closed abruptly.

The following screen is displayed.



Figure 1-3 Delete chk.flg



6. You have to delete the file **chk.flg** that has been created in the installer sources, which was closed abruptly.

1.2.2 Home Screen of Individual Fix Installer

This topic explains the home screen of Individual Fix Installer.

Start the Individual Fix Installer.

The first screen shows empty fields on the first launch of the installer and subsequently they will be loaded from IndividualFix.properties.

The following screen is displayed.




Figure 1-4 Individual Fix Installer



- 2. Specify the IndividualFix Folder Path where all the zip files of Bugs are present.
- 3. Specify the **Destination Path** where the files will be unzipped for processing.
- Click Next to modify env.properties.

The screen displays **env.properties** where it will be loaded from rolled up installer and user can edit the property file.

Figure 1-5 Screen to modify env.properties





Click Save to save the changes.


Unless **Save** button is clicked, changes will not be reflected.

1.2.3 Bug View Screen

This topic provides instructions to view all the available bug fixes for the current RolledUp patchset.

User needs to select the bug on the Bug Number column to get the details about the bug.

Figure 1-6 Bug View Screen



BugFix Dependency Tree

This topic provides information on BugFix Dependency Tree.

Search Feature

This topic provides information on Search Feature.

Refresh Page Button

This topic provides information on Refresh Button.

Bug Details Button

This topic provides information on Bug Details Button.

Logs Button

This topic provides information on Logs Button.


1.2.3.1 BugFix Dependency Tree

This topic provides information on BugFix Dependency Tree.

On expanding the **Bugs** in the **BugFix Dependency Tree**, bug dependency tree is seen as shown below (if any).



Figure 1-7 BugFix Dependency Tree



In this example, Bug 28817220 has three dependent bugs:

- 28817256
- 28817240
- 2881765

Also, bug 28817240 has one more dependent bug 28817245.


To apply bug 28817240, bug 28817245 has to be applied and for bug 28817220, bugs 28817256, 28817240 and 2881765 have to be applied.

1.2.3.2 Search Feature

This topic provides information on Search Feature.

You can use the **Search** option to search for bugs using **Bug Number**.

Figure 1-8 Individual Fix Installer_Search



For Example, if you want to search some bugs which contains '1721' as part of bug numbers in it, then type 1721 in the **Search** field. All the bugs with specified criteria will be listed in the Individual fixes table available.



1.2.3.3 Refresh Page Button

This topic provides information on Refresh Button.

When a new zip file is added in the **Individual Fix Folder Path** and it needs to be listed without relaunching installer, then **Refresh Page** button should be clicked.

Figure 1-9 Individual Fix Installer_Refresh Page



1.2.3.4 Bug Details Button

This topic provides information on Bug Details Button.

This will show bug details from IR file.

1.2.3.5 Logs Button

This topic provides information on Logs Button.

The **Logs** button allows the user to view the log file during the installation process.

Note: If the log file is not opened, please set the default program associated to .log extension.

1.2.4 Status Flags

This topic provides information on Status Flags.

The status of each bug is shown in the second column of bug table. The below table describes the possible status of individual fixes.

Table 1-1 Status Flags

Status	Remarks
SUCCESS	Fix has been applied successfully.
WIP	Work in progress, i.e., Fix is being installed.
FAILURE	Failed while applying fix. User can reapply, if they are still in same.
< <no status="">></no>	Bug is never applied in this environment. User may apply.

1.2.5 App Fixes

This topic provides information on App Fixes.

If same bug contains back end units and ear sources, then it will be shown separately. For example, the bug '1234' has fixes in both backend units and ear sources then this will be shown as below,




- 1234
- 1234 APP

Above fixes must be applied individually. The fix 1234 can be applied once whereas 1234_APP can be applied many times.

Job Description Screen

User needs to select any one of the operations from the available list and click Apply Fix.

Figure 1-10 Job Description Screen



Say, user selected **Gateway EJB EAR creation** and has to click **Apply Fix** button to get the fixes applied.

The EAR file will be created and placed under the location mentioned in the **<EARBUILD>.properties** file.

1.2.6 Warnings


This topics explains the different warnings that can be encountered.

In Progress Warning

Multiple bugs cannot be applied in parallel per environment, failing which results in the error message.



Figure 1-11 In Progress Warning



In case of multi entity environment, one user can apply into one entity whereas the other user can apply into another entity at the same time.

Installer DependencyWarning

This warning occurs while using latest installer.

Figure 1-12 Installer DependencyWarning




Some fixes may not necessarily to be installed with latest installer. It is recommended to check the bug details for more information.

Zip for the corresponding bug not available

This warning is shown because the dependent of bug which you are trying to apply is not present in the **IndividualFix Folder Path**.



Figure 1-13 Zip Not Available



To resolve this, user needs to copy the corresponding bug in the mentioned folder and press refresh button to view it in the bug list.

1.2.7 Limitations

This topic explains the limitations of Individual Fix Installer.

This is the start of your topic.

- Every Individual Fix is qualified with some rolled up version. Site should be in the same (neither previous nor later) rolledup version. Sites should not be in any intermediate patchsets.
- If a given Individual Fix is not matching with the connected FCIS environment's rolledupversion then that Individual fix will not be listed in installer for installation.
- Once the Individual Fix is applied successfully then this will not be listed out from the nextsession of Individual fix installer.
- All Java sources are always consolidated, for example INFRA, TOOLS, ADAPTER, Gateway, etc., This means that the site cannot apply fix selectively instead all Individual fixes till date from the rolled up will be included.
- If there are any dependent bugs for selected bug then all dependent bugs should be applied before applying the selected bug.
- Fix can be applied only once for back end related bugs whereas ear build (APP) can be built as many times as needed.
- Multiple sessions of Individual fix installer is not supported for single FCIS environment.
- JS/UIXML/Help files will be copied into destination path, user has to copy the files manually to the deployment area or External Path.
- For APP bug, Individual fix installer will consolidate the source and Build the Ear in specified location. This will not get deployed in the server.
- The applied fixes will not be rolled back automatically by the installer in case of failures.
- Individual Fix Installer will only rebuild the EAR for APP bugs, user needs to take care of the deployment.

1.2.8 Property File Creation

This topic provides information on Property File creation.



For property file maintenance, refer to the topic FCIS_Property_File_Creation.