Oracle® Banking Microservices Architecture Oracle Banking Common Core User Guide



Release 14.7.3.0.0 F94820-01 March 2024

ORACLE

Oracle Banking Microservices Architecture Oracle Banking Common Core User Guide, Release 14.7.3.0.0

F94820-01

Copyright © 2018, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Contents

Preface

Purpose	xii
Audience	xii
Documentation Accessibility	xii
Diversity and Inclusion	xiii
Related Resources	xiii
Conventions	xiii
Screenshot Disclaimer	xiii
Acronyms and Abbreviations	xiii
Basic Actions	xiv
Symbols and Icons	xiv

1 Core Maintenance

1.1 Acco	ount Entitlement Group	1-3
1.1.1	Create Account Entitlement Group	1-4
1.1.2	View Account Entitlement Group	1-5
1.2 Addi	itional Field Maintenance	1-5
1.3 Advi	ice	1-7
1.3.1	Create Advice	1-7
1.3.2	View Advice	1-9
1.4 Amo	bunt Text Language	1-10
1.4.1	Create Amount Text Language	1-10
1.4.2	View Amount Text Language	1-12
1.5 BIC	Directory	1-12
1.5.1	Create BIC Directory	1-13
1.5.2	View BIC Directory	1-15
1.6 Brar	nch EOD	1-16
1.6.1	Configure Branch EOD	1-16
1.6.2	View Branch EOD	1-17
1.6.3	Invoke Branch EOD	1-18
1.7 Che	cklists	1-19
1.7.1	Checklists Maintenance	1-20



1.7.2	Checklists Linkage Maintenance	1-22
1.8 Coun	try Code	1-24
1.8.1	Create Country Code	1-24
1.8.2	View Country Code	1-25
1.9 Curre	ency Definition	1-26
1.9.1	Create Currency Definition	1-27
1.9.2	View Currency Definition	1-29
1.10 Curr	rency Exchange Rate	1-30
1.10.1	Create Currency Exchange Rate	1-31
1.10.2	View Currency Exchange Rate	1-34
1.11 Curr	rency Holiday Master	1-34
1.11.1	Create Currency Holiday Master	1-35
1.11.2	View Currency Holiday Master	1-36
1.12 Curr	rency Pair Definition	1-37
1.12.1	Create Currency Pair Definition	1-37
1.12.2	View Currency Pair Definition	1-39
1.13 Curr	rency Rate Type	1-40
1.13.1	Create Currency Rate Type	1-40
1.13.2	View Currency Rate Type	1-41
1.14 Cus	tomer Access Group	1-42
1.14.1	Create Customer Access Group	1-42
1.14.2	View Customer Access Group	1-43
1.15 Cus	tomer Category	1-44
1.15.1	Create Customer Category	1-45
1.15.2	View Customer Category	1-46
1.16 Data	a Segment	1-46
1.16.1	Create Data Segment	1-47
1.16.2	View Data Segment	1-48
1.17 ECA	A System	1-49
1.17.1	Create ECA System	1-49
1.17.2	View ECA System	1-50
1.18 Exte	ernal Bank Parameters	1-51
1.18.1	Create External Bank Parameters	1-51
1.18.2	View External Bank Parameters	1-52
1.19 Exte	ernal Branch Parameters	1-53
1.19.1	Create External Branch Parameters	1-53
1.19.2	View External Branch Parameters	1-55
1.20 Exte	ernal Chart Account	1-56
1.20.1	Create External Chart Account	1-57
1.20.2	View External Chart Account	1-58
1.20.3	View Transaction Log	1-59



1.20.4	Transaction Log Error Detail	1-61
1.20.5	Unbalanced Transaction Log	1-62
1.20.6	Inter Branch Entry Retry	1-64
1.20.7	Pre GL Balance Check	1-65
1.20.8	Chart Account Handoff	1-66
1.21 Exte	rnal Customer	1-67
1.21.1	Create External Customer	1-67
1.21.2	View External Customer	1-70
1.22 Exte	rnal Customer Account	1-72
1.22.1	Create External Customer Account	1-73
1.22.2	View External Customer Account	1-74
1.23 Exte	rnal Customer Account Structured Address	1-75
1.23.1	Create External Customer Account Structured Address	1-76
1.23.2	View External Customer Account Structured Address	1-77
1.24 Exte	rnal Virtual Account Structured Address	1-78
1.24.1	View External Virtual Account Structured Address	1-78
1.25 Forg	jet Process	1-79
1.25.1	Forget Customer	1-79
1.25.2	View Forgotten Customer	1-80
1.26 GL F	Parameter Maintenance	1-81
1.26.1	Create GL Parameter	1-82
1.26.2	View GL Parameter	1-83
1.27 Hos	t Code	1-83
1.27.1	Create Host Code	1-84
1.27.2	View Host Code	1-85
1.28 Inter	rest Rate	1-86
1.28.1	Create Interest Rate	1-86
1.28.2	View Interest Rate	1-89
1.29 Inter	^r Branch Parameters Maintenance	1-90
1.29.1	Create Inter Branch Parameters	1-90
1.29.2	View Inter Branch Parameters	1-92
1.30 Lang	guage Code	1-93
1.30.1	Create Language Code	1-93
1.30.2	View Language Code	1-94
1.31 Loca	al Holiday	1-95
1.31.1	Create Local Holiday	1-95
1.31.2	View Local Holiday	1-97
1.32 Med	ia	1-98
1.32.1	Create Media	1-98
1.32.2	View Media	1-99
1.33 MIS	Class	1-100



1.33.1	MIS Class Maintenance	1-100
1.33.2	MIS Class Summary	1-102
1.34 MIS	Group	1-103
1.34.1	MIS Group Maintenance	1-103
1.34.2	MIS Group Summary	1-104
1.35 Multi	i-Currency Account Linkage	1-105
1.35.1	Create MCA Linkage	1-105
1.35.2	View MCA Linkage	1-106
1.36 Proc	ess Code	1-107
1.36.1	Process Code Maintenance	1-108
1.36.2	View Process Code	1-109
1.37 Prior	rity Code	1-110
1.37.1	Priority Code Maintenance	1-110
1.37.2	Customer Priority Maintenance	1-111
1.38 Prici	ng Source System	1-114
1.38.1	Create Pricing Source System	1-114
1.38.2	View Pricing Source System	1-115
1.39 Reso	ource Class	1-116
1.39.1	Create Resource Class	1-116
1.39.2	View Resource Class	1-117
1.40 SLA	Maintenance	1-118
1.40.1	Create SLA Maintenance	1-118
1.40.2	View SLA Maintenance	1-120
1.41 Scre	enclass	1-121
1.41.1	Create Screenclass	1-121
1.41.2	View Screenclass	1-122
1.42 State	e Code	1-123
1.42.1	Create State Code	1-123
1.42.2	View State Code	1-124
1.43 Syst	em Dates	1-125
1.43.1	View System Dates	1-125
1.44 Tran	saction Code	1-126
1.44.1	Create Transaction Code	1-127
1.44.2	View Transaction Code	1-128
1.45 Uplo	ad Source	1-129
1.45.1	Create Upload Source	1-129
1.45.2	View Upload Source	1-130
1.46 Uplo	ad Source Preference	1-131
1.46.1	Create Upload Source Preference	1-131
1.46.2	View Upload Source Preference	1-133



2 Bureau Integration Service

2.1 Ov	erview	2-3
2.2 Sys	tem Parameter	2-4
2.2.1	Create System Parameter	2-4
2.2.2	View System Parameter	2-5
2.3 Loo	kup	2-8
2.3.1	Create Lookup	2-9
2.3.2	View Lookup	2-10
2.4 Pro	duct Processor	2-13
2.4.1	Create Product Processor	2-14
2.4.2	View Product Processor	2-15
2.5 Cri	eria	2-18
2.5.1	Create Bureau Criteria	2-19
2.5.2	View Bureau Criteria	2-21
2.6 Cre	dit Bureau Display	2-25
2.6.1	View Credit Bureau Report	2-26
2.7 Inte	grating Bureau Integration Service with Oracle Banking Routing Hub	2-29
2.7.1	Oracle Banking Routing Hub Configuration	2-30
2	7.1.1 Service Consumers	2-30
2	7.1.2 Service Providers	2-40
2	7.1.3 Experian Configuration	2-48
2	7.1.4 Equifax Configuration	2-49
2	7.1.5 Document Configuration	2-51
2	7.1.6 Troubleshooting	2-51

3 Decision Service

3.1	Over	view	3-2
3.2	Proc	ess Flow	3-3
3.3	Strat	egy Configuration	3-4
3.4	Syste	em Parameter	3-5
3	8.4.1	Create System Parameter	3-5
3	3.4.2	View System Parameter	3-6
3.5	Look	ир	3-9
3	8.5.1	Create Lookup	3-10
3	8.5.2	View Lookup	3-11
3.6	Prod	uct Processor	3-15
3	8.6.1	Create Product Processor	3-15
3	8.6.2	View Product Processor	3-16
3.7	Borro	owing Capacity	3-20
3	8.7.1	Create Borrowing Capacity	3-21



	3.7.2	View Borrowing Capacity	3-26
3	3.8 Strate	egy Configuration	3-32
	3.8.1	Create Strategy Configuration	3-33
	3.8.2	View Strategy Configuration	3-35
3	3.9 Scori	ng Feature	3-40
	3.9.1	Create Scoring Feature	3-40
	3.9.2	View Scoring Feature	3-42
3	3.10 Qua	ntitative Scoring Model	3-45
	3.10.1	Create Quantitative Scoring Model	3-45
	3.10.2	View Quantitative Scoring Model	3-53
3	3.11 Deci	sion Grade Matrix	3-61
	3.11.1	Create Decision Grade Matrix	3-61
	3.11.2	View Decision Grade Matrix	3-67
3	3.12 Prici	ng	3-75
	3.12.1	Create Pricing Model	3-75
	3.12.2	View Pricing Model	3-82
3	3.13 Valio	lation Model	3-90
	3.13.1	Create Validation Model	3-91
	3.13.2	View Validation Model	3-95
3	3.14 Qua	litative Scoring Model	3-101
	3.14.1	Create Qualitative Scoring Model	3-102
	3.14.2	View Qualitative Scoring Model	3-108
3	3.15 Que	stionnaire	3-115
	3.15.1	Create Questionnaire	3-115
	3.15.2	View Questionnaire	3-118
3	3.16 Cou	nter	3-122
	3.16.1	Create Counter	3-123
	3.16.2	View Counter	3-125
3	3.17 Cha	rge Code	3-130
	3.17.1	Create Charge Code	3-130
	3.17.2	View Charge Code	3-139
3	8.18 Exe	cution Summary	3-149
	3.18.1	View Execution Summary	3-149
3	3.19 Integ	grating Decision Service with Oracle Banking Routing Hub	3-166
	3.19.1	Oracle Banking Routing Hub Configuration	3-166
	3.19	9.1.1 Service Consumers	3-166
	3.19	9.1.2 Service Providers	3-176
	3.19.2	Oracle Banking Origination to Decision Service Configuration	3-184
	3.1	9.2.1 Fetch Credit Decision	3-184



4 NLP Framework

4.1 Too	olkit	4-1
4.1.1	Use Case Definition	4-1
4	I.1.1.1 View Use Case Definition	4-2
4	I.1.1.2 Tag Maintenance	4-3
4.1.2	Annotator	4-4
4	I.1.2.1 Annotator	4-4
4.1.3	Model Training	4-10
4.1.4	Model Management	4-11
4	I.1.4.1 Model Management Maintenance	4-11
4	I.1.4.2 View Model Management	4-12
4.1.5	Model Import and Export Maintenance	4-13
4.2 Op	eration	4-15
4.2.1	Upload Document	4-15
4.2.2	Transaction Log	4-16
4.3 3P	Service Integration	4-18
4.3.1	Classification Training Service	4-19
4.3.2	NER Training Service	4-20
4.3.3	Classification Processing Service	4-23
4.3.4	NER Processing Service	4-23
4.3.5	Service Mapping	4-25
4.3.6	Business Service Mapping	4-26

5 Machine Learning Framework

5.1 Use	Case On-Boarding	5-1
5.2 Fran	neworks Supported	5-2
5.2.1	Timeseries	5-2
5.2.2	Timeseries Algorithms Supported	5-3
5.2.3	Regression	5-3
5.2.4	Regression Algorithms Supported	5-4
5.2.5	Classification	5-4
5.2.6	Classification Algorithms Supported	5-5
5.3 Part	itioned Model	5-5
5.4 On-	Boarding Use Case	5-6
5.4.1	Model Definition	5-6
5.	4.1.1 Model Definition Maintenance	5-6
5.	4.1.2 View Model Definition	5-13
5.4.2	Model Training and Scoring	5-14
5.5 Onli	ne Single Record Prediction	5-15
5.6 Use	Case Modifications	5-15

5.7	Data Extensibility	5-16
5.8	Model Explainability	5-16
5.9	Time Series Forecast	5-17
5	9.1 Forecast REST Service	5-17
5.10	Model Monitoring and Auto Training	5-18

6 File Upload

6.1	Country Code File Upload	6-1
6.2	Bank Core Parameters File Upload	6-2
6.3	Branch Core Parameters File Upload	6-3
6.4	Currency Definition File Upload	6-5
6.5	BIC Directory File Upload	6-6
6.6	Local Holiday File Upload	6-8
6.7	Currency Holiday File Upload	6-9
6.8	External Customer File Upload	6-10
6.9	External Customer Account File Upload	6-11
6.10	Exchange Rate File Upload	6-13
6.11	Interest Rate File Upload	6-14

7 Rules Framework

7.1 Fact	7-1
7.1.1 Create Fact	7-1
7.1.2 View Fact	7-3
7.2 Rule	7-5
7.2.1 Create Rule	7-6
7.2.2 View Rule	7-8
7.2.3 Evaluate Rule	7-11
7.2.4 Rule Group	7-12
7.2.4.1 Create Rule Group	7-13
7.2.4.2 View Rule Group	7-14
7.2.5 View Audit Rule	7-14

8 Document Verification Framework

8.1	Text	Extraction	8-1
8.2	Imag	je Processing	8-2
8.3	Docu	ument Verification API Details	8-3
:	8.3.1	Passport Extraction	8-3
:	8.3.2	Driving License Extraction	8-5
1	8.3.3	National Identification Extraction	8-7



8.3.4	Voter Identity Card Extraction	8-9
8.4 Valio	date Information API details	8-11
8.4.1	Passport Validation	8-11
8.4.2	Driving License Validation	8-14
8.4.3	National Identification Validation	8-16
8.4.4	Voter Identity Card Validation	8-18
8.4.5	Pointers About Request and Response	8-20
8.4.6	Things to be taken care of	8-20
8.5 Rec	ommendations For Better Performance	8-20

A Error Codes and Messages

B Functional Activity Codes

Index



Preface

- Purpose
- Audience
- Documentation Accessibility
- Diversity and Inclusion
- Related Resources
- Conventions
- Screenshot Disclaimer
- Acronyms and Abbreviations
- Basic Actions
- Symbols and Icons

Purpose

This guide is designed to help the user to quickly get acquainted with the Customer Standard Instructions maintenance process.

Audience

This guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup? ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.



Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Resources

For more information on any related features, refer to the following documents

- Oracle Banking Security Management System User Guide
- Routing Hub Configuration User Guide
- Oracle Banking Getting Started User Guide

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
System	Core Maintenance Module
NLP	Natural Language Processing
REST	Representational State Transfer



Basic Actions

Action	Description
Approve	Used to approve the initiated report. This button is displayed, once the user click Authorize .
Audit	Used to view the maker details, checker details, and report status.
Authorize	Used to authorize the report created. A maker of the screen is not allowed to authorize the report. Only a checker can authorize a report, created by a maker.
Close	Used to close a record. This action is available only when a record is created.
Confirm	Used to confirm the performed action.
Cancel	Used to cancel the performed action.
Compare	Used to view the comparison through the field values of old record and the current record. This button is displayed in the widget, once the user click Authorize .
Collapse All	Used to hide the details in the sections. This button is displayed, once the user click Compare .
Expand All	Used to expand and view all the details in the sections. This button is displayed, once the user click Compare .
New	Used to add a new record. When the user click New , the system displays a new record enabling to specify the required data.
ОК	Used to confirm the details in the screen.
Save	Used to save the details entered or selected in the screen.
View	Used to view the report details in a particular modification stage. This button is displayed in the widget, once the user click Authorize .
View Difference only	Used to view a comparison through the field element values of old record and the current record, which has undergone changes. This button is displayed, once the user click Compare .
Unlock	Used to update the details of an existing record. System displays an existing record in editable mode.

Symbols and Icons

The following symbols and icons are used in the screens.

Symbol/Icon	Function
	Minimize
J L	
¬ г	
	Maximize
Г Л	
	Close
$\mathbf{\nabla}$	
X	
• •	
	Perform Search
\sim	
Q	
-	
	Open a list
•	
	Add a new record
8	
	Navigate to the first record
17	
IX I	
	Navigate to the last record
	Novigate to the provious record
	Navigate to the previous record
4	
`	

Table 3 Symbols and Icons - Common



Symbol/Icon	Function
	Navigate to the next record
88	Grid view
≣⊒	List view
Ģ	Refresh
+	Click this icon to add a new row.
-	Click this icon to delete an existing row.
Ð	Click to view the created record.
6	Click to modify the fields.
•	Click to unlock, delete, authorize or view the created record.

 Table 3 (Cont.) Symbols and Icons - Common



Symbol/Icon	Function
0	A user
Ē,	Date and time
⚠	Unauthorized or Closed status
\oslash	Authorized or Open status

Table 4 Symbols and Icons - Audit Details

 Table 5
 Symbols and Icons - Widget

Symbol/Icon	Function
£	Open status
D	Unauthorized status
ß	Closed status
	Authorized status



1 Core Maintenance

This topic helps you quickly get acquainted with the many functions routinely executed everyday.

- Account Entitlement Group This topic describes the information to configure an account entitlement group.
- Additional Field Maintenance This topic describes the systematic instructions to configure and maintain the additional fields for the transaction screens.
- Advice

This topic describes the information to configure the various BIP advices that are available for the process.

- Amount Text Language This topic describes the information to configure an amount text language.
- BIC Directory This topic describes the information to configure the BIC directory for a customer.
- Branch EOD This topics describes the information to configure Branch workflow
- Checklists This topic describes the information to configure an Checklists.
- Country Code
 This topic describes the information to configure the Country code.
- Currency Definition This topic describes the information to define the currency using Currency Definition maintenance.
- Currency Exchange Rate This topic describes the information to configure a Currency Exchange Rate.
- Currency Holiday Master This topic describes the information to configure a Currency Holiday.
- Currency Pair Definition This topic describes the information to define a Currency Pair.
- Currency Rate Type This topic describes the information to configure a Currency Rate.
- Customer Access Group This topic describes the information to configure the customer access group.
- Customer Category
 This topic describes the information to configure a Customer Category
- Data Segment This topic describes the information to configure an Data Segment.



ECA System

Other accounting systems maintain the External Credit Approval (ECA) process. For example, Oracle Banking FLEXCUBE or the virtual account system Oracle Banking Virtual Account Management. This maintenance enables the routing of transactions to the appropriate accounting system.

- External Bank Parameters
 This topic describes the information to configure bank level parameters.
- External Branch Parameters This topics describes the information to configure branch level parameters.
- External Chart Account This topic describes the information to configure an external chart.
- External Customer

The **External Customer** feature enables the creation and viewing of customer information in a centralized location within the Oracle Banking Microservices Architecture framework. This repository stores vital customer details such as **CIF ID**, **Customer Name**, other essential information, ensuring quick reference, and easy access to pertinent data.

- External Customer Account This topic helps to configure the external customer account details.
- External Customer Account Structured Address This topic describes the information to configure the external customer account structured address details.
- External Virtual Account Structured Address This topic describes the information to configure the external virtual account structured address details.

Forget Process

This topic describes the information to configure a customer detail who wants to be forgotten using forget process.

- GL Parameter Maintenance This topic describes the information to configure an GL parameter maintenance.
- Host Code This topic describes the information to configure the host code.
- Interest Rate This topic describes the information to configure a Interest Rate.
- Inter Branch Parameters Maintenance This topic describes the information to configure an inter branch parameters maintenance.
- Language Code This topic describes the information to configure a language code.
- Local Holiday This topic describes the information to configure a local holiday.
- Media This topic describes the information to configure the media.
- MIS Class This topic describes the information to configure an MIS Class.
- MIS Group This topic describes the information to configure an MIS Group.



Multi-Currency Account Linkage

This topic describes the information to link the sub-accounts to a core multi-currency account.

- Process Code This topic describes the information to set the process code to the individual stages according to the process.
- Priority Code This topic describes the information to configure an Priority Code.
- Pricing Source System
 This topic describes the information to configure the pricing source system.
- Resource Class This topic describes the information to configure an Resource Class.
- SLA Maintenance This topic describes the information to configure an SLA maintenance.
- Screenclass

The maintenance screens of Oracle Banking Microservices Architecture product which are based on Resource Segment Orchestrator uses the screen class maintenance to maintain the list of data segments that are part of the maintenance screens.

• State Code

This topic describes the information to configure an State Code.

System Dates

This topic describes the information to view the system date details.

- Transaction Code
 This topic describes the information to configure the transaction code.
- Upload Source

Upload Source screen facilitates the maintenance of external systems like Oracle Digital Banking Experience, Oracle Banking Liquidity Management, and so on which can send transactions data to the common core.

Upload Source Preference

Upload Source Preference can set preferences for upload of a data from an external source. Example an external exchange rate source is sending exchange rates to the common core system.

1.1 Account Entitlement Group

This topic describes the information to configure an account entitlement group.

This topic contains the following subtopics:

- Create Account Entitlement Group This topic describes the systematic instructions to configure the account entitlement group.
- View Account Entitlement Group This topic describes the systematic instructions to view the list of configured account entitlement group.



1.1.1 Create Account Entitlement Group

This topic describes the systematic instructions to configure the account entitlement group.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Account Entitlement Group.
- 2. Under Account Entitlement Group, click Create Account Entitlement Group.

The Create Account Entitlement Group screen displays.

Figure 1-1 Create Account Entitlement Group

Create Account Entitlement Group			
	Account Entitlement Group Code		
Select One Required	Regired		
Account Extitionment Group Description			
	Cancel	Save	

3. Specify the fields on Create Account Entitlement Group screen.



For more information on fields, refer to the field description table.

 Table 1-1
 Create Account Entitlement Group – Field Description

Field	Description
Domain Code	Search and select the required language code.
Account Entitlement Group Code	Specify the currency symbols.
Account Entitlement Group Description	Select a decimals as fraction value from the drop-down list.

4. Click **Save** to save the details.

The amount text language is successfully created and can be viewed using the **View Account Entitlement Group** screen.



5. Click **Cancel** to discard the changes and close the screen.

1.1.2 View Account Entitlement Group

This topic describes the systematic instructions to view the list of configured account entitlement group.

The user can configure an account entitlement group using **Create Account Entitlement Group** screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Account Entitlement Group.
- 2. Under Account Entitlement Group, click View Account Entitlement Group.

The View Account Entitlement Group screen displays.

iew Account Entitlement	roup	:: ×
+ 0		8∃ 88
Account Entitlement Group Code: ACCTGRP1		
Maker ID KEERTID1 Mod No 1		
🗈 Authorized 🔓 Open 🖾 1		

Figure 1-2 View Account Entitlement Group

For more information on fields, refer to the field description table.

Field	Description
Language Code	Displays the language code associated with the amount word.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-2 View Account Entitlement Group – Field Description

1.2 Additional Field Maintenance

This topic describes the systematic instructions to configure and maintain the additional fields for the transaction screens.

Specify User ID and Password, and login to Home screen.



1. On Home screen, click Core Maintenance. Under Core Maintenance, click Additional Field Maintenance.

The Additional Field Maintenance screen displays.

Figure 1-3 Additional Field Maintenance

dditional Field Maintenan	e	:: ×
+ 0		8 Ξ 88
JIKey: fsgbu-ob-cmn-ds-additio		
Application ID Aditional Fields Description Additional Fields		
Authorized 🔒 Closed		

2. View the details from Additional Fields Maintenance screen

For more information on fields, refer to the field description table.

 Table 1-3
 Additional Field Maintenance - Field Description

Field	Description
UI Key	Displays the UI key of the additional field.
Application ID	Displays the related application ID of the additional field.
Description	Displays the description of the additional field.
Status	Displays the status of the record.


3. On Additional Field Maintenance screen, click + button.

The Additional Fields Maintenance screen displays.

Figure 1-4 Additional Fields Maintenance

	ds Details									
omponent Name		Unique Ider	tifier/Product Code		Des	ription			Application ID	
lsgbu-ob-cmn-ds-additi	ional-fi Q				A	lditional Fields			OBO	
Key										
lsgbu-ob-cmn-mn-addi lields@	itional-									
Construct Addi	itional Fields MetaData									
Field ID 0	Field Label	Category ©	Field Typ	. 0	Edit Properties	0	Mandatory 3	;	Is Unique? 0	0 ·
No data to display.										
Construct Valio	dation MetaData									
										+
Validation Name 0	Validation Template To Use	е 0	Custom Error Messa	ee 0			Edit Arguments	0		
No data to display.										
No data to display.										
No data to display.										
No data to display.										
No data to display.										

4. specify the fields on Additional Fields Maintenance screen.



For more information on fields, refer to the field description table.



Field	Description
Component Name	Click Search icon to view and select the component name from the list of
Product Code	Click Search icon to view and select the product code from the list of
Product Name	Displays the product name for the specified product code.
Description	Displays the description as Additional Fields , and it can be modified.
Application ID	Displays the Application ID.
Construct Additional Fields MetaData	Specify the details under this section to configure metadata for each field.
Select	Check this box to select/unselect a row.
Field ID	Specify the field ID.
Field Label	Specify the field label.
Category	Specify the category.
Field Type	Select the field type from the drop-down values.
Edit	Click this icon to edit the fields in the row.
Mandatory	Check this box if the field needs to be configured as mandatory.
Construct Validation MetaData	Specify the details under this section for validations to be applied on configured fields.
Select	Check this box to select/unselect a row.
Validation Name	Specify the validation name.
Validation Template To Use	Select the template to be used for the validation.
Custom Error Message	Specify the error message that needs to be displayed for the lidti
Edit Arguments	Click this icon to edit the fields in the row.

Table 1-4 Additional Fields Maintenance – Field Description

5. Click Save to save the details.

The user can view the confirmation advice details in the Additional Field Maintenance.

1.3 Advice

This topic describes the information to configure the various BIP advices that are available for the process.

This topic contains the following subtopics:

- Create Advice This topic describes the systematic instructions to configure advices.
- View Advice This topic describes the systematic instructions to view the list of configured advice.

1.3.1 Create Advice

This topic describes the systematic instructions to configure advices.

Specify User ID and Password, and login to Home screen.

1. On Home screen, click Core Maintenance. Under Core Maintenance, click Advice.




2. Under Advice, click Create Advice.

The Create Advice screen displays.

Figure 1-5 Create Advice

ce Name			
ce rvame			
Required			
requires			
ce Description	Micro Service Name	Swift Micro Service	Micro Service Endpoint
Required			
	Application Description		
ation Name	Application Description		
Required	Required		
Netweo	neurer		
$\overline{\mathbf{\cdot}}$			
dia	Branch	Currency	Report Locale
۹	Q	Q	
Required	Required	Required	Required
port Absolute Path	Formet	Swift Endpoint	
	Select an option 👻		
Required	Pequired		

3. Specify the fields on Create Advice screen.



For more information on fields, refer to the field description table.

 Table 1-5
 Create Advice – Field Description

Field	Description
Advice Name	Specify the name of the advice.
Advice Description	Specify the information about the advice.
Micro Service Name	Specify the name of the micro service.
Swift Micro Service	Specify the information about the swift micro service.
Micro Service Endpoint	Specify the endpoint micro service.
Application Name	Specify the application name for which advice is generated.
Application Description	Specify the additional information about the application.
Media	Search and select the required media.
Branch	Search and select the required branch.
Currency	Search and select the required currency.
Report Locale	Specify the locale report details.
Report Absolute Path	Specify the report absolute path.



Field	Description
Format	Select a download file format for an advice from the drop-down list. The available options are: • PDF • PPTX • HTML • XLS • RTF
Swift Endpoint	Specify the swift endpoint.

Table 1-5 (Cont.) Create Advice – Field Description

4. Click Save to save the details.

The advice is successfully created and can be viewed using the View Advice screen.

1.3.2 View Advice

This topic describes the systematic instructions to view the list of configured advice.

The user can configure an advice for a process using the Create Advice screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Advice.
- 2. Under Advice, click View Advice.

The View Advice screen displays.

Figure 1-6 View Advice

idvice Name: paRejection :	Advice Name: CCApplication :	Advice Name: CasawithODAp :	Advice Name: CasawithoutODAp	Advice Name: IpaOffer :	Advice Name: CAODOfferIssue
Advice RPM-IpaRejection	Advice RPM Micro Service obremo-rpm	Advice RPM Micro Service obremo-rpm-sav	Advice RPM Micro Service obremo-rpm-sav	Advice RPM-IpaOfferLetter Micro Service obremo-rpm-cmn	Advice RPM-CAODOfferIssue Micro Service obremo-rpm-sav
Authorized 🔓 Open 🖾 1	D Authorized & Open 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized & Open 1
dvice Name: DfferSchedule	Advice Name: test_advice	Advice Name: AdverseAction	Advice Name: TDApplication		
dvice RPM-Offer ficro Service loanapplication	Advice Test Advice Micro Service	Advice RPM Micro Service obremo-rpm-process	Advice RPM Micro Service obremo-rpm-term		
Authorized 🔓 Open 🖾 1	D Authorized	D Authorized & Open 21	D Authorized & Open		

For more information on fields, refer to the field description table.

Table 1-6 View Advice – Field Description

Field	Description
Advice Name	Displays the name of the advice.
Advice Description	Displays information about the advice.
Micro Service Name	Displays the name of the micro service.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-6 (Cont.) View Advice – Field Description

1.4 Amount Text Language

This topic describes the information to configure an amount text language.

This topic contains the following subtopics:

- Create Amount Text Language This topic describes the systematic instructions to configure the amount text language.
- View Amount Text Language This topic describes the systematic instructions to view the list of configured amount text language.

1.4.1 Create Amount Text Language

This topic describes the systematic instructions to configure the amount text language.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click Create Amount Text Language.

The Create Amount Text Language screen displays.



Figure 1-7 Create Amount Text Language

Create	Amount Te	ext Language								;;×
Language Cor	de	Q Required								
Amount V	ford Currency L	ist								
										+ 🛍
	Currency Symbol	0	Decimals As Fraction 0	Final Text 0	ccy ¢	Post Decimal	Pre Decimal 0	Text Before 0	Text Between 0	
No data	to display.									
Page	1 (0 of 0 items)) < -< 1 > →	4							
Amount V	ford Text List									
					+ 🖻					
	Amount	0	One Flag 0	Text ©						
No data	to display.									
Page	1 (0 of 0 items)) < -< 1 → ->	1							
Language Code										
									Cano	d Sove

3. Specify the fields on Create Amount Text Language screen.



For more information on fields, refer to the field description table.

Table 1-7	Create Amount Text Language – Field Description
-----------	---

Field	Description
Language Code	Search and select the required language code.
Currency Symbol	Specify the currency symbols.
Decimals As Fraction	Select a decimals as fraction value from the drop-down list.
Final Text	Specify the final text for the amount word currency list.
ССҮ	Search and select the CCY.
Post Decimal	Specify the post decimal details.
Pre Decimal	Specify the pre decimal details.
Text Before	Select an option for the before text.
Text Between	Specify the text that must appear between the amount word currency list.
Amount	Select the amount details.
One Flag	Select an option for the amount word text list.
Text	Specify the text for the amount word.

- 4. Click + icon to add a new row.
- 5. Click Save to save the details.

The amount text language is successfully created and can be viewed using the View Amount Text Language screen.



1.4.2 View Amount Text Language

This topic describes the systematic instructions to view the list of configured amount text language.

The user can configure an amount text language using Create Amount Text Language screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click View Amount Text Language.

The View Amount Text Language screen displays.

iew Amount Text Li	Language	3 - ×
+ 0		1≡ 88
inguage Code: PO		
anguage Code CPO		
Unauthorized 🔓 Open	en [2]1	

Figure 1-8 View Amount Text Language

For more information on fields, refer to the field description table.

Table 1-8	View Amount Text Language – Field Description
-----------	---

Field	Description
Language Code	Displays the language code associated with the amount word.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.5 BIC Directory

This topic describes the information to configure the BIC directory for a customer.

As part of setting up basic information, the user must maintain Bank Identifier Codes (BIC).

This topic contains the following subtopics:



- Create BIC Directory This topic describes the systematic instructions to configure a BIC directory for a customer.
- View BIC Directory This topic describes the systematic instructions to view the list of configured BIC directory.

1.5.1 Create BIC Directory

This topic describes the systematic instructions to configure a BIC directory for a customer.

Specify **User ID** and **Password**, and login to **Home** screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click Create BIC Directory.

The Create BIC Directory screen displays.

Figure 1-9 Create BIC Directory

Create BIC Directory			:: ×
BIC Code	Bank Name	Customer Number	Customer Name
		Q	
Required	Required		
Bank Address 1	Bank Address 2	Bank Address 3	SWIFT Key
Telex Key	SWIFT Key Arrangement	Relationship	Sub Type Code
	· ·	No Mail Keys	Q
BEI Indicator	ADB Member		
Payment Message			
MT103+ Preferred	Blacklisted	CUG Member	Remit Member
Update During Upload			
Multi-Customer Credit Transfer			
Multi-Customer Credit Transfer	Generate 102+	Maximum Size in Bytes	
Request for Transfer			
Generate MT101	Number of Transactions Per Page		

3. Specify the fields on Create BIC Directory screen.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 1-9 Create BIC Directory – Field Description

Field	Description
BIC Code	Specify the unique BIC Code by which the bank is identified by SWIFT.



Field	Description
Bank Name	Specify the name for the bank.
Customer Number	Click Search icon to view and select the required customer number
Customer Name	Displays the customer name based on the selected Customer Number .
Bank Address 1-3	Displays the bank address 1-3 based on the selected Customer Number .
SWIFT Key	Specify the swift key details.
Telex Key	Specify the unique telex key for the BIC directory.
SWIFT Key Arrangement	Select the SWIFT key arrangement from the drop-down list. The available options are: • Yes • No
Relationship	 Select one of the following options: No: If selected, indicates that the BIC Entity is not a customer of your bank Mail: If selected, the BIC entity is not a recognized SWIFT entity but an address internal to your bank. In such cases, all correspondence directed to the particular BIC entity is sent as mail messages. Keys: If selected, a SWIFT/Telex connectivity exists between your bank and the bank for which you are maintaining details. Subsequently, you must specify the SWIFT/Telex Key in the adjacent field.
Sub-type Code	Click Search icon to view and select the required sub-type code.
BEI Indicator	Displays BEI Indicator based on the selected Sub-type Code.
ADB Member	Select the ADB member from the drop-down list. The available options are: • Not applicable • Yes • No
MT103+ Preferred	By default, this is disabled. If selected, indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format.
Blacklisted	By default, this is disabled. If selected, indicates the BIC entity is blacklisted.
CUG Member	By default, this is disabled. If selected, indicates the BIC entity is a closed user group member.
Remit Member	By default, this is disabled. If selected, indicates the customer is registered with MT 103 extended remittance information multiple user group.
Update During Upload	By default, this is disabled. If selected, updated the BIC directory during an upload.
Multi-Customer Credit Transfer	By default, this is disabled. If selected, indicates multiple credit transfer feature (MT102 support) exists between the bank and the BIC entity.
Generate 102+	By default, this is disabled. If selected, generates 102+ message.

Table 1-9 (Cont.) Create BIC Directory – Field Description



Field	Description
Maximum Size in Bytes	Specify the maximum size.
Generate MT101	By default, this is disabled. If selected, indicates MT101 can be sent/received from this BIC. Select to generate MT101 message.
Number of Transactions Per Page	Specify the number of transactions to view per page. If not specified, the value is defaulted to 10.
Real Customer Number	Click Search icon to view and select the required real customer number.
Real Customer Name	Based on the Real Customer Number selected, the information is auto-populated.

Table 1-9 (Cont.) Create BIC Directory – Field Description

4. Click Save to save the details.

The BIC directory is successfully created and can be viewed using the View BIC Directory screen.

1.5.2 View BIC Directory

This topic describes the systematic instructions to view the list of configured BIC directory.

The user can configure BIC directory using Create BIC Directory screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click View BIC Directory.

The View BIC Directory screen displays.

Figure 1-10 View BIC Directory

View BIC Directory		
$\alpha + \alpha$		
Customer Number:	Customer Number:	
BIC Code CITIUSXXXXX Sub Type Code - Bank Name TEST	BIC Code TESTXXXXX Sub Type Code - Bank Name TEST02	
Authorized & Open 21	Unauthorized & Open	

For more information on fields, refer to the field description table.

 Table 1-10
 View BIC Directory – Field Description

Field	Description
Customer Number	Displays the number of the customer.
Sub-type Code	Displays the sub-type code associated with the customer number.
BIC Code	Displays the defined BIC code for the associated customer.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-10 (Cont.) View BIC Directory – Field Description

1.6 Branch EOD

This topics describes the information to configure Branch workflow

The user can invoke EOD to indicate that all the activities for the day are complete. Activities can be performed on the system only after the system date is changed to the next working day and authorized.

Most of the automated functions are part of the beginning of day operations. Thereafter, some of them must be executed when the system is in the EOTI stage.

This topic contains the following subtopics:

- Configure Branch EOD This topic describes the systematic instructions to create / configure the EOD work-flow with a branch.
- View Branch EOD This topic describes the systematic instructions to view the list of branch work-flow mappings.
- Invoke Branch EOD This topic describes the systematic instructions to invoke the branch EOD process as per the branch.

1.6.1 Configure Branch EOD

This topic describes the systematic instructions to create / configure the EOD work-flow with a branch.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Configure EOD.

The Configure EOD screen displays.



Branch Code	Description	Workflow Name	
۹			
Required		Required	

Figure 1-11 Configure EOD

3. Specify the fields on **Configure EOD** screen.



The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 1-11	Configure EOD – Field Description
------------	-----------------------------------

Field	Description	
Branch Code	Specify the branch code that is associated with the logged in user.	
Description	Displays the description of the branch.	
Workflow Name	Specify the work-flow name that is already created.	

Note:

For more information on EOD Workflow creation and related terminologies, refer to *EOD Configuration User Guide* of the respective products.

1.6.2 View Branch EOD

This topic describes the systematic instructions to view the list of branch work-flow mappings.

The user can configure EOD using Configure EOD screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click View EOD.

The View EOD screen displays.



Figure 1-12 View EOD

+ 0					
ranch Code: "UB :	Branch Code: RTO	Branch Code: RA3 :	Branch Code: 800 :	Branch Code: IL1 :	Branch Code: AU1 :
aker SAJI02 nceAuthorizedY orkflow Name OBLM-EOC-3	Maker JOHJEN OnceAuthorizedY Workflow Name OBLM-EOD-RTO-1	Maker RAGHAVENDRAN OnceAuthorizedY Workflow Name OBLM_EOD1234	Maker AUTTEST2 OnceAuthorizedY Workflow Name myfirsteodbatch10	Maker NAGA02 OnceAuthorizedY Workflow Name OBLM-EOD-1	Maker AUTTEST1 OnceAuthorizedY Workflow Name OBLMEOD1254
Authorized 🔓 Open 🖾 8	D Authorized 🔓 Open 🖾 1	D Authorized & Open 🛛 4	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1
ench Code: PQ :	Branch Code: DV1 :	Branch Code: UK1 :	Branch Code: BUG		
aker DHARANE IceAuthorizedN orkflow Name TestWorkFLow	Maker AUTTEST1 OnceAuthorizedY Workflow Name OBLMEOD-DV11	Maker NAGA02 OnceAuthorizedY Workflow Name OBLM-EOD-1	Maker AUTTEST2 OnceAuthorizedY Workflow Name OBLM-EOD-2023		
Unauthorized 🔓 Open 🕅 1	D Authorized 🔓 Open 🖾 3	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🛛 🕄 3		

For more information on fields, refer to the field description table.

Table 1-12 View EOD – Field Description

Field	Description	
Branch Code	Displays the branch code details.	
Maker	Displays the name of the maker.	
Workflow Name	Displays the name of the work-flow.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	

1.6.3 Invoke Branch EOD

This topic describes the systematic instructions to invoke the branch EOD process as per the branch.

The work-flow mapping can be configured using Configure Branch EOD screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Invoke EOD.


The Invoke EOD screen displays.



Figure 1-13 Invoke EOD

Invoke EOD			;;×
Initiate End of Day Batch Operation			
Branch Code	Description	Current Branch Date	
٩			
Reguled Start Retry Reset			
View End of Cycle Processes			
	Auto Refresh(60s)		

3. specify the fields on Invoke EOD screen.



For more information on fields, refer to the field description table.

Table 1-13 Invoke EOD – Field Description

Field	Description
Branch Code	Specify the branch code that is associated with the logged in user.
Description	Displays the description of the branch, based on the Branch code selected.
Current Branch Date	Displays the current branch date, based on the Branch code selected.

- 4. Click **Start** to invoke EOD for selected branch and click **Refresh** to view the current status of batch.
- 5. Click **Retry** to restart the EOD work-flow from the failed task.

Note:

The **Retry** button enables only if the failed task status is encountered.

- 6. Click **Reset** to clear the branch selected.
- 7. Click **Refresh** to view the current status of batch.
- 8. Mouse-hover on the task to view the relevant details such as Start time, End time, and Error if any.

1.7 Checklists

This topic describes the information to configure an Checklists.

Checklists are to-do lists that must be completed to proceed to next stage. Checklists can be configured for a particular process within their respective stage.

This topic contains the following subtopics:



- Checklists Maintenance This topic describes the systematic instructions to view the list and configure the checklists maintenance.
- Checklists Linkage Maintenance
 This topic describes the systematic instructions to view the list and configure the
 checklists linkage maintenance.

1.7.1 Checklists Maintenance

This topic describes the systematic instructions to view the list and configure the checklists maintenance.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Checklists.
- 2. Under Checklists, click Checklists Maintenance.

The **Checklists Maintenance** screen displays.

Figure 1-14 Checklists Maintenance

Checklist Name: Mandatory Claim Documen : Checklist Code CHC0994		aim verified	:	Checklist Name: Verified the documents upl : Checklist Code CHC0992		Checklist Name: Verified the Signature				
		0993					Checklist Code CHC0991			
en 🖾 1	D Unauthorized	🔒 Open	1	D Unauthorized	🔓 Open	@ 1	D Unauthorized	🔓 Open	21	
e	en 🗹 1		en 🖄 1 D Unauthorized 🔓 Open							

Table 1-14 Checklists Maintenance – Field Description

Field	Description
Checklist Name	Displays the name of the checklist.
Checklist Code	Displays the code of the checklist maintained.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed



Field	Description
Modification Number	Displays the number of modification performed on the record.

Table 1-14 (Cont.) Checklists Maintenance – Field Description

3. Click to configure the new checklists maintenance.

The **Checklists** screen displays.

Figure 1-15 Checklists

Checklist					
Checklist Code	Check	ist Name			
CHC0751		Require	4		
					Cancel Save



 Table 1-15
 Checklists Maintenance – Field Description

Field	Description
Checklist Code	Displays the auto-generated code for each new checklist. This is system generated code.
Checklist Name	Specify the description of the checklist to be maintained. This is user specific.

- 4. Click **Save** to save the details.
- 5. Click **Cancel** to discard the changes and close the screen.

1.7.2 Checklists Linkage Maintenance

This topic describes the systematic instructions to view the list and configure the checklists linkage maintenance.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Checklists.
- 2. Under Checklists, click Checklists Linkage Maintenance.

The Checklists Linkage Maintenance screen displays.

Figure 1-16 Checklists Linkage Maintenance

ecklist Linkage Maintenance			
(+ o			
Process Code: LNORGN	Process Code: SNPOAR	Process Code: LNORGN	
Application LNORGN Stage Code CLMO_FA_LNORGN_EN	Application SNPOAR Stage Code CLMO_FA_SNPOAR_API	Application LNORGN Stage Code CLMO_FA_LNORGN_AP	
Authorized 🔓 Open 🔯 1	🗅 Authorized 🔒 Open 🔯 1	🗅 Unauthorized 🔒 Open 🕅 1	

For more information on fields, refer to the field description table.

 Table 1-16
 Checklists Linkage Maintenance – Field Description

Field	Description
Process Code	Displays the process code.
Application Category Code	Displays the application category code
Stage Code	Displays the stage code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

3. Click

to configure the new checklists linkage maintenance.

The **Checklists Linkage Maintenance** screen displays.



Code Resulted	Stage Name	select 💌		
e Code lect • 	Stage Name			
ponent 0		Mandatos	ay C	Action 0
data to display.				
sata to display.				

Figure 1-17 Checklists Linkage Maintenance




Table 1-17	Checklists Linkage Maintenance – Field Description
------------	--

Field	Description
Process Code	Select the process code to maintain the checklists. This retrieves all the process codes.
Process Name	Displays the description of the process code. It is read-only. Populates description of the process code.
Application Category Code	Select the application category code from the drop-down list. This is day 0 data for that specific process code.
Application Category Name	Displays the description of the application category. It is read-only. Populates the configured application category description.
Stage Code	Select the stage code from the drop-down list for which checklists needs to be maintained. It is read-only. Populates the configured stage description.
Stage Name	Displays the description of the stage code to be maintained. It is read-only. Populates the configured stage description.



- 4. Click to add a row and provide the checklist code details.
- 5. Click **Save** to save the details.
- 6. Click **Cancel** to discard the changes and close the screen.



1.8 Country Code

This topic describes the information to configure the Country code.

This topic contains the following subtopics:

- Create Country Code This topic describes the systematic instructions to configure a country code.
- View Country Code This topic describes the systematic instructions to view the list of configured country code.

1.8.1 Create Country Code

This topic describes the systematic instructions to configure a country code.

Specify User ID and Password, and login to Home screen.


- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click Create Country Code.

The Create Country Code screen displays.

Country code				
country cost				
Required				
Neguired				
Country Name	Alternate Country code	Region Code	ISO Country code	
Required	Required			
SD code	Blacklist	EU Member	Generate 205	
BAN Check Required	BIC Clearing Code	Intra European		

Figure 1-18 Create Country Code

3. Specify the fields on Create Country Code screen.





Field	Description
Country Code	Specify the country code.
Country Name	Specify the name of the country.
Alternate Country Code	Specify the alternate country code.
Region Code	Specify the region code.
ISO Country Code	Specify the ISO country code.
ISO Code	Specify the ISO code.
Blacklist	By default, this is disabled. If selected, indicates the country is blacklisted.
EU Member	By default, this is disabled. If selected, indicates the country is recognized by Swift as a part of the Intra European countries.
Generate 205	By default, this is disabled. If selected, indicates the cover message 205COV or 205 need to be generated for transactions involving this country. If the user does not select this option, RTGS, 202 or 202COV message is generated.
IBAN Check Required	By default, this is disabled. If selected, indicates check required for an IBAN is mandatory.
BIC Clearing Code	By default, this is disabled. If selected, indicates the National ID in the BIC plus file is the clearing code. During upload of clearing codes from BIC plus file, the records belong to countries against which this box is selected.
Intra European	By default, this is disabled. If selected, indicates the country is an intra European country.

 Table 1-18
 Create Country Code – Field Description

4. Click Save to save the details.

The country code is successfully created and can be viewed using the View Country Code screen.

1.8.2 View Country Code

This topic describes the systematic instructions to view the list of configured country code.

The user can configure country code using Create Country Code screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click View Country Code.

The View Country Code screen displays.



+ 0					I
Country Code: 543	Country Code: 54 :	Country Code: AF	Country Code: AX	Country Code: AL :	Country Code: DZ :
Country Name 543 ISO Numeric	Country Name 54D ISO Numeric	Country Name Afghani ISO Numeric	Country Name ALAND ISLANDS ISO Numeric AX	Country Name ALBANIA ISO Numeric AL	Country Name ALGERIA ISO Numeric DZ
🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1
Country Code: AS	Country Code: AD	Country Code: AO	Country Code:		
Country Name AMERICAN SAMOA ISO Numeric AS	Country Name ANDORRA ISO Numeric AD	Country Name ANGOLA ISO Numeric AO	Country Name ANGUILLA ISO Numeric Al		
🗈 Authorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1		

Figure 1-19 View Country Code

For more information on fields, refer to the field description table.

 Table 1-19
 View Country Code – Field Description

Field	Description
Country Code	Displays the code of the country.
ISO Numeric Code	Displays the ISO numeric code details of the country code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.9 Currency Definition

This topic describes the information to define the currency using Currency Definition maintenance.

The user can define the attributes of the currencies in which the bank can deal. For each currency, you can define the attributes such as the SWIFT code for the currency, the country to which the currency belongs, the interest method, the spot days, the settlement days, and so on.

Currencies can be maintained only at the Head Office. The list of currencies is available to the branches based on the currencies defined for the country linked to the branch.

This topic contains the following subtopics:

• Create Currency Definition This topic describes the systematic instructions to define currency.

View Currency Definition This topic describes the systematic instructions to view a list of the defined currency.



1.9.1 Create Currency Definition

This topic describes the systematic instructions to define currency.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.
- 2. Under Currency Definition, click Create Currency Definition.

The Create Currency Definition screen displays.

Create Currency Definition			3.6
Currency Code	Maintenance Country		
Currency Name Currency Country Currency Country Currency Country Foreign Exchange Hetting Days	Alexante Cuarrenç Code	Currency Type Currency Interest Method Select an option Repared Peaton GL Q	100 Numerical Correct Code
Currency Tolerance Limit	Index Base Currency	Commodity Code	
Cut Off Time			
Cut Off Days	Cut Off Hour Pequired	Cut Off Min	0.5 Currency
Validate Tag-50F	Index Flag	Euro Conversion Required	New Cover Message Format Required
Rounding			
Currency Round Rule Select an option Required	Currency Round Unit		
Currency Format Mask			
Currency Format Mask O X000000000000 O X00000000000000000000			
Euro Type			
Currency Euro Type O EURO Currency O In Currency O Out Currency O EURO Closed			
Auto Exchange Rate			
Credit Auto Exchange Rate Limit	Debit Auto Exchange Rate Limit		
Currency Country Mapping			
			•
Country code No data to display.	Country Name		Currency Code
Page 1 (0 of 0 items) < < 1 → >			
			Cancel Sav

Figure 1-20 Create Currency Definition

3. Specify the fields on Create Currency Definition screen.





Field	Description				
Currency Code	Specify the currency code.				
Maintenance Country	Click Search and select the required maintenance country.				
Currency Name	Specify the name of the currency.				
Alternate Currency Code	Specify the code of the alternate currency.				
Currency Type	Specify the currency type.				
ISO Numerical Currency Code	Specify the International Standardization Organization numerical currency code.				
Currency Country	Click Search icon to view and select the required currency country.				
Currency Decimals	Specify the currency decimals.				
Currency Interest Method	Select the currency interest method from the drop-down list.				
Currency Spot Days	Specify the number of spot working days applicable for the currency.				
Foreign Exchange Netting Days	Specify the number of days for the foreign exchange netting.				
Settlement Message Days	Select the settlement message days.				
Position GL	Click Search icon to view and select the required position GL.				
Position Equivalent GL	Search and select the required position equivalent GL.				
Currency Tolerance Limit	Specify the currency tolerance limit.				
Index Base Currency	Click Search icon to view and select the required index base currency.				
Commodity Code	By default, this is disabled. If selected, enables a commodity code.				
Cut Off Days	Specify the cut off days for the payment transaction involving the currency.				
Cut Off Hour	Specify the hour of the day for the cut off.				
Cut Off Min	Specify the minute of the hour for the cut off.				
CLS Currency	By default, this is disabled. If selected, allow customers of the bank to settle their FX deals via the CLS (Continuous Linked Settlements) Bank, you can identify the currency to be a CLS Currency. FX deals in the CLS currency is only eligible to be routed through the CLS bank.				
Generate 103+	By default, this is disabled. If selected, generate outgoing MT 103 messages in the MT 103 + format.				
Index Flag	By default, this is disabled. If selected, derives index rate of the currency.				
Euro Conversion Required	By default, this is disabled. If selected, indicates the Euro conversion is required.				
New Cover Message Format Required	By default, this is disabled. If selected, indicates a new cover message format is required.				

Table 1-20 Create Currency Definition – Field Description



Field	Description	
Validate Tag-50F	By default, this is disabled. If selected, indicates validations must be performed for the 50F details captured for the ordering customer during contract input.	
Currency Round Rule	Select the currency round rule from the drop-down list.	
Currency Round Unit	Specify the currency round unit.	
Currency Format Mask	Select one of the currency format.	
Currency Euro Type	Select one of the currency Euro type. The available options are: • EURO Currency • In Currency • Out Currency • EUTO Closed	
Credit Auto Exchange Rate Limit	Specify the credit automatic exchange rate limit.	
Debit Auto Exchange Rate Limit	Specify the debit automatic exchange rate limit.	
Country Code	Click Search icon to view and select the required country code.	
Country Name	Specify the name of the country.	
Currency Code	Click Search icon to view and select the required currency code.	

Table 1-20	(Cont.) Create Currency	Definition – Field Description
------------	-------------------------	---------------------------------------

Cut Off Time: It refers to the time by which all transactions involving a currency should be generated. For a currency, the user can indicate the cut-off hour and minute. This time should be expressed in the local time of the bank.

The maintenance of a cut-off time for a currency has particular reference to outgoing funds transfers involving it.

For example, the value date of a funds transfer transaction (incoming payment) involving USD, is 3rd June 2018. The number of cut-off days specified for the currency is 2. This means that the payment must be received on or before 1st June 2018. If the payment is received on 1st June, it must be received before the cut-off time specified for USD.

If the USD cut-off time is 12:00 hrs, if the payment is received on 1st June 2018, it must be received before 12:00 hrs.

4. Click Save to save the details.

The Currency definition is successfully created and can be viewed using the View Currency Definition screen.

1.9.2 View Currency Definition

This topic describes the systematic instructions to view a list of the defined currency.

The user can configure currency definition using Create Currency Definition screen.

Specify User ID and Password, and login to Home screen.

1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.

ORACLE

2. Under Currency Definition, click View Currency Definition.

The View Currency Definition screen displays.

Figure 1-21 View Currency Definition

+ 0					
Currency Code: DKK :	Currency Code: LKR	Currency Code: MAD :	Currency Code: ZAR :	Currency Code: ZMK :	Currency Code: KWD :
Currency Name Danish Krone Country DK Maintenance GB	Currency Name Srt Lanka Rupee Country LK Maintenance GB	Currency Name Moroccan Dirham Country MA Maintenance GB	Currency Name South African Rand Country ZA Maintenance GB	Currency Name Zambian Kwacha Country ZM Maintenance GB	Currency Name Kuwaiti Dinar Country KW Maintenance GB
🕻 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 2
Currency Code: MRT :	Currency Code: MXN	Currency Code: MYR :	Currency Code: NZD :		
Eurrency Name Malaysian Ringitt Eountry MY Maintenance GB	Currency Name Mexican Peso Country MX Maintenance GB	Currency Name Malaysian Ringgit Country MY Maintenance GB	Currency Name New Zealand Dollar Country NZ Maintenance GB		
🕻 Authorized 🔒 Open 🖉 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🕑 1	🗅 Authorized 🔓 Open 🖾 1		

For more information on fields, refer to the field description table.

Field	Description	
Currency Code	Displays the code of the currency.	
Currency Name	Displays the name of the currency.	
Alternate Currency Code	Displays the code of the alternate currency.	
Country	Displays the country associated with the currency.	
Maintenance Country	Displays the maintenance country.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	

 Table 1-21
 View Currency Definition – Field Description

1.10 Currency Exchange Rate

This topic describes the information to configure a Currency Exchange Rate.

The user can maintain exchange rates for a currency pair, the rates at which the user buy and sell one currency for another. A bank determines its buy and sell rate for a currency pair by applying a spread (that is, its profit margin) to the mid-rate of the currency pair. Mid-rate is the basic rate at which a currency pair is exchanged.

The spread applied for a currency pair varies with the transaction type, while the midrate usually remains constant. Consequently, different rates are applicable to different transaction types. For instance dollars in currency are purchased at a certain rate, while USD traveler's checks are bought at a different rate. The user can define a rate



type which you would like to associate with a transaction type. For example: CASH, TRAVCHKS, and so on.

The user can define the mid-rate, buy, and sell spread applicable to each rate type; the buy and sell exchange rates are computed by the system. Buy rates and sell rates can either be maintained by individual branches or can be input by the HO and propagated to all the branches.

If the branch for which the rate is being uploaded or maintained is the head office branch, then the rate would be copied to all those branches that have the same country code as the head office branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch, but it has the same country code as the head office branch, then the rate being uploaded or maintained would be specific to the branch and would not be copied to any other branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch and also does not have the same country code as the head office branch, then the rate being maintained would be copied to all the branches that has the same country code linked as the branch for which the rate is being maintained or uploaded.

This topic contains the following subtopics:

- Create Currency Exchange Rate
 This topic describes the systematic instructions to configure a currency exchange rate.
- View Currency Exchange Rate This topic describes the systematic instructions to view the list of configured currency exchange rates.

1.10.1 Create Currency Exchange Rate

This topic describes the systematic instructions to configure a currency exchange rate.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.
- 2. Under Currency Exchange Rate, click Create Currency Exchange Rate.


The Create Currency Exchange Rate screen displays.



sch code			Currency1			Currency2	
ch code	Q		Currencyr	Q		Carrentyz	
	Required			Required			
urrency Rate							
-	Rate Type	Buy Rate	Buy Spread	Mid Rate	Sale Spread	Sale Rate	Rate Date
lo data to displ	lay.						
o cata to ospi	uay.						
-	(mm)						
e 1 (0	of 0 items) < - € 1 →	Я					
9 1 (0	or or items) IC 4 1 F	Я					

Figure 1-22 Create Currency Exchange Rate

3. Specify the fields on **Create Currency Exchange Rate** screen.



Field	Description
Branch Code	Click Search icon to view and select the required branch code.
Currency 1	Click Search icon to view and select the required currency.
Currency 2	Displays the currency 2 based on selected Currecny1.
Currency Rule	Specify the currency rule details.
Rate Type	Select a rate type from the drop-down list.



Field	Description
Buy Rate	Displays the Buy Rate for the Currency Exchange. Buy Rate is calculated based on Spread Definition maintained in the Currency Pair Maintenance screen. The effective spread is calculated using any of the following two methods:
	 a. Percentage: If the Spread Definition is selected as Percentage, then the buy rate is calculated as below: Buy Rate = Mid Rate-Buy Spread% Buy Spread% = Mid Rate*Buy Spread/100 For example, 50*5/100 is 2.5 which is Buy Spread. Now Buy Rate will be 50-2.5 which is 47.5.
	 b. Points If you select Spread Definition as Points then the buy rate is calculated as below: Buy Rate = Mid Rate-Buy Spread For example, if Buy Spread is 5, then Buy Rate is 50-5 = 45
Buy Spread	Specify the buy spread details.
Mid Rate	Specify the mid-rate details.
Sale Spread	Specify the sale spread details.
Sale Rate	Displays the Sale Rate for the Currency Exchange. Sale Rate is calculated based on Spread Definition maintained in the Currency Pair Maintenance screen. The effective spread is calculated using any of the following two methods:
	 a. Percentage If the Spread Definition is selected as Percentage, then the sale rate is calculated as below: Sale Rate = Mid Rate+Sale Spread% Sale Spread% = Mid Rate*Sale Spread/100
	For example, 50*5/100 is 2.5 which is Sale Spread. Now Sale Rate will be 50+2.5 which is 52.5.
	 b. Points If you select Spread Definition as Points then the sale rate is calculated as below:
	Sale Rate = Mid Rate+Sale Spread
	For example, if Sale Spread is 5 then Sale Rate is 50+5 = 55.
Rate Date	Select a rate date from the drop-down calendar.

Table 1-22 (Cont.) Create Currency Exchange Rate – Field Description

4. Click Save to save the details.

The currency exchange rate is successfully created and can be viewed using the View Currency Exchange Rate screen.



1.10.2 View Currency Exchange Rate

This topic describes the systematic instructions to view the list of configured currency exchange rates.

The user can configure currency exchange rate using Create Currency Exchange Rate screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.
- 2. Under Currency Exchange Rate, click View Currency Exchange Rate.

The View Currency Exchange Rate screen displays.

+ 0					
kanch code: 5T1 E	Branch code: ST3 :	Branch code: 006 :	Branch code: 063	Branch code: ST2	Branch code: ST2 :
urrency1 USD urrency2 GBP	Currency1 USD Currency2 GBP	Currency1 USD Currency2 GBP	Currency1 USD Currency2 GBP	Currency1 USD Currency2 GBP	Currency1 INR Currency2 USD
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 2	D Authorized 🔓 Open 🖾 1	D Authorized 🙆 Open 🖾 1	D Authorized 🔓 Open 🖾 1
ranch code: 55	Branch code: 006	Branch code: 006	Branch code: ST1 :		
urrency1 INP urrency2 USD	Currency1 GBP Currency2 USD	Currency1 GBP Currency2 EUR	Currency1 GBP Currency2 USD		
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 2	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1		

Figure 1-23 View Currency Exchange Rate

For more information on fields, refer to the field description table.

 Table 1-23
 View Currency Exchange Rate – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Currency 1-2	Displays the currency associated with the branch code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.11 Currency Holiday Master

This topic describes the information to configure a Currency Holiday.

The user can configure a yearly list of holidays, for the currencies, defined in the currency screen. The system uses the information maintained to check if any



settlement involving a foreign currency (in the foreign Exchange, Money market, and Funds Transfer, Loans, and Deposit modules) falls on that currency holiday. If yes, the system displays a message stating and ask the user for an override.

For any schedule or contract maturing at a future date is five years. Hence, the user can input the future date, only if the calendar for that year is maintained. The currency holiday is maintained at the bank level by the Head Office.

This topic contains the following subtopics:

- Create Currency Holiday Master This topic describes the systematic instructions to configure a currency holiday.
- View Currency Holiday Master This topic describes the systematic instructions to view the list of configured currency holiday.

1.11.1 Create Currency Holiday Master

This topic describes the systematic instructions to configure a currency holiday.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click Create Currency Holiday Master.

The Create Currency Holiday Master screen displays.

rrenc	1										Year *										Weel	dy Holic	lays																		
					Q																																				
					required										Requ	ired																									
<	Jur	ne 202	23						J	uly 20	23					Au	gust 2	023					Septe	mber	2023					Octo	ber 20	023					Nove	mber	2023		
5	н	т	w	т	F	s	5	м	т	w	т	F	s	s	м	т	w	т	F	s	s	м	т	н	т	F	s	s	м	т	w	т	F	5	s	м	т	w	т	F	5
				1	2	3							1			1	2	3	4	5						1	2	1	2	3	4	5	6	7				1	2	3	4
4	5	6	7	8	9	10	2	3	4	5	ó	7	8	6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14	5	ó	7	8	9	10	11
11	12	13	14	15	16	17	9	10	11	12	13	14	15	13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21	12	15	14	15	16	17	18
18	19	20	21	22	23	24	16	17	18	19	20	21	22	20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28	19	20	21	22	23	24	2
25				29			23		25	26	27		29			29		31			24		26	27	28	29			30						26		28				
25	20	27	28	29	50				25	20	21	28	29	21	28	24	50	51			24	20	20	21	28	29	50	29	50	51					20	21	28	29	50		
							30	31																																	
		Ma	irch 20	024					A	pril 20	124							May 2	024	>																					
s	м	т	w	т	£	s	s	м	т	w	т	F	s	s	м	т	w	Ť	F	s																					
					1	2		1	2	3	4	5	6				1	2	3	4																					
3	4	5	6	7	8	9	7	8	0	10	11	12	13	5	6	7	8	9	10	11																					
10	11	12	13	14	15	16	14	15	16	17	18	19	20	12	13	14	15	16	17	18																					
	18	19	20	21	22	23	21	22	28	24	25	26	27	19	20	21	22	23																							
										24	20	20	27							20																					
24	25	26	27	28	29	30	28	29	30					26	27	28	29	30	31																						
31																																									

Figure 1-24 Create Currency Holiday Master

3. Specify the fields on Create Currency Holiday Master screen.





Field	Description
Currency	Click Search icon to view and select the required currency.
Year	Specify the year details.
Weekly Holidays	By default, this is disabled. If selected, indicates the weekly holidays.

Table 1-24 Create Currency Holiday Master – Field Description

4. Select the dates using the calendar.

Note: The selected dates displays in blue highlighted circle.

5. Click **Save** to save the details.

The currency holiday master is successfully created and can be viewed using the View Currency Holiday Master screen.

1.11.2 View Currency Holiday Master

This topic describes the systematic instructions to view the list of configured currency holiday.

The user can configure currency holiday master using Create Currency Holiday Master screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click View Currency Holiday Master.

The View Currency Holiday Master screen displays.

Figure 1-25 View Currency Holiday Master

+ 0					
Carriency: CAD	Gummercy: JPY	BHD :	KWD :	Currency: USD :	KWD :
Veekly Holidays- fear 2014	Weekly Holidays- Year 2014	Weekly Holidays- Year 2015	Weekiy Holidays- Year 2016	Weekly Holidays- Year 2017	Weekly Holidays- Year 2018
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1
Intercy:	Currency: USD :	Currency: USD	GBP :		
Veekly Holidays- Year 2020	Weekly Holiclays- Year 2020	Weekly Holiclays- Year 2022	Weekly Holidays- Year 2027		
Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1	D Authorized & Open 🖾 1	D Authorized 🔓 Open 🖾 1		



Field	Description
Currency Rate Type	Displays the currency details.
Weekly Holidays	Displays the weekly holidays associated with the currency.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-25	View Currency	y Holiday	/ Master –	Field Description
------------	---------------	-----------	------------	--------------------------

1.12 Currency Pair Definition

This topic describes the information to define a Currency Pair.

In the foreign exchange markets, the exchange rates for some currency pairs such as the USD-GBP or USD-JPY are easily obtainable, since these are frequently traded. The exchange rates of other currencies such as the ZAR-INR (South African Rand - Indian Rupee), which is not traded very often, are determined through a third currency. The third currency is usually the US dollar since the US dollar is quoted in all trading centers.

The user can define the static attributes of currency pairs for which a regular market quote is readily available. For other pairs, which do not have a regular market quote, you need to specify the third currency through which the system should compute the exchange rate. The currency pair is maintained at the bank level by the Head Office branch.

This topic contains the following subtopics:

- Create Currency Pair Definition This topic describes the systematic instructions to define currency pair.
- View Currency Pair Definition This topic describes the systematic instructions to view the list of define a currency pair.

1.12.1 Create Currency Pair Definition

This topic describes the systematic instructions to define currency pair.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click Create Currency Pair Definition.

The Create Currency Pair Definition screen displays.

urrency 1	Currency 2		Maintenance Country	
Q		Q	Q	
heckthrough Currency	Through Currency	Number of Units	Points Multipler	
	Q	O One		
		O Hundred		
		O Thousand		
Juotation	Spread Definition			
) Direct	 Percentage 			
) Indirect	O Points			
lequired	Required			

Figure 1-26 Create Currency Pair Definition

3. Specify the fields on **Create Currency Pair Definition** screen.




Table 1-26	Create Currency Pair Definition – Field Description
------------	---

Field	Description
Currency 1-2	Click Search icon to view and select the required currency. A currency pair (specified as currency 1 and currency 2, in the currency pair) represents the two currencies for which the user need to maintain exchange rates.
	To specify the pair, choose from the list provided against Currency 1. Select the pair for which you want to maintain parameters. The pair must be selected according to the quotation method followed by the market, which can be direct or indirect. Exchange rates can be defined for currency 1 against currency 2 or currency 2 against currency 1.
Maintenance Country	Click Search icon to view and select the required maintenance country.
Check through Currency	By default, this is disabled. If selected, it indicates a check through currency.
Through Currency	Click Search icon to view and select the required through currency for which the exchange rate between the currencies must be calculated.
Number of Units	Select one of the number of units. The available options are below: • One • Hundred • Thousand
Points Multiplier	Specify the points multiplier.



Field	Description
Quotation	 Select one of the required quotation: Direct: The exchange rate for the currency pair is quoted as follows: Buy rate = mid rate - buy spread
	Sell rate = mid rate + sell spread
	Ccy 1 = Rate x Ccy 2
	 Indirect: The exchange rate for the currency pair is quoted as follows: Buy rate = mid rate + buy spread
	Sell rate = mid rate - sell spread
	Ccy 2 = Rate x Ccy 1
Spread Definition	Select the required spread definition. The effective spread can be calculated using any of the following two methods: Percentage: Spread/100 x mid rate Points: Spread x points multiplier
	 The method of Spread Definition that user specify applies to two instances: While maintaining exchange rates for the currency pair. While maintaining customer spread for the currency pair.

Table 1-26 (Cont.) Create Currency Pair Definition – Field Description

4. Click **Save** to save the details.

The currency pair definition is successfully created and can be viewed using the View Currency Pair Definition screen.

1.12.2 View Currency Pair Definition

This topic describes the systematic instructions to view the list of define a currency pair.

The user can configure currency pair definition using Create Currency Pair Definition screen. Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click View Currency Pair Definition.

The View Currency Pair Definition screen displays.

4 + 0				
Maintenance Country:	Maintenance Country:	Maintenance Country:	Maintenance Country:	
GB	GB	GB	GB	
Number of 2	Number of	Number of	Number of	
Currency 1 INP	Currency 1 INR	Currency 1 GBP	Currency 1 USD	
Currency 2 USD	Currency 2 USD	Currency 2 EUR	Currency 2 GBP	
D Authorized 🔓 Open 🗹	1 D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	DAuthorized 🔓 Open 🖾 2	



Field	Description
Maintenance Country	Displays the maintenance country details.
Number of Units	Displays the number of units.
Currency 1-2	Displays the currency associated with the country.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-27 View Currency Pair Definition – Field Description

1.13 Currency Rate Type

This topic describes the information to configure a Currency Rate.

This topic contains the following subtopics:

- Create Currency Rate Type
 This topic describes the systematic instructions to configure currency rate type.
- View Currency Rate Type This topic describes the systematic instructions to view the list of configured currency rate type.

1.13.1 Create Currency Rate Type

This topic describes the systematic instructions to configure currency rate type.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click Create Currency Rate Type.


The Create Currency Rate Type screen displays.



Figure 1-28	Create Currency Rate Type
-------------	---------------------------

encyRate Type	
Required	
ency Rate Type Description	

3. Specify the fields on **Create Currency Rate Type** screen.



For more information on fields, refer to the field description table.

Table 1-28	Create Currency Rate Type – Field Description
------------	---

Field	Description
Currency Rate Type	Specify the currency rate type.
Currency Rate Type Description	Specify additional information about the currency rate type.

4. Click Save to save the details.

The currency rate type is successfully created and can be viewed using the View Currency Rate Type screen.

1.13.2 View Currency Rate Type

This topic describes the systematic instructions to view the list of configured currency rate type.

The user can configure currency rate type using Create Currency Rate Type screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click View Currency Rate Type.

The View Currency Rate Type screen displays.



View Currency Rate Type :: x Q. + O E BB EULS :: perception Decreption Standard Rate Types Decreption Standard Rate Types Decreption Standard Rate Types Page of 1 (1:2 of 2 items) ((+ 1 + 2))

Figure 1-29 View Currency Rate Type

For more information on fields, refer to the field description table.

Table 1-29 View Currency Rate Type – Field Description

Field	Description
Currency Rate Type	Displays the currency rate type.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.14 Customer Access Group

This topic describes the information to configure the customer access group.

This topic contains the following subtopics:

- Create Customer Access Group This topic describes the systematic instructions to configure a customer access group.
- View Customer Access Group This topic describes the systematic instructions to view the list of configured customer access group.

1.14.1 Create Customer Access Group

This topic describes the systematic instructions to configure a customer access group.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Customer Access Group.
- 2. Under Customer Access Group, click Create Customer Access Group.

The Create Customer Access Group screen displays.



Create Customer Access Group		Errors & Overrides
Access Group	Access Group Description	
Required	Required	

Figure 1-30 Create Customer Access Group

3. Specify the fields on **Create Customer Access Group** screen.



For more information on fields, refer to the field description table.

Table 1-30 Create Customer Access Group – Field Description

Field	Description
Access Code	Specify the access group.
Access Code Description	Specify the additional information about the access group.

4. Click **Save** to save the details.

The customer access group is successfully created and can be viewed using the View Customer Access Group screen.

Note:

Customer Access Group can be linked at the user level to restrict unauthorized access to Customer details. Refer **Oracle Banking Security Management System User Guide** for more details.

1.14.2 View Customer Access Group

This topic describes the systematic instructions to view the list of configured customer access group.

The user can configure customer access group using **Create Customer Access Group** screen.



Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Customer Access Group.
- 2. Under Customer Access Group, click View Customer Access Group.

The View Customer Access Group screen displays.

Figure 1-31 View Customer Access Group

8E 8

For more information on fields, refer to the field description table.

Field	Description
Access Group	Displays the access group.
Access Group Description	Displays the additional information about the customer access group.
Authorization Status	Displays the authorization status of the access group. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the record status of the access group. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-31 View Customer Access Group – Field Description

1.15 Customer Category

This topic describes the information to configure a Customer Category

This topic contains the following subtopics:

- Create Customer Category This topic describes the systematic instructions to configure a customer category.
- View Customer Category
 This topic describes the systematic instructions to view the list of configured customer category.



1.15.1 Create Customer Category

This topic describes the systematic instructions to configure a customer category.

Specify User ID and Password, and login to Home screen.


- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click Create Customer Category.

The Create Customer Category screen displays.

Figure 1-32 Create Customer Category

Create Customer Category	4 k ×
Contener Category	
Cestomer Category Description Populate Charges	
	Cancel Save

3. Specify the fields on Create Customer Category screen.



For more information on fields, refer to the field description table.

Table 1-32 Create Customer Category – Field Description

Field	Description
Customer Category	Specify the customer category.
Customer Category Description	Specify the additional information about the customer category.
Populate Changes	By default, this is disabled. If selected, displays the changes.

4. Click Save to save the details.

The customer category is successfully created and can be viewed using the View Customer Category screen.



1.15.2 View Customer Category

This topic describes the systematic instructions to view the list of configured customer category.

The user can configure customer category using Create Customer Category screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click View Customer Category.

The View Customer Category screen displays.

Figure 1-33 View Customer Category

Customer Category: 247	Customer Category: 000040	Customer Category: ABC	Customer Category: TEST	Customer Category: CORP :	Customer Category: BRONZE	
Description -	Description INDIVIDUAL 1	Description -	Description -	Description Corp Category	Description CUSTOMER MAINTAL	
D Unauthorized 🔓 Open 🖾 1	D Authorized & Open 21	D Unauthorized 🔓 Open 🔯 1	D Unauthorized 🔓 Open 🖄 1	D Authorized & Open 21	D Authorized & Open 🖾 1	
Customer Category: INDIAN	Customer Category: POST					
Description -	Description -					
🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1					

For more information on fields, refer to the field description table.

Table 1-33	View Customer Category – Field Description
------------	--

Field	Description
Customer Category	Displays the customer category.
Authorization Status	Displays the authorization status of the report. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the record status of the report. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.16 Data Segment

This topic describes the information to configure an Data Segment.

This topic contains the following subtopics:

- Create Data Segment
 - This topic describes the systematic instructions to configure the data segment.



• View Data Segment

This topic describes the systematic instructions to view the list of configured data segment.

1.16.1 Create Data Segment

This topic describes the systematic instructions to configure the data segment.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Data Segment.
- 2. Under Data Segment, click Create Data Segment.

The Create Data Segment screen displays.

a segment Name	Data segment Code	Domain	Sub-Domain	Purpose	
nter datasegmentName	Enter datasegmentCode	Q	Enter Sub Domain	Enter the purpose	
Required	Required	Required			

Figure 1-34 Create Data Segment

3. Specify the fields on Create Data Segment screen.



Table 1-34 Create Data Segment – Field Description

Field	Description
Data Segment Name	Specify the data segment name to be maintained.
Data Segment Code	Specify the data segment code to be used.
Domain	Click Search icon and select the domain from the list.
Sub-Domain	Specify the sub domain details.
Purpose	Specify the purpose details.



4. Click **Save** to save the details.

The data segment is successfully created and can be viewed using the View Data Segment screen.

5. Click **Cancel** to discard the changes and close the screen.

1.16.2 View Data Segment

This topic describes the systematic instructions to view the list of configured data segment.

The user can configure an data segment using Create Data Segment screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Data Segment.
- 2. Under Data Segment, click View Data Segment.

The View Data Segment screen displays.

Figure 1-35 View Data Segment

8E

 Table 1-35
 View Data Segment – Field Description

Field	Description	
Datasegment Name	Displays the name of the datasegment.	
Datasegment Code	Displays the code of the datasegment.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	



1.17 ECA System

Other accounting systems maintain the External Credit Approval (ECA) process. For example, Oracle Banking FLEXCUBE or the virtual account system Oracle Banking Virtual Account Management. This maintenance enables the routing of transactions to the appropriate accounting system.

This topic contains the following subtopics:

- Create ECA System
 This topic describes the systematic instructions to configure ECA system details.
- View ECA System
 This topic describes the systematic instructions to view the list of configured ECA system.

1.17.1 Create ECA System

This topic describes the systematic instructions to configure ECA system details.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click Create ECA System.

The Create ECA System screen displays.



Figure 1-36 Create ECA System

3. Specify the fields on Create ECA System screen.





Field	Description
Source System	Specify the external system being maintained.
Description	Specify a short description of the external system being maintained.

Table 1-36 Create ECA System – Field Description

4. Click Save to save details.

The ECA system is successfully created and can be viewed using the View ECA System screen.

1.17.2 View ECA System

This topic describes the systematic instructions to view the list of configured ECA system.

The user can configure ECA system using Create ECA System screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click View ECA System.

The View ECA System screen displays.

Figure 1-37	View ECA System
-------------	-----------------

1 + 0					E
ECA System: AUTO1	ECA System: AUTO3	ECA System: AUTO2	ECA System: OBPM	ECA System: OBCMS	ECA System: OBVAM
Description AUTO1	Description AUTO3	Description AUTO2	Description OBPM	Description Oracle	Description OBVAM
D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖄 1	🗅 Authorized 🔒 Open 🖾 1
ECA System: OBDDA	ECA System: EXTSYS	ECA System: FCUBS	ECA System: AUTO4		
Description OBDDA	Description EXTSYS	Description FCUBS	Description AUTO4		
🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖉 2	D Authorized 🔓 Open 🖾 1		

Field	Description		
ECA System	Specify the external system being maintained.		
Description	Specify a short description of the external system being maintained.		
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized		



Field	Description	
Record Status	Displays the status of the record. The options are: Open Closed	
Modification Number	Displays the number of modification performed on the record.	

Table 1-37 (Cont.) View ECA System – Field Description

1.18 External Bank Parameters

This topic describes the information to configure bank level parameters.

This topic contains the following subtopics:

- Create External Bank Parameters This topic describes the systematic instructions to configure external bank parameters.
- View External Bank Parameters This topic describes the systematic instructions to view the list of configured external bank parameters.

1.18.1 Create External Bank Parameters

This topic describes the systematic instructions to configure external bank parameters.

The Bank Code is auto-created for an entity when the entity is created.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click Create External Bank Parameters.


The Create External Bank Parameters screen displays.

Figure 1-38 Create External Bank Parameters

Create External Bank Parameters		4 L
Bank Code	Bank Name	
Required		
Head Office Branch	Branch Description	
Q		
No of Days to Forget Customer	Enforce View before Authorize	
No of Days to Forget Customer	Enforce View before Authorize	
		Cancel Saw



3. Specify the fields on Create External Bank Parameters screen.



For more information on fields, refer to the field description table.

 Table 1-38
 Create External Bank Parameters – Field Description

Field	Description
Bank Code	Specify the code of the bank.
Bank Name	Specify the name of the bank.
Head Office Branch	Click Search icon to view and select the required head office branch.
Branch Description	Displays the branch description based on the selected Head Office Branch .
Number of Days to Forget Customer	Specify the number of days to inactive/forget the customer.

4. Click Save to save the details.

The external bank parameters is successfully created and can be viewed using the View External Bank Parameters screen.

1.18.2 View External Bank Parameters

This topic describes the systematic instructions to view the list of configured external bank parameters.

The user can configure external bank parameters using Create External Bank Parameters screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click View External Bank Parameters.

The View External Bank Parameters screen displays.

Figure 1-39 View External Bank Parameters

iew External Bank Parame	ters at a start and a start a sta
+ 0	EB
lead Office branch: DUB	
Bank Code 0020 Bank Name Futura Bank	
D Authorized 🔒 Open 🖉 8	



Field	Description	
Head Office Branch	Displays the head office branch details.	
Maker	Displays the name of the user who has configured the bank details.	
Once Authorized	Indicates if the record is authorized once or not.	
Bank Code	Displays the code of the bank.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	

Table 1-39 View External Bank Parameters – Field Description

1.19 External Branch Parameters

This topics describes the information to configure branch level parameters.

This topic contains the following subtopics:

- Create External Branch Parameters
 This topic describes the systematic instructions to configure the external branch
 parameters.
- View External Branch Parameters This topic describes the systematic instructions to view the list of configured external bank parameters.

1.19.1 Create External Branch Parameters

This topic describes the systematic instructions to configure the external branch parameters.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click Create External Branch Parameters.

The Create External Branch Parameters screen displays.



Branch Details				
Branch Code *	Branch Name *	Local Currency *	Source System	
		Q	Q	
Peoulied	Reputed	Resulted	4	
Source Branch Code *	Meguleu	PEQUEU		
Reputed				
Branch Address				
Address Line 1	Address Line 2	Address Line 3		
Other Details		SWIFT Address		
Host Code *	Country Code		•	
	county cost	SWIFT		
Q		Address * Default BIC		
Host Name	Walk-In Customer	No data to display.		
	Q			
Weekly Holiday 1	Weekly Holiday 2			
•	•			
Auto Authorization	Report DSN			
OSN Name				
		Page 1 (0 of 0 items) < 4 1 + >		

Figure 1-40 Create External Branch Parameters

3. Specify the fields on Create External Branch Parameters screen.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Field	Description		
Branch Code	Specify a branch code.		
Branch Name	Specify a name for the branch.		
Local Currency	Click Search icon to view and select the required local currency.		
Source System	Click Search icon to view and select the required source system.		
Source Branch Code	Specify a source branch code.		
Address Line 1-3	Specify the address details.		
Host Code	Click Search and select the required host code.		
Country Code	Displays the country code based on the selected Host Code.		
Host Name	Specify the name for the host.		
Walk-in Customer	Click Search icon to view and select the required walk-in customer.		
Weekly Holiday 1-2	Select a weekly holiday from the drop-down list.		
	Note: There are two days of weekly holiday depending on the geographical zone.		

Table 1-40 Create External Branch Parameters – Field Description

Field	Description
Auto Authorization	By default, it is disabled. If selected, the record is automatically authorized.
Report DSN	Specify the details of the report DSN.
DSN Name	Specify the DSN name.
SWIFT Address	Search and select the required SWIFT address.
Default BIC	If selected, indicates the selected SWIFT address as the default BIC.

Table 1-40 (Cont.) Create External Branch Parameters – Field Description

4. Click Save to save the details.

The external branch parameters is successfully created and can be viewed using the View External Branch Parameters screen.

1.19.2 View External Branch Parameters

This topic describes the systematic instructions to view the list of configured external bank parameters.

The user can configure external branch parameters using Create External Branch Parameters screen.

Specify User ID and Password, and login to Home screen.

- **1.** From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click View External Branch Parameters.

The View External Branch Parameters screen displays.

Figure 1-41	View External Branch Parameters
-------------	---------------------------------

. + 0					E
Branch Code: 700 :	Branch Code: 789	Branch Code: 901 :	Branch Code: AU1	Branch Code: AU2	Branch Code: AU3
Branch Name 700 TEST BRANCH Local Currency GBP Source Branc 700	Branch Name 789 TEST BRANCH Local Currency GBP Source Branc 789	Branch Name 901 BRANCH Local Currency GBP Source Branc	Branch Name AU1 Local Currency GBP Source Branc AU1	Branch Name AU2 Local Currency GBP Source Branc AU2	Branch Name AU3 Local Currency GBP Source Branc AU3
🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 2	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1
Branch Code: AU4	Branch Code: AU5 :	Branch Code: AU6	Branch Code: AU7 :		
Branch Name AU4 .ocal Currency GBP Source Branc AU4	Branch Name AUS Local Currency GBP Source Branc AUS	Branch Name AU6 Local Currency GBP Source Branc AU6	Branch Name AU7 Local Currency GBP Source Branc AU7		
🕻 Authorized 🔒 Open 🕅 1	DAuthorized 🔓 Open 🖄 1	DAuthorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖄 1		

 Table 1-41
 View External Branch Parameters – Field Description

Field	Description	
Branch Code	Displays the code of the bank.	
Branch Name	Displays the name of the bank.	
Local Currency	Displays the local currency details.	



Field	Description
Source Branch Code	Displays the code of the source branch.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-41 (Cont.) View External Branch Parameters – Field Description

Note:

The Branch Parameters for the Head Office (HO) Branch of the entity gets auto-created when the entity is defined in the Multi-Entity Maintenance. Further changes/configuration of the HO Branch can be performed by modifying the record for the HO Branch's Parameters.

1.20 External Chart Account

This topic describes the information to configure an external chart.

External Chart account is a system that is used for maintaining General Ledgers (GL). It also processes accounting transactions from other product processors and processes each transactions by validating inter-branch transactions and unbalanced transaction. It can be integrated with enterprise GL system and handoff the processed transactions.

This topic contains the following subtopics:

- Create External Chart Account
 This topic describes the systematic instructions to configure external chart
 accounts.
- View External Chart Account This topic describes the systematic instructions to view the list of configured external chart accounts.
- View Transaction Log This topic describes the systematic instructions to view all the transaction.
- Transaction Log Error Detail This topic describes the systematic instructions to view all failed transactions failed during chart account hand-off.
- Unbalanced Transaction Log This topic describes the systematic instructions to view all unbalanced transaction.

- Inter Branch Entry Retry This maintenance screen allows you to view failed inter branch entry details and initiate retry.
- Pre GL Balance Check This topic describes the systematic instructions to view the GL Balance.
- Chart Account Handoff
 The maintenance screen allows you to initiate the handoff and view the handoff status.

1.20.1 Create External Chart Account

This topic describes the systematic instructions to configure external chart accounts.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Create External Chart Account.

The Create External Chart Account screen displays.

Figure 1-42 Create External Chart Account

Create External Chart Accou	unt			;; ×
General Ledger Code				
Required				
General Ledger Description	Source System	Source System GL Code	Category	
Required	٩			
Posting Restriction	Blocked			
Direct Indirect				
			Cancel	Save

3. Specify the fields on Create External Chart Account screen.




 Table 1-42
 Create External Chart Account – Field Description

Field	Description
General Ledger Code	This is General Ledger Account number used to transfer the funds between accounts. This Account is mapped with multiple debit/ credit transactions.
General Ledger Description	Specify the description of General Ledger Code.



Field	Description
Source System	This field denotes source system to which the GL code belongs. The Source System for which GL code associated.
Source System GL Code	Specify GL code of source system.
Category	Select the category from the drop-down list.
Posting Restriction	This filed is used to denote that corresponding GL's posting restriction is direct or indirect. By default, value is set to Direct .
Blocked	By default, this is disabled. If selected, indicates the external chart account is blocked. By default, this is disabled.

Table 1-42 (Cont.) Create External Chart Account – Field Description

4. Click **Save** to save the details.

The external chart account is successfully created and can be viewed using the View External Chart Account screen.

1.20.2 View External Chart Account

This topic describes the systematic instructions to view the list of configured external chart accounts.

The user can configure external chart account using Create External Chart Account screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click View External Chart Account.

The View External Chart Account screen displays.

Figure 1-43 View External Chart Account

. + 0					E
General Ledger Code: 141321002	General Ledger Code: 1495332001	General Ledger Code: 151100000	General Ledger Code: 152120001	General Ledger Code: 0000000001	General Ledger Code: 0000000002
Source System FCUBS Source Syste 141321002	Source System - Source Syste	Source System - Source Syste	Source System FCUBS Source Syste 152120001	Source System - Source Syste	Source System - Source Syste
D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1
General Ledger Code: 0000000005	General Ledger Code: 000000022	General Ledger Code: 0000000119	General Ledger Code: 0000000147		
Source System - Source Syste	Source System - Source Syste	Source System - Source Syste	Source System - Source Syste		
🗈 Authorized 🔒 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1		



Field	Description	Comments
General Ledger Code	This field denotes the GL Code. This account is mapped with multiple debit/ credit transactions	General Ledger code for accounts.
Source System	This field denotes the system to which GL Code belongs.	Source System for which GL code associated.
Source System GL Code	This field denotes the GL code of the source system.	GL Code of the Source System.
Authorization Status	 This field denotes authorization status of the GL Code. The options are: Authorized Rejected Unauthorized 	Authorization status of the GL Code.
Record Status	This field denotes the record status of the GL Code. The options are: • Open • Closed	Record status of the GL Code.
Modification Number	Displays the number of modification performed on the record.	Number of modification made on this record

Table 1-43 View External Chart Account – Field Description

1.20.3 View Transaction Log

This topic describes the systematic instructions to view all the transaction.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Transaction Log.

The Transaction Log screen displays.

Figure 1-44 Transaction Log

Transaction	-																110
insaction Reference Nu	nber		Transactic	n Branch			General Led	ger Code			Source System						
					Q				Q				۹				
ent Code																	
int Code	Q		Category				Product Pro	cessor	Q								
	Q								q								
Search Reset	Advanced																
Transaction Reference O Number	Transaction OInitiation Date	Event O Code	Event Serial O Number	General Ledger ≎ Code	Account Branch	Transaction Branch ©	Account O Currency	ACY o Amount	LCY o	Amount Tag 0	Exchange O Rate	Value Date 🜼	Debit Credit O Indicator	Transaction Code	Module O	Inter Branch O Entry	Product Code
TXN_03	4/18/23, 12:00 AM	LIQD	5	111100002	DMO	002	USD	\$999.99	\$38,401.54	PRINCIPAL_LIQD	0	4/18/23, 12:00 AM	D	001	OBL		AB1
TXN_01	4/18/23, 12:00 AM	LIQD	4	111100002	DMO	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	4/18/23, 12:00 AM	D	A01	OL		OBCL
TXN_01	4/18/23, 12:00 AM	LIQD	4	111100002	DMO	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	4/18/23, 12:00 AM	с	A01	OL		OBCL
TXN_01	4/18/23, 12:00 AM	ACCR	4	111100002	DMO	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	4/18/23, 12:00 AM	D	A01	OL		OBCL
TXN_01	4/18/23, 12:00 AM	ACCR	4	111100002	DMO	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	4/18/23, 12:00 AM	с	A01	OL		OBCL
R10BRL_AR_DS006	4/18/23, 12:00 AM	ACCR	1	131120002	BR1	BR1	BHD	BHD 333.337	\$883.34	MAIN_INT_ACCR	2.65	4/18/23, 12:00 AM	D	LNA	RL		RPPL
	4/18/23, 12:00 AM	LIQD	4	111100002	004	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	2/13/23, 5:30 AM	D	A01	OL		OBCL
001BB11170900001		LIOD	4	111100002	004	002	USD	\$999.99	\$38,461.54	PRINCIPAL_LIQD	0	2/13/23, 5:30 AM	с	A01	OL		OBCL
	4/18/23, 12:00 AM	LIQU						\$000.00	\$38,467,54	PRINCIPAL_LIQD	0	2/13/23, 5:30 AM	D	A01	OL		OBCL
001BB11170900001 001BB11170900001 001BB11170900002	4/18/23, 12:00 AM 4/18/23, 12:00 AM	ACCR	4	111100002	001	002	USD	2444.94									

3. Specify the fields on Transaction Log screen.



Field	Description
Transaction Reference Number	This field is used to filter the transactions based on Transaction Reference Number. Filter based on Transaction Reference Number.
Transaction Branch	This field is used to filter the transactions based on Transaction Branch. Filter based on Transaction Branch.
General Ledger Code	This field is used to filter the transactions based on General Ledger Code. Filter based on GL Code.
Source System	This field is used to filter the transactions based on Source System. Filter based on Source System.
Event Code	This field is used to filter the transactions based on Event Code. Filter based on Event Code.
Category	Select the type of the category from the drop-down list. Asset Liability Income Expense Contingent Asset Contingent Liability Filter based on GL Code Category.
Product Processor	This field is used to filter the transactions based on Product Processor. Filter based on Product Processor on which transaction is done.
Module Code	This field is used to filter the transactions based on Module Code. Note: NOTE: This filed appears when we click the Advanced button. Filter based on Module.
Product Code	This field is used to filter the transactions based on Product Code. Note: This field appears when we click the Advanced button.
	Filter based on Product Code.



Field	Description
Amount Tag	This field is used to filter the transactions based on Amount Tag.
	Note: This field appears when we click the Advanced button.
	Filter based on Amount Tag.

Table 1-44 (Cont.) Transaction Log – Field Description

- 4. Click the **Search** button to view the transaction details.
- 5. Click the **Reset** button to clear the search criteria.

1.20.4 Transaction Log Error Detail

This topic describes the systematic instructions to view all failed transactions failed during chart account hand-off.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Transaction Log Error Detail.

The Transaction Log Error Detail screen displays.

Figure 1-45	Transaction Log Error Detail
-------------	------------------------------

insaction Reference Number	Transaction Bran	ich	Source System		Event Code		
		Q		Q		Q	
ggered Via							
	Search R	eset					
Transaction Reference Number 0	Event Code 🛛 🌣	Transaction Branch 0	Source System 0	Created Time Stamp	Triggered Via 🛛 🌣	Error Code 0	Error Description 0
BR10BBRN_CW_DSVAI	INIT	000	OBBRN	10/30/23, 6:15 AM	api	CMC_IB_003	000 is a invalid Branch Code
BR10BBRN_CW_DSTXN1	INIT	000	OBBRN	10/30/23, 6:20 AM	api	CMC_IB_003	000 is a invalid Branch Code
X01AB11170911110	LIQD	TET	OBCL	10/16/23, 9:51 AM	api	CMC-GL-002	600000004 is a invalid GL Codes
X01AB11170911110	LIQD	TET	OBCL	10/16/23, 9:51 AM	api	CMC_IB_003	TET is a invalid Branch Code
006DSBR079284080640	DSBR		OBRL	10/2/23, 5:25 AM	api	CMC-GL-002	3000000001 is a invalid GL Codes
006DSBR079284080640	DSBR		OBRL	10/2/23, 5:25 AM	api	CMC-GL-002	1010110111001 is a invalid GL Codes
006DSBR079284080640	DSBR		OBRL	10/2/23, 5:25 AM	api	CMC-GL-002	1010110111001 is a invalid GL Codes
006DSBR079284080640	DSBR		OBRL	10/2/23, 5:25 AM	api	CMC-GL-002	100000001 is a invalid GL Codes
X01AB11170911110	LIQD	TET	OBCL	10/16/23, 9:51 AM	api	CMC-GL-002	600000004 is a invalid GL Codes

3. Specify the fields on Transaction Log Error Detail screen.



Field	Description
Transaction Reference Number	This field is used to filter the transactions based on Transaction Reference Number. Filter based on Transaction Reference Number.
Transaction Branch	This field is used to filter the transactions based on Transaction Branch. Filter based on Transaction Branch.
Source System	This field is used to filter the transactions based on source system. Flter based on Source System.
Event Code	This field is used to filter the transactions based on Event Code. Filter based on Event Code.
Triggered Via	This field is used to filter the transactions the transaction posted via online API or Batch. It has two values API or batch. Filter based on Triggered Option.

Table 1-45 Transaction Log Error Detail – Field Description

- 4. Click the Search button to view failed transactions during chart account handoff.
- 5. Click the **Reset** button to clear the search criteria.

1.20.5 Unbalanced Transaction Log

This topic describes the systematic instructions to view all unbalanced transaction.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Unbalanced Transaction Log.

The Unbalanced Transaction Log screen displays.

Figure 1-46 Unbalanced Transaction Log

Ante Colu Caragery Pathet Pressure Pathe	ansaction Reference	e Number		Tran	section Brench			General L	edger Code			Source S	ystem					
Quart Test Annuce Name: Test Control						C	2			Q				Q				
Next Next <th< th=""><th>ent Code</th><th></th><th></th><th>Cate</th><th>gory</th><th></th><th></th><th>Product P</th><th>Processor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></th<>	ent Code			Cate	gory			Product P	Processor									
Rest Rest Status Marcel Status		Q					•			Q								
Marketion Balanco 200 Timescione Balanco 200 Timescione Balanco 200 Account b Balanco 200 Account b Certers V Account b Certers V Account b Balanco 200 <																		
Number Network Number Network Seal O Latiget or Month Number Network	Search Reset	Advanced																
SAUR_GOL_DI 4/R9/21, 12:0:AM LQD 1 1750000 DMA DMA 0.40 9.40000 500000 DAGE 0.400000 4400000 0.400000 DMA 0.400000 5400000 DMA 0.4000000 5400000 DMA 0.4000000 DMA 0.4000000 DMA 0.4000000 DMA 0.40000000 DMA 0.400000000000000000000000000000000000	Reference 0			Serial 0	Ledger 0		Transaction Branch C		ACY Amount	LCY 0		Exchange O Rate	Value Date 0	Credit 0			Branch 0	F
AULICOL 01 4/18/73 12:00 AM LOD 1 2000005 BRI DMO USD 540005 DR,AMT 4/18/73 12:00 AM C CHW RT Y AULICOL 01 4/18/73 12:00 AM LQD 1 0000056905 BRI DMO USD 540005 DR,AMT 4/18/73 12:00 AM C CHW RT Y AULICOL 11 4/18/73 12:00 AM LQD 1 0000056905 BRI DMO USD 540005 DR,AMT 4/18/73 12:00 AM D CHW RT Y AULICOL 11 4/18/73 12:00 AM LQD 1 17500058 DMO USD 540005 5400035 DE,AMT 4/18/73 12:00 AM D CHW RT Y	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	000011569016	BR1	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	D	CHW	RT		
AUR_COD_01 4/18/25 12:00 AM LOD 1 0000756906 8R DMO USD 154000 54000 500 DR_AMT 4/18/25 12:00 AM D C+W RT + ++++++++++++++++++++++++++++++++	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	173000018	DMO	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	D	CHW	RT	Y	
AUR_002_101 4/18/23,12:00 AM LIQD 1 1175000018 DMO DMO USD \$40000 \$4,000.30 DR_AMT 4/18/23,12:00 AM D CHW RT Y	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	267000018	BRI	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	с	CHW	RT	Y	
	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	000011569016	BR1	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	D	CHW	RT		
HAUR_002_101 4/18/23.12:00 AM UQD 1 25700018 BR1 DMO USD \$40.00 \$4.000.8 DR_AMT 4/18/23.12:00 AM C CH+V RT Y	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	173000018	DMO	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	D	CHW	RT	Y	
	AUR_002_101	4/18/23, 12:00 AM	LIQD	1	267000018	BRI	DMO	USD	\$40.00	\$4,000.36	DR_AMT		4/18/23, 12:00 AM	с	CHW	RT	Y	
SAUR_101 10/18/23,12:00 AM LIQD 1 SAUR001 BR1 DMO USD \$40.00 \$50.00 DR_AMT 10/18/23,12:00 AM D CHW RT	SAUR_101	10/18/23, 12:00 AM	LIQD	1	SAUR001	BR1	DMO	USD	\$40.00	\$50.00	DR_AMT		10/18/23, 12:00 AM	D	CHW	RT		
SAUR_101 10/18/23,12:00 AM LIQD 1 17500018 DMO DMO LIND S40.00 \$50.00 DR_AMT 10/18/23,12:00 AM D CHW RT Y	SAUR_101	10/18/23, 12:00 AM	LIQD	1	173000018	DMO	DMO	USD	\$40.00	\$50.00	DR_AMT		10/18/23, 12:00 AM	D	CHW	RT	Y	
SAUR_101 10/18/23,12:00 AM LUQD 1 26700018 BR1 DMO USD \$40.00 S50.00 DR_AMT 0/18/23,12:00 AM C CHW RT Y	SAUR_101	10/18/23, 12:00 AM	LIQD	1	267000018	BR1	DMO	USD	\$40.00	\$50.00	DR_AMT		10/18/23, 12:00 AM	с	CHW	RT	Y	
SAUR_101 10/18/23,12:00 AM LIQD 1 SAUR001 BR1 DM0 USD \$40.00 DR,AMT 10/18/23,12:00 AM D CHW RT	SAUR_101	10/18/23, 12:00 AM	LIQD	1	SAUR001	BR1	DMO	USD	\$40.00	\$40.00	DR_AMT		10/18/23, 12:00 AM	D	CHW	RT		

3. Specify the fields on **Unbalanced Transaction Log** screen.



Field Transaction Reference Number	Description
	This field is used to filter the transactions based on Transaction Reference Number. Filter based on Transaction Reference Number.
Transaction Branch	This field is used to filter the transactions based on Transaction Branch. Filter based on Transaction Branch.
General Ledger Code	This field is used to filter the transactions based on General Ledger Code. Filter based on GL Code.
Source System	This field is used to filter the transactions based on Source System. Filter based on Source System.
Event Code	This field is used to filter the transactions based on Event Code. Filter based on Event Code.
Category	Select the type of category from the drop-down list. Asset Liability Income Expense Contingent Asset Contingent Liability Filter based on Category.
Product Processor	This field is used to filter the transactions based on Product Processor. Filter based on Product Processor.
Module Code	This field is used to filter the transactions based on Module Code. Note: This field appears when we click the Advanced button. Filter based on Module Code.
Product Code	This field is used to filter the transactions based on Product Code. Note: This field appears when we click the Advanced button. Filter based on Product Code.

Table 1-46 Unbalanced Transaction Log – Field Description



Field	Description
Amount Tag	This field is used to filter the transactions based on Amount Tag.
	Note: This field appears when we click the Advanced button.
	Filter based on Amount Tag.

Table 1-46 (Cont.) Unbalanced Transaction Log – Field Description

- 4. Click the **Search** button to view the unbalanced details.
- 5. Click the **Reset** button to clear the search criteria.

1.20.6 Inter Branch Entry Retry

This maintenance screen allows you to view failed inter branch entry details and initiate retry.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Inter Branch Entry Retry.

The Inter Branch Entry Retry screen displays.

Figure 1-47 Inter Branch Entry Retry

action Reference Number Tra		nt Branch				
	٩	Q	Search Reset			
Transaction Reference Number 0	Accounting Reference Number 0	Transaction Branch 🗧 🌣	Account Branch 0	Error Codes 0	Retry Count 0	
BR12308160901250217	1100081	BRI	509	CMC-IB-001	4	
BR10BBRN_CW_DS001	11684347188173783041	BR1	BR2	CMC-IB-001		
BR10BBRN_CW_DS001	11684336376600248321	BR1	BR2	CMC-IB-001		C
BR10BBRN_CW_DS001	11684347187544637440	BR1	BR2	CMC-IB-001		C
BR10B8RN_CW_DS001	11684352127763660800	BR1	8R2	CMC-IB-001		C
BR10BBRN_CW_DS001	11684352128560578561	BR1	BR3	CMC-IB-001		C

3. Specify the fields on Inter Branch Entry Retry screen.

 Table 1-47
 Inter Branch Entry Retry – Field Description

Field	Description					
Transaction Reference Number	This field is used to filter the transactions based on Transaction Reference Number. Filter based on Transaction Reference Number.					



Field	Description
Transaction Branch	This field is used to filter the transactions based on Transaction Branch. Filter based on Transaction Branch.
Account Branch	This field is used to filter the transactions based on Account Branch. Filter based on Account Branch.

Table 1-47 (Cont.) Inter Branch Entry Retry – Field Description

- 4. Click the **Search** button to search and view the inter branch entry retry.
- 5. Perform one of the following actions:
 - a. Click **Retry All** to re-initiate the inter branch entries.
 - **b.** Click **Retry** to re-initiate the inter branch entries.

The Inter Branch Entry popup screen displays.

6. Click the Reset button to clear the search criteria.

1.20.7 Pre GL Balance Check

This topic describes the systematic instructions to view the GL Balance.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Pre GL Balance Check.

The Pre GL Balance Check screen displays.

Figure 1-48 Pre GL Balance Check

Pre GL Balanc	e Check				:: ×
Branch Code		Local Currency	Product Processor	Module Code	
002	Q	USD	OBCLCS Q	٩	
Fetch					
eal		Contingent			
eal-Credit		Contingent-Credit			
\$0.00		\$0.00			
eal-Debit		Contingent-Debit			
\$0.00		\$0.00			
eal-Mismatch		Contingent-Mismatch			
\$0.00		\$0.00			

3. Specify the fields on **Pre GL Balance Check** screen.





Field	Description
Branch Code	Click the Search icon, and select the branch code from the list to view the GL balance. Filter based on Branch Code.
Local Currency	Auto populates the local currency based on the branch code selected. Filter based on Local Currency.
Product Processor	Click the Search icon and select the product processor to which the GL balance to view. Filter based on Product Processor.
Module Code	Click the Search icon and select the module code to which the GL balance to view. Filter based on Module Code.

Table 1-48 Pre GL Balance Check – Field Description

4. Click the **Fetch** button to view the real and contingent balance.

1.20.8 Chart Account Handoff

The maintenance screen allows you to initiate the handoff and view the handoff status.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Chart Account Handoff.

The Chart Account Handoff screen displays.

anch Code Q	HandOff							
igger Id	Branch Code	Q	Search Reset					
Trigger Id 0	Transaction Branch 0	Trigger Type 0	Entries Count 0	Status 0	Cutoff Date 0	Trigger Timestamp 0	End Timestamp 0	Retry
1171685121373974528	002	Batch	49	Success	2023-12-07	2023-11-08 05:38:21	2023-11-08 05:38:21	-
1171683223468191744	002	Batch	44	Success	2023-12-06	2023-11-08 05:36:35	2023-11-08 05:36:35	:
1171682344786669568	002	Batch	151	Failure	2023-12-05	2023-11-08 05:27:20	2023-11-08 05:27:20	-
1171427837917999104	002	Batch	2	Success	2023-12-04	2023-11-07 12:41:29	2023-11-07 12:41:29	-
	002	Batch	4	Success	2023-12-01	2023-11-07 12:24:50	2023-11-07 12:24:50	:

- 3. Click the **Search** icon, and select the branch code from the list to initiate the handoff.
- Click the Handoff button to initiate the handoff for the selected branch code. The Handoff initiated popup screen displays.
- 5. Specify the fields on **Chart Account Handoff** screen to filter the account handoff. For more information on fields, refer to the field description table.



Field	Description
Trigger ID	Specify the Trigger ID to view the particular handoff status. Filter based on Trigger ID.
Branch Code	Branch code for which handoff to be done. Filter based on Branch Code.

Table 1-49 Chart Account Handoff – Field Description

- 6. Click **Search** button to search and view the account handoff details.
- 7. Click and select the **Retry** to re-initiate the account handoff for the given trigger id.
- 8. Click the **Reset** button to clear the account hand-off filter criteria.

1.21 External Customer

The **External Customer** feature enables the creation and viewing of customer information in a centralized location within the Oracle Banking Microservices Architecture framework. This repository stores vital customer details such as **CIF ID**, **Customer Name**, other essential information, ensuring quick reference, and easy access to pertinent data.

This topic contains the following subtopics:

- Create External Customer This topic describes the systematic instructions to create a customer using external customer.
- View External Customer This topic describes the systematic instructions to view the list of configured external customer details.

1.21.1 Create External Customer

This topic describes the systematic instructions to create a customer using external customer.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.
- 2. Under External Customer, click Create External Customer.


The Create External Customer screen displays.



Figure 1-50 Create External Customer

ustomer Details				
istomer Number	Customer Name	Short Name	Customer Type Individ Corpor Bank	
nunce Customer ID Required	Pequired Source System	Customer Category	Relationship Manager ID	
Required Q	Q	٩		
lress				
Iress Line 1	Address Line 2	Address Line 3	Address Line 4	
ntry Q	Postal Code			
er Details				
ased	Frozen	Whereabouts Unknown	Sanction Check Required	
1				
k-in Customer	Staff	Language Q	Nationality Q	
		Required		

3. Specify the fields on **Create External Customer** screen.



For more information on fields, refer to the field description table.

Field	Description
Customer Number	Each customer in the system is assigned a unique identifier, the Customer Number or CIF ID , for managing customer records. It facilitates efficient retrieval and identification of customer information. This facilitates streamlined processes such as account opening, transactions, and customer support and so on.
Customer Name	The Customer Name field represents the name of the individual or entity associated with the customer record. It typically includes the first name, middle name (if applicable), and last name of an individual, or the full name of an organization. Customers are identified and distinguished within the system using this field.
Short Name	The customer or entity name is represented in a shortened form in the Short Name field. It Customers or entities can be quickly identified in systems or communications through the use of initials, acronyms, or truncated versions of full names, as preferred by the user.
Customer Type	The Customer Type field is to categorize customers into groups based on specific criteria. This aids in understanding needs and tailoring products and services accordingly. Types include individuals, corporates, and bank.
Source Customer ID	The original system assigns a unique Source Customer ID to each source, which enables tracking across systems and is crucial for integration and ensuring consistency across platforms.

 Table 1-50
 Create External Customer – Field Description

Field	Description
Source System	The Source System field indicates where a customer record originated, aiding in tracking, and managing data across systems. Valuable for integration, migration, and interoperability between systems. Click Search icon to view and select the required source system.
Customer Category	The Customer Category field is to categorize customers based on the specific criteria, aiding in organizing records. Categories vary by industry and may include retail, corporate, high-net-worth individuals, SMEs, and so on. This segmentation helps in understanding the customer base and customizing offerings to meet their unique needs. Click Search icon to view and select the required customer category.
Relationship Manager ID	The Relationship Manager ID field refers to a unique identifier assigned to a relationship manager within the system. This identifier helps in efficiently tracking and managing customer relationships.
Address Line 1	The Address Line 1 field captures the primary address information of the customer or entity. It typically includes the street address, apartment number, suite, or any other pertinent details necessary to locate the physical location.
Address Line 2	The Address Line 2 field provides supplementary address information, such as building name, floor, unit number, or additional details that further specify the location indicated in address line 1.
Address Line 3	The Address Line 3 field serves as an additional space for capturing further details related to the customer's address, such as landmark, additional delivery instructions, or any other relevant information that helps to accurately identify the location.
Address Line 4	The Address Line 4 field offers an extra space for recording additional details related to the customer's address. This could include specific instructions for delivery, reference points, or any other pertinent information that further clarifies the location provided in the previous address lines.
Country	The Country Code field holds a standardized code representing the country linked to the address, following international standards like ISO 3166-1. It ensures consistent identification across systems, aiding in data validation and international communication. Click Search icon to view and select the required country.
	Note: For more details about country code configuration refer to the Country Code section.
Postal Code	The Postal Code field captures the numerical or alphanumeric code assigned to a specific geographic area for the efficient mail delivery. It helps in identifying the precise location of the address and facilitates accurate sorting and routing of mail and packages.

Table 1-50 (Cont.) Create External Customer – Field Description



Field	Description
Deceased	The Deceased flag field indicates if a customer is deceased. When the flag is enabled, it signals that the associated individual has passed away. This flag is used to mark records as inactive and prompt actions like ceasing communications or updating account statuses, following organizational. This flag is disabled By default.
Frozen	Frozen indicates that the customer account or record has been suspended or restricted, preventing certain actions or transactions from being performed. This is disabled by default.
Whereabouts Unknown	Whereabouts Unknown indicates that the current location or whereabouts of the customer is uncertain or not known. This is disabled by default.
Sanction Check Required	Sanction Check Required indicates that further checks or due diligence are necessary to ensure compliance with sanctions regulations or other legal requirements regarding the customer. This is disabled by default.
Walk-in Customer	Walk-in Customer refers to a customer who visits a physical location, without a prior appointment or arrangement. This is disabled by default.
Staff	The Staff flag indicates whether the customer is an employee or staff member of the organization. This is disabled by default.
Language	The Language field specifies the preferred language of a communication for the customer. It indicates the language in which the organization should communicate with the customer. Click Search icon to view and select the required language.
	Note: For more details about language code configuration refer to the Language Code section
Nationality	The Nationality field indicates the country of citizenship or nationality of the customer. It specifies the country to which the customer belongs or is affiliated with in terms of citizenship. Click Search icon to view and select the required nationality.

Table 1-50 (Cont.) Create External Customer – Field Description

4. Click **Save** to save the details.

The external customer is successfully created and can be viewed using the View External Customer screen. In addition, the external customers can be directly replicated from the host system using service API.

1.21.2 View External Customer

This topic describes the systematic instructions to view the list of configured external customer details.

The user can configure external customer using Create External Customer screen.

Specify User ID and Password, and login to Home screen.

1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.



2. Under External Customer, click View External Customer.

The View External Customer screen displays.

Figure 1-51	View External Customer
-------------	------------------------

+ 0					
ustomer Name: VYNCUST774 :	Customer Name: WYNCUST775	Customer Name: WYNCUST776	Customer Name: WYNCUST777	Customer Name: WYNCUST778	Customer Name: Nash Mechanicals
iource System FCUBS Lustomer Type I Lustomer WYNCUST774 iource WYNCUST774	Source System FCUBS Customer Type I Customer WYNCUST775 Source WYNCUST775	Source System FCUBS Customer Type I Customer WYNCUST776 Source WYNCUST776	Source System FCUBS Customer Type I Customer WYNCUST777 Source WYNCUST777	Source System FCUBS Customer Type I Customer WYNCUST778 Source WYNCUST778	Source System oblm Customer Type I Customer NASH Mechanicals Source NASH Mechanicals
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🛛 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 2
VYNCUST771	Customer Name: NASH Industries	Customer Name: ICLGPCUST	Customer Name: ICLCUST02		
ource System FCUBS ustomer Type I ustomer WYNCUST771 ource WYNCUST771	Source System oblm Customer Type I Customer NASH Industries Source NASH Industries	Source System oblm Customer Type I Customer ICLGPCUST Source ICLGPCUST	Source System oblm Customer Type I Customer ICLCUST02 Source ICLCUST02		
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 2	🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1		

Field	Description
Customer Name	The Customer Name field represents the name of the individual or entity associated with the customer record. It typically includes the first name, middle name (if applicable), and last name of an individual, or the full name of an organization. Customers are identified and distinguished within the system using this field.
Source System	The customer record's origin is indicated by the Source System field, facilitating tracking and management of data across systems. The Source System is valuable for integration, migration, and interoperability between platforms. Click Search icon to view and select it.
Customer Type	Customers are categorized into groups based on specific criteria in the Customer Type field. This aids in understanding needs and tailoring products and services accordingly. Types include individuals, corporates and bank.
Customer Number	Each customer in the system is assigned a unique identifier, called the Customer Number or CIF ID . This reference helps manage customer records efficiently, allowing for easy retrieval and identification of customer information. This facilitates streamlined processes such as account opening, transactions, and customer support.
Source Customer ID	The original system assigns a unique Customer ID to each source record, which facilitates tracking across databases and ensures consistency during data integration.

 Table 1-51
 View External Customer – Field Description



Field	Description
Authorization Status	The Authorization Status field denotes the status of authorization or approval for a certain action or process related to the customer's account or record. It indicates whether the customer has been granted authorization to proceed with a particular request, transaction, or activity within the organization's system. The options are: • Authorized • Rejected • Unauthorized
Record Status	The Record Status field indicates the status of the customer record within the system. It provides information on whether the record is Open or Closed in its life cycle.
Modification Number	The system updates or modifies a record each time the Modification Number field is changed, reflecting the number of occurrences. This increases each time a modification is made to the record, serving as a sequential identifier. Users can track and audit changes to the record in this system, ensuring data integrity and version control by monitoring modifications over time.

Table 1-51 (Cont.) View External Customer – Field Description

Click

Q

icon to search for a customer in external customer and input search parameters. Click

:

to perform the following actions:

- **Copy** Copy selected record to create a new record with the same values.
- Unlock Unlock to modify the external customer details. Once you unlocked, the record will be available for modification and authorization for the authorized user.
- **Close** Close the record status.
- View View external customer details.

1.22 External Customer Account

This topic helps to configure the external customer account details.

This topic contains the following subtopics:

Create External Customer Account

This topic describes the systematic instructions to configure external customer account details.



View External Customer Account

This topic describes the systematic instructions to view the list of configured external customer accounts.

1.22.1 Create External Customer Account

This topic describes the systematic instructions to configure external customer account details.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click Create External Customer Account.

The Create External Customer Account screen displays.

court Case Registri Court Case Registri Registri	Count Canada Reserved R	Image: Project Account Q Register Source Custome Account Account • Q Q Q Account • Q Q Register Bit Adversi line 2 Adversi line 3 Adversi line 4 Q • • • •
Market Market Market Name Name Sever Accent Meet Name Q Name Name Name Advestive3 Name Name Name	Notice Account Gravery Notice Account Gravery Notice Account Gravery Notice Account Gravery Bravery Bravery <td>tas make tas make Account • Account Group make Account • Account Group make Payment Entithment Group make Payment Entithment Group make Banch Entit Make Make Banch Entit Make Make Make Make Make Make Make Make</td>	tas make tas make Account • Account Group make Account • Account Group make Payment Entithment Group make Payment Entithment Group make Banch Entit Make Make Banch Entit Make Make Make Make Make Make Make Make
cand Das Accand Company Cand Das Accand Company Canad Cand Cand Cand Cand Cand Cand Cand	Start Karen (Seart Karen) Start Karen (Seart Karen) Start Karen (Seart Karen) Note Account Improve Improve Start Karen (Seart Karen) Improve Improve Start (Seart Karen (Seart Karen) Improve Improve Start (Seart Karen (Se	lan Account (urrey C Account C Accou
acard ERM	accent BAN	ANN Provent Extinement Group Provent Group P
same Earl In Credit Agence of Reports Department Creater System Credit Agence of Reports Credit	teen EM Pequet Entenneer Georg Address Live 2 Address Live 2 Address Live 3 Address Live 3 Address Live 4 Control	AMA Payment Estimenet Group Revel Estimenet Group Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q
Seless Adversion 2 Adversion 3 Adversion 4 were used Adversion 2 Adversion 5 Adversion 4 were used were used were used were used	deters Advers Live 2 Advers Live 5 Advers Live 4 winy	is Address Line 2 Address Line 3 Address Line 4
Advers Live 2 Advers Live 3 Advers Live 4 antry	here Live 1 Adverse Live 2 Adverse Live 2 Adverse Live 3 Adverse Live 4 Adverse 4 Adverse Live 4 Adverse Live 4 Adverse Live 4 Adverse Live 4	ne 1 Addres Line 2 Addres Line 3 Addres Line 4
detect lat 2 Adrect lat 3 Adrect lat 4 utty	Address Line 2 Address Line 3 Address Line 4 untry	ne 1 Addres Line 2 Addres Line 3 Addres Line 4
Credit No Detrit Bicked Freen mark External Credit Approval Required External Credit Approval System Hati Code Count Open Date Credit Approval System Credit A	Credit No Debit Bioded Fragen mant. External Credit Agenoval Required External Credit Agenoval System Host Code Count Open Dane	Details
Q Her Details Creft No Deht Bicked Freen mark External Creft Approval System External Creft Approval System Heat Code cont Open Date Imparted	Credit No Debit Bioclard Frazen mart Esternal Credit Agenval Required Esternal Credit Agenval Required Credit Cre	Details
Great No Debt Blocked Frozen Image: State of Cell Ageneral Regimed Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System Image: State of Cell Ageneral System	Gredit, No Debit, Bocked Frozen mate Enternal Credit Agonoval Required External Credit Agonoval System Host Code Company System Credit Agonoval System Host Code Note Date	
Creat No Debit Blocked Frozen Image: Second Creatin Approval Required Image: Second Creatin Approval Required Image: Second Creatin Approval System Image: Second Creatin Approval System Image: Second Creatin Approval Required Image: Second Creatin Approval System Image: Second Creatin Approval System Image: Second Creatin Approval System Count Open Date Image: Second Creatin Approval System Image: Second Creatin Approval System Image: Second Creatin Approval System	Cedit No Debit Bicked Frozen Immed External Credit Agenroal Required External Credit Agenroal System Host Code Immed External Credit Agenroal System Host Code Immed Immediate Immediate Immed Immediate Immediate	
mark External Credit Approval Regulard External Credit Approval System Regulard Credit Approva	maret External Credit Agroval Required External Credit Agroval Required Credit Agroval Required Credit Agroval System C Color	No Dabit Blocked Erroran
mant External Credit Approval Required External Credit Approval System Required Credit Approval System Regime Code Q Code Code Code Code Code Code Code Code	mant External Credit Approval Required External Credit Approval System Host Code Compose Date Required	
aver Open Date	Constructions Date	
Regulars	Regimed Regimed	
uurt Open Date	uunt Open Date	
		ien Dite Reguled

Figure 1-52 Create External Customer Account

3. Specify the fields on Create External Customer Account screen.




Table 1-52	Create External Customer Account – Field Description
-------------------	--

Field	Description
Customer Account Number	Specify the customer account number.
Account Name	Specify the name for an account.
Customer Number	Click Search icon to view and select the required customer number.



Field	Description
Customer Name	Displays the customer name based on the selected Customer Number .
Account Class	Select the account class from the drop-down list.
Account Currency	Click Search icon to view and select the required account currency.
Source Account Branch	Click Search icon to view and select the required source account branch.
Source Customer Account	Displays the source customer account based on the selected Source Account Branch .
Account IBAN	Specify the account IBAN details.
Payment Entitlement Group	Click Search and select the payment entitlement group for the customer account.
Branch Entitlement Group	Click Search and select the branch entitlement group for the customer account.
Address Line 1-4	Specify the address details.
Country	Click Search icon to view and select the required country.
No Credit	By default, this is disabled. If selected, indicates the account does not have any credit facility.
No Debit	By default, this is disabled. If selected, indicates the account does not have any debit facility.
Blocked	By default, this is disabled. If selected, indicates the account status is blocked.
Frozen	By default, this is disabled. If selected, indicates the account status is frozen.
Dormant	By default, this is disabled. If selected, indicates the account status is dormant.
External Credit Approval Required	By default, this is disabled. If selected, indicates ECA check is required for the external customer account.
External Credit Approval System	Click Search icon to view and select the required external credit approval system.
Host Code	Click Search icon to view and select the required host code.
Account Open Date	Select an effective date for the account from the drop-down calendar.

Table 1-52 (Cont.) Create External Customer Account – Field Description

4. Click **Save** to save the details.

The external customer account is successfully created and can be viewed using the View External Customer Account screen. In addition, the external customers can be directly replicated from the host system using service API.

1.22.2 View External Customer Account

This topic describes the systematic instructions to view the list of configured external customer accounts.

The user can configure external customer account using Create External Customer Account screen.



Specify **User ID** and **Password**, and login to **Home** screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click View External Customer Account.

The View External Customer Account screen displays.

+ 0					
Customer Account Number: D000000042192	Customer Account Number: 4000000122	Customer Account Number: 4000000144	Customer Account Number: ICLCUS01A4	Customer Account Number: ICLCUS01A5	Customer Account Number: HEL0046400023
Lustomer RTLCUST01 Account Name MC1C3	Customer PRICUST01 Account Name WHTACC02	Customer 002656 Account Name WHTACC04	Customer ICLCUST01 Account Name ICLCUS01A4	Customer ICLCUST01 Account Name ICLCUS01A5	Customer 000464 Account Name ALL SPORTS
🗅 Authorized 🔒 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1
Ustomer Account Number: DB10000010040	Customer Account Number: 2000000115	Customer Account Number: 00000000420653	Customer Account Number: NashPrecisionTools02		
Lustomer DBC001 Account Name DEBAACCOUNT40	Customer 006017 Account Name ACCRTL01	Customer RTLCUST01 Account Name MGGC1	Customer NASH Precision Tools Account Name Nash Precision Tools		
Authorized 🔓 Open 🖾 1	🕃 Authorized 🔒 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1		

Figure 1-53 View External Customer Account

For more information on fields, refer to the field description table.

Field	Description
Customer Account Number	Displays the customer account number associated with the account name.
Customer Number	Displays the customer number associated with the account name.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-53 View External Customer Account – Field Description

1.23 External Customer Account Structured Address

This topic describes the information to configure the external customer account structured address details.

This topic contains the following subtopics:

Create External Customer Account Structured Address
 This topic describes the systematic instructions to configure external customer account
 structured address.



• View External Customer Account Structured Address This topic describes the systematic instructions to view the list of configured external customer account structured addresses.

1.23.1 Create External Customer Account Structured Address

This topic describes the systematic instructions to configure external customer account structured address.

Specify User ID and Password, and login to Home screen.


- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click Create External Customer Account Structured Address.

The Create External Customer Account Structured Address screen displays.

Figure 1-54 Create External Customer Account Structured Address

Create External Customer Account S	Structured Address		;; ×
Customer Account Q Bequired	Account Name		
Structured Address			
Department	Sub Department	Street Name	Building Number
Building Name	Floor	Post Box	Room
Post Code	Town Name	Town Location Name	District Name
Required	Required Country Q Required		
			Cancel Save

3. Specify the fields on Create External Customer Account Structured Address screen.



For more information on fields, refer to the field description table.

Table 1-54Create External Customer Account Structured Address – FieldDescription

Field	Description
Customer Account	Click Search icon to view and select the required customer account.
Account Name	Displays the Account Name, Based on the Customer Account is selected.



Field	Description
Department	Specify the department.
Sub Department	Search and select the required country.
Street Name	Specify the street name.
Building Number	Specify the building number.
Building Name	Specify the building name.
Floor	Specify the floor.
Post Box	Specify the post box details.
Room	Specify the room number.
Post Code	Specify the post code.
Town Name	Specify the town name.
Town Location Name	Specify the town location name.
District Name	Specify the district name.
Country Sub Division	Specify the country sub division.
Country	Click Search icon to view and select the required country name.

 Table 1-54 (Cont.) Create External Customer Account Structured Address –

 Field Description

4. Click Save to save the details.

The external customer account structured address is successfully created and can be viewed using the View External Customer Account Structured Address screen.

1.23.2 View External Customer Account Structured Address

This topic describes the systematic instructions to view the list of configured external customer account structured addresses.

The user can configure external customer account structured address account using Create External Customer Account Structured Address screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click View External Customer Account Structured Address.

The View External Customer Account Structured Address screen displays.

Figure 1-55	View External Customer Account Structured Address
-------------	---

View External Custom	er Account Structured Address	$;; \times$
Q + 0		83 88
Customer Number: 9988776655		
Town Name 9999 Country 99		
🗅 Authorized 🔒 Open	图 1	
Page 1	oft (1-foltkens) K (] > X	



For more information on fields, refer to the field description table.

Field	Description
Customer Number	Displays the customer number.
Town Name	Displays the town name of the customer.
Country	Displays the country of the customer.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-55View External Customer Account Structured Address – FieldDescription

1.24 External Virtual Account Structured Address

This topic describes the information to configure the external virtual account structured address details.

This topic contains the following subtopics:

View External Virtual Account Structured Address
 This topic describes the systematic instructions to view the list of configured virtual account structured addresses.

1.24.1 View External Virtual Account Structured Address

This topic describes the systematic instructions to view the list of configured virtual account structured addresses.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Virtual Account Structured Address.
- 2. Under External Virtual Account Structured Address, click View External Virtual Account Structured Address.

The View External Virtual Account Structured Address screen displays.

Figure 1-56 View External Virtual Account Structured Address

View External Customer Account	Structured Address 42 X
Q + Q	E B
Customer Number: 9988776655	
Town Name 9999 Country 99	
D Authorized 🔓 Open 🖾 1	
Page 1 of1 (1-1o	finema) /((] +)/



For more information on fields, refer to the field description table.

Field	Description
Customer Number	Displays the customer number.
Town Name	Displays the town name of the customer.
Country	Displays the country name of the customer.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

 Table 1-56
 View External Virtual Account Structured Address – Field Description

The user can click on the specific tile to view the structured address details.

1.25 Forget Process

This topic describes the information to configure a customer detail who wants to be forgotten using forget process.

The Personally identifiable information (PII) is any data that could potentially identify a specific individual. PII data access can be controlled based on the user role and you can configure details of a customer who wants to be forgotten if the customer withdraws/does not avail the virtual account facility.

This topic contains the following subtopics:

- Forget Customer This topic describes the systematic instructions to configure a customer to be forgotten.
- View Forgotten Customer This topic describes the systematic instructions to view the list of the customers to be forgetten.

1.25.1 Forget Customer

This topic describes the systematic instructions to configure a customer to be forgotten.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click Forget Customer.


The Forget Customer screen displays.



Figure 1-57 Forget Customer

orget Customer Process ID	Forget Customer Process Type			::>
orget customet Process ib	Customer Initiated	Bank Initiated		
	Customer initiated	Bank Initiated		
ustomer Number		Process Status	Action 0	
o data to display.				
age 1 (0 of 0 items) < 4 1 > >				

3. Specify the fields on Forget Customer screen.



For more information on fields, refer to the field description table.

 Table 1-57
 Forget Customer – Field Description

Field	Description
Forget Customer Process ID	Specify a forget customer process ID.
Forget Customer Process Type	 Select one of the options: Customer Initiated: If selected, indicates the customer has initiated the process. Bank Initiated: If selected, indicates the bank has initiated the process.
Customer Number	Click Search icon to view and select the customer number.
Process Status	Displays the process status.

- 4. Click + to specify the customer/bank details.
- 5. Click Save to save the details.

The forget customer is successfully done and can be viewed using the View Forgotten Customer screen.

1.25.2 View Forgotten Customer

This topic describes the systematic instructions to view the list of the customers to be forgetten.

The user can configure a customer detail who wants to be forgotten using the Forget Customer.

Specify User ID and Password, and login to Home screen.



- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click View Forgotten Customer.

The View Forgotten Customer screen displays.

Figure 1-58 View Forgotten Customer

View Forgotten Customers	:: ×
Q + 0	i≡ 88
Process Type: CUSTOMER_INITIATED :	
Process ID - Maker LMADMIN1	
D Unauthorized	
Page 1 of 1 (1-1 of 1 items) (< (1) → >)	

For more information on fields, refer to the field description table.

 Table 1-58
 View Forgotten Customer – Field Description

Field	Description
Process Type	Indicates if the process is initiated by the customer/bank
Process ID	Displays the forgotten customer process ID.
Maker	Displays the name of the user who has configured the forgotten customer details.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.26 GL Parameter Maintenance

This topic describes the information to configure an GL parameter maintenance.

GL Parameter Maintenance is the configuration that is required to process preGL transactions. This holds the number of records to be processed, batch frequency and record consolidation to be performed. This maintenance is mandatory for preGL and only one record maintenance is allowed per environment.

This topic contains the following subtopics:

Create GL Parameter

This topic describes the systematic instructions to configure the GL parameter.



```
• View GL Parameter
```

This topic describes the systematic instructions to view the list of configured GL parameters.

1.26.1 Create GL Parameter

This topic describes the systematic instructions to configure the GL parameter.

Specify User ID and Password, and login to Home screen.


- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click GL Parameter Maintenance.
- 2. Under GL Parameter Maintenance, click Create GL Parameter.

The Create GL Parameter screen displays.

Eigure 1-50 Create CL Darameter

Figure 1-59	Cleale OL Para	ameter		
Create GL Parameter				** >
GL Parameters Interbrench Entries Consolidation	Scheduler Frequency(in millueconds)	Consolidate Entries for Enterprise GL Handoff	Max Request State	
				Cancel Save

3. Specify the fields on Create GL Parameter screen.



For more information on fields, refer to the field description table.

 Table 1-59
 Create GL Parameter – Field Description

Field	Description
Interbranch Entries Consolidation	Select the toggle to enable the interbranch entries consolidation to GL parameter. This will be a switch by default the value will be set as N .
Scheduler Frequency(in milliseconds)	Specify the time between two consecutive batch runs. This text field holds the milliseconds.
Consolidate Entries for Enterprise GL Handoff	Select the toggle to enable the Consolidate Entries for Enterprise GL Handoff to GL parameter. This will be a switch by default the value will be set as N .
Max Request Size	Specify the max request size for GL parameter. This text field holds maximum request size.

4. Click **Save** to save the details.

The GL Parameter is successfully created and can be viewed using the View GL Parameter screen.



Note:

The user can maintain only one set of GL Parameter.

5. Click **Cancel** to discard the changes and close the screen.

1.26.2 View GL Parameter

This topic describes the systematic instructions to view the list of configured GL parameters.

The user can configure an amount text language using Create GL Parameter screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click GL Parameter Maintenance.
- 2. Under GL Parameter Maintenance, click View GL Parameter.

The View GL Parameter screen displays.

Figure 1-60 View GL Parameter

View GL Parameter	:
9.0	I≡ #8
G. Paramate	
IB ConsolidationY Log Schedula - 120000	
🗅 Unauthoritzed 🔓 Open 🔯 4	
Page 1 of 1 (1-1 of 1 tiens) 1((1) >)	

For more information on fields, refer to the field description table.

Table 1-60 View GL Parameter – Field Description

Field	Description
IB Consolidation	Displays the IB Consolidation flag for GL parameter.
Log Schedule	Displays the log schedule for GL parameter
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.27 Host Code

This topic describes the information to configure the host code.



The user can group branches in the same zone or region under a host for specific processing. The user can have multiple hosts depending on processing requirements.

This topic contains the following subtopics:

Create Host Code

This topic describes the systematic instructions to configure host code.

• View Host Code

This topic describes the systematic instructions to view the list of configured host codes.

1.27.1 Create Host Code

This topic describes the systematic instructions to configure host code.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click Create Host Code.

The **Create Host Code** screen displays.

st Code	Description		
Required	Required		
untry Code	Processing Time Zone	Default Branch Code	
Q	· ·	Q	
Required	Required	Required	

Figure 1-61 Create Host Code

3. Specify the fields on **Create Host Code** screen.



The fields marked as **Required** are mandatory.

 Table 1-61
 Create Host Code – Field Description

Field	Description
Host Code	Specify the host code details.
Description	Specify the additional information about the host code.



Field	Description		
Country Code	Click Search icon to view and select the required country code.		
Processing Time Zone	Select the time zone from the drop-down list. The available options are: Alaska Time (AST) Central Time (CT) Eastern Time (ET) Hawaii-Aleutian Time (HAT) Mountain Time (MT) Pacific Time (PT) Canada/Eastern (EST) Asia/Chongqing (CST) Europe/Zagreb (CET) Asia/Kolkata (IST) Europe/Helsinki (EET) US/Eastern		
Default Branch Code	Click Search icon to view and select the required default branch code.		

Table 1-61 (Cont.) Create Host Code – Field Description

4. Click **Save** to save the details.

The host code is successfully created and can be viewed using the View Host Code screen.

1.27.2 View Host Code

This topic describes the systematic instructions to view the list of configured host codes.

The user can configure host code using Create Host Code screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click View Host Code.

The View Host Code screen displays.

+ 0					
efault Branch Code: 106	Default Branch Code: LMB	Default Branch Code: 006	Default Branch Code: 006	Default Branch Code: 000	Default Branch Code:
rocessing Asla/Calcutta iost Code H1006 ountry Code GB	Processing UTC+5:30 Host Code AUDEFPY1 Country Code GB	Processing USD Host Code ABC Country Code US	Processing Asta/Calcutta Host Code H1003 Country Code GB	Processing GB Host Code FHOST3 Country Code GB	Processing Stingapore Host Code HOST4 Country Code SG
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 4	🗅 Authorized 🔓 Open 🖾 1
efault Branch Code: 106	Default Branch Code: 006	Default Branch Code: SHA :	Default Branch Code: 006 :		
rocessing America/New_York iost Code HOST1 ountry Code US	Processing UTC+5:30 Host Code AUHOSTCO Country Code GB	Processing Asta/ChongqIng Host Code CN_CHINA Country Code CN	Processing Asta/Calcutta Host Code H1025 Country Code GB		
Authorized 🔓 Open 🖾 2	D Authorized 🔓 Open 🖾 1	DAuthorized 🔓 Open 🖄 2	🗅 Authorized 🔓 Open 🖾 1		

Figure 1-62 View Host Code



Field	Description
Default Branch Code	Displays the default branch code associated with the host code.
Processing Time Zone	Displays the processing time zone.
Host Code	Displays the host code details.
Country Code	Displays the country code details.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-62 View Host Code – Field Description

1.28 Interest Rate

This topic describes the information to configure a Interest Rate.

When banks or financial institutions want to define rates that are common across multiple loans, such rates are referred to as Base rates

A base interest rate can be applied to a loan with or without spread to derive the final rate.

The Interest Rate Type maintained and further used in Product can be one of the following:

- Fixed
- Floating
- Create Interest Rate
 This topic describes the systematic instructions to configure a interest rate.
- View Interest Rate
 This topic describes the systematic instructions to view the list of configured
 Interest Rate Maintenance.

1.28.1 Create Interest Rate

This topic describes the systematic instructions to configure a interest rate.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Interest Rate Maintenance.
- 2. Under Interest Rate Maintenance, click Create Interest Rate.

The Create Interest Rate screen displays.



anch Code		Rate Code	Descripti	ion		Туре	
	Q					Floating	
uote Basis	Required	Required Propagate Rates to branches		Required			
Per Annum	•						
urrency Details	•						
nount Slab Details							
							+
	Amount Slab		Effective Date			Borrow Lend Indicator	
•					Ē	Borrow	-
Tenor and Inter	est Details						
							+ -
	Tenor To		Units	Interest Rate			
		~ ^	Days	 Interest nate 			
			Days	•			

Figure 1-63 Create Interest Rate

3. Specify the fields on **Create Interest Rate** screen.



The fields marked as **Required** are mandatory.

 Table 1-63
 Create Interest Rate – Field Description

Field	Description
Branch Code	Click the Search icon to view and select the branch from the list. The list displays all the branch code maintained in the system.
Rate Code	Specify the rate code for the selected branch.
Description	Specify the description of the rate code.
Туре	Select the rate type from the drop-down list. The available options are : • Fixed • Floating
Quote Basis	Select the quote basis for the rate from the drop-down list. The available options are : • Per Annum • Exponential-252 • Exponential-365 • Linear-360



Field	Description		
Propagate Rates to branches	Select the toggle to enable the propagate rates across all the branches of the bank.		
	Note: When the rate code is modified at the Head Office Branch a corresponding rate code record will be created and replicated to all the branches.		
Currency Details	Click + icon and popup screen appears to add the associates currencies to the rate code.		
Currency Code	Click the Search icon to view and select the currency from the list.		
Description	Displays the description of the selected currency code.		

Table 1-63 (Cont.) Create Interest Rate – Field Description

- 4. Perform the following actions for Amount Slab Details:
 - a. Click + button to add the new row to amount slab.

Table 1-64 Amount Slab Details - Field Description

Field Name	Description	
Amount Slab	Specify the amount for the rate code.	
Effective Date	Select the date from when the rate needs to be effective for the amount slab.	
	Note: The effective date will be applicable until the new effective date Is provided for the rate.	
Borrow Lend Indicator	 Select the borrow lend indicator of the rate from the drop-down list. The available options are: Borrow - The rate is applied for deposits taken by the bank Lend- The rate is applied for loans given to Customers. 	

- b. Select the rows and click button to delete the rows added for amount slab.
- 5. Perform the following actions for Tenor and Interest Details:
 - a. Click + button to add the new row to tenor and interest details.



Field Name	Description
Tenor To	Specify the tenor upto which the interest rate needs to be effective.
Units	Select the units for the tenor slab from the drop-down list. The available options are: Days Weeks Months Years
Interest Rate	Specify the interest rate of the rate code for the tenor.

Table 1-65 Tenor and Interest Details - Field Description

- **b.** Select the rows and click button to delete the rows added for tenor and interest details.
- 6. Click **Save** to save the details.

The Interest Rate Maintenance is successfully created and can be viewed using the View Interest Rate screen.

1.28.2 View Interest Rate

This topic describes the systematic instructions to view the list of configured Interest Rate Maintenance.

The user can configure Interest Rate using Create Interest Rate screen.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Interest Rate Maintenance.
- 2. Under Interest Rate Maintenance, click View Interest Rate.

The View Interest Rate screen displays.

Rate Code: RATERESHMAN	:	Rate Code: CS02	:	Rate Code: HLR1	:	Rate Code: HLR1	:	Rate Code: RC0608114651	:	
Branch Code 000		Branch Code 000		Branch Code 100		Branch Code CS1		Branch Code 007		
🗅 Unauthorized 🛛 🔓 Open	2 2	D Authorized 🔒 Ope	n 🖾 1	D Authorized	en 🖾 1	🗅 Unauthorized 🔒	Dpen 🖾 2	🗅 Unauthorized 🛛 🔓 Open	2 1	
Rate Code: RC0608114651	:	Rate Code: RC0608114651	:	Rate Code: RC0608114651	:	Rate Code: RC0608114651	:	Rate Code: RC0608114651	:	
Branch Code 001		Branch Code 153		Branch Code BJ1		Branch Code \$12		Branch Code MH2		
Dunauthorized 🔓 Open	1	🗅 Unauthorized 🔒 Op	en 🖾 1	D Unauthorized 🔓 O	pen 🖾 1	D Unauthorized	🔓 Open 🛛 🖾 1	D Unauthorized 🔓 Open	1	

Figure 1-64 View Interest Rate



Field	Description
Rate Code	Displays the rate code.
Branch Code	Displays the branch code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-66 View Interest Rate – Field Description

1.29 Inter Branch Parameters Maintenance

This topic describes the information to configure an inter branch parameters maintenance.

This topic contains the following subtopics:

- Create Inter Branch Parameters This topic describes the systematic instructions to configure the inter branch parameters.
- View Inter Branch Parameters This topic describes the systematic instructions to view the list of configured inter branch parameters.

1.29.1 Create Inter Branch Parameters

This topic describes the systematic instructions to configure the inter branch parameters.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Inter Branch Parameters.
- 2. Under Inter Branch Parameters, click Create Inter Branch Parameters.

The Create Inter Branch Parameters screen displays.



Create Inter Branch Paramete	rs			;: ×
Branch 1	Branch 1 Name	Branch 2	Branch 2 Name	
Q		٩		
Required		Required		
Branch 1				
sranch 1	Due To Branch 2	Due From Branch 2		
	Q	Q		
	Required	Required		
ter Branch Currency	Description (Due to Branch 2)	Description (Due from Branch 2)		
Account Currency -				
Branch 2				
kranch 2	Due To Branch 1	Due From Branch 1		
	Q	Q		
	Required	Required		
nter Branch Currency	Description (Due to Branch 1)	Description (Due from Branch 1)		
Account Currency 👻				
				Cancel Sav

Figure 1-65 Create Inter Branch Parameters

3. Specify the fields on **Create Inter Branch Parameters** screen.



For more information on fields, refer to the field description table.

Field	Description
Branch 1	This field denotes the Branch 1 that need to be configured. This is Branch Code of first branch.
Branch 2	This field denotes the Branch 2 that need to be configured. This is Branch Code of second branch.
Due To Branch 2	This field holds the external chart account number for Due to Branch 2 selected. GL Code for Due to Branch 2.
Due To Branch 1	This field holds the external chart account number for Due to Branch 1 selected. GL Code for Due to Branch 1.
Due From Branch 2	This field holds the external chart account number for Due from Branch 2 selected. GL Code for Due from Branch 2.
Due From Branch 1	This field holds the external chart account number for Due from Branch 2 selected. GL Code for Due from Branch 1.
Inter Branch Currency	This field will be switch and this indicates the external chart account is blocked. By default account currency will be selected.

 Table 1-67
 Create Inter Branch Parameters – Field Description

4. Click **Save** to save the details.

The inter branch parameters is successfully created and can be viewed using the **View Inter Branch Parameters** screen.

5. Click **Cancel** to discard the changes and close the screen.



1.29.2 View Inter Branch Parameters

This topic describes the systematic instructions to view the list of configured inter branch parameters.

The user can configure an inter branch parameters using **Create Inter Branch Parameters** screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Inter Branch Parameters.
- 2. Under Inter Branch Parameters, click View Inter Branch Parameters.

The View Inter Branch Parameters screen displays.

20					
Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:
Branch1 BR4 Branch2 BR5	Branch1 006 Branch2 003	Branch1 555 Branch2 777	Branch1 006 Branch2 004	Branch1 BR6 Branch2 BR5	Branch1 444 Branch2 888
Unauthorized 🔒 Closed 🖾 2	🗋 Unauthorized 🔒 Closed 🗟 2	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	Dunauthorized 🔓 Open 🖾 1
Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:	Inter Branch Parameters:		
Branch1 123 Branch2 321	Branch1 132 Branch2 312	Branch1 BR3 Branch2 BR2	Branch1 DMO Branch2 006		
Unauthorized 🔓 Open 🖾 2	🗅 Unauthorized 🔒 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗅 Unauthorized 🔒 Open 🖾 1		

Figure 1-66 View Inter Branch Parameters

Field	Description	Comments
Branch 1	This field denotes the Branch 1 that is configured.	Branch code for first branch.
Branch 2	This field denotes the Branch 2 that is configured.	Branch code of second branch.
Authorization Status	 This field denotes authorization status of the GL Code. The options are: Authorized Rejected Unauthorized 	Authorization status of the record.
Record Status	 This field denotes the record status of the GL Code. The options are: Open Closed 	Record status of the record.
Modification Number	Displays the number of modification performed on the record.	Number of modification done on this record.

 Table 1-68
 View Inter Branch Parameters – Field Description



1.30 Language Code

This topic describes the information to configure a language code.

This topic contains the following subtopics:

- Create Language Code
 This topic describes the systematic instructions to configure a language code.
- View Language Code This topic describes the systematic instructions to view the list of configured host codes.

1.30.1 Create Language Code

This topic describes the systematic instructions to configure a language code.

Specify User ID and Password, and login to Home screen.


- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click Create Language Code.

The Create Language Code screen displays.

Create Language Code			45.0
Language Code			
Language Name	Display Direction	Language ISO Code	
			Cancel Sav

Figure 1-67 Create Language Code

3. Specify the fields on Create Language Code screen.





Field	Description						
Language Code	Specify the code for the language.						
Language Name	Specify the name for the language associated with the language code.						
Display Direction	Specify the display direction.						
Language ISO Code	Specify the language ISO code.						

Table 1-69 Create Language Code – Field Description

4. Click **Save** to save the details.

The language code is successfully created and can be viewed using the View Language Code screen.

1.30.2 View Language Code

This topic describes the systematic instructions to view the list of configured host codes.

The user can configure language code using Create Language Code screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click View Language Code.

The View Language Code screen displays.

Figure 1-68 View Language Code

+ 0		
anguage ISO Code: N	Language ISO Code: 004 :	
anguage Code ENG anguage ENGLISH	Language Code SAN Language SAN	
Authorized 🔓 Open 🖾 3	D Authorized 🔓 Open 🖾 1	

For more information on fields, refer to the field description table.

Table 1-70 View Language Code – Field Description

Field	Description
Language ISO Code	Displays the default branch code associated with the host code.
Language Code	Displays the processing time zone.
Language Name	Displays the host code details.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-70 (Cont.) View Language Code – Field Description

1.31 Local Holiday

This topic describes the information to configure a local holiday.

This topic contains the following subtopics:

- Create Local Holiday This topic describes the systematic instructions to configure local holidays.
- View Local Holiday This topic describes the systematic instructions to view the list of configured local holidays.

1.31.1 Create Local Holiday

This topic describes the systematic instructions to configure local holidays.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click Create Local Holiday.

The Create Local Holiday screen displays.



ranch (ode									1	feer										Weekly Holidays		Unexpected it	folidays	
					Q																				
															Req	uired									
2	ine 2	0.07							1	uly 20;	77						igust	2027							
			w	т	F		5	м		w w		F	5	ş	м		-	т т	F	,					
				1	2	3							1			1	2	3	4	5					
4			7	8	9	10	2	3	4	5		7	8		7			10	11	τ					
				15		17				12			15	13					18						
11	12	13	14		16		9	10	11	-	13	14		-	14	15	16	17							
18	19	20	21	22	23	24	16	17	18	19	20	21	22	20	21	22	23	24	25	2					
25	26	77	28	29	30		23	24	25	26	27	28	29	27	28	29	30	31							
							30	31																	
				r 2023	F					ober 2	1023							r 2023 T							
5	м		w	1	1		1	2	т 3	4	5	, ,	7	,	м		1		3						
	4																								
3	4	5	6	7	8	0	8	9	10	11	12	13	14	5	6	7	8	9	10	1					
10	11	12	13	14	15	16	15	16	17	18	19	20	21	12	13	14	15	16	17	1					
17	18	19	20	21	22	23	22	23	24	25	26	27	28	19	20	21	22	23	24	2					
24	25	26	27	28	29	30	29	30	31					26	27	28	29	30							
				2023						uary 2								2024							
5	м		w	τ	r 1		5	1	7	3	Ţ	5	5 6		м	Ŧ	w		2						
									ŕ																
3	4	5	6	7	8	9	7	8	9	10	11	12	13	4	5	ò	7	8	9	10					
10	11	12	13	14	15	16	14	15	16	17	18	19	20	11	12	13	14	15	16	1					
17	18	19	20	21	22	23	21	22	23	24	25	26	27	18	19	20	21	22	23	2					
24	25	26	27	28	29	30	28	29	30	31				25	26	27	28	29							
31																									
			arch 2						Aj	pril 20									lay 20						
s	м	т	w	т	F		s	м				F		s	м	т		Т							
					1			1	2	3	4	5	ô				1	2							
3	4	5	6	7	8	9	7	8	0	10	11	12	13	5	6	7	8	9	10	1					
10	11	12	13	14	15	16	14	15	16	17	18	19	20	12	13	14	15	16	17	1					
17	18	19	20	21	22	23	21	22	23	24	25	26	27	19	20	21	22	23	24	2					
24	25	26	27	28	29	30	28	29	30					26	27	28	29	30	31						
31																									
31																									

Figure 1-69 Create Local Holiday

3. Specify the fields on **Create Local Holiday** screen.



The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

 Table 1-71
 Create Local Holiday – Field Description

Field	Description						
Branch Code	Click Search icon to view and select the required branch code.						
Year	Specify the year details.						
Weekly Holidays	By default, this is disabled. If selected, you can define weekly holidays.						
Unexpected Holidays	By default, this is disabled. If selected, you can define unexpected holidays.						

4. Select the dates using the calendar.

Note:

The selected dates appear in pink highlighted circle.



5. Click **Save** to save the details.

The local holiday is successfully created and can be viewed using the View Local Holiday screen.

1.31.2 View Local Holiday

This topic describes the systematic instructions to view the list of configured local holidays.

The user can configure local holiday using Create Local Holiday screen.

Specify User ID and Password, and login to Home screen.

- **1.** From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click View Local Holiday.

The View Local Holiday screen displays.

+ 0													≣≡
Branch Code: BI2	:	Branch Code: SRI		:	Branch Code: JH1		:	Branch Code: ICY		:	Branch Code: RTO		:
Jnexpected N fear 2018		Unexpected N Year 20	18		Unexpected N Year 2	l 021		Unexpected N Year 20	I 019		Unexpected N Year 20	021	
Authorized 🔓 Open	2 1	D Authorized	🔓 Open	2	C Authorized	🔓 Open	₫1	D Authorized	🔓 Open	@1	D Authorized	🔓 Open	1
ranch Code: ′UB	:	Branch Code: BR5		:	Branch Code: BR5		:	Branch Code: BR5		:	Branch Code: OB1		:
nexpected N ear 2021		Unexpected N Year 20			Unexpected N Year 2	l 019		Unexpected N Year 20	I 020		Unexpected N Year 20	019	
Authorized 🔒 Open	₫5	C Authorized	🔓 Open	1	D Authorized	🔓 Open	[2]1	C Authorized	🔓 Open	圖1	C Authorized	🔓 Open	図1

Figure 1-70 View Local Holiday

 Table 1-72
 View Local Holiday – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Unexpected Holiday	Indicates if the record is an unexpected holiday.
Year	Displays the year of the holiday.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.



1.32 Media

This topic describes the information to configure the media.

This topic contains the following subtopics:

- Create Media This topic describes the systematic instructions to configure media.
- View Media This topic describes the systematic instructions to view the list of configured media.

1.32.1 Create Media

This topic describes the systematic instructions to configure media.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click Create Media.

The Create Media screen displays.

Create Media			1
fedia Code			
Required			
ledia Description			
Required			
edia Number	Message Terminator	Message Suffix	Stop Process
			•
adding Required	TW Required Status	Media Priority	No Of Character
3		× •	× •
		Required	
~ t•			
Media Code	Compatible Media		
Required			
			Cancel Se

Figure 1-71 Create Media

3. Specify the fields on Create Media screen.





Field	Description	
Media Code	Specify a unique media code to identify while associating with an advice.	
Media Description	Specify additional information about the media.	
Media Number	Specify a unique number for the media type.	
Message Terminator	Specify the padded characters to mark the end of an incoming messages.	
Message Suffix	Specify the padding characters to mark the end of an outgoing messages.	
Stop Process	By default, this option is disabled. f selected, halts the processing of incoming and outgoing messages.	
Padding Required	By default, this option is disabled. If selected, pads the characters in every outgoing messages.	
TW (Test Word) Required Status	By default, this option is disabled. If selected, enables the option for word testing.	
Media Priority	Specify the media priority from the spin box. When a message is dispatched to the customers, the media type used for sending the messages will be the one that is on high priority.	
Number of Character	Specify the number the padding characters should be repeated for the advice from the spin box.	
Media Code	Specify the unique media code to identify while associating with an advice.	
Compatible Media	By default, this option is disabled. If selected, indicates the media is compatible.	

Table 1-73 Create Media – Field Description

- 4. Click + to add media details.
- 5. Click **Save** to save the details.

The media is successfully created and can be viewed using the View Media screen.

1.32.2 View Media

This topic describes the systematic instructions to view the list of configured media.

The user can configure media using Create Media screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click View Media.

The View Media screen displays.

iew Media				::
+ 0				8
^{redia:} est_media	:	Media: Email	:	
fedia No -		Media No -		
Authorized 🔓 Open	@1	D Authorized	Ipen 🖾 1	

Figure 1-72 View Media



For more information on fields, refer to the field description table.

Field	Description
Media	Displays the name of the media.
Media Number	Displays the number of the media.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

 Table 1-74
 View Media – Field Description

1.33 MIS Class

This topic describes the information to configure an MIS Class.

Management Information System (MIS) Class represents an entity type for which financial institutions or banks can generate reports. Banks can have multiple entities to configure the MIS classes.

This topic contains the following subtopics:

- MIS Class Maintenance This topic describes the systematic instructions to configure the MIS Class.
- MIS Class Summary

This topic describes the systematic instructions to view the list of configured MIS Class.

1.33.1 MIS Class Maintenance

This topic describes the systematic instructions to configure the MIS Class.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click MIS Class.
- 2. Under MIS Class, click Create MIS Class.


The Create MIS Class screen displays.



IIS Code Details			Required		
Action	C MIS Cod	e	Description 0	Active	
No data to display.					

Figure 1-73 Create MIS Class

3. Specify the fields on **Create MIS Class** screen.



For more information on fields, refer to the field description table.

Table 1-75	Create MIS Class – Field Description
------------	--------------------------------------

Field	Description
MIS Class	MIS Class across which the report must be generated. For example, if CASA reports must be taken, MIS class can be CASA.
Description	Provide MIS Class description.
MIS Type	 Select the appropriate MIS type. The available options are: Transaction Class Composite Class Customer Class Transaction Class - For profitability reports Composite Class - Combination of customer and Transaction type of MIS class to view the details of different kind of funds like Mutual Funds, growth funds and income funds. Bank can define Funds as the MIS class. Customer Class - MIS class belongs to a customer type for generating profitability report of a customer.
Mandatory	Select the toggle to make the MIS Code mandatory. If mandatory toggle is on, MIS codes to be linked to the class must be provided.

4. Click to add the MIS Code to the MIS Class respectively.

+



5. Click **Save** to save the details.

The MIS Class is successfully created and can be viewed using the MIS Class Summary screen.

6. Click **Cancel** to discard the changes and close the screen.

1.33.2 MIS Class Summary

This topic describes the systematic instructions to view the list of configured MIS Class.

The user can configure an MIS Class using MIS Class Maintenance screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click MIS Class.
- 2. Under MIS Class, click View MIS Class.

The View MIS Class screen displays.

Figure 1-74 View MIS Class

. + 0					8≡
MIS Class: SECTOR :	MIS Class: LOCATION :	MIS Class: JEKDK :	MS Class: CLS01 :	MIS Class: CATEGORY :	MS Class: Cost
Description Sector MIS Type T	Description Composite Class1 MIS Type O	Description sjdlfksl MIS Type T	Description MIS class 001 MIS Type T	Description Customer Category MIS Type C	Description Cost centre MIS Type C
DAuthorized 🔓 Open 🖾 3	D Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖄 1	D Authorized 🔓 Open 🖾 1
MIS Class: XYX :	MIS Class: AREA	MIS Class: testcls1	MS Class: 4543		
Description test MIS Type O	Description Area of Operation MIS Type T	Description fffff MIS Type T	Description hgthg MIS Type T		
🗅 Unauthorized 🔓 Open 🖉 1	🗅 Authorized 🔓 Open 🖉 1	D Authorized 🔓 Open 🖉 1	🗅 Unauthorized 🔒 Open 🕑 1		

Table 1-76 View MIS Class – Field Description

Field	Description		
MIS Class	Displays the configured MIS Class.		
Description	Displays the description of the MIS Class.		
MIS Type	Displays the type of MIS Class.		
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized		
Record Status	Displays the status of the record. The options are: • Open • Closed		
Modification Number	Displays the number of modification performed on the record.		



1.34 MIS Group

This topic describes the information to configure an MIS Group.

MIS Group user interface facilitates in grouping of several MIS Entities or MIS Classes. MIS group that is created is linked to an account or product or transaction. Based on the MIS classes or entities linked to it, various kind of reports can be generated which helps the banks in performing further analysis.

This topic contains the following subtopics:

- MIS Group Maintenance This topic describes the systematic instructions to configure the MIS group.
- MIS Group Summary This topic describes the systematic instructions to view the list of configured MIS group.

1.34.1 MIS Group Maintenance

This topic describes the systematic instructions to configure the MIS group.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click MIS Group.
- 2. Under MIS Group, click Create MIS Group.

The Create MIS Group screen displays.

Create MIS Group				:: ×
MIS Group	Description			
Required		Required		
Customer Class		Composite Class		Transaction Class
MIS Class 1	MIS Code		Description	
		Q		
MIS Class 2	MIS Code		Description	
		Q		
MIS Class 3	MIS Code		Description	
		Q		
		<u> </u>		

3. Specify the fields on Create MIS Group screen.





Field	Description
MIS Group	Specify the MIS Group that need to be linked to an account/ product/transaction. MIS Group to be provided
Description	Specify the description about the mentioned MIS Group.
Customer MIS	Search the MIS Code that was maintained across the listed Customer MIS Class, in MIS Class maintenance screen. Customer MIS Classes maintained in MIS Class screen will be listed automatically.
Transaction MIS	Search the MIS Code that was maintained across the listed Transaction MIS Class, in MIS Class maintenance screen. Transaction MIS Classes maintained in MIS Class screen will be listed automatically.
Composite MIS	Search the MIS Code that was maintained across the listed Composite MIS Class, in MIS Class maintenance screen. Composite MIS Classes maintained in MIS Class screen will be listed automatically.

Table 1-77 Create MIS Group – Field Description

4. Click **Save** to save the details.

The MIS Group is successfully created and can be viewed using the **MIS Group Summary** screen.

5. Click **Cancel** to discard the changes and close the screen.

1.34.2 MIS Group Summary

This topic describes the systematic instructions to view the list of configured MIS group.

The user can configure an MIS Group using **MIS Group Maintenance** screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click MIS Group.
- 2. Under MIS Group, click View MIS Group.

The View MIS Group screen displays.

Figure 1-76	View MIS Group
-------------	----------------

IIS Group:	:	MIS Group:	MIS Group:	MS Group:	MIS Group:	MIS Group:
MIS Group MIG_GROUP1 Description LARGE		MIS Group TESTGRP1 Description dfdfd	MIS Group SAVINF Description SAVINF	MIS Group CABINF Description CABINF	MIS Group MNCCUR Description MNCCUR	MIS Group MI3 Description MI3
Authorized 🔓 Open	Ø٥	🗅 Unauthorized 🔓 Open 🖾 2	D Authorized 🔓 Open 🖾 1	DAuthorized 🔓 Open 🖾 1	🗋 Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1
NS Group:	:	MIS Group:	MIS Group:	MS Group:		
AlS Group MIS1 Description MIS1		MIS Group TEST1 Description Test	MIS Group GRP01 Description MIS group 001	MIS Group 6786 Description gygjhgyuff		
Unauthorized 🔓 Open	図1	Dunauthorized 🔓 Open 🖉 1	D Authorized 🔓 Open 🖄 1	Dunauthorized 🔓 Open 🖄 1		



Field	Description			
MIS Group	Displays the name of the MIS group.			
Description	n Displays the description of the MIS group.			
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized			
Record Status	Displays the status of the record. The options are: • Open • Closed			
Modification Number	Displays the number of modification performed on the record.			

Table 1-78 View MIS Group – Field Description

1.35 Multi-Currency Account Linkage

This topic describes the information to link the sub-accounts to a core multi-currency account.

This topic contains the following subtopics:

Create MCA Linkage

This topic describes the systematic instructions to link the sub-accounts to a core multicurrency account.

• View MCA Linkage

This topic describes the systematic instructions to view the list of configured subaccounts to a core multi-currency account.

1.35.1 Create MCA Linkage

This topic describes the systematic instructions to link the sub-accounts to a core multicurrency account.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click Create MCA Linkage.

The Create MCA Linkage screen displays.




Cancel Save

Figure 1-77 Create MCA Linkage	
--------------------------------	--

eate MCA Linkage			
ulti-Currency Account No			
Q Required			
Sub Accounts			
Eurrency Code	Account Number	Primary 0	Action ©
No data to display.			
age 1 (0 of 0 items) I< 4	1 → >		

3. Specify the fields on **Create MCA Linkage** screen.



For more information on fields, refer to the field description table.

Field	Description
Multi-Currency Account No	Click Search icon to view and select the multi-currency account number from the list of values.
Sub Accounts	Displays the details of the sub accounts.
Currency Code	Specify the currency code of the sub account.
Account Number	Specify the account number of the sub account.
Primary	Select Yes, if the sub account is Primary. If it is not Primary, select No.

4. Click Save to save the details.

The MCA linkage is successfully created and can be viewed using the View MCA Linkage screen.

1.35.2 View MCA Linkage

This topic describes the systematic instructions to view the list of configured subaccounts to a core multi-currency account.

The user can configure MCA linkage using Create MCA Linkage screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click View MCA Linkage.



The View MCA Linkage screen displays.

Figure 1-78 View MCA Linkage

λ + Φ		
Multi-Currency Account Number: MCACC1	Multi-Currency Account Number: CUST000001	
Customer STRCUSTGROUP	Customer WYNCUST41	
🗅 Unauthorized 🔓 Open 🖾 9	C Authorized	

For more information on fields, refer to the field description table.

Field	Description		
Multi-Currency Account Number	Displays the multi-currency account number.		
Customer Number	Displays the customer number.		
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized		
Record Status	Displays the status of the record. The options are: • Open • Closed		
Modification Number	Displays the number of modification performed on the record.		

 Table 1-80
 View MCA Linkage – Field Description

1.36 Process Code

This topic describes the information to set the process code to the individual stages according to the process.

This topic contains the following subtopics:

Process Code Maintenance

This topic describes the systematic instructions to define the stages for a particular process.

View Process Code

This topic describes the systematic instructions to view the list of configured process codes.



1.36.1 Process Code Maintenance

This topic describes the systematic instructions to define the stages for a particular process.

The process code information in this screen will be used in further business processing to construct the stages.

Specify User ID and Password, and login to Home screen.

1. On Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.

The **Process Code** screen displays.

Freate Process Code						
nss Code Required		Process Descrip		suired	Process Version Process Version Require	omain
Stage ID	Stage Description	Seq Order	Source Stage	Task Type		
lo Data to Display						
				Add R	9W	
Phase Code	Phase Description		Seq Order	Stage ID		
lo Data to Display						
				Add R	w	

Figure 1-79 Process Code

2. Specify the fields on Process Code screen.




 Table 1-81
 Process Code – Field Description

Field	Description
Process Code	Specify the code.
Process Name	Specify the process name.
Process Version	Specify the process version.
Domain	Specify the process domain.
Stage ID	Specify the unique stage ID.
Stage Description	Specify the stage description.
Seq Order	Displays the sequential order of the stage in the entire process.



Field	Description
Source Stage	Select it to indicate if the specific stage is the source stage of the process.
Add Row	Click Add Row to add a row and to capture the stage details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete a row with stage details.
Phase Code	Specify the phase code.
Phase Description	Specify the phase description.
Seq Order	Displays the sequential order of the phase.
Stage ID	Select the stage ID from the drop down list. Available options in the drop-down will be based on Stage ID mentioned at Process Code level.
Add Row	Click Add Row to add a row and to capture the phase details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete a row with phase details.

Table 1-81 (Cont.) Process Code – Field Description

3. Click **Save** to save the details.

The process code is successfully created and can be viewed using the View Process Code screen.

1.36.2 View Process Code

This topic describes the systematic instructions to view the list of configured process codes.

The user can configure process code using Process Code Maintenance screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.
- 2. Under Process Code, click View Process Code.

The View Process Code screen displays.

Figure 1-80 View Process Code

rocess Code: MBLN1	Process Code: CURORG	Process Code: CPOB	Process Code: PAMD	Process Code: RLNORG	Process Code: FPAM
rocess SMB Loan Origination rocess Code SMBLN1	Process Current Account Process Code CURORG	Process Corporate Party Process Code CPOB	Process PartyAmendment Process Code PAMD	Process Retail Loan Originati Process Code RLNORG	Process Financial Insitution Process Code FPAM
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1
rocess Code: NSTANTACC	Process Code: SAVORG	Process Code: TDORG	Process Code: SMB001		
rocess INSTANTACCOUNT rocess Code INSTANTACC	Process Savings Account Process Code SAVORG	Process Term Deposit Process Code TDORG	Process Small and Medium Process Code SMB001		
Authorized 🔒 Open 🖉 1	C Authorized	🕃 Authorized 🔓 Open 📝 1	C Authorized 合 Open ☑1		



Field	Description
Process Code	Displays the process code.
Description	Displays the description of process code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-82 View Process Code – Field Description

1.37 Priority Code

This topic describes the information to configure an Priority Code.

Priority Code defines the priority of the application. They can be mapped to a particular customer for specific process codes.

This topic contains the following subtopics:

- Priority Code Maintenance This topic describes the systematic instructions to view the list of configured Priority Code Maintenance.
- Customer Priority Maintenance This topic describes the systematic instructions to view the list of configured Customer Priority Maintenance.

1.37.1 Priority Code Maintenance

This topic describes the systematic instructions to view the list of configured Priority Code Maintenance.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Priority Code.
- 2. Under Priority Code, click Priority Code Maintenance.

The Priority Code Maintenance screen displays.



rity Code Maintenance				
Ģ				13 BB
Name: Priority Code Maintenance	:			
Maker TRMAINT01				
🗅 Authorized 🔒 Open	2 1			

Figure 1-81 Priority Code Maintenance

For more information on fields, refer to the field description table.

Table 1-83 Priority Code Maintenance – Field Description

Field	Description
Name	Displays the name of the priority code configured.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.37.2 Customer Priority Maintenance

This topic describes the systematic instructions to view the list of configured Customer Priority Maintenance.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Priority Code.
- 2. Under Priority Code, click Customer Priority Maintenance.

The **Customer Priority Maintenance** screen displays.



Figure 1-82 Customer Priority Maintenance

Customer Name: ACME CORPORATION	Customer Name: ABXP829	
Dustomer 001222 Maker Id ATMAKER4	Customer 000530 Maker Id ATMAKER4	
Unauthorized 🔓 Open 🖾 O	🗅 Unauthorized 🔓 Open 🖾 0	

For more information on fields, refer to the field description table.

Table 1-84	Customer Priority Maintenance – Field Description
------------	--

Field	Description	
Customer Name	Displays the name of the customer priority configured.	
Customer Code	Displays the code of the customer priority.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	

3. Click

button to configure the new customer priority maintenance.

The **Customer Priority Maintenance** screen displays.

istomer Number	Customer Name	Branch		
Q		DMO-FIELD OFFICE	•	
Required				_
Process Code	Process Name		Priority	Edit
No data to display.				

Figure 1-83 Customer Priority Maintenance

4. Specify the fields on **Customer Priority Maintenance** screen.



Field	Description
Customer Number	Select the Customer number from list for which priority needs to be mapped. Retrieves list of existing customers.
Customer Name	Displays the name of the selected customer. It is read-only. Populates value of customer name.
Branch	Select the branch of the customer from the drop-down list. This is user specific.
+	Click '+' icon to add the new row for the process codes configuration. This is for new customer priority mapping.
Process Code	Select the process code form the list for defining the priority. Process code for that flow.
Process Name	Displays the name of the selected process code. It is read-only. Populates value of process name.
Priority	Select the priority of the process code from the drop-down list. Specific priority to be assigned.
Edit	Click the Edit action button to modify the details.

 Table 1-85
 Customer Priority Maintenance – Field Description



1.38 Pricing Source System

This topic describes the information to configure the pricing source system.

This topic contains the following subtopics:

Create Pricing Source System

This topic describes the systematic instructions to configure pricing source system details.

• View Pricing Source System This topic describes the systematic instructions to view the list of configured Pricing Source system.

1.38.1 Create Pricing Source System

This topic describes the systematic instructions to configure pricing source system details.

Specify User ID and Password, and login to Home screen.


- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click Create Pricing Source System.

The Create Pricing Source System screen displays.

Create Pricing Source System

Figure 1-84 Create Pricing Source System

3. Specify the fields on Create Pricing Source System screen.





Field	Description
Pricing Source System	Specify the pricing source system.
Pricing Source Description	Specify the additional information about the Pricing Source system.

Table 1-86 Create Pricing Source System – Field Description

4. Click **Save** to save the details.

The pricing source system is successfully created and can be viewed using the View Pricing Source System screen.

1.38.2 View Pricing Source System

This topic describes the systematic instructions to view the list of configured Pricing Source system.

The user can configure the pricing source system using Create Pricing Source System screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click View Pricing Source System.

The View Pricing Source System screen displays.

Figure 1-85 View Pricing Source System

View Pricing Source System	3 r ×
$A + \phi$	i se
Pricing Source System: Test1 :	
Pricing Sourc test	
Dunauthorized & Open 21	
age 1 of 1 (1-1 of 1 items) < (1 + >	

Field	Description
Pricing Source System	Displays the name of the Pricing Source system.
Pricing Source System Description	Displays any additional information of the Pricing Source system.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized



Field	Description	
Record Status	Displays the status of the record. The options are: • Open • Closed	

 Table 1-87
 (Cont.) View Pricing Source System – Field Description

1.39 Resource Class

This topic describes the information to configure an Resource Class.

This topic contains the following subtopics:

- Create Resource Class
 This topic describes the systematic instructions to configure the resource class.
- View Resource Class This topic describes the systematic instructions to view the list of configured resource class.

1.39.1 Create Resource Class

This topic describes the systematic instructions to configure the resource class.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Resource Class.
- 2. Under Resource Class, click Create Resource Class.

The Create Resource Class screen displays.

Create Resource Class		;; ×
Code Enter Resource Class Code Resulted	Description Enter Resource Class Desc Resource R	
Kernel Domains Image: terminal state Data Segments		
Extended Domain 1 Domain Q Data Segments +	UK.	
	Cano	al Save

Figure 1-86 Create Resource Class

3. Specify the fields on Create Resource Class screen.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 1-88	Create Resource Class – Field Description
------------	---

Field	Description			
Code	Specify the Code for the resource class to configure.			
Description	Specify the description for the code.			
Kernel Domains	This section provides the information related to kernel domains.			
Ŧ	Click this icon to add the new kernel domain.			
Domains	Click Search and select the domain from the list			
Data segments	Click '+' and select the required data segments for the domain to b configured			
Extended Domain	This section provides the information related to extended domains.			
Ŧ	Click this icon to add the new extended domain.			
Domains	Click Search and select the domain from the list.			
URL	Specify the URL of the selected domain.			
Data segments	Click '+' and select the required data segments for the domain to be configured.			

4. Click Save to save the details.

The resource class is successfully created and can be viewed using the **View Resource Class** screen.

5. Click **Cancel** to discard the changes and close the screen.

1.39.2 View Resource Class

This topic describes the systematic instructions to view the list of configured resource class.

The user can configure an resource class using **Create Resource Class** screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Resource Class.
- 2. Under Resource Class, click View Resource Class.

The View Resource Class screen displays.



																l
Resource Class Code: DDDDD	:	Resource Class Code: SdfSdf	:	Resource Class Code: RESOURCE1			Resource Class Code: Resource 2		:	Resource Class Code: RESOURCE		:	Resource Class Code: RESR		:	
Resource Classdfsdfsdfsdf		Resource Classdfsdfsdf		Resource Clasde	cription		Resource Clasdev	rc		Resource Clasdes	cription		Resource Clasdsf	sdf		
Authorized 🔒 Open	₿3	D Unauthorized 🔓 Open	⊘ 1	D Unauthorized	🔓 Open	21	D Unauthorized	🔓 Open	₫4	D Unauthorized	🔓 Open	[2]1	D Unauthorized	🔓 Open	21	
lesource Class Code: DEVRES1	:	Resource Class Code: asddsad	:													
esource Clastest		Resource Clas asdsad														
Unauthorized 🔓 Open	21	Dunauthorized 🔓 Open	☑1													

Figure 1-87 View Resource Class

For more information on fields, refer to the field description table.

 Table 1-89
 View Resource Class – Field Description

Field	Description
Resource Class Code	Displays the code of the resource class.
Resource Class Description	Displays the description of the resource class.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.40 SLA Maintenance

This topic describes the information to configure an SLA maintenance.

This topic contains the following subtopics:

- Create SLA Maintenance
 This topic describes the systematic instructions to configure the SLA maintenance.
- View SLA Maintenance

This topic describes the systematic instructions to view the list of configured SLA maintenance.

1.40.1 Create SLA Maintenance

This topic describes the systematic instructions to configure the SLA maintenance.

Specify User ID and Password, and login to Home screen.

1. On Home screen, click Core Maintenance. Under Core Maintenance, click SLA Maintenance.




2. Under SLA Maintenance, click Create SLA Maintenance.

The **Create SLA Maintenance** screen displays.

Create SLA				11
uct/Application Code	Product/Application Name			
Q				
Required	Business Process Name	Branch	Branch Working Hours	
		006-Bank Futura - Integrated B 💌	0	
on Number	Include for SLA calculation			
	Branch Holidays Currency Holidays Ho	d Time Customer Clarification Off-Branch Time Transaction		
			Calculate	

Figure 1-88 Create SLA Maintenance

3. Specify the fields on **Create SLA Maintenance** screen.



For more information on fields, refer to the field description table.

 Table 1-90
 Create SLA Maintenance – Field Description

Field	Description
Product/Application Code	Click Search icon and select the Product or Application Code.
Product/Application Name	Displays the name of the Product/Application.
Business Process Code	Click Search icon and select the Business Process Code for which the SLA maintenance has to be made.
Business Process Name	Displays the Business Process name based on the Business Process code selected.
Branch	Select the branch code for which SLA maintenance has to be done.
Branch Working Hours	Click the icon to view the branch working hours.
Include for SLA Calculation	Select the checkbox to consider the below options for the SLA calculation. The available options are: Branch Holidays Currency Holidays Hold Time Customer Clarification Off Branch Time Transactions

4. Click Calculate to view data will appear for the selected Business process code



5. Click **Save** to save the details.

The SLA Maintenance is successfully created and can be viewed using the View SLA Maintenance screen.

6. Click **Cancel** to discard the changes and close the screen.

1.40.2 View SLA Maintenance

This topic describes the systematic instructions to view the list of configured SLA maintenance.

The user can configure an SLA maintenance using Create SLA Maintenance screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click SLA Maintenance.
- 2. Under SLA Maintenance, click View SLA Maintenance.

The View SLA Maintenance screen displays.

Figure 1-89 View SLA Maintenance

R + 0					
Process Code:	Process Code:	Process Code:	Process Code:	Process Code:	
ELCAMD :	SGTISS :	ILCISS :	EDCLIQ :	GTEAMD :	
Application TRMO	Application TRMO	Application TRMO	Application TRMO	Application TRMO	
Version 1	Version 2	Version 3	Version 1	Version 1	
Maker KIRANO2	Maker RAKESH02	Maker PRATHIBA01	Maker SUNDAR02	Maker APARNA2	
🕻 Authorized 🔒 Open 🖾 1	🗋 Unauthorized 🛛 🔓 Open 🖉 2	Closed ≥ 3	🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	
Process Code:	Process Code:	Process Code:	Process Code:	Process Code:	
IDCUPD :	ILCAMD :	IDCBKG :	ELCADV :	EDCUPD :	
Application TRMO	Application TRMO	Application TRMO	Application TRMO	Application TRMO	
Version 1	Version 1	Version 1	Version 2	Version 1	
Maker SUNDAR02	Maker SUJANA01	Maker SUNDAR02	Maker SUNDARO2	Maker APARNA2	
Dunauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🗹 1	D Unauthorized 🔓 Open 🖾 2	Unauthorized 🔓 Open 🖾 1	

Table 1-91 View SLA Maintenance – Field Description

Field	Description
Process Code	Displays the process code of the SLA Maintenance configured.
Application	Displays the name of the application
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.



1.41 Screenclass

The maintenance screens of Oracle Banking Microservices Architecture product which are based on Resource Segment Orchestrator uses the screen class maintenance to maintain the list of data segments that are part of the maintenance screens.

The process flow-based screens of Oracle Banking Microservices Architecture product also use the screen class maintenance screen as part of the Business process maintenance screen of the product. Accordingly the data segments maintained as part of the screen class will be loaded when the process flow based screens are loaded.

This topic contains the following subtopics:

- Create Screenclass This topic describes the systematic instructions to configure the Screenclass.
- View Screenclass

The summary screen provides a list of configured **Screenclass Maintenance** screen. You can configure the Create Screenclass details using the. To process this screen, perform the following steps.

1.41.1 Create Screenclass

This topic describes the systematic instructions to configure the Screenclass.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Screenclass.
- 2. Under Screenclass, click Create Screenclass.

The Create Screenclass screen displays.

Create Screenclass				:: ×
Code	Description	Domain Q Pequited	Breadcrumb Position	
Resource Flag	- Nogerieu	1 Nogen of		
Add Datasegments				Ŧ
No Data Available				
				Cancel Save

Figure 1-90 Create Screenclass

3. Specify the fields on Create Screenclass screen.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

 Table 1-92
 Create Screenclass – Field Description

Field	Description
Code	Use this field to specify the screen class code that will be mapped to a resource class or used in the business process maintenance screen.
Description	This describes the list of data segments which are part of the screen class.
Domain	This describes the domain for which the screen class is created. It is a pick list and examples of the domain are Oracle Banking Party nd Common Core.
Breadcrumb Position	The data segments of the screen class will be loaded as part of the breadcrumbs. The position of the breadcrumb can be on the top or left.
Resource Flag	Select the toggle to enable the resource class code. This indicates that the Screen class is to be associated with a resource class.
Resource Class Code	Click Search icon and select the resource class code from the list. This indicates the resource class is mapped to the screen class. Based on the Resource class and the screen class mapping the data segments of the screen class are loaded when the resource is loaded. For example, the account class maintenance screen is a resource.
	Note: This field is active only if Resource Flag toggle is enabled.

4. Click **Save** to save the details.

The Screenclass is successfully created and can be viewed using the **View Screenclass** screen.

5. Click **Cancel** to discard the changes and close the screen.

1.41.2 View Screenclass

The summary screen provides a list of configured **Screenclass Maintenance** screen. You can configure the Create Screenclass details using the. To process this screen, perform the following steps.

The user can configure an Screenclass using Create Screenclass screen.



Specify **User ID** and **Password**, and login to **Home** screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Screenclass.
- 2. Under Screenclass, click View Screenclass.

The View Screenclass screen displays.

Figure 1-91 View Screenclass

ScreenClass Code: CMC_CHARGERULE	ScreenClass Code: OBPY_ORG_MAINTENANCE	ScreenClass Code: OBCMS_CASHFLOWMAINT	ScreenClass Code: OBSCFCM_CHARGE	ScreenClass Code: abc	ScreenClass Code: OBCMS_ARRANGEMENT
ScreenClass Common Core Charg	ScreenClass OBPY ORGANIZATIO	ScreenClass Cashflow Maintenanc	ScreenClass Charge Master	ScreenClass 123	ScreenClass Arrangement
🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 7
ScreenClass Code: DBCMS_PO_MANAGEMENT	ScreenClass Code: OBCMS_PRODUCT	ScreenClass Code: OBCMS_LOCATION	ScreenClass Code: OBCMS_CORPORATE_EN		
GcreenClass OBCMS_PO_MANAGEM	ScreenClass Product	ScreenClass Location Master	ScreenClass Corporate Enrichmen		
🗅 Authorized 🔓 Open 🖾 2	🗈 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 4		

For more information on fields, refer to the field description table.

Table 1-93 View Screenclass – Field Description

Field	Description
Screenclass Code	Displays the code of screenclass.
Screenclass Description	Displays the description of screenclass.
Status	Displays the status of the record.
Modification Number	Displays the number of modification performed on the record.

1.42 State Code

This topic describes the information to configure an State Code.

This topic contains the following subtopics:

- Create State Code This topic describes the systematic instructions to configure the State Code.
- View State Code
 This topic describes the systematic instructions to view the list of configured State Code.

1.42.1 Create State Code

This topic describes the systematic instructions to configure the State Code.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click State Code.
- 2. Under State Code, click Create State Code.


The Create State Code screen displays.



ate code	State Name	Country Code		
TE	Texas	US	Q	
				Cancel Save

Figure 1-92 Create State Code

3. Specify the fields on **Create State Code** screen.



For more information on fields, refer to the field description table.

Table 1-94 Create State Code – Field Description

Field	Description
State Code	Specify the code of the state.
State Name	Specify the name of the state.
Country Code	Click Search icon and select the country code for the state to be configured.

4. Click **Save** to save the details.

The State Code is successfully created and can be viewed using the View State Code screen.

5. Click **Cancel** to discard the changes and close the screen.

1.42.2 View State Code

This topic describes the systematic instructions to view the list of configured State Code.

The user can configure an State Code using Create State Code screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click State Code.
- 2. Under State Code, click View State Code.

The View State Code screen displays.



+ 0				
nate Code:	State Code:	State Code:	State Code:	State Code:
N-KL :	KL1	KL :		AK :
itate Name Kerala State	State Name Kerala	State Name Kerala	State Name Alabama	State Name Alaska
50 Numeric	ISO Numeric	ISO Numeric	ISO Numeric	ISO Numeric
Authorized 🔓 Open 🖾 4	🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	🗈 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1
tate Code:	State Code:	State Code:	State Code:	State Code:
	AZ	AR :	CA :	CO :
tate Name American Samoa	State Name Arizona	State Name Arkansas	State Name California	State Name Colorado
50 Numeric	ISO Numeric	ISO Numeric	ISO Numeric	ISO Numeric
Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1

Figure 1-93 View State Code

For more information on fields, refer to the field description table.

Table 1-95 View State Code – Field Description

Field	Description
State Code	Displays the State code.
State Name	Displays the name of state code.
ISO Numeric	Displays the ISO numeric.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

1.43 System Dates

This topic describes the information to view the system date details.

This topic contains the following subtopics:

View System Dates

This topic describes the systematic instructions to view the list of configured system dates.

1.43.1 View System Dates

This topic describes the systematic instructions to view the list of configured system dates.

Specify User ID and Password, and login to Home screen.

1. From Home screen, click Core Maintenance. Under Core Maintenance, click System Dates.



2. Under System Dates, click View System Dates.

The View System Dates screen displays.

Figure 1-94 View System Dates

Branch Code: BRO	:	Branch Code: 901		:	Branch Code: BR7		:	Branch Code: 003		:	Branch Code: 009		:	Branch Code: 063		:	
Today's Date 2018-03-30		Today's Date 20	18-03-30		Today's Date 2	018-03-30		Today's Date 2	018-03-30		Today's Date 21	015-05-12		Today's Date 20	017-05-02		
🗅 Authorized 🛛 🔓 Open	⊠1	C Authorized	🔓 Open	1	D Authorized	🔓 Open	21	D Authorized	🔓 Open	1	D Authorized	🔓 Open	⊠1	D Authorized	🔓 Open	1	
Branch Code: 207	:	Branch Code: 545		:	Branch Code: KP9		:	Branch Code: OL3		:							
Today's Date 2018-03-30		Today's Date 20	12-03-27		Today's Date 2	2018-03-30		Today's Date 2	017-04-01								
🗅 Authorized 🛛 🔓 Open	図1	D Authorized	🔓 Open	1	D Authorized	🔓 Open	21	D Authorized	🔓 Open	1							

For more information on fields, refer to the field description table.

Table 1-96 View System Dates – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Today's Date	Displays system current date.
Today's Date in Text	Displays the system current date in words.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Note:

When the entity is created from the Multi-Entity Maintenances, the System Dates for the Head Office (HO) Branch would be automatically created.

1.44 Transaction Code

This topic describes the information to configure the transaction code.

This topic contains the following subtopics:

Create Transaction Code

This topic describes the systematic instructions to configure transaction code details.



• View Transaction Code

This topic describes the systematic instructions to view the list of configured transaction code.

1.44.1 Create Transaction Code

This topic describes the systematic instructions to configure transaction code details.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click Create Transaction Code.

The Create Transaction Code screen displays.

insaction Code	Description	
insaction code	Description	
Required		
HECUTED		
urce System	Source Transaction Code	
Q		

Figure 1-95 Create Transaction Code

3. Specify the fields on Create Transaction Code screen.



 Table 1-97
 Create Transaction Code – Field Description

Field	Description
Transaction Code	Specify the transaction code details.
Description	Specify additional information about the transaction code.
Source System	Click Search icon to view and select the required source system.



Field	Description
Source Transaction Code	Specify the source transaction code details.

Table 1-97 (Cont.) Create Transaction Code – Field Description

4. Click Save to save the details.

The transaction code is successfully created and can be viewed using the View Transaction Code screen.

1.44.2 View Transaction Code

This topic describes the systematic instructions to view the list of configured transaction code.

The user can configure transaction code using Create Transaction Code screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click View Transaction Code.

The View Transaction Code screen displays.

Figure 1-96 View Transaction Code

(+ O						ΙΞ
Source System: FCUBS	Source System:					
Transaction 000 Source 000	Transaction 018 Source 018	Transaction 019 Source 019	Transaction 020 Source 020	Transaction 021 Source 021	Transaction CCP Source	
🗅 Authorized 🔒 Open 🖾 2	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1				
Source System: FCUBS	Source System: FCUBS	Source System: FCUBS	Source System: EXTSYS			
Transaction CHD Source CHD	Transaction CHG Source CHG	Transaction CQQ Source CQQ	Transaction CRE Source CRE			
🗈 Authorized 🔒 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1			

Table 1-98	View Transaction Code – Field Description
------------	---

Field	Description
Source System	Displays the source system details.
Transaction Code	Displays the transaction code details.
Source Transaction Code	Displays the source transaction code associated with the transaction code.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized



Field	Description
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 1-98 (Cont.) View Transaction Code – Field Description

1.45 Upload Source

Upload Source screen facilitates the maintenance of external systems like Oracle Digital Banking Experience, Oracle Banking Liquidity Management, and so on which can send transactions data to the common core.

This topic contains the following subtopics:

- Create Upload Source
 This topic describes the systematic instructions to create upload source.
- View Upload Source
 This topic describes the systematic instructions to view the list of configured source code.


1.45.1 Create Upload Source


This topic describes the systematic instructions to create upload source.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click Create Upload Source.

The Create Upload Source screen displays.





3. Specify the fields on **Create Upload Source** screen.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 1-99	Create Upload Source – Field Description

Field	Description	
Source Code	Specify the source code. This is a unique code created to identify for the external systems.	
Source Description	Specify a brief description about the external system.	
Base Data from Flexcube	This is a flag to decide whether a base data is coming from the Oracle Banking FLEXCUBE.	
	Note: By default, this is disabled.	
System Authorization Required	This is a flag to decide whether transactions coming from specified external system (Source code) requires authorization.	

4. Click **Save** to save the details.

The upload source is successfully created and can be viewed using the View Upload Source screen.

1.45.2 View Upload Source

This topic describes the systematic instructions to view the list of configured source code.

The user can configure upload source using Create Upload Source screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click View Upload Source.

The View Upload Source screen displays.



+ 0					
Apland Source: EXTSYS	Upload Source: VAM	Upload Source: OBEDX	Upload Source: FLEXCUBE	Upload Source: OBVAM	Upload Source: FCUBS
Source EXTSYS	Source VAM des	Source OBEDX	Source	Source OBVAM	Source
🗅 Authorized 🔓 Open 🖾 4	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🕻 Authorized 🔓 Open 🖉 2
Jpload Source: DBDX	Upload Source: IC	Upload Source: OBLM	Upload Source: OBPM :		
Source Oracle Banking	Source Interest and Charges	Source Oracle Banking	Source Oracle Banking		
Authorized 🔓 Open 🖾 1	🗈 Authorized 🔒 Open 🖾 1	D Authorized 🔓 Open 🖄 1	🗅 Authorized 🔒 Open 🖾 1		

Figure 1-98 View Upload Source

For more information on fields, refer to the field description table.

Field	Description	
Source Code	Specify the source code. This is a unique code created to identify for the external systems.	
Source Description	Specify a brief description about the external system.	
Base data from Flexcube	This is a flag to decide whether the base data is coming from Oracle Banking FLEXCUBE.	
System Authorization Required	This is a flag to decide whether transactions coming from specified external system (Source code) requires authorization.	

Table 1-100 View Upload Source – Field Description

1.46 Upload Source Preference

Upload Source Preference can set preferences for upload of a data from an external source. Example an external exchange rate source is sending exchange rates to the common core system.

This topic contains the following subtopics:

- Create Upload Source Preference This topic describes the systematic instructions to configure upload source preference.
- View Upload Source Preference This topic describes the systematic instructions to view the list of configured upload source preferences.

1.46.1 Create Upload Source Preference

This topic describes the systematic instructions to configure upload source preference.

Specify User ID and Password, and login to Home screen.




- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click Create Upload Source Preference. The Create Upload Source Preference screen displays.

ource code				
Q				
Required				
rror Handling				
In Error	On Override	On Repairable Exception	On Queue Exception	
leject	-	•	•	
Post Upload				
tatus	Purge Days	Allow Deferred Processing	Allow EOD with Deferred	
•				
Veletion Allowed	Reverse Allowed	Ammend Allowed	Proceed with EOD	

Figure 1-99 Create Upload Source Preference

3. Specify the fields on **Create Upload Source Preference** screen.



Field	Description
Source Code	Click Search icon to view and select the required source code.
On Error	Defaulted to reject.
On Override	 System generates override messages in case it encounters any discrepancies during data upload. You can select any of the following: Ignore: Select this option to ignore such error messages and continue with the upload process. Override: Select this option to log the override and proceed with the upload process. Reject: Select this option to reject the record.
On Repairable Exception	In case a serious error occurs during data upload, the system generates an error message. Select Reject to reject a record.
On Queue Exception	Select the queue exception from the drop-down list.
Post Upload	Specify the fields.



Field	Description
Status	 Select a status from the drop-down list. You can perform the following: Select Authorize to automatically authorize the data that is uploaded into the system. Select Unauthorized to un-authorize a record. The record will not be authorized automatically on upload. You have to manually authorize the data.
Purge Days	Specify the purging days if the purging of the data uploaded is required.
Allow Deferred	By default, this is disabled.
Processing	If selected, defers process the upload source preference.
Allow EOD with	By default, this is disabled.
Deferred	If selected, processes the EOD with deferred.
Deletion Allowed	By default, this is disabled. If selected, deletes the upload source preferences. Check this option to delete the process log.
Reverse	By default, this is disabled.
Allowed	If selected, reverses the upload source preferences.
Amend	By default, this is disabled.
Allowed	If selected, amends the upload source preferences.
Proceed with	By default, this is disabled.
EOD	If selected, proceeds with the EOD.

Table 1-101 (Cont.) Create Upload Source Preference – Field Description

4. Click Save to save the details.

The upload source preference is successfully created and can be viewed using the View Upload Source Preference screen.

1.46.2 View Upload Source Preference

This topic describes the systematic instructions to view the list of configured upload source preferences.

The user can configure upload source preference using Create Upload Source Preference screen.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click View Upload Source Preference.

The View Upload Source Preference screen displays.

Figure 1-100 View Upload Source Preference

View Upload Source Preferen	ce the second seco
Q + Q	
Source Code: FCUBS	
Status A Purge Days -	
🗅 Authorized 🔓 Open 🖾 1	
Page 1 of 1 (1. tof thema) K + 1 > X



Field	Description
Source Code	Click Search icon and select a source code maintained. Depending on the source code selection, the data is uploaded from that source into.
Status	Displays the status of the post upload.
Purge Days	Specify the days maintained for purging of the data uploaded.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

 Table 1-102
 View Upload Source Preference – Field Description

2 Bureau Integration Service

This topic provides the overview about the Bureau Integration Service.

Bureau Integration Service facilitates financial institutions to send requests to the credit bureau agencies for credit scores and reports. It also facilitates viewing reports received from the bureaus.

The credit report presents the credit information of an individual or a company, which is fetched by credit bureaus from various financial institutions. It is a detailed report, which contains the history of borrowings, repayment routine, defaults, and delays. This report contains vital information about a customer's credit score, personal information, employment details, contact information, and details of accounts in various banks of a given geographical region. The objective of this report is to present the financial history of an individual or a company, which further helps a bank to take a decision on granting a loan based on the credit score of a company or an individual.

For requesting and receiving the credit reports, bureau integration service is integrated with the financial institution or the product processor.

The oracle banking routing hub facilitates routing and transforming the information between the product processor, the underlying integration service and the bureau. The flow is as follows:

- **1.** The product processor requests bureau integration service for credit reports. It provides the required customer information for whom the report is requested.
- 2. The routing hub transforms the data and forwards the request to the bureau integration service.
- 3. Once the integration service receives the request, the data is processed based on various criteria. The criteria contain the rules and facts of the product processor that are maintained in the rules engine.
- 4. Bureaus to be called are identified based on evaluation of the rules.
- 5. The integration service then sends the request to the routing hub, which transforms the data and sends the request to the respective credit bureaus.
- 6. The bureau processes the request and sends the credit report back.
- 7. The routing hub receives the report and transforms the report as per the defined template and sends it back to bureau integration service.
- 8. Bureau integration service then saves the data, displays the credit report, and sends the same to the product processor through the routing hub.

One or more bureaus can be called based on evaluation of the rules. The bureaus can be either called simultaneously or based on the response from the previous bureau call.

Bureau integration service maintains aging for credit report of an applicant. History service allows to store and pull existing credit report of an individual customer. The integration service retrieves report from history for those applicants if subsequent call to same bureau is made within defined period, beyond which a new credit report is called from the bureau. Existing credit reports from history are sent back to the product processor.




In case of multiple applicants being received by bureau integration service as a part of a lending application, based on the evaluation of criteria, the integration service consolidates all the multiple bureau responses into one and sends it to the product processor.


A new bureau can be added with only a configuration and without any change in the code. Two lookup types are required to be created in the bureau integration service. One for bureau and another for bureau product type. The additional maintenance required is configuration of the new bureau in the routing hub.

Bureau integration service supports override of criteria rules if the product processor wants to call a specific bureau or bureau product, for an applicant. In such cases, bureau service will not check criteria for rules evaluation. Instead, bureau service will call the bureau as intimated by the product processor in the request. Here, product processor can list one or more bureau's to be called.

Bureau Integration service supports decoding of encoded pdf string from a bureau response to a pdf report using web content document server. The document server generates a unique document ID for each record stored. Bureau service can access the pdf reports using this document ID.

The below flow diagram depicts how bureau integration service works with the integrated product processor and interfaces with the routing hub for fetching and displaying the credit bureau reports:





Overview

This topic describes the overview about the Decision service.

System Parameter

This topic describes the information about the system parameter configured in Bureau Integration service.

Lookup

This topic describes the information about the lookup feature in Bureau Integration service.



- Product Processor This topic describes the information about the product processor.
- Criteria This topic describes the information about the criteria to identify the Credit Bureau.
- Credit Bureau Display This topic describes the information about Credit Bureau display.
- Integrating Bureau Integration Service with Oracle Banking Routing Hub This topic describes the information to integrate the Bureau Integration service with Oracle Banking Routing Hub.

2.1 Overview


This topic describes the overview about the Decision service.


The Decision service provides automatic decision making capabilities that can allow lenders to develop simple business processes and strengthen the decision-making process.

It gives flexibility to adjust the credit scoring model according to the lending policy.

When an organization calls the decision service to make a decision based on data attributes shared, system solves the best fit scoring model and provide scores and decisions.

Decision Service is a robust and scalable system that can be easily integrated with any product processor providing auto decision capability and risk based pricing.





Decision service can be called from various product processor such as Collections, Deposits, Loans, Insurance, Trade Finance or Payment etc. This product processor calls the decision service and the decision service intern uses the rule engine to configure various complex rules.

The decision service can calculate behavioral scores and suggest the best recommended collection strategy accordingly. For lending products, it can offer a credit score, a decision



based on the score, the recommended rate of interest and the ability to calculate which is the maximum amount that can be borrowed by the applicant.

2.2 System Parameter

This topic describes the information about the system parameter configured in Bureau Integration service.

System parameters define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- Set minimum days to pull credit bureau report from same bureau from initial pull.
- Credit bureau report purge days.

This topic contains the following subtopics:

Create System Parameter

This topic describes the systematic instructions to create system parameter by updating various details.

• View System Parameter This topic describes the systematic instructions to view the list of configured system parameter.

2.2.1 Create System Parameter

This topic describes the systematic instructions to create system parameter by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click System Parameter, under System Parameter, click Create System Parameter.

The Create System Parameter screen displays.

Figure 2-3 Create System Parameter

sic Details		
ameter Code	Parameter Description	
elect	Resident	
duct Processor	Value	
•		

3. On Create System Parameter screen, specify the fields.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-1 Create System Parameter - Field Description

Field	Description
Parameter Code	Select the parameter code from the drop-down list.
Parameter Description	Specify the short description for the parameter code.
Product Processor	Select the product processor from the drop-down list for which the parameter is being created.
Value	Specify the value for the parameter code.

4. Click Save to save the details.

The **System Parameter** is successfully created and can be viewed using the View System Parameter screen.

2.2.2 View System Parameter

This topic describes the systematic instructions to view the list of configured system parameter.

The user can configure the system parameter using the Create System Parameter screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**.Once the checker authorizes the system parameter, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click System Parameter, under System Parameter, click View System Parameter.

The View System Parameter screen displays.

Figure 2-4	View System	Parameter
------------	-------------	-----------

<i>,</i>					E
Parameter Code: 2023-01-05-17:01:50Samp	Perameter Code: decision	Perameter Code: applicant_score	Perameter Code: 2022-12-01-15:12:96Sampl	Perameter Code: Requested_Amount	Parameter Code: 2022-12-02-12:12:17Sampl
Description 2023-01-05 Product CMC	Description dectston Product OFLO	Description applicant_score Product OFLO	Description 2022-12-01 Product OFLO	Description Requested_Amount Product OFLO	Description 2022-12-02 Product OFLO
C Authorized 🔓 Open 🔯 4	🗅 Authorized 🔓 Open 🔯 1	🗅 Authorized 🔒 Open 🔯 1	🗅 Authorized 🔓 Open 🖾 4	🗅 Authorized 🔓 Open 🔯 1	🗅 Authorized 🔓 Open 🖾
Parameter Code: CDS_GRADE	Parameter Code: quantitativeScore	Parameter Code: qualitativeScore	Parameter Code: 2023-01-06-14:01:05Samp:		
Description CDS_GRADE Product OFLO	Description quantitativeScore Product OFLO	Description qualitativeScore Product OFLO	Description 2023-01-06 Product OFLO		
🗅 Authorized 🔓 Open 📝 1	Authorized 🔓 Open 🔯 1	C Authorized & Open	Authorized & Open 24		



For more information on fields, refer to the field description table.

Field	Description	
Parameter Code	Displays the parameter code.	
Description	Displays the description of the parameter code.	
Product Processor	Displays the product processor of the parameter.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	


х

 Table 2-2
 View System Parameter - Field Description



The View System Parameter - Search screen displays.

Figure 2-5 View System Parameter - Search



4. On View System Parameter - Search screen, specify the Search Filter to fetch the required system parameter.



Field	Description	
Parameter Code	Specify the parameter code.	
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized	
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed	

:

Table 2-3 View System Parameter - Search - Field Description

- 5. Click **Search** to display the required system parameter.
- 6. On View System Parameter screen, click View the created system parameter.
- icon to Unlock, Delete, Authorize or
- 7. Click **Unlock** to modify the created system parameter.

The System Parameter Maintenance - Modify screen displays.

Figure 2-6 System Parameter Maintenance - Modify

System Parameter Maintenance		tr x
Basic Details		
Parameter Code	Parameter Description	
qualitativeScore 💌	2023-01-05-17:01:50SampleTest	
Product Processor	Value	
PR20230105140150 -	30	
Audit		Cancel Save

For more information on fields, refer to the field description table.

Table 2-4	System Parameter	Maintenance -	Modify -	Field Description
-----------	------------------	---------------	----------	-------------------

Field	Description
Parameter Code	Displays the created system parameter code.
Parameter Description	Displays the created system parameter description.
Product Processor	Displays the product processor of the created system parameter. User can modify the same.
Value	Displays the value for the created system parameter. User can modify the same.

- 8. Click Save to update the modified fields.
- 9. Click **View** to view the created system parameter code.

The System Parameter Maintenance - View screen displays.



Figure 2-7 System Parameter Maintenance - View

System Parameter Maintenance		;; ×
Basic Details		
Parameter Code	Parameter Description	
2023-01-05-17:01:50SampleTest	2023-01-05-17:01:50SampleTest	
Product Processor	Value	
PR20230105140150	30	
Audit		

For more information on fields, refer to the field description table.

Table 2-5 System Parameter Maintenance - View - Field Description

Field	Description
Parameter Code	Displays the created system parameter code.
Parameter Description	Displays the created system parameter description.
Product Processor	Displays the product processor of the created system parameter.
Value	Displays the value for the created system parameter.

2.3 Lookup

This topic describes the information about the lookup feature in Bureau Integration service.

The lookup are the service for mapping of keys and values used to enrich the description of the data displayed to the user. The lookup screen allows user to define contents for a list of drop-down or value fields. These are used throughout the system. The identified fields only accept the entries stored.

Below are some examples of the lookup fields.

- Static/Enumeration values
 - Credit Bureau: For example, credit bureau1, credit bureau 2, and credit bureau 3.
 - Comparison Operator: Equals and Greater than.
- Dependent lookup based on another selection
 - Based on Country, State should have different values in the lookup.
 - Based on Country, Currency should have different values in the lookup.

This topic contains the following subtopics:

Create Lookup

This topic describes the systematic instructions to create lookup definitions by updating various details in Bureau Integration Service.

View Lookup

This topic describes the systematic instructions to view the list of configured lookup for Bureau Integration Service.



2.3.1 Create Lookup

This topic describes the systematic instructions to create lookup definitions by updating various details in Bureau Integration Service.

Specify User ID and Password, and login to Home screen.


- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Lookup, under Lookup, click Create Lookup.

The Create Lookup screen displays.

Create Lookup

Figure 2-8 Create Lookup

3. On Create Lookup screen, specify the fields.



For more information on fields, refer to the field description table.

Table 2-6 Create Lookup - Field Description

Field	Description
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete a row that is already added.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort order.
Dependent Identifier	Specify the dependent Identifier.
Enable	Click the toggle status to enable the parameter.

4. Click Save to save the details.

The **Lookup** is successfully created and can be viewed using the View Lookup screen.

2.3.2 View Lookup

This topic describes the systematic instructions to view the list of configured lookup for Bureau Integration Service.

The user can configure the lookup using the Create Lookup screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Lookup, under Lookup, click View Lookup.

The View Lookup screen displays.

Figure 2-9 View Lookup

Lookup Type:		Lookup Type:			Lookup Type:			Lookup Type:			Lookup Type:			Lookup Type:		
CC20230113150107	- :	RESULT2023-	-01-13-14:01:	94 :	1		- :	A		- 1	TEST		- 1	A1		
Description CC202301131501	37	Description R	Results		Description 2			Description B			Description T	EST		Description A1		
🗅 Authorized 🛛 🔓 Open	21	D Authorized	🔒 Open	⊠ 1	D Unauthorized	🔒 Open	21	D Unauthorized	🔒 Open	21	C Authorized	🗄 Open	24	D Unauthorized	🔒 Open	Ø
Lookup Type: Credit_Bureau_Display	;	Lookup Type: Bureau Prodi	uct Type	:	Lookup Type: Bureau		:	Lookup Type: SYS PARAM	D	:						
Description Credit Bureau D		Description B	Sureau Product		Description B	ureau	•	Description Ba	sic System	•						
🗅 Authorized 🔒 Open	21	C Authorized	🔓 Open	21	C Authorized	🗄 Open	21	C Authorized	🔓 Open	図1						

For more information on fields, refer to the field description table.

Table 2-7 View Lookup – Field Description

Field	Description
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

icon.

The View Lookup - Search screen displays.

Figure 2-10 View Lookup - Search

Search Filter	×
Lookup Type	
Authorization Status	
Record Status	
•	
Search Reset	

4. On View Lookup - Search screen, specify the Search Filter to fetch the required lookup.

For more information on fields, refer to the field description table.

•

Table 2-8 V	/iew Lookup – Search	- Field Description
-------------	----------------------	---------------------

Field	Description
Lookup Type	Specify the lookup type name.
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

- 5. Click **Search** to display the required lookup.
- 6. On View Lookup screen, click created lookup.
- icon to Unlock, Delete, Authorize or View the



7. Click **Unlock** to modify the created lookup.

The Lookup Maintenance - Modify screen displays.

	Details					
ookup			Description			
Pricir	B		Pricing			
(up (Codes					
+	-					
	Lookup Code	Description		Sort Order	Dependent Identifier	Enal
5	Yes	Yes		1		
	Yes No	Yes		1 2		
				1 2 10		
	No	No				
	No	No				

Figure 2-11 Lookup Maintenance - Modify

For more information on fields, refer to the field description table.

Field	Description
Lookup Type	Displays lookup type name.
Description	Displays the short description of the lookup. User can modify the same.
+ button	Click to add a new row.
- button	Click to delete a row that is already added.
Lookup Code	Displays the lookup code for the created lookup. User can modify the same.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup. User can modify the same.
Dependent Identifier	Displays the dependent Identifier for the created lookup. User can modify the same.
Enable	Indicates if the lookup is enabled or not. User can modify the same.

Table 2-9 Lookup Maintenance - Modify - Field Description

- 8. Click **Save** to update the modified fields.
- 9. Click **View** to view the created lookup code.

The Lookup Maintenance - View screen displays.

	c Details				
Looku Pricin	ıp Type	Description			
Pricin	15	Pricing			
okup	o Codes				
+					
	Lookup Code	Description	Sort Order	Dependent Identifier	En
	Yes	Yes	1		
	No	No	2		
	STC86202365347	STC86202365347	10		

Figure 2-12 Lookup Maintenance - View

For more information on fields, refer to the field description table.

Table 2-10 Lookup Maintenance - View - Field Description

Field	Description
Lookup Type	Displays the created lookup type.
Description	Displays the description for the created lookup.
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.

2.4 Product Processor

This topic describes the information about the product processor.

The source system calling the decision system for decisioning the credit application is defined as product processor. There are multiple data segments like account information, customer details, collateral details, credit bureau information or any additional notes if any is received from the product processor for credit decisioning and pricing in decision service.

This topic contains the following subtopics:

Create Product Processor

This topic describes the systematic instructions to create product processor by updating various details.

- View Product Processor This topic describes the systematic instructions to view the list of product processor.
- Create Product Processor This topic describes the systematic instructions to create product processor by updating various details.
- View Product Processor This topic describes the systematic instructions to view the list of product processor.



2.4.1 Create Product Processor

This topic describes the systematic instructions to create product processor by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Product Processor, under Product Processor, click Create Product Processor.

The Create Product Processor screen displays.

Figure 2-13 Create Product Processor

ic Details		
uct Processor Code	Product Processor Description	
Required the Date	Required Expliny Date	
tember 30, 2020	E E E E E E E E E E E E E E E E E E E	
	Required	

3. On Create Product Processor screen, specify the fields.



For more information on fields, refer to the field description table.

Table 2-11 Create Product Processor - Field Description

Field	Description
Product Processor Code	Specify the unique product processor code.
Product Processor Description	Specify the short description for product processor.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.

4. Click **Save** to save the details.



The **Product Processor** is successfully created and can be viewed using the View **Product Processor** screen.

2.4.2 View Product Processor

This topic describes the systematic instructions to view the list of product processor.

The user can create the product processor using the Create Product Processor screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the system parameter, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Product Processor, under Product Processor, click View Product Processor.

The View Product Processor screen displays.

Figure 2-14 View Product Processor

0					I= 8
Product Processor Code: PR20230103160146	Product Processor Code: CMC	Product Processor Code: OFLO	Product Processor Code: PR20230106140127	Product Processor Code: PR20230106140179	Product Processor Code: TEST2
Product PR20230103160146	Product PR20230105170170	Product OFLO	Product PR20230106140127	Product PR20230106140179	Product TEST26
🗅 Unauthorized 🔒 Open 🔯 5	🗅 Unauthorized 🔒 Open 🔯 5	🗅 Authorized 🔒 Open 🔯 1	🗅 Authorized 🔒 Open 🔯 4	🗅 Authorized 🔒 Open 🔯 4	🗅 Unauthorized 🔒 Open 🖉 ó
Product Processor Code: PR20221201151258	Product Processor Code: OFSLL	Product Processor Code: PR20221214141267			
Product PR20221201151258	Product OFSLL	Product PR20221214141267			
Authorized A Open 1214	🗅 Authorized 🔒 Open 🖄 1	D Authorized			

Table 2-12 View Product Processor - Field Description

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the description of the product processor.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.



		Q
3.	On View Product Processor screen, click	icon.
	The View Product Processor - Search scre	een displays.

Figure 2-15 View Product Processor - Search

Search Filter

х

Product Processor Code

Product Processor Description

Authorization Status

Record Status

Search Reset

4. On View Product Processor - Screen screen, specify the Search Filter to fetch the required product processor.

For more information on fields, refer to the field description table.

Table 2-13 View Product Processor - Search - Field Description

Field	Description
Product Processor Code	Specify the product processor code.
Product Processor Description	Specify the product processor description.
Authorization Status	Select the authorization status of the product processor. The available options are: • Authorized • Rejected • Unauthorized



Field	Description
Record Status	Select the record status of the product processor. The available options are: • Open • Closed

٠ ٠

Table 2-13 (Cont.) View Product Processor - Search - Field Description

- 5. Click Search to display the required product processor.
- 6. On View Product Processor screen, click or View the created product processor.
- icon to Unlock, Delete, Authorize
- 7. Click Unlock to modify the created product processor.

The Product Processor Maintenance - Modify screen displays.

Figure 2-16 Product Processor Maintenance - Modify

Product Processor	Maintenance		3 L 1 F
Basic Details			
Product Processor Code		Product Processor Description	
OFLO		OFLO	
Effective Date		Expiry Date	
September 1, 2020		May 6, 2025	
udit			Cancel Sav

For more information on fields, refer to the field description table.

Table 2-14	Product Processor Maintenance - Modify - Field Description	

Field	Description	
Product Processor Code	Displays the product processor code.	
Product Processor Description	Displays the product processor description. User can modify the same.	
Effective Date	Displays the effective date of the created product processor. User can modify the same before authorization if it is future date	
Expiry Date	Displays the expiry date of the created product processor. User can modify the same.	

8. Click Save to update the modified fields.

9. Click View to view the created product processor.

The Product Processor Maintenance - View screen displays.



Product Processor Maintenance		י ב זר מיוווענער
Basic Details		
Product Processor Code	Product Processor Description	
OFLO	OFLO	
Effective Date	Expiry Date	
September 1, 2020	May 6, 2025	
ıdit		

Figure 2-17 Product Processor Maintenance - View

For more information on fields, refer to the field description table.

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Effective Date	Displays the effective date of the created product processor.
Expiry Date	Displays the expiry date of the created product processor.

Table 2-15 Product Processor Maintenance - View - Field Description

2.5 Criteria

This topic describes the information about the criteria to identify the Credit Bureau.

The Criteria screen facilitates to setup criteria definition, which are used in evaluating the request and response criteria (business rules) to identify which bureau is to be called for the request.

Examples:

- Call credit bureau 1, for personal loan product, and call credit bureau 1 and 2 for home loan products.
- Call credit bureau 1, if zip code of the applicant is between 70000 80000 and call credit bureau 2, if zip code of the applicant is between 30000 40000.
- Call credit bureau 3, if score from credit bureau 1 is less than 600.

This topic contains the following subtopics:

- Create Bureau Criteria
 This topic describes the systematic instructions to create bureau criteria by updating various details.
- View Bureau Criteria This topic describes the systematic instructions to view the bureau criteria.



2.5.1 Create Bureau Criteria

This topic describes the systematic instructions to create bureau criteria by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Criteria, under Criteria, click Create Bureau Criteria.

The Create Bureau Criteria screen displays.

	ils						
iriteria Code			Descript	ion			
	Required			Required			
oduct Proce							
Select	Required						
eria Defir	altion						
-							
	Rule ID		Description	Priority	Call All Bureau	Enable	Actions
	•	Q			Yes No		
	•	Q			Yes No		

Figure 2-18 Create Bureau Criteria

3. Specify the fields on Create Bureau Criteria screen.



Table 2-16 Create Bureau Criteria – Field Description

Field Description	
Criteria Code	Specify the unique criteria code.
Description	Specify a short description for the criteria code.
Product Processor	Specify the product processor for which the criteria is being created.
+ button	Click to add a new row.
- button	Click to delete a row that is already added.



Field	Description
i	Click to get the information about the rule.
Rule ID	Specify the rule ID.
Description	Displays the description of the rule ID selected.
Priority	Specify the priority of the criteria.
Call All Bureau	Click the toggle status to call all bureaus.
Enable	Click the toggle status to enable the rule criteria.
Action	This field is enabled if the Call All Bureau toggle is OFF .
+ button	Click this icon to add the child rule to the parent rule.
Rule ID	Select the rule ID from the drop down list.
	Note: This field is enabled if the Call All Bureau toggle is OFF.
í	Click to get the information about the rules.
	Note: This field is enabled if the Call All Bureau toggle is OFF.
Description	Displays the description of the rule ID selected it is auto populated.
	Note: This field is enabled if the Call All Bureau toggle is OFF.
Priority	Specify the priority of the criteria.
	Note: This field is enabled if the Call All Bureau toggle is OFF.

Table 2-16 (Cont.) Create Bureau Criteria – Field Description



Field	Description
Enable	Click the toggle status to enable the rule criteria.
	Note: This field is enabled if the Call All Bureau toggle is OFF.

 Table 2-16
 (Cont.) Create Bureau Criteria – Field Description

4. Click **Save** to save the details.

The **Criteria** are successfully created and can be viewed using the View Bureau Criteria screen.

2.5.2 View Bureau Criteria

This topic describes the systematic instructions to view the bureau criteria.

The user can configure the bureau criteria using the Create Bureau Criteria screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the criteria, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Criteria, under Criteria, click View Bureau Criteria.

The View Bureau Criteria screen displays.

+ 0	E
Reira Code: RITERIA001 :	
escription Bureau Criteria oduct OFLO	
Authorized 🔓 Open 🔯 1	
Authorized 🔓 Open 🔯 1	

Figure 2-19 View Bureau Criteria

 Table 2-17
 View Bureau Criteria – Field Description

Field	Description
Criteria Code	Displays the criteria code.
Description	Displays the description of the criteria code.
Product Processor	Displays the product processor of the criteria.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 2-17 (Cont.) View Bureau Criteria – Field Description

3. On View Bureau Criteria screen, click

Q

icon.

The View Criteria - Search screen displays.



X

Criteria C	ode	
Descriptio	n	
Product P	rocessor	-
Authoriza	tion Status	•
Record St	atuc	•

4. On View Bureau Criteria screen, specify the Search Filter to fetch the required criteria code.

 Table 2-18
 View Criteria - Search – Field Description

Field	Description			
Criteria Code	Specify the criteria code.			
Description	Specify the criteria description.			
Product Processor	Select the product processor from the drop-down list.			
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized 			
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed			



- 5. Click **Search** to display the required criteria code.
- 6. On View Bureau Criteria screen, click
 - :

icon to Unlock, Delete, Authorize or View the created criteria code.

7. Click **Unlock** to modify the following fields.

The Bureau Criteria Maintenance - Modify screen displays.

Figure 2-21 Bureau Criteria Maintenance - Modify

eria Co										
					Descriptio					
					Bureau	J Criteria				
	ocessor									
FLO		¥								
ria De	finitio									
-		•								
	Rule ID				Description	Priority	Call All Bureau	Enable	Actions	
	•	MTEST3	Q	0	MTESt	1	Yes No			
	•	TESTRULE9	Q	0	TESTRULE9	2	Yes No			

For more information on fields, refer to the field description table.

Table 2-19 Bureau Criteria Maintenance - Modify - Field Description

Field	Description
Criteria Code	Displays the created criteria code.
Description	Displays the description for the created criteria code.
Product Processor	Dispalys the product processor for which the criteria is being created.
Rule ID	Displays the rule ID for the created criteria.
Description	Displays the description for the created criteria.
Priority	Displays the the priority for the created criteria.
Call All Bureau	Dispalys if call all bureau has been enabled for the created criteria.
Enable	Displays the criteria code if enabled for the created criteria.
Actions	Displays the actions of the created criteria.

8. Click Save to update the modified fields.

9. Click **View** to view the created criteria code.

The Bureau Criteria Maintenance - View screen displays.



Dasic D	Petails							
Criteria Code			Descri	ption				
CRITERI	A001		Burea	u Criteria				
	Processor							
DFLO								
eria D	efinition							
	Rule ID		Description	Priority	Call All Bureau	Enable	Actions	
	MTEST3	0	MTESt	1	Yes No		+	
	TESTRULE9	0	TESTRULE9	2	Yes No		+	

Figure 2-22 Bureau Criteria Maintenance - View

For more information on fields, refer to the field description table.

Table 2-20 Bureau Criteria Maintenance - View - Field Description

Field	Description
Criteria Code	Displays the created criteria code.
Description	Displays the created criteria description.
Product Processor	Displays the product processor of the created criteria.
Rule ID	Displays the rule ID for the created criteria.
Description	Displays the description for the created criteria.
Priority	Displays the priority for the created criteria.
Call All Bureau	Displays if call all bureau has been enabled for the created criteria.
Enable	Displays the criteria code if enabled for the created criteria.
Actions	Displays the actions of the created criteria.

2.6 Credit Bureau Display

This topic describes the information about Credit Bureau display.

The Credit Bureau Display screen facilitates to view the reports received from the various bureaus. The report has credit history details and credit score of the customer based on these details.

This topic contains the following subtopics:

• View Credit Bureau Report

This topic describes the systematic instructions to view the credit bureau report based on the various filter options provided.



2.6.1 View Credit Bureau Report

This topic describes the systematic instructions to view the credit bureau report based on the various filter options provided.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Credit Bureau. Under Credit Bureau, click Operations.
- 2. Under Operations, click Credit Bureau Display.

The Credit Bureau Display screen is displays.

Figure 2-23 Credit Bureau Display

Bureau Display	;; ×
Search Criteria	
+ -	
Filter	
Select -	
	Derea Caurch

3. Specify the fields on **Credit Bureau Display** screen.



Field	Description	
Filter	Select the required option based on which you can search for the credit bureau reports from the drop-down list. The options are:	
	External Reference Number	
	Inquiry ID	
	Inquiry Date	
	Bureau Name	
	Product Processor	
	Application Number	
	Bureau Report ID	



Field	Description
Value	Specify the required details or select the appropriate option for the selected filter option. Note: This field appears once the user select the filter option as Inquiry Date and value as Date Range.
From Date	Select the start date of the period during which the report was generated. Note: This field appears if the user select the filter option as Inquiry Date and value as Date Range.
To Date	Select the end date of the period during which the report was generated. Note: This field appears if the user select the filter option as Inquiry Date and value as Date Range.

Table 2-21 (Cont.) Credit Bureau Display- Field Description

4. On the **Search Criteria** screen, specify the details and click **Search**.

The search results displays showing a list of records based on the specified search criteria.

Figure 2-24 Credit Bureau Display - Report Hist

Credit Bureau Display		، د ۱۰
earch Criteria		
Filter Inquiry Date	Value Date Today	
		Reset 5e
Report History		
Inquiry Date	External Reference Number	Product Processor
▶ 7/7/2021	SA00010	OFLO
8/9/2021	7255AN20210809170832	OFLO
8/9/2021	7105AN20210809180863	OFLO
▶ 8/22/2021	672SANAP	OFLO
▶ 8/17/2021	771SANDYAPPLN	OFLO
▶ 8/17/2021	ADAP17AUG1APP	OFLO
▶ 8/10/2021	ADAP9AUG45	OFLO
Page 1 of 2 (1-	S of 7 items) < ∢ 1 2 → >I	



For more information on fields, refer to the field description table.

Field	Description
Inquiry Date	Displays the inquiry date of the request from product processor to bureau integration service.
External Reference Number	Displays the external reference number provided by the product processor.
Product Processor	Displays the name of the product processor that sent the request.

 Table 2-22
 Credit Bureau Display - Report History – Field Description

5. Click the arrow icon to view the corresponding list of reports.

The list of reports displays on **Credit Bureau Display** screen.

redit Bureau Display		
rch Criteria		
12		
Filter Value Date		
Inquiry Date • Today	•	
		Reset
port History		
quiry Date	External Reference Number	Product Processor
• 7/7/2021	SA00010	OFLO
Applicant Name		
Experian	View	
Inquiry ID 777827ac-a774-4f54-b00c-4a7e0dbftf	24	
and how a sta		
Product creditProfile		
• 8/9/2021	7255AN20210809170832	OFLO
Applicant Name		
JOHN CANN		
Experian	View	
Inquiry ID 23645b37-e584-4a30-b0ac-74dfb63f62	08	
Report ID rrt-0d2b4036c723d0c42-c-wo-26189-20	371524-4	
Report Date 8/9/2021		
Product Extended_View		
Product		
·		
8/9/2021	7105AN20210809180863	OFLO
8/22/2021	672SANAP	OFLO
8/17/2021	771SANDYAPPLN	OFLO
8/17/2021	ADAP17AUG1APP	OFLO
0)1)2021		

Figure 2-25 Credit Bureau Display - List of Report




Field	Description
Applicant Name	Displays the name of the applicant.
Bureau Name	Displays the name of the credit bureau agency.
Inquiry ID	Displays the inquiry ID generated by bureau integration service.
Report ID	Displays the report ID provided by the credit bureau agency.
Report Date	Displays the date on which the credit bureau report is generated by the bureau.
Product	Displays the product of the credit bureau agency.
View	Click View to view the credit bureau report.

Table 2-23 Create Bureau Display - List of Report – Field Description

6. Click the View link to view the credit bureau report.

The Create Bureau Display - Bureau Report displays.

Figure 2-26 Create Bureau Display - Bureau Report



For more information on fields, refer to the field description table.

Table 2-24 Create Bureau Display - Bureau Report – Field Description

Field	Description	
Bureau Name	Displays the name of the credit bureau agency.	
Product Name	Displays the product name of the credit bureau agency.	
Report ID	Displays the report ID provided by the credit bureau agency.	
Report Date	Displays the date on which the credit bureau report is generated by the bureau.	

2.7 Integrating Bureau Integration Service with Oracle Banking Routing Hub

This topic describes the information to integrate the Bureau Integration service with Oracle Banking Routing Hub.



This topic contains the following subtopics:

 Oracle Banking Routing Hub Configuration This topic describes the information about Oracle Banking Routing Hub Configuration for the Bureau Integration service.

2.7.1 Oracle Banking Routing Hub Configuration

This topic describes the information about Oracle Banking Routing Hub Configuration for the Bureau Integration service.

The user needs to import the existing service consumer and providers into the system.

- Service Consumers
 This topic describes systematic instructions to configure the service consumers.
- Service Providers This topic describes the systematic instructions to configure the service providers.
- Experian Configuration This topic provides the figures for the Experian configuration.
- Equifax Configuration This topic describes the information about Equifax configuration.
- Document Configuration This topic describes the information about document configuration.
- Troubleshooting This topic describes the information for troubleshooting the Oracle Banking Routing Hub.

2.7.1.1 Service Consumers

This topic describes systematic instructions to configure the service consumers.

The **Service Consumer** is an Oracle product that invokes Oracle Banking Routing Hub API. Oracle Banking Routing Hub analyses, evaluates the destination product processor and, transforms the data into a format of the same. The **Service Consumer** comprises the source and destination integration details.

Specify **User ID** and **Password**, and login to **Home** screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.

The Service Consumers screen displays.

Service Consumers :: × Ct Add Ct Import Search Q OBIC_FCUBS TestConsumer OBLM OBLM-bbbb OBLM_JKM Testing OBLM_DDA OBLM_629_test OBLM-NEW OBLM_Mashreq : of 2 (1 - 10 of 14 items) |< 4 1 2 > > Page 1

Figure 2-27 Service Consumers

Add Service Consumer



3. Click Add.

The Add Service Consumer screen displays.

Figure 2-28	Add Service Consumer
-------------	----------------------

ame		Audit Type	
		Service level configuration	n '
	Required		
 Environment Variables 			
Pt Add ▼			
roup			
Select	•		
	Required		
Actions	Name	Value	
No data to display.			

4. Specify the fields on Add Service Consumer screen.



For more information on fields, refer to the field description table.



Field	Description	
Name	Specify the name of the service consumer.	
	 Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed. 	
Add	To add, refer to step 5. Select the group from the drop-down list.	
	The available options are:	
	Group Variable	
Group	Select the group from the drop-down list.	
Action	Displays the action. The user can edit or delete the header.	
Name	Displays the name of the header.	
Value	Displays the value of the header.	

Table 2-25 Add Service Consumer - Field Description

Environment Variables:

The user must define the group of variables which can be accessed throughout the specific consumer's configuration.

The syntax for accessing environment variables is below: \$env.Environment_Group_Name.Environment_Variable_Name

For example, \$env.COMMON.BRANCH_CODE

- 5. To add Environment Variables, follow below steps.
 - a. On Add Service Consumers, click Add and select Group from drop-down list to add the group.

The Add Environment Group screen displays.

Figure 2-29 Add Environment Group

Add Environmer	nt Group	×
Name		
	Required	
		ОК

b. Specify the fields on Add Environment Group screen and click OK.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-26 Add Environment Group - Field Description

Field	Description	
Name	Specify the name of the environment group.	
	 Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed. 	

c. Click Add on Add Service Consumer screen and select Variable from drop-down list to add the variable.

The Add Environment Variable screen displays.

Figure 2-30 Add Environment Variable

lame		
anne		
/alue	Required	

d. Specify the fields on Add Environment Variable screen and click OK.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.



Field	Description
Name	Specify the name of the environment variable.
	 Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed.
Value	Specify the value of the environment variable. The value can either be hardcoded or Velocity mapping.

Table 2-27 Add Environment Variable - Field Description

6. Click Save to save the details.

The **Confirmation** screen displays.

Figure 2-31 Confirmation - Add Service Consumers

Confirmation	×
Do you want to save the record?	
	Cancel
 Click Confirm to save the record. port Service Consumer	

Click Import. 8.

The Import Service Consumer screen displays.



		Select	Extract
Name			
Requ	ired		
Overwrite extended templates			
🔾 Yes 💿 No			
 Service Providers 			
Service Fronders			
	Name		
No data to display.			

Figure 2-32 Import Service Consumer

9. Specify the fields on Import Service Consumer screen and click OK.



For more information on fields, refer to the field description table.

 Table 2-28
 Import Service Consumer - Field Description

Field	Description
File	Select the file using Select . Note: Allows only to select one file and accepts only JSON file.
Extract	Extracts the consumer name and service provider list from JSON file and displays it in the respective elements.




Field	Description	
Name	 Specify the name of the service provider. Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed. 	
Name	Displays the list of service providers names that are present in JSON file.	

Table 2-28 (Cont.) Import Service Consumer - Field Description

10. Click **Import** to import the selected file.

The **Confirmation** screen displays.

Figure 2-33 Confirmation - Import Service Consumer



11. Click **Confirm** to import the service consumer.

Note:

Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password

View Service Consumer

12. Click 3 dots button (operation menu) and click View.

The View Service Consumer screen displays.



Actions	Name	Value	
Select	•		
Group			
 Environment Variables 			
DBLM_Mashreq			
lame	Audit	Туре	
/iew Service Consumer			D

Figure 2-34 View Service Consumer

The user can click edit button to edit the Service Consumer.

Edit Service Consumer

13. Click 3 dots button (operation menu) and click Edit.

The Edit Service Consumer screen displays.

Figure 2-35 Edit Service Consumer

ame		Audit Type	
OBLM_Mashreq		Select	•
			Requir
 Environment Variables 			
Add ▼			
iroup			
Select	•		
	Required		
Actions	Name	Value	
No data to display.			



14. Click **Save** once the edit is done.

The **Confirmation** screen displays.

Figure 2-36 Confirmation - Edit Service Consumer

Confirmation	×
Do you want to save the record?	
	Cancel Confirm

15. Click **Confirm** to save the record.

Delete Service Consumer

16. Click 3 dots button (operation menu) and click **Delete**.

The **Confirmation** screen displays.

Figure 2-37 Confirmation - Delete Service Consumer

	Confirmation			×
	Do you want to delete the record?			
		Cancel	Confirm	
~				

17. Click **Confirm** to delete the record.

Export Service Consumer in JSON

18. Click 3 dots button (operation menu) and click Export. Select JSON.

The **Export Service Consumer** screen displays.



Expor	t Service Consumer	×
Name		
OBL	M_Mashreq	
✔ Se	ervice Providers	
	Name	
	FCUBS-IFService 14.5	
	FCUBS-CoreService 14.5	
	ODDM DMD40-40	
	Export	

Figure 2-38	Export Service	Consumer	- JSON

Note:
The user has an option to select service providers from the list which needs to be exported or can click on select all for all service providers.
The JSON Export feature exports below data:

Selected service consumer
All consumer services
Selected service providers with services
Default implementation of selected service providers with services (without Host, Port and Authentication Password)
Default transformations
All default implementation routes

19. Select the required service providers and click Export.

The **Confirmation** screen appears.






Figure 2-39 Confirmation - Export Service Consumer in JSON

20. Click **Confirm** to export in JSON.

Export Service Consumer in SQL

21. Click Export and select SQL.

The **Confirmation** screen appears.

Figure 2-40 Confirmation

Confirm	nation				×
2		a as Implementa	ation Host, Port and	d Password will	not
				Cancel	Confirm

Note:

The SQL Export feature exports entire configuration without Host, Port, and Authentication Password details.

22. Click **Confirm** to export the Service Consumer in SQL.

2.7.1.2 Service Providers

This topic describes the systematic instructions to configure the service providers.

The **Service Providers** are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers. It comprises of the destination integration details.

Specify User ID and Password, and login to Home screen.

- 1. On Home Screen, click Core Maintenance, Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.



3. On Service Consumers screen, click the required service consumer.

The Service Providers screen displays.

Figure 2-41 Service Providers

Service Consumers	;; ×
OBIC_FCUBS	
Service Providers Consumer Services	
Add D: Import Search Q	
FCUBS	
Version 14.5 Type EXTERNAL Status ACTIVE	
Page 1 of 1 (1-1 of 1 items) < < 1 > >	

To Add Service Provider

4. Click Add.

The Add Service Provider screen displays.

Figure 2-42	Add Service Provider
-------------	----------------------

Product Name		Туре		
		Select	•	
	Required		Required	
/ersion		Active		
	Required			
✓ Headers				
Add				
Actions	Name		Value	
No data to display.				
✓ Service				
Гуре	URL			
WSDL	▼ VPATUSER1		Import	
Service		Operation	,	
		operation		
No data to display.				
				Save

5. Specify the fields on Add Service Provider screen.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

 Table 2-29
 Add Service Provider - Field Description

Field	Description	
Product Name	 Specify the product name of the service provider. Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed. 	
Туре	Select the type of service provider from drop-down list The available options are: INTERNAL EXTERNAL	
Version	 Specify the provider version. Note: Enter 0 to maximum of 255 characters. Only numeric or decimal values are allowed. 	
Active	Predefined values are Active / Inactive If provider is marked as inactive, then all related routes will be stopped.	
Add	To add, refer to step 4.	
Actions	Displays the action. The user can edit or delete the header.	
Name	Displays the name of the header.	
Value	Displays the value of the header.	
Туре	Select the type of service from drop-down list. The available options are: • WSDL • SWAGGER	
URL	Specify the service URL of the file location.	
Import	Click Import to extract the service information from URL.	
Service	Displays the extracted service from the selected URL.	
Operation	Displays the extracted operation from the selected URL.	

Headers



External product processor might require some standard headers to be passed along with the request. User can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

- 6. To add **Headers**, follow below steps.
 - a. Click Add.

The Add Header screen displays.

Figure 2-43 Add Header

Add Header		
lame		
	Required	
alue		

b. Specify the fields on Add Header screen and click OK.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 2-30 Add Header - Field Description

Field	Description
Name	Specify the name of the header.
Value	Specify the value of the header.

7. Click **Save** to save the details.

The **Confirmation** screen displays.

Figure 2-44 Confirmation



Confirmation		×
Do you want to save the record?		
	Cancel	Confirm

8. Click **Confirm** to save the record.


Import Service Provider

9. Click Import.

The Import Service Provider screen displays.

Figure 2-45 Import Service Provider

File	
inc.	
	Select
	Import



For more information on fields, refer to the field description table.

 Table 2-31
 Import Service Provider - Field Description

Field	Description
File	Select the file using Select button.
	Note: Allows only to select one file and accepts only JSON file.

10. Click **Import** to import the selected file.

The **Confirmation** screen displays.



Figure 2-46 Confirmation - Import

Confirmation	×
Do you want to import? Note: Kindly update the Implementation Host, Port and Pa imported	sword once
	Cancel Confirm

Note:

Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password
- **11.** Click **Confirm** to import the record.

View Service Provider

12. Click 3 dots button (operation menu) and click View.

The View Service Provider screen displays.

Figure 2-47 View Service Provider

View Service Provider		× D
Product Name	Туре	
FCUBS	EXTERNAL	
Version 14.5	Active On	
> Headers		
✓ Service		
Service	Operation	
FCUBSIFService (FCUBSIFServiceSEI)	ModifyExtAccEcaEntriesIO	
FCUBSIFService (FCUBSIFServiceSEI)	CreateExtAccEcaEntriesIO	
FCUBSIFService (FCUBSIFServiceSEI)	ModifyEXTClgStatusFS	
FCUBSIFService (FCUBSIFServiceSEI)	CreateExtAccEntriesFS	



The user can click edit button to edit the Service Provider.

Edit Service Provider

13. Click 3 dots button (operation menu) and click **Edit**.

The Edit Service Provider screen displays.

Figure 2-48 Edit Service Provider

Edit Service Provider						
Product Name			Туре			
FCUBS			EXTERNAL	•]	
Version			Active			
14.5						
✓ Headers						
P₊ Add						
Actions		Name	Value	2		
No data to display.						
✓ Service						
Туре	URL					
WSDL -				Import		
			Required			
Service			Operation			
FCUBSIFService (FCUBSIFSe	rviceSEI)		ModifyExtAccEcaEntriesIO			
FCUBSIFService (FCUBSIFSe	rviceSEI)		CreateExtAccEcaEntriesIO			
FCUBSIFService (FCUBSIFSe	rviceSEI)		ModifyEXTClgStatusFS			
FCUBSIFService (FCUBSIFSe	rviceSEI)		CreateExtAccEntriesFS			
						Save

14. Click **Save** once the edit is done.

The **Confirmation** screen displays.

Figure 2-49 Confirmation - Edit Service Provide	Figure 2-49	Confirmation	- Edit	Service	Provide
---	-------------	--------------	--------	---------	---------

Confirmation			×
Do you want to save the record?			
	Cancel	Confirm	




15. Click **Confirm** to save the record.

Delete Service Provider

Click 3 dots button (operation menu) and click Delete.
 The Confirmation screen displays.

Figure 2-50 Confirmation - Delete Service Provider



17. Click **Confirm** to delete the record.

Export Service Provider

18. Click 3 dots button (operation menu) and click Export.

The **Confirmation** screen displays.

Figure 2-51 Confirmation - Export Service Provider

Confirmation	×
Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	
Cancel	firm

Note:

The following data cannot be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file. Same has been mentioned in Import section.

19. Click **Confirm** to export the record.

2.7.1.3 Experian Configuration

This topic provides the figures for the Experian configuration.

Experian Fetch Credit Report

Figure 2-52 Experian Fetch Credit Report

View Transformation	× ۵
✓ Request Transformation	
Template Type	
VELOCITY	
Template	
<soapenv:envelope <br="" xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">xmlns:fcub='http://fcubs.ofss.com/service/FCUBSCoreService'><soapenv:header></soapenv:header><soapenv:body> <createextaccecaentries_fsfs_req xmlns="http://fcubs.ofss.com/service/FCUBSIFService"> <fcubs_header> <source/>EXTSYS</fcubs_header></createextaccecaentries_fsfs_req></soapenv:body></soapenv:envelope>	
Extended Template	
> Response Headers	
✓ Response Transformation	
Template Type Template	



/iew Transformation			
Name	Active		
FCUBS-CREATEEXTACCECAENTRIES	On		
 Product Processor 			
Product Processor	Implementation	Service	
FCUBS-IFService 14.4	FCUBS-IFService_Default	FCUBSIFService (FCUBSIFServiceSE	
✓ Service			
Service	Operation		
FCUBSIFService (FCUBSIFServiceSEI)	CreateExtA	ccEcaEntriesFS	
Actions No data to display.	Name	Value	
 Request Transformation 			
Template Type			
VELOCITY			
Template			
<soapenv:envelope xmlns:soapenv="ht</td><td>vice/FCUBSCoreService"><soapenv:h< td=""><td>Header/><soapenv:body></soapenv:body></td><td></td></soapenv:h<></soapenv:envelope>	Header/> <soapenv:body></soapenv:body>		
xminsfcub='http://fcubs.ofss.com/sen <createextacceaentries_fsfs_r <fcubs_header> <source/>EXTSYS <ubscomd>ECUBS</ubscomd></fcubs_header></createextacceaentries_fsfs_r 	izų kmiris– nap.//icubs.oiss.com/sk		

Figure 2-53 Experian Fetch Credit Report

Experian Sandbox

The **Service Consumer** is used to export details of fetch credit report from sandbox environment.

Figure 2-54 Experian Sandbox

Service Consu	mers		;; ×
OBLM-NEW			
Service Providers Con	nsumer Services		
Ct Add Ct Impo	ort Search Q		
Actions	Name	Description	
:	ACCOUNTHANDOFF	DDA account handoff	
:	VAM-BalanceQuery	OBVAM Balance Fetch	
:	PMRftOutService	Request for transfer - MTI01	
Page 1	of 1 (1 - 5 of 5 items) < (1 > >)	P	

2.7.1.4 Equifax Configuration

This topic describes the information about Equifax configuration.

Equifax is configured in lookup as a bureau and rule services to configure in Oracle Banking Routing Hub as consumer service to fetch details from Equifax sand.



Equifax Fetch Credit Report

View Transformation	× D
✓ Request Transformation	
Template Type	
VELOCITY	
Template <soapenv:envelope <br="" xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">xmlns:fcub='http://fcubs.ofss.com/service/FCUBSCoreService'><soapenv:header></soapenv:header><soapenv:body> <createextaccecaentries_fsfs_req xmlns="http://fcubs.ofss.com/service/FCUBSIFService"> <fcubs_header> <source/>EXTSYS</fcubs_header></createextaccecaentries_fsfs_req></soapenv:body></soapenv:envelope>	
> Response Headers	
✓ Response Transformation	
Template Type Template	

Figure 2-55 Equifax Fetch Credit Report

Figure 2-56 Equifax Fetch Credit Report

Service	e Consumers				34
OBLM_Mas	shreq > Consu	mer Services	> ACCOUNTHANDOFF		
Transformatio	on Routing				
🗋 Add	D Import	Search	Q		
Actions	Name	Status	Product Processor	Implementation	Service
:	A1	ACTIVE	FCUBS-IFService 14.5	FCUBS-IFService_Default	FCUBSIFService (FCUBSIFServiceSEI) - CreateExtAccEcaEntriesFS
Page 1		of 1 (1	- 1 of 1 items) <		

Equifax Sandbox

The **Service Consumer** exports details of fetch credit report from sandbox environment.



View Implementation			× ۵
Name			
OBPM-PMSinglePayOutService_Defa			
Description			
Default Implementation			
Туре	Default		
DEFAULT	On		
Scheme	Host	Port	
http			
> Authentication			
> Headers			
> Service			

Figure 2-57 Equifax Sandbox

2.7.1.5 Document Configuration

This topic describes the information about document configuration.

Bureaus usually send applicants credit reports in PDF or encrypted format. The product processors prefers the PDF reports for easy readability and usability. In addition, product processors want to display PDF reports in their system and share these reports with the applicants. In such cases, the PDF credit reports are stored in the document server, which can be accessed by the bureau integration service and the product processor.

2.7.1.6 Troubleshooting

This topic describes the information for troubleshooting the Oracle Banking Routing Hub.

Oracle Banking Origination issues faced during cmc-obcbs-service and cmc-obrhservices integration

The password for the Experian account had expired.

The solution is to login to the Experian website and reset the password. The new password is generated via mail and you can configure in Oracle Banking Routing Hub for token generation.

Unable to connect to external server

Oracle Banking Routing Hub server is unable to connect to the experian server. The proxy is not configured

The VM arguments were added for oracle banking routing hub's managed server.

- Dhttps.proxyHost=www-proxy-idc.in.example.com
- Dhttps.proxyPort=80



Oracle Banking Routing Hub environment variable value not found

The environment variable for the Bureau Integration Service product processor is improper. (\$.headers["bureauType"][0]) The correct path was provided(\$.headers["bureauType"][0]



3 Decision Service

This topic describes the information about decision service.

This topic contains the following subtopics:

- Overview This topic describes the overview about the Decision service.
- Process Flow This topic describes the information about the entire process flow for the Decision service.
- Strategy Configuration
 This topic describes the information about the strategy configuration for Decision service.
- System Parameter This topic describes the information about the system parameter configured in Decision service.
- Lookup This topic describes the information about the lookup feature in Decision service.
- Product Processor
 This topic describes the information about the product processor.
- Borrowing Capacity
 This topic describes the information about the total amount the applicant is eligible to
 borrow.
- Strategy Configuration This topic describes the information about the strategy configuration.
- Scoring Feature This topic describes the information about the scoring feature in Decision service.
- Quantitative Scoring Model This topic describes the information about the Quantitative scoring model for the Decision service.
- Decision Grade Matrix This topic describes the information about the decision grade matrix feature.
- Pricing
 - This topic describes the information about the pricing feature in Decision service.
- Validation Model This topic describes the information about the Validation model.
- Qualitative Scoring Model
 This topic describes the information about the Qualitative scoring model for the Decision
 service.
- Questionnaire This topic describes the information about the questionnaire used for credit analysis.
- Counter

This topic describes the information about the counter feature.



- Charge Code This topic describes the information about the charge code feature.
- Execution Summary
 This topic describes the information to view the decisions, credit score and pricing
 for the processed application.
- Integrating Decision Service with Oracle Banking Routing Hub This topic describes the information to integrate the Decision service with Oracle Banking Routing Hub.

3.1 Overview

This topic describes the overview about the Decision service.


The Decision service provides automatic decision making capabilities that can allow lenders to develop simple business processes and strengthen the decision-making process.

It gives flexibility to adjust the credit scoring model according to the lending policy.

When an organization calls the decision service to make a decision based on data attributes shared, system solves the best fit scoring model and provide scores and decisions.

Decision Service is a robust and scalable system that can be easily integrated with any product processor providing auto decision capability and risk based pricing.

Figure 3-1 Decision Service Overview



Decision service can be called from various product processor such as Collections, Deposits, Loans, Insurance, Trade Finance or Payment etc. This product processor calls the decision service and the decision service intern uses the rule engine to configure various complex rules.

The decision service can calculate behavioral scores and suggest the best recommended collection strategy accordingly. For lending products, it can offer a credit



score, a decision based on the score, the recommended rate of interest and the ability to calculate which is the maximum amount that can be borrowed by the applicant.

3.2 Process Flow

This topic describes the information about the entire process flow for the Decision service.




Figure 3-2 Decision Service - Process Flow

Questionnaire

The first step is to get the questionnaire. The product processor sends the data of all the applicants in the application. A qualitative scoring model is resolved for each applicant and this information along with the details of the questionnaire is sent back to the product processor. The product processor captures the response to the questions and sends back as part of the second step which is the execution of the credit decision.

Validation Model

First step in execution of the credit decision is validation screening. In this application prescreening is done to check the basic eligibility of the application as per the bank's policy. For example, if the bank's policy is not to fund to property in flood prone area, then as a part of this step, if the property is in flood prone area then the application will be rejected and the application will not be processed further. Or the applicant's minimum age should be more then 18 and the applicant applying is of less than 18, in that case the application is rejected, and it will not be processed further.

Borrowing Capacity

Once eligibility is checked, the next step is borrowing capacity. This is the maximum loan amount the applicant is eligible for. The stage at which it is to be calculated depends on the configuration made. It can be calculated before the scoring after the decision. The loan amount considered for decision is minimum of requested loan amount or the amount calculated for scoring, decision and pricing.



Qualitative Score

After borrowing capacity, the next step is qualitative scoring done using the feedback from the applicants for questionnaire.

Quantitative Score

After qualitative scoring next step is quantitative scoring where scoring is done using application and bureau attributes such as salary, number of credit lines, bureau score, etc.

Decision and Grade

The decision on the application is done based on the quantitative and qualitative scores. The decision can be approve, manual or decline.

The borrowing capacity can also be calculated after the decision, in this case, the amount calculated will be used only for pricing.

Pricing

The last step is to determine the recommended interest rate. This is a risk-based price that refers to offering different interest rates to different customers depending on their risk exposure.

3.3 Strategy Configuration

This topic describes the information about the strategy configuration for Decision service.

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision, etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy can be defined for origination, servicing or collection. In addition, multiple strategy can be defined for the same module like for origination, that is, multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be called for be strategy according to its need for all the modes for which the decision service can be called for.

The various request types using which the product processor can call the decision service are mentioned below:

- Score, Decision, and Pricing
- Score and Decision
- Scores
- Pricing and Borrowing Capacity
- Pricing
- Borrowing Capacity
- Decision



- Qualitative Score
- Quantitative Score

3.4 System Parameter

This topic describes the information about the system parameter configured in Decision service.

System Parameter define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- qualitativeScore
- quantitativeScore
- applicant_score
- Requested Amount
- CDS GRADE

The fact associated to these system parameters are used programmatically and added in the pool of facts. To define the system parameters, the keys of the system parameters have to be defined in a lookup called SYSPARAM.

This topic contains the following subtopics:

- Create System Parameter
 This topic describes the systematic instructions to create system parameter by updating the various details.
- View System Parameter

This topic describes the systematic instructions to view the list of configured system parameter.

3.4.1 Create System Parameter

This topic describes the systematic instructions to create system parameter by updating the various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click System Parameter, under System Parameter, click Create System Parameter.


The Create System Parameter screen displays.



Figure 3-3 Create System Parameter

Create System Parameter		:: ×
Basic Details		
Parameter Code	Parameter Description	
Select Required		
Product Processor	Value	
Required	Required	

3. On Create System Parameter screen, specify the fields.



For more information on fields, refer to the field description table.

Table 3-1	Create System	Parameter - Fie	eld Description
-----------	---------------	-----------------	-----------------

Field	Description
Parameter Code	Select the parameter code from the drop-down list.
Parameter Description	Specify the short description for the parameter code.
Product Processor	Select the product processor from the drop-down list for which the parameter is being created.
Value	Specify the value for the parameter code.

4. Click **Save** to save the details.

The **System Parameter** is successfully created and can be viewed using the View System Parameter screen.

3.4.2 View System Parameter

This topic describes the systematic instructions to view the list of configured system parameter.

The user can configure the system parameter using the Create System Parameter screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the system parameter, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click System Parameter, under System Parameter, click View System Parameter.

The View System Parameter screen displays.



<i>;</i>					E
Parameter Code: 2023-01-05-17:01:50Samp:	Parameter Code: decision	Parameter Code: applicant_score	Parameter Code: 2022-12-01-15:12:96Sampl	Parameter Code: Requested_Amount	Parameter Code: 2022-12-02-12:12:17Sampl
Description 2023-01-05 Product CMC	Description decision Product OFLO	Description applicant_score Product OFLO	Description 2022-12-01 Product OFLO	Description Requested_Amount Product OFLO	Description 2022-12-02 Product OFLO
🗅 Authorized 🔒 Open 🔯 4	🗅 Authorized 🔒 Open 🔯 1	🗅 Authorized 🔒 Open 🔯 1	🗅 Authorized 🔒 Open 🖾 4	🗅 Authorized 🔒 Open 🔯 1	🗈 Authorized 🔒 Open 🖾
Parameter Code: CDS_GRADE	Parameter Code: quantitativeScore	Parameter Code: qualitativeScore	Perameter Code: 2023-01-06-14:01:05Samp		
Description CDS_GRADE Product OFLO	Description quantitativeScore Product OFLO	Description qualitativeScore Product OFLO	Description 2023-01-06 Product OFLO		
🕒 Authorized 🔓 Open 🔯 1	Authorized 🔓 Open 🔯 1	C Authorized & Open	🗅 Authorized 🔓 Open 🔯 4		

Figure 3-4 View System Parameter

For more information on fields, refer to the field description table.

 Table 3-2
 View System Parameter - Field Description

Field	Description	
Parameter Code	Displays the parameter code.	
Description	Displays the description of the parameter code.	
Product Processor	Displays the product processor of the parameter.	
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized	
Record Status	Displays the status of the record. The options are: • Open • Closed	
Modification Number	Displays the number of modification performed on the record.	

3. On View System Parameter screen, click icon.

The View System Parameter - Search screen displays.



1
×
7

4. On View System Parameter - Search screen, specify the Search Filter to fetch the required system parameter.

For more information on fields, refer to the field description table.

Table 3-3	View System Parameter - Search – Field Description
-----------	--

Field	Description
Parameter Code	Specify the parameter code.
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

:

- 5. Click **Search** to display the required system parameter.
- 6. On View System Parameter screen, click Authorize or View the created parameters.
- icon to Unlock, Delete,
- 7. Click **Unlock** to modify the created system parameter.

The System Parameter Maintenance - Modify screen displays.



Figure 3-6 System Parameter Maintenance - Modify

System Parameter Maintenance		:: ×
Basic Details		
Parameter Code	Parameter Description	
qualitativeScore 👻	2023-01-05-17:01:50SampleTest	
Product Processor	Value	
PR20230105140150 -	30	
Audit	Cancel	Save

For more information on fields, refer to the field description table.

Table 3-4 System Parameter Maintenance - Modify - Field Description

Field	Description
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the created parameter description.
Product Processor	Specify the product processor of the created parameter.
Value	Specify the value for the created parameter.

- 8. Click Save to update the modified fields.
- 9. Click View to view the created system parameter.

The System Parameter Maintenance - View screen displays.

Figure 3-7 System Parameter Maintenance - View

Basic Details		
Parameter Code	Parameter Description	
2023-01-05-17:01:50SampleTest	2023-01-05-17:01:50SampleTest	
Product Processor	Value	
PR20230105140150	30	

For more information on fields, refer to the field description table.

 Table 3-5
 System Parameter Maintenance - View - Field Description

Field	Description
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the created parameter description.
Product Processor	Displays the product processor of the created parameter.
Value	Displays the value for the created parameter.

3.5 Lookup

This topic describes the information about the lookup feature in Decision service.

The lookup are the service for mapping of keys and values used to enrich the description of the data displayed to the user. The lookup screen allows user to define contents for a list of



drop-down or value fields. These are used throughout the system. The identified fields only accept the entries stored.

Below are some examples of the lookup fields.

- Static/Enumeration values
 - Decision: Like Approve, Decline, Manual.
 - Colour like red, green etc. Colour is used to highlight the decision i.e.
 Approve to be highlighted in Green, Reject can be highlighted in Red. The colour and decision combination is configurable.
 - Grade like A, B, C etc.
 - Strategy Configuration Code
 - ScoringModelType,
 - ExecutionSteps,
 - ExecutionModes,
 - BWCExecStage,
 - QuestionType,
 - QuestionSubType
- Dependent lookup based on another selection
 - Pricing lookup Based on decision, Pricing should have different behaviour based on decision.

This topic contains the following subtopics:

Create Lookup

This topic describes the systematic instructions to create lookup definitions by updating various details.

View Lookup

This topic describes the systematic instructions to view the list of configured lookup for Decision Service.

3.5.1 Create Lookup

This topic describes the systematic instructions to create lookup definitions by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision , click Maintenance, under Maintenance, click Lookup, under Lookup, click Create Lookup.


The Create Lookup screen displays.



okup I	ype Pequired Pequired	Description	Required	
	odes			
+ - v	ookup Code	Description	Sort Order	Dependent Identifier

Figure 3-8 Create Lookup

3. On Create Lookup screen, specify the fields.



For more information on fields, refer to the field description table.

Table 3-6 Create Lookup - Field Description

Field	Description
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete a row that is already added.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort order.
Dependent Identifier	Specify the dependent Identifier.
Enable	By default this option is enabled. Indicates if the lookup is enabled or not.

4. Click Save to save the details.

The **Lookup** is successfully created and can be viewed using the View Lookup screen.

3.5.2 View Lookup

This topic describes the systematic instructions to view the list of configured lookup for Decision Service.

The user can configure the lookup using the Create Lookup screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.



- **1.** On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision , click Maintenance, under Maintenance, click Lookup, under Lookup, click View Lookup.

The View Lookup screen displays.

Figure 3-9 View Lookup

¢					E
Lookup Type: LookUP20230103160141	Pricing	FeatureType	Lookup Type: ExecutionSteps	QuestionType	AnnumBasis
Description Results	Description Pricing	Description Scoring Model Featur	Description ExecutionSteps	Description Question Type	Description AnnumBasis
🗅 Authorized 🔒 Open 🖉 4	🗅 Authorized 🔒 Open 🖉 1	🗅 Authorized 🔒 Open 🖉 1	🗈 Authorized 🔒 Open 🖉 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔒 Open 🖉
Lookup Type: PricingDecision :	Lookup Type: BWCExecStage :	Lookup Type: Industry :	Lookup Type: LookUP20221214141282 :		
inchigocelsion i	bricestage :	industry :	CONTRACTOR I		
Description Pricing Decision	Description Borrowing Capacity	Description Industry	Description Results		
C Authorized & Open 21	Authorized 🔓 Open 🔯 1	C Authorized	Authorized 🔓 Open 🖾 4		

For more information on fields, refer to the field description table.

Table 3-7 View Lookup - Field Description

Field	Description
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup type.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

3. On View Lookup screen, click



The View Lookup - Search screen displays.

Search Filter	×
Lookup Type	
Authorization Status	
Record Status	
Search Reset	

Figure 3-10 View Lookup - Search

4. On View Lookup - Search screen, specify the Search Filter to fetch the required lookup.

For more information on fields, refer to the field description table.

Table 3-8	View Lookup – Search – Field Description
-----------	--

Field	Description
Lookup Type	Specify the lookup type name.
Authorization Status	Select the authorization status of the lookup. The options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status of the lookup. The options are: • Open • Closed

5. Click **Search** to display the required lookup.

6.	On View Lookup screen, click	
	created lookup.	

icon to Unlock, Delete, Authorize or View the

7. Click **Unlock** to modify the created lookup.

The Lookup Maintenance - Modify screen displays.

:



Figure 3-11	Lookup Maintenance - Modify
-------------	-----------------------------

	kup Maintenance				
Looku	c Details up Type cling	Description Pricing			
okup	o Codes				
+	-			December	
	Lookup Code	Description	Sort Order	Dependent Identifier	Enabl
	Yes	Yes	1		
	No	No	2		
	No STC86202365347	No STC86202365347	2 10		

For more information on fields, refer to the field description table.

Table 3-9	Lookup Maintenance - Modify - Field Description
-----------	---

Field	Description
Lookup Type	Displays the created lookup type.
Description	Specify the description of the lookup type.
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.

- 8. Click **Save** to update the modified fields.
- 9. Click **View** to view the created lookup code.

The Lookup Maintenance - View screen displays.

Figure 3-12 Lookup Maintenance - View

	c Details				
	ір Туре	Description			
Pricin	18	Pricing			
kup	Codes				
+					
	Lookup Code	Description	Sort Order	Dependent Identifier	En
	Yes	Yes	1		
	No	No	2		
	STC86202365347	STC86202365347	10		

For more information on fields, refer to the field description table.



Field	Description	
Lookup Type	Displays the created lookup type.	
Description	Displays the created lookup type description.	
Lookup Code	Displays the lookup code for the created lookup.	
Description	Displays the description for the created lookup.	
Sort Order	Displays the sort order for the created lookup.	
Dependent Identifier	Displays the dependent identifier for the created lookup.	
Enable	Displays the lookup code if enabled for the created lookup.	

Table 3-10 Lookup Maintenance - View - Field Description

3.6 Product Processor

This topic describes the information about the product processor.

The source system calling the decision system for decisioning the credit application is defined as product processor. There are multiple data segments like account information, customer details, collateral details, credit bureau information or any additional notes if any is received from the product processor for credit decisioning and pricing in decision service.

This topic contains the following subtopics:

- Create Product Processor This topic describes the systematic instructions to create product processor by updating various details.
- View Product Processor This topic describes the systematic instructions to view the list of product processor.
- Create Product Processor This topic describes the systematic instructions to create product processor by updating various details.
- View Product Processor This topic describes the systematic instructions to view the list of product processor.

3.6.1 Create Product Processor

This topic describes the systematic instructions to create product processor by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance, under Maintenance, click Product Processor, under Product Processor, click Create Product Processor.


The Create Product Processor screen displays.



Figure 3-13 Create Product Processor

asic Details		
oduct Processor Code	Product Processor Description	
Required	Required Expiry Date	
eptember 30, 2020		
	Required	

3. On Create Product Processor screen, specify the fields.



For more information on fields, refer to the field description table.

Table 3-11	Create Product Processor - Field Description
------------	---

Field	Description
Product Processor Code	Specify the unique product processor code.
Product Processor Description	Specify the short description for product processor.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.

4. Click **Save** to save the details.

The **Product Processor** is successfully created and can be viewed using the View Product Processor screen.

3.6.2 View Product Processor

This topic describes the systematic instructions to view the list of product processor.

The user can create the product processor using the Create Product Processor screen. The status of the created system parameter is displayed as **Unauthorized** and **Open.** Once the checker authorizes the system parameter, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Bureau.

ORACLE

2. Under Credit Bureau, click Maintenance, under Maintenance, click Product Processor, under Product Processor, click View Product Processor.

The View Product Processor screen displays.

¢					E
Product Processor Code: PR20230103160146 :	Product Processor Code: CMC	Product Processor Code: OFLO :	Product Processor Code: PR20230106140127	Product Processor Code: PR20230106140179	Product Processor Code: TEST2
Product PR20230103160146	Product PR20230105170170	Product OFLO	Product PR20230106140127	Product PR20230106140179	Product TEST26
🗅 Unauthorized 🔓 Open 🖾 5	🗅 Unauthorized 🔓 Open 🔯 5	🗅 Authorized 🔒 Open 🔯 1	🗅 Authorized 🔓 Open 🖉 4	🗅 Authorized 🔒 Open 🔯 4	🗅 Unauthorized 🔒 Open 🛛
Product Processor Code:	Product Processor Code: OFSLL :	Product Processor Code: PR20221214141267 :			
PR20221201151258	OFSLL :	PR20221214141207			
Product PR20221201151258	Product OFSLL	Product PR20221214141267			
Authorized 🔓 Open 🔯 4	🗈 Authorized 🔒 Open 🔯 1	Authorized 🔓 Open 🔯 4			

Figure 3-14 View Product Processor

For more information on fields, refer to the field description table.

Table 3-12	View Product Processor - Field Description
-------------------	--

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the description of the product processor.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Q

icon.

3. On View Product Processor screen, click

The View Product Processor - Search screen displays.



Figure 3-15 View Product Processor - Search		
Search Filter	×	
Product Processor Code		
1		
Product Processor Description		
Authorization Status		
Record Status		
Search Reset		

4. On View Product Processor - Screen screen, specify the Search Filter to fetch the required product processor.

For more information on fields, refer to the field description table.

 Table 3-13
 View Product Processor - Search - Field Description

Field	Description
Product Processor Code	Specify the product processor code.
Product Processor Description	Specify the product processor description.
Authorization Status	Select the authorization status of the product processor. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status of the product processor. The available options are: • Open • Closed

5. Click **Search** to display the required product processor.



:

6. On View Product Processor screen, click or View the created product processor. icon to Unlock, Delete, Authorize

7. Click **Unlock** to modify the created product processor.

The Product Processor Maintenance - Modify screen displays.

Figure 3-16 Product Processor Maintenance - Modify

Product Processor Maintenance		11
Basic Details		
Product Processor Code	Product Processor Description	
OFLO	OFLO	
Effective Date	Expiry Date	
September 1, 2020	May 6, 2025 🗰	
udit	Cancel	Sa

For more information on fields, refer to the field description table.

Table 3-14	Product Processor Maintenance	- Modify -	Field Description
------------	-------------------------------	------------	-------------------

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description. User can modify the same.
Effective Date	Displays the effective date of the created product processor. User can modify the same before authorization if it is future dated.
Expiry Date	Displays the expiry date of the created product processor. User can modify the same.

- 8. Click **Save** to update the modified fields.
- 9. Click View to view the created product processor.

The **Product Processor Maintenance - View** screen displays.



Product Processor Maintenance		31 37
Basic Details		
Product Processor Code	Product Processor Description	
OFLO	OFLO	
Effective Date	Expiry Date	
September 1, 2020	May 6, 2025	
Audit		

Figure 3-17 Product Processor Maintenance - View

For more information on fields, refer to the field description table.

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Effective Date	Displays the effective date of the created product processor.
Expiry Date	Displays the expiry date of the created product processor.

Table 3-15 Product Processor Maintenance - View - Field Description

3.7 Borrowing Capacity

This topic describes the information about the total amount the applicant is eligible to borrow.

Maximum loan amount are used for loans, credit cards, and line of credit accounts. The maximum credit amount depends on a number of factors including the borrower's credit worthiness, that is, financial profile and debt to income, loan term, loan purpose, whether the loan is supported by a collateral etc.

Using this screen, the user can link a rule for calculating borrowing capacity. The user can calculate the maximum lendable amount based on the various criteria of the lender such as debt to income ratio, credit score, credit history, etc.

A sample rule to calculate borrowing capacity is given below:

Scenario: Based on Income and FICO score

Rule 1:

IF MIN(FICO_SCORE) >= 500 AND MIN(EMPLOYMENT_PERIOD)< 1 YEAR

THEN MULTIPLIER = 5

ELSEIF MIN(FICO_SCORE) < 500 AND MIN(EMPLOYMENT_PERIOD) > 1 YEAR

THEN MULTIPLIER = 4

Rule2: Max Lendable Amount



MIN(Income) * Rule1

This topic contains the following subtopics:

- Create Borrowing Capacity
 This topic describes the systematic instructions to define the borrowing capacity based
 on the various input.
- View Borrowing Capacity This topic describes the systematic instructions to view the borrowing capacity.

3.7.1 Create Borrowing Capacity

This topic describes the systematic instructions to define the borrowing capacity based on the various input.

Specify User ID and Password, and login to Home screen.


- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Borrowing Capacity, under Borrowing Capacity, click Create Borrowing Capacity.

The Create Borrowing Capacity screen displays.

Create Borrowing Capacity		j., ;
Basic Details		
Borrowing Capacity Code	Borrowing Capacity Description	
Required Effective Date	Required Expiry Date	
September 30, 2020		
September 30, 2020	Required	
Product Processor	Execution Stage	
OFLO •	Select	
	Required	
Selection Criteria Eligibility		
) Use Existing Rule 🔿 Create New Rule		
Rules		
Rule Sode Rule Name		
Select		
Select •		
		Cancel Save

Figure 3-18 Create Borrowing Capacity

3. On Create Borrowing Capacity screen, specify the fields.



For more information on fields, refer to the field description table.



Field	Description	
Borrowing Capacity Code	Specify the unique borrowing capacity code.	
Borrowing Capacity Description	Specify a short description for the borrowing capacity.	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the borrowing capacity is being defined.	
Execution Stage	 Select the required option for execution stage from the drop-down list. The available options are: Before Decision: If this option is selected, amount is calculated before scoring model resolution. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for scoring and pricing. After Decision: If this option is selected, Amount is calculated after decision and before pricing. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for pricing. 	

Table 3-16 Create Borrowing Capacity - Field Description

4. On Create Borrowing Capacity screen, click Selection Criteria tab to define selection criteria rules.

The Create Borrowing Capacity - Selection Criteria screen displays.



ate Borrowing Capacity		
sic Details		
rowing Capacity Code		Borrowing Capacity Description
Required		Required
ctive Date		Expiry Date
ptember 30, 2020 🛗		
duct Processor		Execution Stage
FLO 👻		Select
		Required
Selection Criteria Elig	zibility	
Aisting Rule O'Create New Rule		
es		
Code	Rule Name	
PL502 - 0	APPL502	
New		
ules		
✓ Basic Info		
Code	Description	Product Processor Tag
Code	Description	
Required		Required
Select Existing rule	Rule Version	
Q		Q
> Section1		
/ Section		
Else		
+ :		
No items to display.		
Expression		
IF		
Output Section1		
Output		
Output Section1		
Output Section1 Else		
Output Section1		
Output Section1 Else		

Figure 3-19 Create Borrowing Capacity - Selection Criteria

For more information on fields, refer to the field description table.

Table 3-17 Create Borrowing Capacity - Selection Criteria - Field Description

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rule Code	Select the rule code from the drop down list.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name for the selected rule code.
New	Select this option to create new rule.
Code	Specify the rule code.
Description	Specify the rule description.
+ icon	Click this icon to add new expression.



Field	Description
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.
Operator	Select the comparison operator from the drop-down list. The available options are: < > + = % != - >= <= < Contains In Matches NotMatches NotContains NotContains NotContains
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False

Table 3-17 (Cont.) Create Borrowing Capacity - Selection Criteria - FieldDescription



Table 3-17	(Cont.) Create Borrowing Capacity - Selection Criteria - Field
Description	

Field	Description
Expression	Displays the expression updated in the expression builder.

 On Create Borrowing Capacity screen, click the Eligibility to define eligibility. The Create Borrowing Capacity - Eligibility screen displays.

Figure 3-20 Create Borrowing Capacity - Eligibility

Create Borr	owing Capacity			;; ×
Basic Details	(Code	Borrowing Capacity Description		
Effective Date	Required	Expiry Date	Required	
Product Processor Select	and the second s	Execution Stage Select	Preutred	
Selection			Regulard	
+				
Actions	Fact ID		Rule ID	
0	Select	-	Select	•
	Select	•	Select	•
			Cancel	Save

For more information on fields, refer to the field description table.

Field	Description
+ icon	Click this icon to add a new row.
- icon	Click this icon to delete a row, which is already added.
Actions	Select this check box corresponding to the row to be deleted.
Fact ID	Select the fact ID from the drop-down list.
Rule ID	Select the rule ID from the drop-down list.
0	Click this icon to get the information about the rule.

 Table 3-18
 Create Borrowing Capacity - Eligibility - Field Description

6. Click **Save** to save the details.

The **Borrowing Capacity** is successfully created and can be viewed using the View Borrowing Capacity screen.



3.7.2 View Borrowing Capacity

This topic describes the systematic instructions to view the borrowing capacity.

The user can configure the borrowing capacity using the Create Borrowing Capacity screen. The status of the created capacity is displayed as **Unauthorized** and **Open**. Once the checker authorizes the capacity, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Borrowing Capacity, under Borrowing Capacity, click View Borrowing Capacity.

The View Borrowing Capacity screen displays.

Figure 3-21 View Borrowing Capacity

+ 0					1
RC502	Borrowing Capacity Code: AFTERTEST2 :	Borrowing Capacity Code: BORCAP001 :	Borrowing Capacity Code: borr0101	Borrowing Capacity Code: RTEST1	
orrowing BRC502 roduct OFLO	Borrowing AFTERTEST2 Desc Product OFLO	Borrowing BORCAP001 Product OFLO	Borrowing borr0101 Product OFLO	Borrowing RTEST1 Product OFLO	
Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	

For more information on fields, refer to the field description table.

 Table 3-19
 View Borrowing Capacity – Field Description

Field	Description
Borrowing Capacity Code	Displays the borrowing capacity code.
Borrowing Capacity Description	Displays the borrowing capacity description.
Product Processor	Displays the product processor.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

3. On View Borrowing Capacity screen, click



Q

icon.

The View Borrowing Capacity - Search screen displays.

Figure 3-22 View Borrowing Capacity - Search

Search Filter	×
Borrowing Capacity Code]
Borrowing Capacity Description]
Authorization Status]
Record Status]
Search Reset	

4. On View Borrowing Capacity - Search screen, specify the Search Filter to fetch the required borrowing capacity.

For more information on fields, refer to the field description table.

Table 3-20 View Borrowing Capacity - Search – Field Description

Field	Description
Borrowing Capacity Code	Specify the borrowing capacity code.
Borrowing Capacity Description	Specify the borrowing capacity description.



Field	Description
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 3-20 (Cont.) View Borrowing Capacity - Search – Field Description

- 5. Click Search to display to required borrowing capacity.
- On View Borrowing Capacity screen, click 6.
 - ٠ :

icon to Unlock, Delete, Authorize or View the created borrowing capacity.


7. Click **Unlock** to modify the borrowing capacity.

The Borrowing Capacity Maintenance - Modify screen displays.



rrowing Capacity Maintenance			
sic Details			
rowing Capacity Code	Borrowing Capacity Description		
RC502	BRC502		
ctive Date	Expiry Date		
ptember 9, 2020	July 31, 2025	iii ii	
duct Processor			
FLO V	Execution Stage		
	Before Decision	Ŧ	
Selection Criteria Eligibility Existing Rule O Create New Rule			
es			
Code Rule Name			
8C502 • 0 BRC502			
Edit			
tules			
∽ Basic Info			
Code Descri	Tag		Select Existing rule
BRC502 BRC		-	Q
Rule Version			
2 Q			
> Section1			
Else			
+ =			
No items to display.			
Expression			
IF			
((LoanTenure > 36) && (marketValue < 800000) Output			
Section1 True Else			

Figure 3-23 Borrowing Capacity Maintenance - Modify



For more information on fields, refer to the field description table.

	rowing Capacity Maintenance - Mouny - Field Description
Field	Description
Borrowing Capacity Code	Displays the model code for the created borrowing capacity.
Borrowing Capacity Description	The user can modify the model description for the created borrowing capacity.
Effective Date	The user can modify effective date for the borrowing capacity.
Expiry Date	The user can modify date of the created borrowing capacity.
Product Processor	Displays the product processor for the borrowing capacity.
Execution Stage	Displays execution stage for the borrowing capacity.

Table 3-21 Borrowing Capacity Maintenance - Modify - Field Description



Field	Description
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	The user can modify the rule code for the created borrowing capacity.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created borrowing capacity.
Create New Rule	The user can modify the rule code for the created borrowing capacity.
Code	Specify the new rule code for borrowing capacity.
Description	Specify the rule description for the borrowing capacity.
Fact / Rules	Displays the fact or rule for the created borrowing capacity.
Operator	Displays the comparison operator for the created borrowing capacity.
Data Type	Displays the data type for the fact or rule for the created borrowing capacity.
Output	Displays the output for the created borrowing capacity.
Expression	Displays the expression updated in the expression builder for the created borrowing capacity.
Fact ID	The user can modify the fact ID of the created borrowing capacity.
Rule ID	The user can modify the rule ID of the created borrowing capacity.
0	Click this icon to get the information about the rule.

Table 3-21 (Cont.) Borrowing Capacity Maintenance - Modify - Field Description

- 8. Click **Save** to update the modified fields.
- 9. Click View to view the borrowing capacity.

The Borrowing Capacity Maintenance – View screen displays.



	nance		
asic Details			
rrowing Capacity Code		Borrowing Capacity Description	
10502		BRC502	
fective Date		Expiry Date	
eptember 9, 2020		July 31, 2025	
roduct Processor		Execution Stage	
FLO		Execution stage Before Decision	
		Derore Decision	
Selection Criteria	Eligibility		
e Existing Rule O Create New Rule			
ules			
ul es le Code	Rule Name		
1e Code 3RC502 0	Rule Name BRC502		
SRC302	BRCDUZ		
Edit			
Rules			
✓ Basic Info			
Code	Description	Tag	Select Existing rule
BRC502	BRC502	· · ·	Q
Rule Version			
2	٩		
> Section1			
Else			
+ =			
No items to display.			
Expression			
((LoanTenure > 36) &	د (marketValue < 800000))		
Output Section1 True			
Section1 True			
Else			

Figure 3-24 Borrowing Capacity Maintenance – View

For more information on fields, refer to the field description table.

Table 3-22 Borrowing Capacity Maintenance - View - Field Description

Field	Description
Borrowing Capacity Code	Displays the model code for the created borrowing capacity.
Borrowing Capacity Description	Displays the model description for the created borrowing capacity.
Effective Date	Displays effective date for the borrowing capacity.
Expiry Date	Displays date of the created borrowing capacity.
Product Processor	Displays the product processor for the borrowing capacity.
Execution Stage	Displays execution stage for the borrowing capacity.
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	Displays the rule code for the created borrowing capacity.
0	Click this icon to get the information about the rule.



Field	Description
Rule Name	Displays the rule name of the rule code for the created borrowing capacity.
Create New Rule	Displays the rule code for the created borrowing capacity.
Code	Displays the rule code for borrowing capacity.
Description	Displays the rule description for the borrowing capacity.
Fact / Rules	Displays the fact or rule for the created borrowing capacity.
Operator	Displays the comparison operator for the created borrowing capacity.
Data Type	Displays the data type for the fact or rule for the created borrowing capacity.
Output	Displays the output for the created borrowing capacity.
Expression	Displays the expression updated in the expression builder for the created borrowing capacity.
Fact ID	Displays the fact ID of the created borrowing capacity.
Rule ID	Displays the rule ID of the created borrowing capacity.
0	Click this icon to get the information about the rule.

Table 3-22 (Cont.) Borrowing Capacity Maintenance - View - Field Description

3.8 Strategy Configuration

This topic describes the information about the strategy configuration.

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy as per its requirements for all the modes for which decision service can be called. Separate strategy can be defined for the same module like for origination i.e. multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be called for.

This topic contains the following subtopics:

- Create Strategy Configuration
 This topic describes the systematic instructions to create strategy configuration as
 per the requirement.
- View Strategy Configuration
 This topic describes the systematic instructions to view the list of strategy configuration.



3.8.1 Create Strategy Configuration

This topic describes the systematic instructions to create strategy configuration as per the requirement.

Specify User ID and Password, and login to Home screen.

- **1.** On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Strategy Configuration, under Strategy Configuration, click Create Strategy Configuration.

The Create Strategy Configuration screen displays.

reate Strategy Configuration		
Basic Details		
Strategy Code	Strategy Code Description	
Select 👻		
Required		
roduct Processor	Product Processor Description	
Select Required		
dustry	Line of Business	
Select 👻	Select	
Required	Required	
ccount Category) Asset ⊃ Liability	Module Select	
Required	Select	
ffective Date	Expling Date	
September 30, 2020 👜		
+ _		
Туре	Value	
Select	▼ Select	
Select	✓ Select	
des select the Modes to confligure as per requirement Borrowing Capacity Decision & Grade Pricing Qualitati	re Score Quantitative Score Score Score & Decision Score, Decision & Pricing	
ps		
te ne mandatory steps are by default checked and disabled. The optional steps a	re enabled and unchecked. The user can decide which steps need to be configured for a mode.	
	1999 1997 - 2019 BOUNDARY CHINES CONTRACTS - 2019 BOUNDARY	Cancel

Figure 3-25 Create Strategy Configuration

3. On Create Strategy Configuration screen, specify the fields.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Field	Description
Strategy Code	Specify the unique strategy code.
Strategy Code Description	Specify the short description for the strategy code.
Product Processor	Specify the product processor for which the strategy is being configured.
Product Processor Description	Displays the product processor description.
Industry	 Select the industry type from the drop-down list . The values are configurable based on the lookup values maintained. The available options are: Banking Industry Insurance Trade Finance
Line Of Business	Select the line of business type from the drop-down list . The values are configurable based on the lookup values maintained. The available options are: Corporate Retail SMEnt
Account Category	Indicates whether the strategy created is for asset or Liabilities.
Module	 Select the module from the drop-down list . The values are configurable based on the lookup values maintained. The available options are: Collection Origination Servicing
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
+ button	Click to add a new facts.
- button	Click to delete a row that is already added.
Туре	Select the fact type from the drop-down list.
Value	Select the value configured for the fact type from the drop-down list. The values are configurable based on the lookup values maintained.

Table 3-23 Create Strategy Configuration - Field Description



Field	Description
Modes	 Select the modes from the drop-down list. The available options are: Borrowing Capacity decision & Grade Pricing Qualitative Score Quantitative Score Score Score and Decision Score, Decision & Pricing If the Module is selected as Collection, then below options are available. Decision & Grade Qualitative Score Qualitative Score Qualitative Score Qualitative Score Score and Decision
Steps	Steps are defined based on the modes selected. Example: If Borrowing Capacity mode is selected, the check box for borrowing capacity is by default selected and disabled. You can select the other steps.

Table 3-23 (Cont.) Create Strategy Configuration - Field Description

4. Click **Save** to save the details.

The **Strategy Configuration** is successfully created and can be viewed using the View Strategy Configuration screen.

3.8.2 View Strategy Configuration

This topic describes the systematic instructions to view the list of strategy configuration.

The user can create the strategy configuration using the Create Strategy Configuration screen. The status of the created strategy configuration is displayed as **Unauthorized** and **Open**. Once the checker authorizes the strategy configuration, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Strategy Configuration, under Strategy Configuration, click View Strategy Configuration.

The View Strategy Configuration screen displays.



Figure 3-26 View Strategy Configuration

Q + Q Strategy code: Strategy code: </th <th>: OFLOOD1 :</th>	: OFLOOD1 :
Produči OFLO Produči OFLO	Strategy OFLODI
De Authorized 🔓 Open 😰 1 🗋 Unauthorized 🚔 Open 🖾 2	D Unauthorized & Open 2

For more information on fields, refer to the field description table.

Table 3-24 View Strategy Configuration - Field Description

Field	Description
Strategy Code	Displays the strategy code.
Strategy Description	Displays the description of the strategy.
Product Processor	Displays the product processor of the strategy.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

3. On View Strategy Configuration screen, click



icon.

The View Strategy Configuration - Search screen displays.

х

Search Filter
Strategy Code
Strategy Description
Authorization Status
Record Status
Search

Figure 3-27 View Strategy Configuration - Search

4. On View Strategy Configuration - Search screen, specify the Search Filter to fetch the required strategy configuration.

For more information on fields, refer to the field description table.

 Table 3-25
 View Strategy Configuration - Search – Field Description

Field	Description
Strategy Code	Specify the strategy code.
Strategy Description	Specify the description of the strategy.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

- 5. Click **Search** to display the required strategy configuration.
- 6. On View Strategy Configuration screen, Click

••••

icon, to Unlock, Delete, Authorize or View the created strategy configuration.

7. Click **Unlock** to modify the created strategy configuration.

The Strategy Configuration Maintenance - Modify screen displays.

Figure 3-28 Strategy Configuration Maintenance - Modify

rategy Configuration Maintenance		;
asic Details		
trategy Code	Strategy Code Description	
OFL0035 -	OFLO035	
roduct Processor	Product Processor Description	
OFLO 👻	OFLOSS	
dustry	Line of Business	
Banking 👻	Retail	
ccount Category	Module	
Asset O Liability	Origination	
fective Date	Expiry Date	
eptember 30, 2020	December 12, 2023	
П Туре	Value	
Line of Business	-	
les		
elect the Modes to configure as per requirement Borrowing Capacity Decision & Grade Pricing Decision & Grade	Score 🗳 Quantitative Score 🗳 Score 🖉 Score & Decision 🖉 Score, Decision & Pricing	
55		
e e mandatory steps are by default checked and disabled. The optional steps are i	enabled and unchecked. The user can decide which steps need to be conligured for a mode.	

For more information on fields, refer to the field description table.

Field	Description
Strategy Code	Displays the created strategy code.
Strategy Code Description	Displays the created strategy code description.
Product Processor	Displays the product processor for the created strategy configuration.
Product Processor Description	Displays the product processor description for the created strategy configuration.
Account Category	Displays the account category for the created strategy configuration.
Module	Displays the module for the created strategy configuration.
Effective Date	Displays the effective date for the created strategy configuration.
Expiry Date	Select the expiry date for the created strategy configuration.

 Table 3-26
 Strategy Configuration Maintenance - Modify - Field Description



Field	Description
Туре	Displays the fact type for the created strategy configuration.
Value	Displays the fact value for the created strategy configuration.
Steps	Specify the steps defined for the created strategy configuration.

Table 3-26(Cont.) Strategy Configuration Maintenance - Modify - FieldDescription

- 8. Click Save to update the modified fields.
- 9. Click **View** to view the created strategy configuration.

The Strategy Configuration Maintenance - View screen displays.

Figure 3-29	Strategy Configuration	Maintenance -	View
-------------	------------------------	---------------	------

S	trategy Co	onfiguration Ma	aintenance			;; ×
	Basic Details					
	trategy Code			Strategy Code Description		
	FLO035			OFLO035		
	roduct Processo	r		Product Processor Description		
	FLO			OFLOSS		
	ndustry			Line of Business		
	lanking			Retail		
	ccount Category	/		Module		
				Origination		
	ffective Date			Expiry Date		
9	eptember 30, 2	2020		December 12, 2023		
Add	litional Infor	mation				
	+ -					
		Туре			Value	
		Line of Business				
Mo	des					
s	elect the Modes	to configure as per requirer	nent			
	Borrowing Ca	pacity 🗹 Decision &	Grade 🛛 Pricing 🖾 Qualitative Score 🖾 Quantit	tative Score 🗹 Score	2 Score & Decision Score, Decision & Pricing	
Ste	os					
No	te le mandatory s	steps are by default chec	ked and disabled. The optional steps are enabled and uncheck	ked. The user can decide whic	h steps need to be configured for a mode.	
Au	fit					

For more information on fields, refer to the field description table.

Table 3-27 Strategy Configuration Maintenance - View - Field Description

Field	Description
Strategy Code	Displays the created strategy code.
Strategy Code Description	Displays the created strategy code description.
Product Processor	Displays the product processor for the created strategy configuration.
Product Processor Description	Displays the product processor description for the created strategy configuration.



Field	Description
Account Category	Displays the account category for the created strategy configuration.
Module	Displays the module for the created strategy configuration.
Effective Date	Displays the effective date for the created strategy configuration.
Expiry Date	Displays the expiry date for the created strategy configuration.
Туре	Displays the fact type for the created strategy configuration.
Value	Displays the fact value for the created strategy configuration.
Steps	Displays the steps defined for the created strategy configuration.

Table 3-27 (Cont.) Strategy Configuration Maintenance - View - Field Description

3.9 Scoring Feature

This topic describes the information about the scoring feature in Decision service.

Lending institution have complex credit scoring models. The model uses the information contained in an application such as salary, credit commitments, and past loan performances to determine a credit score of an application or an existing customer. The model generates a score and based on that score, system takes the decision like approve, referred or to reject the application. To achieve these, in the decision service, you need to define maintenances of scoring feature. A feature can be either fact based or rule based. The features created in this maintenance can be linked in quantitative score model and decision grade matrix screen.

This topic contains the following subtopics:

Create Scoring Feature

This topic describes the systematic instructions to configure the scoring feature for determining the credit score.

View Scoring Feature
 This topic describes the systematic instructions to view the list of scoring feature.

3.9.1 Create Scoring Feature

This topic describes the systematic instructions to configure the scoring feature for determining the credit score.

This score applies to applications during origination and based on the information received from the product processor.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Scoring Feature, under Scoring Feature, click Create Scoring Feature.

The Create Scoring Feature screen displays.



Figure 3-30 Create Scoring Feature

Create Scoring Feature	:: ×
Basic Details	
Feature Code	Feature Description
Despired	Paquind
Product Processor	Rule
Select Required	O Yes 💿 No
Fact Code	Fact Name
Select Pegund	
	Cancel Save

3. On Create Scoring Feature screen, specify the fields.



For more information on fields, refer to the field description table.

Field	Description
Feature Code	Specify the unique feature code.
Feature Description	Specify a short description for the feature.
Product Processor	Specify the product processor for which the feature is being created.
Rule	Select the rule, if it is required to define the feature. This option is used to decide whether the feature is rule based or fact based. The available options are: • Yes • No
Fact Code	Select the fact code to be mapped to the feature from the drop-down list. This field is enabled if the Rule is selected as No .
Fact Name	Specify the fact name of the feature. This field is enabled if the Rule is selected as No .
Rule Code	Select the rule code to be mapped to the feature from the drop-down list. This field is enabled if the Rule is selected as Yes .
0	Click this icon to get the information about the rule.
Rule Name	Specify the rule name for the selected rule. This field is enabled if the Rule is selected as Yes .

4. Click **Save** to save the details.

The **Scoring Feature** is successfully created and can be viewed using the View Scoring Feature screen.



3.9.2 View Scoring Feature

This topic describes the systematic instructions to view the list of scoring feature.

The user can configure the scoring feature using the Create Scoring Feature screen. The status of the created scoring feature is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Scoring Feature, under Scoring Feature, click View Scoring Feature.

The View Scoring Feature screen displays.

Figure 3-31 View Scoring Feature

0					
Festure Code: FACT220221205131288	Feature Code: FACT320221205131288	Festure Code: FACT20221205131288	Feature Code: RULE20221205131288	Feature Code: QFR20230106140143	Feature Code: QFF20221214141237
Feature Scoring Feature 2 for Product CMC	Feature Scoring Feature 3 for Product CMC	Feature Scoring Feature Fact Product CMC	Feature Scoring Feature Rule Product CMC	Feature Modification for Rule Product OFLO	Feature Scoring Feature Fa Product OFLO
Closed 22	Closed 22	Chauthorized ⊕ Closed 2 2	Closed ≥2	🗅 Authorized 🔓 Open 🖾 4	🗅 Authorized 🔒 Open
Peature Code: QFR20221214141285	Feature Code: FACT220230110100102	Feature Code: FACT320230110100102	Feature Code: FACT20230110100102		
Feature Modification for Rule Product OFLO	Feature Scoring Feature 2 for Product CMC	Feature Scoring Feature 3 for Product CMC	Feature Scoring Feature Fact Product CMC		
D Authorized 🔓 Open 🖾 4	D Authorized	Closed 2 2	🗅 Authorized 🛛 🔂 Closed 🖉 2		

For more information on fields, refer to the field description table.

 Table 3-29
 View Scoring Feature – Field Description

Field	Description
Feature Code	Displays the feature code.
Feature Description	Displays the description of the feature.
Product Processor	Displays the product processor for which the feature is created.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

3. On View Scoring Feature screen, Click



Q

icon.

The View Scoring Feature - Search screen displays.

Figure 3-32 View Scoring Feature - Search

Search Filter	Х
Feature Code	
Feature Description	
Authorization Status	
Record Status	
Search Reset	

For more information on fields, refer to the field description table.

Table 3-30	View Scoring Feature - Search – Field Description
------------	---

Field	Description
Feature Code	Specify the feature code.
Feature Description	Specify the feature description.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized



Field	Description
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

Table 3-30 (Cont.) View Scoring Feature - Search – Field Description

- 4. Click **Search** to display the required scoring feature.
- 5. On View Scoring Feature screen, click
 - :
 - •


icon to Unlock, Delete, Authorize or View the created scoring feature.

6. Click **Unlock** to modify the created scoring feature..

The Scoring Feature Maintenance - Modify screen displays.

Figure 3-33 Scoring Feature Maintenance - Modify

coring Feature Maintenance		::
asic Details		
sature Code	Feature Description	
TEST21	TEST21	
roduct Processor	Rule	
OFLO +	Yes O No	
le Code	Rule Name	
Nest1 🗸 🚺	Nest1	



For more information on fields, refer to the field description table.

Table 3-31 Scoring Feature Maintenance - Modify - Field Description

Field	Description
Feature Code	Displays the feature code.
Feature Description	The user can modify the feature description.
Product Processor	Displays the product processor for the created scoring feature.
Rule	The user can modify the rule defined to the feature.
Rule Code	The user can modify the rule code of the feature. This field is displayed, if the Rule is selected as Yes .



Field	Description
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the feature. This field is displayed, if the Rule is selected as Yes .
Fact Code	The user can modify the fact code of the feature. This field is displayed, if the Rule is selected as No .
Fact Name	Displays the fact name of the feature. This field is displayed, if the Rule is selected as No .

Table 3-31 (Cont.) Scoring Feature Maintenance - Modify - Field Description

7. Click **Save** to update the modified fields.

3.10 Quantitative Scoring Model

This topic describes the information about the Quantitative scoring model for the Decision service.

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This topic contains the following subtopics:

Create Quantitative Scoring Model

This topic describes the systematic instructions to configure the quantitative scoring model based on the various scoring parameters.

View Quantitative Scoring Model

This topic describes the systematic instructions to view the list of configured quantitative scoring model.

3.10.1 Create Quantitative Scoring Model

This topic describes the systematic instructions to configure the quantitative scoring model based on the various scoring parameters.

The parameters driving the scoring models are configurable. The user can create quantitative scoring model by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Quantitative Scoring Model, under Quantitative Scoring Model, click Create Quantitative Scoring Model.




The Create Quantitative Scoring Model screen displays.

	;; ×
Scoring Model Description	
Review	
Expiry Date	
曲	
Required	
Priority	
Required	
	Feasiers

Figure 3-34 Create Quantitative Scoring Model

3. On Create Quantitative Scoring Model screen, specify the fields.



For more information on fields, refer to the field description table.

Field	Description
Scoring Model	Select the scoring model from the drop-sown list. The available options are: • Application Scoring Model • Applicant Scoring Model • Multi-Applicant Scoring Model
Scoring Model Code	Specify the unique scoring model code.
Scoring Model Description	Specify a short description for the scoring model.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the model is being created.
Priority	Specify the priority of the model.

4. Click the Selection Criteria to define quantitative scoring model.

The Create Quantitative Scoring Model - Selection Criteria screen displays.



te Quantitative Scoring Model		
c Details		
ng Model		
plication Scoring Model		
ng Model Code	Scoring Model Description	
Required	Required	
Ive Date	Expiry Date	
tember 30, 2020 🛗		
ct Processor	Required Priority	
LO 👻		
	Required	
Selection Criteria Scoring Rule		
te Rule		
w		
les		
✓ Basic Info		
Code Descriptio	Tag Select Existing rule	
Code Descriptio	Tag Select Existing rule	
Required		
Rule Version		
Required		
Rule Version		
Rule Werston		
Rule Version Regulated Q Section1		
Rule Version Recoined		
Rule Version Received		
Rule Version Recoined		
Rule Version Received		
Rule Version Received		
Rule Version Rule		
Rule Version Rule		
Reference Reference Reference Reference Section1 Else Image: Section in the image is a sectio		
Rule Version Rule		
Rule Version Resolved Rule Version Q P Section1 Q		

Figure 3-35 Create Quantitative Scoring Model - Selection Criteria

For more information on fields, refer to the field description table.

Table 3-33Create Quantitative Scoring Model - Selection Criteria - FieldDescription

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rule Code	Select the rule code from the drop down list.
0	Click this icon to get the information about the existing rule.
Rule Name	Displays the rule name of the selected rule code.
Create New Rule	Select this option to create new rule.
Code	Specify the rule code.
Description	Specify the rule description.
+ icon	Click this icon to add new expression.



Field	Description
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.
Operator	Select the comparison operator from the drop-down list. The available options are: < > + = % != - >= < < Matches NotMatches NotContains NotContains
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False
Output	 Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact Rules The below option appears if the Data Type is selected as Boolean. True False

Table 3-33 (Cont.) Create Quantitative Scoring Model - Selection Criteria - FieldDescription



Table 3-33 (Cont.) Create Quantitative Scoring Model - Selection Criteria - FieldDescription

Field	Description
Expression	Displays the expression updated in the expression builder.

5. Click the Scoring Rule to define the rules. This tab is enabled if Application Scoring Model is selected.

The Create Quantitative Scoring Model - Scoring Rule screen displays.

Figure 3-36 Create Quantitative Scoring Model - Scoring Rule

Create Quantitative Scoring Model		;; ×
Scoring Model Code	Scoring Model Description	
Effective Date	Expiry Date	
Product Processor OFLO	Prooffy Required	
Selection Criteria Scoring Rule		
Rule Code Rule Name Netlincome Netlincome		
		Cancel Save

For more information on fields, refer to the field description table.

Table 3-34	Create Quantitative Scoring Model - Scoring Rule - Field Description
------------	--

Field	Description
Rule Code	Select the rule code from the drop-down list.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code.

6. Click the **Feature** tab to define the feature. This tab is enabled if **Applicant Scoring Model** and **Multiple Applicant Scoring Model** is selected.

The Create Quantitative Scoring Model - Feature screen displays.



Create Quantitative Scoring Model				1		
Basic Details						
Multi-Applicant Scoring Model						
Scoring Model Code		Scoring Model Description				
Required			Required			
Effective Date September 30, 2020		Expiry Date	Ē			
September 30, 2020			Required			
Product Processor		Priority				
Select 👻						
Required			Required			
Selection Criteria	Feature					
	Feature					
oring Feature						
+ -						
Feature	Weightage (%)	Range Type		Define Range/Value	Enable	
Select	•	Select	Ŧ	Define		
Select	•	Select	Ŧ	Define		
					Can	ncel

Figure 3-37 Create Quantitative Scoring Model - Feature

For more information on fields, refer to the field description table.

Field	Description			
+ icon	Click this icon to add a new row.			
- icon	Click this icon to delete a row, which is already added.			
Feature	Select the feature from the drop-down list.			
Weightage (%)	Specify the weightage to be assigned to each feature code.			
Range Type	Select the range type from the drop down list.			
	The available options are:			
	Max Value			
	Param Percent%			
	• Value			
	For Applicant Scoring Model, this field is editable.			
Define Range/Value	Click the Define link to define the score for the expected response.			
Enable	By default, this option is enabled. Indicates if the scoring parameter is enabled or not.			

 Table 3-35
 Create Quantitative Scoring Model - Feature - Field Description

7. Click the **Define** link to define a range or absolute values for each scoring feature to be considered for scoring model and score for that range or value.

In case the data type of feature is numeric such as Bureau score, the **Create Quantitative Scoring Model - Define Link - Numeric Feature** screen displays.

Basic Details					
coring Model					
Applicant Scoring Model					
corting Model Code		Scoring Model Description			
Required		F	lequired		
fective Date		Expiry Date			
September 30, 2020 🗰					
oduct Processor		Priority	lequired		
OFLO •					
		R	lequired		
Selection Criteria	Feature				
	rettore				
ng Feature					
Feature	Weightage (%)	Range Type	Define Range/Value	Enable	
	•	Param Percent %	▼ Define		
Age Aggregate					
	•	Select	▼ Define		
	•	Select	✓ Define		
	-	Select	Define		
Select		Select	Define		4111 <i>1117-2211</i>
Select ange/Value Definition - Age Aggre	egate				
Select	egate	From 0 - 200 in 1st row and 200 - 500 in 2nd row th			411111 <i>112</i> 222
Select	egate				
Select	e defining a Range? For Example: If range is				
Select	e defining a Range? For Example: If range is				MINOCE
Select	e defining a Range? For Example: If range is	from 0 - 200 in 1st row and 200 - 500 in 2nd row th			MINOCE 22
Select	e defining a Range? For Example: If range is	from 0 - 200 in 1st row and 200 - 500 in 2nd row th			
Select Se	e defining a Range? For Example: If range is	from 0 - 200 in 1st row and 200 - 500 in 2nd row th			
Select Se	e defining a Range? For Example: If range is Max Value	from 0 - 200 in 1st row and 200 - 500 in 2nd row th		m 200.	
Select Se	e defining a Range? For Example: If range is Max Value	from 0 - 200 in 1st row and 200 - 500 in 2nd row th		m 200.	

Figure 3-38 Create Quantitative Scoring Model - Define Link - Numeric Feature

For more information on fields, refer to the field description table.

Table 3-36 Create Quantitative Scoring Model - Define Link – Numeric Feature Field Description Field Description

Field	Description
Range Type	Displays the range type selected.
Max Value	Specify the maximum value on which scoring has to be done, if range type ID is Max Value % or Param %.
+ icon	Click this icon to add a new row.
- icon	Click this icon to delete a row, which is already added.
Range From	Specify the minimum range of value based on which scoring is to be done.
Range To	Specify the maximum range of value based on which scoring is to be done.
Score/Percentage	Specify the percentage to be assigned for each range or value, if range type is Max value % or Param %.
	Specify the score to be assigned for each range or value, if range type is Value.



Table 3-36 (Cont.) Create Quantitative Scoring Model - Define Link – NumericFeature - Field Description

Field	Description
Category	Specify the category for each range or value from the drop-down list. The values are configurable based on the lookup values maintained. The available options are: Strong Medium Weak

If the data type of feature is alphanumeric such as Employment Category, the below screen appears.

Figure 3-39 Create Quantitative Scoring Model - Define Link – Alphanumeric Feature

Create Quantitative Scoring Mode	əl					::×
Basic Details Soring Model Applicant Scoring Model Soring Model Code Floctice Date Effective Date September 30, 2020		Scoring Model Descriptio	n Required Required Required			
Selection Criteria Scoring Feature	Feature					
+ -						
Feature	Weightage (%)	Range Type		Define Range/Value	Enable	
Age Aggregate		Param Percent %	•	Define		
Select •		Select	•	Define		
Range/Value Definition - Age Aggregate		n 1st row and 200 - 500 in	2nd row then that mea	ns in the 2nd row it will start from 20	00.	x
Range Type Param Percent %	Max Value	quired				
+ -						
Range From	Range To		Percentage		Category	
No data to display.						
						Done
						Cancel Save

For more information on fields, refer to the field description table.

Table 3-37Create Quantitative Scoring Model - Define Link – AlphanumericFeature - Field Description

Field	Description
Range Type	Displays the range type selected. The default value for the same is Value .
Max Value	Specify the maximum value for the range type.



Field	Description		
+ icon	Click this icon to add a new row.		
- icon	Click this icon to delete a row, which is already added.		
Value	Specify the value of the feature.		
Score	Specify the score assigned for each range value.		
Category	Specify the category for each range or value from the drop-down list. The available options are: • Strong • Medium • Weak		

Table 3-37 (Cont.) Create Quantitative Scoring Model - Define Link – Alphanumeric Feature - Field Description

- 8. Click **Done** to save the data and close the range panel.
- 9. Click Save to save the details.

The **Quantitative Scoring Model** is successfully created and can be viewed using the View Quantitative Scoring Model screen.

3.10.2 View Quantitative Scoring Model

This topic describes the systematic instructions to view the list of configured quantitative scoring model.

The user can configure the qualitative scoring model using the Create Quantitative Scoring Model screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Quantitative Scoring, under Quantitative Scoring Model, click View Quantitative Scoring Model.

The View Quantitative Scoring Model screen displays.

+ 0					000
coring Model Code: CBSINTAPPL	Scoring Model Code: MAPP602	Scoring Model Code: APP502N2	Scoring Model Code: CBSINT :	Scoring Model Code: RTEST2	
coring Mode CBS Integration roduct OFLO	Scoring ModeMAPP602 Product OFLO	Scoring Mode APP502N2 Product OFLO	Scoring Mode CBSINT Product OFLO	Scoring ModeRTEST1 Desc Product OFLO	
Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized	D Authorized 🔓 Open 🖾 1	
coring Model Code: JAPP502	Scoring Model Code: APPL502	Scoring Model Code: REJECT	Scoring Model Code: APP502		
coring Mode MAPP502 roduct OFLO	Scoring Mode APPL502 Product OFLO	Scoring Mode REJECT Product OFLO	Scoring Mode APP502 Product OFLO		
Authorized 🔓 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔒 Open 🖄 1	🗅 Authorized 🔓 Open 🖾 1		

Figure 3-40 View Quantitative Scoring Model



Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the description of the scoring model.
Product Processor Code	Displays the product processor code
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 3-38 View Quantitative Scoring Model – Field Description

3. On View Quantitative Scoring Model screen, click

Q

icon.

The View Quantitative Scoring Model - Search screen displays.



Search Filter	×
Scoring Model Code	
Scoring Model Description	
Authorization Status	•
Record Status	•
Search Reset	

Figure 3-41 View Quantitative Scoring Model - Search

Table 3-39	View Quantitative Scoring Model - Search – Field Description
------------	--

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the description of the scoring model.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

- 4. On View Quantitative Scoring Model screen, click

 - :



icon to Unlock, Delete, Authorize or View the created quantitative scoring model.

5. Click **Unlock** to modify the created quantitative scoring model.

The Quantitative Scoring Model Maintenance - Modify screen displays.

Figure 3-42 Quantitative Scoring Model Maintenance - Modify

Ules Ale Nore CBNT2 CBNT2 CB CBNT2 Station CBNT2 Cole CBNT2 CBST2 CBNT2 Cole CBNT2 CBST2 CBNT2 Cole CBNT2 <th><pre>region (Second Second Sec</pre></th> <th>Quantitative Scoring Model Ma</th> <th>aintenance</th> <th></th> <th></th>	<pre>region (Second Second Sec</pre>	Quantitative Scoring Model Ma	aintenance		
<pre>set weble set of s</pre>	<pre>region (Second Second Sec</pre>	Basic Details			
Access rege Mode	<pre>sequence results in it is in the sequence is i</pre>				
<pre>set wide in the set of the s</pre>	<pre>serve serve s</pre>				
CSS Trap work Application Levil Every Work Section Comes Section Comes <td>Sainting (Singenon Application Line) Forepoint Nerry to Nerry 1 Sonng Rule Sonng Rule Sonng Rul</td> <td></td> <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td>	Sainting (Singenon Application Line) Forepoint Nerry to Nerry 1 Sonng Rule Sonng Rule Sonng Rul			· · · · · · · · · · · · · · · · · · ·	
New Control Sector Cess Sector Cess </td <td>wind in gene Dam gene Dam wind a Dam wind a Dam Sector Creek <t< td=""><td></td><td></td><td></td><td></td></t<></td>	wind in gene Dam gene Dam wind a Dam wind a Dam Sector Creek Sector Creek <t< td=""><td></td><td></td><td></td><td></td></t<>				
section Cores section Tors section Tors <t< td=""><td>perception Perception Sector Secto</td><td></td><td></td><td></td><td></td></t<>	perception Perception Sector Secto				
votex cto section Citeria section Citeria society Rule tele ctos ctos </td <td>tet Processor FLO Society Relations Credit Report) == 409) Credit (LLL_Transunion_Credit_Report) == 409) Credit Credit Relations Credit_Report) == 409) Credit Credit Credit Relations Credit Relation</td> <td></td> <td></td> <td></td> <td></td>	tet Processor FLO Society Relations Credit Report) == 409) Credit (LLL_Transunion_Credit_Report) == 409) Credit Credit Relations Credit_Report) == 409) Credit Credit Credit Relations Credit Relation				
GELO I Sector Otacia Soring Rule Exetore Nue Cestore Nue Adoi Rule GELO Cestore Nue Adoi Cestore Nue Sectore Nue Cestore Nue Cestore Nue Cestore Nue Cestore Nue Cestore Nue Sectore Nue Cestore Nue Cestore Nue Cestore Nue Sectore Nue Cestore Nue Sectore Nue Cestore Nue Sectore Nue Cestore Nue Sectore Nue Cestore Nue Nue Cestore Nue Sectore Nue Cestore Nue Sectore Nue Cestore Nue Nue Cestore Nue Sectore Nue Ces	FLO I Selection Citeral Society Rule Selection Citeral Selection Rule Selection Rule <td></td> <td></td> <td></td> <td></td>				
Section Citeria Scoring Rule Exection Citeria Scoring Rule Wates Rule Citeria Signification Citeria	Selection Criteria Scoring Rule Lee Rule harme Selection Criteria Rule harme Selection Criteria Construction Value				
E Exoting Rule ○ Create Never Rule Ules da Code CBSNT2 CBSNT2 CBSNT	Examp Ave Create New Role Ites Code Examp Ave CSGNT2 Select Examp ove CC Code Descrystom Top Select Examp ove Code Descrystom Top CC Code CS	OFLO •		1	
decode RAK Nore CBSINT2 CBSINT2 Reference CBSINT2 Reference CBSINT2 Sector CBSINT2	solar Okk Nore SSN72 CSSN72 total Solar Example	Selection Criteria	Scoring Rule		
decode RAK Nore CBSINT2 CBSINT2 Reference CBSINT2 Reference CBSINT2 Sector CBSINT2	solar Okk Nore SSN72 CSSN72 total Solar Example				
CBSNT2 CBSNT2 tet Rules V Bask Info CBSNT2 CBSNT2 CBSNT2 Section1 CBSNT2 File CBSNT2 CBSNT2 CBSNT2 <t< td=""><td>SSN12 CSSN12 Cost CSSN12 Section1 CSSN12 Exe CSSN12 Image: CSSN12 CSSN12 Exe CSSN12 Image: CSSN12 CSSN12 Im</td><td></td><td></td><td></td><td></td></t<>	SSN12 CSSN12 Cost CSSN12 Section1 CSSN12 Exe CSSN12 Image: CSSN12 CSSN12 Exe CSSN12 Image: CSSN12 CSSN12 Im				
External File Image: Section 1 Section 1 Image: Section 1 Im	tat basic info Constrict				
Rules v tests info Code Decrypton Tag Select Extragola As Viriano Q 2 Q Section1 Else Else C Image: Section1 C Else C Image: Section1 C Image: Section1 <td< td=""><td>Vis Sakinfre Cosm/2 Cosm/2 Ab Wrain Cosm/2 Ab Wrain Cosm/2 Sector Cosm/2 Sector Cosm/2 Sector Cosm/2 No herrs to display. Cosm/2 Feression Cosm/2 If (MN (ALL_Transunion_Credit_Report) == 409) Oxtput Sector true Be Cosm/2</td><td>CBSIN12</td><td>CD3IN12</td><td></td><td></td></td<>	Vis Sakinfre Cosm/2 Cosm/2 Ab Wrain Cosm/2 Ab Wrain Cosm/2 Sector Cosm/2 Sector Cosm/2 Sector Cosm/2 No herrs to display. Cosm/2 Feression Cosm/2 If (MN (ALL_Transunion_Credit_Report) == 409) Oxtput Sector true Be Cosm/2	CBSIN12	CD3IN12		
Rules Basic Info Color Color Color Color Color Color Color Color Section1 Else Color Color Color Color Color Color Color Color Section1 Else Color <licolor< <="" td=""><td>Vis Sakinfre Cosm/2 Cosm/2 Ab Wrain Cosm/2 Ab Wrain Cosm/2 Sector Cosm/2 Sector Cosm/2 Sector Cosm/2 No herrs to display. Cosm/2 Feression Cosm/2 If (MN (ALL_Transunion_Credit_Report) == 409) Oxtput Sector true Be Cosm/2</td><td>Edit</td><td></td><td></td><td></td></licolor<>	Vis Sakinfre Cosm/2 Cosm/2 Ab Wrain Cosm/2 Ab Wrain Cosm/2 Sector Cosm/2 Sector Cosm/2 Sector Cosm/2 No herrs to display. Cosm/2 Feression Cosm/2 If (MN (ALL_Transunion_Credit_Report) == 409) Oxtput Sector true Be Cosm/2	Edit			
Code Description Tag Select Existing rule CSENT72 •	Code Description Tag Select Existing rule CESSIT7 CESSIT7 CESSIT7 CESSIT7 Tag CESSIT7 CESSIT7 CESSIT7 Tag CESSIT7 CESSIT7 CESSIT7 Section1 Esce CESSIT7 CESSIT7 Tag CESSIT7 CESSIT7 CESSIT7 CESSIT7 Section1 CESSIT7 CESSIT7 CESSIT7 CESSIT7 Section1 CESSIT7 CESSIT7 CESSIT7 CESSIT7 Section1 true Esc CESSIT7 CESSIT7 CESSIT7				
C05977 C050772 Bde Wrana Q 2 Q > Section1 Else Image: Cost of the section o	CBSNT2 • Q Net Wrise Q 2 Q > Section1 Ese • • (MIN (ALL_Tansunion_Credit_Report) == 409) Section1 true Ese				
CBENT2 • Q Rá Wrinn Q 2 Q S Section1 Elee • • • Q No terms to display. C Expression C If (MIN (ALL Transunion_Credit, Report) == 409) Section1 true Elee	CBSNT2 • Q Net Wrise Q 2 Q > Section1 Ese • • (MIN (ALL_Tansunion_Credit_Report) == 409) Section1 true Ese				
A& Weason 2 cm 3 Section1 Else ● ● ● No terms to display. Expression I ^f (MIN (ALL_Transumion_Credit_Report) == 409) Output Section1 true Else	No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Section1 true Image: Image: No terres to display. Image: No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Expression Image: No terres to display. Image: No terres to display. Image: No terres to display. Image: No terres to display. Image: No terres to display. Image: No terres to display. Image: No terres to display. Image: No terres to display.			Tag	
<pre>2</pre>	2 C				- Q
Section1 Else • • •	Section1 Eise Image: main of the section of the sectio				
Else Expression	Else		4		
Image: Contract of display. Expression If (MIN (ALL Transunion_Credit_Report) == 409) Output Section 1 true Else	Image: Constraint of display. Expression # (MIN (ALL_Tansunion_Credit_Report) == 409) Output Section true Else	> Section1			
No terms to display. Expression I ^F (MIN (ALL_Transunion_Credit_Report) == 409) Output Section1 true Else	No items to display. Expression [F (MIN (ALL_Transunion_Credit_Report) == 409) Output Section1 true Else	Else			
No terms to display. Expression	No items to display. Expression [F (MIN (ALL_Transunion_Credit_Report) == 409) Output Section1 true Else				
No terms to display. Expression	No items to display. Expression [F (MIN (ALL_Transunion_Credit_Report) == 409) Output Section1 true Else	+ 1			
Expression IF (MIN (ALL,Transunion_Credit,Report) == 409) Output Section1 true Else	Expression IF (ININ (ALL_Transunion_Credit_Report) == 409) Output Section 1 true Else				
IF (MN (ALL_Transunion_Credit_Report) == 409) Output Section 1 true Else	IF (MIN (ALL_Transunion_Credit_Report) == 409) Output Section True Else	No items to display.			
(MIN (ALL_Transunion_Credit_Report) == 409) Output Section1 true Else	(MN (ALL_Transunion_Credit_Report) == 409) Output Section 1 true Else	Expression			
		(MIN (ALL_Transunion_Cree Output Section1 true	dit_Report) == 409)		
K Cond	Cave	LISE			
κ. Cout	Cavel				
Cancel	Gave				
		ĥt			Cancel

✓ Note: The fields marked as Required are mandatory.

For more information on fields, refer to the field description table.

Table 3-40Quantitative Scoring Model Maintenance - Modify - FieldDescription

Field	Description
Application Scoring Model	Displays the application scoring model.
Scoring Model Code	Displays the qualitative scoring model code for the created quantitative scoring model.



Field	Description
Scoring Model Description	The user can modify the quantitative scoring model description for the created quantitative scoring model.
Effective Date	Displays the effective date of the created quantitative scoring model. The user can modify the same before authorization.
Expiry Date	Displays the expiry date of the created quantitative scoring model. The user can modify the same before authorization.
Product Processor	Displays the product processor for the created quantitative scoring model.
Priority	The user can modify the priority of the created quantitative scoring model.
Use Existing Rule	The user can modify the existing rule if linked.
Rule Code	Displays the rule code for the created quantitative scoring model.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.
Code	Displays the rule code.
Description	Displays the rule description.
+ icon	This icon can add new expression.
Fact / Rules	Displays the fact or rule of the created quantitative scoring model.
Operator	Displays the comparison operator of the created quantitative scoring model.
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.
Output	Displays the output for the created quantitative scoring model.
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.
Feature	This tab is enabled for the Applicant Scoring Model.
+ icon	This icon adds new row.
- icon	This icon deletes a row, which is already added.
Feature	Displays the feature for the created quantitative scoring model.
Weightage (%)	The user can modify the weightage assigned to each feature for the created quantitative scoring model.
Range Type	Displays the range type for the created quantitative scoring model.
Define Range/Value	Displays the range/value defined for the created quantitative scoring model.
Range From	The user can modify the minimum range of value based on which scoring is done.

Table 3-40 (Cont.) Quantitative Scoring Model Maintenance - Modify - FieldDescription



Field	Description
Range To	The user can modify the maximum range of value based on which scoring is done
Score	The user can modify the score for each range or value.
Category	The user can modify the category for the created quantitative scoring model.
Enable	Displays parameter for the created quantitative scoring model.
Scoring Rule	This tab is enabled for the Application Scoring Model.
Rule Code	Displays the rule code for the created quantitative scoring model.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.

Table 3-40(Cont.) Quantitative Scoring Model Maintenance - Modify - FieldDescription

6. Click **Save** to update the modified fields.

7. Click View to view the created quantitative scoring model.

The Quantitative Scoring Model Maintenance – View screen displays.



uantitative Scoring Model N	Aaintenance		
asic Details			
ring Model			
olication Scoring Model			
ring Model Code		Scoring Model Description	
SINTAPPL		CBS Integration Application Level	
ective Date		Expiry Date	
ptember 30, 2020		March 31, 2025	
roduct Processor		Priority	
FLO		1	
Selection Criteria Existing Rule Create New Rule Lles Le Code EBSINT2	Scoring Rule Rule Name CBSINT2		
Edit			
Rules			
✓ Basic Info			
Code	Description	Tag	Select Existing rule
			▼ Q
Rule Version			
2	Q		
> Section1			
Else			
Else			
No items to display.			
Expression			
IF (MIN (ALL_Transunion_Cr Output	redit_Report) == 409)		
Section1 true Else			
Section1 true			

Figure 3-43 Quantitative Scoring Model Maintenance – View

For more information on fields, refer to the field description table.

Table 3-41 Quantitative Scoring Model Maintenance - View - Field Description

Field	Description
Scoring Model	Displays the application scoring model.
Scoring Model Code	Displays the qualitative scoring model code for the created quantitative scoring model.
Scoring Model Description	Displays the quantitative scoring model description for the created quantitative scoring model.
Effective Date	Displays the effective date of the created quantitative scoring model. The user can modify the same before authorization.
Expiry Date	Displays the expiry date of the created quantitative scoring model. The user can modify the same before authorization.
Product Processor	Displays the product processor for the created quantitative scoring model.
Priority	The user can modify the priority of the created quantitative scoring model.
Use Existing Rule	The user can modify the existing rule if linked.



Field	Description
Rule Code	Displays the rule code for the created quantitative scoring model.
	Click this icon to get the information about the rule.
0	
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.
Create New Rule	Displays the rule code for the created quantitative scoring model.
Code	Displays the rule code.
Description	Displays the rule description.
+ icon	This icon can add new expression.
Fact / Rules	Displays the fact or rule of the created quantitative scoring model.
Operator	Displays the comparison operator of the created quantitative scoring model.
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.
Output	Displays the output for the created quantitative scoring model.
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.
Feature	This tab is enabled for the Applicant Scoring Model.
+ icon	This icon adds new row.
- icon	This icon deletes a row, which is already added.
Feature	Displays the feature for the created quantitative scoring model.
Weightage (%)	Displays the weightage assigned to each feature for the created quantitative scoring model.
Range Type	Displays the range type for the created quantitative scoring model.
Define Range/ Value	Displays the range/value defined for the created quantitative scoring model.
Range From	The user can modify the minimum range of value based on which scoring is done.
Range To	The user can modify the maximum range of value based on which scoring is done
Score	Displays the score for each range or value.
Category	Displays the category for the created quantitative scoring model.
Enable	Displays parameter for the created quantitative scoring model.
Scoring Rule	This tab is enabled for the Application Scoring Model.
Rule Code	Displays the rule code for the created quantitative scoring model.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.

Table 3-41 (Cont.) Quantitative Scoring Model Maintenance - View - FieldDescription



3.11 Decision Grade Matrix

This topic describes the information about the decision grade matrix feature.

The Decision Grade Matrix can define the decision and grade based on the score calculated by the scoring model.

This topic contains the following subtopics:

- Create Decision Grade Matrix
 This topic describes the systematic instructions to create decision and grade matrix by updating various details.
- View Decision Grade Matrix This topic describes the systematic instructions to view the decision grade matrix.

3.11.1 Create Decision Grade Matrix

This topic describes the systematic instructions to create decision and grade matrix by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Decision Grade Matrix, under Decision Grade Matrix, click Create Decision Grade Matrix.

The Create Decision Grade Matrix screen displays.

Create Dacisin Grade Matrix Model Description Model Description Busener Betterine Date Busener Selection Criteris Decision Matrix Selection Criteris Decision Matrix Selection Criteris Decision Matrix Reserved Decision Matrix Selection Criteris Decision Matrix Bettering Rel Create New Rule Selection Bettering Bettering Bettering

Figure 3-44 Create Decision Grade Matrix

3. On Create Decision Grade Matrix screen, specify the fields.





Field	Description
Model Code	Specify the unique model code.
Model Description	Specify a short description for the model.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the decision and grade matrix is being created.
Priority	Specify the priority of the model.

Table 3-42 Create Decision Grade Matrix - Field Description

4. Click the **Selection Criteria** to configure the parameters based on which decision model is to be resolved.

The Create Decision Grade Matrix - Selection Criteria screen displays.

Figure 3-45 Create Decision Grade Matrix - Selection Criteria

Details		
Code	Model Description	
Required	Required Expiry Date	
mber 30, 2020 🛗		
t Processor	Required	
t Processor	Priority	
Required	Required	
on Criteria Decision Matrix Grade Matrix		
sting Rule		
e Rule		
25		
Basic Info		
Code Description	Тад	Select Existing rule
		* Q
Required Required		
Q		
Section1		
Expression Builder		
+ Add Expression		
Output		
+ =		
No items to display.		
No nema to display.		
Else		
+ 1		
No items to display.		
Expression		
IF		
Output		
Output Section1		
Output Section1 Else		



Field	Description	
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rule Code	Select the rule code from the drop down list.	
0	Click this icon to get the information about the rule.	
Rule Name	Displays the rule name of the rule code.	
Create New Rule	Select this option to create new rule.	
+ icon	Click this icon to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.	
Operator Data Tura	Select the comparison operator from the drop-down list. The available options are: > + = % != - >= <= * / Contains In Matches NotMatches NotContains Notin 	
Data Type	 Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact Rules The below option appears if the Data Type is selected as Boolean. True False 	

Table 3-43 Create Decision Grade Matrix - Selection Criteria - Field Description



Field	Description
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option.
	The available options are: Text Number
	 Boolean Date Fact Bulse
	 Rules The below option appears if the Data Type is selected as Boolean. True False
Expression	Displays the expression updated in the expression builder.

Table 3-43(Cont.) Create Decision Grade Matrix - Selection Criteria - FieldDescription

5. Click the **Decision Matrix** to define decision on the application. The user can select the feature for which the decision needs to be maintained like Quantitative/ Qualitative.

The Create Decision Grade Matrix - Decision Matrix screen displays.



Create	Decision Grade Matrix		::>
Basic De Model Cod Effective D Septemb Product Pr OFLO	e Registred ste ver 50, 2020	Model Description Expiry Date Priority	Required Required Required
Selection O			
How decin	lai number is considered while defining a kanger For Exampl	e: If range is from 0 - 200 in 1st row and 200 - 500 in 2nd row t	len mait means in the zno too it will staft from 200.
		Add columns to define Decis	ion Matrix
		+ Add Column	
+			
	AgeAggr	То	Decision
			Select -
			Cancel Save



Field	Description	
Add Column	Click this button to add features for which decision has to be maintained. On click of Add Column , all the features are shown in the drop down list. Select the feature to be added. Click save to add the feature.	
	If the feature is numeric type, two columns gets added in the table From and To. If the feature is character/alphanumeric type one column Value gets added.	
	System should not save, if no feature have been added. User can click Cancel to close the window.	
Link a Rule?	 Select the appropriate radio button to link a rule to the features. The options are: Yes - If this option is selected, the system displays the list of rules. Based on the rule mapped, the decision is provided. No - If this option is selected, the system displays the list of decision lookup values. 	
+ icon	Click this icon to add a new row.	
- icon	Click this icon to delete a row, which is already added.	
Score From Specify the minimum range of score for the decision.		
Score To Specify the maximum range of score for the decision.		
Decision	Specify the decision of an application from the drop-down list. The values are configurable based on the look up values maintained	
	The available options are: Approved 	
	 Manual 	
	Rejected	
Rule	Displays the rules based on which decision is to be made. This field is enabled if Link a Rule? option is updated as Yes .	

 Table 3-44
 Create Decision Grade Matrix - Decision Matrix - Field Description

6. Click the **Grade Matrix** to assign the grade to the application that is used during the pricing of the application. You can select the feature for which the grade needs to be maintained like Quantitative/Qualitative.

The Create Decision Grade Matrix - Grade Matrix screen displays.



Basic Details	
Model Code	Model Description
Required Effective Date	Required
September 30, 2020	Expiry Date
September Set For Set	Required
Product Processor	Priority
OFLO •	
	Required
	Add columns to define Grade Matrix
	Add columns to define Grade Matrix
+-	
+ Age	
	+ Ad Colum
	+ Ad Colum
Age From	+ Ad Column To
Age From	+ Ad Column To
Age From	+ Add Column To

Figure 3-47 Create Decision Grade Matrix - Grade Matrix

Field	Description		
Add Column Click Add Column, for addition of features for which decision h maintained.			
Link a Rule?	 Select the appropriate radio button to link a rule to the features. The options are: Yes - If this option is selected, the system displays the list of rules. Based on the rule mapped, the decision is provided. No - If this option is selected, the system displays the list of decision lookup values. 		
Click this icon to delete a column, which is already added.			
+ icon	Click this icon to add a new row.		
- icon	Click this icon to delete a row, which is already added.		
Score From	m Specify the minimum range of score for the grade.		
Score To	Specify the maximum range of score for the grade.		
Grade Specify the grade of the application based on the score scored. The values are configurable based on the look up values maintained. The available options are: A B C 			

 Table 3-45
 Create Decision Grade Matrix - Grade Matrix - Field Description



Field Description	
Value	Specify the value for which the grade has to be maintained. This field appears only if the data type of feature is Numeric such as Age, FICO score.
Rule	Displays the rules based on which decision is to be made. This field is enabled if Link a Rule? option is updated as Yes .

Table 3-45 (Cont.) Create Decision Grade Matrix - Grade Matrix - FieldDescription

7. Click Save to save the details.

The **Decision Grade Matrix** is successfully created and can be viewed using the View Decision and Grade Matrix screen.

3.11.2 View Decision Grade Matrix

This topic describes the systematic instructions to view the decision grade matrix.

The user can create the decision grade matrix using the Create Decision Grade Matrix screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the matrix, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Decision Grade Matrix, under Decision Garde Matrix, click View Decision Grade Matrix.

The View Decision Grade Matrix screen displays.

Figure 3-48 View Decision Grade Matrix

. + 0					=
Model Code: CBSINT3	Model Code: DGFICO	RTEST1	Model Code: MRTEST1	Model Code: DGM5034	
Model CBSINT3 Product OFLO	Model DGFICO Product OFLO	Model RTEST1 Product OFLO	Model MRTEST1 Product OFLO	Model DGM5034 Product OFLO	
🗈 Authorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	
Model Code: DGMBS1	Model Code: REJECT1				
Model Decision Grade mode Product OFLO	Model REJECT Product OFLO				
🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖉 1				

 Table 3-46
 View Decision Grade Matrix – Field Description

Field	Description
Model Code	Displays the model code.
Model Description	Displays the model description.



Field Description	
Product Processor	Displays the product processor for which the model is created.
Record Status Displays the status of the record.	
Modification Number	Displays the number of modification performed on the record.

Table 3-46 (Cont.) View Decision Grade Matrix – Field Description

3. On View Decision Grade Matrix screen, click

Q

icon.

The View Decision Grade Matrix - Search screen displays.

Figure 3-49 View Decision Grade Matrix - Search

Search Filter	×
Model Code	
Model Description	
Authorization Status	
Record Status	
Search	



Field	Description	
Model Code	Specify the model code.	
Model Description	Specify the model description.	
Authorization Status	 s Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized 	
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed	

Table 3-47 View Decision Grade Matrix - Search – Field Description

- 4. On View Decision Grade Matrix screen, click
 - :

icon to Unlock, Delete, Authorize or View the created decision grade matrix.

5. Click **Unlock** to modify the created decision grade matrix.

The Decision Grade Maintenance - Modify screen displays.



ecision Grade Maintenance			
asic Details			
odel Code			
		Model Description CBSINT3	
fective Date			
ieptember 30, 2020		Expiry Date	
oduct Processor		March 31, 2025	
OFLO *		Priority	
		1	
election Criteria Decision Matrix	Grade Matrix		
e Existing Rule 🔷 Create New Rule			
ules			
ule Code	Rule Name		
CBSINT3 • 0	CBSINT3		
Edit			
Rules			
✓ Basic Info			
Code	Description	Tag	Select Existing rule
	CBSINT3	······································	Q
Rule Version			
	Q		
	-		
> Section1			
Else			
Lise			
+ =			
No items to display.			
the status of a subject.			
Expression			
(MIN (ALL_Equifax_Consume	er Credit Report) == 409)		
Output			
Section1 true Else			
Libe			

Figure 3-50 Decision Grade Maintenance - Modify

Note: The fields marked as **Required** are mandatory.

Field	Description	
Model Code	Displays the model code for the created decision grade matrix.	
Model Description	The user can modify the model description for the created decision grade matrix.	
Effective Date	The user can modify effective date for the decision grade matrix.	
Expiry Date	The user can modify date of the created decision grade matrix.	
Product Processor Displays the product processor for the decision grade m		
Priority	The user can modify the priority of the created decision grade matrix.	

 Table 3-48
 Decision Grade Maintenance - Modify - Field Description



Field	Description
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	The user can modify the rule code for the created decision grade matrix.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created decision grade matrix.
Create New Rule	The user can modify the rule code for the created decision grade matrix.
Description	Specify the rule description for the decision grade matrix.
Code	Specify the new rule code for decision grade matrix.

Table 3-49 Selection Criteria - Field Description

Table 3-50 Expression Builder - Field Description

Field	Description
+ icon	This icon can add new expression.
Fact / Rules	Displays the fact or rule for the created decision grade matrix.
Operator	Displays the comparison operator for the created decision grade matrix.
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.
Output	Displays the output for the created decision grade matrix.
Expression	Displays the expression updated in the expression builder for the created decision grade matrix.

Table 3-51 Decision Matrix - Field Description

Field	Description
Add Column	Click this button to add features for which decision has to be maintained.
Link a Rule?	 Select the appropriate radio button to link a rule to the features. The options are: Yes - If this option is selected, the system displays the list of rules. Based on the rule mapped, the decision is provided. No - If this option is selected, the system displays the list of decision lookup values.
+ icon	Click this icon to add new row.
- icon	Click this icon to delete a row, which is already added.
Score From	Specify the minimum range of score for the decision.
Score To	Specify the maximum range of score for the decision.



Field	Description	
Decision	Specify the decision of an application. The values configurable based on the lookup values maintained.	
	The available options are: Approved Manual Rejected 	
Rule	Displays the rules based on which decision is to be made. This field is enabled if Link a Rule? option is updated as Yes .	

Table 3-51 (Cont.) Decision Matrix - Field Description

Table 3-52 Grade Matrix - Field Description

Field	Description
Add Column	Click this button to add features for which grade has to be maintained.
+ icon	Click this icon to add new row.
- icon	Click this icon delete a row, which is already added.
Score From	Specify the minimum range of score for the grade.
Score To	Specify the maximum range of score for the grade.
Grade	Specify the grade of an application based on the score scored. The values configurable based on the lookup values maintained.
	The available options are: A B C

6. Click **Save** to update the modified fields.

7. Click **View** to view the decision grade matrix.

The **Decision Grade Maintenance – View** screen displays.



ecision Grade Maintenance				
asic Details				
odel Code BSINT3		Model Description		
		CBSINT3		
fective Date		Expiry Date		
eptember 30, 2020		March 31, 2025		
oduct Processor		Priority		
FLO		1		
ection Criteria Decision Matrix	Grade Matrix			
Existing Rule O Create New Rule	Glade Matrix			
ules Je Code	Rule Name			
CBSINT3 0	CBSINT3			
cosini 5	6001110			
Edit				
Rules				
✓ Basic Info				
Code	Description	Тад		Select Existing rule
CBSINT3	CBSINT3		-	Q
Rule Version				
5	Q			
> Section1				
Else				
+ =				
No items to display.				
No items to uspidy.				
Expression				
(MIN (ALL_Equifax_Consumer_	Credit Report) == 409)			
Output				
Output Section1 true Else				
Output Section1 true				

Figure 3-51 Decision Grade Maintenance – View

For more information on fields, refer to the field description table.

Table 3-53 Decision Grade Maintenance - View - Field Description

Field	Description
Model Code	Displays the model code for the created decision grade matrix.
Model Description	Displays the model description for the created decision grade matrix.
Effective Date	Displays the effective date for the decision grade matrix.
Expiry Date	Displays the expiry date of the created decision grade matrix.
Product Processor	Displays the product processor for the decision grade matrix.
Priority	Displays the priority of the created decision grade matrix.

Table 3-54 Selection Criteria - Field Description

Field	Description
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	Displays the rule code for the created decision grade matrix.



Field	Description
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created decision grade matrix.
Create New Rule	Displays the rule code for the created decision grade matrix.
Code	Specify the new rule code for decision grade matrix.
Description	Specify the rule description for the decision grade matrix.

Table 3-54 (Cont.) Selection Criteria - Field Description

Table 3-55 Expression Builder - Field Description

Field	Description
+ icon	Click this icon to add new expression.
Fact / Rules	Displays the fact or rule for the created decision grade matrix.
Operator	Displays the comparison operator for the created decision grade matrix.
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.
Output	Displays the output for the created decision grade matrix.
Expression	Displays the expression updated in the expression builder for the created decision grade matrix.

Table 3-56 Decision Matrix - Field Description

Field	Description
Add Column	Click this button to add features for which decision has to be maintained.
+ icon	Click this icon to add new row.
- icon	Click this icon to delete a row, which is already added.
Score From	Displays the minimum range of score for the decision.
Score To	Displays the maximum range of score for the decision.
Decision	Displays the decision of an application. The values configurable based on the look up values maintained.
	The available options are: Approved Manual Rejected
Rule	Displays the rules based on which decision is to be made. This field is enabled if Link a Rule? option is updated as Yes .



Field	Description
Add Column	Click this button to add features for which grade has to be maintained.
+ icon	Click this icon to add new row.
- icon	Click this icon to delete a row, which is already added.
Score From	Displays the minimum range of score for the grade.
Score To	Displays the maximum range of score for the grade.
Grade	Displays the grade of an application based on the score scored. The values configurable based on the look up values maintained.
	The available options are: A B C
Rule	Displays the rules based on which grade is to be made. This field is enabled if Link a Rule? option is updated as Yes .

Table 3-57 Grade Matrix - Field Description

3.12 Pricing

This topic describes the information about the pricing feature in Decision service.

Risk-based pricing refers to the offering of different interest rates to different customers depending on their credit worthiness. Thus, not all borrowers for the same product receives the same interest rate and credit terms. This means that high-risk borrowers who are less likely to repay their loans in full and on time will be charged higher rate of interest. While the low risk borrowers, having greater capacity to make payments will be charged lower rate of interest.

This topic contains the following subtopics:

Create Pricing Model

This topic describes the systematic instructions to create pricing model based on various pricing parameter by updating various details.

• View Pricing Model This topic describes the systematic instructions to view the list of pricing model.

3.12.1 Create Pricing Model

This topic describes the systematic instructions to create pricing model based on various pricing parameter by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Pricing Model, under Pricing Model, click Create Pricing Model.


The Create Pricing Model screen displays.



Figure 3-52 Create Pricing Model

Create Pricing Model					::>
Basic Details					
Pricing Code		Pricing Description			
Bequired Effective Date		Expiry Date	Required		
September 30, 2020			i		
Product Processor		Priority	Required		
Select Reputred			Required		
Filter Value					
Selection Criteria Price D	efinition				
Use Existing Rule O Create New Rule					
Rules					
Rule Code	Rule Name				
Select					
Required					
					Cancel Save

3. On **Create Pricing Model** screen, specify the fields.



For more information on fields, refer to the field description table.

Table 3-58	Create Pricing Model - Field Description
------------	--

Field	Description
Pricing Code	Specify the unique pricing code.
Pricing Description	Specify a short description for the pricing.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the pricing is being created.
Priority	Specify the priority of the pricing.

4. Click the Selection Criteria to define pricing model.

The Create Pricing Model - Selection Criteria screen displays.



ic Details					
ng Code		Pricing Description			
Required		Required Expiry Date			
otember 30, 2020 📾					
uct Processor		Required			
ect 👻					
Required		Required			
r Value					
Selection Criteria Price Defin	ition				
xisting Rule					
ate Rule					
lew					
ules					
✓ Basic Info					
Code	Description	Tag		Select Existing rule	
			Ŧ		Q
Rule Version					
Q					
✓ Section1					
Expression Builder					
+ Add Expression					
Output					
+ =					
No items to display.					
the terms to display.					
Else					
+ =					
No items to display.					
Expression					
Expression					
IF					
IF Output Section 1					
IF					

Figure 3-53 Create Pricing Model – Selection Criteria

For more information on fields, refer to the field description table.

Table 3-59 Create Pricing Model – Selection Criteria - Field Description

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rule Code	Select the rule code from the drop-down list.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code.



Field	Description
Create New Rule	Select this option to create new rule.
Code	Specify the rule code.
Description	Specify the rule description.
+ icon	Click this icon to add new expression.
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.
Operator	Select the comparison operator from the drop-down list. The available options are: > + = % != - >= <= * / Contains In Matches NotMatches NotContains NotContains Notin
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False

Table 3-59 (Cont.) Create Pricing Model – Selection Criteria - Field Description



Field	Description
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option.
	The available options are: Text Number
	 Boolean Date Fact Rules
	 The below option appears if the Data Type is selected as Boolean. True False
Expression	Displays the expression updated in the expression builder.

Table 3-59 (Cont.) Create Pricing Model – Selection Criteria - Field Description

- 5. Click **Price Definition** to define the pricing.
- 6. Select the Rate Type options as Flat to specify the flat rate.

The Create Pricing Model – Price Definition (Flat) screen displays.

Figure 3-54 Create Pricing Model – Price Definition (Flat)

Back Details Fixing Cod Fixi	Create Pricing Model			;; ×
September 30, 2020 Product Processor Product Processor Select Product Processor Pro	Pricing Code			
Filter Value Image: Constraint of the process of the pro	September 30, 2020		Reports	
Minimum Rate Maximum Rate Image: Base Type Link a Rake? Rate Type Link a Rake? Rate %	Filter Value			
Rete Type Link a Rule? Rote %	Selection Criteria	Price Definition		
		Maximum Rate	Reputed	
Rearrad Rearrad				

For more information on fields, refer to the field description table.

Table 3-60 Create Pricing Model – Price Definition (Flat) - Field Description

Field	Description
Minimum Rate	Specify the minimum rate applicable for the defined pricing code.
Maximum Rate	Specify the maximum rate applicable for the defined pricing code.
Rate Type	Select the rate type from the drop-down list as Flat .



Field	Description
Link a Rule?	Select the option whether to link a rule to derive the price. The options are: • Yes • No
Rate %	Specify the interest rate application for the defined pricing. This field displays once you select the Rate Type option as Flat and Link a Rule? option as No .
Rule	Select the rule for the defined pricing from the drop-down list. This field appears once you select the Rate Type option as Flat and Link a Rule? option as Yes .

Table 3-60 (Cont.) Create Pricing Model – Price Definition (Flat) - Field Description

- 7. Select the **Rate Type** options as **Tiered** to link the list of features.
- 8. Click Add Columns to select and link the features.

The Add Features screen displays.

Figure 3-55 Add Features

		-	 he table
Select Feature Name	from the list		
.ink a Rule?			
Yes No			

- 9. Select the feature names from the list. ('n' number of features can be selected)
- **10.** Select the option whether to link a rule for defining the interest rate.



11. Click **Save** to link the list of features for defining the tiered interest rate.

The Create Pricing Model – Price Definition (Tiered) screen displays.

	Pricing Model									
Basic Det	ails									
Pricing Code					Pricing Description					
Friding code					Friding Description					
	Required					Required				
Effective Dat	te				Expiry Date					
Septembe	er 30, 2020 🛗					Ē				
Product Pro	cessor				Priority	Required				
OFLO	•									
Filter Value						Required				
Select	tion Criteria	Price Definition	'n							
finimum Rate										
	e									
			Maximum Rate							
	Breaked		Maximum Rate	Provined						
	Required			Required						
Rate Type				Required						
				Required						
ate Type				Required						
ate Type) Flat (Required						
iate Type D Flat @	Tiered					bod out those that measure is	n the 2nd new it will			
tate Type D Flat @		fining a Range? Fo				2nd row then that means I	n the 2nd row it wil	start from 200.		
iate Type D Flat @	Tiered	fining a Range? Fo				2nd row then that means i	n the 2nd row it will	start from 200.		
iate Type D Flat @	Tiered	fining a Range? Fo			ow and 200 - 500 in 2		n the 2nd row it will	start from 200.		
ate Type) Flat @ te	Tiered	fining a Range? Fo					n the 2nd row it will	start from 200.		
ate Type) Flat @ te	Tiered	fining a Range? FC			ow and 200 - 500 in 2	define Rates	n the 2nd row it will	stert from 200.		
iate Type D Flat @	Tiered	fining a Range? Fo			ow and 200 - 500 in 2	define Rates	n the 2nd row it wil	start from 200.		
tate Type D Flat @	Tiered				ow and 200 - 500 in 2	define Rates	n the 2nd row it will	start from 200.		
ate Type) Flat @ te	Tiered	thing a Range? Fo			ow and 200 - 500 in 2	define Rates	n the 2nd row it will	start from 200.		
ate Type) Flat @ te	Tiered	fining a Range? Fo			ow and 200 - 500 in 2	define Rates	n the 2nd row it will	start from 200.		
ate Type D Flat C te te +	Tiered	fining a Range? Fo			ow and 200 - 500 in 2	define Rates	n the 2nd now it will	start from 200.		
tate Type D Flat tte How decima +	Thered In number is considered while d Age	Ifining a Range? Fo	or Example: If range is fr		ow and 200 - 500 in 2	o define Rates	n the 2nd row it will	start from 200.		
tate Type D Flat tte How decima +	Thered In number is considered while d	afining a Range? For			ow and 200 - 500 in 2	o define Rates	n the 2nd row it will	start from 200.		

Figure 3-56 Create Pricing Model – Price Definition (Tiered)

Table 3-61	Create Pricing Mode	I – Price Definition	(Tiered) - Field Do	escription
------------	---------------------	----------------------	---------------------	------------

Field	Description	
Minimum Rate	Specify the minimum rate applicable for the defined pricing code.	
Maximum Rate	Specify the maximum rate applicable for the defined pricing code.	
Rate Type	Select the rate type from the drop-down list as Tiered .	
<numeric Feature> From</numeric 	Specify the minimum numeric value of feature to which the interest rate is applicable.	
<numeric Feature> To</numeric 	Specify the maximum numeric value of feature to which the interest rate is applicable.	
<character Feature> Value</character 	Specify the alphabetic value for which the interest rate is applicable.	
Rate %	Specify the interest rate applicable for the defined tier. This field appears once you select the Rate Type option as Tiered and Link a Rule? option as No .	



Field	Description
Rule	Select the rule for the defined tier from the drop-down list. This field appears once you select the Rate Type option as Tiered and Link a Rule? option as Yes .

Table 3-61 (Cont.) Create Pricing Model – Price Definition (Tiered) - FieldDescription

12. Click Save to save the details.

The **Pricing Model** is successfully created and can be viewed using View Pricing Model screen.

3.12.2 View Pricing Model

This topic describes the systematic instructions to view the list of pricing model.

The user can create the pricing model using the Create Pricing Model screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click .Pricing, under Pricing, click View Pricing Model.

The View Pricing Model screen displays.

. + 0					
Pricing Code: RTEST1	Pricing Code: PR501	Pricing Code: NTEST2	Pricing Code: NTEST3	Pricing Code: PR510	
Pricing RTEST1 Product OFLO	Pricing Flat Pricing Model Product OFLO	Pricing NTEST2 FLAT with Rule Product OFLO	Pricing NTEST3 Desc Product OFLO	Pricing PR510 with CDS_Grade Product OFLO	
🗅 Unauthorized 🔒 Open 🖾 2	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	
NTEST8	Pricing Code: NTEST1	Pricing Code: NTEST9	Pricing Code: NTEST4	Pricing Code: CBSINT :	
Pricing NTEST8 Description Product OFLO	Pricing NTEST1 Flat Rate Product OFLO	Pricing NTEST9 Desc Product OFLO	Pricing NTEST4 Desc Product OFLO	Pricing CBSINT Product OFLO	
🗅 Authorized 🔒 Open 🖾 1	🗋 Unauthorized 🔓 Open 🖾 1	🕃 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	

Figure 3-57 View Pricing Model

Table 3-62 View Pricing Model – Field Description

Field	Description
Pricing Code	Displays the pricing code.
Pricing Description	Displays the description of the pricing model.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modifications performed on the record.

Table 3-62 (Cont.) View Pricing Model – Field Description

3. On View Pricing Model screen, click

Q

icon.

The View Pricing Model - Search screen displays.

Figure 3-58 View Pricing Model - Search

Search Filter	×
Pricing Code]
Pricing Description]
Authorization Status]
Record Status]
Search Reset	



For more information on fields, refer to the field description table.

Field	Description
Pricing Code	Specify the pricing code.
Pricing Description	Specify the description of the pricing model.
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

Table 3-63 View Pricing Model - Search – Field Description

- 4. On View Pricing Model Search screen, click
 - :

icon to **Unlock**, **Delete**, **Authorize** or **View** the created pricing model.

5. Click **Unlock** to modify the created pricing model.

The Pricing Model Maintenance - Modify screen displays.



asic Details			
ricing Code		Pricing Description	
		Flat Pricing Model	
ffective Date		Expiry Date	
September 15, 2020		November 30, 2025	
roduct Processor		Priority	
OFLO *		2	
ilter Value		2	
ilter Value			
tules ule Code PR501 •	Rule Name PR501 Model Rule		
Edit			
Rules			
✓ Basic Info			
Code	Description	Tag	Select Existing rule
PR501	PR501 Model Rule	•	Q
Rule Version			
	Q,		
> Section1			
Else			
+ 🕯			
No items to display.			
Expression			
Expression			
IF (ProductCode == HMLN50)			
IF (ProductCode == HMLN50) Output			
IF (ProductCode == HMLN50)			
IF (ProductCode == HMLN50) Output Section1 True			
IF (ProductCode == HMLN50) Output Section1 True			

Figure 3-59 Pricing Model Maintenance - Modify




Table 3-64	Pricing Model Maintenance - Modify - Field Description
------------	--

Field	Description		
Pricing Code	Displays the pricing code for the created quantitative pricing model.		
Pricing Description Specify the pricing description for the created pricing model			
Effective Date	Specify the effective date for the created pricing model.		
Expiry Date	Specify the expiry date for the created pricing model.		
Product Processor	Displays the product processor for the created pricing model.		
Priority	Specify the priority of the created pricing model.		
Use Existing Rule	Specify the existing rule if linked.		
Rule Code	Specify the rule code for the created pricing model.		



Field	Description	
6	Click this icon to get the information about the rule.	
Rule Name	Displays the rule name.	
Create New Rule	Specify the new rule linked to the pricing model.	
Code	Specify the new rule code for the created pricing model.	
Description	Specify the rule description for the created pricing model.	
+ icon	Click this icon can add new expression.	
Fact / Rules	Displays the fact or rule of the created pricing model.	
Operator	Displays the comparison operator of the created pricing model.	
Data Type	Displays the data type for the fact or rule for the created pricing model.	
Output	Displays the output for the created pricing model.	
Expression	Displays the expression updated in the expression builder for the created pricing model.	
Pricing Definition	The below listed fields appear in Pricing Definition tab.	
Minimum Rate	Specify the minimum rate applicable for the defined pricing model.	
Maximum Rate	Specify the maximum rate applicable for the defined pricing model.	
Rate Type	Select the range type for the created pricing model from the drop- down list. The available options are: Flat Tiered	
Rate%	Specify the interest rate application for the defined pricing.	
	Note: This field appears once the user select the Rate Type option as Flat and Link a Rule? option as Yes.	
Rule	Select the rule for the defined pricing.	
	Note: This field appears once the user select the Rate Type option as Flat and Link a Rule? option as Yes.	

Table 3-64 (Cont.) Pricing Model Maintenance - Modify - Field Description



Field	Description
<numeric feature=""> From</numeric>	Specify the minimum numeric value of feature to which the interest rate is applicable. Note: This field displays if the Rate Type is selected as Tiered.
	•
<numeric feature=""> To</numeric>	Specify the maximum numeric value of feature to which the interest rate is applicable.
	Note:
	This field displays if the Rate Type is selected as Tiered .
<character feature=""> Value</character>	Specify the alphabetic value for which the interest rate is applicable.
	Note: This field displays if the Rate Type is selected as Tiered.
Rate%	Specify the interest rate applicable for the defined tier.
	Note: This field appears once you select the Rate Type option as Tiered and Link a Rule? option as No.
Rule	Select the rule for the defined tier.
	Note: This field appears once the user select the Rate Type option as Tiered and Link a Rule? option as Yes.

Table 3-64 (Cont.) Pricing Model Maintenance - Modify - Field Description

- 6. Click **Save** to update the modified fields.
- 7. Click View to view the created quantitative scoring model.

The **Pricing Model Maintenance – View** screen displays.



Retric Respense Gene Gene Gene Gene Gene Gene Gene Gene	ing Model Maintenance			
64 Fit Riving Modi etter 15.200 Norme 15.2005 Stat Presson Norme 0 2 stat Presson 2 stat Presson Part Pedintion State Presson Part Pedintion	sic Details			
64 Fit Krang Model etter 15.200 Komeler 5.20.25 At Precose Rosey 0 November 3.20.25 At Precose Rosey 0 2 section Criteria Park Peditritoria company Park Pedi	ing Code		Pricing Description	
tentor 5, 2030 Normer 30, 203 tentor 0, 2007 Porry rike Proceedination station Crares Rice Definition station Rice Definitio	01		Flat Pricing Model	
hat Recose 2 recose Pice Defension section Create Pice Defension <	ctive Date		Expiry Date	
0 2 setemone Pice Definition conservice Reference Setemone Pice Definition Setemone Pice Definition </td <td>tember 15, 2020</td> <td></td> <td>November 30, 2025</td> <td></td>	tember 15, 2020		November 30, 2025	
Selection Citretis Price Defination Society Harrin Rule Price Rule Price Defination Price Rule Society Harrin Rule Price Rule	luct Processor		Priority	
Section Citeria Rice Definition	.0		2	
souring Rule Create New Rule	r Value			
se set on a set of a		Price Definition		
Code Bub Name 501 • PESD1 Model Rule at - - ate - - ate - - ate - - ate - - ate Ate wates - - ate Ate wates - - ate Ate wates - - - ate Ate wates - - - - besc tots display. - </td <td></td> <td></td> <td></td> <td></td>				
S01 PS01 Model Rule Add Version Code Decription Tag Select Exteng rule PP001 Decription Rule Version PE001 Model Rule Sectoral Sectoral Epression (CroductCode == HMLN50)		Rule Name		
at ules color Decorption Tag Select Exiting rule PHOO1				
Jes Sack Info Code Decription PR001 PR001 PR001 PR001 Role Vectors Q 3 Q				
Use Sale (Info Code Decription Tag Sale (Zeiting rule Q PR001 PR001 Model Rule Image: Comparison Q				
Section Code PISO1 PISO1 Model Rule PISO1 Model Rule <td>dit</td> <td></td> <td></td> <td></td>	dit			
Code Decryption Tag Select Existing rule PRSO1 PRSO1 Model Rule • • Rule Vision • • • 3 • • • Section1 • • •	ules			
PROOT PROOT Model Bale Rike Version Q 1 Q 5 Section1 C Espression C (ProductCode == HMLNS0) Section1 True C	✓ Basic Info			
Rel Version Rel Version Section 1 Expression (ProductCode == HMLN50) output (ProductCode == HMLN50) output	Code	Description	Tag Solect Exis	ing rule
Image: Section 1 Expression Image: Section 1 True	PR501	PR501 Model Rule	▼	Q
Section1 Else Expression				
Else		۹		
	> Section1			
	Else			
No items to display. Expression f f (ProductCode == HMLNS0) Output Section True				
No items to display. Expression f f (ProductCode == HMLNS0) Output Section True				
Expression (F (ProductCode == HMLN50) Output Section 1 Tue				
ات (ProductCode == HMLN50) کماریم: Section True	No items to display.			
ات (ProductCode == HMLN50) نامیت Section True				
(ProductCode == HMLN50) Output Section1 True	Expression			
(ProductCode == HMLN50) Output Section1 True				
Output Section True	IF			
Section1 True	Output	0)		
	Section1 True			
	Else			

Figure 3-60 Pricing Model Maintenance - View

Table 3-65 Pricing Model Maintenance - View - Field Description

Field	Description
Pricing Code	Displays the pricing code for the created quantitative pricing model.
Pricing Description	Displays the pricing description for the created pricing model.
Effective Date	Displays effective date for the created pricing model.
Expiry Date	Displays date for the created pricing model.
Product Processor	Displays the product processor for the created pricing model.
Priority	Displays the priority of the created pricing model.
Use Existing Rule	Displays the existing rule if linked.
Rule Code	Displays the rule code for the created pricing model.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays the new rule linked to the pricing model.



Field	Description	
Code	Specify the new rule code for the created pricing model.	
Description	Specify the rule description for the created pricing model.	
+ icon	This icon can add new expression.	
Fact / Rules	Displays the fact or rule of the created pricing model.	
Operator	Displays the comparison operator of the created pricing model.	
Data Type	Displays the data type for the fact or rule for the created pricing model.	
Output	Displays the output for the created pricing model.	
Expression	Displays the expression updated in the expression builder for the created pricing model.	
Pricing Definition	The below fields appears in the Pricing Definition tab.	
Minimum Rate	Displays the minimum rate applicable for the defined pricing model.	
Maximum Rate	Displays the maximum rate applicable for the defined pricing model.	
Rate Type	Displays the range type for the created pricing model from the drop-down list. The available options are: Flat Tiered	
Rate%	Displays the interest rate application for the defined pricing. Note: This field appears once the user select the Rate Type as Flat and Link a Rule? option as Yes.	
Rule	Displays the rule for the defined pricing.	
	Note: This field appears once you select the Rate Type option as Flat and Link a Rule? option as Yes.	
<numeric feature=""> From</numeric>	Displays the minimum numeric value of feature to which the interest rate is applicable.	
	Note: This field displays if the Rate Type is selected as Tiered.	

Table 3-65 (Cont.) Pricing Model Maintenance - View - Field Description



Field	Description
<numeric feature=""> To</numeric>	Displays the maximum numeric value of feature to which the interest rate is applicable.
	Note: This field displays if the Rate Type is selected as Tiered.
<character feature=""> Value</character>	Displays the alphabetic value for which the interest rate is applicable.
	Note: This field displays if the Rate Type is selected as Tiered.
Rate%	Displays the interest rate applicable for the defined tier.
	Note: This field appears once you select the Rate Type option as Tiered and Link a Rule? option as No.
Rule	Displays the rule for the defined tier.
	Note: This field appears once you select the Rate Type option as Tiered and Link a Rule? option as Yes.

Table 3-65 (Cont.) Pricing Model Maintenance - View - Field Description

3.13 Validation Model

This topic describes the information about the Validation model.

During credit decision, system evaluates a credit score that represents the creditworthiness of an individual. Banks also do an initial evaluation by using some rules to decide whether to proceed with credit decisioning process or not. A bank can perform this evaluation by maintaining a Validation model. Multiple levels of rule can be setup in Validation model. The system will process the next step of credit decisioning only if all the rules are satisfied. If any rule fails, then system will stop the processing and decline the request.

This topic contains the following subtopics:



- Create Validation Model This topic describes the systematic instructions to create Validation model based on the various input.
- View Validation Model This topic describes the systematic instructions to view the list of configured validation model.

3.13.1 Create Validation Model

This topic describes the systematic instructions to create Validation model based on the various input.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Validation Model, under Validation Model, click Create Validation Model.

The Create Validation Model screen displays.

Figure 3-61 Create Validation Model

Basi Details Vidiation Model Code Validation Model Description Beaured Beaurel Effective Date Exploy Date September 50, 2020 Beaurel Poduct Processor Fragment September 20, 2020 Beaurel Poduct Processor Fragment September 20, 2020 Beaurel Poduct Processor Fragment September 20 Fragment Tag On Practarce Fragment	÷×
Product Processor Profile Select Image: Select Breaked Breaked Step On First Error Breaked	
Selection Grieria Validation Model 9 Use Existing Rule O Create New Rule	
Rules Pade Code Bude Name Select	

3. On Create Validation Model screen, specify the fields.



For more information on fields, refer to the field description table.

Table 3-66 Create Validation Model - Field Description

Field	Description
Validation Model Code	Specify the unique Validation model code.



Field	Description
Validation Model Description	Specify a short description for the Validation model.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the Validation model is being created.
Priority	Specify the priority of the pricing.

Table 3-66 (Cont.) Create Validation Model - Field Description

4. Click the **Selection Criteria** to define selection criteria rules.

The Create Validation Model - Selection Criteria screen displays.

Figure 3-62 Create Validation Model - Selection Criteria

ic Details	
ation Model Code	Validation Model Description
Required	Required
tive Date	Expiry Date
tember 30, 2020	
act Processor	Priority
lect 👻	
Required	Required
On First Error	
Selection Criteria Validation Model	
disting Rule 💿 Create New Rule	
ate Rule	
cw	
iles	
✓ Basic Info	
Code D	cription Tag Select Existing rule
	Cipital ing and Cooling too
Required	
Rule Version	
Q	
✓ Section1	
Expression Builder	
+ Add Expression	
Output	
+ =	
No items to display.	
Else	
+ =	
No items to display.	
Expression	
IF	
Output Section1	
Output	
Output Section1	



_	
Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rule Code	Select the rule code from the drop down list.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code.
Create New Rule	Select this option to create new rule.
Code	Specify the rule code.
Description	Specify the rule description.
+ icon	Click this icon to add new expression.
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.
Operator	Select the comparison operator from the drop-down list. The available options are: > + = % != - >= <= * / Contains In Like Matches NotMatches NotContains NotContains Notin

Table 3-67 Create Validation Model - Selection Criteria - Field Description



Field	Description
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact Rules The below option displays if the Data Type is selected as Boolean. True False
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False
Expression	Displays the expression updated in the expression builder.

Table 3-67 (Cont.) Create Validation Model - Selection Criteria - Field Description

5. Click the Validation Model to define the pricing.

The Create Validation Model - Validation Model screen displays.

Figure 3-63 Create Validation Model – Validation Model

Create Validation Model				::::
Basic Details				
Validation Model Code		Validation Model Description		
Required		Required		
Effective Date		Expiry Date		
September 30, 2020		Required		
Product Processor		Priority		
OFLO -				
		Required		
Stop On First Error				
Selection Criteria Valida	ation Model			
Validations				
+ -				
-	Sequence	Reason	Severity	Comments
Rule ID				
Rule ID Select •		Select 👻	Select 👻	
		Select	Select 🗸	



For more information on fields, refer to the field description table.

Field	Description
+ icon	Click this icon to add a new row.
- icon	Click this icon to delete a row, which is already added.
Rule ID	Select the rule ID from the drop down list. All rules configured in the rule engine for the selected product processor are obtained.
0	Click this icon to get the information about the rule.
Sequence	Specify the sequence of execution of rules.
Reason	Select the reason from the drop down list.
Comments	Specify the comments.

 Table 3-68
 Create Validation Model – Validation Model - Field Description

6. Click Save to save the details.

The **Validation Model** is successfully created and can be viewed using the View Validation Model screen.

3.13.2 View Validation Model

This topic describes the systematic instructions to view the list of configured validation model.

The user can configure the validation model using the Create Validation Model screen. The status of the created validation model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Validation Model, under Validation Model, click View Validation Model.

The View Validation Model screen displays.

validation Model Code:	Validation Model Code:	Validation Model Code:	Validation Model Code:	Validation Model Code:	
LMC500	LMC501	LMC999182	LMC999183	LMC102	
Validation LM500	Validation LMC501	Validation LMC999182 Desc	Validation LMC999183 Desc	Validation Logical Model LMC102	
Product OFLO	Product OFLO	Product OFLO	Product OFLO	Product OFLO	
🕻 Authorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	🕻 Authorized 🔓 Open 🖾 1	🕃 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	
validation Model Code:	Validation Model Code:	Validation Model Code:	Validation Model Code:	Validation Model Code:	
VMOPERINSTRUCTION	MOTEST2	MOTEST3	MOTESTNEW1	ENUMVAL1	
Validation Operating Instruction	Validation MOTEST2	Validation MOTEST3	Validation MOTESTNEW1	Validation ENUMVAL1	
Product OBA	Product OFLO	Product OFLO	Product OFLO	Product OFLO	
🗅 Authorized 🔓 Open 🖉 2	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖉 1	🗅 Authorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	

Figure 3-64 View Validation Model



For more information on fields, refer to the field description table.

Field	Description
Validation Model Code	Displays the validation model code.
Validation Model Description	Displays the description of the validation model.
Product Processor Code	Displays the product processor code.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: Open Closed

Table 3-69 View Validation Model – Field Description

3. On View Validation Model screen, click

Q

icon.

The View Validation Model - Search screen displays.



Search Filter	×
Validation Model Code	
Validation Model Description	
Authorization Status	
Record Status	
Search Reset	

Figure 3-65 View Validation Model - Search

Table 3-70 View	Validation Model	- Search –	Field Description
-----------------	------------------	------------	-------------------

Field	Description
Validation Model Code	Specify the validation model code.
Validation Model Description	Specify the description of the validation model.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

- 4. On View Validation Model screen, click
 - •
 - •
 - ٠



icon to Unlock, Delete, Authorize or View the created validation model.

5. Click **Unlock** to modify the created validation model.

The Validation Model Maintenance - Modify screen displays.

<pre>state Constant C</pre>	idation Model Main	ntenance						
<pre>start Add Call Call Call Call Call Call Call Ca</pre>								
Accompany Set of 20.000 Biole S								
net do Image: do I					iption			
art Monor								
withrows withro		1000						
Ali a Converting Selection Chere Selection Chere <t< td=""><td></td><td>000</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		000						
A Heat three Setection Cheeks Valations Model Valations								
Settor Of Crite1 Validation Model Settor Of Crite1 Validation Model Solar LODBale Ale New Code Ale New Code Code New New New		Ŷ		2				
Exercise Rule Rule Name State Rule Name ASARE NOOR IN QASME NOO Description Use Sector I Ese Image: Sector I Ese Image: Sector I Image: Sector I Ese Image: Sector I								
SSAME_LDODLe QASH4LDOD Decorption det colspan="2">All CODLe Colspan="2">Colspan="2"Colspan="2">Colspan="2"	xisting Rule O Create Ner							
At Advente Adv								
Jest Select Description Tag Select Description Code Description Image: Code Image: Code Add Wration Image: Code Image: Code Image: Code Add Wration Image: Code Image: Code Image: Code Image: Code Add Wration Image: Code Ima	ASMHL100Rule	• 0	QASMHL100 Description					
lee lee lee Satch fro Code Opcongritum Code Opcongritum No terms to display. ProductCode == QASMHL100) Output Section 1 rue Elee	ht							
Seticitie Decryster Tag Setic Example OxAMAL 1000Bale OxAMAL 1000 Description Image: Comparison of the comparison of th								
Code Description Tag Select Existing rule QASARE LOOD lake QASARE LOOD lake Q Note We soan Q Q	lies							
QASAME 10000/e Q Ref Version Q 1 Q > Section1 C Ese C Image: Provide and the section of display. C Espression C Image: Provide and the section of display. C Ese C Eseresion C Section1 true Ese Ese C	✓ Basic Info							
Rel Version Rel Version Rel Version Fere ProductCode == QASMHL100) Conput Section1 True Else	Code		Description		Tag		Select Existing rule	
Image: setton t			QASMHL100 Descri	ption		-		Q
Section1 Else Protection display. Expression If (productCode == QASMHL100) Output Section1 true Else								
Else			۹					
Image: Section true Else	> Section1							
No terris to display. Expression (ProductCode == QASMHL100) Output Eser Eser	Else							
No terrs to display. Expression (ProductCode == QASMHL100) Cutput Else								
No terrs to display. Expression	+ :							
Expression								
IF (ProductCode == QASMHL100) Codput Section True Else	No items to display.							
(ProductCode == QASMHL100) Cutput Section1 true Else	Expression							
(ProductCode == QASMHL100) Content Section1 true Else								
	(ProductCode == Output Section1 true	QASMHL100)						
Cond.	Else							
Cavel								

Figure 3-66 Validation Model Maintenance - Modify



Table 3-71 Validation Model Maintenance - Modify - Field Description

Field	Description
Validation Model Code	Displays the created validation model code.
Validation Model Description	The user can modify the description for the created validation model.



Field	Description		
Effective Date	The user can modify effective date for the created validation model.		
Expiry Date	The user can modify expiry date for the created validation model.		
Product Processor	Displays the product processor for the created validation model.		
Priority	The user can modify the priority of the created validation model.		
Use Existing Rule	The user can modify the existing rule if linked.		
Rule Code	The user can modify the rule code for the created validation model.		
0	Click this icon to get the information about the rule.		
Rule Name	Displays the rule name.		
Create New Rule	The user can modify the new rule linked to the validation model.		
Code	Specify the new rule code for the created validation model.		
Description	Specify the rule description for the created validation model.		
+ icon	This icon can add new expression.		
Fact / Rules	Displays the fact or rule of the created validation model.		
Operator	Displays the comparison operator of the created validation model.		
Data Type	Displays the data type for the fact or rule for the created validation model.		
Output	Displays the output for the created validation model.		
Expression	Displays the expression updated in the expression builder for the created validation model.		
Rule ID	The user can modify the rule ID of the created validation model.		
0	Click this icon to get the information about the rule.		
Sequence	Displays the sequence of the created validation model.		
Reason	The user can modify the reason of the created validation model.		
Comments	The user can modify the comments of the created validation model.		
	•		

Table 3-71 (Cont.) Validation Model Maintenance - Modify - FieldDescription

- 6. Click **Save** to update the modified fields.
- 7. Click **View** to view the created validation model.

The Validation Model Maintenance – View screen displays.



Abitan Model Code Videon Model Decorption MC500 K500 Kenter Data September 20, 2005 Voteon Data Processor Part 20, 2005 R CA 2 R Can Criteria Videon Model Decorption Selection Criteria Videon Model Decorption				
MEDIO LMEDIO Returne Roo. Examp Roo solate Therease Proving right Room Room 2 solate Therease Room Room Room Room Room Room Room Room	asic Details			
Reviewed 500 youde	alidation Model Code		Validation Model Description	
<pre>spender 30, 2020</pre>	MC500		LM500	
and a face one Protig RLO 2 a factor of face in	ffective Date		Expiry Date	
FLO C 2 geometrices constructions construct	eptember 30, 2020		April 26, 2025	
and bein strained Section Offenia Validation Model The Description Relation Section Offenia R	roduct Processor		Priority	
Settion Orienta Validation Model Validation Model <tr< td=""><td>FLO</td><td></td><td>2</td><td></td></tr<>	FLO		2	
ee Contrag Rule Create Here Rule Rules Rul	top On First Error			
ee Contrag Rule Create Here Rule Rules Rul	In			
Nulsi Market Market Ma	Selection Criteria	Validation Model		
de Code Bale Name QASM # Color Decorption	e Existing Rule 🔷 Create New Rule			
Auk Code Bake tame QASM HL DOD Decomption Exter Code Decomption Tag Select Existing rule Code Decomption Tag Select Existing rule Code				
QASAHLIDORale Cele Role Select Envirog role Opcoder 1000ale Opcoder 2000ale <				
Ede Rules				
Reles Sector Sector Code Code Code	QASMHL100Rule 0	QASMHL100 Description		
Rules				
Rules	Edit			
Code Description Tig Select Existing rule QASMEL300Bule QASMEL300 Description • • • 1 Q • • •	Rules			
OKSAME XXXXIII QAXAELXXX Description Notifies Q 3 Q 5 Section1 Else Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section2 Image: Section3 Image: Section3 Image: Section3 Image: Section4 Image: Section3 Image: Section4 Image: Section4 <td>✓ Basic Info</td> <td></td> <td></td> <td></td>	✓ Basic Info			
OKSAME XXXXIII QAXAELXXX Description Notifies Q 3 Q 5 Section1 Else Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section1 Image: Section2 Image: Section3 Image: Section3 Image: Section3 Image: Section4 Image: Section3 Image: Section4 Image: Section4 <td></td> <td>Provide the second s</td> <td>The Advantage of the Second</td> <td></td>		Provide the second s	The Advantage of the Second	
Rek Virsion				
I Q. J Sector1 Ese Image: Comparison of complex. No items to display.		QASMHL100 Description		
> Sectors1 Else No items to display,		Q		
Else				
In terms to display.	> Section1			
In terms to display.	Eleo			
No items to display,				
No items to display,				
Expression				
Expression	+ :			
Слугеззии	+ :			
	No items to display.			
	No items to display.			
(ProductCode == QASMHL100)	No items to display. Expression (ProductCode == QASMHI.	100)		
(ProductCode == QASMHL100)	No items to display. Expression	100)		
(ProductCode == QASMHL100)	k k k k K	100)		
(ProductCode == QASMHL100) Cutput Section1 true	k k k k K	100)		

Figure 3-67 Validation Model Maintenance - View

 Table 3-72
 Validation Model Maintenance - View - Field Description

Field	Description
Validation Model Code	Displays the created validation model code.
Validation Model Description	Displays the description for the created validation model.
Effective Date	Displays the effective date for the created validation model.
Expiry Date	Displays the expiry date for the created validation model.
Product Processor	Displays the product processor for the created validation model.
Priority	Displays the priority of the created validation model.
Use Existing Rule	Displays the existing rule if linked.
Rule Code	Displays the rule code for the created validation model.

Field	Description		
	Click this icon to get the information about the rule.		
0			
Rule Name	Displays the rule name.		
Create New Rule	Displays the new rule linked to the validation model.		
Code	Displays the new rule code for the created validation model.		
Description	Displays the rule description for the created validation model.		
+ icon	This icon can add new expression.		
Fact / Rules	Displays the fact or rule of the created validation model.		
Operator	Displays the comparison operator of the created validation model.		
Data Type	Displays the data type for the fact or rule for the created validation model.		
Output	Displays the output for the created validation model.		
Expression	Displays the expression updated in the expression builder for the created validation model.		
Rule ID	Displays the rule ID of the created validation model.		
0	Click this icon to get the information about the rule.		
Sequence	Displays the sequence of the created validation model.		
Reason	Displays the reason of the created validation model.		
Comments	Displays the comments of the created validation model.		

Table 3-72 (Cont.) Validation Model Maintenance - View - Field Description

3.14 Qualitative Scoring Model

This topic describes the information about the Qualitative scoring model for the Decision service.

Financial institution use different models for different product or use case. The qualitative scoring model used for home loan would be different then the personal loan. Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This topic contains the following subtopics:

- Create Qualitative Scoring Model This topic describes the systematic instructions to configure the qualitative scoring model based on the various scoring parameters.
- View Qualitative Scoring Model This topic describes the systematic instructions to view the list of configured qualitative scoring model.



3.14.1 Create Qualitative Scoring Model

This topic describes the systematic instructions to configure the qualitative scoring model based on the various scoring parameters.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Qualitative Scoring, under Qualitative Scoring Model, click Qualitative Scoring Model.

The Create Qualitative Scoring Model screen displays.

asic Details		
oring Model		
elect 👻		
Required		
litative Scoring Model Code	Qualitative Scoring Model Description	
Required	Deputied	
ctive Date	Expiry Date	
ptember 30, 2020		
	Required	
luct Processor	Priority	
Rect Pequired	Pequired	
Required	Required	

Figure 3-68 Create Qualitative Scoring Model

3. On Create Qualitative Scoring Model screen, specify the fields.




Table 3-73	Create Qualitative Scoring Model - Field Description
-------------------	--

Field	Description
Scoring Model	Select the scoring model from the drop-sown list. The available options are: • Application Scoring Model • Applicant Scoring Model
Qualitative Scoring Model Code	Specify the unique scoring model code.
Qualitative Scoring Model Description	Specify a short description for the scoring model.



Field	Description
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the model is being created.
Priority	Specify the priority of the model.

Table 3-73 (Cont.) Create Qualitative Scoring Model - Field Description

4. Click the Selection Criteria to define qualitative scoring model.

The Create Qualitative Scoring Model - Selection Criteria screen displays.

Figure 3-69 Create Qualitative Scoring Model - Selection Criteria

c Details			
ig Model			
blication Scoring Model			
ative Scoring Model Code		Qualitative Scoring Model Description	
Required		Required	
ive Date		Expiry Date	
ember 30, 2020 🛗		Required	
ct Processor		Priority	
ect 👻			
Required		Required	
Selection Criteria Sco	oring Rule		
isting Rule			
te Rule			
w			
les			
105			
 Basic Info 			
Code	Description	Tag	Select Existing rule
			* Q
Rule Version			
Rule version	٩		
	4		
 Section1 			
Expression Builder			
+ Add Expression			
Output			
+ =			
No items to display.			
No reno to ospidy.			
Else			
+ :			
No items to display.			
Expression			
IF			
Output			
Section1			
Fise			
Else			
Else			



Field	Description		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.		
Rule Code	Select the rule code from the drop down list.		
0	Click this icon to get the information about the rule.		
Rule Name	Displays the rule name of the rule code.		
Create New Rule	Select this option to create new rule.		
Code	Specify the rule code.		
Description	Specify the rule description.		
+ icon	Click this icon to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.		
Operator	Select the comparison operator from the drop-down list. The available options are:		

Table 3-74Create Qualitative Scoring Model - Selection Criteria - FieldDescription

Field	Description		
Data Type	 Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact Rules The below option appears if the Data Type is selected as Boolean. True False 		
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False		
Expression	Displays the expression updated in the expression builder.		

Table 3-74 (Cont.) Create Qualitative Scoring Model - Selection Criteria -Field Description

5. Click the Scoring Rule to define the rules. This tab is enabled if Application Scoring Model is selected.

The Create Qualitative Scoring Model - Scoring Rule screen displays.

Figure 3-70 Create Qualitative Scoring Model - Scoring Rule

Create Qualitative Scoring Model			1 L 1 F
Basic Details Scoring Model			
Application Scoring Model			
Qualitative Scoring Model Code		Qualitative Scoring Model Description	
Required Effective Date		Required Expiry Date	
September 30, 2020		Required	
Product Processor		Driority	
Select Required		Required	
Selection Criteria Sc	coring Rule		
core			
Rule Code	Rule Name		
Select Required			
			Cancel



For more information on fields, refer to the field description table.

Table 3-75Create Qualitative Scoring Model - Scoring Rule - FieldDescription

Field	Description
Rule Code	Select the rule code from the drop-down list.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code.

6. Click the **Questionnaire** tab to define the scoring model based on the various questionnaires. This tab is enabled if **Applicant Scoring Model** is selected.

The Create Qualitative Scoring Model - Questionnaire screen displays.

Figure 3-71 Create Qualitative Scoring Model - Questionnaire

	3				
Basic Details					
Applicant Scoring Model					
ualitative Scoring Model Code		Qualitative Scoring Model De	scription		
Required ffective Date			Required		
September 30, 2020		Expiry Date	Ē		
Jeptember 30, 2020			Required		
roduct Processor		Priority			
OFLO •			Required		
Selection Criteria Qu Juestionnaire Code	uestionnaire	Questionnaire Name			
Required QuestionnaireSet3		Qualitative Score Creation	on Questionr		
ring Feature QuestionnaireSet3					
uestion ID	Question		Define Range/Value	Enable	
geOfResidence	Number of years the applicant staying at p	oresent address	Define		
ypeOfResident	Applicant Resident Type	Applicant Resident Type			
mploymentDuration	How many years in current employment		Define		
oOfDependent	Number of dependent		Define		
oorbependent					

For more information on fields, refer to the field description table.

Table 3-76Create Qualitative Scoring Model - Questionnaire - FieldDescription

Field	Description
Questionnaire Code	Select the questionnaire code from the drop-down list. It will list down all the questionnaire created as a part of create questionnaire.
Questionnaire Name	Displays the questionnaire name of the selected questionnaire code.



Table 3-76(Cont.) Create Qualitative Scoring Model - Questionnaire - FieldDescription

Field	Description
Question ID	Displays the question ID in the questionnaire.
Question	Displays the question description linked to the question ID.
Define Range/ Value	Click the Define link to define the score for the expected response.
Enable	By default, this option is enabled. Indicates if the question ID is enabled or not.

7. Click the **Define** link to define a range or absolute values for questions.

The Create Qualitative Scoring Model - Define Link screen displays.

Figure 3-72 Create Qualitative Scoring Model - Define Link

						;
asic Details						
oring Model						
Applicant Scoring Model						
alitative Scoring Model Code		Qualitative Scoring Mod	el Description			
Required			Required			
eptember 30, 2020		Expiry Date	Ē			
eptember 50, 2020			Required			
oduct Processor		Priority				
OFLO -						
			Required			
Selection Criteria	Questionnaire					
Jestionnaire Code		Questionnaire Name				
required QuestionnaireSet3		Qualitative Score Cr	eation Questionr			
Questionnairesets						
ing Feature QuestionnaireSet3						
estion ID	Question		Define Range/Value		Enable	
eOfResidence	Number of years the ap	oplicant staying at present address	Define			
peOfResident	Applicant Resident Typ	e	Define			
nploymentDuration	How many years in cur	rent employment	Define			
oOfDependent	Number of dependent		Define			
ange/Value Definition - AgeOfResiden	ce					
Value		Score		Category		
value						
Less than 1 year				Select		•
Less than 1 year						•
Less than 1 year Less than 2 year				Select		•
Less than 1 year						•
Less than 1 year Less than 2 year				Select		•
Less than 1 year Less than 2 year Less than 5 years				Select Select		• • • •



Field	Description
Value	Displays the options available for a questionnaire.
Score	Specify the score to be assigned to each value.
Category	 Specify the category for each range or value from the drop-down list. The values are configurable based on the lookup values maintained. The available options are: Strong Medium Weak

Table 3-77Create Qualitative Scoring Model - Define Link – NumericFeature - Field Description

- 8. Click **Done** to save the data and close the range panel.
- 9. Click Save to save the details.

The **Qualitative Scoring Model** is successfully created and can be viewed using the View Qualitative Scoring Model screen.

3.14.2 View Qualitative Scoring Model

This topic describes the systematic instructions to view the list of configured qualitative scoring model.

The user can configure the qualitative scoring model using the **Create Qualitative Scoring Model** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Qualitative Scoring, under Qualitative Scoring Model, click View Qualitative Scoring Model.

The View Qualitative Scoring Model screen displays.

+ 0					i i
coring Model Code:	Scoring Model Code:	Scoring Model Code:	Scoring Model Code:	Scoring Model Code:	
APPLQAL502	APCN310	APPLQAL714 :	APPQAL502	QLAPPL100	
coring Mode Qualitative scoring	Scoring Mode Qualitative scoring	Scoring Mode Qualitative scoring	Scoring Mode APPQAL502	Scoring Mode Qualitative scoring	
Iroduct OFLO	Product OFLO	Product OFLO	Product OFLO	Product OFLO	
Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	D Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	🗅 Authorized 🔓 Open 🖾 1	
coring Model Code:	Scoring Model Code:	Scoring Model Code:	Scoring Model Code:	Scoring Model Code:	
PCT311 :	QLAPP100	APPL507 :	QSMBSAPPL2	APPQL702	
coring Mode Qualitative scoring	Scoring Mode Qualitative Scoring	Scoring Mode APPL507	Scoring Mode Qualitative scoring	Scoring Mode APPQL702	
Product OFLO	Product OFLO	Product OFLO	Product OFLO	Product OFLO	
Authorized 🔓 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔒 Open 🖾 1	🗅 Authorized 🔒 Open 🖉 1	

Figure 3-73 View Qualitative Scoring Model



Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the description of the scoring model.
Product Processor Code	Displays the product processor code
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 3-78 View Qualitative Scoring Model – Field Description

3. On View Qualitative Scoring Model screen, click

Q

icon.

The View Qualitative Scoring Model - Search screen displays.



Search Filter	×
Scoring Model Code	
Scoring Model Description	
Authorization Status	•
Record Status	•
Search Reset	

Figure 3-74 View Qualitative Scoring Model - Search

Table 2 70	View Qualitative Scoring Model Search Field Description
Table 3-79	View Qualitative Scoring Model - Search – Field Description

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the description of the scoring model.
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

- 4. On View Qualitative Scoring Model screen, click

 - :



icon to Unlock, Delete, Authorize, or View the created qualitative scoring model.

5. Click **Unlock** to modify the created qualitative scoring model.

The Qualitative Scoring Model Maintenance - Modify screen displays.

Figure 3-75 Qualitative Scoring Model Maintenance - Modify

	Aodel Mainte						
lasic Details							
coring Model	Ŧ						
Application Scoring Model	*						
ualitative Scoring Model Code				Qualitative Scoring M			
APPLQAL502					ig model APPLQAL!		
ffective Date	adada			Expiry Date			
September 30, 2020				October 31, 2025	Ē		
roduct Processor				Priority			
OFLO	Ŧ			10			
Selection Criteria		Scoring Rule					
e Existing Rule 🛛 🔿 Create M	New Rule						
tules ule Code		Rule	Name				
APPL502	• 0		PL502				
7416302			2502				
Edit							
Rules							
✓ Basic Info							
Code			Description		Tag		Select Existing rule
APPL502			APPL502		lag	-	Q
Rule Version			APPLOUZ			•	4
		Q					
		~					
> Section1							
Else							
+ =							
No items to display.							
Expression							
IF							
(ProductCode = Output	== HMLN51)						
Section1 True							
Else							
ht.							Cancel



Table 3-80	Qualitative Scoring Model Maintenance - Modify - Field Description	ı
-------------------	--	---

Field	Description
Scoring Model	Displays the scoring model for the created qualitative scoring model.



Field	Description
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	The user can modify the qualitative scoring model description for the created qualitative scoring model.
Effective Date	Displays the effective date of the created qualitative scoring model. User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created qualitative scoring model. User can modify the same before authorization.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	The user can modify the priority of the created qualitative scoring model.
Use Existing Rule	User can modify the existing rule if linked.
Rule Code	Displays the rule code for the created qualitative scoring model.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Code	Displays the rule code.
Description	Displays the rule description.
+ icon	Click this icon to add new expression.
Fact / Rules	Displays the fact or rule of the created qualitative scoring model.
Operator	Displays the comparison operator of the created qualitative scoring model.
Data Type	Displays the data type for the fact or rule for the created qualitative scoring model.
Output	Displays the output for the created qualitative scoring model.
Expression	Displays the expression updated in the expression builder for the created qualitative scoring model.
Rule Code	User can modify the rule code for the created qualitative scoring model.
Rule Name	Displays the name for the created qualitative scoring model.
Questionnaire	This tab is applicable for Applicant Scoring Model.
Questionnaire Code	User can modify the questionnaire code for the created qualitative scoring model.
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.
Question ID	Displays the question ID for the created qualitative scoring model.
Question	Displays the question for the created qualitative scoring model.
Define Range/Value	User can modify the defined range or value.
Value	Displays the defined value for the created qualitative scoring model.
Score	User can modify the score for the created qualitative scoring model.

Table 3-80 (Cont.) Qualitative Scoring Model Maintenance - Modify - FieldDescription

Field	Description
Category	User can modify the category for the created qualitative scoring model.
Enable	Displays if the question ID is enabled or not.

Table 3-80(Cont.) Qualitative Scoring Model Maintenance - Modify - FieldDescription

- 6. Click **Save** to update the modified fields.
- 7. Click View to view the created qualitative scoring model.

The Qualitative Scoring Model Maintenance – View screen displays.



alitative Scoring Model Maintenan	ice			
isic Details				
ing Model				
lication Scoring Model				
litative Scoring Model Code		Qualitative Scoring Model Description		
PLQAL502		Qualitative scoring model APPLQAL502		
ctive Date		Expiry Date		
otember 30, 2020		October 31, 2025		
duct Processor		Priority		
LO		10		
Existing Rule O Create New Rule	ng Rule			
les				
le Code	Rule Name			
APPL502 0	APPL502			
Edit				
Rules				
✓ Basic Info				
Code	Description	Tag		Select Existing rule
APPL502	APPL502		-	Q
Rule Version				
	Q			
> Section1				
Else				
+ 🕯				
No items to display.				
Expression				
IF (ProductCode == HMLN51) Output Section1 True Else				



Field	Description
Scoring Model	Displays the scoring model for the created qualitative scoring model.
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	Displays the qualitative scoring model description for the created qualitative scoring model.
Effective Date	Displays the effective date of the created qualitative scoring model. User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created qualitative scoring model. User can modify the same before authorization.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	The user can modify the priority of the created qualitative scoring model.
Use Existing Rule	Displays the existing rule if linked.
Rule Code	Displays the rule code for the created qualitative scoring model.
U	
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Code	Displays the rule code.
Description	Displays the rule description.
+ icon	Click this icon to add new expression.
Fact / Rules	Displays the fact or rule of the created qualitative scoring model.
Operator	Displays the comparison operator of the created qualitative scoring model.
Data Type	Displays the data type for the fact or rule for the created qualitative scoring model.
Output	Displays the output for the created qualitative scoring model.
Expression	Displays the expression updated in the expression builder for the created qualitative scoring model.
Rule Code	Displays the rule code for the created qualitative scoring model.
Rule Name	Displays the name for the created qualitative scoring model.
Questionnaire	This tab is applicable for Applicant Scoring Model.
Questionnaire Code	Displays the questionnaire code for the created qualitative scoring model.
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.

Table 3-81Qualitative Scoring Model Maintenance - View - FieldDescription

Field	Description
Question ID	Displays the question ID for the created qualitative scoring model.
Question	Displays the question for the created qualitative scoring model.
Define Range/Value	Displays the defined range or value.
Value	Displays the defined value for the created qualitative scoring model.
Score	Displays the score for the created qualitative scoring model.
Category	Displays the category for the created qualitative scoring model.
Enable	Displays if the question ID is enabled or not.

Table 3-81 (Cont.) Qualitative Scoring Model Maintenance - View - FieldDescription

3.15 Questionnaire

This topic describes the information about the questionnaire used for credit analysis.

Credit analysis includes analysis of more information and data. Considering that, some of them have quantitative character and others qualitative, credit analysis are viewed from two aspects such as:

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

While qualitative assessment, among others takes into account marital status, education or employment form.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This topic contains the following subtopics:

Create Questionnaire

This topic describes the systematic instructions to configure the qualitative questionnaire based on the various parameters.

• View Questionnaire This topic describes the systematic instructions to view the list of configured questionnaire.

3.15.1 Create Questionnaire

This topic describes the systematic instructions to configure the qualitative questionnaire based on the various parameters.

This questionnaire can be further linked to define qualitative scoring model.

Specify User ID and Password, and login to Home screen.

1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.



2. Under Credit Decision, click Maintenance, under Maintenance, click Questionnaire, under Questionnaire, click Create Questionnaire.

The Create Questionnaire screen displays.

Figure 3-77 Create Questionnaire

3. On Create Questionnaire screen, specify the fields.




Table 3-82	Create Questionnaire - Field Description
------------	---

Field	Description
Questionnaire Code	Specify the questionnaire code.
Questionnaire Description	Specify a short description for the questionnaire.
Product Processor	Specify the product processor for which the questionnaire is being created.
Category	Specify the category of the questionnaire.
Create	Click Create to configure the questions.
Question Code	Specify the unique question code.
Question Description	Specify the description for the question.
Select-Type	Select the type of response option from the drop-down list. The available options are: Single Select Multi Select Input Date



Field	Description
Select Sub- Type	Select the sub-type from the drop-down list. The available options are: • Yes/No • Check box • Rapid Button • Drop down
Short Name	Specify the short name of the question. This will be displayed in the Execution Summary.
Answer Code	Displays the answer code.
Answer Option	Specify all the expected response for the question configured.
Add	Click Add to add the expected response to the question.
Update	Click Update to edit the response.
Remove	Click remove to remove the response.
Required	By default, this option is enabled. Indicates whether the question is mandatory or optional.
Done	Click Done to save the data.
Preview	Click Preview to view the questions configured for the questionnaire along with the response choice.
	Click this icon to view the responses configured for the questionnaire.
	Click this icon to move the position of the questions.
: •	Click this icon to expand, copy or remove question.
🕞 Сору	Click this icon to copy the question.
匝 Remov	e Question Click this icon to remove the question.
Add Question	By Clicking Add Question, the user can add another question.

Table 3-82	(Cont.) Create	Questionnaire - Field Description
	(Some of Calle)	

4. Click **Save** to save the details.

The **Questionnaire** is successfully created and can be viewed using View Questionnaire screen.



3.15.2 View Questionnaire

This topic describes the systematic instructions to view the list of configured questionnaire.

The user can create the questionnaire using the Create Questionnaire screen. The status of the created questionnaire is displayed as **Unauthorized** and **Open**. Once the checker authorizes the questionnaire, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Questionnaire, under Questionnaire, click View Questionnaire.

The View Questionnaire screen displays.

Figure 3-78 View Questionnaire

0					IE 8
Questionnaire Code: TEST3	Questionnaire Code: QCode20230105170184	Questionnaire Code: QuestionnaireSet3	Questionnaire Code: QNRCMC20230110100188	Questionnaire Code: QNRCMC20230105170170	Questionnaire Code: QR20230106140161
Description TEST3 Product OFLO	Description description#1672918524 Product CMC	Description Qualitative Score Product OFLO	Description QNRCMC202301101001E Product CMC	Description QNRCMC2023010517017 Product CMC	Description Qualitative Score Product OFLO
D Authorized 🔒 Open 🖾 2	D Authorized 🔓 Open 🖾 4	DAuthorized 🔓 Open 🔯 1	Closed 22 2	C Authorized Authorized 2 2	🗈 Authorized 🔒 Open 🖾 4
Questionnaire Code: QNRCMC20221205131288	Questionnaire Code: QNRCMC20230109140136	Questionnaire Code: QR20221201151224	Questionnaire Code: QR20221214141240		
Description QNRCMC2022120513128 Product CMC	Description QNRCMC202301091401: Product CMC	Description Qualitative Score Product OFLO	Description Qualitative Score Product OFLO		
D Authorized A Closed 2 2	🗅 Authorized 🛛 🖓 2	🗅 Authorized 🔓 Open 🔯 4	🗅 Authorized 🔓 Open 🔯 4		

Table 3-83 View Questionnaire – Field Description

Field	Description
Questionnaire Code	Displays the questionnaire code.
Questionnaire Description	Displays the description of the questionnaire.
Product Processor Code	Displays the product processor code for which the questionnaire is created.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed



Table 3-83 (Cont.) View Questionnaire – Field Description

Field	Description
Modification Number	Displays the number of modification performed on the record.

3. On View Questionnaire screen, click

Q

icon.

The View Questionnaire - Search screen displays.

Figure 3-79 View Questionnaire - Search

Search Filter	×
Questionnaire Code	
Description	
Authorization Status	
Record Status	
Search Reset	

For more information on fields, refer to the field description table.

Table 3-84 View Questionnaire - Search – Field Description

Field	Description
Questionnaire Code	Specify the questionnaire code.



Field	Description
Questionnaire Description	Specify the questionnaire description.
Authorization Status	Select the authorization status from the drop-down list. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed

Table 3-84 (Cont.) View Questionnaire - Search – Field Description

- 4. On View Questionnaire screen, click
 - •


icon to Unlock, Delete, Authorize or View the created questionnaire.

5. Click **Unlock** to modify the created questionnaire.

The Questionnaire Maintenance - Modify screen displays.

Figure 3-80 Questionnaire Maintenance - Modify

Questionnaire Maintenance			11
Basic Details			
Questionnaire Code	Questionnaire Description		
TEST3	TEST3		
Product Processor	Category		
OFLO *	A		
			Prev
Q11 Q11		· · ·	
		·	
YI YI		1. •	
Q22 Q22		· · ·	
Q33 Q33		1.	
Ouestion			
dit		Cancel	s





Field	Description	
Questionnaire Code	Displays the questionnaire code.	
Questionnaire Description	The user can modify the questionnaire description.	
Product Processor	Displays the product processor for the created questionnaire.	
Category	The user can modify the category of the created questionnaire.	
Preview	Click Preview to display the questions configured for the questionnaire along with the response choice.	
•	Click this icon to expand copy or remove question.	
	Click this icon to move the position of the questions.	
Г 7 L Ј	Click this icon to see the question details.	
Question Code	Displays the question code for the created questionnaire.	
Question Description	The user can modify the question code for the created questionnaire.	
Select-Type	Displays the type of questionnaire.	
Short Name	User can modify the short name of the created questionnaire.	
Answer Code	Displays the answer code.	
Answer Option	User can modify all the expected response for the question configured.	
Required	User can modify if the question is mandatory or optional.	

Table 3-85 Questionnaire Maintenance - Modify - Field Description

6. Click **Save** to update the modified fields.

7. Click **View** to view the created logical model.

The **Questionnaire Maintenance – View** screen displays.



Questionnaire Maintenance		J.L.
Basic Details		
Questionnaire Code	Questionnaire Description	
TEST3	TEST3	
Product Processor	Category	
OFLO	A	
		Pre
Q11 Q11		· · · ·
YI YI		1.
Q22 Q22		i •
Q33 Q33		1.
Add Question		

Figure 3-81 Questionnaire Maintenance – View

For more information on fields, refer to the field description table.

Field Description **Questionnaire Code** Displays the questionnaire code. Questionnaire Displays the questionnaire description. Description **Product Processor** Displays the product processor for the created questionnaire. Category Displays the category of the created questionnaire. Preview Click **Preview** to display the questions configured for the questionnaire along with the response choice. **Question Code** Displays the question code for the created questionnaire. **Question Description** Displays the question code for the created questionnaire. Select Type Displays the type of questionnaire. Short Name Displays the short name of the created questionnaire. Answer Code Displays the answer code. **Answer Option** Displays all the expected response for the question configured. Required Displays if the question is mandatory or optional.

Table 3-86 Questionnaire Maintenance - View - Field Description

3.16 Counter

This topic describes the information about the counter feature.

In many scenarios, charges are levied based on the number of transactions like ATM Transaction, Branch Cash Withdrawal etc. System should be able to give charge benefit based on the count of transaction.

To support the charge based on count, PDS will be enhanced where the Count of transaction will be maintained for an event which later can be used to give relationship pricing.

This topic contains the following subtopics:



Create Counter

This topic describes the systematic instructions to create counter by updating various details.

• View Counter This topic describes the systematic instructions to view the counter.

3.16.1 Create Counter

This topic describes the systematic instructions to create counter by updating various details.

Specify **User ID** and **Password**, and login to **Home** screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Counter, under Counter, click Create Counter.

The Create Counter screen displays.

Figure 3-82 Create Counter

Create Counter							11
Basic Details							
Counter Code	0	Counter Description					
counterhardcoding		counterhardcoding					
Product Processor	E	Event ID					
OFLO •		DD_Branch_Cash_Withdi Q					
Effective Date	E	Expiry Date					
September 30, 2020		Ē	1				
		Requi	red				
act Mapping							
+ -							
Entity ID Fai	act ID Frequency Description	on Operation	Period Basis	Frequency	Counter Enable	Rule ID	
Partyld, Accountid 2 🗸 🔍		Increase 🔻	Calendar 🔻	Fortnightly, Monthly 2 -		AFTE 🔻	0
						Cancel	Save

3. On Create Counter screen, Specify the fields.




Table 3-87 Create Counter - Field Description

Field	Description
Counter Code	Specify the unique counter code.
Counter Description	Specify the description for the counter.
Product Processor	Select the product processor from the drop- down list for which code is being created



Field	Description
Event ID	Click on
	icon and select the id from the list.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Entity ID	Select the options from the drop-down list. The available options are: PartyID AccountID
	CollateralID
6 Fact ID	Click this icon to get the information about the rule. Specify the fact ID for the selected entity.
Frequency Description	Specify the description of the fact ID selected.
Operation	Select the value from the drop-down list. The available options are: Increase Decrease
Period Basis	Select from the drop-down list The available options are: • Calendar • Anniversary
Frequency	Select the value from the drop-down list. The available options are: Daily Weekly Monthly Quarterly Half Yearly Yearly
0	Click this icon to get the information about the rule.
Counter Enable	Click the toggle status to enable the counter.
Rule ID	Select the rule Id from the drop-down list.
6	Click this icon to get the information about the rule.

Table 3-87 (Cont.) Create Counter - Field Description



4. Click **Save** to save the details.

The **Create Counter** is successfully created and can be viewed using the View Counter screen.

3.16.2 View Counter

This topic describes the systematic instructions to view the counter.

The user can configure the lookup using the Create Counter screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Counter, under Counter, click View Counter.

The View Counter screen displays.


Figure 3-83 View Counter

+ 0				
Counter Code:	Counter Code: MTEST1	Counter Code: counterhardcoding	Counter Code: HTEST1	
Counter RTESt1 Product OFLO	Counter MTEST1 Product OFLO	Counter counterhardcoding Product OFLO	Counter HTEST1 Product OFLO	
Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	🗅 Unauthorized 🔓 Open 🖾 1	🗈 Authorized 🔓 Open 🖾 1	

For more information on fields, refer to the field description table.

Table 3-88 View Counter

Field	Description
Counter Code	Displays the counter code.
Counter Description	Displays the description of the counter code.
Product Processor	Displays the product processor of the counter.
Status	Displays the status of the record.
Modification Number	Displays the number of modifications performed on the record.



The View Counter - Search screen displays.



×

Figure 3-84 View Counter - Search		
Search Filter		
Counter Code		
Counter Description		
Authorization Status		
Record Status		
Search Reset		

4. On View Counter - Search screen, specify the Search Filter to fetch the required lookup.

For more information on fields, refer to the field description table.

 Table 3-89
 View Counter – Search – Field Description

Field	Description	
Counter Code	Specify the counter code.	
Counter Description	Specify the counter description.	
Authorization Status	 Select the authorization status from the drop-down list. The available options are: Authorized Rejected Unauthorized 	
Record Status	Select the record status from the drop-down list. The available options are: • Open • Closed	

5. Click **Search** to display the required lookup.



•••••

6. On View Counter screen, click icon to Unlock, Delete, Authorize, or View the

7. Click **Unlock** to modify the following fields.

created counter.

The Counter Maintenance - Modify screen displays.



Counter Maintenance							;; ×
Basic Details							
Counter Code		Counter	Description				
counterhardcoding		count	erhardcoding				
Product Processor		Event ID					
OFLO -		DD_B	ranch_Cash_Withdi	Q			
Effective Date		Exptry D	ate				
September 30, 2020		April 2	7, 2023	Ē			
Fact Mapping							
Entity ID	Fact ID	Frequency Description	Operation	Period Basis	Frequency	Counter Enable	Rule ID
Accountid, Collateralid 2 -	π	уууууу	Increase 👻	Calendar 👻	Quarterly, Half Yearly 2 🔹		Age_AggrR 🔻 🕚
Audit							Cancel Save

 Table 3-90
 Counter Maintenance - Modify - Field Description

Field	Description
Counter Code	Displays the created counter code.
Counter Description	Displays the Counter Description. User can modify the same.
Product Processor	Displays the product processor of the created Counter code.
Effective Date	Displays the effective date of the created counter. User can modify the same before authorization if it is future dated.
Expiry Date	Displays the expiry date of the created counter. User can modify the same.
Entity ID	Displays the Entity IDs selected for created counter. User can modify the same.
3	User can modify the same



Field	Description
6	Click to get the information about the rule.
Fact ID	Displays the Fact IDs selected for created counter. User can modify the same.
Frequency Description	Displays the frequency description for the created counter. User can modify the same.
Operation	Displays the frequency for the created counter. User can modify the same.
Period Basis	Displays the period basis selected.
Frequency	Displays the frequency for the created counter. User can modify the same.
3	Displays the number of frequencies selected.
•	Click to get the information about the rule.
Rule ID	Displays the Rule ID for selected for the created Counter.
6	Click to get the information about the rule.

Table 3-90 (Cont.) Counter Maintenance - Modify - Field Description

- 8. Click **Save** to update the modified fields.
- 9. Click View to view the created counter.

The Counter Maintenance - View screen displays.



:: × Counter Maintenance Basic Details Counter Code Counter Description counterhardcoding counterhardcoding Product Processor Event ID OFLO DD_Branch_Cash_Withdrawal Effective Date Expiry Date April 27, 2023 September 30, 2020 Fact Mapping Entity ID Fact ID Frequency Description Operation Period Basis Frequency Counter Enable Rule ID Accountld, Collateralld 2 🔻 🔮 Quarterly, Half Yearly 2 💌 0 ttt Calendar Age_AggrRule уууууу Increase 0 Audit

Figure 3-86 Counter Maintenance - View

 Table 3-91
 Counter Maintenance - View - Field Description

Field	Description
Counter Code	Displays the created counter code.
Counter Description	Displays the created counter description.
Product Processor	Displays the product processor of the created counter.
Event ID	Displays the ID for the created counter.
Effective Date	Displays the effective date for the created counter.
Expiry Date	Displays the expiry date for the created counter.
Entity ID	Displays the entity IDs for the created counter.
3	Displays the number of the IDs selected.
6	
Fact ID	Displays the fact IDs for the created counter.
Frequency Description	Displays the frequency description of the created counter.
Operation	Displays the operation for the created counter.
Period Basis	Displays the period basis.
Frequency	Displays the frequencies selected for the created counter.



Field	Description
3	Displays the number for frequencies selected.
0	Click to get the information about the rule.
Rule ID	Displays the rule ID for the created counter.
6	Click to get the information about the rule.

Table 3-91 (Cont.) Counter Maintenance - View - Field Description

3.17 Charge Code

This topic describes the information about the charge code feature.

Fee definition can be simple like fixed amount or fixed percentage but can be complex which is based on various attributes like customer segment, count of transaction, amount of transaction etc.

This topic contains the following subtopics:

Create Charge Code

This topic describes the systematic instructions to create charge code by updating various details.

View Charge Code

This topic describes the systematic instructions to view the charge code for Decision Service.

3.17.1 Create Charge Code

This topic describes the systematic instructions to create charge code by updating various details.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Charge Code, under Charge Code, click Create Charge Code.

The Create Charge Code screen displays.



Create Charge Code		31 37
Basic Details		
Advance Charging		
Charge Code	Charge Description	
charge code	charge description	
Required	Required	
Product Processor Code	Product Processor Description	
Select		
Required		
Effective Date	Expiry Date	
September 30, 2020 🛗		
	Required	
Charging Currency	Charge In Txn Currency	
Select •		
Racuired Rate Code	Rate Type	
Q	Select	
Q	Select Pagained	
Per Annum Basis(Days)	Priority	
Select		
Selection Criteria Charge Computation Details		
se Existing Rule 🔿 Create New Rule		
Rules		
Rule Code Rule Name		
Select 👻		
		Cancel Sav

Figure 3-87 Create Charge Code

3. On Create Charge Code screen, Specify the fileds.

Note: The fields marked as Required are mandatory.

Table 3-92 Cro	eate Charge C	ode - Field	Description
----------------	---------------	-------------	-------------

Field	Description
Advance Charging	Click the toggle status to enable the parameter. Indicates the definition is for advance or simple. By default, the status will be off.
Charge Code	Specify the unique code for the charge.
Charge Description	Specify a short description for the charge code.
Product processor Code	Select the product processor from the drop- down list for which the charge is being created.
Product Processor Description	Displays the description of the product processor code defined.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Charging Currency	Select the currency from the drop-down list.
Charge In Txn Currency	Click the toggle status to enable this parameter. Indicates the charge is to be charged of fee currency or transaction currency. By default, the status will be off.
Rate Code	Click on search and select from the list.



Field	Description
Rate Type	Select the rate type from the drop-down list. The available options are: Buy Sell Mid
Per Annum Basis (Days)	Select the days from the drop-down list. The available options are: • 360 • 365 • 366
Priority	Specify the priority of the charge code. This field is visible only if the Advance Charging toggle is enabled.

Table 3-92 (Cont.) Create Charge Code - Field Description

4. On Create Charge Code screen, click Selection Criteria tab to define selection criteria rules.

The Create Charge Code - Selection Criteria screen displays.

Note:

This tab is visible only if the **Advance Pricing** toggle is enabled.



<pre>ide:</pre>		
<pre>set set set set set set set set set set</pre>	ic Details	
solution solution Norm Norm Norm Norm <td< td=""><td>nce Charging</td><td></td></td<>	nce Charging	
<pre>set a set a s</pre>)	
<pre>start and a start and a s</pre>		Charge Description
<pre>show of the second second</pre>		
<pre>show of the second second</pre>	Required	Required
<pre>ker or of the set of the set</pre>	uct Processor Code	Product Processor Description
<pre>states import import</pre>	lect 👻	
surve Surve <td< td=""><td>Required</td><td></td></td<>	Required	
Return Return <td></td> <td></td>		
end Orgen to endown image image image ima	tember 30, 2020 💼	
image image im		
Name Name Image Name Name Name		
Origonal Section (Section (Sect		
Image: Comparison Database Select Comparison Database Selec		Pite Time
Name Name Name Name Select Calars Degr Computation Details acception Calars Here Index Select Calars Degr Computation Details acception Calars Here Index Select Calars		
www.lingibility Num Incl Charge Computation Datalia with Charge Computation Datalia with Charge Computation Datalia State Computation Datalia Incl	4	
<pre>der view of week week week week week week week wee</pre>	nnum Basis(Days)	
Sector Offeric Ourge Conjournee Datability see Door Sector Sector Sector see Door Sector Sector Sector obset Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sector Sec		
anng nu ang n		
anng nu ang n		
<pre>inter inter i</pre>		
les Sex Mo Sex Mo Marrier Marrier M	ste Rule	
back tho Cote Noteward Noteward Noteward Section 1 Cote 1	en	
back tho Cote Note with the stude of the stude		
Cole Decoption Tag Select Existing rule Rule Vusion Tag Select Existing rule Note Workson Tag Select Existing rule Cole Cole Cole Select Existing rule Cole Cole Select Existing rul	lies	
Cole Decoption Tag Select Existing rule Rule Vusion Tag Select Existing rule Note Workson Tag Select Existing rule Cole Cole Cole Select Existing rule Cole Cole Select Existing rul	✓ Basic Info	
Ret ween Ret ween Ret ween Control Cont		
Ret Version Corperation Builder Corperation Builder	Code Description	
Ruterion • Section1		۰ Q
Constant	Rule Version	
 > section1 Expression Bulder ▲ Act Creater Output Image: Creater Act Creater Image: Creater Act Creater Esc Esc Escence Esce		
Expression Builder		
Expression Builder	✓ Section1	
Output Image: Section 1	Expression Builder	
Output Image: Section 1		
Image: Section 1	+ Add Expression	
Image: Section 1	Ordenid	
No items to display. Ese	Output	
No items to display. Ese		
No items to display. Ese	+ :	
Ese Exe Sectors to deplay: Sectors to depla		
Image: Comparison of the sector of the se		
Image: Comparison of the sector of the se	No items to display.	
Image: Comparison of the sector of the se	No items to display.	
No items to display. Expression F Output Section 1		
No items to display. Expression F Output Section 1		
No items to display. Expression F Output Section 1		
Expression	Bse	
F Output Section1	Bse .	
if Output Section 1	Bse .	
if Output Section 1	Bse .	
Output Section 1	Ese Image: Second Sec	
Output Section 1	Ese Image: Second Sec	
Section1	Else Re Remote Second	
Section1	Else Re Remote Second	
LISE	Ese Ese No kerns to deplay. Expression g dotout	
	Ese Ese No item to display. Expression gr Output Section 1	
	Ese Ese No item to display. Expression gr Output Section 1	
	Ese Ese No item to display. Expression gr Output Section 1	

Figure 3-88 Create Charge Code - Selection Criteria

Table 3-93	Create Charge Code -	Selection Criteria -	Field Description
------------	----------------------	----------------------	--------------------------

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rule Code	Select the rule code from the drop-down list.
6	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code.



Field	Description	
Create New Rule	Select this option to create new rule.	
Code	Specify the rule code.	
Description	Specify the rule description.	
+ icon	Click this icon to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list. Once the user selects the fact/rules, one more field opens adjacent to the output, update the same based on the selected output option.	
Operator	Select the comparison operator from the drop- down list. The available options are: < < > + = % != - >= <= * / Contains In Matches NotMatches NotContains Notin	
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact • Rules The below option appears if the Data Type is selected as Boolean. • True • False	

Table 3-93 (Cont.) Create Charge Code - Selection Criteria - Field Description



Field	Description
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option.
	 The available options are: Text Number Boolean Date Fact Rules The below option appears if the Data Type is selected as Boolean. True False
Expression	Displays the expression updated in the expression builder.

Table 3-93 (Cont.) Create Charge Code - Selection Criteria - Field Description

5. On Create Charge Code screen, click Charge Computation Details to define computation details.

The Create Charge Code - Charge Computation Details screen displays.

Figure 3-89 Create Charge Code - Charge Computation Details

Baic Details Abaca Carges Carge Control Total The Cardes Control Carde	Create Charge Code		$;: \times$
Abeco dergin Cone Cone Basel Poder Abeceso Cole Cole Basel Poder Abeceso Cole Cole <			
Core Core Note Arcessore Note Arcessore Core Core Core Core </th <th>Basic Details</th> <th></th> <th></th>	Basic Details		
Singer Call Caller Bocirotion Breact Prode Receiver Cole Receiver Cole Prode Receiver Cole Cole Except Componing Cole Except Componing Cole Cole Sind Cole Sind Cole S	Advance Charging		
Impair Impair Product Processo Good Product Processo Good CAC Cacco Cacco Cacco Cacco Cacco Stan Cafa Cacco Stan Cafa Cacco Stan Cafa Sel Stan Cafa Sel Stan Cafa Sel Stan Cafa Portri Sol Sel Stan Cafa Portri Sol Sel Selector Citeria Cacge Computation Details Carge Type Ref Free Amonat Selector Citeria Carge Type Ref Selector Citeria Carge Computation Details Carge Type Ref Free Amonat Selector Citeria Carge Type Ref Selector Citeria Carge Computation Details Carge Type Ref Free Amonat Selector Citeria			
Polosk Recessor Gold Polosk Recessor Genergins Charle Explore Extensibilities Explore Standard Charles Galegic Gorney Charles Ton Conney AL Charles Standard Sele Standard Sele Galegic Gorney Charles Conney AL Charles Standard Sele Galegic Gorney Charles Conney AL Charles Conney Standard Sele Galegic Gorney Charles Conney Atomatic Gorden Charles Conney Standard Charles Conney <t< th=""><th>Charge Code</th><th>Charge Description</th><th></th></t<>	Charge Code	Charge Description	
Polosk Recessor Gold Polosk Recessor Genergins Charle Explore Extensibilities Explore Standard Charles Galegic Gorney Charles Ton Conney AL Charles Standard Sele Standard Sele Galegic Gorney Charles Conney AL Charles Standard Sele Galegic Gorney Charles Conney AL Charles Conney Standard Sele Galegic Gorney Charles Conney Atomatic Gorden Charles Conney Standard Charles Conney <t< th=""><th></th><th></th><th></th></t<>			
CMC Effective late Exproved 700.200 Caperder 50.200.200 Sale Sale <th></th> <th></th> <th></th>			
Effective bate *person-bite Selection Criteria Obserge Computation Details Selection Criteria Selection Criteria Obserge Computation Details Selection Criteria Selection Criteria Obserge From Selection Criteria Selectio			
Spetender 30, 2020 Casego (carrey) AL AL Re Code StAUNADD Casego (carrey) AL Re Code Stat Type Solo Selection Criteria Charge Computation Details Rule Find Amount Ream Ream <			
Charging Currency Charging Currency ALL Charging Currency Rat Color Sall Stat DataBaci Protry Sol Charge Computation DataBaci Charge Fuer Charge Computation DataBaci Monton Charge Computation DataBaci <t< th=""><th></th><th></th><th></th></t<>			
ALL Ret Cole StAUNARD Q Staumarband Selection Citeries Otarge Computation Details Selection Citeries Otarge Computation Details Selection Citeries Otarge Anount Team Anount </th <th></th> <th></th> <th></th>			
Ret Gold Ret Type STANUARD Q Net Annue Bisc(Days) Sell Sold Net Type Sold Net Type Selection Criteria Ourge Computation Details Charge Type Rule Fixed Annuet Image Annuet Menoum Annuet Image Annuet			
StALDABD Q PA Annu Bost(Dyp) Sod Selection Criteria Charge Computation Data/s Comper Annu Computation Data/s Comper Annu Computation Data/s Comper Annu Computation Data/s Maineen Annuet Maineen Annuet Maineen Annuet			
Pr. Anum BasigBop) 50			
30 Osage Computation Details Selection Criteria Osage Computation Details Osage Type Note Fised Amount Image Computation Details Age Amount Image Computation Details More mount Image Computation Details More mount Image Computation Details			
Selection Criteria Charge Computation Details Charge Type Rule Fixed Amount Image: Type Regree Rule Tegree Materian Amount Tegree Materian Amount		Priority	
Orage Type Rule Fixed Amount Image: Second	360 -		
Freed Amount Image: Amount Orage Amount Image: Amount Treaded Meximum Amount Image: Amount Image: Amount	Selection Criteria Charge Computation Details		
Orage Amount Tropped Maintum Amount Maintum Amount	Charge Type	Rule	
Minimum Annount	Fixed Amount		
Mainan Anoat Mainan Anoat	Charge Amount		
Mainan Anoat Mainan Anoat			
	Minimum Amount	Miximum Amount	
Canadi Sam			
		Cancel	Save



Field	Description
Charge Type	Select the type from the drop-down list. The available options are: • Fixed Amount • Fixed Percentage • Tiered
Charge Amount	Specify the amount for the charge type. This field is visible if the Charge Type is selected as Fixed Amount .
Percentage (%)	Specify the percentage for the charge type. This field is visible if the Charge Type is selected as Fixed Percentage .
Minimum Amount	Specify the minimum amount to be charged. This field will not be visible if the Charge Type is selected as Fixed Amount .
Maximum Amount	Specify the maximum amount to be charged. This field will not be visible if the Charge Type is selected as Fixed Amount .
Tiered Charge Type	 Select the tiered charge type from the drop- down list. The available options are: Amount Percentage Amount or Percentage This field is visible if the Charge Type is selected as Tiered. The below option appears if the Advance Charging is enabled. Rule Amount or Rule Percentage or Rule
Tier Type	 Select from tier type the drop-down list. The available options are: Cumulative Slab This field is visible if the Charge Type is selected as Tiered.
Charge Per Count	Click on toggle status to enable the parameter. This field is visible if the Charge Type is selected as Tiered and Tier Charge Type as Amount , Amount or Rule , and Rule .
Tier Criteria	 Select the tier criteria from the drop-down list. The available options are: Amount Period Amount or Period The system will not allow use to select the above options if the Tier Type is selected as Slab.

Table 3-94Create Charge Code - Charge Computation Details - FieldDescription



Field	Description
+ icon	Click to add a new row.
- icon	Click to delete the row.
Amount / Period / Amount or Period - From	Specify the start value of the count range. This field is visible only if the Charge Type is selected as Tiered .
Amount / Period / Amount or Period - To	Specify the final value of the count range This field is visible only if the Charge Type is selected as Tiered .
Amount	Specify the amount. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount .
Percentage	Specify the charge percentage. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Percentage .
Output Option	Select the option from which the output must be displayed. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Output	Specify the output. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Basis of	Select from the drop-down list. This field is visible only if Charge Type is selected as Tiered and Advance Charging is enabled.
Rule	Toggle to enable if the rule is applicable. This field is visible only if the Advance Charging and Rule is enabled and Charge Type is selected as Fixed Amount or Fixed Percentage .
Rule ID	Select the rule from the drop-down list. This filed is visible if the Advance Charging and Rule is enabled.

Table 3-94 (Cont.) Create Charge Code - Charge Computation Details - FieldDescription

- 6. Select the **Charge Type** as **Tiered** to link the features.
- 7. Click + Add/Edit column to select and link the facts.

The + Add/Edit column pop-up screen displays.



Figure 3-90 Add Columns

Add Columns		
elect relevant facts as per order in which they w	vill get displayed in the table	
Select Fact Name from the list		
	Cancel	Save

- 8. Select the facts names from the list. ('n' number of facts can be selected)
- 9. Click **Save** to link the features for defining the tiered charge type.

The Create Charge Code - Charge Computation Details (Tiered) screen displays.

Figure 3-91	Create Charge Code - Charge Computation Details	(Tiered)
J	· · · · · · · · · · · · · · · · · · ·	· · · · /

Create Charge Co	de				;; ×
Basic Details					
Advance Charging					
Charge Code		Charge I	Description		
Chargecode		Charg	Be		
Product Processor Code		Product	Processor Description		
OFLO	-	OFLO			
Effective Date		Expiry D			
	Ē			iii ii	
Charging Currency	Required	Rate Coo		quired	
Select	•		idard Q		
	Required	304			
Per Annum Basis(Days)			In Txn Currency		
360	•				
Charge Computation	Details				
Charge Type		Tiered C	harge Type		
Tiered	-	Rule		-	
Tier Type					
Slab	•				
Minimum Amount		Maximu	im Amount		
		Add c	olumns to define Cha	rges	
			+ Add/Edit Column		
+ -					
0	Age			Rule	
	From	То			
-	FIGH	10			
				Select	•
					Cancel Save



Field	Description
+ icon	Click this icon to add a new row.
- icon	Click this icon to delete a row, which is already added.
<numeric feature="">From</numeric>	Specify the minimum numeric value of the facts selected.
<numeric feature="">To</numeric>	Specify the maximum numeric value of the facts selected.
<numeric feature="">Value</numeric>	Specify the value of the facts selected.
Rule	Select the rule from the drop-down list.
6	Click this icon to get the information about the rule.

Table 3-95 Create Charge Code - Charge Computation Details (Tiered)

10. Click **Save** to save the details.

The **Create Charge Code** is successfully created and can be viewed using View Charge Code screen.

3.17.2 View Charge Code

This topic describes the systematic instructions to view the charge code for Decision Service.

The user can configure the lookup using the Create Charge Code screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

Specify User ID and Password, and login to Home screen.

- 1. On Homescreen, click Core Maintenance, under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance, under Maintenance, click Charge Code, under Charge Code, click View Charge Code.

The View Charge Code screen displays.

Figure 3-92 View Charge Code

,				
Charge Code:	Charge Code:	Charge Code:	Charge Code:	
TEST3	ATEST2	ATEST3	TEST2	
Charge Code TEST3	Charge Code ATEST2	Charge Code ATEST3	Charge Code TEST2	
Product OFLO	Product OFLO	Product OFLO	Product OFLO	
Currency CAD	Currency CAD	Currency CAD	Currency CAD	
🗅 Unauthorized 🔓 Open 🔯 3	🗅 Unauthorized 🔓 Open 🔯 2	🗅 Unauthorized 🔓 Open 📝 2	🗅 Unauthorized 🔓 Open 🔯 3	



Table 3-96 View Charge Code

Field	Description
Charge Code	Displays the charge code.
Charge Code Description	Displays the description of the charge code.
Product Processor Code	Displays the product processor of the charge code.
Charging Currency	Displays the currency of the charge code.
Status	Displays the status of the record.
Modification Number	Displays the number of modifications performed on the record.

icon.



3. On View Charge Code screen, click

The View Charge Code - Search screen displays.

Figure 3-93 View Charge Code - Search

Search Filter	>
Charge Code	
Charge Description	
Authorization Status	
Record Status	•
	•
Search Reset	

4. On View Charge Code - Search screen, specify the Search Filter to fetch the required lookup.



Field	Description
Charge Code	Specify the charge code.
Charge Code Description	Specify the short description for the charge code.
Authorization Status	Select the authorization status of the parameters. The available options are: • Authorized • Rejected • Unauthorized
Record Status	Select the record status of the parameters. The available options are: • Open • Closed

•

Table 3-97 View Charge Code – Search – Field Description

5. Click **Search** to display the required charge code.

6. On View Charge Code screen, click the created charge code.

icon to Unlock, Delete, Authorize, or View

7. Click **Unlock** to modify the following fields.

The Charge Code Maintenance - Modify screen displays.

ic Details			
ance Charging			
rge Code		Charge Description	
		ADUITEST1 Description1	
duct Processor Code		Product Processor Description	
FLO ¥		OFLO	
ctive Date		Expiry Date	
ptember 1, 2020 🔛		September 1, 2025	
rging Currency		Charge In Txn Currency	
AD 👻			
e Code		Rate Type	
Q		Mid	
Annum Basis(Days)		Priority	
elect -		1	
hargeRule100 🗸 0	ChargeRule100		
East Tules			
v Basic Info	Description	be Sectorizade	
Basic Info Code ChargeRule100 Mark Version	Besingtion ChargeRulet00	The Select Eventy rule Q	
Ules Bask Info Code Chargefulue(00 Rate Version 1 Q			
Vies Sask Info Code Chargemulet00 Rate Vension 1 Q			
Wes Kescholo Cost County of Action Kelvenum			
Wes Sectors S			
Wes Stack Info Color Colorphic Action References 1 Q. Sectored Bise The Differences Colorphic Action Color Colorphic Action Color Colorphic Action Color Colorphic Action Color Color Colorphic Action Color C			
Ules v Back Info cole Compendiation RAK Version 1 Compendiation Else Else			
ules			
tules			
Ules			

Figure 3-94 Charge Code Maintenance - Modify

 Table 3-98
 Charge Code Maintenance - Modify - Field Description

Field	Description
Advance Charging	Displays the toggle status.
Charge Code	Displays the created charge code.
Charge Description	Displays the description for the created charge code. User can modify the same.
Product Processor Code	Displays the product processor of the created charge code.
Product Processor Description	Displays the product processor of the created charge code.
Effective Date	Displays the effective date for the created charge code. User can modify the same if the date is future dated.
Expiry Date	Displays the expiry date for the created charge code. User can modify the same.



Field	Description
Charging Currency	Displays the type of the currency. User can modify the same.
Charge in Txn Currency	Displays the toggle status for the created charge code. User can modify the same.
Rate Code	Displays the rate code for the created charge code. User can modify the same.
Rate Type	Displays the rate type for the created charge code. User can modify the same.
Per Annum Basis (Days)	Displays the numbers of the days for the created code. User can modify the same.
Priority	Displays the priority of the created charge code. User can modify the same.
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	The user can modify the rule code for the created charge code.
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created charge code.
Create New Rule	The user can modify the rule code for the created charge code.
Code	Specify the new rule code for charge code.
Description	Specify the rule description for the charge code.
Fact / Rules	Displays the fact or rule for the created charge code.
Operator	Displays the comparison operator for the created charge code.
Data Type	Displays the data type for the fact or rule for the created charge code.
Output	Displays the output for the created charge code.
Expression	Displays the expression updated in the expression builder for the created charge code.
Fact ID	The user can modify the fact ID of the created charge code.
Rule ID	The user can modify the rule ID of the created charge code.

Table 3-98 (Cont.) Charge Code Maintenance - Modify - Field Description



Field	Description
0	Click this icon to get the information about the rule.
Charge Type	Displays the type for the created charge code. User can modify the same.
Charge Amount	Displays the amount for the created charge code. User can modify the same. This field is displayed if the Charge Type is selected as Fixed Amount .
Percentage (%)	Displays the percentage for the created charge code. User can modify the same. This field is displayed if the Charge Type is selected as Fixed Percentage.
Minimum Amount	Displays the minimum amount. User can modify the same. This field will be displayed if the Charge Type is selected as Fixed Percentage or Tiered and Tier Charge Type as Percentage/Amount or Percentage.
Maximum Amount	Displays the maximum amount. User can modify the same. This field will be displayed if the Charge Type is selected as Fixed Percentage or Tiered and Tier Charge Type as Percentage/Amount or Percentage.
Tiered Charge Type	Displays the charge type for the created charge code. User can modify the same. This field is displayed if the Charge Type is selected as Tiered .
Tier Type	Displays the tier type for the created charge code. User can modify the same. This field is displayed if the Charge Type is selected as Tiered .
Change Per Count	Displays the toggle status for the created charge code. User can modify the same. This field is displayed if the Charge Type is selected as Tiered and Tier Charge Type as Amount , Amount or Rule , or Rule .

Table 3-98 (Cont.) Charge Code Maintenance - Modify - Field Description



Field	Description
Tier Criteria	Displays the tier criteria for the created charge code. User can modify the same.
	This field is displayed if the Charge Type is selected as Tiered .
+ button	Click to add a new row.
- button	Click to delete the row.
Amount / Period / Amount or Period - From	Displays the start value of the count range. User can modify the same.
	This field is visible only if the Charge Type is selected as Tiered .
Amount / Period / Amount or Period - To	Displays the final value of the count range. User can modify the same.
	This field is visible only if the Charge Type is selected as Tiered .
Amount	Displays the charge amount. User can modify the same.
	This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount .
Percentage	Displays the charge percentage. User can modify the same.
	This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Percentage .
Output Option	Displays the output option selected. User can modify the same.
	This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Output	Displays the output. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Basis of	Displays the basis of selected from the drop-down list. User can modify the same.
	This field is visible only if Charge Type is selected as Tiered and Advance Charging is enabled.
Rule ID	Displays the rule selected.
0	Click this icon to get the information about the rule.

Table 3-98 (Cont.) Charge Code Maintenance - Modify - Field Description

- 8. Click **Save** to update the modified fields.
- 9. Click **View** to view the created charge code.



The Charge Code Maintenance - View

Charge Code Maintenance	;; ×
Basic Details	
Advance Charging	
Charge Code	Charge Description
ADUITEST1	ADUITEST1 Description1
Product Processor Code OFLO	Product Processor Description OFLO
Effective Date	
Effective Lake September 1, 2020	Exply Date September 1, 2025
September 1, 2020 Charging Currency	September 1, 2025 Charge In Two Currency
Charging Lurrency	Charge In Ixin European
Rate Code	Rate Type
Kate Code	kare yge Mid
Per Annum Besic(Days) Select	Priority 1
- Serect	
Selection Criteria Charge Computation Details	
Use Existing Rule O: Create New Rule	
Rules	
Rule Code Rule Name	
ChargeRule100 0 ChargeRule100	
Edit	
Rules	
✓ Basic Info	
Code Description	Teg Select Existing rule
ChargeRule100 ChargeRule100	▼ Q
> Section1	
Else	
Eise	
+ =	
No items to display.	
Expression	
IF	
(BranchCode == 002) Output	
Section1 TRUE	
Else	
Aude	

Figure 3-95 Charge Code Maintenance - View

Table 3-99	Charge Code Maintenance - View - Field Description
------------	--

Field	Description
Charge Code	Displays the created charge code.
Charge Description	Displays the description for the created charge code.
Product Processor Code	Displays the product processor of the created charge code.
Product Processor Description	Displays the product processor of the created charge code.
Effective Date	Displays the effective date for the created charge code.
Expiry Date	Displays the expiry date for the created charge code.
Charging Currency	Displays the type of the currency.
Charge in Txn Currency	Displays the toggle status for the created charge code.



Field	Description
Rate Code	Displays the rate code for the created charge code.
Rate Type	Displays the rate type for the created charge code.
Per Annum Basis (Days)	Displays the numbers of the days for the created code.
Priority	Displays the priority of the created charge code.
Use Existing Rule	Indicates if the existing rule is linked.
Rule Code	Displays the rule code for the created charge code.
6	Click this icon to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created charge code.
Create New Rule	Displays the rule code for the created charge code.
Code	Displays the rule code for charge code.
Description	Displays the rule description for the charge code.
Fact / Rules	Displays the fact or rule for the created charge code.
Operator	Displays the comparison operator for the created charge code.
Data Type	Displays the data type for the fact or rule for the created charge code.
Output	Displays the output for the created charge code.
Expression	Displays the expression updated in the expression builder for the created charge code.
Fact ID	Displays the fact ID of the created charge code.
Rule ID	Displays the rule ID of the created charge code.
0	Click this icon to get the information about the rule.
Charge Type	Displays the type for the created charge code.

Table 3-99 (Cont.) Charge Code Maintenance - View - Field Description



Field	Description
Charge Amount	Displays the amount for the created charge code. This field is displayed if the Charge Type is selected as Fixed Amount
Percentage (%)	Displays the percentage for the created charge code. This field is displayed if the Charge Type is selected as Fixed Percentage .
Minimum Amount	Displays the minimum amount. This field will be displayed if the Charge Type is selected as Fixed Percentage or Tiered and Tier Charge Type as Percentage/Amount or Percentage .
Maximum Amount	Displays the maximum amount. This field will be displayed if the Charge Type is selected as Fixed Percentage or Tiered and Tier Charge Type as Percentage/Amount or Percentage .
Tiered Charge Type	Displays the charge type for the created charge code. This field is displayed if the Charge Type is selected as Tiered .
Tier Type	Displays the tier type for the created charge code. This field is displayed if the Charge Type is selected as Tiered .
Change Per Count	Displays the toggle status for the created charge code. This field is displayed if the Charge Type is selected as Tiered and Tier Charge Type as Amount , Amount or Rule , or Rule
Tier Criteria	Displays the tier criteria for the created charge code. This field is displayed if the Charge Type is selected as Tiered .
Amount / Period / Amount or Period - From	Displays the start value of the count range. This field is visible only if the Charge Type is selected as Tiered .
Amount / Period / Amount or Period - To	Displays the final value of the count range. This field is visible only if the Charge Type is selected as Tiered .
Amount	Displays the charge amount. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount .
Percentage	Displays the charge percentage. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Percentage .

Table 3-99 (Cont.) Charge Code Maintenance - View - Field Description



Field	Description
Output Option	Displays the output option selected. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Output	Displays the output. This field is visible only if the Charge Type is selected as Tiered and Tiered Charge Type as Amount or Percentage .
Basis of	Displays the basis of selected from the drop-down list. This field is visible only if Charge Type is selected as Tiered and Advance Charging is enabled.
Rule ID	Displays the rule selected.
6	Click this icon to get the information about the rule.

Table 3-99 (Cont.) Charge Code Maintenance - View - Field Description

3.18 Execution Summary

This topic describes the information to view the decisions, credit score and pricing for the processed application.

This topic contains the following subtopics:

View Execution Summary

This topic describes the systematic instructions to view the execution summary based on the various filter options provided.

3.18.1 View Execution Summary

This topic describes the systematic instructions to view the execution summary based on the various filter options provided.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Operations. Under Operations, click Execution Summary.

The View Execution Summary screen displays.



Figure 3-96 View Execution Summary

View Execution Summ	mary						0
+ -							
Search Criteria							
Filter	Value						
Execution Date	• Today	•					
							Reset Se
coring Decision Summary							
hoduct Precessor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
+ OFLO	Borrowing Capacity	777	8sk03kWTI19sk03kWTI1ask03kWTI1bsk03kWTI1csk03kWTI1cs	033b5991-3342-4c04-9d05-dd7037e6b89a	Sep 30, 2020	Online	Tailure
OFLO	Borrowing Capacity	777	SSLAVISTRITSLAVISTIRUSLAVISTRIVSLAVISTRIVSLAVISTRIKSLAVIS	5e824b2e-ee16-4453-b446-2138cca7b8e9	Sep 30, 2020	Online	Fallure
• CMC		123	UprgL8TrgMprgL8TrgMprgL8TrgMprgL8TrgMprgL8Trg12prgL8	1a083zb9-2016-4772-b363-bac95c1bd14e	Sep 30, 2020	Online	Failure
• CMC		123	mymnd8Trginymnd8Trgiovymnd8Trgipvymnd8Trgiqvymnd8Trgi	87cb725e-36f7-4322-99b1-4c47797364e4	5ep 30, 2020	Online	Fallure
• OFLO	Pricing	123	yt3XScIWhglzt3XScIWhgl4t3XScWhglBt3XScIWhglCt3XScIWhglD	d342476b-469d-4999-84f7-c7c2b05ds068	Sep 30, 2020	Online	Falture

For more information on fields, refer to the field description table.

Field	Description
+ icon	Click the icon to add a new row.
- icon	Click the icon to delete a row, which is already added.
Filter	Select the required option to search for the execution summary.
	The available options are:
	Reference NumberInternal Reference Number
	DecisionBatch/Online
	Product Processor
	Status
	Request Type
	Execution Date
	Contract ID
Value	Specify the required details or select an appropriate option for the selected filter option.
	This field appears once you select an option from the Filter list.
From Date	Select the start date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range.
To Date	Select the end date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range .

 Table 3-100
 View Execution Summary - Field Description

3. In the **Search Criteria** section, specify the details and click **Search**.

The search results displays with the list of records based on the specified criteria.

4. Click **Reset** to reset the search criteria.



Figure 3-97 Scoring Decision Summary

+ -							
Search Criteria							
Filter Execution Date	* Value Today	•					
							Reset Se
oring Decision Summary							
roduct Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
OFLO	Borrowing Capacity	777	8sk03kWTIrI9sk03KWTIrlask03KWTIrlbsk03KWTIrlcsk03KWTIrlds	03305931-3342-4c04-9605-6c7037e6b89a	Sep 30, 2020	Online	Failure
OFLO	Borrowing Capacity	777	55L9YI5TIRIT5L9YI5TIRIU5L9YI5TIRIV5L9YISTIRIV5L9YISTIRIX5L9YI5TIRIX5L9YI5	5e824b2e-ee16-4f53-bf46-2158cca7b8e9	Sep 30, 2020	Online	Fallure
CMC		123	UprgL8Trg1ViprgL8Trg1WiprgL8Trg1XiprgL8Trg1ViprgL8Trg1ZiprgL8	1a082db9-201d-4772-b363-bac95c1bdf4e	Sep 30, 2020	Online	Failure
смс		123	mvjmndBTrginvjmndBTrgiovjmndBTrgipvjmndBTrgiqvjmndBTrgi	87cb725a-36f7-4322-99bf-4c47797364e4	Sep 30, 2020	Online	failure
OFLO	Pricing	123	vf3xGcWhgtrf3xGcWhg1Af3xGcWhg1Bf3xGcWhg1Cf3xGcWhg1D	dd42476b-469d-4999-84f7-c7c2b05da068	Sep 30, 2020	Online	Failure

Field Description **Product Processor** View the name of the product processor that sent the request. **Request Type** View the request type sent by product processor. **Contract ID** View the contract ID sent by the product processor. **Reference Number** View the request reference number sent by product processor. **Internal Reference** View the internal reference number of the application. Number **Execution Date** View the execution date of the processing application. Mode View the mode of execution of the application. Status View the status of the processed application.

 Table 3-101
 Scoring Decision Summary - Field Description

- 5. Click the corresponding icon to the required record to view the decision related details on each widget. Only one record can be viewed at a time. To view another record, close the previous record and then the next record can be viewed. The widgets are arranged in a flow in which the execution is done. These are indicated by showing the sequence 1, 2, 3 numbers at the top right corner. The widgets are selectable, on mouseover, the color of the widget changes to indicate that the widget is selectable.
- 6. When the status of the processed application **Fails**, a click on the failure message displays the step that is failed. For example, in case of the **Qualitative Score Model** is not resolved, then an error message is displayed in the **Qualitative Score Model** widget. The previous widget will show the data which was processed. If the validation processing fails, then the **Fail** status is shown in the **Validation Model** widget, and the reason for failure is displayed by a click on the widget.



Search Criteria Piter Decision	•	Yelve ManualQueueB	•								
											Reset Se
oring Decision Summary											
oduct Processor	Request Type		Contract ID	Request Reference Number		Internal Reference Number			Execution Date	Made	Status
OFLO			125	CihokudpriDihokudpriEiho	Avid\$pf1FVhDAvid\$pf1GVhDAvid	5p 61603e53-1807-4145-9	bt5-b9739e0356e7		Sep 30, 2020	Online	Sectors
OFLO	Score, Decision & Pric	ire	123	UcEmit/93pt1/cEmit/93pt1/icEmit	MBpflXcEmhf9BpflVcEmhf93pfl	Zc 10aa02x3-8xx00-4661-a	27e-67eab0a4f7f3		Sep 30, 2020	Online	Soccess
Validation Model		1	Borrowing Capacity		2	Qualitative Score		3			
Validation Model Code	LMC101		Eligibility Code	BRC502		Scoring Model Code	APPLQAL502				
Description	LMC101		Description	BRC502		Description	Qualitative scoring model APPLQAL502				
Status	PASS		Requested Amount	\$35000		Score	60				
			Borrowing Capacity	\$6000.00			00				
Quantitative Score		4	Decision and Grade		5	Pricing		6			
Scoring Model Code	MAPP502		Model Code	DGM5054		Pricing Model Code	PRSID				
Description	MAPP502		Description	DGM5034		Description	PRSID with CD5_Grade				
Score	90		Decision	ManualQueueß		Rate Type	Flat				
			Grade	A		Rate (%)	5	_			
OFLO	Score & Decision		125	u1.29W03chv1.29W03chw1.29W		iz1 facc2at9-d759-45a2-a5			Sep 30, 2020	Online	Secrete

Figure 3-98 View Execution Summary

Field	Description
Validation Model Widget	Displays the status of the validation model processed.
Validation Model Code	Displays the validation model code, resolved for credit decision.
Description	Displays the validation model description, resolved for the credit decision.
Status	Displays the status of the validation model processed.
	• For status Pass , the color is shown as Green .
	• For status Fail, the color is shown as Red.
Borrowing Capacity Widget	Displays the maximum lendable amount that can be given for an application.
Eligibility Code	Displays the eligibility model code, resolved for calculating the borrowing capacity.
Description	Displays the eligibility model description, resolved for calculating the borrowing capacity.
Requested Amount	Displays the requested amount for the lending application.
Borrowing Capacity	Displays the maximum lendable amount that can be given for the application.
Qualitative Score Widget	Displays the qualitative credit score, post credit decision of the application.
Scoring Model Code	 Displays the scoring model code, resolved for credit decision. When Is Application Decision Required is Yes, the application level decision scoring code is displayed. When Is Application Decision Required is No, the applicant level decision scoring code is displayed.
	 When Is Application Decision Required is No, and Is Primary Applicant is No, the application level decision scoring code is displayed.

 Table 3-102
 View Execution Summary - Field Description



Field	Description
Description	Displays the scoring model description, resolved for credit decision.
Score	Displays the qualitative credit score post credit decision of the application.
	 When Is Application Decision Required is Yes, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model. When Is Application Decision Required is No, and Is Primary Applicant is No, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rule and linked at the application level scoring model and this aggregated score is displayed.
Quantitative Score Widget	Displays the quantitative credit score post credit decision of the application.
Scoring Model	Displays the scoring model code, resolved for credit decision.
Code	 When Is Application Decision Required is Yes, the application level decision scoring code is displayed. When Is Application Decision Required is No, the applicant level decision scoring code is displayed. When Is Application Decision Required is No, and Is Primary Application Decision Required is No.
Decorintion	Applicant is No, the multi applicant level scoring code is displayed.
Description Score	Displays the scoring model description, resolved for credit decision. Displays the quantitative credit score, post credit decision of the
	 application. When Is Application Decision Required is Yes, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model. When Is Application Decision Required is No, and Is Primary Applicant is No, the score is displayed by resolving the multi applicant level scoring model.
Decision and Grade Widget	Displays the credit decision and scoring grade, taken for the application.
Model Code	Displays the model code, resolved for credit decision and grade.
Description	Displays the model description, resolved for credit decision and grade.
Decision	Displays the credit decision, taken for the application.
Grade	Displays the scoring grade, post credit decision of the application.
Pricing Widget	Displays the rate applicable post credit decision.
Pricing Model Code	Displays the pricing model code, resolved for credit decision.
Description	Displays the pricing model description, resolved for credit decision.
Rate Type	Displays the rate type applicable post credit decision.
Rate %	Displays the rate applicable post credit decision.

Table 3-102	(Cont.) View Execution Summary - Field Description
-------------	--



Click on the **Validation Model** widget, the following fields are displayed. The details for the request which was clicked on the landing page is displayed.

Figure 3-99 Validation Model Widget

			Search				
roduct Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
FLO	Score, Decision & Pricing	123	UcEnnt 93 pt 10cEnnt 93 pt 10cEnnt 93 pt 10cEnnt 93 pt 10cEnnt 93 pt 12 cEnnt 93 pt 10 cEnnt 93 pt 10 cEnnt 93 pt 12 cEnnt 9	Ibaeb2e3-8dd0-4661-a27e-67eab0a4f7f3	Sep 30, 2020	Online	Success.
W	idation Model		owing Capacity Qualitative Score Quantitative Score 6000.00 50 90	Decision & Grade		Pricing 5 N	
Validation Model Cod	e : LMCIDI		Description : LMCI01	Status : PAGS			
Rule ID Seque	nce Status Severity						
Logică 0 1	PASS -						

 Table 3-103
 Validation Model Widget - Field Description

Field	Description
Product Processor	Displays the name of the product processor that sent the request.
	This field will be shown on click of each widget.
Request Type	Displays the request type sent by the product processor.
	This field will be shown on click of each widget.
Contract ID	Displays the contract ID sent by the product processor.
	This field will be shown on click of each widget.
Request Reference Number	Displays the request reference number sent by product processor.
	This field will be shown on click of each widget.
Internal Reference	Displays the internal reference number of the application.
Number	This field will be shown on click of each widget.
Execution Date	Displays the execution date of the processing application.
	This field will be shown on click of each widget.
Mode	Displays the mode of execution of the application.
	This field will be shown on click of each widget.
<validation model<br="">Code></validation>	Displays the validation model code that is resolved for credit decision. Click the hyper link to view the rule executed to resolve the model.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the description of the validation model.
Status	Displays the status of validation model.
Rule ID	Displays the rule ID executed for validation model processing. Click the hyperlink to view the rule executed.



Field	Description
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Sequence	Displays the sequence in which the rules are executed for validation model processing.
Status	 Displays the status of the rule execution. In case the status is failed, the reason for failure is displayed as Reason <>. The options are: Pass Not Executed - This status is displayed against a rule if the Stop on Failure is set as ON and previous rule sequence has failed.

Table 3-103 (Cont.) Validation Model Widget - Field Description

The following fields are displayed once the user click the **Borrowing Capacity** widget.

Figure 3-100 Borrowing Capacity Widget

View Execution									1
nternal Reference Number					Search				
Product Processor	Request Type	Contract ID	Request Reference Number			Internal Reference Number	Execution Date	Mode	Status
OFLO	Score, Decision & Pricing	123	UcEmhf93pf1\cEmhf93pf1\lcEmhf9	SpfDicEmh193pfTicEmh193pf1ZcEmh193pf1OdEmh193p	fildEmhf93pf12dEmhf93pf13dEmhf93pf14dEmhf93pf15dEmhf93pf1	1baab2e3-8cid0-4661-a27e-67eab0a4f7f5	Sep 30, 2020	Online	Success
	tion Model		ng Capacity 100.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade		Pricing 5%	
Eligibility Code : BRC502					Eligibility Description : BRC502				
Requested Amount 35000	Borrowing Capacity 6000.00	Fect MaxLendAmt							

Table 3-104	Borrowing Capacity	Widget - Field Description
-------------	--------------------	----------------------------

Field	Description
<eligibility code=""></eligibility>	Displays the eligibility code resolved for calculating the borrowing capacity. Click the hyperlink to view the rule executed to resolve the borrowing capacity.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Eligibility Description	Displays the eligibility description resolved for calculating the borrowing capacity.
Requested Amount	Displays the requested amount for the lending application.




Field	Description
Borrowing Capacity	Displays the maximum lendable amount that can be given for an application.
Fact	Displays the fact using which the maximum lendable amount was calculated.
Rule ID	Displays the rule ID executed for calculating the maximum lendable amount.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.

Table 3-104 (Cont.) Borrowing Capacity Widget - Field Description

The following fields are displayed once you click the **Qualitative Score** widget.

Figure 3-101 Qualitative Score Widget – Bar Graph View





nal Reference Number		Search					
oduct Processor Request Type	Contract ID Request Reference Number		Ins	mal Reference Number	Execution Date	Mode	Status
FLO Score, Decision	n & Pricing 123 UcEmh193p11VcEmh193p11V	cEmiht95pf1XcEmiht95pf1VcEmiht95pf12cEmiht95pf10dEmiht95pf11dEmiht95pf	2dEmh193p13dEmh193p114dEmh193p13dEmh193p11 Iba	b2e5-5dd0-4661-a27e-67eab0a4f7f5	Sep 30, 2020	Online	Success
Validation Model	Borrowing Capacity 6000.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade Monarcio (Course) Grade : A		Pricing 5.%	
Scoring Model Code : APPLQAL502		Description : Qualitative scoring model APPLQAL502		Application Score : 💋 🔍			
Applicants Mrs Any A Anderson Score : 70 Mr Jamme A Anderson Score : 60	Mts Amy A Anderson	Scoring Model Code : APCT311	Description : Qualitative scoring model APCT311	Weightage Score	70 0		
	Graph View	Data View					
	@ <u>e</u>						
		338					
					Applant & Number of How many	estern Type wers the applicant stay wers in current employr	ng at present. Nat
		ши					
		Contract of the second second					



ernel Reference Namber							
		Sec	sch				
Product Processor Request 7yp	e Contract ID Request Reference Number			Internal Reference Number	Execution Date	Mode	Status
DFLO Score, Deci	sion & Pricing 123 UcEmhf93pf1vcEmhf93pf	NicEmin193p1DxEmin193p17icEmin193p112xEmin193p110dEmin193p111dEmin19	93pf12dEmh193pf13dEmh193pf14dEmh193pf15dEmh193pf1	1baab2e3-8dd0-4661-a27e-67eab0a4f7f3	Sep 30, 2020	Online	Secce
Validation Model	Borrowing Capacity 6000.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade ManuaQueeds Grade : A		Pricing 5 %	
Scoring Model Code : APPLQAL502		Description : Qualitative scoring model APPLQAL502		Application Score : 🔯 0			
Applicants Mrs Any A Anderson Score: 70 He Junes A Anderson Score: 40	Mrs Amy A Anderson	Scoring Model Code : APCT311	Description : Qualitative scoring model APCT3	II Weightage Sc	ore : 🔞 🔍		
	Graph View Scoring Details	Data View					
	Question Code	Question		Value		Score	
	TypeOfResident	Applicant Resident Type		Rented		70	
	AgeOfResidence	Number of years the applicant staying at present address		Less than 2 year		70	
	EmploymentDuration	How many years in current employment		Less than 2 year		70	

Figure 3-103 Qualitative Score Widget – Data View

 Table 3-105
 Qualitative Score Widget - Field Description

Field	Description
<scoring code="" model=""></scoring>	 Displays the scoring model code resolved for credit decision. When Is Application Decision Required is Yes, the application level decision scoring code is displayed. When Is Application Decision Required is No, the applicant level decision scoring code is displayed. When Is Application Decision Required is No and Is Primary Applicant is No, the application level scoring code is displayed.
Description	Displays the scoring model description resolved for credit decision.
Weightage Score/ Application Score	 Displays the qualitative credit score post credit decision of the application. When Is Application Decision Required is Yes, the field name is displayed as Application Score. The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. When Is Application Decision Required is No, the field name is displayed as Weightage Score. The score is displayed by resolving the applicant level scoring model. When Is Application Decision Required is No, and Is Primary Applicant is No, the field name is displayed as Application Score. The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. Hover this icon to get the information about the formula for calculation of score.
<applicant name=""></applicant>	Displays the applicant names present in the application.




Field	Description
<score></score>	Displays the weighted credit score post credit decision of the application.
	The score is calculated for each applicant by resolving the applicant level scoring model.
<applicant name=""></applicant>	Displays the applicant names present in the application.
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
•	Hover this icon to get the information about the formula for calculation of score.
Graph View	 Two graphical views are available. Bar Graphs The details are shown as a graphical representation as bar charts. List of question ID on the X-axis Score on the Y-axis. Based on the evaluation of the category, the questions are shown in a particular color based on the maintenance done in the lookups screen. Pie Charts The details are shown as a graphical representation as pie charts. The details are shown as a graphical representation as pie charts. The calculation logic for the question is (Score of the question/Weightage score of the applicant)*100. The pis is shown from a pool of colors available/defined in the code.
Data View	The scoring details are shown as mentioned below in data view.
Question Code	Displays the question code resolved for the applicant in the scoring model.
Question	Displays the question description resolved for the applicant in the scoring model.
Value	Displays the response received for the question in the payload.
Score	Displays the score calculated for the question based on the range and the response.
	In case any question was optional for which the response was not received, NA will be displayed.

Table 3-105 (Cont.) Qualitative Score Widget - Field Description

The following fields are displayed once you click the **Quantitative Score** widget.

Internal Reference Number			Search			
Product Processor Request Type	Contract ID Reque	est Reference Number		Internal Reference Number	Execution Date	Mode Status
OFLO Score, Decis	ion & Pricing 123 UcEr	nhf93pf1\cEmhf93pf1\cE	lpf11dEmhf93pf12dEmhf93pf13dEmhf93pf14dEmhf93pf15dEmhf93pf1	1baab2e3-8dd0-4661-a27e-67eab0a4f7f3	Sep 30, 2020	Online Seccess
Validation Model	Borrowing Capa 6000.00	City Qualitative Score 60	Quantitative Score 90	Decision & Grade Manualy peoples Grade : A		Pricing 5%
Scoring Model Code : MAPP502		Description : MAPP502		Weightage Score : 🕺 🔍		
Applicants Mrs Amy A Anderson		Scoring Model Code: MAPP502	Description : MAPP502	Weightage Score : 🛐 🔍		
Mr. James A Anderson	Greph View	Data View				
	100					
	80			1157057		
	40 1					
	a meight					
	22					
	30					

Figure 3-104 Quantitative Score Widget – Bar Graph View






Figure 3-106 Quantitative Score Widget – Data View

ternal Reference Number			Search				
Product Processor Request T	ype Contract ID Request Refe	rence Number		Internal Reference Number	Execution Date	Mode	Status
OFLO Score, D	ecision & Pricing 123 UcEmh193p	flvcEmhf93pflVcEmhf93pflVcEmhf93pflVcEmhf93pflCcEmhf93pflCdEmhf93p	tildEminf93pf12dEminf93pf13dEminf93pf14dEminf93pf15dEminf93pf1	lbaab2e3-8idi0-4661-a27e-67eab0a4f7f5	Sep 30, 2020	Online	Success
Validation Model	Borrowing Capacity 6000.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade Manual Queues Grade : A		Pricing 5 %	
Scoring Model Code : MAPP502		Description : MAPP502		Weightage Score : 🕺 🖲			
Applicants Vrs Amy A Anderson		Scoring Model Code: MAPP502	Description : MAPP502	Weightage Score : 👀	0		
NTS Amy A Anderson Mr Jemes A Anderson	Graph View Scoring Details	Data View					
	Feature	Range Type	Weightage %	Score Weightage Score			
	MFICOAPP	ParamPercent	100	90 90			



Field	Description
<scoring code="" model=""></scoring>	 Displays the scoring model code resolved for credit decision. When Is Application Decision Required is Yes, the applicationlevel decision scoring code is displayed. When Is Application Decision Required is No, the applicant level decision scoring code is displayed. When Is Application Decision Required is No and Is Primary Applicant is No, the multi applicant level scoring code is displayed. Click the hyperlink to view the rule executed to resolve the quantitative score.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the scoring model description resolved for credit decision.
Weightage Score	 Displays the weightage score post credit decision of the application. When Is Application Decision Required is Yes, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model. When Is Application Decision Required is No and Is Primary Applicant is No, the score is displayed by resolving model. In case of Is Application Decision Required is Yes, the system displays the hyperlink on the weightage score value. It shows the aggregate rule details.
<applicant name=""></applicant>	Displays the applicant names present in the application.
<score></score>	Displays the weighted credit score post credit decision of the application. The score is calculated for each applicant by resolving the applicant level scoring model. In case of multi applicant scenario, weightage score per applicant is not shown.
<applicant name=""></applicant>	Displays the applicant names present in the application.

Table 3-106 Quantitative Score Widget - Field Description

Field	Description
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
	Applicant level scoring model is applicable for the below case.
	If Is Application Decision required is Yes
	 If Is Application Decision Required is No, and Is Primary Applicant is Yes
	Multi applicant level scoring model is applicable in the below case.
	If Is Application Decision Required is No, and Is Primary Applicant is No.
	Click the hyperlink to view the rule executed to resolve the quantitative score.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
	The weightage score is calculated for each applicant by resolving the applicant scoring model.
	In case of multi applicant scoring model, for both the applicant the same score is shown since the score is not calculated per applicant.
0	Hover this icon to get the information about the formula for calculation of score.

Table 3-106 (Cont.) Quantitative Score Widget - Field Description



Field	Description
Graph View	Two graphical views are available.
	Bar Graphs
	The details are shown as a graphical representation as bar
	charts.
	List of features on the X-axis
	 Weightage Score on the Y-axis. Based on the evaluation of the category, the feature are shown
	in a particular color based on the maintenance done in the
	lookups screen.
	Note:
	For Multi Applicant scoring model all graphs is
	shown in the same color, as category evaluation is not applicable.
	Pie Charts
	The details are shown as a graphical representation as pie
	charts.
	The calculation logic for the feature is (Weighted score of the
	feature/ Weightage score of the applicant)*100. The pie is shown from a pool of colors available/defined in the code.
Data View	The scoring details are shown as mentioned below in data view.
Feature	Displays the features resolved for the applicant in the scoring
	model. Click the hyperlink to view the rule executed to resolve the
	quantitative score.
Show Rule Log	Click to see the rule log.
•	
* •	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Value	Displays the value of the feature.
Range Type	Displays the range type for the feature.
Range	Displays the range resolved for the feature value for score resolution.
Weightage %	Displays the weightage defined for the feature in the scoring model.
Score	Displays the score calculated for the feature based on the range and feature value.
Weightage Score	Displays the weighed credit score post credit decision of the application.

Table 3-106 (Cont.) Quantitative Score Widget - Field Description

The following fields are displayed once you click the **Decision and Grade** widget.



Figure 3-107 Decision and Grade Widget

ernal Reference Number				Search				
hoduct Processor	Request Type	Contract ID Request Reference Number			Internal Reference Number	Execution Date	Mode	Status
DFLO	Score, Decision & Pricing	123 UcEmhf93pf1VcEmhf93pf1VcEm	rf93pf1XcEmhf93pf1icEmhf93pf1ZcEmhf93pf1OdEmhf93	ipf11dEmhf93pf12dEmhf93pf13dEmhf93pf14dEmhf93pf15dEmhf93pf1	158ab2e3-8dd0-4661-a27e-67eab0a4f7f3	Sep 30, 2020	Online	Success
Va	lidation Model	Borrowing Capacity 6000.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade Manualoucces Grade : A		Pricing 516	
Model Code : DGM50	154	Model Description : DGM503		Decision: ManualQueuce	Grade : A			
Decision								
QuantitativeScore		QuantitativeScore Range	QualitativeScore	QualitativeScore Range	Decision			
90.00		0-100	60.0	50-200	ManualQue	sue8		
Grade								
QuantitativeScore		QuantitativeScore Range	QualitativeScore	QualitativeScore flange	Grade			
90.00		0-100	60.0	50-200	A			

Field	Description
<model code=""></model>	Displays the model code resolved for credit decision and grade.
Show Rule Log	Click to see the rule log.
	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Model Description	Displays the model description resolved for credit decision and grade.
Decision	Displays the credit decision taken for the application.
Grade	Displays the scoring grade post credit decision of the application.
Quantitative Score	Displays the quantitative score calculated for the application. If the feature is rule based, system displays the hyperlink.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Quantitative Score Range	Displays the range resolved for the quantitative score value for score resolution.
Qualitative Score	Displays the qualitative score calculated for the application.
Qualitative Score Range	Displays the range resolved for the qualitative score value for score resolution.
Decision	Displays the credit decision taken for the application.
Rule ID	Displays the decision taken for the application. Click the hyperlink to view the rule executed.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.

 Table 3-107
 Decision and Grade Widget - Field Description



Field	Description
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Qualitative Score	Displays the qualitative score calculated for the application. If the feature is rule based, system displays the hyperlink.
Show Rule Log	Click to see the rule log.
*	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Qualitative Score Range	Displays the range resolved for the qualitative score value for score resolution.
Quantitative Score	Displays the quantitative score calculated for the application.
Quantitative Score Range	Displays the range resolved for the quantitative score value for score resolution.
Grade	Displays the scoring grade taken for the application.

Table 3-107 (Cont.) Decision and Grade Widget - Field Description

The following fields are displayed once you click the **Pricing** widget.

Figure 3-108 Pricing Widget

nal Raference Number					Search				
oduct Processor	Request Type	Contract ID	Request Reference Number			Internal Reference Number	Execution Date	Mode	Status
FL0	Score, Decision & Pricing	125	UcEmh193p17/cEmh193p17/cE	mht95pt%cEmht95pt%cEmht95pt%2cEmht95pt%dEmht9	5pr11dEmh493pf12dEmh493pf13dEmh493pf14dEmh493pf15dEmh493pf1	1baeb2e5-8000-4001-e27e-67eeb0e4f7t5	Sep 30, 2020	Online	Seccess
Val	Idation Model		owing Capacity 6000.00	Qualitative Score 60	Quantitative Score 90	Decision & Grade Microsoft Decision Grade : A		Pricing 5%	
vicing Model Code : P	8510		Model Description : PRSIO w	th CDS Grade	Rate Type : Flat	Rate Percentage : 5 %			

 Table 3-108
 Pricing Widget - Field Description

Field	Description
<pricing model<br="">Code></pricing>	Displays the pricing model code resolved for credit decision. Click the hyperlink to view the rule executed to resolve the pricing model.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Model Description	View the pricing model description resolved for credit decision.
Rate Type	View the rate type applicable post credit decision.

Field	Description
Rate Percentage	View the rate applicable post credit decision.
Loan Amount	View the eligible loan amount for the application.
Loan Tenure	View the loan tenure for the application.
Loan Amount Range	View the range resolved for the loan amount value.
Loan Tenure Range	View the range resolved for the loan tenure value.
Rate %	View the rate applicable post credit decision.

Table 3-108 (Cont.) Pricing Widget - Field Description

The following fields are displayed once you click the **Charge** widget.

Figure 3-109 Charge Widget

View Execution							11 I I
nternal Reference Number				Search			
Product Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
OFLO	Charge	123	UcqrztbQPq1VcqrztbQPq1WcqrztbQPq1XcqrztbQPq1Ycqrzt	bQPq1Zcqr ae58ed88-e934-47d3-ab75-665e2bdbbe28	September 30, 2020	Online	Success
		Cha	rge		Charge		
Charge Code :UITEST2			Description :UITEST2 Description	Charge Type :Fixed Percentage	Charge Percentage(%):15		
Minimum Amount : C.	\$15.00		Maximum Amount : CA\$100.00	Basis of : CA\$15.000.00	Charge Amount : CA\$100.00		

Table 3-109 Charge Widget - Field Description

Field	Description
<charge code=""></charge>	Displays the Charge code evaluated for credit decision.
Description	Displays the description of the charge code.
Charge Type	Displays the type of the charge code.
Charge Percentage(%)	Displays of percentage of the charge code.
Minimum Amount	Displays the minimum amount.
Maximum Amount	Displays the maximum amount.
Basis of	Displays the attribute on which the percentage is applied
Charge Amount	Displays the charge amount computated. Click the hyperlink to view the rule executed to resolve the pricing model.
Logic	Displays the logic on which the charge amount has been calculated.
Amount	Displays the amount.
Charge Amount	Displays the charge amount calculated.
Charge to be Applied	Displays the charge applied.



3.19 Integrating Decision Service with Oracle Banking Routing Hub

This topic describes the information to integrate the Decision service with Oracle Banking Routing Hub.

This topic contains the following subtopics:

- Oracle Banking Routing Hub Configuration This topic describes the information about Oracle Banking Routing Hub Configuration for the Decision service.
- Oracle Banking Origination to Decision Service Configuration
 This topic describes the information about Oracle Banking Origination to Decision
 Service Configuration

3.19.1 Oracle Banking Routing Hub Configuration

This topic describes the information about Oracle Banking Routing Hub Configuration for the Decision service.

- Service Consumers This topic describes systematic instructions to configure the service consumers.
- Service Providers
 This topic describes the systematic instructions to configure the service providers.

3.19.1.1 Service Consumers

This topic describes systematic instructions to configure the service consumers.

The **Service Consumer** is an Oracle product that invokes Oracle Banking Routing Hub API. Oracle Banking Routing Hub analyses, evaluates the destination product processor and, transforms the data into a format of the same. The **Service Consumer** comprises the source and destination integration details.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.

The Service Consumers screen displays.

Figure 3-110 Service Consumers

Service Consu	mers											;;×
Ct Add Ct Impo	rt Sear	:h	Q									
OBIC_FCUBS	:	TestConsumer	:	OBLM	:	OBLM-bbbb	:	OBLM_JKM	:	Testing	:	
OBLM_DDA	:	OBLM_629_test	:	OBLM-NEW	:	OBLM_Mashreq	:					
Page 1		of 2 (1 - 10 of 14 items)	< - ∢	1 2 → >I								

Add Service Consumer




3. Click Add.

The Add Service Consumer screen displays.

lame		Audit Type	
	Required	Service level configuration	
 Environment Variables 			
Add ▼			
roup			
Select	•		
	Required		
Actions	Name	Value	
No data to display.			

Figure 3-111 Add Service Consumer

4. Specify the fields on Add Service Consumer screen.





Field	Description
Name	Specify the name of the service consumer.
	 Note: Enter 0 to maximum of 255 characters.
	 No numeric value at beginning and no space allowed.
Add	To add, refer to step 5. Select the group from the drop-down list.
	The available options are: • Group
	Variable
Group	Select the group from the drop-down list.
Action	Displays the action. The user can edit or delete the header.
Name	Displays the name of the header.
Value	Displays the value of the header.

Table 3-110 Add Service Consumer - Field Description

Environment Variables:

The user must define the group of variables which can be accessed throughout the specific consumer's configuration.

The syntax for accessing environment variables is below: \$env.Environment_Group_Name.Environment_Variable_Name

For example, \$env.COMMON.BRANCH_CODE

- 5. To add Environment Variables, follow below steps.
 - a. On Add Service Consumers, click Add and select Group from drop-down list to add the group.

The Add Environment Group screen displays.

Figure 3-112 Add Environment Group

Add Environmer	nt Group	×
Name		
	Required	
		ок

b. Specify the fields on Add Environment Group screen and click OK.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

 Table 3-111
 Add Environment Group - Field Description

Field	Description				
Name	Specify the name of the environment group.				
	 Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed. 				

c. Click Add on Add Service Consumer screen and select Variable from drop-down list to add the variable.

The Add Environment Variable screen displays.

Figure 3-113 Add Environment Variable

lame				
	Req	uired		
/alue				

d. Specify the fields on Add Environment Variable screen and click OK.

Note:

The fields marked as **Required** are mandatory.



Field	Description
Name	 Specify the name of the environment variable. Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed.
Value	Specify the value of the environment variable. The value can either be hardcoded or Velocity mapping.

Table 3-112 Add Environment Variable - Field Description

6. Click Save to save the details.

The **Confirmation** screen displays.

Figure 3-114 Confirmation - Add Service Consumers

Confirmation		×
Do you want to save the record?		
	Cancel	
 Click Confirm to save the record.		

Click Import. 8.

The Import Service Consumer screen displays.



	Select	Extract
Name		~
Required		
Overwrite extended templates		
) Yes (No		
 Service Providers 		
Name Name		
No data to display.		

Figure 3-115 Import Service Consumer

9. Specify the fields on Import Service Consumer screen and click OK.



Table 3-113	Import Service Consumer - Field Description
-------------	---

Field File	Description
	Select the file using Select . Note: Allows only to select one file and accepts only JSON file.
Extract	Extracts the consumer name and service provider list from JSON file and displays it in the respective elements.




Field	Description
Name	 Specify the name of the service provider. Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed.
Name	Displays the list of service providers names that are present in JSON file.

Table 3-113 (Cont.) Import Service Consumer - Field Description

10. Click **Import** to import the selected file.

The **Confirmation** screen displays.

Figure 3-116 Confirmation - Import Service Consumer



11. Click **Confirm** to import the service consumer.

Note:

Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password

View Service Consumer

12. Click 3 dots button (operation menu) and click View.

The View Service Consumer screen displays.



Actions	Name	Value	
Select	•		
 Environment Variables Group 			
DBLM_Mashreq			
lame	Auc	dit Type	
/iew Service Consumer			D

Figure 3-117 View Service Consumer

The user can click edit button to edit the Service Consumer.

Edit Service Consumer

13. Click 3 dots button (operation menu) and click Edit.

The Edit Service Consumer screen displays.

Figure 3-118 Edit Service Consumer

lame		Audit Type	
OBLM_Mashreq		Select	•
			Require
 Environment Variables 			
Add ▼			
Group			
Select	•		
	Required		
Actions	Name	Value	
No data to display.			
			Save



14. Click **Save** once the edit is done.

The **Confirmation** screen displays.

Figure 3-119 Confirmation - Edit Service Consumer

Confirmation	×
Do you want to save the record?	
	Cancel Confirm

15. Click **Confirm** to save the record.

Delete Service Consumer

16. Click 3 dots button (operation menu) and click **Delete**.

The **Confirmation** screen displays.

Figure 3-120 Confirmation - Delete Service Consumer

Confirmation		×
Do you want to delete the record?		
	Cancel	Confirm
Click Confirm to delete the record		

17. Click **Confirm** to delete the record.

Export Service Consumer in JSON

18. Click 3 dots button (operation menu) and click Export. Select JSON.

The Export Service Consumer screen displays.



Export	Service Consumer	×
Name		
OBL	M_Mashreq	
✔ Ser	rvice Providers	
	Name	
	FCUBS-IFService 14.5	
	FCUBS-CoreService 14.5	
	ODDM DMD40-40	
		Export

Figure 3-121 Export Service Consumer - JSON

	ote:
•	The user has an option to select service providers from the list which needs to be exported or can click on select all for all service providers.
•	The JSON Export feature exports below data:
	 Selected service consumer
	 All consumer services
	 Selected service providers with services
	 Default implementation of selected service providers with services (without Host, Port and Authentication Password)
	 Default transformations
	 All default implementation routes
- Select the	e required service providers and click Export .

The **Confirmation** screen appears.






Figure 3-122 Confirmation - Export Service Consumer in JSON

20. Click **Confirm** to export in JSON.

Export Service Consumer in SQL

21. Click Export and select SQL.

The **Confirmation** screen appears.

Figure 3-123 Confirmation

Confirmation		×
Do you want to export? Note: Sensitive data such as Implementation Host, Port and be exported	l Password will	not
	Cancel	Confirm

Note:

The SQL Export feature exports entire configuration without Host, Port, and Authentication Password details.

22. Click Confirm to export the Service Consumer in SQL.

3.19.1.2 Service Providers

This topic describes the systematic instructions to configure the service providers.

The **Service Providers** are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers. It comprises of the destination integration details.

Specify User ID and Password, and login to Home screen.

- 1. On Home Screen, click Core Maintenance, Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.



3. On Service Consumers screen, click the required service consumer.

The Service Providers screen displays.

Figure 3-124 Service Providers

Service Consumers	;; ×
OBIC_FCUBS	
Service Providers Consumer Services	
Add D: Import Search Q	
FCUBS	
Version 14.5 Type EXTERNAL Status ACTIVE	
Page 1 of 1 (1-1 of 1 items) < < 1 > >	

- **To Add Service Provider**
- 4. Click Add.

The Add Service Provider screen displays.

Figure 3-125	Add Service Provider
--------------	----------------------

Add Service Provider				
Product Name		Туре		
		Select	•	
	Required		Required	
Version		Active		
	Required			
✓ Headers				
□ ‡ Add				
Actions	Name		Value	
No data to display.				
✓ Service				
Туре	URL			
WSDL	▼ VPATUSER1		Import	
Service		Operation		
No data to display.				
				Save

5. Specify the fields on Add Service Provider screen.



Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

 Table 3-114
 Add Service Provider - Field Description

Field	Description
Product Name	 Specify the product name of the service provider. Note: Enter 0 to maximum of 255 characters. No numeric value at beginning and no space allowed.
Туре	Select the type of service provider from drop-down list The available options are: INTERNAL EXTERNAL
Version	 Specify the provider version. Note: Enter 0 to maximum of 255 characters. Only numeric or decimal values are allowed.
Active	Predefined values are Active / Inactive If provider is marked as inactive, then all related routes will be stopped.
Add	To add, refer to step 4.
Actions	Displays the action. The user can edit or delete the header.
Name	Displays the name of the header.
Value	Displays the value of the header.
Туре	 Select the type of service from drop-down list. The available options are: WSDL SWAGGER
URL	Specify the service URL of the file location.
Import	Click Import to extract the service information from URL.
Service	Displays the extracted service from the selected URL.
Operation	Displays the extracted operation from the selected URL.

Headers



External product processor might require some standard headers to be passed along with the request. User can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

- 6. To add **Headers**, follow below steps.
 - a. Click Add.

The Add Header screen displays.

Figure 3-126 Add Header

Add Header		
lame		
	Required	
alue		
		OK

b. Specify the fields on Add Header screen and click OK.

Note:

The fields marked as **Required** are mandatory.

For more information on fields, refer to the field description table.

Table 3-115 Add Header - Field Description

Field	Description
Name	Specify the name of the header.
Value	Specify the value of the header.

7. Click **Save** to save the details.

The **Confirmation** screen displays.

Figure 3-127 Confirmation



Confirmation	×
Do you want to save the record?	
	Cancel

8. Click **Confirm** to save the record.


Import Service Provider

9. Click Import.

The Import Service Provider screen displays.

Figure 3-128 Import Service Provider

File	
inc.	
	Select
	Import



For more information on fields, refer to the field description table.


 Table 3-116
 Import Service Provider - Field Description

Field	Description
File	Select the file using Select button.
	Note: Allows only to select one file and accepts only JSON file.

10. Click **Import** to import the selected file.

The **Confirmation** screen displays.





Below data needs to be changed after importing provider configuration file:

Implementation Host and Port

Figure 3-129 Confirmation - Import

- Implementation Authentication Password
- **11.** Click **Confirm** to import the record.

View Service Provider

12. Click 3 dots button (operation menu) and click **View**.

The View Service Provider screen displays.

Figure 3-130 View Service Provider

View Service Provider		ß	×
Product Name	Туре		
FCUBS	EXTERNAL		
Version 14.5	Active On		
> Headers			
✓ Service			
Service	Operation		
FCUBSIFService (FCUBSIFServiceSEI)	ModifyExtAccEcaEntriesIO		
FCUBSIFService (FCUBSIFServiceSEI)	CreateExtAccEcaEntriesIO		
FCUBSIFService (FCUBSIFServiceSEI)	ModifyEXTClgStatusFS		



The user can click edit button to edit the Service Provider.

Edit Service Provider

13. Click 3 dots button (operation menu) and click **Edit**.

The Edit Service Provider screen displays.

Figure 3-131 Edit Service Provider

Edit Service Provider					
Product Name			Туре		
FCUBS			EXTERNAL	•	
Version			Active		
14.5					
✓ Headers					
□ Add					
Actions		Name	Value	e	
No data to display.					
✓ Service					
Гуре	URL				
WSDL	•			Import	
			Required		
Service			Operation		
FCUBSIFService (FCUBSIFS	erviceSEI)		ModifyExtAccEcaEntriesIO		
FCUBSIFService (FCUBSIFS	erviceSEI)		CreateExtAccEcaEntriesIO		
FCUBSIFService (FCUBSIFS	erviceSEI)		ModifyEXTClgStatusFS		
FCUBSIFService (FCUBSIFS	erviceSEI)		CreateExtAccEntriesFS		
					Save

14. Click **Save** once the edit is done.

The **Confirmation** screen displays.

Figure 3-132 Confirmation - Edit Service Provider

Confirmation			×
Do you want to save the record?			
	Cancel	Confirm	




15. Click **Confirm** to save the record.

Delete Service Provider

Click 3 dots button (operation menu) and click Delete.
 The Confirmation screen displays.

Figure 3-133 Confirmation - Delete Service Provider



17. Click **Confirm** to delete the record.

Export Service Provider

18. Click 3 dots button (operation menu) and click Export.

The **Confirmation** screen displays.

Figure 3-134 Confirmation - Export Service Provider

Confirmation	×
Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	
Cancel	nfirm

Note:

The following data cannot be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file. Same has been mentioned in Import section.

19. Click **Confirm** to export the record.

3.19.2 Oracle Banking Origination to Decision Service Configuration

This topic describes the information about Oracle Banking Origination to Decision Service Configuration

This topic contains the following subtopics:

• Fetch Credit Decision This topic describes about the figures for the fetch credit decision.

3.19.2.1 Fetch Credit Decision

This topic describes about the figures for the fetch credit decision.

Figure 3-135	Fetch	Credit	Decision ·	- Header
--------------	-------	--------	------------	----------

View Transformation			Cà (
Name	Active		
FCUBS-CREATEEXTACCECAENTRIES	On		
✓ Product Processor			
Product Processor	Implementation	Service	
FCUBS-IFService 14.4	FCUBS-IFService_Default	FCUBSIFService (FCUBSIFServiceSE	
✓ Service			
Service	Operation		
FCUBSIFService (FCUBSIFServiceSEI)	CreateExtA	ccEcaEntriesFS	
✓ Headers			
Actions	Name	Value	
No data to display.			
✓ Request Transformation			
Template Type			
VELOCITY			
Template			
<soapenv:envelope fcubs.offs.com="" http:="" ser<br="" xmlns:soapenv="h
xmlns:fcul="><creatextaccecaentries_fsf5_i <fcubs_header> <source/>ENTSYS</fcubs_header></creatextaccecaentries_fsf5_i </soapenv:envelope>	vice/FCUBSCoreService'> <soapenv:h< td=""><td>Header/><soapenv:body></soapenv:body></td><td></td></soapenv:h<>	Header/> <soapenv:body></soapenv:body>	
Extended Template			



View Trans	sformation				ß	×
Name			Active			
TRANSFOR	RMATION1		On			
Decide						
	ct Processor					
Product Pro						
	14.4		EXPERIAN_Default			
Service						
CreditRepo	orts - /v2/credit-report					
✓ Service	2		_			
Service			Operation			
POST /co report	onsumerservices/credit-profile/v	2/credit-	CreditReports			
rebort						
✓ Header	rs					
Actions	Name		Value			
	Name		value			
:	Accept		application/js	on		
÷	Authorization		Bearer \$body.	access_token		
:	clientReferenceId		SBMYSQL			
✓ Path Path	arameters					
Actions	I	Name		Value		
No data to	o display.					
	Parameters					
♥ Query i	Parallielers					
Actions	1	Name		Value		
No data to	o display.					
✓ Reques	st Transformation					
Body Type			Template Type			
RAW			VELOCITY			
Template						
"con	t(\$body = \$snapshot.get(0).body) sumerPii'': {					
	"primaryApplicant": { "name": {				0	10

Figure 3-136 Fetch Credit Decision – Transformation



Figure 3-137 Consumer Services

Service Consumers	::×
OBIC_FCUBS	
Service Providers Consumer Services	
Dt Add Dt Import Search Q	
FCUBS : Version 14.5 Type EXTERNAL Status ACTIVE	
Page 1 of 1 (1-1 of 1 items) c < 1 > >	



4 NLP Framework

This topic describes about the NLP Framework provided in common core.

Toolkit

This topic describes the information about the toolkit used to design and train NLP / NER Model(s).

- Operation This topic describes the information about the trained models that are consumed for business processing.
- 3P Service Integration This topic provides description about the integration of third party services.

4.1 Toolkit

This topic describes the information about the toolkit used to design and train NLP / NER Model(s).

This topic contains the following subtopics:

- Use Case Definition This topic describes the information about the use case definition.
- Annotator
 This topic describes the information about the annotator.
- Model Training This topic describes the systematic instructions to train the model on the annoted training corpus.
- Model Management This topic describes the information about the Model Management.
- Model Import and Export Maintenance Models can be moved from one environment to another environment using Model import and export.

4.1.1 Use Case Definition

This topic describes the information about the use case definition.

The user cases are defined by the business domain. The required information to be extracted from the documents is driven by business consideration against the context of use case being defined.

The tags or entities are required for annotating or tagging the information in a source document to create training files for use case model training. These tags or entities are always driven by business considerations for a particular usage case.

The use case definition maintenance screen allows the user to define use case(s) and maintain specific list of tags for the use case.



This topic contains the following subtopics:

- View Use Case Definition
 This topic describes the systematic instructions to view the list of defined use cases.
- Tag Maintenance

This topic describes the systematic instructions to define use cases and maintain entities or tags for the use case.

4.1.1.1 View Use Case Definition

This topic describes the systematic instructions to view the list of defined use cases.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Use Case Definition.

The Use Case Definition screen displays.

Figure 4-1 Use Case Definition

+	0			
	Usecase Name: Corporate Invoice	Usecase Name: Salary Slip New	Usecase Name: OBPESign : PAYSLIP_ORIGINATION : Usecase Name: read payslip data	:
	Mod No 4	Mod No 4	Mod No 2 Mod No 4 Mod No 7	
	C Authorized 🔓 Open 🔯 4	🗈 Authorized 🔒 Open 🔯 4	D Authorized & Open 2 Authorized & Open 24 D Unauthorized & Open	⊠7
	Usecase Name: BANKSTATEMENT_ORIGI	Usecase Name:	Usecare Name: 4.0 Cheque Book Request : PAYSLIP_REGION : Bank Account Statement	:
	Mod No 5	Mod No 1	Mod No 1 Mod No 2 Mod No 3	
	🗅 Authorized 🔒 Open 🔯 5	🗅 Unauthorized 🔒 Open 🔯 1	D Authorized & Open 😰 1 D Authorized & Open 😰 2 D Authorized & Open	⊠ 3

 Table 4-1
 Use Case Definition – Field Description

Field	Description
Usecase Name	Displays the name of the use case.
Mod No	Displays the modification number.
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.



4.1.1.2 Tag Maintenance

This topic describes the systematic instructions to define use cases and maintain entities or tags for the use case.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Use Case Definition.
- 3. Click + to add tag maintenance.

The Tag Maintenance screen displays.

Figure 4-2	Tag Maintenance
------------	------------------------

Tag Mair	ntenance							;: ×
Use Case Name	Required	Description		Modification Number		Straight Through Processing Ves No		
	Tag Dtsplay Sequence 🗘		Tag Screen Display 🗘		Tag Name	Annotation Tag	Default Value	+•
No data to d	isplay.							
Page 1	(0 of 0 items) < ∢ 1 → >							
							Cancel	Save

4. specify the fields on Tag Maintenance screen.




Table 4-2 Tag Maintenance – Field Description

Field	Description
Use Case Name	Specify unique use case name. It gets populated on Save , from the last folder name from the Training Corpus Path (DOC).
Description	Specify use case description.
Mod No	Displays modification number.
Straight Through Processing	 Select one the options. Yes = Unattended No = Attended
Use Case Tags/ Entities	Specifies the use case tags entities.
Tag Display Sequence	Displays the sequence of tags.
Tag Screen Display	Displays the business name of the tag.



Field	Description
Tag Name	Displays the technical name of the tag.
Annotation Tag	Used to identify tags to be used in training.
Default Value	Default value for tags not used for training.

Table 4-2 (Cont.) Tag Maintenance – Field Description

4.1.2 Annotator

This topic describes the information about the annotator.

Annotation is the process of identifying information within a documented content and tagging them as a specific type of information. Each use case defined, have their own relevant maintained list of tags/entities, which is used to annotate source documents for a use case.

Figure 4-3 Loan Draw Down

	LOAN DRAW DOWN
Description: USD 550 Million Credit Facili	ties → Organization
Effective Borrower	has elected to borrow under the Tranche B
Term Loan Facility for a total of	Please see details below:

Annotator

This topic describes the systematic instructions to perform the annotations on a source document for a use case.

4.1.2.1 Annotator

This topic describes the systematic instructions to perform the annotations on a source document for a use case.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Annotator.

The Annotator screen displays.



Action Type	Source File Definition			Document Type		
 Create New Annotated File 	Source File:	Source file name	Select File	Select	•	Get Labels
C Edit Annotated File	Annotated File:	Annotated File Name	Select File	Source file name		Create Training File
riginal File		Text Form			Annotations	
					Tag Name	Tag Value
Document will appear here			nt converted to text will e displayed here		No data to display.	

Figure 4-4 Annotator

3. Specify the fields on Annotator screen.



For more information on fields, refer to the field description table.

Table 4-3	Annotator – Field Des	scription
-----------	-----------------------	-----------

Field	Description
Action Type	Select the action type. The available options are: • Create New Annotated File • Edit Created Annotated File
Source File Definition	Select the source document from local windows explorer based on the Action Type selected.
Document Type	Displays the list of all the use cases defined under use case definition.
Get Labels	Displays the maintained Tags/entities for the selected Document Type .
Create Annotated File	 Once annotations of all the Tags are completed, this performs two outcomes as below, Create annotated text file in the defined NER train path as maintained under use case definition. Create text file in the defined DOC train path as maintained under use case definition.

Annotate the Source Files:

- 4. Select the Action Type as Create New Annotated File.
- 5. Select the **Document Type** from drop-down list.
- 6. Click Select File button next to Source File field.

The Windows Explorer popup screen displays.



7. Navigate and select the source document to be annotated.

The **Original File** section displays the source document and the **Text Form** section displays the text version of the document.

8. Click Get Labels.

The **Annotations** section displays all the maintained tags for the selected Document Type.

Figure 4-5 Annotator - List of Tags

nnota	ator										1		
Action Type Source File Definition					Source File Definitio	Document Type							
 Create New Annotated File 				Source File:	INV_6_GBP.jpg	Select File	Invoice Data		•	Get Labels			
 Edit Annotated File 			Annotated Files		Annotated File Name	Select File				Create Training File			
ginal Fil						Text Form		-2010/11/11/1		Annotations			
ginai Fii	e				²			× ² (₿	Annotations			
				ABC INC		ABCINC 7324 St Paul St., New City,NY 10956				Tag Name	Tag Value		
7334 56 Paul 52. New C8,197 10956 Proces: 165 113:2086				New City, NY 1 Phone- 195-11	0956 11-986	Phone 166181986 Email mhassel@msn.com BiLITO Buyer 2003				Amount			
					sgrass.com	ABC AUTO [PONO. 8586IR3G 9126 Pin Oak Dr., PO DATE 2011/10/22 INVOICE NO. WH748PL INVOICE DATE 2011/09/23				Buyer Code			
NVCRET NO. NVCRET NO. AVX.NTO NVCRET DATE 3/011/07/23 Statisfies NO. Statisfies NO.				INVOICE DA	FE 2011/09/23	Grand Island, NE 68801 DUE DATE 2011/10/26 Phone 943728930				Currency			
Phone-34	nd, NE 68801 3-723-930 red@live.com			DUE DATE	2011/10/26	Email daveed@live.com ITEM# DESCRIPTION				Invoice Date			
ITEMI	DESCRIPTION	PRODUCT ID	UNIT COST	QUANTITY	AMOUNT	QUANTITY				Invoice Number			
1	Air Conditioners	CIXAD	256.52	4	5026.08	AMOUNT 1026.08 PRODUCT ID CKX4AD				Invoice Number			
						UNIT COST 256.52 Sub Total 1026.08 Discount 58.54 5	680.67			Supplier Name			
			1	Sub Tetal Discount S8.54 9 VAT 89.67 % Total Amount	1026.08 600.67 920.09 GBP 1345.5	VAT 89.67 % 920.09 GBP 13455							
	- have any maritime room	ormino this inuniro	rontart flareb /K	71 778 8747 Lands Md	Domesia cored	If you have any question concernin 7288292, jacob.kk@omegar.com]	ng this invoice, cont	act [Jacob, (872)					

- 9. Identify and select the information within the **Text Form** section.
- **10.** Right-click to display the list of tags.

Figure 4-6 Annotator - Select Annotation Label

Annotator			Select Annotation Label					
Action Type Source File 1 Create New Annotated File Source File	efinition	INV. 6. GBP.ipg	Amount Buyer Code	ment Type			Get Labels	
*	Annotated File: Annotated File Name			.6_GBP.jpg			Create Training File	
Original File	27	Text Form	Supplier Name	2	₽	Annotations		
ABC INC 734 % Paul 50, Were CayNY 2026 Process \$511.966		ABCINC 7324 5: Paul 5:, Hew city,/N 19955 Phone 165131865 Email shassights.com BILLTO Buyer 2003 AC AUTO [Phone] 19261816 9126 Pin Oal NYOTCE NO. 19764FL INVOICE DATE 20: Grand Italan, NE 68801 DUE DATE 2011/10/26 Phone 943728230				Tag Name Amount	Tag Value	
End-rehaud@me.com						Buyer Code Currency		
Groud Island, NK 68801 Due DATE 2011/30/26 Phore: 945-201900 Email- Email-daved@live.com	DUE DATE 2011/30/26 Email daveedglive.com ITEME DESCRIPTION					Invoice Date		
ITEME DESCRIPTION PRODUCT ID UNIT COST QUANTITY AMOUNT 3 Ar Conditioners D3XMD 256.52 4 2626.93		QUANTITY AMOUNT 1026.08 PRODUCT ID CKX44D				Invoice Number		
64 tor 200 0 Sector 201 0 200 0 Toral word 00 0 Toral word 00 0 Toral word 00 0 Toral word 00 0		UNIT COST 256.52 Sub Total 1026.08 Discount 58.54 % 6 VAT 89.67 \$ 920.09 GBP 13455 If you have any question concerning th 7282922, jacob.kk@omegar.com]		ecob, (872)		Supplier Name		

11. Select the relevant tag.

The **Annotations** section displays the information under Tag Name and Tag Value fields.



nnot	ator											110
Action Type Source File Definition					Source File Def	inition		Document Type				
 Create New Annotated File 				Source File:	INV_6_GBP.jpg	Select File	Invoice Data		-	G	et Labels	
C Edit Annotated File			Annotated File:		Annotated File Name	Select File	INV_6_GBP.jpg			Create Training File		
								,			Create	Training File
iginal Fil	e					م Text Form		^ر بر	₿	Annotations		
				ABC INC		ABCINC 7324 St Paul St., New City,NY 10956			Ĩ	Tag Name	Tag	Value
*			New City NY 1	7334 StRaul St., Phone 166181986 New City XY 10956 Email mhassel@msn.com Phone 1864 St81966 BILLTO Buyer 2003					Amount	1026	6.08	
			Email-mhasel@mun.com ABC AUTO (PONO. 8586IR3G 9126 Pin PO DATE 2011/10/22						Buyer Code	200	2003	
BILL TO Buyer- 200				INVOICE NO	MH748PL	INVOICE NO. MH748PL INVOICE DATE Grand Island, NE 68801 DUE DATE 2011/10/26	2011/09/23			Currency	GBP	
ABC AUTO 9126 Pin C				PO NO. PO DATE	8586JR3G 2011/10/22	Phone 943720930 Email daveed@live.com			1	currency	GDP	
Phone- 94				DUE DATE	2011/10/26	ITEN# DESCRIPTION				Invoice Date	2011	1/09/23
ITEM#	DESCRIPTION Air Conditioners	PRODUCT ID CKX4AD	UNIT COST 256.52	QUANTITY 4	AMOUNT 1026.08	QUANTITY AMOUNT 1026.08 PRODUCT ID CKX4AD				Invoice Number	MH	748PL
						UNIT COST 256.52 Sub Total 1026.08 Discount 58.54	600.67			Supplier Name	ABC	INC
				Sub Total	1026.08	VAT 89.67			1			
				Discount 58.54 1 VAT 89.67 %	6 600.67 920.09	920.09			- 11			
				Total Amount	68P 1345.5	GBP 13455 If you have any guestion concerni	on this invoice conta	ct []acob (873)				
		remine this involve o				7288292, jacob.kk@omegar.com]	ng chis involce, conta	cc [Jacob, (0/2)				

Figure 4-7 Annotator - Annotations

- **12.** Repeat the above steps for all the displayed tags as per availability of information in the source document.
- **13.** Select a **Tag Name** from the **Annotations** section and Right-click to delete the **Tag Value**.
- **14.** Once all the tags are assigned the relevant information, click **Create Training File** to create the annotated file and end the process.
- Edit Annotated File

This topic describes the systematic instructions to Edit the annotations on a source document for a use case.

4.1.2.1.1 Edit Annotated File

This topic describes the systematic instructions to Edit the annotations on a source document for a use case.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Annotator.
- 3. Select the Action Type as Edit Annotated File.

The Edit Annotated File screen displays.



Action Type	Source File Definition			Document Type		
 Create New Annotated File 	Source File:	Source file name	Select File	Select	•	Get Labels
Edit Annotated File	Annotated File:	Annotated File Name	Select File	Select File Annotated File Name		Update Training File
riginal File		Text Form			Annotations	
					Tag Name	Tag Value
Document will appear here			onverted to text will splayed here		No data to display.	

Figure 4-8 Edit Annotated File

4. Select the **Document Type** from drop-down list and Click **Get Lables**.

The Annotations screen displays.

Figure 4-9 Edit Annotated File - Annotations

Action Type	Source File Definition			Document Type		
 Create New Annotated File 	Source File:	Source file name	Select File	Corporate Invoice	-	Get Labels
 Edit Annotated File 	Annotated File:	Annotated File Name	Select File	Annotated File Name		Update Training File
Driginal File		Text Form			Annotations Tag Name	Tag Value
					Amount	ing turne
					Buyer Code	
Document will appear here		Document con be displ	verted to text will ayed here		Currency	
					Discount Percentage	
					Discounted Amount	
					Invoice Date	
					Invoice Due Date	

5. Click Select File button next to Source File field.

The popup screen displays.



Action Type	Source File Definition			ment Type	nt Type		
O Create New Annotated File	Source File:	Source fi	Select One file	rporate Invoice	•	Get Labels	
Edit Annotated File	Annotated File:	Annotate	c362f9d5-99fa-4889-84f5-5952483d6f9b Created on: 2023-02-13 ffbb64e7-4ee7-4f53-87d8-442017a35945	otated File Nan	ne		
riginal File		Text Form	Centrel or: 2022-01-2 776(2973-556-464-80-56-6eeeff3656c Centrel or: 2022-01-2 2007/eeeb-00754-683-88-56-4847(37/01/86 Centrel or: 2022-01-2 36402586-6354-424-9-191-052(83:68876 Centrel or: 2022-0-2 200556b-0428-4474-911-5(70)aee4(82)2 Centrel or: 2022-0-20		Annotations Tag Name Annount Buyer Code Buyer Code Discount Percentage Discount Percentage Discounted Annount Innoice Date Innoice Date	Tag Value	



6. Navigate and select the source document to be annotated.

The **Original File** section displays the source document and the **Text Form** section displays the text version of the document.

Action Type	Source File Definition			Document Type			
 Create New Annotated File 	Source File:	Source file name	Select File	Corporate Invoice	•	Get Labels	
 Edit Annotated File 	Annotated File:	c362f9d5	Select File	Select File C362f9d5		Update Training File	
riginal File	^ر م	Text Form		⊭" ⊕	Annotations		
		ABCINC 7324 St Paul St., New City,NY 10956			Tag Name	Tag Value	
		Phone 166181986 Email mhassel@msn.com BILLTO Buyer 2003			Amount	13455	
		ABC AUTO [PONO. [8586IR3G 9126 PO DATE 2011/10/22 INVOICE NO. NH748PL INVOICE DAT	-		Buyer Code	2003	
		Grand Island, NE 68801 DUE DATE 2011/10/26 Phone 943720930			Buyer Name	ABCINC	
		Email daveed@live.com ITEN# DESCRIPTION			Currency	GBP	
		QUANTITY AMOUNT 1026.08 PRODUCT ID CKX4AD			Discount Percentage		
		UNIT COST 256.52 Sub Total 1026.08 Discount 58.5 VAT 89.67	4 % 600.67		Discounted Amount		
		% 920.09 GBP 13455			Invoice Date	2011/09/23	
		If you have any question concer 7288292, jacob.kk@omegar.com]	ning this invoice, cont	act [Jacob, (872)	Invoice Due Date	2011/10/26	

Figure 4-11 Edit Annotated File - Text Form

- 7. Identify and select the information within the **Text Form** section to edit the original value.
- 8. Right-click to display the list of tags.

Action Type	Source File Definition			Document Type		
Create New Annotated File	Source File:	Source file name	Select File	Corporate Invoice	•	Get Labels
 Edit Annotated File 	Annotated File:	c362f9d5	Select File	c36219d5		Update Training File
Original File	^ر م	Text Form		∠" ⊕	Annotations	
		ABCINC 7324 St Paul St., New City,NY 10956			Tag Name	Tag Value
		Phone 166181986 Email mhassel@msn.com BILLTO Buyer 2003			Amount	13455
		ABC AUTOI [PONO. [8586IR3G 9126 P PO DATE 2011/10/22 INVOICE NO. MH748PL INVOICE DATE			Buyer Code	2003
		Grand Island, NE 68801 DUE DATE 2011/10/26 Phone 943720930			Buyer Name	ABC AUTOI
		Email daveed@live.com ITEN# DESCRIPTION			Currency	GBP
		QUANTITY AMOUNT 1026.08 PRODUCT ID CKX4AD			Discount Percentage	
		UNIT COST 256.52 Sub Total 1026.08 Discount 58.54 VAT 89.67	% 600.67		Discounted Amount	
		% 920.09 GBP 13455			Invoice Date	2011/09/23
		If you have any question concerni 7288292, jacob.kk@omegar.com]	ng this invoice, conta	ict [Jacob, (872)	Invoice Due Date	

Figure 4-12 Edit Annotated File - Select Annotation Label

9. Select the relevant tag.

The **Annotations** section displays the information under Tag Name and Tag Value fields.



Action Type	Source File Definition			Document Type		
 Create New Annotated File 	Source File:	Source file name	Select File	Corporate Invoice Cocolor Corporate Invoice Cocolor		Get Labels
Edit Annotated File	Annotated File:	c36219d5	Select File			Update Training File
Original File	^{رم}	Text Form		⊾" ⊕	Annotations	
		ABCINC 7324 St Paul St., New City,NY 10956			Tag Name	Tag Value
		Phone 166181986 Email mhassel@msn.com BILLTO Buyer 2003			Amount	13455
		ABC AUTOI [POND. [8586IR3G 9126 Pin PO DATE 2011/10/22 INVOICE NO. MH748PL INVOICE DATE 2			Buyer Code	2003
		Grand Island, NE 68801 DUE DATE 2011/10/26 Phone 943720930		Buyer Name	ABC AUTOI	
		Email daveed@live.com ITEN# DESCRIPTION		Currency	GBP	
		QUANTITY AMOUNT 1026.08 PRODUCT ID CKX4AD			Discount Percentage	
		UNIT COST 256.52 Sub Total 1026.08 Discount 58.54 % VAT 89.67	600.67		Discounted Amount	
		% 920.09 GBP 13455			Invoice Date	2011/09/23
		If you have any question concerning 7288292, jacob.kk@omegar.com]	this invoice, conta	ct [Jacob, (872)	Invoice Due Date	

Figure 4-13 Edit Annotated File - Annotations

10. Click on **Update Training File** to save **Edit Annotated File** successfully.

4.1.3 Model Training

This topic describes the systematic instructions to train the model on the annoted training corpus.

The annotated training corpus is a collection of annotated training files created using the annotator.

Model training is iterative and is carried out over increasing corpus size depending on the model parameters.

Each defined use case have its own training corpus available in the path set up in the use case definition.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Training.

The Model Training screen displays.

Model Training					::>
Model Type NLP(NER) Document Classification					
	Over All		ne v	F1-Score 🗘	
No data to display	Tag Name 🗘	Precision 0	Recall 0	F1-Score 0	
	No data to display.			Train Model	Save Mode
				Train Model	

Figure 4-14 Model Training

For Training NER Models:



- 3. Select the Model Type as NLP(NER).
- 4. Select the type of Use Case Name from the drop-down list.
- 5. Click Train Model.
- For Training Document Classifier Model:
- 6. Select the Model Type as Document Classification.
- 7. Select the type of Use Case Name from the drop-down list.
- 8. Click Train Model.

If the model parameters acceptable, the user can save the model by clicking **Save Model**. The alternative is to add more annotated training files for the use case and repeat model training, till satisfactory parameters are achieved.

4.1.4 Model Management

This topic describes the information about the Model Management.

Model Management shows all the run reference of models saved from model training for a use case. For each model run reference, view the parameters for the model as well as individual tag/entities.

The user can choose the active model run reference to use as part of business processing.

- Model Management Maintenance This topic describes the systematic instructions to maintain the model management.
- View Model Management This topic describes the systematic instructions to view the list of use case models.

4.1.4.1 Model Management Maintenance

This topic describes the systematic instructions to maintain the model management.

The user can unlock and choose the active model run reference to use as part of business processing.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.


The Model Management screen displays.

Figure 4-15 Model Management

Case Name slipnew			Model Type NER			
un Reference	Training Date	Precision	Recall	F1 score	Active	
9KnLunXCN	27/01/2021	1	0.962	0.98		Tag Parameters
gdi0YxMUW	16/02/2021	1	0.962	0.98		Tag Parameters
9sbFrY0x6	16/02/2021	1	0.962	0.98		Tag Parameters
Pvf3Jz1Pp	27/01/2021	1	0.889	0.941		Tag Parameters
age 1 of 1 (1-4 of 4 iter	ms) < ∢ 1 → >					



3. Specify the fields on Model Management screen.



For more information on fields, refer to the field description table.

 Table 4-4
 Model Management – Field Description

Field	Description
Use Case Name	Displays the name of the Use Case.
Model Type	Displays the NER or Classification type of Model.
Run Reference	Displays unique model version identifier.
Precision	Specify the value between 0 to 1. Closer to 1 is better.
Recall	Specify the value between 0 to 1. Closer to 1 is better.
F1 Score	Specify the value between 0 to 1. Closer to 1 is better.
Active	Displays the status of model run reference.

4. Click **Tag Parameters** to view the individual tag parameters for each model run reference.

The Tag Parameters Details screen displays.

Figure 4-16	Tag	Parameters	Detail
-------------	-----	------------	--------

e Case Name				Model Type			
yslipnew							
		Tag Parameters Detail				-10400000000000000000000000000000000000	
tun Reference	Training					Active	
R9KnLunXCN	27/01/2	Model Name payslipnew	Model Type NER		Run Reference R9KnLunXCN		Tag Parameters
vgdi0YxMUW	16/02/2						Tag Parameter
i9sbFrY0x6	16/02/2	Tag Name 🗘	Precision 0	Recall 0	F1Score 0		Tag Parameter
Pvf3Jz1Pp	27/01/2	basicPay	1	1	1		Tag Parameter
age 1 of 1 (1-4 of 4 items	5) < 4	empld	1	1	1		
		hra	1	1	1		
fit		joiningDate	1	1	1		
		month	1	1	1		
						Close	

At this stage, user have defined a new use case with the tags/entities to be recognized by the model and trained and exported the use case model to be used by business.

4.1.4.2 View Model Management

This topic describes the systematic instructions to view the list of use case models.

Specify User ID and Password, and login to Home screen.



- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.

The Model Management screen displays.

+	0					
	Usecase Name: ChequeBkRq	Usecase Name: updateAddress	Usecase Name: chqr	Usecase Name: Bank_Statement	Usecase Name: corpinv	
	Mod No 17 N	Mod No 3 N	Mod No 9 N	Mod No 4 N	Mod No 19 N	
	C Authorized 🔓 Open 🖾 17	🗅 Unauthorized 🔓 Open 🔯 3	🗅 Authorized 🔓 Open 🖾 9	🗈 Authorized 🔓 Open 🖾 4	🗅 Authorized 🔓 Open 🔯 19	
	Usecase Name: PAYSLIP_ORIGINATION	Usecase Name: OBPESign :	Usecase Name: cheqBookOpen	Usecase Name: feeAgreementFlat	Usecase Name: payslipnew	
	Mod No 23 N	Mod No 14 N	Mod No 2 N	Mod No 1 N	Mod No 13 N	
	D Authorized 🔓 Open 🛛 23	D Authorized 🔓 Open 🖾 14	🗅 Authorized 🔒 Open 🔯 2	D Authorized 🔓 Open 🔯 1	🗅 Unauthorized 🔒 Open 🔯 13	

Figure 4-17 Model Management

For more information on fields, refer to the field description table.

Field	Description			
Use Case Name	Displays the name of the Use Case.			
Mod No	Displays the number of modifications.			
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized			
Record Status	Displays the status of the record. The options are: • Open • Closed			
Modification Number	Displays the number of modification performed on the record.			

Table 4-5 Model Management – Field Description

4.1.5 Model Import and Export Maintenance

Models can be moved from one environment to another environment using Model import and export.

Using this functionality models can be trained in one environment and be used in another. To process this screen, perform the following steps:

- 1. On Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, Click Model Import Export.

The Model Import Export screen displays.



Figure 4-18 Model Import Export

Model In	nport Export		 ×
Import Model	Export Model		
Export	NLP Model		
Usecase Name	Usecase Name	•	
Run Reference	Run Reference	•	
Export Model			

Export Model

Use Export Model option on the screen for exporting a model. Model will be exported to a file. Perform following steps for process:

3. Select the Export Model section in the Model Import Export screen.

The Export Model screen displays.

Figure 4-19 Export Model

Model In	nport Export	::×
Import Model	Export Model	
Export	NLP Model	
Usecase Name	Invoice Data	
Run Reference	myaFXEn84 •	
Model Impo	rt Code 7115ed186a159910861222ad8139e77107tc640745	
Export Model		

4. Specify the required details in the Export Model screen.

Table 4-6 Export Model - Field Description

Field	Description
Usecase	Select the required usecase from the dropdown list.
Run Reference	Select the run reference from the dropdown list.

5. Click on the **Export Model** button and **Model file** will be downloaded.

Note:

Please note down the Model Import Code, as it is required while importing model.

Import Model

Use Import Model option on the screen for importing a model. Model will be imported using model file created while exporting model. Perform following steps for process:

6. On the Model Import Export screen select the Import Model section.

The Import Model screen displays.



Figure 4-20 Import Model

Model Import Export				;:×
Import Model Export Model				
Import NLP Model				
Drag and Drop Select a tille or drop one here.	Usecase Name Run Reference			
Selected File	Precision 🗘	Recall 🗘	F1 Score	0
Model Import Code	No data to display. Tag Name 0	Precision 0	Recall 0	F1 Score 0
Import Model	No data to display.			

- 7. Click on Drag and Drop option and select the export model to be uploaded.
- 8. Specify the Model Import code to be imported.
- 9. Click Import Model to upload the model successfully.

4.2 Operation

This topic describes the information about the trained models that are consumed for business processing.

This topic contains the following subtopics:

- Upload Document
 This topic describes the systematic instructions to upload a document.
- Transaction Log
 This topic describes the systematic instructions to view all the uploaded transactions that are interpreted by the NLP models.

4.2.1 Upload Document

This topic describes the systematic instructions to upload a document.

The user can upload the source document which is consumed by the NLP model and defined tags/entities are recognized. The information collected by this model is used in further business processing.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Document Upload.

The Document Upload screen displays.



Exament Type	Liplo
•	Liplo

Figure 4-21 Document Upload

- 3. Click Select File to select the source document.
- 4. Select the **Document Type** from the drop-down list.
- 5. Click Upload to initiate business process.

The uploaded document displays on Original Document.

4.2.2 Transaction Log

This topic describes the systematic instructions to view all the uploaded transactions that are interpreted by the NLP models.

The user can filter the displayed transactions based on the Document Type and Status.

Specify User ID and Password, and login to Home screen.

- 1. On Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Transaction Log.

The Transaction Log screen displays.

Document Type	•	Status From Dat	e E	To Date	0 1		
Document Id	Tag Value(s) ○	Document Type 0	Model Reference 0	Processing Date 0	Status 0	Failure Reason 0	Training Required 0
2902	•+	BANK STATEMENT-Bank Account Statement		20/04/2023			
2885	•+	BANK STATEMENT-Bank Account Statement		28/03/2023			
2884	•+	invoicedata-Invoice Data		27/03/2023			
1883	•+			27/03/2023	ERROR	Unable to complete File Processing	Y
2882	**			27/03/2023	ERROR	Unable to complete File Processing	Y
2862	++	PAYSLIP_REGION-PAYSLIP_REGION	PjLzTdlKwc	13/03/2023	PROCESSED		N

Figure 4-22 Transaction Log

3. Specify the fields on **Transaction Log** screen.

For more information on fields, refer to the field description table.



Field Description			
Document Type	Select the document type from drop-down list.		
Status	Select the type of status from drop-down list.		
Document ID	Displays the Document Management System Unique Identifier.		
Document Type	Displays the document type - Use Case Definition.		
Model Ref	Displays the Unique Model Version Identifier.		
Processing Date	Displays the document processed date.		
Status Displays the status of the transaction.			
Failure Reason Displays the reason for failed status.			
Train. Reqd Displays train required status.			
Tag Values Displays the tag values for the processed transactions and allow the correction for transactions with errors.			

Table 4-7 Transaction Log – Field Description

4. To check the execution flow, click on **Document ID** to view details and flow.

The **Process Log** screen displays.

Figure 4-23 Process Log

cess Log					
	Ø	- •	@		0
	File Processing Reque	est Classification	Data Extraction	Attachment Processing	Business Processing
	Status 🗘	Start Time	• •	End Time	\$
action	SUCCESS	Mar 13, 2	023 10:36:08 AM	Mar 13, 20	023 10:36:10 AM
ssing	SUCCESS	Mar 13, 2	023 10:35:56 AM	Mar 13, 20	023 10:36:08 AM

5. To check the processed status, select Processed in Status drop-down list.

The document ID page displays that contains model tag values used to process the transactions.

Figure 4-24 Processed Status

The displayed information reflects both the original retrieved values by the model from the document and also the values which are corrected manually.

6. To check the error status, select Error in Status drop-down list.

All the failed transactions displays.



Document Type	•	Status From Date		fo Date	0 🗎		
Document Id	Tag Value(s) 0	Document Type 🗘	Model Reference 0	Processing Date 0	Status ©	Failure Reason 0	Training Required 0
2883	•+			27/03/2023	ERROR	Unable to complete File Processing	Y
2882	•-+			27/03/2023	ERROR	Unable to complete File Processing	Υ
2785	•+	PAYSLIP_REGION-PAYSLIP_REGION		10/11/2022	ERROR	Unable to complete File Processing	Y
2663	•+	invoicedata-Invoice Data		24/08/2022	ERROR	Unable to complete File Processing	Y
2643		BANK STATEMENT-Bank Account Statement		18/08/2022	ERROR	Unable to complete File Processing	Y
2351				27/04/2022	ERROR	Unable to complete File Processing	Y

Figure 4-25 Error Status

7. For the failed transactions, click on the **Tag Value(s)** to invoke the toolkit annotator in the error correction mode to create a new annotated training file for future model training.

The Annotator screen displays.

Figure 4-26 Annotator

Annotator						;; ×
Action Type O Create New Annotated File	Source File Definition Source File:	Source file name	Select File	Document Type Select	•	Get Labels
O Edit Annotated File	Annotated File:	Annotated File Name Select File Annotated File Name				Update Training File
Original File		Text Form			Annotations	
					Tag Name	Tag Value
Document will appear here		Document con De digi	verted to text will ayed here		No data to display.	

4.3 3P Service Integration

This topic provides description about the integration of third party services.

Any model execution or training service(s) built using any 3P NLP library can be integrated in the NLP framework. The only requirement is, the REST services must confirm to the payload definition. Building model training and execution services using other 3P NLP libraries would involve consulting effort.

This topic contains the following subtopics:

- Classification Training Service This topic describes about the payload details for document classification model training service.
- NER Training Service This topic describes the payload details for NER model training service.
- Classification Processing Service This topic describes about the payload details for the document classification model processing service.



- NER Processing Service
 This topic describes the payload details for NER model processing service
- Service Mapping This topic provides information about service mapping.
- Business Service Mapping This topic describes the information about the Business Service Mapping.

4.3.1 Classification Training Service

This topic describes about the payload details for document classification model training service.

Input Payload

Table 4-8	Input Payload
-----------	---------------

Name	in	Туре	Require d	Remarks
trainCorpusPath	formData	string	true	Training Corpus path
modelType	formData	File	true	Type of model being trained
runRef	formData	string	true	Unique running reference number

- name: " trainCorpusPath" in: "formData"
 - type: string

required: true

 name: " modelType" in: "formData"

type: string

value for document classification training: "docClassification"

required: true

 name: " runRef " in: "formData"

type: string

required: true

Output Payload

```
{
  "data": {
    "timeTaken": 0,
    "corpusSize": 0,
    "precision": 0,
    "recall": 0,
    "f1score": 0,
    "model_fold_performances": null,
    "tag_performances": null
```



} }

Output Payload Data Model Definition

```
ModelTrainParamsDTO:
type: object
properties:
data:
type: object
properties:
timeTaken:
type: number
corpusSize:
type: number
precision:
type: number
recall:
type: number
flscore:
type: number
model fold performances:
type: array
items:
$ref: "#/definitions/ModelFoldPerfromancesDTO"
tag perfomances:
type: array
items:
$ref: "#/definitions/MltbTagPerfomancesDTO"
```

4.3.2 NER Training Service

This topic describes the payload details for NER model training service.

Input Payload

Table	4-9	Input	Payload

name	in	Туре	Requir ed	Remarks
trainCorpusPath	formData	string	true	Training Corpus path.
modelType	formData	File	true	Type of model being trained.
runRef	formData	string	true	Unique running reference number.

 name: " trainCorpusPath" in: "formData"

type: string

required: true

 name: "modelType" in: "formData"



type: string value for NER model training: "nlpNer" required: true

 name: " runRef " in: "formData"

type: string

required: true

Output Payload

```
{
  "data": {
   "timeTaken": 0,
   "corpusSize": 0,
   "precision": 0,
   "recall": 0,
   "flscore": 0,
   "model_fold_performances": [
   {
    "fold no": 0,
    "eval metric": "string",
    "value": 0
   }
 ],
  "tag_perfomances": [
   {
    "name": "string",
    "precision": 0,
    "recall": 0,
    "flscore": 0
   }
 ]
 }
}
```

Output payload data model definition ModelTrainParamsDTO:

type: object

properties:

data:

type: object

properties:

timeTaken:

type: number

corpusSize:

type: number



precision: type: number recall: type: number f1score: type: number model_fold_performances: type: array items: \$ref: "#/definitions/ModelFoldPerfromancesDTO" tag_perfomances: type: array items: \$ref: "#/definitions/MltbTagPerfomancesDTO" ModelTrainParamsDTO: type: object properties: fold_no: type: number eval_metric: type: string value: type: number ModelTrainParamsDTO: type: object properties: name: type: string precision: type: number recall: type: number

f1score:



type: number

4.3.3 Classification Processing Service

This topic describes about the payload details for the document classification model processing service.

Input Payload

Table 4-10 Input Payload

Name	in	Туре	Require d	Remarks
modelPath	formData	string	true	The path to the classification model.
file	formData	File	true	The text file which must be classified.

 name: " modelPath" in: "formData"

type: string

required: true

 name: " file " in: "formData"

type: file

required: true

Output Payload

```
{
   "data": {
    "docType": "string"
   }
}
```

Output Payload Data Model Definition

```
MltbNlpDTO:
type: object
properties:
data:
properties:
docType:
type: string
```

4.3.4 NER Processing Service

This topic describes the payload details for NER model processing service

Input Payload



Table 4-11 Input Payload

name	in	Туре	Requir ed	Remarks
modelPath	formData	string	true	The path to the NER model.
file	formData	File	true	The text file which must be classified.

 name: "modelPath" in: "formData"

type: string

required: true

 name: " file " in: "formData"

type: file

required: true

Output Payload

```
{
    "data": {
        "keyvals": [
        {
            "tagName": "string",
            "value": "string",
            "start_index": 0,
            "end_index": 0
        }
    ]
    }
}
```

Output payload data model definition ModelTrainParamsDTO:

type: object

properties:

data:

properties:

keyvals:

type: array

items:

\$ref: '#/definitions/MltbNerKeyValExtractedObjDTO'

MltbNerKeyValExtractedObjDTO:

type: object



properties: tagName: type: string value: type: string start_index: type: number end_index: type: number

4.3.5 Service Mapping

This topic provides information about service mapping.

After creation of the model services, entries must be made into the table CMC_TM_ML_SERVICE_DEFN to enable the NLP framework to use these services.

Existing use case

Update the highlighted column in the table CMC_TM_ML_SERVICE_DEFN with the new service API.

Column Name	Remarks	Model Training	Model Processing
ID	Unique ID	-	-
USECASE_NAME	Use Case Name	<existing case="" use=""></existing>	<existing use<br="">case></existing>
DESCRIPTION	Use Case Description	-	-
SERVICE_TYPE	Service Type	Training	Processing
SERVICE_DEFN	Mapped Service API	<new api="" service=""></new>	<new service<br="">API></new>
METHOD_TYPE	Method Type	POST	POST
APP_ID	Sub Domain ID	-	-
RECORD_STAT	Record Status	0	0
AUTH_STAT	Authorized Status	A	A
MOD_NO	Modification Number	1	1
ONCE_AUTH	Once Authorized	Υ	Y
MAKER_ID	Maker Name	SYSTEM	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM	SYSTEM
CHECKER_DT_STAM	Authorizer Date stamp	<application date=""></application>	<application date=""></application>

Table 4-12 Existing Use Case

New Use case



Insert a new record into the table CMC_TM_ML_SERVICE_DEFN.

Column Name	Description	Remarks for Data
ID	Unique ID	Ensure a Unique ID.
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS
DESCRIPTION	Use Case Description	-
SERVICE_TYPE	Service Type	 'Training' - Use this value for model Training Service. 'Processing' - Use this value for model execution Service. 'Business' - Use this value for business Service.
SERVICE_DEFN	Mapped Service API	<the 3p="" created="" newly="" nlp="" service<br="">API></the>
METHOD_TYPE	Method Type	POST
APP_ID	Sub Domain ID	NULL
RECORD_STAT	Record Status	0
AUTH_STAT	Authorized Status	A
MOD_NO	Modification Number	1
ONCE_AUTH	Once Authorized	Υ
MAKER_ID	Maker Name	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>

Table 4-13New Use Case

4.3.6 Business Service Mapping

This topic describes the information about the Business Service Mapping.

If straight through processing is enabled in use case definition, the entries must be made into the table CMC_TM_ML_BUS_SERVICE_DEFN to enable the NLP framework to call the Business Service.

Insert a new record into the table CMC_TM_ML_BUS_SERVICE_DEFN for each usecase with straight through processing enabled.

Column Name	Description	Remarks for Data
ID	Unique ID	Ensure a Unique ID.
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS
DESCRIPTION	Use Case Description	-
SERVICE_TYPE	Service Type	'Business' - Use this value for business Service.

Table 4-14Each Use Case



Column Name	Description	Remarks for Data
ADAPTER_CLASS	Fully qualified name of the adapter class	Use oracle.fsgbu.cmc.nlp.pipeline.service s.adaptor.GenericAdaptor for all the business service calls Use oracle.fsgbu.cmc.nlp.pipeline.service s.adaptor.OBRHAdaptor if you want to call business service via Oracle Banking Routing Hub
SERVICE_DEFN	Mapped Service API	API, which is called for Business service execution
HEADERS	Comma separated headers key value separated by colon (:)	Example, docld:123 , branchCode : 000
METHOD_TYPE	Method Type	POST
APP_ID	Sub Domain ID	NULL
RECORD_STAT	Record Status	0
AUTH_STAT	Authorized Status	A
MOD_NO	Modification Number	1
ONCE_AUTH	Once Authorized	Y
MAKER_ID	Maker Name	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>

Table 4-14(Cont.) Each Use Case

If the user is integrating the Business Service through Oracle Banking Routing Hub, then, in service definition column, the user need to provide URL of Oracle Banking Routing Hub dispatch API and the additional headers in headers column.

Since there are some common headers, which are required for calling Oracle Banking Routing Hub as well (like appld, branchCode, userId) and to avoid the conflict for these headers, the ML_ prefix is appended in header keys by Oracle Banking Routing Hub adapter. Configure transformation logic of these headers in Oracle Banking Routing Hub.

5 Machine Learning Framework

This topic describes about the Machine Learning Framework provided in common core.

- Use Case On-Boarding This topic describes the information about the Use Case On-Boarding.
- Frameworks Supported This topic describes about the Frameworks Supported for Machine Learning.
- Partitioned Model This topic describes the information about the partitioned model in Machine Learning.
- On-Boarding Use Case This topic describes the information about the On-Boarding Use Case provided in the common core.
- Online Single Record Prediction
 This topic describes the information about the online single record prediction supported in
 common core.
- Use Case Modifications This topic describes the information about the use case modifications.
- Data Extensibility This topic describes the information about Data Extensibility.
- Model Explainability This topic describes the information about the Model Explainability.
- Time Series Forecast This topic describes the information about the time series forecast.
- Model Monitoring and Auto Training This topic describes about the Model Monitoring and Auto Training.

5.1 Use Case On-Boarding

This topic describes the information about the Use Case On-Boarding.

On-boarding a new business case onto the Machine Learning framework involves two broad stages as given below.

Model Definition

One-time setup of use case definition captures the data source, target columns, and type of use case.


Model Training

Model training is use case specific and has the intelligence to evaluate multiple algorithms and discover the best fit algorithm to the data pattern.

The onset of these two stages assumes that you have already decided on the business use case that you would want to on-board.



Figure 5-1 Model Training



5.2 Frameworks Supported

This topic describes about the Frameworks Supported for Machine Learning.

This topic contains the following subtopics:

- Timeseries
 This topic describes the information about the timeseries.
- Timeseries Algorithms Supported This topic describes the information about the timeseries algorithms supported in the framework.
- Regression This topic describes the information about the regression in Machine Learning.
- Regression Algorithms Supported This topic describes the information about the regression algorithms supported in the framework.
- Classification
 This topic describes the information about the Classification.
- Classification Algorithms Supported This topic describes the information about the Classification Algorithms Supported.

5.2.1 Timeseries

This topic describes the information about the timeseries.

Timeseries are the use cases involving the date sequence data to forecast for future dates.

CASE ID	ССҮ	BALANCE
17-Aug	USD	6723.00
18-Aug	USD	250.00
19-Aug	USD	2654.00
20-Aug	USD	20.00

Table 5-1 Case ID Details



Table 5-1 (Cont.) Case ID Details

CASE ID	ССҮ	BALANCE
21-Aug	USD	?

Note:

The CASE ID can either be a DATE or a Sequence.

5.2.2 Timeseries Algorithms Supported

This topic describes the information about the timeseries algorithms supported in the framework.

By default, the framework uses Exponential Smoothing to forecast from timeseries data. It evaluates 14 different algorithmic combinations to best fit the below patterns:

- Error type (additive or multiplicative)
- Trend (additive, multiplicative, or none), including damped trends
- Seasonality (additive, multiplicative, or none)

Note:

The user is not required to select any algorithmic combinations. The framework evaluates and selects the best fit combination.

5.2.3 Regression

This topic describes the information about the regression in Machine Learning.

Regression is a statistical technique to discover relationships using independent variables to estimate / predict a target variable of NUMBER or INTEGER type.

For example: The user needs to predict the value of LUXURY SPEND for a new CASE ID, given the data of branch, marital status, income, and savings

CASE ID	BRANC H	MARITAL STATUS	INCOM E	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900
12348	CSR	Ν	16567	20	2500

Table 5-2 Example - Case Details



Note: The CASE ID must uniquely identify a row.

5.2.4 Regression Algorithms Supported

This topic describes the information about the regression algorithms supported in the framework.

The following algorithm are available as part of the framework.

S.No	ALGORITHM	REMARKS
1	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data.
2	SUPPORT VECTOR MACHINE	Supports both linear and gaussian kernels.
3	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

Table 5-3 List of Algorithm

Note:

The users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.

5.2.5 Classification

This topic describes the information about the Classification.

Classification is a statistical technique to discover relationships using independent variables to classify a target variable into a number of GROUPS or CLASSES. Mostly used for decision making.

For example: The user needs to predict if a new CASE ID will churn(1) or not (0), given the data of branch, marital status, income and savings.

CASE ID	BRAN CH	MARITAL STATUS	INCOM E	SAVING	CHURN
12345	BRT	Y	15000	6723	0
12346	BRT	Ν	17500	250	1
12347	CSR	D	25000	2654	1
12348	CSR	Ν	16567	20	0

Table 5-4 Sample Classification



Note: CASE ID must be unique to identify a row.

5.2.6 Classification Algorithms Supported

This topic describes the information about the Classification Algorithms Supported.

The following algorithms are available as part of the framework.

Serial Number	ALGORITHM	REMARKS
1	DECISION TREE	-
2	NAÏVE BAYES	-
3	RANDOM FOREST	-
4	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data
5	SUPPORT VECTOR MACHINES	Supports both linear and gaussian kernels
6	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

Table 5-5 List of Algorithms

Note:

Users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.

5.3 Partitioned Model

This topic describes the information about the partitioned model in Machine Learning.

Oracle in-Database machine learning allows the user to design partitioned models.

Partitioned model organizes and represents multiple models as partitions in a single model entity, enabling the user to easily build and manage models tailored to independent slices of data.

CUSTO MER ID	BRANCH	MARITA L STATU S	INCOME	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900

Table 5-6 Example - Customer details



CUSTO MER ID	BRANCH	MARITA L STATU S	INCOME	SAVING	LUXURY SPEND
12348	GRF	Ν	16567	20	2500

In this above example of data, the user could build a single partitioned model on independent slices of data based on branch code.

The user has the advantage of having a single partitioned model instead of having multiple models for each individual branch.

5.4 On-Boarding Use Case

This topic describes the information about the On-Boarding Use Case provided in the common core.

This topic contains the following subtopics:

Model Definition

This topic describes the information about to define the use case and configure the data source to be used for model training.

Model Training and Scoring

This topic describes the systematic instructions to train the model for the selected use case and use the trained model to predict and score multiple records at a time.

5.4.1 Model Definition

This topic describes the information about to define the use case and configure the data source to be used for model training.

Use cases are defined by the business domain of the product processor to which it is mapped. They are unique and machine learning models are named after the use case.

This topic contains the following subtopics:

Model Definition Maintenance

This topic provides the systematic instructions to maintain the use case details, define the use case type, and data source details.

View Model Definition

This topic describes the systematic instructions to view the list of defined use cases.

5.4.1.1 Model Definition Maintenance

This topic provides the systematic instructions to maintain the use case details, define the use case type, and data source details.

Specify User ID and Password, and login to Home screen.



- **1.** On Home screen, click Machine Learning. Under Machine Learning, click Model Definition.
 - 000

2. On View Model Definition screen, click

button on the Use case tile to Unlock or


click _____ button to create the new model definition.

The Model Definition screen displays.

Figure 5-2 Model Definition

Model Definition		4 <u>5</u> -
se Case Setup Model Metrics Model Monitoring		
se Case Name Required	Description	Une Gee Type Sellect Usecase Type Resured
raining and Scoring		
roduct Processor	Training Data Source	Unique Case Identifier
Select Product Processor Required	Required	Select Unique Case ID Required
arget Column	Positive Target Value	Tablespace
Select Target Column - Required	Select Positive Target Value 👻	
nference Data Source Required		
Aodel Partitioning		
Partition Column Names	Selected Algorithm	Model Error Statistic
Select Partition Column	Select Algorithm 👻	Select Model Error Statistic 🔹
		Cost Matrix Cost Matrix
		Cancel Save

3. Specify the fields on Model Definition screen.



For more information on fields, refer to the field description table.

Table 5-7 Model Definition – Field	Description
------------------------------------	-------------

Field	Description
Use Case Name	Specify the name of the Use Case.
Description	Specify the description of the Use Case.
Use Case Type	Select the type of Use Case. Refer Frameworks Supported for details.
Product Processor	Select the product to which the use case belongs.
Training Data Source	Specify the Table or View name used as data source to train the model.



Field	Description		
Unique Identifier	Select the column name to uniquely identify a record.		
	Note: Column name is a function of table/view design.		
Target Column	Select the value of the column which is predicted by training the model.		
	Note: Column name is a function of table/view design.		
Positive Target Value	If Use Case Type selected is CLASSIFICATION, then this field is enabled else disabled for REGRESSION. It will display distinct values from the target column		
Tablespace	Specify the valid tablespace and all model related data will be persisted in this table space.		
Inference Data Source	Specify the Table or View that capture the data to be used for making predictions. Inference data source will be the current data where we are trying to predict the target using the built model, unlike the training data where target is already provided.		
Partition Column Names	Specify the column names to slice data. Refer Partitioned Model for details.		
Selected Algorithm	Select the algorithm from the list and build the model. For REGRESSION, this field should be null and allow the framework to select the best fit algorithm to build the model.		
Model Error Statistics	Select the model error statistics. By Default, the value is selected as RMSE for REGRESSION. The user can also select MAE.		
	Note: It will be disabled for CLASSIFICATION		

Table 5-7 (Cont.) Model Definition – Field Description

4. Click **Save** to save the details.

The user can view the configured details in the Model Definition screen.

Cost Matrix:

This button is enabled ONLY for CLASSIFICATION type of use cases.

Any classification model can make two kinds of error



Table 5-8 Classification Type - Error

Actual Value	Predicted Value	Error Type
1	0	False Negative
0	1	False Positive

This screen is used to bias the model into minimizing one of the error types, by adding a penalty cost.

All penalty cost has to be positive.

Table 5-9 Classification Type - Penalty

Actual Value	Predicted Value	Penalty Cost
1	0	6
0	1	2

The default is zero cost for all combinations.

Biasing the model is a trade-off with accuracy of prediction. Business determines if a classification model is required to be biased or not.

5. Click **Cost Matrix** button to launch the screen.

The **Cost Matrix** screen displays.

Actual Value 💲	Predicted Value 🗘	Cost 🗘	
0	0	0	
0	1	0	
1	0	0	
1	1	0	

Figure 5-3 Cost Matrix

- 6. On **Cost Value** screen, specify the relevant penalty cost.
- 7. Click **Save** to save and close the **Cost Matrix screen** and back to the **Model Definition** screen.

Correlation:

Multicollinearity occurs when two or more independent variables are highly correlated with one another in a model.



			Corre	lated	
Unique Case ID					Dependent Variable
CUST ID	BRANCH	MARITAL STATUS	INCOME	SAVING	CHURN
12345	BRT	Single	1500	6723	1
12346	BRT	Married	17500	250	0
12347	CSR	Married	25000	2654	0
12348	GRF	Divorced	16567	20	1
)	

Figure 5-4 Correlation



Multicollinearity may not affect the accuracy of the model as much, but we might lose reliability in model interpretation.

Irrespective of CLASSIFICATION or REGRESSION, all use cases must be evaluated for Correlation.

This button will display Orange mark if evaluation is pending.

8. Click **Correlation** button to launch the screen.

The **Correlation Analysis** screen displays.

hreshold Value	0		Type Of Correlation ● Pearson ○ Spea		
airwise Correlation	An	alysed Features		Ignore Features	
ko data to display.			>		

Figure 5-5 Correlation Analysis

9. Select the required fields on **Correlation Analysis** screen.

For more information on fields, refer to the field description table.



Field	Description
Threshold Value	Select the threshold value. The Value can be set between 0.1 to 0.9.
	Note: By default, the value is set as 0.5.
Type of Correlation	Select the type of correlation. By default, the option is selected as Pearson. The formula used for calculation is different for each type
Pairwise Correlation	Displays the output of the Correlation Validation.
Analyzed Features	Displays the distinct analysed Features from Pairwise Correlation.
Ignore Features	User defined list created from Analysed Features.

Table 5-10 Correlation Analysis – Field Description

10. Click to initiate the evaluation process.

The Correlation Analysis - Pairwise Correlation screen displays.

Thresho	old Value	1 0.4	0		Type Of Correla	n tion pearman 🔿 Kendall
Pairwise	Correlation			Analysed Features		Ignore Features
# 0	Feature 1 0	Feature 2 0	Correlation 0	AGE		No items to display.
1	AGE	YRS_RESIDENCE	0.73923	HOME_THEATER_PACKAGE		
2	AGE	HOME_THEATER_PACKAGE	0.85873	Y_BOX_GAMES		
3	AGE	Y_BOX_GAMES	-0.80318	YRS_RESIDENCE		>
4	YRS_RESIDENCE	HOME_THEATER_PACKAGE	0.68454	FLAT_PANEL_MONITOR		<
5	YRS_RESIDENCE	Y_BOX_GAMES	-0.64459	BULK PACK DISKETTES		
6	BULK_PACK_DISKETTES	FLAT_PANEL_MONITOR	0.88307	-		
7	HOME_THEATER_PACKAGE	Y_BOX_GAMES	-0.77005			

11. Move ONE of the Analyzed Features to Ignore Features List.




and re-evaluate Correlation as mentioned in Step 8.

- **13.** Rinse and repeat the Step 9 and 10 for each feature addition to the **Ignore feature** list, until **Pairwise Correlation** displays zero correlated pair.
- **14.** Attempting to exit the screen midway without achieving zero Pairwise Correlation, will display the following error message.

The Error Message screen displays.







- **15.** After successful **Correlation Evaluation**, the orange highlight on the **Correlation** button is removed.
- 16. After Correlation Evaluation and Cost Matrix definition (for CLASSIFICATION)
- 17. Click Save to create the new Model Definition.

The user can view the configured details in the View Model Definition screen.

Model Metrices

Once the user has successfully trained Machine Learning model, the user can score/ predict the model outcomes as required by the use case. The user can view the **Model Metrices** screen only after training the model successfully. Refer to **Model Training and Scoring** section for training the model.

18. Click Model Metrices to view the Model Metrices details.

The Model Metrices screen displays.

Model Definition	;• ×
se Case Setup Model Metrics Model Monitoring	
lodel Partitions	
FULL MODEL	
Metrices 0	Value 🗘
Model Name	CLASS_DEMO_MRID
Algorithm	ALGO_SUPPORT_VECTOR_MACHINES
CUST_MARITAL_STATUS_Divorc.	-,433
CUST_MARITAL_STATUS_Widowed	1.567
EDUCATION_9th	688
EDUCATION_Profsc	484
Audit	Cancel Save

Figure 5-8 Model Metrices

For more information on fields, refer to the field description table.

 Table 5-11
 Model Metrices – Field Description

Field	Description
Model Partitions	Select the model partitions from the drop-down list. If the model has been designed to have partitions, it will display the partitioned values based on underlying data of the defined partition column else display FULL MODEL.

Field	Description	
Metrices	Displays the various model attributes, as per the best model identified and trained. The number of model attributes is a function of algorithm and underlying pattern of data. Some attributes are common for all models as below.	
	Model Name	
	Algorithm	
	INF_TIME (Inference Time)	
	<model metric="">(Train)</model>	
	<model metric="">(Test)</model>	
Value	Displays the value of the attribute.	

Table 5-11 (Cont.) Model Metrices – Field Description

5.4.1.2 View Model Definition

This topic describes the systematic instructions to view the list of defined use cases.

Specify User ID and Password, and login to Home screen.

• On Home screen, click Machine Learning. Under Machine Learning, click Model Definition.

The Model Definition screen displays.

+	Q				
	Usecase Name:	Usecase Name:	Usecase Name:	Usecase Name!	Usecase Name:
	CONSUL_DEMO :	ORIG_REQ_COMP_TIME :	PARTY_CLUS_POC :	NEWCASE :	CLASS_DATE_DFT :
	Mod No 12	Mod No 5	Mod No 1	Mod No 2	Mod No 4
	Correlation Y	Correlation N	Correlation Y	Correlation N	Correlation N
	C Authorized C Open 212	D Unauthorized & Open 25	D Authorized & Open 1	D Unauthorized 🔓 Open 🖾 2	🗅 Authorized 🔓 Open 🖾 4
	Usecase Name:	Usecase Name:	Usecase Name:	Usecase Name:	Usecase Name:
	CLASS_DEMO_ABHI	CaseIDTest	SEG_DEMO_MRID	NetTest1	LOAN_DEFAULT_MODEL :
	Mod No 15	Mod No 5	Mod No 2	Mod No 2	Mod No 1
	Correlation N	Correlation N	Correlation Y	Correlation N	Correlation Y
	🗅 Unauthorized 🔓 Open 🖾 15	🗅 Unauthorized 🔓 Open 🔯 5	Authorized	C Authorized	🔁 Authorized 🔒 Open 🔯 1

Figure 5-9 Model Definition

For more information on fields, refer to the field description table.

Table 5-12 Model Definition – Field Description

Field Description	
Usecase Name Displays the name of the use case.	
Mod No Displays the modification number.	
Correlation	Displays the default orange colour for New records. On correlation validation in Model definition screen, it will change to green colour.



Field	Description
Authorization Status	Displays the authorization status of the record. The options are: • Authorized • Rejected • Unauthorized
Record Status	Displays the status of the record. The options are: • Open • Closed
Modification Number	Displays the number of modification performed on the record.

Table 5-12 (Cont.) Model Definition – Field Description

5.4.2 Model Training and Scoring

This topic describes the systematic instructions to train the model for the selected use case and use the trained model to predict and score multiple records at a time.

The predicted values persist in the database and are available in the prediction column maintained for the user case.

Specify User ID and Password, and login to Home screen.

1. On Home screen, click Machine Learning. Under Machine Learning, click Model Training and Scoring.

The Model Training and Scoring screen displays.

Figure 5-10 Model Training and Scoring

Model Training And Scoring			::×
Model Training and Scoring			
Use Case Name Select Usecase Name Required	Description	Цие Саме Туре	
Model Training			
Instring Data Source Pertition Column(s)	Unique Case Identifier	Target Column	
			Train Mode
Iodel Batch Scoring			
iodel Name	Inference Data Source		
			Batch Scoring

For more information on fields, refer to the field description table.

Table 5-13 Model Training and Scoring – Field Description

Field	Description
Use Case Name	Select the Use Case name from the drop-down list.



Field	Description
Description	Displays the description of the use case.
Use Case Type	Displays the type of use case.
Training Data Source	Displays the training data source.
Unique Case Identifier	Displays the unique case identifier.
Target Column	Displays the target column of the model.
Partition Column(s)	Displays the partition column of the model.
Model Name	Displays the name of the model.
Inference Data Source	Displays the Inference data source.

Table 5-13 (Cont.) Model Training and Scoring – Field Description

- 2. Select the use case name from the drop-down list.
- 3. Click **Train Model** to train the model for the selected use case.
- 4. Click Batch Scoring to predict the score for the data source records.

The predictions of batch scoring are now available for business consumption.

5.5 Online Single Record Prediction

This topic describes the information about the online single record prediction supported in common core.

This is made available as a REST API and allow you to predict for a single record. The predictions do not persist in the database.

These can be invoked directly from application user interface, to retrieve and display the results.

The explainability of the model outcome is also made available.

5.6 Use Case Modifications

This topic describes the information about the use case modifications.

Use case definition may undergo the following modification and would require model retraining. After each re-training run, you should review the model details discussed under Model Explainability

Use Case Modification	Model Re- training Required	Correlation Analysis Required
Data Source replaced by another data source	Yes	Yes
New column Added to existing data source	Yes	Yes
New columns Added to custom data source	Yes	Yes
Existing column removed from existing data source	Yes	Yes
Selected Algorithm Changed	Yes	No
Model Error statistic Changed	Yes	No

Table 5-14 Use Case Modifications



Table 5-14	(Cont.)	Use	Case	Modifications
------------	---------	-----	------	---------------


	Model Re- training Required	Correlation Analysis Required
Partition Column Name list altered (added / removed)	Yes	Yes

5.7 Data Extensibility

This topic describes the information about Data Extensibility.

To address the requirement of banks to add new data points to the factory shipped data source, we have provided the facility of data extensibility.

Figure 5-11 Data Extensibility



Banks can add any number of new data columns to the customer data source.

The defined data source view is mapped to a use case in the Model definition.

Machine Learning will automatically consider all the available data points in the data source View.

5.8 Model Explainability

This topic describes the information about the Model Explainability.

The details of the Regression models built using the framework is made available under the **Model Metrices** screen in **Use Case Definition** for better understanding and transparency.

The available details are below:

- Model Name
- Algorithm Name
- Inference Time
- Training Error Metric
- Testing Error Metric



 List of data attributes that make up the model depending on the framework and algorithm used.

5.9 Time Series Forecast

This topic describes the information about the time series forecast.

The timeseries forecast is unique as it consumes sequential data to forecast.

This uniqueness necessitates model training and forecast to be executed in a single processing routine. This is very unlike regression model approach where model training and model prediction are separate distinct actions.

This topic contains the following subtopics:

 Forecast REST Service This topic describes the information about the forecast REST service.

5.9.1 Forecast REST Service

This topic describes the information about the forecast REST service.

The timeseries framework is made available as an independent REST service to be consumed by products and use cases as required.

The following information is required to be provided.

Field	Description			
Use Case Name	Specify the Unique Use Case Name.			
Data Source	Specify the Table or View name used as data source to train the model.			
Target Column	Specify the model will train and forecast future values of this column.			
	Note: Column name is a function of table/view design.			
Unique Identifier	Specify the column name to uniquely identify a sequence.			
	Note: Column name is a function of table/view design. It must be Date or a sequence.			

Table 5-15 Forecast REST Service – Field Description



Field	Description
Model Partitioning	Specify the column names to slice data. Refer Partitioned Model for details.
	Note: Column name is a function of table/view design.
Partitioned Value	Specify the actual Value of the Model Partition
Forecast Window	Specify the number of forecasts required as an outcome.
Tablespace	Specify the valid table space and all model related data will be persisted in this table space.

Table 5-15 (Cont.) Forecast REST Service – Field Description

5.10 Model Monitoring and Auto Training

This topic describes about the Model Monitoring and Auto Training.

The underlying data on which a machine learning model is initially trained will eventually undergo changes in distribution over time. This shift in the data distribution away from the original distribution is referred to as data drift.

Not if, but when the underlying data drift is significant enough, the current model may lose its efficacy in predicting outcomes, on setting model decay.

Monitoring of deployed models is required to detect data drift and trigger model rebuild or re-training.

Regression and Classification use case types are eligible for setting up model monitoring.

Note:

Model monitoring expects the presence of an existing trained model as a pre-requisite

- 1. On Home screen, click Machine Learning. Under Machine Learning, click Model Definition.
- 2. Under Model Definition, Click Model Definition Summary.
- 3. Click on the Use case tile to Unlock.
- 4. Select Model Monitoring tab in the Model Definition screen.

The Model Monitoring screen displays.



Case Setup Model M						
Dote	•	n Frequency (Month)		Historic Window (Deys) 180	Date Column Select Date Column	•
Drift reference	Scheduled Date	Drift (j)	Re-Training Required	Re-Trained	Running Model 👔	Drift Details
4599731	Feb 5, 23	Y	Y	Υ	NEW	
4599821	Mar 5, 23	Y	Ν			
4600101	Apr 5, 23	Υ	Ν		OLD	R
4601021	Jul 5, 23					R

Figure 5-12 Model Monitoring

5. This screen allows you to setup Model monitoring for the use case.

For more information on fields, refer to the field description table.

Table 5-16 Model Monitoring – Field Description

Field	Description		
Run Case	Run date is the calendar date used with 'Run Frequency (Month)' to set up a recurring monitoring schedule. On the schedule date, model monitoring routine will analyze the underlying data to detect presence/absence of data drift and trigger model re-build. Permissible values: 1 – 31 and default is 15		
	Note: This field is mandatory.		
Run Frequency (Month)	Specify the run frequency in months.		
	Example: if we want to schedule a run on 17th of every 6 months, then we set up		
	Run Date: 17		
	Run Frequency (Month): 6 6 is the set default, the value. Minimum value is 1		
	Note: This field is mandatory.		




Field	Description
Historic Window (Days)	Historic window in days determine how far back should we consider, to define the window of data evaluation.
	Example: A value of 90 would mean a historic window from T-90 days to T Day, T being the system date. Default is set at 180.
	Note: This field is mandatory.
Date Column	This field captures the date column in the data source which should be considered for determining the historic window. Keep it empty If the data source does not have a date column. In the absence of a date column in the data source, system will consider the entire available data available in the data source.

Table 5-16 (Cont.) Model Monitoring – Field Description

6. The following fields are populated for reference once the model monitoring routine is executed on the scheduled date.

Table 5-17 Model Evaluation - Field Description

Field	Description
Drift Reference	Displays the Unique Drift Reference ID, populated by the model monitoring routine initial run
Scheduled Date	Displays the scheduled date after the initial run of the model monitoring routine.
Drift	Initially it will be empty and will get populated once the model monitoring routine runs and determines the presence or absence of drift. Display value is Y or N.
Re-Training Required	Model monitoring routine determines the re-training requirement and populates Y or N values.
Re-Trained	Model monitoring routine populates the status of re- training with Y or N values.
Running Model	The model monitoring routine evaluates both the existing and the new model, it re-trained, to determine which model best fits the contemporary changed data. Final values are OLD, if existing model is retained or NEW, for revised re-trained model.



7.

The Drift Details button will be enabled only if drift is detected; otherwise, it will continue to be disabled.



Drift Detected 🗘

Υ

γ

Y

Drift Type 🗘

COVARIATE

COVARIATE

CONCEPT

Cancel

The model monitoring routine identifies the drift in the data distribution using statistical hypothesis tests. Drift is of two types - Concept drift for target and data drift for the data attributes. Concept drift decides if the current model is to be re-trained or not. If concept drift is detected, this screen displays the analysis and statistical test values for both the concept drift and data drift of the attributes that contribute to the model.

0.38

0.25

-011

0

0

The Drift Details screen displays.

NUMBER

NUMBER

VARCHAR2

Drift Details								
Attribute Name 💲	Datatype	¢	Statistical Test	¢	Test Value	¢	P Value	0

KS-TEST

KS-TEST

F1

Figure 5-13 Drift Details

A5

Δ6

DFLT_FLAG

For more information on fields, refer to the field description table.

Table 5-18	Drift Details -	Field Description
------------	------------------------	--------------------------

Field	Description	
Attribute Name	Displays the attributes used in the model	
Data type	Displays the data type of the attribute.	
Statistical Test	 Displays the statistical tests results. The available options are: F1 - concept drift KS-TEST - Numerical feature attributes CHI-SQR - categorical feature attributes 	
Test Value	Displays the numerical statistical test result	
P Value	The P Value determines the statistical significance. Will be null for F1 statistical test.	
Drift Detected	Indicates whether drift has been detected with a Y or N.	
Drift Type	Displays either concept or covariate (data) drift type.	

8. Select the relevant Drift Reference record.



Click from Drift header to view the comparative Model Performance Screen to understand how the decision of drift is arrived at.

Existing model is used to predict on an earlier data sample and the current data sample. The results of both the prediction are captured and displayed.

Classification models are compared on F1, AUC and Prediction accuracy while Regression, models are evaluated on prediction error.



Classification		Regression
Earlier Data 💲	Current Data 🛛 🗘	Earlier Data 🗘 Current Data 🗘 Error Type 🗘
F1 Comparison		Error Comparison
0.62	0.88	
AUC Comparison		
0.67	0.95	
Prediction Accuracy Compa	arison	
0.67	0.89	

Figure 5-14 Existing Model Performance on Old Trained data and Current Data

9. Select relevant Drift Reference record.

Click from Running Model header to view the comparative performance of the re-trained model vs current model, in order to understand how the system decided on which model best fit the current data distribution.

Classification models are evaluated on F1, AUC and Prediction accuracy while Regression models, are evaluated on prediction error.

Figure 5-15 Existing and New Model Metrics Comparison

Classification		Regression
Existing Model 💲	New Model 🗘	Existing Model \diamond New Model \diamond Error Type \diamond
F1 Comparison		Error Comparison
0.61	0.5	
AUC Comparison		
0.67	0.47	
Prediction Accuracy Compa	rison	
0.67	0.5	



6 File Upload

This topics describes about the various File Upload features provided in common core.

- Country Code File Upload This topics describes the information to perform the bulk upload for the country code maintenance in common core.
- Bank Core Parameters File Upload
 This topics describes the information to perform the bulk upload for the bank core maintenance in common core.
- Branch Core Parameters File Upload

This topics describes the information to perform the bulk upload for the branch core maintenance in common core.

- Currency Definition File Upload This topics describes the information to perform Currency Definition maintenance in common core.
- BIC Directory File Upload This topics describes the information to perform the bulk upload for the BIC Directory maintenance in common core.
- Local Holiday File Upload This topics describes the information to perform Local Holiday maintenance in common core.
- Currency Holiday File Upload This topics describes the information to perform Currency Holiday maintenance in common core.
- External Customer File Upload This topics describes the information to perform External Customer maintenance in common core.
- External Customer Account File Upload This topics describes the information to perform External Customer Account maintenance in common core.
- Exchange Rate File Upload This topics describes the information to perform Exchange Rate maintenance in common core.
- Interest Rate File Upload

This topics describes the information to perform the bulk upload for the interest rate maintenance in common core.

6.1 Country Code File Upload

This topics describes the information to perform the bulk upload for the country code maintenance in common core.

File Type Supported - CSV



File Naming Convention - CmcCountryMaint_<UniqueName>.csv

 Note: Replace the <UniqueName> for each file upload.
 Note: The fields marked as Required are mandatory.

Table 6-1 Country Code File Upload – Records

Seque nce	Attribute Name	Туре	Size	Description
1	Action*	String	10	Denotes file operation type. Allowed values are new/modify
2	Country Code*	String	3	Country Code
3	Description*	String	105	Name of the country
4	Alt Country Code*	String	10	Alternate Country Code
5	Region Code*	String	3	Region Code
6	Blacklisted*	String	1	Indicates the country is blacklisted
7	IBAN Check Reqd*	String	1	Indicates check required for an IBAN is mandatory
8	Intra European*	String	1	Denotes the country is an intra European country
9	Clr Code Bic*	String	1	BIC Clearing Code Indicates the National ID in the BIC plus file is the clearing code
10	Clearing Network	String	6	Indicates the Clearing Network
11	ISO Num Country Code*	String	3	Denotes the ISO Country Code
12	Gen Mt205*	String	1	Indicates the cover message 205COV or 205
13	ISD Code*	String	10	Denotes the ISD Code
14	EU Country*	String	1	Indicates the country is recognized by Swift as a part of the Intra European countries

6.2 Bank Core Parameters File Upload

This topics describes the information to perform the bulk upload for the bank core maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcBankMaint_<UniqueName>.csv



Note: Replace the <UniqueName> for each file upload.

The fields marked as **Required** are mandatory.

Table 6-2 Bank Core Parameters File Upload – Records

Sequen ce	Attribute Name	Туре	Size	Description
1	Action*	String	10	Denotes file operation type. Allowed values are new/modify
2	Days To Forget Customer*	String	4	Denotes Number of Days to inactive/Forget Customer
3	HO Branch*	String	3	Head Office Branch
4	Bank Name*	String	35	Name of the bank
5	Bank Code*	String	4	Denotes code for the bank

6.3 Branch Core Parameters File Upload

This topics describes the information to perform the bulk upload for the branch core maintenance in common core.

File Type Supported - CSV

Note:

File Naming Convention - CmcBranchMaint_<UniqueName>.csv




Table 6-3	Branch Core Parameters File Upload – Master Records
-----------	---

Sequence	Attribute Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes master record type. Default value is always "P"
2	Action*	String	10	Denotes file operation type. Allowed values are new/modify



Sequence	Attribute Name	Туре	Size	Description
3	Source Branch Code*	String	20	Code of the Source Branch
4	Source System*	String	35	Source System
5	Week Hol2	String	1	Denotes the weekly holiday 2
6	Week Hol1	String	1	Denotes the weekly holiday 1
7	Auto Auth*	String	1	Auto Authorization
8	Walkin Customer	String	20	Denotes Walk-in customer
9	Branch Lcy*	String	3	Branch Local Currency
10	Branch Addr3*	String	105	Denotes the branch address details - Address Line 1
11	Branch Addr2*	String	105	Denotes the branch address details - Address Line 2
12	Branch Addr1*	String	105	Denotes the branch address details - Address Line 3
13	Branch Name*	String	105	Name of the branch
14	Country Code*	String	3	Country Code
15	Host Code*	String	8	Host Code
16	Branch Code*	String	3	Denotes the Code of Branch

Table 6-3 (Cont.) Branch Core Parameters File Upload – Master Records

Table 6-4 Branch Core Parameters File Upload – Child Record 1

Sequence	Attribute Name	Туре	Size	Description
1	Discriminator*	String	10	Denotes the first child record type. Default value is always "BranchPref"
2	Report DSN	String	35	Denotes the details of the report DSN
3	DSN Name	String	35	Name of the DSN
4	Host Name	String	35	Host Name
5	Branch Code*	String	3	Denotes the Branch Code

 Table 6-5
 Branch Core Parameters File Upload – Child Record 2

Sequence	Attribute Name	Туре	Size	Description
1	Discriminator*	String	12	Denotes the second child record type. Default value is always "SwiftAddress"
2	Default BIC*	String	1	Denotes the Default BIC
3	Swift Address*	String	12	Denotes the swift address details
4	Branch Code*	String	3	Branch Code



6.4 Currency Definition File Upload

This topics describes the information to perform Currency Definition maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyMaint_<UniqueName>.csv

Note: Replace the <UniqueName> for each file upload.

Note:

The fields marked as **Required** are mandatory.

Table 6-6 Currency Definition File Upload – Master Records

Field name	Туре	Size	Description
Discriminator*	String	1	Denotes master record type. Default value is always "P"
Action*	String	10	Denotes file operation type. Allowed values are new/modify
Currency Code*	String	3	Denotes Currency Code
Currency Name*	String	105	Name of the currency
Country*	String	3	Currency Country
Currency Decimals*	Number	1	Currency Decimals
Currency Round Rule*	String	1	Denotes Currency Round Rule
Currency Round Unit*	Number	7	Denotes Currency Round Unit
Currency Format Mask	String	1	Denotes Currency Format Mask
Currency Spot Days*	Number	3	Number of spot working days applicable for the currency
Currency Int Method*	Number	1	Currency Interest Method
Position GI	String	9	Position GL
Position Eqvgl	String	9	Position Equivalent GL
Currency Eur Type*	String	1	Currency Euro Type
Currency Tol Limit	Number	7	Currency Tolerance Limit
Settlement Msg Days*	Number	3	Settlement Message Days
	Discriminator* Action* Currency Code* Currency Name* Country* Currency Decimals* Currency Round Rule* Currency Round Unit* Currency Round Unit* Currency Format Mask Currency Spot Days* Currency Int Method* Position GI Position Eqvgl Currency Eur Type* Currency Tol Limit Settlement Msg	Discriminator*StringDiscriminator*StringAction*StringCurrency Code*StringCurrency Name*StringCountry*StringCountry*StringCountry*NumberDecimals*NumberCurrency Round Rule*StringCurrency Round Dait*StringCurrency Round NumberNumberCurrency Round Dait*NumberCurrency Format MaskStringCurrency Spot Days*NumberDays*NumberPosition GIStringPosition EqvgIStringCurrency Eur Type*StringCurrency Tol LimitNumber	Discriminator*String1Action*String10Action*String10Currency Code*String3Currency Name*String105Country*String3CurrencyNumber1Decimals*Number1Currency RoundString1Currency RoundString1Currency RoundString1Currency FormatString1Currency SpotNumber7Days*Number3Currency Int Method*Number1Position GlString9Currency Eur Type*String1Currency Tol LimitNumber7Settlement MsgNumber3



Sequence	Field name	Туре	Size	Description
18	Index Base Currency	String	3	Index Base Currency
19	Cut Off Hr*	Number	2	Hour of the day for the cut off
20	Cut Off Min*	Number	2	Minute of the hour for the cut of
21	Alt Currency Code*	String	10	Code of the alternate currency
22	Eur Conversion Reqd*	String	1	Euro Conversion Required
23	Cut Off Days*	Number	2	Cut Off Days for the payment transaction involving the currency
24	Cr Auto Ex Rate Lmt	Number	22	Credit Auto Exchange Rate Limit
25	Dr Auto Ex Rate Lmt	Number	22	Debit Auto Exchange Rate Limit
26	Currency Type	String	3	Denotes Currency Type
27	Gen 103p*	String	1	Generate outgoing MT 103 messages in the MT 103 + format
28	Cls Currency*	String	1	CLS Currency
29	Fx Netting Days*	Number	3	Foreign Exchange Netting Days
30	Iso Num Currency Code	String	3	International Standardization Organization numerical currency code
31	Gen Cust Cov*	String	1	New Cover Message Format Required
32	Validate 50f*	String	1	Validate Tag-50F
33	Maintenance Country*	String	3	Maintenance Country
34	Commodity Code*	String	1	Denotes Commodity Code

Table 6-6 (Cont.) Currency Definition File Upload – Master Records

 Table 6-7
 Currency Definition File Upload – Child Records

Sequence	Field name	Туре	Size	Description
1	Discriminator*	String	1	Denotes child record type. Default value is always "C"
2	Maintenance Country*	String	3	Maintenance Country
3	Country Code*	String	3	Denotes Country Code
4	Country Desc*	String	105	Name of the Country
5	Currency Code*	String	3	Denotes Currency Code

6.5 BIC Directory File Upload

This topics describes the information to perform the bulk upload for the BIC Directory maintenance in common core.

File Type Supported - CSV



File Naming Convention - CmcBICDirectory_<UniqueName>.csv

Note: Replace the <UniqueName> for each file upload.

Note:

The fields marked as **Required** are mandatory.

Table 6-8 BIC Directory File Upload – Master Records

Sequence	Field Name	Туре	Size	Description
1	Action*	String	10	Denotes file operation type. Allowed values are new/modify
2	BIC Code*	String	11	Indicates the unique BIC Code by which the bank is identified by SWIFT.
3	Bank Name*	String	35	Name of the bank
4	Customer No	String	20	Customer Number
5	Sk Arrangement*	String	1	Denotes the SWIFT key arrangement
6	Bank Address1*	String	35	Indicates the bank address details of the customer - Address Line 1
7	Bank Address2*	String	35	Indicates the bank address details of the customer - Address Line 2
8	Bank Address3*	String	90	Indicates the bank address details of the customer - Address Line 3
9	Relationship*	String	1	Relationship
10	Swift Key*	String	50	Denotes the swift key details
11	Telex Key*	String	50	Indicates the unique telex key for the BIC directory
12	Upload Flag*	String	1	Upload Flag for the BIC directory
13	Upload Update*	String	1	Updated the BIC directory during an upload
14	Gen Mt103*	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
15	Blacklisted*	String	1	Indicates the BIC entity is blacklisted
16	CUG Member*	String	1	Indicates the BIC entity is a closed user group member
17	Gen Mt103p*	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
18	Multi Cust Transfer*	String	1	Denotes the Multi-Customer Credit Transfer details



Sequence	Field Name	Туре	Size	Description
19	Max Size*	Number	38	Indicates the maximum size
20	Remit Member*	String	1	Indicates the customer is registered with MT 103 extended remittance information multiple user group
21	Sub Type Code	String	4	Denotes the Sub-Type Code
22	Gen Mt102p*	String	1	Generates 102+ message
23	Gen Mt101*	String	1	Indicates MT101 can be sent/ received from this BIC
24	Transaction Per Msg*	Number	40	Number of Transactions Per Page
25	ADB Member*	String	1	Denotes the ADB member
26	BE Indicator*	String	1	Denotes the BEI Indicator

Table 6-8 (Cont.) BIC Directory File Upload – Master Records

6.6 Local Holiday File Upload

This topics describes the information to perform Local Holiday maintenance in common core.

```
File Type Supported - CSV
```

File Naming Convention - CmcBranchLocalHoliday_<UniqueName>.csv



Note:

The fields marked as **Required** are mandatory.

Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes master record type. Default value is always "P"
2	Action*	String	10	Denotes file operation type. Allowed values are new/modify
3	Branch Code*	String	3	Branch Code
4	Year*	Number	4	Indicates the year details
5	Weekly Holidays*	String	7	Defines weekly holidays
6	Unexp Hol*	String	1	Define unexpected holidays



Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes child record type. Default value is always "C"
2	Branch Code*	String	3	Branch Code
3	Year*	Number	4	Indicates the year details
4	Month*	Number	2	Indicates the month details
5	Holiday List*	String	31	Denotes the Holiday List

Table 6-10	Local Holida	y File Upload -	Child Records
------------	--------------	-----------------	---------------

6.7 Currency Holiday File Upload

This topics describes the information to perform Currency Holiday maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyHoliday_<UniqueName>.csv

Note: Replace the <UniqueName> for each file upload.

Note:

The fields marked as **Required** are mandatory.

Table 6-11 Currency Holiday File Upload - Master Records

Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes master record type. Default value is always "P"
2	Action*	String	10	Denotes file operation type. Allowed values are new/modify
3	Currency*	String	3	Currency
4	Year*	Number	4	Indicates the year details
5	Weekly Holidays*	String	7	Defines weekly holidays

Table 6-12 Currency Holiday File Upload - Child Records

Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes child record type. Default value is always "C"
2	Currency*	String	3	Currency
3	Year*	Number	4	Indicates the year details



Sequence	Field Name	Туре	Size	Description
4	Month*	Number	2	Indicates the month details
5	Holiday List*	String	31	Denotes the Holiday List

Table 6-12 (Cont.) Currency Holiday File Upload - Child Records

6.8 External Customer File Upload

This topics describes the information to perform External Customer maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCustomerMaint_<UniqueName>.csv



Note:

The fields marked as **Required** are mandatory.

Sequence	Field Name	Туре	Size	Description
1	Action*	String	10	Denotes file operation type. Allowed values are new/modify
2	Country*	String	3	Country of the customer
3	Language*	String	3	Denotes the Language of the customer
4	Nationality*	String	3	Denotes the Nationality of the customer
5	Locale	String	10	Indicates the Locale of the customer
6	Deceased*	String	1	Indicates the customer is deceased
7	Frozen*	String	1	Denotes the customer account is frozen
8	Whereabouts Unknown*	String	1	Indicates the customer's whereabouts are unknown
9	Rmld	String	12	Relationship Manager ID
10	Sanctions Checks Required*	String	1	Indicates the sanction check is required
11	Staff*	String	1	Indicates a staff customer

 Table 6-13
 External Customer File Upload - Master Records

Sequence	Field Name	Туре	Size	Description
12	Walkin Customer*	String	1	Indicates a walk-in customer
13	Source System*	String	35	Source System
14	Source System Cust No*	String	35	Denotes the Source System Customer Number
15	Customer No*	String	20	Number for the customer
16	Host Code	String	8	Denotes the Host Code
17	Customer Type*	String	1	Type of Customer
18	Customer Category	String	10	Denotes the Customer Category
19	Customer Name1*	String	105	Name of the customer
20	Short Name*	String	20	Short name of the customer
21	Address Line1*	String	105	Indicates the customer address details - Address Line 1
22	Address Line2*	String	105	Indicates the customer address details - Address Line 2
23	Address Line3*	String	105	Indicates the customer address details - Address Line 3
24	Address Line4*	String	105	Indicates the customer address details - Address Line 4
25	Pincode*	String	15	Denotes the postal code details of the customer


Table 6-13 (Cont.) External Customer File Upload - Master Records

6.9 External Customer Account File Upload

This topics describes the information to perform External Customer Account maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcAccountMaint_<UniqueName>.csv





Sequence	Field Name	Туре	Size	Description
1	Action*	String	10	Denotes file operation type. Allowed values are new/modify
2	Country Code*	String	10	Country Code
3	Address4*	String	105	Denotes the address details - Address Line 4
4	Address3*	String	105	Denotes the address details - Address Line 3
5	Address2*	String	105	Denotes the address details - Address Line 2
6	Address1*	String	105	Denotes the address details - Address Line 1
7	Eca Check Req*	String	1	Indicates External Credit Approval Required check is required for the external customer account
8	Account Class*	String	6	Denotes the Account Class
9	Ac Stat Dormant*	String	1	Indicates the account status is dormant
10	Ac Stat Frozen*	String	1	Indicates the account status is frozen
11	GI Stat Blocked*	String	1	Indicates the account status is blocked
12	Ac Stat No Dr*	String	1	Indicates the account does not have any debit facility
13	Ac Stat No Cr*	String	1	Indicates the account does not have any credit facility
14	Ac Open Date*	String	35	Denotes the Account Open Date (Date format should be yyyy-MM-dd, i.e. 2018-03-30)
15	Cust Ac Name*	String	105	Account Name of the customer
16	Cust Ac Ccy*	String	3	Account Currency of the customer
17	Customer No*	String	20	Indicates the Customer Number
18	Source System Acc Brn*	String	20	Denotes the Source Account Branch
19	Source System Acc No*	String	35	Denotes the Source Customer Account Number
20	Source System*	String	35	Source System
21	Cust Ac IBAN	String	35	Indicates the account IBAN details
22	Host Code*	String	8	Denotes the host code details
23	Cust Account No*	String	20	Indicates the Customer Account Number



6.10 Exchange Rate File Upload

This topics describes the information to perform Exchange Rate maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyExchangeRate_<UniqueName>.csv

Note: Replace the <UniqueName> for each file upload.
Note:

The fields marked as **Required** are mandatory.

Table 6-15 Exchange Rate File Upload - Master Records

Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes master record type. Default value is always "Pâ€
2	Action*	String	10	Denotes file operation type. Allowed values are new/modify
3	Branch Code*	String	3	Branch for which exchange rate is applicable
4	Currency1*	String	3	From currency pair
5	Currency2*	String	3	To currency pair

Table 6-16 Exchange Rate File Upload - Child Records

Sequence	Field Name	Туре	Size	Description
1	Discriminator*	String	1	Denotes child record type. Default value is always "Câ€
2	Branch Code*	String	3	Branch for which exchange rate is applicable
3	Currency1*	String	3	From currency pair
4	Currency2*	String	3	To currency pair
5	Rate Type*	Number	8	Denotes rate type defined in the system
6	Mid Rate*	Number	25	Mid rate applicable for the current pair
7	Buy Spread*	Number	40	Buy spread applicable for the currency



Sequence	Field Name	Туре	Size	Description
8	Sale Spread*	Number	40	Sell spread applicable for the currency
9	Buy Rate*	Number	25	Buy rate applicable for the currency
10	Sale Rate*	Number	25	Sell rate applicable for the currency
11	Rate Date*	String	35	Effective date applicable for the rate

Table 6-16 (Cont.) Exchange Rate File Upload - Child Records

6.11 Interest Rate File Upload

This topics describes the information to perform the bulk upload for the interest rate maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcIntRate<UniqueName>.csv




Table 6-17 Interest Rate File Upload – Master Records

Sequence	Field name	Туре	Size	Description
1	Rate Code*	String	10	Denotes the rate code
2	Description*	String	120	Denotes Rate description
3	Branch Code*	String	3	Displays the branch code
4	Quote Basis for Loans*	Number	1	Select the quote basis for loans from the drop down list



Sequence	Field name	Туре	Size	Description
5	Propagate Rate to Branches*	String	1	If this is checked then the rate code is propagated to all the other branches from head office branch
6	Туре*	String	1	Denotes the Rate Code is of Fixed or Floating in the usage perspective
7	Maker ID*	String	12	Sender or maker of the external customer configuration create service.
8	Maker Date Stamp*	DATE	-	Timestamp of the creation.
9	Checker ID*	String	12	Approver/ authorizer of the external customer configuration.
10	Checker Date Stamp*	DATE	-	Timestamp of the approval.
11	Record Status*	CHAR	1	External customer configuration status - active/ open or inactive/ closed
12	Authorisation Status*	CHAR	1	Authorization status - authorized or unauthorized
13	Once Authorised*	CHAR	1	Determines if the record has been authorized at least once.
14	Modification Number*	Number	4	Modification Number.

Table 6-17 (Cont.) Interest Rate File Upload – Master Records

Table 6-18 Interest Rate File Upload – Child Records 1

Sequence	Field name	Туре	Size	Description
1	Rate Code*	String	10	Denotes the rate code



Sequence	Field name	Туре	Size	Description
2	Branch Code*	String	3	Denotes the branch code
3	Currency Code*	String	3	Denotes the Currency Code
4	Amount Slab*	Number	22,3	Denotes the Amount Slab
5	Effective Date*	DATE	-	Denotes the Effective Date
6	Borrow Lend Indicator*	CHAR	1	Denotes Borrow Lend Indicator

 Table 6-18
 (Cont.) Interest Rate File Upload – Child Records 1

 Table 6-19
 Interest Rate File Upload – Child Records 2

Sequence	Field name	Туре	Size	Description
1	Rate Code*	String	10	Denotes the rate code
2	Branch Code*	String	3	Displays the branch code
3	Currency Code*	String	3	Denotes the Currency Code
4	Amount Slab*	Number	22,3	Denotes the Amount Slab
5	Effective Date*	DATE	-	Denotes the Effective Date
6	Borrow Lend Indicator*	CHAR	1	Denotes Borrow Lend Indicator
7	Tenor To*	Number	5	Denotes Tenor To
8	Units*	String	1	Denotes Tenor Units
9	Interest Rate*	Number	13,8	Denotes the Interest Rate



7 Rules Framework

This topic describes about the rules framework.

This Rules framework is used for creation and evaluation of business rules, creation of facts, which are the building blocks in business rules.

This topic contains the following subtopics:

- Fact This topic describes about the Fact.
- Rule This topic describes about the Rule.

7.1 Fact

This topic describes about the Fact.

Fact is the information-carrying block, used for creating the rules.

Fact can be of the following type:

- NUMBER
- TEXT
- BOOLEAN
- DATE
- ARRAY
- ENUM

This topic contains the following subtopics:

- Create Fact This topic describes the systematic instructions to configure fact.
- View Fact This topic describes the systematic instructions to view the list of fact.

7.1.1 Create Fact

This topic describes the systematic instructions to configure fact.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Fact.
- 2. Under Fact, click Create Fact.
- 3. Click New to create a single fact.

The Create Fact screen displays.



Figure 7-1 Create Fact

Create Fact			:: ×
New Bulk Upload			
Fact			
Code	Description	Product Processor Q	Tag
Type Required	Required	Required	
Save			
			Download Template

4. Specify the fields on Create Fact screen.



For more information on fields, refer to the field description table.

 Table 7-1
 Create Fact – Field Description

Field	Description			
Code	Specify the alphanumeric code without space for the fact.			
Description	Specify the description of the fact.			
Product Processor	Click Search and select the product processor from the list.			
Тад	Specify the tag for fact.			
Туре	 Select the type of the fact from the dropdown list. The available options are: Number Text Boolean Date Array ENUM 			

5. Click **Save** to save the details of fact.

Bulk Upload

6. Click Bulk Upload to create a multiple fact.

The **Bulk Upload** screen displays.

Figure 7-2 Bulk Upload

Create Fact	;; ×
iew Bulk Upload	
	Download Template
Drag and Drop Select or drop files here.	
Select or drop files here.	
elected files:	

7. Click **Download Template** to download the sample file.

Specify all the Facts details to be created in the sample file and save the file.



- 8. Click **Drag and Drop** and select the file from the browser.
- 9. Click Upload.

Create ENUM Type Fact

10. Select the type as ENUM FACT from the drop-down list.

The Create Fact screen displays.

C	eate Fact				:: ×
New	Bulk Upload				
Fac	t				
c	de	Description	Product Processor	Q	Tag
ħ	Required	Requ	uired	Required	
	ENUM				
+	1				
	Enter Enum values				
	Enter Enum values				
Savi					Download Template

11. Specify the fields on Create Fact screen.



12. Click to add the list of ENUM fact values.



- ck to delete the list of ENUM fact values.
- 14. Click **Save** to save the details the facts.

The Fact is successfully created and can be viewed using **View Fact** screen.

7.1.2 View Fact

This topic describes the systematic instructions to view the list of fact.

The user can configure fact using Create Fact screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Fact.
- 2. Under Fact, click View Fact.

The View Fact screen displays.



Figure 7-3 View Fact

Product Processor			Tag	
PLATORULE	Q			-
ilter:				
Type to filter	(Rig	ht Click on Row to open Details) Refresh		
Fact Id	Fact Name	Description	Product Processor	
	OBP2Number	number fact	PLATORULE	

For more information on fields, refer to the field description table.

Table 7-2 View Fact – Field Description

Field	Description
Product Processor	Displays the product processor.
Fact ID	Displays the Fact ID.
Fact Name	Displays the name of the fact.
Description	Displays the description of the fact.


- 3. Specify the Fact details in **Filter** textbox to filter the data.
- 4. Click **Refresh** to refresh the screen.
- 5. Right-click on the fact from the list and Click View Details.

The **Fact Creation** screen displays.

Figure 7-4 fact Creation

Fact Creation				11 :
New Bulk Upload				
act				
Code	Description	Product Processor	Tag	
OBP2Number	number fact	PLATORULE Q		
Гуре				
NUMBER -				
iave				
				Download Temp

6. Specify the fields on Fact Creation screen.



For more information on fields, refer to the field description table.

Field	Description
Code	Specify the alphanumeric code without space for the fact.
Description	Specify the description of the fact.
Product Processor	Select the product processor.
Тад	Specify the tag values.
Туре	Select the type of the fact from the dropdown list. The available options are: • Number • Text • Boolean • Date • Array • ENUM

Table 7-3 Fact Creation – Field Description

7.2 Rule

This topic describes about the Rule.

Rule enables the user to build the expression to perform the calculation with the facts created.

The type of rules supported are:

- Logical: Example (ACCOUNT_BAL > 124432) && (VALID_TILL < VALID_DATE)
- Arithmetic: Example: (CREDIT_BALANCE + TAX_CREDIT INTEREST_AMOUNT)
- Relational: Example: (FACT5 == ACCOUNT && TAX >= 10)
- Nested: Example: (RULE_ACCOUNT = TRUE) && (ACCOUNT_BAL > 21234)
- Multiple-If else: Example: IF (ACCOUNT_BAL > 124432) then OUTPUT1 ELSE IF (ACCOUNT_BAL < 124432) then OUTPUT2
- Multiple Nesting: Example- INNERCHILDRULE : (ACC_BAL > 30000) then OUTPUT = true
 - CHILDRULE : ((INNERCHILDRULE == true) && (CBLSCORE > 5)) then OUTPUT = true
 - PARENTRULE: ((ACCTYPE == HOMELOAN) && (CHILDRULE == true))

Steps to build a Nested Rule expression is explained with the below example

The Rule Expression for Loan to Value (LTV) is Loan to Value (LTV) = (LOANAMOUNT / COLLATERAL_VALUE) *100

For now, the above expression is not supported directly, and LTV calculation is achieved by the below steps.

1. Create a Rule1 - LOAN_TO_COLLATERAL

Expression - LOANAMOUNT/COLLATERAL_VALUE

2. Create a rule2 - Loan to Value (LTV)

Expression - LOAN_TO_COLLATERAL *100



This topic contains the following subtopics:

- **Create Rule** • This topic describes the systematic instructions to configure rule.
- **View Rule** This topic describes the systematic instructions to view the list of rule.
- **Evaluate Rule** This topic describes about the Evaluate Rule.
- **Rule Group** This topic describes about the Rule Group.
- **View Audit Rule** This topic describes the View Audit Rule.

7.2.1 Create Rule

This topic describes the systematic instructions to configure rule.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Rule.
- 2. Under Rule, click Create Rule.

The Create Rule screen displays.

New				+ Add Section
Rules				
✓ Basic Info				
Code	Description	Product Processor	C. Tag	v
Select Existing rule Q	Rule Version	٩	Required	
> Section1				
Else				
terms to display.				
Expression				
IF				
Output Section1 Else				

____ -- -. . .

3. Specify the fields on Create Rule screen.



For more information on fields, refer to the field description table.



	_
Field	Description
Code	Specify the alphanumeric code without space for the rule.
Description	Specify the description of the rule.
Product Processor	Click Search and select the product processor.
Тад	Select the tag from the drop-down list.
Select Existing Rule	Click Search and select the existing rule.
Add Section	Click Add Section to create the multiple rule condition.
Expression Builder	Select the expressions to build the rule.
Add Expression	Click Add Expression to create the expression for the rule.
+ Icon	Click + icon to add new expression.
Fact / Rules	Select the fact or rule from the drop-down list.
Operator	Select the comparison operator from the drop-down list.
Data Type	Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact The below option appears if the Data Type is selected as Boolean. • True • False
Output	Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: • Text • Number • Boolean • Date • Fact

4. Click **Save** to save the details of rule.

Create Rule with multiple Output Steps to build a Rule with multiple output is explained with the below example.

The Rule Expression for Multiple output rule is: IF (TotalIncome > 20000) && (TotalExpense < 8000)

ate Rule							
]							+ Add Secti
5							
Basic Info							
ode	Descri	otion		Product Processor		Tag	
Rule1	Tesi Rule V			SMS	Q		-
Q	Rule v	251011	Q				
			~				
Section1							
Expression Builder							
+ Add Expression							
+						1	
1 D Facts -	Select F 👻	= •	-		At 🔻		
	Require		Require				
1 D Facts -	Select F 🛛 💌	= •	-				
	Require		Require	d			
Dutput							
+ =							
TEXT	•	Enter Text Value		Enter Description			
TEXT	•	Enter Text Value		Enter Description			
lse							
ise							
+ =							
	•	Enter Text Value		Enter Description			
	•	Enter Text value		Enter Description			
TEXT	•	Enter Text Value		Enter Description			
xpression							
F (0.0.)							
(&&) Dutput							
Section1 Ise							

Figure 7-6 Create Rule with Multiple Output

5. Click **Save** to save the details the Rule.

The Rule is successfully created and can be viewed using View Rule screen.

7.2.2 View Rule

This topic describes the systematic instructions to view the list of rule.

The user can configure fact using **Create Rule** screen.

Specify User ID and Password, and login to Home screen.

- 1. From Home screen, click Rule.
- 2. Under Rule, click View Rule.

The View Rule screen displays.



Product Processor	r	Tag		
PLATORULE	Q			
ilter:				
Type to filter	\otimes		(Right Click on Row to open Detail	s) Refresh
Rule Id	Rule Name	Description	Product Processor	Version
747	multiOutputEdit	multiOutputEdit21	PLATORULE	4
723	ELPLVL	ELPLVL	PLATORULE	4
743	multiOutputEdit	multiOutputEdit21	PLATORULE	3
721	ELPLVL	ELPLVL	PLATORULE	3
703	ELPLVL	ELPLVL	PLATORULE	2
731	multiOutputEdit	multiOutputEdit	PLATORULE	2
701	ELPLVL	ELPLVL	PLATORULE	1
727	multiOutputEdit	multiOutputEdit	PLATORULE	1

Figure 7-7 View Rule

For more information on fields, refer to the field description table.

 Table 7-5
 View Rule – Field Description

Field	Description
Product Processor	Displays the product processor.
Rule ID	Displays the Rule ID.
Rule Name	Displays the name of the rule.
Description	Displays the description of the rule.

- 3. Specify the rule details in **Filter** textbox to filter the data.
- 4. Click **Refresh** to refresh the screen.
- 5. Right-click on the rule from the list and Click View Details.
- 6. Click **Edit** to edit the rule.


The Rule Creation screen displays.



5							
Basic Info							
ode		Description		Product Processor		Tag	
multiOutputEdit		multiOutputEdit21		PLATORULE	Q		-
elect Existing rule		Rule Version					
	Q	4	Q,				
ection1							
pression Builder							
Add Expression							
•						1	
Facts	▼ OBP2NL	NUMB	BER .	23			
lutput							
+ :							
TEXT	•	section3		Enter Description			
				Enter beschption			
ection2 pression Builder Add Expression							
Add Expression							
Add Expression	- OBP2NU		IER -	321			
Add Expression	- OBP2NL	▼ = ▼ NUME	NER T	321		8	
Add Expression	- OBP2Nu	VUMB	SER	521			
Add Expression	OBP2NL		ier –	521			
Add Expension Add Expension Image: Descent and the second and the			JER -				
Add Expression Add Expression Facts Dutput	▼ 08P2NL	▼ ■ ▼ NUME	JER -	321 testingedit		8	
Add Expension			BER -			8	
Add Expression Add Expression Facts Facts TEXT TEXT			NER -				
Add Expension Add Expension Image: Descent and the second and the			ier 🔷				
Add Expension Add Expension Facts Dutput TEXT Ise			ER •				
Add Expension Add Expension Facts			IER -				
Add Expension Add Expension Facts Dutput TEXT Ise			IER I				
Add Expression Builder Add Expression			ER •				
Add Expension Add Expension Facts			ER •				
Add Expension Builder Add Expension Facts Facts Facts TEXT Ise Xxpression Xxpression			IER -				
At Expression Builder At Expression		section3	ER				
Add Expension Builder Add Expension Facts Facts Facts TEXT Ise Xxpression Xxpression		section3	ER				
Add Expension Builder Add Expension		section3	ER •				
Add Expension Builder Add Expension Facts Facts		section3					

Figure 7-8 Rule Creation

7. Specify the fields on **Create Rule** screen.



For more information on fields, refer to the field description table.

 Table 7-6
 Create Rule – Field Description

Field	Description
Code	Specify the alphanumeric code without space for the rule.
Description	Specify the description of the rule.



Field	Description
Product Processor	Click Search and select the product processor.
Тад	Select the tag from the drop-down list.
Select Existing Rule	Click Search and select the existing rule.
Add Section	Click Add Section to create the multiple rule condition.
Expression Builder	Select the expressions to build the rule.
Add Expression	Click Add Expression to create the expression for the rule.
+ Icon	Click + icon to add new expression.
Fact / Rules	Select the fact or rule from the drop-down list.
Operator	Select the comparison operator from the drop-down list.
Data Type	 Select the data type for the fact or rule. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact The below option appears if the Data Type is selected as Boolean. True False
Output	 Select the output from the drop-down list. Once the user select the data type, one more field opens adjacent to the output, update the same based on the selected output option. The available options are: Text Number Boolean Date Fact
Expression	Displays the expression and output updated in the expression builder.

Table 7-6 (Cont.) Create Rule – Field Description

8. Click **Save** to save the details of rule.

7.2.3 Evaluate Rule

This topic describes about the Evaluate Rule.

Once the rule has been created the evaluate API has to be invoked to evaluate the rule.

To evaluate a rule, **rule name & namespace** are the **mandatory** parameters passed to the API and **version** of the rule is an **optional** parameter. If the version of the rule is not passed to the API then by **default** the **latest version of the rule** is evaluated.

The evaluate API url to be invoked is:

/rule-service/rules/evaluate/{namespace}/{ruleName}

ORACLE

Method: POST

Headers Required

appld: PLATORULE

userId: ASHISH

Content-Type: application/json

Request Body

```
{
    "LOAN_AMOUNT": "15001",
    "LOAN_TYPE":"Auto_loan",
}
```

Response

```
{
    "ruleEvaluated": true,
    "result": "true",
    "ruleId": 8161,
    "ruleName": "DIVYARULE1",
    "outputDescription": "null",
    "responseType": null,
    "error": null,
    "req_id": "reqId_1652082090755"
}
```

7.2.4 Rule Group

This topic describes about the Rule Group.

Grouping individual rules by name and priority into a RuleGroup.

For the evaluating a RuleGroup, user will pass all the required Fact data to evaluate API & if the evaluate Group flag is set to false, the API will evaluate rule one by one based on priority and return for the rule which evaluates to true. If the evaluate Group flag is set to true then the API will evaluate rule one by one based on priority for all rules in the RuleGroup and return the response of all the rules.

Please find below an example for a Rule Group:

RULEGROUP1:

RULE1: (ACC_BAL > 400)

RULE2: (ACC_BAL < 10000)

RULE3: MIN (FICOSCORE

- Create Rule Group
 This topic describes the systematic instructions to configure rule group.
- View Rule Group This topic describes the systematic instructions to view the list of rule group.



7.2.4.1 Create Rule Group

This topic describes the systematic instructions to configure rule group.

Specify User ID and Password, and login to Home screen.


- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Rule.
- 2. Under Rule, click Create Rule Group.

The Create Rule Group screen displays.

Figure 7-9 Create Rule Group

ew				
required Required	Product Processor OBCR Q	Tag	•	
Iluate All Rules				
	OS Is Equal To 100000	1		

3. Specify the fields on **Create Rule Group** screen.



For more information on fields, refer to the field description table.

Table 7-7 Create Rule Group– Field Description

Field	Description				
Group Name	Specify the unique group name for the selected rules.				
Product Processor	Click Search and select the product processor.				
Тад	Specify the tag for rule group.				
Evaluate Group	Select the toggle to evaluate the expression in sequence. Note: NOTE: If the toggle is disabled, the evaluation of the expression stops when the condition of expression is evaluated to True.				
+ Icon	Click + icon to add new expression.				

4. Click Save to save the details the Rule.

The Rule is successfully created and can be viewed using View Rule Group screen.



7.2.4.2 View Rule Group

This topic describes the systematic instructions to view the list of rule group.

The user can configure fact using Create Rule Group screen.

Specify User ID and Password, and login to Home screen.

- **1.** From **Home** screen, click **Rule**.
- 2. Under Rule, click View Rule Group.

The View Rule Group screen displays.

Figure 7-10 View Rule Group

iew Rulegroup					
Product Processor		Tag			
OBCR	Q		-		
Filter:					
Type to filter			(Right Click on Row to open Details) Refresh		
Group Id	Group Name		Description	Product Processor	-
1101	TestingEnv			OBCR	

For more information on fields, refer to the field description table.

 Table 7-8
 View Rule Group – Field Description

Field	Description		
Product Processor	Click Search and select the product processor.		
Тад	Specify the tag for rule group.		
Group ID	Displays the Group ID.		
Group Name	Displays the name of the group.		
Description	Displays the description of the group.		
Product Processor	Displays the product processor.		

7.2.5 View Audit Rule

This topic describes the View Audit Rule.

Specify User ID and Password, and login to Home screen.



 From Home screen, click Rule. Under Rule, click View Audit Rule. The View Audit Rule screen displays.

uest Id		
7841111772 -SAAAAAA	Submit	Show

Figure 7-11 View Audit Rule

2. Specify the fields on View Audit Rule screen.

For more information on fields, refer to the field description table.

 Table 7-9
 View Audit Rule – Field Description

Field	Description
Request ID	Specify the request ID available from the output of evaluate API.

- 3. Click Submit to view to details.
- 4. Click Show Rule log, to view the log rule for selected request ID.



8 Document Verification Framework

This topic helps the user quickly get acquainted with the Document verification framework.

In this digital age, there is still a strong reliance on physical document verification, especially in large organizations such as government, enterprise companies, banks, and universities/ colleges.

Manual Verification of documents for Identification is laborious. Not only do we have to organize and categorize the files, extracting meaningful information manually takes a lot of time and effort.

These business organizations employ data entry teams whose sole purpose is to take these physical documents, manually re-type the information, and then save it into the system which is cumbersome. This can annoy customers as well as employees ultimately resulting in decreased productivity.

So, there is a strong need to digitize the information on the documents and extract the required data. This document verification framework has a set of APIs that allows you to extract required fields from the Identification documents automatically, thus saving a lot of time and effort.

Prerequisites

Document Verification framework is designed to extract the detailed information from the uploaded documents like Passport, National ID card, driving license, etc.

This topic contains the following subtopics:

- Text Extraction This topic provides the information about the Text Extraction.
- Image Processing This topic provides the information about the Image Processing.
- Document Verification API Details This topic provides the information about the Document Verification API Details.
- Validate Information API details This topic provides the information about the Validate Information API details.
- Recommendations For Better Performance This topic provides the information about the better quality of the source image, the higher the accuracy of extraction will be.

8.1 Text Extraction

This topic provides the information about the Text Extraction.

Optical character recognition or optical character reader (OCR) is the process of digitizing documents and extracting text from them. Widely used as a form of data entry from scanned documents – Here the text is first scanned, analyzed, and is finally translated into character codes. This machine-encoded text can be easily searched and edited electronically.



OCR has greatly improved the process of data entry. The need for the documents to be scanned is on a constant rise as it enables these documents to be viewed conveniently when required. The most popular application of OCR is Data entry for business documents, e.g. ID card, driving license, passport, cheque, invoice and salary slip.

Benefits of OCR:

- 1. **100% Text-searchable Documents** One of the huge advantages of OCR data processing is that it makes the digitized documents completely text searchable. This helps professionals to quickly lookup numbers, addresses, names, and various other parameters that differentiate the document being searched.
- Reduced Cost Besides helping an organization in cutting down the cost of hiring manpower for data extraction, it also helps in reducing several other costs like printing, copying, shipping charge, etc.
- 3. **Reduced Errors** It resolves the problem of data loss and inaccuracy and helps in reducing errors.
- 4. **More Storage Space** -The lesser the documents, the larger space. Organizations have always wanted to take the 'Paperless' approach and OCR just makes it possible. Also, the expenses of file cabinets are saved with this approach.
- 5. **Ready Availability** By scanning the information of documents through OCR, the data can be made available in several different places. One can carry it in a USB drive and retrieve the wanted information with just a few clicks.
- 6. Superior Data Security Data security is of utmost importance for any organization. Paper documents are easily prone to loss or destruction. However, this is not the case with data that is scanned, analyzed, and stored in digital formats. Furthermore, access to these digital documents can also be minimized to prevent mishandling of the digitized data.
- 7. Massively Improves Customer Service Several inbound contact centers often provide information that their customers seek. While some call centers provide customers with the information they need, others will have to quickly access certain personal or order-related information of the customers to process their requests. Quick data accessibility becomes extremely important in such cases. This helps in systematically storing and retrieving the documents digitally at blazing speeds. With this, the waiting time is drastically reduced for the customers, thereby improving their experience.

8.2 Image Processing

This topic provides the information about the Image Processing.

Text Recognition depends on a variety of factors to produce good quality output. The text output highly depends on the quality of the input image. These guidelines help document extraction engine to produce accurate results.

Image Preprocessing comes into play to improve the quality of input image so that the engine gives an accurate output. The main objective of the Preprocessing phase is to make it easy for the system to distinguish a character from the background.

The preprocessing can be controlled using the configuration files and are explained at the bottom. The configuration varies between documents and country.



The following image processing operations are used to improve the quality of input image:

- **Image Scaling** OCR gives accurate output for images with 300 DPI which describes the resolution. Keeping DPI lower than 200 will give unclear and incomprehensible results while keeping the DPI above 600 will unnecessarily increase the size of the output file without improving the quality of the file. Thus, a DPI of 300 works best for this purpose.
- Image Skew Correction A Skewed image is defined as a document image that is not straight. Skewed images directly impact the line segmentation of the OCR engine which reduces its accuracy. These kinds of images are to be processed to correct text skew.
- **Background Cropping** Background is cropped from scanned images if it contains any. This is really important as we want to remove unwanted areas from the image that does not contain text at all.
- Noise Removal Noise is removed from images as it decreases the readability of text. The main objective of the Noise removal stage is to smoothen the image by removing small dots/patches which have high intensity than the rest of the image. Noise removal can be performed for both Colored and Binary images.
- **Binarization** This involves converting a colored image into black and white pixels which can be achieved by fixing a threshold value.

8.3 Document Verification API Details

This topic provides the information about the Document Verification API Details.

Document Verification APIs are a function of image quality, image size, and Resolution. Each API has different requirements. The Framework is designed to extract details from documents like Passport, Driving License, National ID card, Salary slips etc.

This topic contains the following subtopics:

- Passport Extraction This topic provides the information about the Passport Extraction.
- Driving License Extraction This topic provides the information about the payload details for Driving License Details extraction service.
- National Identification Extraction This topic provides elaborates the payload details for National ID Card Details extraction service.
- Voter Identity Card Extraction This topic provides the information about the payload details for voter identity card extraction service.

8.3.1 Passport Extraction

This topic provides the information about the Passport Extraction.

Passport Extraction module extracts details in the passport like Country, Document Type, Name, First Name, Last Name, Gender, Date of Birth, Date of Issue and Date of expiry of the passport, Passport No and Issuing Authority if present in the passport along with Image metadata information like Image DPI, Resolution and Image Size. This module provides support for passports of various countries listed below:

USA passport and passport-card



- UAE
- INDIA
- CANADA
- AUSTRALIA
- BANGLADESH

All the details in the passport/ passport-card (Incase of USA) are extracted using "/ extractInformation" API.

Brief of Working:

It takes "country", "document type" and "Base64 encoded image" of the passport as input. It internally generates processed text from the passport and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, PP No. and Issuing Authority if present in the document. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size, etc. The output is represented in JSON format.

Table 8-1	Passport Extraction	API Format
-----------	---------------------	-------------------

SI.No	Description	Comments
1	Format of input images it supports	jpg, jpeg, png, pdf
2	Output Format	JSON
3	Support multiple input files	Yes

Input Request:

"/extractInformation" API -

For a single image: Base64 encoded image, Country, Document Type ("passport" in this case).

For multiple images: Array of the Base64 encoded images, Country, Document Type ("passport" in this case).

Sample Input Request:

{

}

```
"country": "UAE",
"docType": "passport",
"docBase64s": [
"-----base64 encoded image string-----"]
```

Note:

In case of USA, there are 2 types of document: passport and passport-card. If the input document is of type passport-card, the docType should be mentioned as passport-card.



Output Response:

The output of "/extractInformation" API is the extracted details in the JSON format given below:

Sample Output Response:

```
{
 "documentDetails": [
    {
     "ImageInfo": {
        "file size": "647.22 KB",
        "image dpi": "150",
       "image resolution": "704x541",
        "information": "Minimum 300 DPI is required. File size is proper."
    },
 "dateOfBirth": "7/11/2001",
 "dateOfExpiry": "11/6/2022",
 "dateOfIssue": "12/6/2017",
 "docType": "Passport",
 "firstName": "SHAMA",
 "gender": "F",
 "identificationNumber": "F0Z615883",
 "issuedCountry": "UNITED ARAB EMIRATES",
 "issuingAuthority": "",
 "lastName": "RASHED ABDULIALIL MOHAMED ALFAHIM",
 "name": "SHAMA RASHED ABDULIALIL MOHAMED ALFAHIM"
 }
1
```

Note:

}

Even if Country and DocType not provided in the input request, the service tries to extract the Country Name and Document Type automatically. In case, if it is not able to extract it returns an exception/ error. This means either the quality of the document is not enough to extract all the details or resolution is poor.

Things to be taken care of:

- Make sure the base64 encoded image string of the input image is correct.
- Document Type provided in the input should be "passport" only
- Specify the country name correctly for accurate extraction of details

8.3.2 Driving License Extraction

This topic provides the information about the payload details for Driving License Details extraction service.

Driving License Details Extraction module extracts information present in the Driving License such as Name, First Name, Last Name, Gender, Address, License No, Date of Birth, Date of Issue and Date of expiry of the license along with the image metadata information like Image



DPI, Resolution and Size. Currently, we provide support for licenses of various countries listed below:

- UNITED STATES OF AMERICA
- UNITED KINGDOM
- CANADA
- AUSTRALIA
- BANGLADESH

All the details in the license are extracted using "/extractInformation" API.

Brief of Working:

The API accepts the "country", "document type" and "Base64 encoded image" of the license as input. It internally generates processed text from the license document and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, License No. and Address, etc. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size. The output is represented in JSON format.

Input Request:

"/extractInformation" API -

- For a single image: Base64 encoded image, Country, Document Type ("License" in this case).
- For multiple images: Array of the Base64 encoded images, Country, Document Type ("License" in this case).

Sample Input Request:

```
{
  "country": "US",
  "docType": "license",
  "docBase64s": [
    "-----base64 encoded image-----"
]
}
```

Output Response:

The output for "/extractInformation" API is the extracted details in the JSON format given below:



```
"image resolution": "736x419",
      "information": "dpi info not available. Average Image Resolution. File
size is proper."
      },
    "address": "918 N ROXBURY BEVERLY HILS CA 90210",
    "dateOfBirth": "6/8/1911",
    "dateOfExpiry": "6/8/2012",
    "dateOfIssue": "2/7/2010",
    "docType": "license",
    "firstName": "LUCILLE",
    "gender": "F",
    "identificationNumber": "B2201793",
    "issuedCountry": "UNITED STATES OF AMERICA",
    "issuingAuthority": "CALIFORNIA",
    "lastName": "BALL",
    "name": "LUCILLE BALL"
   }
  1
}
```

Note:

Even if Country and DocType not provided in the input request, the service tries to extract the Country Name and Document Type automatically. In case, if it is not able to extract it returns an exception/ error. This means either the quality of the document is not enough to extract all the details or resolution is poor.

Things to be taken care of:

- Make sure the base64 encoded image string of the input image is correct.
- Document Type provided in the input should be "license" only
- · Specify the country name correctly for accurate extraction of details

8.3.3 National Identification Extraction

This topic provides elaborates the payload details for National ID Card Details extraction service.

National ID card Details Extraction module extracts details in the National Identity Card like Name, First Name, Last Name, Gender, Address (if present), Date of Birth, Date of Issue and Date of expiry of the NID, ID No, etc along with the image metadata information like Image DPI, Resolution and Size. This module provides support for NIDs of various countries listed below:

- USA
- South Africa
- Brazil
- Bangladesh
- India
- Kenya



Portugal

All the details in the ID are extracted using "/extractInformation" API.

Brief of Working:

It takes "country", "document type" and "Base64 encoded image" of the NID as input. It internally generates processed text from the Identity document and extracts details like Name, First Name, Last Name, Gender, Address, DOB, DOI, DOE, and ID No. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size. The output is represented in JSON format.

Input Request:

"/extractInformation" API -

- For a single image: Base64 encoded image, Country, Document Type ("nid" in this case).
- For multiple images: Array of the Base64 encoded images, Country, Document Type ("nid" in this case).

Sample Input Request:

```
{
  "country": "BR",
  "docType": "nid",
  "docBase64s": [
    "-----base64 encoded image-----"
]
}
```

Output Response:

The output for "/extractInformation" API is the extracted details in the JSON format given below:

```
{
  "documentDetails": [
     {
       "ImageInfo": {
         "file size": "566.32 KB",
         "image dpi": "72",
         "image resolution": "680x453",
         "information": "Minimum 300 DPI is required. Poor Image
Resolution. File size is proper."
       },
      "dateOfBirth": "12/7/1960",
      "dateOfExpiry": "20/8/2030",
      "dateOfIssue": "",
      "docType": "NID",
      "firstName": "FERNANDA",
      "gender": "F",
      "identificationNumber": "00000005-9",
```



```
"issuedCountry": "BRAZIL",
"issuingAuthority": "",
"lastName": "DE CARVALHO DA SILVA",
"name": "FERNANDA DE CARVALHO DA SILVA"
}
```

Note:

}

Even if Country and DocType not provided in the input request, the service tries to extract the Country Name and Document Type automatically. In case, if it is not able to extract it returns an exception/ error. This means either the quality of the document is not enough to extract all the details or resolution is poor.

Things to be taken care of:

- Make sure the base64 encoded image string of the input image is correct.
- Document Type provided in the input should be "nid" only
- Specify the country name correctly for accurate extraction of details

8.3.4 Voter Identity Card Extraction

This topic provides the information about the payload details for voter identity card extraction service.

VoterID card Details Extraction module extracts details in the Voter ID Card like **Name**, **First Name**, **Last Name**, **Gender**, **Date of Birth** and, **ID No.** along with the image metadata information like **Image DPI**, **Resolution**, and **Size**. Currently, we provide support for Voter IDs of various countries listed below:

INDIA

All the details in the license are extracted using "/extractInformation" API.

Brief of Working:

It takes "country", "document type" and "Base64 encoded image" of the Voter ID as input. It internally generates processed text from the Identity document and extracts details like Name, First Name, Last Name, Gender, DOB, and ID No. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size. The output is represented in JSON format.

Input Request:

"/extractInformation" API -

- For a single image: Base64 encoded image, Country, Document Type ("voterid" in this case).
- For multiple images: Array of the Base64 encoded images, Country, Document Type ("voterid" in this case).



Sample Input Request:

```
{
   "country": "IND",
   "docType": "voterid", "docBase64s": [
    "-----base64 encoded image "
]
}
```

Output Response:

The output for "/extractInformation" API is the extracted details in the JSON format given below:

Sample Output Response:

```
{
    "documentDetails": [
        {
            "ImageInfo": {
                "file size": "236.93 KB",
                "image dpi": "300",
                "image resolution": "317x500",
                "information": "Image DPI is proper. File size is
proper."
            },
            "dateOfBirth": "15/2/1985",
            "dateOfExpiry": "",
            "dateOfIssue": "",
            "docType": "VOTERID",
            "firstName": "PREM",
            "gender": "M",
            "identificationNumber": "GDN0225185",
            "issuedCountry": "INDIA",
            "issuingAuthority": "",
            "lastName": "RAJ THAKUR",
            "name": "PREM RAJ THAKUR"
        }
    ]
}
```

Note:

Even if Country and DocType are not provided in the input request, the service tries to extract the Country Name and Document Type automatically. In case, if it is not able to extract it returns an exception/ error. This means either the quality of the document is not enough to extract all the details or resolution is poor.

Things to be taken care of:



- Make sure the base64 encoded image string of the input image is correct.
- Document Type provided in the input should be "voterid" only
- Specify the country name correctly for accurate extraction of details

8.4 Validate Information API details

This topic provides the information about the Validate Information API details.

Validate Information APIs are a function of image quality, image size, and Resolution. Each API has different requirements. The Framework is designed to extract details from documents like Passport, Driving License, National ID card, Salary slips etc. and to calculate similarity score of the extracted details with input key value pairs. It uses fuzzy matching logic for calculating similarity of input value & extracted value based on given keys. For Date of Birth, Date of Issue and Date of expiry keys similarity score is calculated by exact matching logic.

SI. No	Description	Comments
1	Format of input images it supports	jpg, jpeg, png, pdf
2	Output format	JSON
3	Support multiple users' input key value pairs	Yes
4	Support multiple input files of different document types	Yes

Table 8-2 Validate Information API Input format

This topic contains the following subtopics:

- Passport Validation This topic provides the information about the payload details for Passport Details validation service.
- Driving License Validation This topic provides the information about the payload details for Driving License validation service.
- National Identification Validation
 This topic provides the information about the payload details for National Identification validation service.
- Voter Identity Card Validation This topic provides the information about the payload details for Voter Identity Card validation service.
- Pointers About Request and Response
 This topic provides the information about the Pointers about Request and Response.
- Things to be taken care of

8.4.1 Passport Validation

This topic provides the information about the payload details for Passport Details validation service.

Passport Validation module extracts details in the passport like Country, Document Type, Name, First Name, Last Name, Gender, Date of Birth, Date of Issue and Date of expiry of the passport, Passport No and Issuing Authority if present in the passport along with Image metadata information like Image DPI, Resolution and Image Size. Then it calculates similarity



scores for each input key value pairs with the extracted details. This module provides support for passports of various countries listed below:

- USA passport and passport-card
- UAE
- INDIA
- CANADA
- AUSTRALIA
- BANGLADESH

All the details in the passport/ passport-card (in case of USA) are extracted and validated using "/validateInformation" API

Brief of Working:

It takes "country", "key value pairs to be searched", "input documents" (including "document type" and "Base64 encoded image") of the passport as input. It internally generates processed text from the passport and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, PP No. and Issuing Authority if present in the document. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size, etc. Then it calculates similarity scores for each input key value pairs with the extracted details. The output is represented in JSON format.

Input Request:

"/validateInformation" API -

 Country, Array of key value pairs to be searched, Array of the documents (including Base64 encoded image and Document Type ("passport" in this case) for each document).

Sample Input Request:

```
{
    "country": "UAE",
    "search": [
        [
            {
              "key": "-----name of key-----"
             "value": "-----value of key-----"
            }
        ]
   ],
    "docs": [
        {
            "docType": "passport",
            "docBase64s": "-----base64 encoded image string-----"
        }
   ]
}
```



Note: In case of USA, there are 2 types of documents: passport and passport-card. If the input document is of type passport-card, the docType should be mentioned as passport-card.

Output Response:

The output of "/validateInformation" API is the extracted details in the JSON format given below:

```
{
    "documentDetails": [
        {
            "country": "UAE",
            "documents": {
                 "document 1": [
                     [
                         {
                             "extractedValue": "7/11/2001",
                             "key": "dateOfBirth",
                             "similarityScore": 100.0,
                             "value": "7 Nov 2001"
                         },
                         {
                             "extractedValue": "12/6/2017",
                             "key": "dateOfissue",
                             "similarityScore": 100.0,
                             "value": "12 06 2017"
                         },
                         {
                             "extractedValue": "11/6/2022",
                             "key": "dateOfexpiry",
                             "similarityScore": 100.0,
                             "value": "11/06/2022"
                         },
                         {
                             "extractedValue": "SHAMA RASHED ABDULJALIL
MOHAMED ALFAHIM",
                             "key": "nAME",
                             "similarityScore": 56.41,
                             "value": "SHAMA RASHED ABDULIALIL"
                         },
                         {
                             "extractedValue": "UNITED ARAB EMIRATES",
                             "key": "issuedCountry",
                             "similarityScore": 100.0,
                             "value": "UNITED ARAB EMIRATES"
                         }
                     ]
                 ]
```

}

8.4.2 Driving License Validation

This topic provides the information about the payload details for Driving License validation service.

Driving License Details Validation module extracts information present in the Driving License such as Name, First Name, Last Name, Gender, Address, License No, Date of Birth, Date of Issue and Date of expiry of the license along with the image metadata information like Image DPI, Resolution and Size. Then it calculates similarity scores for each input key value pairs with the extracted details. This module provides support for licenses of various countries listed below:

- UNITED STATES OF AMERICA
- UNITED KINGDOM
- CANADA
- AUSTRALIA
- BANGLADESH

All the details in the license are extracted and validated using "/validateInformation" API.

Brief of Working:

It takes "country", "key value pairs to be searched", "input documents" (including "document type" and "Base64 encoded image") of the passport as input. It internally generates processed text from the passport and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, PP No. and Issuing Authority if present in the document. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size, etc. Then it calculates similarity scores for each input key value pairs with the extracted details. The output is represented in JSON format.

Input Request:

"/validateInformation" API -

 Country, Array of key value pairs to be searched, Array of the documents (including Base64 encoded image and Document Type ("license" in this case) for each document).

Sample Input Request:



Output Response:

The output of "/validateInformation" API is the extracted details in the JSON format given below:

```
{
    "documentDetails": [
        {
            "country": "US",
            "documents": {
                "document 1": [
                     [
                         {
                             "extractedValue": "JELANI",
                             "key": "firstnAME",
                             "similarityScore": 75.0,
                             "value": "jelani s"
                        },
                         {
                             "extractedValue": "123 MAIN ST PHOENIX, AZ
85007",
                             "key": "ADDress",
                             "similarityScore": 80.0,
                             "value": "787 Main st, phoenix, AZ 85007"
                        },
                         {
                             "extractedValue": "1/1/1974",
                             "key": "dateOfbirth",
                             "similarityScore": 100.0,
                             "value": "1/1/1974"
                        },
                         {
                             "extractedValue": "1/3/2016",
                             "key": "dateOfissue",
                             "similarityScore": 100.0,
                             "value": "03-01-16"
                        },
                         {
                             "extractedValue": "M",
                             "key": "gender",
```

8.4.3 National Identification Validation

This topic provides the information about the payload details for National Identification validation service.

National ID card Details Validation module extracts details in the National Identity Card like Name, First Name, Last Name, Gender, Address (if present), Date of Birth, Date of Issue and Date of expiry of the NID, ID No, etc along with the image metadata information like Image DPI, Resolution and Size. Then it calculates similarity scores for each input key value pairs with the extracted details. This module provides support for NIDs of various countries listed below:

- USA
- SOUTH AFRICA
- BRAZIL
- BANGLADESH
- CANADA
- INDIA
- KENYA
- PORTUGAL

All the details in the license are extracted and validated using "/validateInformation" API.

Brief of Working:

It takes "country", "key value pairs to be searched", "input documents" (including "document type" and "Base64 encoded image") of the passport as input. It internally generates processed text from the passport and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, PP No. and Issuing Authority if present in the document. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size, etc. Then it calculates similarity scores for each input key value pairs with the extracted details. The output is represented in JSON format.

Input Request:



"/validateInformation" API -

• Country, Array of key value pairs to be searched, Array of the documents (including Base64 encoded image and Document Type ("nid" in this case) for each document).

```
Sample Input Request:
```

```
{
   "country": "BR",
    "search": [
        [
            {
              "key": "-----name of key-----"
              "value": "-----value of key-----"
            }
        1
   ],
    "docs": [
        {
          "docType": "nid",
            "docBase64s": "-----base64 encoded image string-----"
        }
   ]
}
```

Output Response:

The output of "/validateInformation" API is the extracted details in the JSON format given below:

```
{
     "documentDetails": [
        {
            "country": "BR",
            "documents": {
                         {
                             "extractedValue": "FERNANDA DE CARVALHO DA
SILVA",
                             "key": "name",
                             "similarityScore": 68.97,
                             "value": "FERNANDA DE CARVALHO"
                         },
                         {
                             "extractedValue": "000000005-9",
                             "key": "identificationNumber",
                             "similarityScore": 100.0,
                             "value": "000000005-9"
                         },
                         {
                             "extractedValue": "NA",
                             "key": "date",
                             "similarityScore": 0.0,
```

```
"value": "12/7/1960"
},
{
    "extractedValue": "BRAZIL",
    "key": "issuedCountry",
    "similarityScore": 100.0,
    "value": "BRAZIL"
    ]
    ]
    ]
    ]
    ]
}
```

8.4.4 Voter Identity Card Validation

This topic provides the information about the payload details for Voter Identity Card validation service.

Voter ID card Details Validation module extracts details in the Voter ID Card like Name, First Name, Last Name, Gender, Date of Birth and, ID No along with the image metadata information like Image DPI, Resolution and Size. Then it calculates similarity scores for each input key value pairs with the extracted details. This module provides support for Voter IDs of various countries listed below:

INDIA

All the details in the license are extracted and validated using "/validateInformation" API.

Brief of Working:

It takes "country", "key value pairs to be searched", "input documents" (including "document type" and "Base64 encoded image") of the passport as input. It internally generates processed text from the passport and extracts details like Name, First Name, Last Name, Gender, DOB, DOI and DOE, PP No. and Issuing Authority if present in the document. Along with the document details, it also gives image metadata information like Image DPI, Resolution and Size, etc. Then it calculates similarity scores for each input key value pairs with the extracted details. The output is represented in JSON format.

Input Request:

"/validateInformation" API -

 Country, Array of key value pairs to be searched, Array of the documents (including Base64 encoded image and Document Type ("voterid" in this case) for each document).

Sample Input Request:

```
{
    "country": "IND",
    "search": [
    [
```



```
{
    "key": "-----name of key-----"
    "value": "-----value of key-----"
    }
  ]
  ],
  "docs": [
    {
        "docType": "voterid",
        "docBase64s": "-----base64 encoded image string-----"
    }
  ]
}
```

Output Response:

The output of "/validateInformation" API is the extracted details in the JSON format given below:

```
{
    "documentDetails": [
        {
            "country": "IND",
            "documents": {
                "document 1": [
                    [
                         {
                             "extractedValue": "PREM",
                             "key": "firstName",
                             "similarityScore": 100.0,
                             "value": "PREM"
                        },
                         {
                             "extractedValue": "PREM RAJ THAKUR",
                             "key": "name",
                             "similarityScore": 100.0,
                             "value": "Prem RAJ Thakur"
                        },
                         {
                             "extractedValue": "NA",
                             "key": "aDDress",
                             "similarityScore": 0.0,
                             "value": "Kanpur, India"
                        },
                         {
                             "extractedValue": "M",
                             "key": "GENDER",
                             "similarityScore": 0.0,
                             "value": "F"
                        },
                        {
                             "extractedValue": "GDN0225185",
```

8.4.5 Pointers About Request and Response

}

This topic provides the information about the Pointers about Request and Response.

If "Country" is provided as empty string in the input request, the service return a message "Country is not provided in the input". If key "Country" is not provided/ is missing in the request, the service returns an exception/ error.

If input documents "Docs" are provided as empty list, the service return a message "Input documents are not provided". If key "Docs" is not provided/ is missing in the request, the service returns an exception/ error.

If either "DocType" is provided as empty string or key "DocType" not provided in the input request, the service returns an exception/ error.

If either the quality of the document is not enough to extract all the details or resolution is poor, the service returns an exception/ error.

If input key value pairs list "Search" is provided as empty list, the service returns empty result along with input country. If key "Search" is not provided/ is missing in the request, the service returns an exception/ error.

8.4.6 Things to be taken care of

- Make sure the base64 encoded image string of the input image is correct.
- Make sure the document type of the input image is correct.
- Specify the country name correctly for accurate extraction of details

8.5 Recommendations For Better Performance

This topic provides the information about the better quality of the source image, the higher the accuracy of extraction will be.

Keeping DPI lower than 200 will give unclear and incomprehensible results while keeping the DPI above 600 will unnecessarily increase the size of the output file without improving the quality of the file. Thus, a DPI of 300 works best for this purpose.

Following parameters determines the image quality:

- Min text-size 10 pts (below 8pts are removed by noise).
- Min resolution (dpi) of 300 works best for Text Extraction.
- Sharp and visible characters.



- Min image size of 200 kb.
- Less image noise e.g., the image with shadows.
- Image with background noise e.g., image containing background with text data in foreground.



A Error Codes and Messages

Error Codes	Messages
CC-01015	Default BIC Is Checked For More Than One BIC.
CC-01016	Swift Address is Mandatory.
CC-01017	Default BIC Is Not Checked For any BIC.
CC-01018	Same Swift Address is present more than once.
CC-01019	Mismatch in bank code.
CC-ACC-002	Currency should be null for Multi-Currency Account.
CC-ACC-102	Record already exist for Source Branch and Source Account No combination
CC-ACC-169	Reopen not allowed for a closed Customer No
CC-BIC-010	Bic code is being used in branch maintenance. Close not allowed.
CC-BIC02	The BIC code does not conform to SWIFT standards.
CC-BIC05	Record already maintained for the customer no.
CC-BNK-001	Branch code is in Open status. Close not allowed.
CC-BNK-002	Reopen not allowed for a closed Branch Code.
CC-BNK-003	Only one Bank Code is allowed.
CC-BRN-101	Active account / accounts exist for the branch code. Close not allowed.
CC-BRN-102	This is HO branch. Close not allowed.
CC-BRN-103	Record for Source Branch Code already exists.
CC-C00100	Relationship cannot be No for a Customer Linked BIC Code.
CC-CUS-167	Record already exist for customer no and source_system_cust_no combination.
CC-CUS-169	Active account/accounts exist for the customer no.
CC-CUS-17	Kindly Enter a Valid Walkin Customer.
CC-EC-002	Record already exist for Account IBAN.
CC-ECA-001	Active \$1 exist for the Source System.
CC-HST-001	Active \$1 exist for the Host Code.
CC-MOD-001	\$1 cannot be modified.
CC-MOD-INV	\$1 is invalid.
CC-NUL-001	\$1 cannot be null.
CC-TXN-001	\$1 is closed. Reopen not allowed.
CMC-ACC-FOR01	Cannot reopen forgotten account.
CMC-ACC-PII01	User does not have access to PII data and cannot perform create or modify operations.
CMC-ACC- SUBAC01	No SubAccounts available for Multi-Currency Account.
CMC-ACC- SUBAC02	Exactly one account should be primary account.
CMC-ACC- SUBAC03	Sub Accounts should have unique currency code.
CMC-BRN-018	Exception occurred in ICFlipDate.

Table A-1 Error Codes and Messages



Error Codes	Messages
CMC-BRN-019	Unable to get branch date.
CMC-BRN-020	Branch code is null.
CMC-BRN-100	Branch Status retrieved Successfully.
CMC-BRN-101	Branch does not exist.
CMC-BRN-CD01	Date changed successfully.
CMC-BRN-CD02	Failed to change date, holiday list not maintained properly.
CMC-BRN-EOD01	Branch Status not in TI, cannot initiate EOD.
CMC-BRN-EOD02	EOD invoked for the branch.
	Invalid Branch Code.
CMC-BRN-EOD04	
CMC-BRN-EOD05	
CMC-BRN-EOD06	Date changed successfully.
CMC-BRN-EOD07	EOD not invoked, cannot initiate change date.
CMC-BRN-EOD08	EOFI job not completed, cannot initiate change date.
CMC-BRN-EOD09	EOD not invoked, cannot initiate mark TI.
CMC-BRN-EOD10	Date Change job not completed, cannot initiate TI for next day.
CMC-BRN-EOD11	Mark TI successful.
CMC-BRN-EOD12	
CMC-BRN-EOD13	Branch status not in EOFI, cannot change Date.
CMC-BRN-EOD14	
CMC-BRN-EOD15	Branch status not in EOD, cannot mark TI.
CMC-BRN-EOD16	Branch status for next working date update to TI.
CMC-BRN-EOD17	Branch Status Changed to EOFI.
CMC-BRN-EOD18	Invoke Mark TI failed.
CMC-BRN-EOD19	Date change completed cannot retrigger.
CMC-BRN-EOD20	Mark TI completed cannot retrigger.
CMC-BRN-EOD21	Date changed failed.
CMC-BRN-EOD30	Invalid requested date, failed to parse.
CMC-BRN-EOD31	Mark EOFI retry initiated.
CMC-BRN-EOD32	Cannot retry Mark EOFI which has not failed.
CMC-BRN-EOD33	Date Changed successfully. \$1
CMC-BRN-EOD34	BOD Batches completed successfully.
CMC-BRN-EOD35	BOD Batches retriggered successfully. \$1.
CMC-BRN-EOD36	\$1. Hence EOFI Failed.
CMC-BRN-EOD37	Failed in getting current date.
CMC-CCY-001	Duplicate records exists in Amount word currency Mapping.
CMC-CCY-002	Duplicate records exists in Amount Text Mapping.
CMC-CCY-003	Cannot change Currency Decimal for once authorized currencies.
CMC-CCY-004	Cannot Change round unit if the round rule is Truncate (T).
CMC-CCY-005	Mandatory field Interest Method is not entered.
CMC-CCY-006	Mandatory field Spot Days is not entered.
CMC-CCY-007	Mandatory field Settlement Days is not entered.

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-CCY-008	Mandatory field Country is not entered.
CMC-CCY-009	Mandatory field Rule is not entered.
CMC-CCY-010	Value should be in range of 0 and 999 for Settlement Days.
CMC-CCY-011	Mandatory field Unit is not entered.
CMC-CCY-012	Decimals/ Rounding Unit Mismatch.
CMC-CCY-013	Numerator of Interest Method is not Actual.
CMC-CCY-014	Duplicate Alternate Currency Code.
CMC-CCY-015	Duplicate ISO Numeric Currency Code.
CMC-CCY-016	Duplicate Euro currency.
CMC-CCY-017	Euro Conversion required cannot be changed for the currency types out, Euro and Euro closed.
CMC-CCY-018	Spot days is less than fx netting days.
CMC-CCY-019	Currency Cut Off days cannot be greater than spot days for currency.
CMC-CCY-020	Spot Days for currency cannot be lesser than cut off days for currency.
CMC-CCY-021	Value should be in range of 1 and 99 for Cut Off Days.
CMC-CCY-022	Value should be in range of 1 and 23 for Cut Off Hour.
CMC-CCY-023	Value should be in range of 1 and 59 for Cut Off Min.
CMC-CCY-024	Value cannot be less than .00000 for Currency Total limit.
CMC-CCY-025	Value should be in range of 0 and 3 for Currency Decimal.
CMC-CCY-026	Country Code is Mandatory.
CMC-CCY-027	Duplicate records exists in Currency Country Mapping.
CMC-CCY-028	Mandatory field Country is not entered in Currency Country Mapping.
CMC-CCY-029	Currency Code is NULL.
CMC-CCY-030	Date is NULL.
CMC-CCY-031	Date is Invalid (should be in yyyy-mm-dd format).
CMC-CCY-032	No record found.
CMC-CCY-033	Next/Previous indicator is NULL (should be either N or P).
CMC-CCY-034	Next/Previous indicator is Invalid (should be either N or P).
CMC-CCY-035	Lower Limit Date is Invalid (should be in yyyy-mm-dd format).
CMC-CCY-036	Upper Limit Date is Invalid (should be in yyyy-mm-dd format).
CMC-CCY-037	Offset is NULL.
CMC-CCY-038	Offset is Invalid (should be > 0).
CMC-CCY-039	Input date should be between Upper limit date and Lower limit date.
CMC-CCY-040	Duplicate records exists in CurrencyHolidays.
CMC-CCY-041	Mandatory Through Currency Code is not entered
CMC-CCY-042	Cannot change spread definition option for through currency pair.
CMC-CCY-043	Through currency should be blank if the through currency is unchecked.
CMC-CCY-044	Through currency has to be of type Euro.
CMC-CCY-045	Through Currency is not allowed for Euro In Currency Pair.
CMC-CCY-046	Points multiplier should be in the range 0 - 1.
CMC-CCY-047	MidRate is invalid.
CMC-CCY-048	BuySpread is invalid.

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-CCY-049	SaleSpread is invalid.
CMC-CCY-050	Atleast one Currency Rate Should be Maintained.
CMC-CCY-051	Duplicate records exists in Rate.
CMC-CCY-052	Currency Code is NULL.
CMC-CCY-053	Currency Code is Empty.
CMC-CCY-054	Amount is NULL.
CMC-CCY-055	Option is NULL.
CMC-CCY-056	Option is Empty.
CMC-CCY-057	Method is NULL.
CMC-CCY-058	Method is Empty.
CMC-CCY-059	Decimal is NULL.
CMC-CCY-060	Units is NULL.
CMC-CCY-061	Maintenance Country is NULL.
CMC-CCY-062	Maintenance Country is Empty.
CMC-CCY-063	Currency1/Currency2/branch Code is NULL.
CMC-CCY-065	Error in conversion.
CMC-CCY-066	Rate is not handled for currency1 and currency2.
CMC-CCY-067	Rate is not handled for currency2 and currency1.
CMC-CCY-068	Error in Amount rounding.
CMC-CCY-069	Currency definition is not maintained for given currency and maintenance country.
CMC-CCY-070	Error in getting branch currency and country.
CMC-CCY-071	Error in getting currency pair for currency1 and currency2.
CMC-CCY-072	Error in getting Premium points for currency1 and currency2.
CMC-CCY-073	Error in getting rate with through currency.
CMC-CCY-074	Error in getting Rate.
CMC-CCY-075	Rate History is not handled for currency1 and currency2.
CMC-CCY-076	Rate History is not handled for currency2 and currency1.
CMC-CCY-077	Currency Pair is not maintained.
CMC-CCY-078	Error in purging.
CMC-CCY-079	Data inadequate in currency Pair Definition.
CMC-CCY-080	Currency Pair already exists for the given Maintenance Country.
CMC-CCY-081	MidRate is mandatory.
CMC-CCY-082	Either buySpread / buyRate are mandatory.
CMC-CCY-083	Either saleSpread / saleRate are mandatory.
CMC-CUS-FOR01	Record successfully deleted.
CMC-CUS-PII01	User does not have access to PII data, cannot perform create or modify operations.
CMC-EOD-001	Invoked EOD successfully.
CMC-EOD-002	Failed while resolving current date.
CMC-EOD-003	EOD flow is not maintained for \$1 branch.
CMC-EOD-004	EOD already invoked for today.
CMC-EOD-005	Unable to invoke EOD.

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-EOD-006	Retried EOD successfully.
CMC-EOD-008	Failed to retry EOD.
CMC-EOD-007 CMC-EOD-008	
CMC-EOD-009	Pending maintenances exist. Failed to start EOD.
	Failed during pending maintenance check.
CMC-EOD-010	Pending transactions exist. Failed to start EOD.
CMC-EOD-011	Failed during pending transaction check.
CMC-EOD-012	Marked cutoff for the branch successfully.
CMC-EOD-013	Branch not in Transaction Input. Cannot mark cutoff.
CMC-EOD-014	Branch not in EOD stage. Cannot release cutoff.
CMC-EOD-015	Released cutoff for the branch successfully.
CMC-EOD-016	Branch cutoff not released. Cannot mark Transaction Input.
CMC-EOD-017	Branch cutoff not marked. Cannot mark End of Transaction Input.
CMC-FORC-001	Request is null, not valid.
CMC-FORC-002	Forget customers request created successfully.
CMC-FORC-003	Failed to create forget entities request.
CMC-FORC-004	Invalid ID sent, ID null.
CMC-FORC-005	Already authorized.
CMC-FORC-006	Authorized successfully.
CMC-FORC-007	Record not found, invalid ID.
CMC-FORC-008	Cannot delete authorized record.
CMC-FORC-009	Record successfully deleted.
CMC-FORC-010	Invalid Customer \$1 added, customer should be valid and in closed and authorized state without pending maintenance.
CMC-FORC-011	Invalid request. Duplicate requests for customer number \$1.
CMC-INDBML-000	Failed with error - \$1.
CMC-INDBML-001	Usecase already exists with a same name.
CMC-INDBML-002	Target Column cannot be null.
CMC-INDBML-003	Unique Case Identifier Column cannot be null.
CMC-INDBML-004	Invalid Partition column value.
CMC-INDBML-005	Duplicate Column Values.
CMC-INDBML-006	Partition Columns cannot be same as either of target, use case identifier or prediction column.
CMC-INDBML-007	\$1 and \$2 are not similar
CMC-INDBML-008	Invalid Table Name
CMC-INDBML-009	Unable to save model monitoring details
CMC-LOV-001	Invalid Source Code.
CMC-IB-001	Branch Code 1 and Branch Code 2 cannot be same
CMC-IB-002	\$1 is a invalid GL Code
CMC-IB-003	\$1 is a invalid Branch Code
CMC-IB-004	Accounting Reference numbers cannot be empty for retry
CMC-IB-005	Accounting Reference number, Transaction Branch or Accounting Branch cannot be empty for retry all
CMC-IB-006	Currency is not vaid

Table A-1 (Cont.) Error Co	odes and Messages
-------------	-----------------	-------------------



Error Codes Messages CMC-LOV-002 Invalid Currency. CMC-LOV-003 Cannot Close the record for which rates are maintained. CMC-LOV-004 Invalid Canguage Code. CMC-LOV-005 Invalid Country. CMC-LOV-006 Invalid Courtry. CMC-LOV-007 Invalid Wear. CMC-LOV-008 Invalid Wear. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-001 Training File created successtully. CMC-NLP-002 System is unable to process the request. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-007 Error in processing step \$1. CMC-NLP-008 Successtully completed the processing of process \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model		
CMC-LOV-003Cannot Close the record for which rates are maintained.CMC-LOV-004Invalid Language Code.CMC-LOV-005Invalid Country.CMC-LOV-006Invalid Cloc de.CMC-LOV-007Invalid Limit Currency.CMC-LOV-008Invalid Month.CMC-LOV-009Invalid Month.CMC-LOV-011Invalid Version.CMC-LOV-012Rate Type \$1 is invalid.CMC-NLP-000System is unable to process the request.CMC-NLP-001Training File created successfully.CMC-NLP-002Training File created successfully.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-009Rue Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record does not exist.CMC-OBRH-006Record does not exist.CMC-OBRH-007Erad modified successfully.CMC-OBRH-008Record modified successfully.CMC-OBRH-009Pailed to get data.CMC-OBRH-001Data exported successfully.CMC-OBRH-013Failed to import. <td>Error Codes</td> <td>Messages</td>	Error Codes	Messages
CMC-LOV-004 Invalid Language Code. CMC-LOV-005 Invalid GLCode. CMC-LOV-006 Invalid GLCode. CMC-LOV-007 Invalid Verar. CMC-LOV-008 Invalid Worth. CMC-LOV-009 Invalid Worth. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-000 System is unable to process the request. CMC-NLP-001 Training File creation failed. CMC-NLP-002 Training File creation failed. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-010 Record already exists. CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code i	CMC-LOV-002	Invalid Currency.
CMC-LOV-005 Invalid GLCode. CMC-LOV-007 Invalid Unit Currency. CMC-LOV-009 Invalid Wear. CMC-LOV-009 Invalid Month. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Wersion. CMC-LOV-012 Rate Type \$1 is invalid. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-001 Training File created successfully. CMC-NLP-002 Training File creation failed. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-008 Successfully completed the processing of process \$1. CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code is not valid. Please check again. CMC-OBRH-001 Record already exists. CMC-OBRH-003<	CMC-LOV-003	Cannot Close the record for which rates are maintained.
CMC-LOV-006 Invalid LCode. CMC-LOV-007 Invalid Limit Currency. CMC-LOV-008 Invalid Wear. CMC-LOV-009 Invalid Month. CMC-LOV-011 Invalid Month. CMC-LOV-012 Rate Type \$1 is invalid. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-000 System is unable to process the request. CMC-NLP-001 Training File created successfully. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code is not valid. Please check again. CMC-NLP-010 Record already exists. CMC-OBRH-001 Record already exists. CMC-OBRH-002	CMC-LOV-004	Invalid Language Code.
CMC-LOV-007 Invalid Limit Currency. CMC-LOV-008 Invalid Year. CMC-LOV-009 Invalid Wonth. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-000 System is unable to process the request. CMC-NLP-001 Training File created successfully. CMC-NLP-002 Training File creation failed. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-010 Record already exists. CMC-OBRH-001 Record already exists. CMC-OBRH-002 Record deleted successfully.	CMC-LOV-005	Invalid Country.
CMC-LOV-008 Invalid Year. CMC-LOV-019 Invalid Month. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLOV-001 Training File created successfully. CMC-NLP-000 System is unable to process the request. CMC-NLP-001 Training File created successfully. CMC-NLP-002 Training File created successfully. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-008 Successfully completed the processing of process \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code is not valid. Please check again. CMC-OBRH-003 Record already exists. CMC-OBRH-004 I	CMC-LOV-006	Invalid GLCode.
CMC-LOV-099 Invalid Month. CMC-LOV-010 Amount Limit Exceeds. CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NUP-000 System is unable to process the request. CMC-NLP-001 Training File created successfully. CMC-NLP-002 Training File created successfully. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-008 Successfully completed the processing of process \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code is not valid. Please check again. CMC-OBRH-001 Record already exists. CMC-OBRH-003 Record does not exist. CMC-OBRH-004 Invalid Payload. CMC-OBRH-005 Record mod	CMC-LOV-007	Invalid Limit Currency.
CMC-LOV-010Amount Limit Exceeds.CMC-LOV-011Invalid Version.CMC-LOV-012Rate Type \$1 is invalid.CMC-NLP-000System is unable to process the request.CMC-NLP-001Training File created successfully.CMC-NLP-002Training File created successfully.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record does not exist.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record modified successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data exported successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to import. <tr< td=""><td>CMC-LOV-008</td><td>Invalid Year.</td></tr<>	CMC-LOV-008	Invalid Year.
CMC-LOV-011 Invalid Version. CMC-LOV-012 Rate Type \$1 is invalid. CMC-NLP-000 System is unable to process the request. CMC-NLP-001 Training File created successfully. CMC-NLP-002 Training File creation failed. CMC-NLP-003 Service definition not found for \$1 for use case \$2. CMC-NLP-004 Unsupported file type uploaded. Please upload supported file type. CMC-NLP-005 You do not have sufficient number of training files for use case \$1 to train the model. CMC-NLP-006 Invalid training files are present in the training corpus. CMC-NLP-007 Error in processing step \$1. CMC-NLP-008 Successfully completed the processing of process \$1. CMC-NLP-010 Run Reference is already mapped with Usecase CMC-NLP-011 Usecase is not present. Cannot import model CMC-NLP-012 Model Import code is not valid. Please check again. CMC-OBRH-001 Record already exists. CMC-OBRH-002 Record does not exist. CMC-OBRH-003 Record does not exist. CMC-OBRH-004 Invalid Payload. CMC-OBRH-005 Record modified successfully. CMC-OBRH-006 <	CMC-LOV-009	Invalid Month.
CMC-LOV-012Rate Type \$1 is invalid.CMC-NLP-000System is unable to process the request.CMC-NLP-001Training File created successfully.CMC-NLP-002Training File creation failed.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record does not exist.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Data exported successfully.CMC-OBRH-006Data exported successfully.CMC-OBRH-007Data exported successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to get data.CMC-OBRH-013Failed to get data.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Recurd successfully.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Failed to import. </td <td>CMC-LOV-010</td> <td>Amount Limit Exceeds.</td>	CMC-LOV-010	Amount Limit Exceeds.
CMC-NLP-000System is unable to process the request.CMC-NLP-001Training File created successfully.CMC-NLP-002Training File creation failed.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-003Record already exists.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record does not exist.CMC-OBRH-006Record deleted successfully.CMC-OBRH-007Data exported successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-009Failed to get data.CMC-OBRH-001Cannot start disabled route.CMC-OBRH-011Data exported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Fai	CMC-LOV-011	Invalid Version.
CMC-NLP-001Training File created successfully.CMC-NLP-002Training File creation failed.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-003Record already exists.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record does not exist.CMC-OBRH-006Record diffed successfully.CMC-OBRH-007Data exported successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-009Failed to get data.CMC-OBRH-001Cannot start disabled route.CMC-OBRH-011Data exported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Record ductessfully.CMC-OBRH-016Cannot start disabled route.CMC-OBRH-017Data extracted successfully.CMC-OBRH-018Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-014Data extract	CMC-LOV-012	Rate Type \$1 is invalid.
CMC-NLP-002Training File creation failed.CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record does not exist.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record modified successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route stat cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-000	System is unable to process the request.
CMC-NLP-003Service definition not found for \$1 for use case \$2.CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Rout start disabled route.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Failed to parse [\$1].CMC-OBRH-015Failed to parse [\$1].CMC-OBRH-015Failed to parse [\$1].CMC-OBRH-015 </td <td>CMC-NLP-001</td> <td>Training File created successfully.</td>	CMC-NLP-001	Training File created successfully.
CMC-NLP-004Unsupported file type uploaded. Please upload supported file type.CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record does not exist.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-001Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-002	Training File creation failed.
CMC-NLP-005You do not have sufficient number of training files for use case \$1 to train the model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record asved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to import.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-003	Service definition not found for \$1 for use case \$2.
model.CMC-NLP-006Invalid training files are present in the training corpus.CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Deator modified successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-001Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.	CMC-NLP-004	Unsupported file type uploaded. Please upload supported file type.
CMC-NLP-007Error in processing step \$1.CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record deleted successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to get data.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Reid to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-005	
CMC-NLP-008Successfully completed the processing of process \$1.CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to get data.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-006	Invalid training files are present in the training corpus.
CMC-NLP-010Run Reference is already mapped with UsecaseCMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to get data.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Record successfully.CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-007	Error in processing step \$1.
CMC-NLP-011Usecase is not present. Cannot import modelCMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to get data.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-008	Successfully completed the processing of process \$1.
CMC-NLP-012Model Import code is not valid. Please check again.CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-010	Run Reference is already mapped with Usecase
CMC-OBRH-001Record already exists.CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-011	Usecase is not present. Cannot import model
CMC-OBRH-002Record saved successfully.CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to jarse [\$1].CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-NLP-012	Model Import code is not valid. Please check again.
CMC-OBRH-003Record does not exist.CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-001	Record already exists.
CMC-OBRH-004Invalid Payload.CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-002	Record saved successfully.
CMC-OBRH-005Record deleted successfully.CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-003	Record does not exist.
CMC-OBRH-006Record modified successfully.CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-004	Invalid Payload.
CMC-OBRH-007Data fetched successfully.CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-005	Record deleted successfully.
CMC-OBRH-008Data exported successfully.CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-006	Record modified successfully.
CMC-OBRH-009Failed to get data.CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-007	Data fetched successfully.
CMC-OBRH-010Cannot start disabled route.CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-008	Data exported successfully.
CMC-OBRH-011Data imported successfully.CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-009	Failed to get data.
CMC-OBRH-012Failed to import.CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-010	Cannot start disabled route.
CMC-OBRH-013Failed to parse [\$1].CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-011	Data imported successfully.
CMC-OBRH-014Data extracted successfully.CMC-OBRH-015Route state cannot be changed to Start as Consumer Service / Provider is inactive.CMC-OBRH-016Modified/Deleted attribute is already in use by route.	CMC-OBRH-012	Failed to import.
CMC-OBRH-015 Route state cannot be changed to Start as Consumer Service / Provider is inactive. CMC-OBRH-016 Modified/Deleted attribute is already in use by route.	CMC-OBRH-013	Failed to parse [\$1].
inactive. CMC-OBRH-016 Modified/Deleted attribute is already in use by route.	CMC-OBRH-014	Data extracted successfully.
	CMC-OBRH-015	-
CMC-OBRH-017 Something went wrong!	CMC-OBRH-016	Modified/Deleted attribute is already in use by route.
	CMC-OBRH-017	Something went wrong!

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-OBRH-018	Imported WSDL successfully.
CMC-OBRH-019	Imported Swagger successfully.
CMC-OBRH-020	Failed to import [\$1].
CMC-OBRH-021	Failed to export [\$1].
CMC-OBRH-022	Request failed [\$1].
CMC-OBRH-023	Request is being processed
CMC-ORCH-001	Failed to initiate.
CMC-ORCH-002	Transaction is successfully initiated.
CMC-ORCH-003	Invalid action, failed to initiate.
CMC-ORCH-004	\$1 is not submitted, transaction remains the same.
CMC-ORCH-005	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-006	Cannot proceed with submit as the information is incomplete.
CMC-ORCH-007	Failed to submit.
CMC-ORCH-008	Record successfully submitted.
CMC-ORCH-009	\$1 is in-progress, failed to initiate.
CMC-ORCH-010	Aw, snap! An unexpected exception occurred, try again.
CMC-ORCH-011	Invalid request.
CMC-ORCH-012	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-013	Cannot find the provided information.
CMC-ORCH-014	Record is not yet submitted by \$1, cannot initiate the action.
CMC-ORCH-015	Record already unlocked by \$1.
CMC-ORCH-016	One record can be authorized at a time. Please close the screen and try again.
CMC-ORCH-017	Current operation terminated.
CMC-ORCH-018	Current operation could not be terminated.
CMC-OV-001	Override Codes must not be empty.
CMC-OV-002	Business Overrides Saved Successfully.
CMC-OV-003	Business Overrides Updated Successfully.
CMC-OV-004	Business Overrides Authorized Successfully.
CMC-OV-005	Business Overrides Approval Pending.
CMC-OV-006	Maker Cannot Authorize.
CMC-OV-007	Multiple Authorizations not allowed for checker.
CMC-OV-008	No Records found for approval.
CMC-OV-009	Maker should approve the records.
CMC-OV-010	Reference number is not valid.
CMC-OV-011	Exception Occurred while converting string to number.
CMC-OV-012	Server Error Occurred during API call.
CMC-OV-013	Client Error Occurred during API call.
CMC-OV-014	Illegal State Exception Occurred.
CMC-OV-015	JTA Transaction unexpectedly rolled back.
CMC-OV-016	Exception Occurred while creating Bean.
CMC-OV-017	Unexpected Exception Occurred.
CMC-OV-018	Exception Occurred while Executing Query.

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-STR-001	mandatory fields are missing.
CMC-STR-002	invalid real account number.
CMC-STR-003	Real Account No cannot be modified.
CMC-STR-004	Structured Address is already created for this Real Account.
CMC-STR-005	Structured Address is already created for this External Virtual Account.
CMC-STR-006	invalid virtual account number.
CMC-STR-007	Virtual Account No cannot be modified.
CMC-VAM-001	Rolled Back Due to Exception.
ERR_DEF_CODE	System is unable to process the request.
GCS-AUTH-01	Record Successfully Authorized.
GCS-AUTH-02	Valid modifications for approval were not sent. Failed to match.
GCS-AUTH-03	Maker cannot authorize.
GCS-AUTH-04	No Valid unauthorized modifications found for approval.
GCS-CLOS-002	Record Successfully Closed.
GCS-CLOS-01	Record Already Closed.
GCS-CLOS-02	Record Successfully Closed.
GCS-CLOS-03	Unauthorized record cannot be closed, it can be deleted before first authorization.
GCS-COM-001	Record does not exist.
GCS-COM-002	Invalid version sent, operation can be performed only on latest version.
GCS-COM-003	Please Send Proper ModNo.
GCS-COM-004	Please send maker ID in the request.
GCS-COM-005	Request is Null. Please Resend with Proper SELECT.
GCS-COM-006	Unable to parse JSON.
GCS-COM-007	Request Successfully Processed.
GCS-COM-008	Modifications should be consecutive.
GCS-COM-009	Resource ID cannot be blank or null.
GCS-COM-010	Successfully cancelled \$1.
GCS-COM-011	\$1 failed to update.
GCS-DEL-001	Record deleted successfully.
GCS-DEL-002	Record(s) deleted successfully.
GCS-DEL-003	Modifications did not match valid unauthorized modifications that can be deleted for this record.
GCS-DEL-004	Send all unauthorized modifications to be deleted for record that is not authorized even once.
GCS-DEL-005	Only Maker of first version of record can delete modifications of record that is not once authorized.
GCS-DEL-006	No valid unauthorized modifications found for deleting.
GCS-DEL-007	Failed to delete. Only maker of the modification(s) can delete.
GCS-MOD-001	Closed Record cannot be modified.
GCS-MOD-002	Record Successfully Modified.
GCS-MOD-003	Record marked for close, cannot modify.
GCS-MOD-004	Only maker of the record can modify before once auth.
GCS-MOD-005	Not amendable field, cannot modify.

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages	
GCS-MOD-006	Natural Key cannot be modified.	
GCS-MOD-007	Only the maker can modify the pending records.	
GCS-REOP-003	Successfully Reopened.	
GCS-REOP-01	Unauthorized Record cannot be Reopened.	
GCS-REOP-02	Failed to Reopen the Record, cannot reopen Open records.	
GCS-REOP-03	Successfully Reopened.	
GCS-REOP-04	Unauthorized record cannot be reopened, record should be closed and authorized.	
GCS-SAV-001	Record already exists.	
GCS-SAV-002	Record Saved Successfully.	
GCS-SAV-003	The record is saved and validated successfully.	
GCS-VAL-001	The record is successfully validated.	
ML-TS-001	Invalid Data Source.	
ML-TS-002	Invalid datatype for case ID.	
ML-TS-003	Timeseries Model Training Failed.	
ML-TS-004	Use Case Name cannot have dash.	
ML-RG-001	Regression Model Build Failed.	
ML-RG-002	Regression Model Statistics Calculation Failed.	
ML-RG-003	Cross Validation Failed.	
ML-RG-004	Model Selection Failed.	
ML-RG-005	Model Successfully Trained.	
ML-RG-006	Invalid Use Case Selected.	
ML-RG-007	No Trained Model found.	
ML-RG-008	Batch Scoring Failed.	
ML-RG-009	Successfully completed Batch scoring.	
ML-CLS-001	Mandatory IN Parameters are NULL.	
ML-CLS-002	Stratified Sampling Failed.	
ML-CLS-003	Stratified dataset Split Failed.	
ML-CLS-004	Correlation Check Failed.	
ML-CLS-005	Model Metrics Computation Failed.	
ML-CLS-006	Only Binary Target Class Supported for Generalized Linear Model.	
ML-CLS-007	Failed to Select Final Algorithm.	
ML-CLS-008	Dynamic Execute Statement Failed.	
ML-CLS-009	Classification Model Build Failed.	
ML-CLS-010	Classification Model Successfully Built.	
ML-CLS-011	No Trained Classification Model Found.	
ML-CLS-012	Failed to Predict.	
ML-CLS-013	Classification Batch Scoring Failed.	
ML-CLS-014	Successfully completed Batch scoring. Result are available at \$1.	
ML-CORR-001	Correlation completed successfully.	
ML-CORR-002	Correlation Failed.	
ML-CORR-003	Correlation analysis not completed fully.	

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
ML-UTIL-001	Invalid Table Name.
ML-UTIL-002	Invalid column Name(s).
ML-UTIL-003	Failed in Random Sampling.
ML-UTIL-004	Too less data for model building.
ML-UTIL-005	Failed in Splitting Data.
ML-UTIL-006	Failed in Selecting Feature.
ML-UTIL-007	Failed to Drop Model(s).
ST-CUS-167	Record already exist for customer no and source_system_cust_no combination.
ST-SAVE-027	Request Successfully Processed.
CBS- CRITERIA-001	Criteria Code cannot be blank.
CBS- CRITERIA-002	Criteria Description cannot be blank.
CBS- CRITERIA-003	Select valid Product Processor.
CBS- CRITERIA-004	Atleast one Rule should be selected in Criteria Definition.
CBS- CRITERIA-005	Rule Description cannot be blank.
CBS- CRITERIA-006	Select a Rule ID from the list.
CBS- CRITERIA-007	Enter a valid number for Priority.
CBS- CRITERIA-008	Enter a valid number for Priority.
CBS- CRITERIA-009	Duplicate entries found for Rule ID.
CBS- CRITERIA-010	Duplicate entries found for Priority.
CBS- CRITERIA-011	Enter valid Parent Rule ID for.
CBS- CRITERIA-012	Duplicate entries found for Rule ID.
CBS- CRITERIA-013	Cannot add child Rule when Call All Bureau is enabled.
CBS- CRITERIA-014	Duplicate entries found for Priority.
CBS_ERR_004	Parameter description cannot be modified.
CBS_LKUP_01	Duplicate entries found for Lookup Code.
CBS_500	Error occurred at Bureau Call.
	Response structure from Bureau is different.
CBS_SYSPAR_00 1	System parameter not maintained for the bureau for history call.

 Table A-1
 (Cont.) Error Codes and Messages



Table A-1	(Cont	.) Error Codes and Messages

Error Codes	Messages
CBS_400	Facts not found for Bureau identification Rule.
	Empty response from criteria for given PPcode.
	Empty response from Oracle Banking Routing Hub from bureau call.
	Bureau identification Rule not found for given facts.
CBS-CRTR-015	Criteria Code has exceeded the max length specified
CBS-CRTR-016	Description has exceeded the max length specified
CBS-CRTR-017	Rule Id has exceeded the max length specified
CBS-CRTR-018	Rule Description has exceeded the max length specified
CBS_BR_DTLS_N OT_FOUND	Bureau Details are not provided
CBS_BR_DTLS_N OT_MNT	Bureau Details are not maintained for +{reqBureauProductType} (variable, value will be replaced at runtime from payload)
CDS-DML-006	Invalid range definition. Either range or value is allowed
CDS-DML-007	Duplicate \$1 values are not allowed
CDS-DML-010	From value should not be greater than To value
CDS-RUL-001	Error occurred while evaluating the rule
CDS-RUL-003	Effective date should be less than Expiry Date
CDS-RUL-006	Effective date should be less than the Expiry Date
CDS-DML-003	Effective date should be less than Expiry Date
CDS-PRC-006	Effective date should be less than the Expiry Date
CDS-DML-002	Maintain at least one record in \$1
CDS-DML-014	Effective date cannot be less than the Product Processor Effective date.
CDS-PRC-014	Effective date cannot be less than the Product Processor Effective Date.
CDS-DML-017	if dmlAppEnabledInd is selected as N then dmlFeature can not be null
CDS-DML-018	if dmlAppEnabledInd is selected as y then dmlScoreRuleId can not be null
CDS-DML-022	Input parameter is missing or incorrect. Unable to resolve any scoring model
CDS-DML-0223	Input parameter is missing or incorrect. Unable to calculate the score
CDS-DML-013	Invalid product processor
CDS-PRC-011	Incorrect Range Definition. Range definition should be continuous in \$1
CDS-PRC-012	Duplicate \$1 values are not allowed
CDS-PRC-015	Product Processor is not authorized
CDS-DML-011	Incorrect Range Definition. Range definition should be continuous
CDS-DML-012	Input parameter is missing or incorrect. Unable to resolve any pricing setup
CDS-QFT-001	if qftRuleApplicableInd is selected as y then qftRuleName and qftRuleId cannot be null
CDS-QFT-002	if qftRuleApplicableInd is selected as N then qftFactName and qftFactId cannot be null
CDS-QFT-005	qftCode cannot be other than alphanumeric
CDS-QFT-004	Fact or rule not found
CDS-DML-008	Invalid rule name
CDS-PRC-0010	Fact or rule not found
CDS-PRC-007	Pricing Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate



Error Codes	Messages
CDS-PRC-009	rate percentage of range cannot be equal to zero or less than the previous one
CDS-PRC-005	\$1 should be equal to or greater than the System date
CDS-PRC-0010	Invalid product processor
CDS-PRC-004	Maintain at least one record \$1
CDS-PRC-001	Min Rate cannot be less than zero or not be more than max rate
CDS-PRC-003	Overlapping price range definition not allowed \$1
CDS-PRC-002	Rate Type cannot any other keyword
CDS-PRC-008	\$1 cannot be less than or equal to zero
CDS-DML-009	Unable to resolve any scoring model
CDS-PPR-001	\$1 should be equal to or greater than the System date
CDS-DML-005	Overlapping range definition not allowed in \$1
CDS-QFT-003	Invalid product processor
CDS-DML-001	\$1 should be equal to or greater than the Posting date
CDS-DML-019	Unable to resolve the best fit scoring model. Multiple scoring model resolved
CDS-DML-016	Unable to resolve the best fit pricing model. Multiple pricing model resolved
CDS-DML-004	The sum of weightage assigned to the feature code should be 100
CDS-PPR-002	Effective date should be less than Expiry Date
CDS-PRC-013	Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate
CDS-DML-020	Unable to resolve the best fit application scoring model Multiple application scoring model resolved
CDS-DML-021	Unable to resolve the best fit decision and grade matrix. Multiple decision and grade matrix resolved
CDS-BWC-001	\$1 should be equal to or greater than the System date
CDS-BWC-002	Maintain at least one record in \$1
CDS-BWC-003	Effective date should be less than the Expiry Date
CDS-BWC-014	Effective date cannot be less than the Product Processor Effective date
CDS-STG-006	Effective Date cannot be null or blank
CDS-STG-007	Expiry Date cannot be null or blank
CDS-STG-008	Industry cannot be null or blank
CDS-STG-009	Module cannot be null or blank
CDS-STG-010	Line of Business cannot be null or blank
CDS-STG-011	Effective date should be less than the Expiry Date
CDS-STG-012	Expiry Date should be equal to or greater then the System date
CDS-STG-013	Invalid Strategy Code
CDS-STG-014	Invalid Industry
CDS-STG-015	Invalid Module
CDS-STG-016	Invalid Line of Business
CDS-STG-017	Invalid product processor
CDS-STG-018	Invalid Account Category
CDS-STG-019	Invalid modes for the selected module
CDS-STG-020	Invalid combination of steps for selected modes
CDS-STG-021	Record already exists

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CDS-STG-022	Effective date cannot be less than the Product Processor Effective Date
CDS-RUL-002	Fact already exists
CDS-STG-023	Invalid combination of modes and steps
CDS-DML-040	FeatureDTO missing. Kindly enter the details
CDS-LML-029	Logical Model Reason Code is Invalid
CDS-DML-024	Negative values not allowed
CDS-DML-025	Category not allowed in case of multi applicant scoring model
CDS-DML-026	Percentage cannot be greater than 100
CDS-DML-027	For multi-applicant max value not allowed
CDS-DML-028	Max value not required for range type Value
CDS-DML-029	Range type cannot be null
CDS-DML-030	Max value cannot be null
CDS-DML-031	Please enter a valid scoring model type
CDS-DML-032	Please enter a valid range type
CDS-DML-033	Feature list not required for application model
CDS-DML-034	Scoring rule id not required for the scoring model type
CDS-DML-035	Please enter a valid feature type
CDS-DML-036	Only range Type Value is allowed, for fact type feature
CDS-DML-037	Only range Type ParamPercent is allowed, for rule based feature
CDS-DML-038	Only range Type Value is allowed, for Text type fact
CDS-DML-039	Category code missing
CDS-LML-015	Logical Model Code size must be between 1 and 30
CDS-LML-016	Logical Model Description size must be between 1 and 240
CDS-LML-017	Logical Model Effective Date cannot be null
CDS-LML-018	Logical Model Expiry Date cannot be null
CDS-LML-019	Logical Model Rule Id size must be between 1 and 80
CDS-LML-020	Logical Model Details Rule Id cannot be null
CDS-LML-021	Reason Code cannot be null
CDS-LML-022	Logical Model comments size must be between 1 and 80
CDS-LML-023	Logical Model Sequence must be in the range of 1 to 999
CDS-LML-024	Logical Model Sequence is Incorrect
CDS-LML-025	Logical Model Priority must be in the range of 1 to 100
CDS-LML-026	Logical Model Details cannot be null or empty
CDS-LML-027	Rule Id cannot be duplicate
CDS-LML-028	Invalid Rule Id
CDS-QUR-001	Invalid Input for QuestionnaireId, can not be null or blank
CDS-QUR-002	Invalid Input for QuestionnaireId, null or blank required
CDS-QUR-003	Invalid Input for QuestionId, null or blank required
CDS-QUR-004	Invalid Input for QuestionId, can not be null or blank
CDS-QUR-005	Questionnaire Code cannot be null or empty
CDS-QUR-006	Questionnaire Description cannot be null or empty
CDS-QUR-007	Product Processor cannot be null or empty

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CDS-QUR-008	Question Code cannot be null or empty
CDS-QUR-009	Question Short Name cannot be null or empty
CDS-QUR-010	Question Description cannot be null or empty
CDS-QUR-011	Question Type cannot be null or empty
CDS-QUR-012	Answer Description cannot be null or empty
CDS-QUR-013	Questionnaire Code size must be between 1 and 30
CDS-QUR-014	Questionnaire Description size must be between 1 and 240
CDS-QUR-015	Question Code cannot be duplicate for a product processor
CDS-QUR-016	Question Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-017	Answer Option Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-018	Question Sequence Number cannot be duplicate for a questionnaire
CDS-QUR-019	Answer Option Sequence Number cannot be duplicate for a Question
CDS-QUR-020	Answer OptionId cannot be null or empty
CDS-QUR-021	Answer OptionId cannot be duplicate for a question
CDS-BWC-004	Incorrect execution stage
CDS-BWC-005	\$1 fact or rule not found
CDS-QUR-022	Input for whether Question Mandatory cannot be null or empty
CDS-QUR-023	System will not allow to add questions where response choice has not been captured,At least 2 record should be available
CDS-QUR-024	System will not allow to save the questionnaire without any question configured, Atleast 1 question should be configured in the questionnaire
CDS-QUR-025	Question Code cannot be duplicate for a questionnaire.
CDS-STG-024	Invalid type and value for additional info
CDS-STG-025	Selection of atleast 1 mode is mandatory
CDS-STG-026	Effective date cannot be updated after authorisation
CDS-STG-027	Multiple values of same type are not allowed under Additional Information
CDS- LOOKUP-001	Lookup Type must be alphanumeric
CDS- LOOKUP-002	Lookup Type must be between 1 and 30
CDS- LOOKUP-003	Lookup Description must be between 1 and 240
CDS- LOOKUP-004	Duplicate lookup codes not allowed
CMC-GL-002	\$1 is a invalid GL Codes
CMC-GL-003	\$1 is a invalid Job Name
CMC-GL-004	GL hand off job is already running for branch \$1
CMC-GL-005	IB Entries are present for branch \$1, cannot initiate job
CMC-GL-006	Unbalanced Entries are present for branch \$1, cannot initiate job
CMC-GL-007	GL handOff job started successfully
CMC-GL-008	branch code is required
CMC-GL-009	Blocked GL cannot be used
CMC-GL-010	Special character not allowed, GL code should be alphanumeric

 Table A-1
 (Cont.) Error Codes and Messages



Error Codes	Messages
CMC-GL-012	Log Scheduler Frequency is not a valid number
CMC-GL-013	Log Scheduler Frequency is not between 1 minute(60000) to 30 minutes(1800000)
CMC-GL-014	Log Scheduler Frequency is not in increments of 1 minute
CMC-GL-011	Job is already completed, cannot retry \$1
CMC-GL-MIS-001	Generic Error, Failed to persist \$1 MIS Linkage
CMC-GL-MIS-002	This combination already exist for customer MIS,, customer: \$1, effectiveDate: \$2
CMC-GL-MIS-003	This combination already exist for transaction MIS, unitRefNo: \$1, branchCode: \$2, unitType: \$3, effectiveDate: \$4
CMC-GL-MIS-004	Invalid unitType: \$1

 Table A-1
 (Cont.) Error Codes and Messages



B Functional Activity Codes

Screen Name	Functional Activity Codes	Action	Description
External Chart Account	CMC_FA_EXT_CHART_AC C_NEW	CREATE	Create External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_AMEND	UNLOCK	Modify External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_AUTHORIZE	AUTHORIZE	Authorize External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_CLOSE	CLOSE	Close External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_DELETE	DELETE	Delete External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_VIEW	VIEW	View External Chart Account
External Chart Account	CMC_FA_EXT_CHART_AC C_REOPEN	REOPEN	Reopen External Chart Account
MIS Class	CMC_FA_MIS_CLASS_NEW	CREATE	Create MIS Class
MIS Class	CMC_FA_MIS_CLASS_AME ND	UNLOCK	Modify MIS Class
MIS Class	CMC_FA_MIS_CLASS_AUT HORIZE	AUTHORIZE	Authorize MIS Class
MIS Class	CMC_FA_MIS_CLASS_CLO SE	CLOSE	Close MIS Class
MIS Class	CMC_FA_MIS_CLASS_DEL ETE	DELETE	Delete MIS Class
MIS Class	CMC_FA_MIS_CLASS_REO PEN	REOPEN	Reopen MIS Class
MIS Class	CMC_FA_MIS_CLASS_VIE W	VIEW	View MIS Class
MIS Group	CMC_FA_MIS_GROUP_NE W	CREATE	Create MIS Group
MIS Group	CMC_FA_MIS_GROUP_AM END	UNLOCK	Modify MIS Group
MIS Group	CMC_FA_MIS_GROUP_AUT HORIZE	AUTHORIZE	Authorize MIS Group
MIS Group	CMC_FA_MIS_GROUP_DEL ETE	DELETE	Delete MIS Group

Table B-1 List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
MIS Group	CMC_FA_MIS_GROUP_CL OSE	CLOSE	Close MIS Group
MIS Group	CMC_FA_MIS_GROUP_RE OPEN	REOPEN	Reopen MIS Group
MIS Group	CMC_FA_MIS_GROUP_VIE W	VIEW	View MIS Group
Pricing Source System	CMC_FA_PRC_SRC_SYS_ SAVE	CREATE	Create Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ MODIFY	UNLOCK	Modify Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ AUTH	AUTHORIZE	Authorize Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ DELETE	DELETE	Delete Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ CLOSE	CLOSE	Close Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ REOPEN	REOPEN	Reopen Pricing Source
Pricing Source System	CMC_FA_PRC_SRC_SYS_ GETBYID	VIEW	View Pricing Source
Transaction Code	CMC_FA_TRN_CODE_CRE ATE	CREATE	Create Transaction Code
Transaction Code	CMC_FA_TRN_CODE_MOD IFY	UNLOCK	Modify Transaction Code
Transaction Code	CMC_FA_TRN_CODE_AUT HORIZE	AUTHORIZE	Authorize Transaction Code
Transaction Code	CMC_FA_TRN_CODE_DEL ETE	DELETE	Delete Transaction Code
Transaction Code	CMC_FA_TRN_CODE_CLO SE	CLOSE	Close Transaction Code
Transaction Code	CMC_FA_TRN_CODE_REO PEN	REOPEN	Reopen Transaction Code
Transaction Code	CMC_FA_TRN_CODE_VIE W	VIEW	View Transaction Code
Resource Class	CMC_FA_RESOURCE_CLA SS_AMEND	UNLOCK	Modify Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_AUTHORIZE	AUTHORIZE	Authorize Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_AUTHQUERY	VIEW	Get all unauthorized records
Resource Class	CMC_FA_RESOURCE_CLA SS_CLOSE	CLOSE	Close Resource Class

Table B-1 (Cont.) List of Functional Activity Codes	Table B-1 ((Cont.)	List of	Functional	Activity	Codes
---	-------------	---------	---------	------------	----------	-------



Screen Name	Functional Activity Codes	Action	Description
Resource Class	CMC_FA_RESOURCE_CLA SS_DELETE	DELETE	Delete Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_REOPEN	REOPEN	Reopen Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_NEW	NEW	Create new Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_VIEW	VIEW	View Resource Class
Resource Class	CMC_FA_RESOURCE_CLA SS_VIEWALL	VIEW	View All Resource Class
cmc- resource- segment- orchestrator (API)	CMC_FA_ORCHESTRATOR _CON_JSON	VIEW	Orchestrator Con Json
cmc- resource- segment- orchestrator (API)	CMC_FA_ORCHESTRATOR _INITIATE	INITIATE	Orchestrator Initiate
cmc- resource- segment- orchestrator (API)	CMC_FA_ORCHESTRATOR _INITIATE_EXIST_TXN	INITIATE	Orchestrator Initiate Exist Transaction
cmc- resource- segment- orchestrator (API)	CMC_FA_ORCHESTRATOR _SUBMIT	NEW	Orchestrator Submit
Borrowing Capacity	CMC_OBCDS_FA_BWC_AC TIONS	ACTION	Action Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_AM END	UNLOCK	Modify Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_AU THORIZE	AUTHORIZE	Authorize Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_AU THQUERY	AUTHORIZE QUERY	Authorize query Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_CL OSE	CLOSE	Close Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_DE LETE	DELETE	Delete Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_HI STORY	HISTORY	History Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_NE W	CREATE	Create Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_RE OPEN	REOPEN	Reopen Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_VA LIDATE_LOV	VALIDATE LOV	Validate Lov Borrowing Capacity

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Borrowing Capacity	CMC_OBCDS_FA_BWC_VI EW	VIEW	View Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_VI EWALL	VIEW ALL	View all Borrowing Capacity
Borrowing Capacity	CMC_OBCDS_FA_BWC_VI EWCHANGES	VIEWCHANG ES	Viewchanges Borrowing Capacity
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_AMEND	UNLOCK	Unlock Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_AUTHORIZE	AUTHORIZE	Authorize Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_AUTHQUERY	AUTHQUERY	Authorize query Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_CLOSE	CLOSE	Close Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_DELETE	DELETE	Delete Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_HISTORY	HISTORY	History Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_NEW	CREATE	Create Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_REJECT	REJECT	Reject Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_REOPEN	REOPEN	Reopen Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_VALIDATE_LOV	VALIDATE LOV	Validate Lov Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_VIEW	VIEW	View Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_VIEWALL	VIEW ALL	View All Counter
Counter	CMC_OBCDS_FA_COUNTE RCONFIG_VIEWCHANGES	VIEWCHANG ES	Viewchanges Counter
Product Processor	CMC_OBCDS_FA_PPR_AC TIONS	ACTION	Action Product Processor
Product Processor	CMC_OBCDS_FA_PPR_AM END	UNLOCK	Unlock Product Processor
Product Processor	CMC_OBCDS_FA_PPR_AU THORIZE	AUTHORIZE	Authorize Product Processor
Product Processor	CMC_OBCDS_FA_PPR_AU THQUERY	AUTHQUERY	Authorize query Product Processor
Product Processor	CMC_OBCDS_FA_PPR_CL OSE	CLOSE	Close Product Processor
Product Processor	CMC_OBCDS_FA_PPR_DE LETE	DELETE	Delete Product Processor
Product Processor	CMC_OBCDS_FA_PPR_HIS TORY	HISTORY	History Product Processor

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Product Processor	CMC_OBCDS_FA_PPR_NE W	CREATE	Create Product Processor
Product Processor	CMC_OBCDS_FA_PPR_RE OPEN	REOPEN	Reopen Product Processor
Product Processor	CMC_OBCDS_FA_PPR_VAL IDATE_LOV	VALIDATE LOV	Validate Lov Product Processor
Product Processor	CMC_OBCDS_FA_PPR_VIE W	VIEW	View Product Processor
Product Processor	CMC_OBCDS_FA_PPR_VIE WALL	VIEW ALL	View All Product Processor
Product Processor	CMC_OBCDS_FA_PPR_VIE WCHANGES	VIEWCHANG ES	Viewchanges Product Processor
Pricing Model	CMC_OBCDS_FA_PRC_AC TIONS	ACTION	Action Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_AM END	UNLOCK	Unlock Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_AU THORIZE	AUTHORIZE	Authorize Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_AU THQUERY	AUTHQUERY	Authorize query Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_CL OSE	CLOSE	Close Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_DE LETE	DELETE	Delete Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_HIS TORY	HISTORY	History Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_NE W	CREATE	Create Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_RE OPEN	REOPEN	Reopen Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_VA LIDATE_LOV	VALIDATE LOV	Validate Pricing Model LOV
Pricing Model	CMC_OBCDS_FA_PRC_VIE W	VIEW	View Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_VIE WALL	VIEWALL	Viewall Pricing Model
Pricing Model	CMC_OBCDS_FA_PRC_VIE WCHANGES	VIEWCHANG ES	Viewchanges Pricing Model
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_AMEND	UNLOCK	Unlock Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_AUTHORIZE	AUTHORIZE	Authorize Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_AUTHQUERY	AUTHQUERY	Authorize query Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_CLOSE	CLOSE	Close Charge Code

Table B-1	(Cont.)	List of Functional Activity	y Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_DELETE	DELETE	Delete Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_GETBYCODE	GETBYCOD E	Getbycode Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_HISTORY	HISTORY	History Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_NEW	CREATE	Create Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_REJECT	REJECT	Reject Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_REOPEN	REOPEN	Reopen Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_VALIDATE_LOV	VALIDATE LOV	Validate Charge Code LOV
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_VIEW	VIEW	View Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_VIEWALL	VIEWALL	Viewall Charge Code
Charge Code	CMC_OBCDS_FA_PRICING DETAILS_VIEWCHANGES	VIEWCHANG ES	Viewchanges Charge Code
Charge Code	CMC_OBCDS_FA_GET_CH ARGES	GET CHARGES	Get Charges Charge Code
Scoring Feature	CMC_OBCDS_FA_QFT_AC TIONS	ACTION	Action Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_AM END	UNLOCK	Unlock Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_AU THORIZE	AUTHORIZE	Authorize Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_AU THQUERY	AUTHQUERY	Authorize Query Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_CL OSE	CLOSE	Close Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_DE LETE	DELETE	Delete Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_HIS TORY	HISTORY	History Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_NE W	CREATE	Create Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_RE OPEN	REOPEN	Reopen Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_VAL IDATE_LOV	VALIDATE LOV	Validate Scoring Feature LOV
Scoring Feature	CMC_OBCDS_FA_QFT_VIE W	VIEW	View Scoring Feature
Scoring Feature	CMC_OBCDS_FA_QFT_VIE WALL	VIEWALL	Viewall Scoring Feature

Table B-1 (Cont.) List of Functional Activity Codes	Table B-1 (Cont.)	List of Function	nal Activity	y Codes
---	-------------	--------	------------------	--------------	---------



Screen Name	Functional Activity Codes	Action	Description
Scoring Feature	CMC_OBCDS_FA_QFT_VIE WCHANGES	VIEWCHANG ES	Viewchanges Scoring Feature
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_A CTIONS	ACTION	Action on Qualitative Scoring Model
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_A MEND	UNLOCK	Unlock Qualitative Scoring Model
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_A UTHORIZE	AUTHORIZE	Authorize Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_A UTHQUERY	AUTHQUERY	Authorize query Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_C LOSE	CLOSE	Close Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_D ELETE	DELETE	Delete Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_HI STORY	HISTORY	History Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_N EW	NEW	Create Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_R EOPEN	REOPEN	Reopen Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_V ALIDATE_LOV	VALIDATE LOV	Validate Qualitative ScroringModel LOV
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_VI EW	VIEW	View Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_VI EWALL	VIEWALL	View all Qualitative ScroringModel
Qualitative Scoring Model	CMC_OBCDS_FA_QUAL_VI EWCHANGES	VIEW	View Qualitative ScroringModel
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_ACTIONS	ACTION	Action Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_AMEND	UNLOCK	Unlock Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_AUTHORIZ E	AUTHORIZE	Authorize Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_AUTHQUE RY	AUTHQUERY	Authorize query Questionnaireseed

Table B-1	(Cont.)	List of Functional	Activity Codes
-----------	---------	--------------------	----------------



Screen Name	Functional Activity Codes	Action	Description
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_CLOSE	CLOSE	Close Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_DELETE	DELETE	Delete Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_HISTORY	HISTORY	History Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_NEW	CREATE	Create Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_REOPEN	REOPEN	Reopen Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_VALIDATE_ LOV	VALIDATE LOV	Validate Questionnaireseed LOV
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_VIEW	VIEW	View Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_VIEWALL	VIEW ALL	View All Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUESTI ONNAIRESEED_VIEWCHA NGES	VIEWCHANG ES	Viewchanges Questionnaireseed
Questionnair e	CMC_OBCDS_FA_QUES_A CTIONS	ACTION	Action Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_A MEND	UNLOCK	Unlock Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_A UTHORIZE	AUTHORIZE	Authorize Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_A UTHQUERY	AUTHQUERY	Authquery Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_C LOSE	CLOSE	Close Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_D ELETE	DELETE	Delete Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_DI SPLAY	DISPLAY	Display Question Display
Questionnair e	CMC_OBCDS_FA_QUES_DI SPLAY_DUMMY	DISPLAY	Display Question Display
Questionnair e	CMC_OBCDS_FA_QUES_HI STORY	HISTORY	History Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_N EW	CREATE	Create Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_R EOPEN	REOPEN	Reopen Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_V ALIDATEQUSCODE	VALIDATE	Validate Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_V ALIDATE_LOV	VALIDATE LOV	Validate Questionnaire LOV

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Questionnair e	CMC_OBCDS_FA_QUES_VI EW	VIEW	View Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_VI EWALL	VIEW ALL	View All Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_VI EWCHANGES	VIEWCHANG ES	Viewchanges Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_VI EWPPR	VIEW PPR	View PPR Questionnaire
Questionnair e	CMC_OBCDS_FA_QUES_VI EWQURCODE	VIEW	View Questionnaire
Questionnair e	CMC_OBCDS_FA_FETCH_ QUESTIONNAIRE	FETCH	Fetch Questionnaire
Questionnair e	CMC_OBCDS_FA_FETCH_ QUEST_REG	FETCH	Fetch Questionnaire
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_ACTIONS	ACTION	Action Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_AMEND	UNLOCK	Unlock Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_AUTHORIZE	AUTHORIZE	Authorize Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_AUTHQUERY	AUTHQUERY	Authorize query Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_CLOSE	CLOSE	Close Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_DELETE	DELETE	Delete Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_HISTORY	HISTORY	History Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_NEW	CREATE	Create Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_REOPEN	REOPEN	Reopen Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_VALIDATE_LOV	VALIDATE LOV	Validate Strategy Configuration LOV
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_VIEW	VIEW	View Strategy Configuration
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_VIEWALL	VIEW ALL	View All Strategy Configuration

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Strategy Configuratio n	CMC_OBCDS_FA_STRATE GYCONFIG_VIEWCHANGE S	VIEWCHANG ES	Viewchanges Strategy Configuration
View Execution Summary	CMC_OBCDS_FA_SERVICE _LOG_VIEWALL	VIEW ALL	View All View Execution Summary
View Execution Summary	CMC_OBCDS_FA_FETCH_ CREDIT_DECISION	FETCH	Fetch View Execution Summary
Decision Grade Matrix	CMC_OBCDS_FA_DGM_AC TIONS	ACTION	Action Decision Grade Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_AM END	UNLOCK	Unlock Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_AU THORIZE	AUTHORIZE	Authorize Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_AU THQUERY	AUTHQUERY	Authorize Query Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_CL OSE	CLOSE	Close Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_DE LETE	DELETE	Delete Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_HI STORY	HISTORY	History Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_NE W	CREATE	Create Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_RE OPEN	REOPEN	Reopen Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_VA LIDATE_LOV	VALIDATE LOV	Validate Decision Matrix LOV
Decision Grade Matrix	CMC_OBCDS_FA_DGM_VI EW	VIEW	View Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_VI EWALL	VIEW ALL	View All Decision Matrix
Decision Grade Matrix	CMC_OBCDS_FA_DGM_VI EWCHANGES	VIEWCHANG ES	Viewchanges Decision Matrix
Quantitative Scoring Model	CMC_OBCDS_FA_DML_AC TIONS	ACTION	Action Quantitative Scoring Model
Quantitative Scoring Model	CMC_OBCDS_FA_DML_AM END	UNLOCK	Unlock Qualitative Scoring Model
Quantitative Scoring Model	CMC_OBCDS_FA_DML_AU THORIZE	AUTHORIZE	Authorize Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_AU THQUERY	AUTHQUERY	Authorize query Qualitative ScroringModel

Table B-1	(Cont.)	List of Functional Activity	/ Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
Quantitative Scoring Model	CMC_OBCDS_FA_DML_CL OSE	CLOSE	Close Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_DE LETE	DELETE	Delete Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_HIS TORY	HISTORY	History Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_NE W	CREATE	CreateQualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_RE OPEN	REOPEN	Reopen Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_VA LIDATE_LOV	VALIDATE LOV	Validate Qualitative ScroringModel LOV
Quantitative Scoring Model	CMC_OBCDS_FA_DML_VIE W	VIEW	View Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_VIE WALL	VIEW ALL	View All Qualitative ScroringModel
Quantitative Scoring Model	CMC_OBCDS_FA_DML_VIE WCHANGES	VIEWCHANG ES	Viewchanges Qualitative ScroringModel
Validation Model	CMC_OBCDS_FA_LML_AC TIONS	ACTION	Action Validation Model
Validation Model	CMC_OBCDS_FA_LML_AM END	UNLOCK	Unlock Validation Model
Validation Model	CMC_OBCDS_FA_LML_AU THORIZE	AUTHORIZE	Authorize Validation Model
Validation Model	CMC_OBCDS_FA_LML_AU THQUERY	AUTHQUERY	Authorize query Validation Model
Validation Model	CMC_OBCDS_FA_LML_CL OSE	CLOSE	Close Validation Model
Validation Model	CMC_OBCDS_FA_LML_DE LETE	DELETE	Delete Validation Model
Validation Model	CMC_OBCDS_FA_LML_HIS TORY	HISTORY	History Validation Model
Validation Model	CMC_OBCDS_FA_LML_NE W	CREATE	Create Validation Model
Validation Model	CMC_OBCDS_FA_LML_RE OPEN	REOPEN	Reopen Validation Model
Validation Model	CMC_OBCDS_FA_LML_VAL IDATE_LOV	VALIDATE LOV	Validate Validation Model LOV
Validation Model	CMC_OBCDS_FA_LML_VIE W	VIEW	View Validation Model

Table B-1	(Cont.)	List of Functional Activity	y Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
Validation Model	CMC_OBCDS_FA_LML_VIE WALL	VIEW ALL	View all Validation Model
Validation Model	CMC_OBCDS_FA_LML_VIE WCHANGES	VIEWCHANG ES	Viewchanges Validation Model
Lookup	CMC_OBCDS_FA_LOOKUP S_ACTIONS	ACTION	Action Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_AMEND	UNLOCK	Unlock Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_AUTHORIZE	AUTHORIZE	Authorize Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_AUTHQUERY	AUTHQUERY	Authorize query Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_CLOSE	CLOSE	Close Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_CODE_VIEW	CODE VIEW	Code View Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_DELETE	DELETE	Delete Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_HISTORY	HISTORY	History Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_NEW	CREATE	Create Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_REOPEN	REOPEN	Reopen Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_VALIDATE_LOV	VALIDATE LOV	Validate Lov Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_VIEW	VIEW	View Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_VIEWALL	VIEW ALL	View All Lookup
Lookup	CMC_OBCDS_FA_LOOKUP S_VIEWCHANGES	VIEWCHANG ES	Viewchanges Lookup
System Parameter	CMC_OBCDS_FA_PMT_AC TIONS	ACTION	Action System Parameter
System Parameter	CMC_OBCDS_FA_PMT_AM END	UNLOCK	Unlock System Parameter
System Parameter	CMC_OBCDS_FA_PMT_AU THORIZE	AUTHORIZE	Authorize System Parameter
System Parameter	CMC_OBCDS_FA_PMT_AU THQUERY	AUTHQUERY	Authorize query System Parameter
System Parameter	CMC_OBCDS_FA_PMT_CL OSE	CLOSE	Close System Parameter
System Parameter	CMC_OBCDS_FA_PMT_DE LETE	DELETE	Delete System Parameter
System Parameter	CMC_OBCDS_FA_PMT_HIS TORY	HISTORY	History System Parameter

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
System Parameter	CMC_OBCDS_FA_PMT_NE W	CREATE	Create System Parameter
System Parameter	CMC_OBCDS_FA_PMT_RE OPEN	REOPEN	Reopen System Parameter
System Parameter	CMC_OBCDS_FA_PMT_VA LIDATE_LOV	VALIDATE LOV	Validate System Parameter LOV
System Parameter	CMC_OBCDS_FA_PMT_VIE W	VIEW	View System Parameter
System Parameter	CMC_OBCDS_FA_PMT_VIE WALL	VIEW ALL	View All System Parameter
System Parameter	CMC_OBCDS_FA_PMT_VIE WCHANGES	VIEWCHANG ES	Viewchanges System Parameter
cmc- charges- calculation- services (API)	CMC_FA_GET_PRC_METH ODS	GETPRCME THODS	Provides all pricing categories
cmc- charges- calculation- services (API)	CMC_FA_PRC_CATEGORY	GETPRCCAT EGORY	Provides Price Methods for Given Price Category
cmc- charges- calculation- services (API)	CMC_FA_CHG_CALCULAT E_CHARGES	GETCHARG ES	Performs Charge Calculation
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ GETBYID	GETBYRESO URCEID	Retrieves the Datasegment Deatils by ResourceID
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ ACTIONS	GETPERMIT TEDACTION SONRES	Provides Action for Resource ID.
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ AGGREGATE	GETRESOU RCEAGGRE GATE	Get Aggregate Details of the Resource
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ HISTORY	GETRESOU RCEHISTOR Y	Retrieves the History by Given Resource ID
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ GETALL	GETSUMMA RY	Get all Valid Master Datasegment Details

Table B-1	(Cont.)	List of Functional Activity	y Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ GET_UNAUTH	GETUNAUTH RESOURCE	Retrieves the Unauthorized Resource by Given Resource ID
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ UNLOCK	REMOVERE SOURCELO CK	Removes the Advisory Lock on the Resource
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_ SUBMIT	SUBMITRES OURCE	Submit for the Resource
cmc- charges- calculation- services (API)	CMC_FA_PRC_SRC_SYS_I SVALID	VALIDATERE SOURCE	Validates the Resource by Resource ID
Price Rule	CMC_FA_CHARGERULE_A UTHORIZE_RESOURCE	AUTHORIZE RESOURCE	Authorize the Price Rule with given Resource ID
Price Rule	CMC_FA_CHARGERULE_C LOSE	CLOSERESO URCE	Closes the Price Rule with given Resource ID
Price Rule	CMC_FA_CHARGERULE_C REATE_RESOURCE	CREATERES OURCE	Creates New Price Rule
Price Rule	CMC_FA_CHARGERULE_D ELETE_RESOURCE	DELETERES OURCE	Deletes the Price Rule Record for Given Resource ID
Price Rule	CMC_FA_CHARGERULE_G ET_BY_RESOURCEID	GETBYRESO URCEID	Provides Price Rule for given Resource ID
Price Rule	CMC_FA_CHARGERULE_A CTION	GETPERMIT TEDACTION SONRES	Provides all Applicable Actions for Price Rule of given Resource ID
Price Rule	CMC_FA_CHARGERULE_R ESOURCE_AGGREGATE	GETRESOU RCEAGGRE GATE	Get Aggregate Details of the Price Rule
Price Rule	CMC_FA_CHARGERULE_R ESOURCE_HISTORY	GETRESOU RCEHISTOR Y	Retrieves the History for Price Rule with given Resource ID
Price Rule	CMC_FA_CHARGERULE_S UMMARY	GETSUMMA RY	Get all Price Rules Details
Price Rule	CMC_FA_CHARGERULE_U NAUTHORIZE_RESOURCE	GETUNAUTH RESOURCE	Retrieves the Unauthorized Price Rule for given Resource ID
Price Rule	CMC_FA_CHARGERULE_A UTHORIZE_RESOURCE	REJECTRES OURCE	Rejects the Resource by given Resource ID
Price Rule	CMC_FA_CHARGERULE_R EMOVE_RESOURCE_LOCK	REMOVERE SOURCELO CK	Unlocks the Price Rule with given Resource ID
Price Rule	CMC_FA_CHARGERULE_R EOPEN_RESOURCE	REOPENRE SOURCE	Reopens the Price Rule with given Resource ID

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Price Rule	CMC_FA_CHARGERULE_S UBMIT_RESOURCE	SUBMITRES OURCE	Submits the Price Rule for Provided Resource ID
Price Rule	CMC_FA_CHARGERULE_U PDATE_RESOURCE	UPDATERES OURCE	Updates Existing Price Rule
Price Rule	CMC_FA_CHARGERULE_V ALIDATE_RESOURCE	VALIDATERE SOURCE	Validates the Price Rule with Provided Resource ID
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET_ADVICE	GETEVENTA DVICETYPE SUMMARY	Get the Event Advice Type Summary Filtered from Transaction Controller Details for the Specified Event
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET_CHECKLIST	GETEVENTC HECKLISTS UMMARY	Get the Event CheckList Summary Filtered from Transaction Controller Details for the Specified Event
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET_CLAUSE	GETEVENTC LAUSESUM MARY	Get the Event Clauses Summary Filtered from Transaction Controller Details for the Specified Event
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET_DATASEGMENT	GETEVENTD ATASEGMEN TSUMMARY	Get the Event DataSegment Summary Filtered from Transaction Controller Details for the Specified Event
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET_DOCUMENT	GETEVENTD OCUMENTS UMMARY	Get the Event Document Summary Filtered from Transaction Controller Details for the Specified Event
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_GET	GETTRANSA CTIONCONT ROLLERS	Get the Complete Transaction Controller Details for the Given Query Params
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_NEW	SAVETRANS ACTIONCON TROLLER	Based on the businessProcessCode, fetches the event and datasegment details and posts it into the TransactionController table.
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_DATASEGMENT	UPDATEDAT ASEGMENT STATUS	For the specified referenceNumber, update status to COMPLETE/ INCOMPLETE/WIP for specified data segment in TransactionController
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_ADVICE	UPDATEEVE NTADVICETY PESTATUS	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified advice Type in Transaction Controller

Table B-1 ((Cont.)	List of Functional	Activity Codes	5
-------------	---------	--------------------	----------------	---



Screen Name	Functional Activity Codes	Action	Description
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_CHECKLIST	UPDATEEVE NTALLCHEC KLISTSTATU S	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified check List in TransactionController
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_EVENT	UPDATEEVE NTALLDATAS EGMENTSTA TUS	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for all data segments in TransactionController
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_CHECKLIST	UPDATEEVE NTCHECKLI STSTATUS	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified check List in TransactionController
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_CLAUSE	UPDATEEVE NTCLAUSES TATUS	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified clause in Transaction Controller
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_EVENT_DS	UPDATEEVE NTDATASEG MENTSTATU S	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified datasegment in TransactionController
cmc- transactionc ontroller- services (API)	CMC_FA_TXN_CONTROLL ER_PUT_DOCUMENT	UPDATEEVE NTDOCUME NTSTATUS	For the specified reference Number and event, update status to COMPLETE/ INCOMPLETE/WIP for specified document Type in TransactionController
Priority Code - Priority Code Maintenance	CMC_MENU_FA_PRIORITY _CODE_MAINT_AMND	UNLOCK	Modify Priority Code Maintenance
Priority Code - Priority Code Maintenance	CMC_MENU_FA_PRIORITY _CODE_MAINT_AUTHORIZ E	AUTHORIZE	Authorize Priority Code Maintenance
Priority Code - Priority Code Maintenance	CMC_MENU_FA_PRIORITY _CODE_MAINT_CLOSE	CLOSE	Close Priority Code Maintenance
Priority Code - Priority Code Maintenance	CMC_MENU_FA_PRIORITY _CODE_MAINT_REOPEN	REOPEN	Reopen Priority Code Maintenance
Priority Code - Priority Code Maintenance	CMC_MENU_FA_PRIORITY _CODE_MAINT_VIEW	VIEW	View Priority Code Maintenance

Table B-1 (Cont.) List of	Functional	Activity	Codes
-------------	----------------	------------	----------	-------



Screen Name	Functional Activity Codes	Action	Description
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_CREA TE	CREATE	Create Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_AMN D	UNLOCK	Modify Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_CLOS E	CLOSE	Close Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_REOP EN	REOPEN	Reopen Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_AUTH ORIZE	AUTHORIZE	Authorize Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_DELE TE	DELETE	Delete Customer Priority Maintenance
Priority Code - Customer Priority Maintenance	CMC_MENU_FA_CUSTOME R_PRIORITY_MAINT_VIEW	VIEW	Customer Priority Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	CREATE	Create Checklist Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	UNLOCK	Unlock Checklist Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	AUTHORIZE	Authorize Checklist Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	CLOSE	Close Checklist Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	REOPEN	Reopen Checklist Maintenance
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	VIEW	View Checklist Maintenance

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Checklist - Checklist Maintenance	TFPM_FA_SVR_COMM	DELETE	Delete Checklist Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	CREATE	Create Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	UNLOCK	Unlock Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	AUTHORIZE	Authorize Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	CLOSE	Close Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	REOPEN	Reopen Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	VIEW	View Checklist Linkage Maintenance
Checklist - Checklist Linkage Maintenance	TFPM_FA_SVR_COMM	DELETE	Delete Checklist Linkage Maintenance
Float Rate Maintenance	CMC_FA_FLOAT_RATE_NE W	CREATE	Create New Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_AM END	UNLOCK	Unlock to Modifiy Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_AU THORIZE	AUTHORIZE	Authorize Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_CL OSE	CLOSE	Close Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_DE LETE	DELETE	Delete Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_RE OPEN	REOPEN	Reopen Closed Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_VIE W	VIEW	View Float Rate Record
Float Rate Maintenance	CMC_FA_FLOAT_RATE_CO DE_LOV	LOV	Get Rate Code Details in LOV
Float Rate Maintenance	CMC_FA_FLOAT_RATE_PIC KUP	RATEPICKU P	Pickup Float Rate based on Data Related to Rate Code, Branch Code, Effective Date, Amount Slab etc

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Currency Definition	CMC_FA_CURRENCY_DEF N_AMEND	UNLOCK	Modify Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_AUTHORIZE	AUTHORIZE	Authorize Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_CLOSE	CLOSE	Close Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_DELETE	DELETE	Delete Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_NEW	CREATE	Create Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_REOPEN	REOPEN	Reopen Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_VIEW	VIEW	View Currency Definition
Currency Definition	CMC_FA_CURRENCY_DEF N_VIEW_NEW	VIEW	View Currency Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_AMEND	UNLOCK	Modify Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_AUTHORIZE	AUTHORIZE	Authorize Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_CLOSE	CLOSE	Close Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_DELETE	DELETE	Delete Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_NEW	CREATE	Create Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_REOPEN	REOPEN	Reopen Currency Pair Definition
Currency Pair Definition	CMC_FA_CURRENCY_PAIR _DEFN_VIEW	VIEW	View Currency Pair Definition
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_AMEND	UNLOCK	Modify Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_AUTHORIZE	AUTHORIZE	Authorize Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_CLOSE	CLOSE	Close Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_DELETE	DELETE	Delete Currency Exchange Rate

Table B-1	(Cont.)	List of Functional Activity	y Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_NEW	CREATE	Create Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_REOPEN	REOPEN	Reopen Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_VIEW	VIEW	View Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_NEW_SERVIC E	CREATESER VICE	Create Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_AMEND_SERVI CE	UNLOCKSER VICE	Modify Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_SERVICE_CLO SE	CLOSESERV ICE	Close Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_MASTER_SERVICE_REO PEN	REOPENSE RVICE	Reopen Currency Exchange Rate
Currency Exchange Rate	CMC_FA_CURRENCY_RAT E_PURGE_TO_HISTORY	PURGE	Purge To History
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_AMEND	UNLOCK	Modify Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_AUTHORIZE	AUTHORIZE	Authorize Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_CLOSE	CLOSE	Close Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_DELETE	DELETE	Delete Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_NEW	CREATE	Create Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_REOPEN	REOPEN	Reopen Currency Rate Type
Currency Rate Type	CMC_FA_CURRENCY_RAT E_TYPE_VIEW	VIEW	View Currency Rate Type
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_REOPEN_RESOURCE	REOPENRE SOURCE	Reopen External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_CREATE	CREATE	Create External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_SUMMARY	SUMMARY	Summary External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_UPDATE	UPDATE	Update External Deposit Account

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_CLOSE	CLOSE	Close External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_FETCH_BY_RESOURC EID	FETCHBYRE SOURCEID	View External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_DELETE_RECORD	DELETE	Delete External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_VALIDATE_RECORD	VALIDATE	Validate External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_RESOURCE_AGGREG ATE	RESOURCE AGGREGATE	Retrieve Aggregate Data for External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_PERMITTED_ACTIONS	PERMITTED ACTIONS	External Deposit Account Entity Actions
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_REMOVE_RESOURCE LOCK	REMOVERE SOURCELO CK	Remove Lock of Resource for an External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_GET_RESOURCE_HIS T	GETRESOU RCEHIST	Get Resource History for an External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_GET_UNAUTH_RESOU RCES	GETUNAUTH RESOURCE S	Retrieve Unauthorized External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_AUTHORIZE	AUTHORIZE	Authorize External Deposit Account
External Deposit Account	CMC_FA_EXTERNALDEPO SIT_SUBMIT	SUBMIT	Submit External Deposit Account
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_CREATE	CREATE	Create External Virtual Account
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_MODIFY	MODIFY	Modify External Virtual Account
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_GETBYNATURAL KEY	GET BY NATURAL KEY	Retrieve a Specific External Virtual Account
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_VIEWALL	GET ALL	Retrieve all External Virtual Accounts

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_CLOSE	CLOSE	Close an External Virtual Account
External Virtual Account (API)	CMC_FA_EXT_VIRTUAL_A CCOUNT_REOPEN	REOPEN	Reopen a Closed External Virtual Account
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_NEW	CREATE	Create structured address for an external virtual account
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_AMEND	MODIFY	Modify Structured Address of External Virtual aAccount
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_VIEWALL	GET ALL	Summary View
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_VIEW	GET BY NATURAL KEY	Specific Virtual Account's Structured Address View
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_CLOSE	CLOSE	Closing Structured Address of a Specific Virtual Account
External Virtual Account Structured Address (API)	CMC_FA_EXT_VA_SERVIC E_STR_ADDR_REOPEN	REOPEN	Reopen Structured Address of Virtual Account
GL Parameter	CMC_FA_MIS_PARAMETER _NEW	CREATE	Create GL Parameters
GL Parameter	CMC_FA_MIS_PARAMETER _VIEW	GET ALL	Get All GL Parameters
GL Parameter	CMC_FA_MIS_PARAMETER _AUTHORIZE	AUTHORIZE	Authorize GL Parameters
GL Parameter	CMC_FA_MIS_PARAMETER _CLOSE	CLOSE	Close GL Parameters

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
GL Parameter	CMC_FA_MIS_PARAMETER _REOPEN	REOPEN	Reopen GL Parameters
GL Parameter	CMC_FA_MIS_PARAMETER _AMEND	MODIFY	Modify GL Parameters
GL Parameter	CMC_FA_MIS_PARAMETER _DELETE	DELETE	Delete GL Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_N EW	CREATE	Create Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_V IEW	GET ALL	Get All Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_A UTHORIZE	AUTHORIZE	Authorize Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_C LOSE	CLOSE	Close Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_R EOPEN	REOPEN	Reopen Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_A MEND	MODIFY	Modify Inter Branch Parameters
Inter Branch Parameters	CMC_FA_INTERBRANCH_D ELETE	DELETE	Delete Inter Branch Parameters
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_A UTHORIZE	AUTHORIZE	Authorize ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_C LOSE	CLOSE	Close ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_C REATE	CREATE	Create ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_D ELETE	DELETE	Delete ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_L OV	LOV	ECA System LOV

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_M ODIFY	MODIFY	Modify ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_R EOPEN	REOPEN	Reopen ECA System
External System Services (ECA System APIs)	CMC_FA_ECA_SYSTEM_VI EW	VIEW	View ECA System
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_AMEND	AMEND	Amend Upload Source
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_AUTHORIZE	AUTHORIZE	Authorize Upload Source
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_CLOSE	CLOSE	Close Upload Source
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_DELETE	DELETE	Delete Upload Source
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_NEW	NEW	Create Upload Source
External System Services (Upload Source APIs)	CMC_FA_UPLOAD_SOURC E_VIEW	VIEW	View Upload Source
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_AMEND	AMEND	Amend Upload Source Preference

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_AUTHORIZE	AUTHORIZE	Authorize Upload Source Preference
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_CLOSE	CLOSE	Close Upload Source Preference
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_DELETE	DELETE	Delete Upload Source Preference
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_NEW	NEW	Create New Upload Source Preference
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_REOPEN	REOPEN	Reopen Upload Source Preference
External System Services (Upload Source Preference APIs)	CMC_FA_UPLOAD_SOURC E_PREF_VIEW	VIEW	View Upload Source Preference
Additional Attributes	CMC_MENU_FA_ADDNL_FI ELDS_MAINT	MENU	Additional Fields Maintenance
SLA Maintenance	CMC_FA_SLA_MAINT	CREATE	Create SLA
SLA Maintenance	CMN_WDFA_DASHBOARD_ DEF	DASHBOAR D	Service for SLA Breach
Data Segment	CFPM_FA_DATA_SEGMENT _AMEND	MODIFY	API to Modify Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _AUTHORIZE	AUTHORIZE	API to Authorize Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _AUTHQUERY	VERIFY	API to Authquery Data Segment Details

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
Data Segment	CFPM_FA_DATA_SEGMENT _CLOSE	CLOSE	API to Close Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _DELETE	DELETE	API to Delete New Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _GETBY_DATA_SEGCODE	SAVE	API to Save New Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _GETBY_DOMAIN	FETCH	API to Get Data Segment List by Domain Name
Data Segment	CFPM_FA_DATA_SEGMENT _GETDSLIBYDOM	FETCH	API to Get Data Segment Details List by Domain Name
Data Segment	CFPM_FA_DATA_SEGMENT _NEW	SAVE	API to Save New Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _REOPEN	REOPEN	API to Reopen Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _VIEW	FETCH	API to View Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _VIEWALL	FETCH	API to Get all Data Segment Details
Data Segment	CFPM_FA_DATA_SEGMENT _GETBY_SUBDOMAIN	FETCH	API to Get Data Segment List by Domain Name Categorized by Subdomains
BIC Directory	CMC_FA_BIC_DIRECTORY _AUTHORIZE	AUTHORIZE	BIC Directory Authorize
BIC Directory	CMC_FA_BIC_DIRECTORY _CLOSE	CLOSE	BIC Directory Close
BIC Directory	CMC_FA_BIC_DIRECTORY _CREATE	CREATE	BIC Directory Create
BIC Directory	CMC_FA_BIC_DIRECTORY _DELETE	DELETE	BIC Directory Delete
BIC Directory	CMC_FA_BIC_DIRECTORY _LOV	VALIDATION	BIC Directory Lov Validation
BIC Directory	CMC_FA_BIC_DIRECTORY _MODIFY	UPDATE	BIC Directory Amendment
BIC Directory	CMC_FA_BIC_DIRECTORY _REOPEN	REOPEN	BIC Directory Reopen
BIC Directory	CMC_FA_BIC_DIRECTORY _VIEW	FETCH	BIC Directory View
BIC Directory	CMC_FA_BIC_DIRECTORY _CREATE_SERVICE	CREATE	BIC Directory Create Service
BIC Directory	CMC_FA_BIC_DIRECTORY _MODIFY_SERVICE	UPDATE	BIC Directory Amendment Service
BIC Directory	CMC_FA_BIC_DIRECTORY _REOPEN_SERVICE	REOPEN	BIC Directory Reopen Service
BIC Directory	CMC_FA_BIC_DIRECTORY _CLOSE_SERVICE	CLOSE	BIC Directory Close Service
BIC Directory	CMC_FA_BIC_DIRECTORY _VIEW_SERVICE	FETCH	BIC Directory ViewAll Service

Table B-1 (Cont.) List of Functional Activity Codes	Table B-1	(Cont.)	List of Functional	Activity Codes
---	-----------	---------	--------------------	----------------



Screen Name	Functional Activity Codes	Action	Description
BIC Directory	CMC_FA_BIC_DIRECTORY _AUTHORIZE	REJECT	BIC Directory Rejection API
Checklist	CFPM_FA_CHECKLIST_CR EATE	CREATE	Checklist Create
Checklist	CFPM_FA_CHECKLIST_DE LETE	DELETE	Checklist Submit
Checklist	CFPM_FA_CHECKLIST_FIN AL_GET	FETCH	Checklist Latest Get
Checklist	CFPM_FA_CHECKLIST_ID_ GET	FETCH	Checklist Get By ID
Checklist	CFPM_FA_CHECKLIST_SU BMIT	SUBMIT	Checklist Submit
Checklist	CFPM_FA_CHECKLIST_UP DATE	UPDATE	Checklist Update
Checklist	CMC_FA_CHECKLIST_GET _BY_ID	FETCH	Fetch Checklist Details by ID
Checklist	CMC_FA_CHECKLIST_GET _FINAL	FETCH	Fetch submitted Checklist Details by ID
Process Code	TFPM_FA_CMC_PRCODE_ MA_AUTHORIZE	AUTHORIZE	Authorize Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_CLOSE	CLOSE	Close Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_CREATE	CREATE	Create Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_DELETE	DELETE	Delete Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_LOV	VALIDATION	Validate Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_MODIFY	UPDATE	Update Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_REOPEN	REOPEN	Reopen Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_VIEW	FETCH	View Process Code
Process Code	CMC_FA_PROCESSCODE_ PHASES	FETCH	Fetch Process Code
Process Code	TFPM_FA_CMC_PRCODE_ MA_AUTHORIZE	REJECT	Rejection API
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_MODIFY	UNLOCK	Modifies Specific Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_GETBYID	VIEW	Fetches Specific Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_GETALL	GETSUMMA RY	Fetches All Usecase Settings

Table B-1	(Cont.)	List of Functional Activity	y Codes
-----------	---------	-----------------------------	---------



Screen Name	Functional Activity Codes	Action	Description
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_DELETE	DELETE	Deletes Specific Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_AUTHORIZE	AUTHORIZE	Approves Usecase Setting Record
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_UNAUTHORIZE	GETUNAUTH RESOURCE S	Fetches Unauthorized Data of Specific Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_CLOSE	CLOSE	Closes Usecase Setting Record
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_GETHISTORY	HISTORY	Fetches History of Specific Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_REOPEN	REOPEN	Reopen Usecase Setting Record
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_CREATE	CREATE	Saves New Usecase Setting
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_FETCH_DATACOLUMNS	GETDATACO LUMNS	Fetches Data Columns
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_METRIC	GETMETRIC S	Metrics of Specific Usecase
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_FETCH_MINING_FUNCTI ONS	GETUSECAS ETYPES	Fetches Supported Mining Functions
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_FETCH_ALGORITHMS	GETSUPPO RTEDALGOR ITHMS	Fetches Algorithms Supported by Mining Functions
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_FETCH_PRODUCTS	GETPRODU CTLIST	Fetches Preconfigured Obma Prodcuts
cmc-ml- indb- services	CMC_FA_ML_TS_MODEL_T RAIN	TRAINMODE L	Trains The Model For Specified Usecase
cmc-ml- indb- services	CMC_FA_ML_TS_MODEL_ BATCH_SCORING	BATCHSCOR E	Score The Model For Specified Usecase
cmc-ml- indb- services	CMC_FA_ML_CORRELATIO N	CORRELATI ON	Perform Correlation
cmc-ml- indb- services	CMC_FA_ML_POSITIVE_TA RGET	GETPOSITIV ETARGET	Get Positive Target Value
cmc-ml- indb- services	CMC_FA_ML_COST_MATRI X	GETCOSTM ATRIX	Fetch Cost Matrix

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
cmc-ml- indb- services	CMC_FA_ML_SAVE_COST_ MATRIX	SAVECOSTM ATRIX	Save Cost Matrix
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_MONITORING	GETMODEL MONITORIN G	Model Monitoring
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_MONITORING_DETAILS	GETMODEL MONITORIN GDETAILS	Model Monitoring Details
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_SAVE_AUTOMOD	GETAUTOM ODDETAILS	Save Model Monitoring Automod
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_GET_AUTOMOD	SAVEAUTOM ODS	Get Model Monitoring Automod
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_TRAIN_INF_CHECK	TRAININFCH ECK	Check Train And Inference Data Source
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_METRIC_PARTITIONCOL UMNS	GetPartitionC olumns	Partition Columns for Metrics of specific usecase
cmc-ml- indb- services	CMC_FA_ML_TS_USECAS E_METRICMODELS	GetModelMet rics	Metrics Models of specific usecase
cmc-ml- indb- services	CMC_FA_MLCORE_TS_MO DEL_TRAIN	TrainModel	Trains the model for specified usecase in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_MO DEL_BATCH_SCORING	BatchScore	Trains the model for specified usecase in core
cmc-ml- indb- services	CMC_FA_MLCORE_CORRE	Correlation	Perform Correlation in core
cmc-ml- indb- services	CMC_FA_MLCORE_POSITI VE_TARGET	GetPositiveTa rget	Get Positive target value in core
cmc-ml- indb- services	CMC_FA_MLCORE_COST_ MATRIX	GetCostMatri x	Fetch Cost Matrix in core
cmc-ml- indb- services	CMC_FA_MLCORE_SAVE_ COST_MATRIX	SaveCostMat rix	Save Cost Matrix in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_FETCH_DATACOLU MNS	GetDataColu mns	Fetches Data Columns in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_METRICMODELS	GetModelMet rics	Metrics Models of specific usecase in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_METRIC_PARTITIO NCOLUMNS	GetPartitionC olumns	Partition Columns for Metrics of specific usecase in core

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_METRIC	GetMetrics	Metrics of specific usecase in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_MONITORING	GetModelMo nitoring	Model Monitoring in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_MONITORINGDETA ILS	GetModelMo nitoringDetail s	Model Monitoring Details in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_SAVEAUTOMOD	SaveAutomod s	Save Model Monitoring Automod in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_TRAININFCHECK	TrainInfCheck	Check Train and Inf table in core
cmc-ml- indb- services	CMC_FA_MLCORE_TS_US ECASE_GETAUTOMOD	GetAutomod Details	Get Model Monitoring Automod in core
cmc-fc-ai-ml- services	CMC_FA_POLLER_FLAG	SETPOLLER FLAG	Sets the pollar flag
cmc-nlp- text- extraction- services	CMC_NLP_FA_TEXT_EXTR ACTION_PROCESS	PROCESSFI LE	Text Extraction Process
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_GET	GETALL	Model Management Get all
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_GETBY_ID	GETBYID	Model Management Getting By ID
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_POST	SAVERECOR D	Model Management Saving
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_AUTHORIZE	AUTHORIZE	Model Management Authorize
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_AUTHQUERY	AUTHQUERY	Model Management Auth
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_CLOSE	CLOSEREC ORD	Model Management Close
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_DELETE	DELETE	Model Management Delete
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_HISTORY	GETHISTOR Y	Model Management History
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_REOPEN	REOPENRE CORD	Model Management Open Record

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_TAGPARAMS	TAGPARAMS	Model Management Tag Parameters
cmc-nlp- maintenance -services	CMC_NLP_FA_ANNOTATOR _ERROR_DATA	FETCHERRO RDATA	Annotator service to return Doc id and file name for Error status
cmc-nlp- maintenance -services	CMC_NLP_FA_ANNOTATOR _CLASS_FILE	UPLOADCLA SSFILE	Annotator service to save classification file
cmc-nlp- maintenance -services	CMC_NLP_FA_ANNOTATOR _ANNOTATED_FILE	UPLOADANN OTATEDFILE	Annotator service to save annotated file
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_PUT	MODIFYREC ORD	Model_Management Modifying
cmc-nlp- maintenance -services	CMC_NLP_FA_ONL_PRCS NG_PROCESS	PROCESSFI LE	Online Processing Process File
cmc-nlp- maintenance -services	CMC_NLP_FA_ONL_PRCS NG_TRAIN	TRAINMODE L	Online Processing Model Train
cmc-nlp- maintenance -services	CMC_NLP_FA_ONL_PRCS NG_SAVE	SAVEMODEL	Online Processing Model Save
cmc-nlp- maintenance -services	CMC_NLP_FA_ONL_PRCS NG_SERV	PROCESSFI LE	Online Processing Process File
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_GET	GETALL	Tag Creation Get all
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_GETBY_ID	GETBYID	Tag Creation Getting By ID
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_POST	SAVERECOR D	Tag Creation Saving
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_PUT	MODIFYREC ORD	Tag Creation Modifying
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_AUTHORIZE	AUTHORIZE	Tag Creation Authorize
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_AUTHQUERY	AUTHQUERY	Tag Creation Auth
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_CLOSE	CLOSEREC ORD	Tag Creation Close
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_DELETE	DELETE	Tag Creation Delete

 Table B-1
 (Cont.) List of Functional Activity Codes



Screen Name	Functional Activity Codes	Action	Description
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_HISTORY	GETHISTOR Y	Tag Creation History
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_REOPEN	REOPENRE CORD	Tag Creation Open Record
cmc-nlp- maintenance -services	CMC_NLP_FA_TXN_LOG_U PDATE	UPDATETXN LOG	Transaction Log Update Service
cmc-nlp- maintenance -services	CMC_NLP_FA_TXN_LOG_F ETCH_LOGDATA	FETCHLOGT ABLEDATA	Transaction Log Fetch Log Data Service
cmc-nlp- maintenance -services	CMC_NLP_FA_TXN_LOG_F ETCH_TAGVALS	FETCHTAGV ALS	Transaction Log Fetch Tag values Service
cmc-nlp- maintenance -services	CMC_NLP_FA_UTIL_USEC ASES	GETUSECAS ES	UTIL Service usecasenames
cmc-nlp- maintenance -services	CMC_NLP_FA_UTIL_TAGS	GETTAGS	UTIL Service tags
cmc-nlp- maintenance -services	CMC_NLP_FA_MODMNGM NT_GET_RUNREF	GETRUNREF S	Get Run Reference By Usecase
cmc-nlp- maintenance -services	CMC_NLP_FA_MODMNGM NT_EXPORT_MODEL	EXPORTMO DEL	Export NLP Models
cmc-nlp- maintenance -services	CMC_NLP_FA_MODMNGM NT_IMPORT_MODEL	IMPORTMOD EL	Import NLP Models
cmc-nlp- maintenance -services	CMC_NLP_FA_ANNOTATOR _GET_FILE_BY_ID	GETFILEBYI D	Get File IDs
cmc-nlp- maintenance -services	CMC_NLP_FA_ANNOTATOR _GET_FILE_IDS	GETFILEIDS	Get File IDs
cmc-nlp- maintenance -services	CMC_NLP_FA_MOD_MNG MNT_AUTHORIZE	REJECT	Rejection API
cmc-nlp- maintenance -services	CMC_NLP_FA_TAG_CREATI ON_AUTHORIZE	REJECT	Rejection API

 Table B-1
 (Cont.) List of Functional Activity Codes

Index

Numerics

3P Service Integration, 4-18

А

Account Entitlement Group, 1-3 Additional Field Maintenance, 1-5 Advice, 1-7 Amount Text Language, 1-10 Annotator, 4-4, 4-7

В

Bank Core Parameters File Upload, 6-2 BIC Directory, 1-12 BIC Directory File Upload, 6-6 Borrowing Capacity, 3-20 Branch Core Parameters File Upload, 6-3 Branch EOD, 1-16 Bureau Integration Service, 2-1 Business Service Mapping, 4-26

С

Charge Code, 3-130 Chart Account Handoff, 1-66 Checklists, 1-19 Checklists Linkage Maintenance, 1-22 Checklists Maintenance, 1-20 Classification. 5-4 Classification Algorithms Supported, 5-5 Classification Processing Service, 4-23 Classification Training Service, 4-19 Configure Branch EOD, 1-16 Core Maintenance. 1-1 Counter, 3-122 Country Code, 1-24 Country Code File Upload, 6-1 Create Account Entitlement Group, 1-4 Create Advice, 1-7 Create Amount Text Language, 1-10 Create BIC Directory, 1-13 Create Borrowing Capacity, 3-21 Create Bureau Criteria, 2-19

Create Charge Code, 3-130 Create Counter, 3-123 Create Country Code, 1-24 Create Currency Definition, 1-27 Create Currency Exchange Rate, 1-31 Create Currency Holiday Master, 1-35 Create Currency Pair Definition, 1-37 Create Currency Rate Type, 1-40 Create Customer Access Group, 1-42 Create Customer Category, 1-45 Create Data Segment, 1-47 Create Decision Grade Matrix, 3-61 Create ECA System, 1-49 Create External Bank Parameters, 1-51 Create External Branch Parameters. 1-53 Create External Chart Account, 1-57 Create External Customer, 1-67 Create External Customer Account, 1-73 Create External Customer Account Structured Address. 1-76 Create Fact. 7-1 Create GL Parameter. 1-82 Create Host Code, 1-84 Create Inter Branch Parameters, 1-90 Create Interest Rate, 1-86 Create Language Code, 1-93 Create Local Holiday, 1-95 Create Lookup, 2-9, 3-10 Create MCA Linkage, 1-105 Create Media, 1-98 Create Pricing Model. 3-75 Create Pricing Source System, 1-114 Create Qualitative Scoring Model, 3-102 Create Quantitative Scoring Model, 3-45 Create Questionnaire, 3-115 Create Resource Class, 1-116 Create Rule, 7-6 Create Rule Group, 7-13 Create Scoring Feature, 3-40 Create Screenclass, 1-121 Create SLA Maintenance, 1-118 Create State Code. 1-123 Create System Parameter, 3-5 Create Transaction Code, 1-127 Create Upload Source, 1-129



Create Upload Source Preference, *1-131* Create Validation Model, *3-91* Credit Bureau Display, *2-25* Currency Definition, *1-26* Currency Definition File Upload, *6-5* Currency Exchange Rate, *1-30* Currency Holiday File Upload, *6-9* Currency Holiday Master, *1-34* Currency Pair Definition, *1-37* Currency Rate Type, *1-40* Customer Access Group, *1-42* Customer Category, *1-44*

D

Data Extensibility, 5-16 Data Segment, 1-46 Decision Grade Matrix, 3-61 Decision Service, 3-1 Document Configuration, 2-51 Document Verification API Details, 8-3 Document Verification Framework, 8-1 Driving License Extraction, 8-5 Driving License Validation, 8-14

Е

ECA System, 1-49 Equifax Configuration, 2-49 Error Codes and Messages, A-1 Evaluate Rule, 7-11 Exchange Rate File Upload, 6-13 Experian Configuration, 2-48 External Bank Parameters, 1-51 External Branch Parameters. 1-53 External Chart Account, 1-56 External Customer, 1-67 External Customer Account, 1-72 External Customer Account File Upload, 6-11 External Customer Account Structured Address, 1-75 External Customer File Upload, 6-10 External Virtual Account Structured Address, 1-78

F

Fact, 7-1 Fetch Credit Decision, 3-184 File Upload, 6-1 Forecast REST Service, 5-17 Forget Customer, 1-79 Forget Process, 1-79 Frameworks Supported, 5-2 Functional Activity Codes, B-1

G

GL Parameter Maintenance, 1-81

Н

Host Code, 1-83

I

Image Processing, 8-2 Inter Branch Entry Retry, 1-64 Inter Branch Parameters Maintenance, 1-90 Interest Rate, 1-86 Interest Rate File Upload, 6-14 Invoke Branch EOD, 1-18

L

Language Code, <u>1-93</u> Local Holiday, <u>1-95</u> Local Holiday File Upload, <u>6-8</u>

Μ

Machine Learning Framework, 5-1 Media, 1-98 MIS Class, 1-100 MIS Class Maintenance, 1-100 MIS Class Summary, 1-102 MIS Group, 1-103 MIS Group Maintenance, 1-103 MIS Group Summary, 1-104 Model Definition, 5-6 Model Definition Maintenance, 5-6 Model Explainability, 5-16 Model Import and Export Maintenance, 4-13 Model Management, 4-11 Model Management Maintenance, 4-11 Model Monitoring and Auto Training, 5-18 Model Training, 4-10 Model Training and Scoring, 5-14 Multi-Currency Account Linkage, 1-105

Ν

National Identification Extraction, 8-7 National Identification Validation, 8-16 NER Processing Service, 4-23 NER Training Service, 4-20 NLP Framework, 4-1

0

On-Boarding Use Case, 5-6 Online Single Record Prediction, 5-15 Operation, 4-15 Oracle Banking Origination to Decision Service Configuration, 3-184 Oracle Banking Routing Hub Configuration, 2-30, 3-166 Overview, 2-3, 3-2

Ρ

Partitioned Model, 5-5 Passport Extraction, 8-3 Passport Validation, 8-11 Pointers About Request and Response, 8-20 Pre GL Balance Check, 1-65 Pricing, 3-75 Pricing Source System, 1-114 Priority Code, 1-110 Priority Code Maintenance, 1-110 Process Code, 1-107 Process Code Maintenance, 1-108 Process Flow, 3-3 Product Processor, 2-13, 3-15

Q

Qualitative Scoring Model, *3-101* Quantitative Scoring Model, *3-45* Questionnaire, *3-115*

R

Recommendations For Better Performance, *8-20* Regression, *5-3* Regression Algorithms Supported, *5-4* Resource Class, *1-116* Rule, *7-5* Rule Group, *7-12* Rules Framework, *7-1*

S

Scoring Feature, 3-40 Screenclass, 1-121 Service Consumers, 2-30, 3-166 Service Mapping, 4-25 Service Providers, 2-40, 3-176 SLA Maintenance, 1-118 State Code, 1-123 Strategy Configuration, 3-4 System Dates, 1-125 System Parameter, 3-5

Т

Tag Maintenance, 4-3 Text Extraction, 8-1 Time Series Forecast, 5-17 Timeseries, 5-2 Timeseries Algorithms Supported, 5-3 Toolkit, 4-1 Transaction Code, 1-126 Transaction Log, 4-16 Transaction Log Error Detail, 1-61

U

Unbalanced Transaction Log, 1-62 Upload Document, 4-15 Upload Source, 1-129 Upload Source Preference, 1-131 Use Case Definition, 4-1, 4-2 Use Case Modifications, 5-15 Use Case On-Boarding, 5-1

V

Validate Information API details, 8-11 View Account Entitlement Group, 1-5 View Advice, 1-9 View Amount Text Language, 1-12 View Audit Rule, 7-14 View BIC Directory, 1-15 View Borrowing Capacity, 3-26 View Bureau Criteria, 2-21 View Charge Code, 3-139 View Country Code, 1-25 View Credit Bureau Report, 2-26 View Currency Definition, 1-29 View Currency Exchange Rate, 1-34 View Currency Holiday Master, 1-36 View Currency Pair Definition, 1-39 View Currency Rate Type, 1-41 View Customer Access Group, 1-43 View Customer Category, 1-46 View Data Segment, 1-48 View Decision Grade Matrix, 3-67 View ECA System, 1-50 View EOD. 1-17 View External Bank Parameters, 1-52 View External Branch Parameters, 1-55 View External Chart Account, 1-58 View External Customer. 1-70 View External Customer Account, 1-74 View External Customer Account Structured Address, 1-77

View External Virtual Account Structured Address, 1-78 View Fact. 7-3 View Forgotten Customer, 1-80 View GL Parameter, 1-83 View Host Code, 1-85 View Inter Branch Parameters, 1-92 View Interest Rate. 1-89 View Language Code, 1-94 View Local Holiday, 1-97 View Lookup, 2-10, 3-11, 3-125 View MCA Linkage, 1-106 View Media, 1-99 View MIS Class. 1-111 View Model Definition, 5-13 View Model Management, 4-12 View Pricing Model, 3-82 View Pricing Source System, 1-115 View Process Code, 1-109

View Qualitative Scoring Model, 3-108 View Quantitative Scoring Model, 3-53 View Questionnaire, 3-118 View Resource Class, 1-117 View Rule, 7-8 View Rule Group, 7-14 View Scoring Feature, 3-42 View Screenclass. 1-122 View SLA Maintenance, 1-120 View State Code, 1-124 View Strategy Configuration, 3-35 View System Dates, 1-125 View Transaction Code, 1-128 View Transaction Log, 1-59 View Upload Source, 1-130 View Upload Source Preference, 1-133 View Validation Model, 3-95 Voter Identity Card Extraction, 8-9 Voter Identity Card Validation, 8-18