

Oracle Financial Services Asset Liability Management Analytics User Guide



Release 8.1.2.0.0
F89032-01
June 2023

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	About This Content	
2	Introduction to ALM BI	
2.1	Features and Components of ALM BI	2-1
3	Overview of the ALM BI Process Flow	
3.1	Steps in ALM BI Process Flow	3-1
3.2	End to End ALM BI Data Movement Process	3-1
4	Dimension Population	
4.1	Overview of Dimension Population	4-1
4.2	Hierarchy Flattening	4-2
4.2.1	Overview of Hierarchy Flattening Process	4-2
4.2.2	Prerequisites and Troubleshooting	4-3
4.2.3	Tables Used by the Hierarchy Flattening Process	4-4
4.2.4	Executing the Hierarchy Flattening Process	4-4
4.2.5	Checking the Execution Status	4-7
4.3	Dimension Table Population	4-7
4.3.1	Overview of SCD Process	4-8
4.3.2	Prerequisites	4-9
4.3.3	Tables Used by the SCD Component	4-10
4.3.3.1	SETUP_MASTER	4-10
4.3.3.2	SYS_TBL_MASTER	4-11
4.3.3.3	SYS_STG_JOIN_MASTER	4-11
4.3.4	Executing the SCD Component	4-13
4.3.5	Checking the Execution Status	4-14
4.3.6	SCD Process Scenarios	4-15
4.3.7	List of Dimension Tables	4-15
4.4	DIM_RUN Population	4-19
4.4.1	Overview of DIM_RUN Process	4-19

4.4.2	Prerequisites	4-19
4.4.3	Table Used to Populate RUN details	4-20
4.4.4	Executing the DIM_RUN Process	4-20
4.4.5	Checking the Execution Status	4-20
4.5	Time Dimension Population	4-21
4.5.1	Overview of Time Dimension Population	4-21
4.5.2	Prerequisites	4-21
4.5.3	How does ALM BI Use DIM Dates	4-22
4.5.4	Table Used to Populate the Time Dimension	4-23
4.5.5	Executing the Time Dimension Population Process	4-23
4.5.6	Checking the Execution Status	4-24

5 ALM Results Transformation

5.1	Overview of the ALM Results Transformation Process	5-1
5.1.1	Prerequisites	5-1
5.2	Tables Populated by ALM Results Transformation	5-2
5.3	Executing the ALM Results Transformation Process	5-13
5.4	Checking the Execution Status	5-15
5.5	Support of Multiple Hierarchies	5-15

6 Account Summary Population

6.1	Overview of Account Summary Tables	6-1
6.1.1	Overview of Account Summary Population	6-1
6.1.1.1	Prerequisites	6-2
6.2	Tables Used by the Account Summary Population T2T Process	6-3
6.3	Executing the Account Summary Population T2T Process	6-5
6.4	Checking the Execution Status	6-6

7 Fact Ledger Population

7.1	Overview of Fact Ledger Population Transformation	7-1
7.2	Prerequisites	7-1
7.3	Tables Used by the Fact Ledger Population Transformation	7-2
7.4	Executing the Fact Ledger Population Transformation	7-3
7.5	Checking the Execution Status	7-4

8 Overview of ALM BI Dashboards and Reports

8.1	ALM BI Application	8-1
8.2	Advantages of ALM BI	8-1

8.3	Accessing the Standard Reports and Dashboards	8-2
8.4	Getting Seeded Reports to Show Results	8-2
8.5	ALM BI List of Dashboards	8-2
8.6	List of ALM Seeded Reports	8-3
8.6.1	ALM Home	8-3
8.6.2	Repricing Gap	8-3
8.6.3	Financial Results	8-3
8.6.4	Earnings at Risk	8-4
8.6.5	Liquidity Risk	8-4
8.6.6	Market Value	8-4
8.6.7	Value at Risk	8-5
8.6.8	Rates	8-5
8.6.9	Assumption	8-5
8.6.10	Audit	8-6
8.6.11	IRRBB Reporting	8-6
8.7	ALM Report Details	8-6
8.7.1	Repricing Gap Summary in Base Currency	8-6
8.7.2	Repricing Gap Summary in Consolidated Currency	8-7
8.7.3	Repricing Gap Across Dates in Base Currency	8-9
8.7.4	Repricing Gap Across Dates in Consolidated Currency	8-9
8.7.5	Repricing Gap Detail in Base Currency	8-10
8.7.6	Repricing Gap Detail in Consolidated Currency	8-10
8.7.7	Forecast Income Statement in Base Currency	8-12
8.7.8	Forecast Income Statement in Consolidated Currency	8-12
8.7.9	Forecast Balance Sheet Summary in Base Currency	8-13
8.7.10	Forecast Balance Sheet Summary in Consolidated Currency	8-14
8.7.11	Net Interest Income Across Scenarios in Base Currency	8-14
8.7.12	Net Interest Income Across Scenarios in Consolidated Currency	8-15
8.7.13	Income Statement Detail in Base Currency	8-15
8.7.14	Income Statement Detail in Consolidated Currency	8-16
8.7.15	Forecast Balance Sheet Detail in Base Currency	8-16
8.7.16	Forecast Balance Sheet Detail in Consolidated Currency	8-17
8.7.17	Historical Income and Balance Summary	8-17
8.7.18	Historical Income and Balance Detail	8-18
8.7.19	Detail Cash Flow or Activity in Base Currency	8-19
8.7.20	Detail Cash Flow or Activity in Consolidated Currency	8-19
8.7.21	Balance Sheet Account Detail in Base Currency	8-21
8.7.22	Balance Sheet Account Detail in Consolidated Currency	8-22
8.7.23	Transfer Pricing Income Statement in Base Currency	8-22
8.7.24	Transfer Pricing Income Statement in Consolidated Currency	8-22
8.7.25	Net Income	8-23

8.7.26	EaR Frequency Distribution	8-24
8.7.27	Yearly EaR Frequency Distribution	8-25
8.7.28	EaR Distribution by Year Forecasted	8-26
8.7.29	Interest Rate Cloud	8-27
8.7.30	Income Distribution Min or Max or Avg	8-28
8.7.31	Net Income Distribution Min 3 or Max 3 or Avg	8-29
8.7.32	Net Income Distribution	8-30
8.7.33	EaR History by Product	8-31
8.7.34	EaR History by Portfolio	8-31
8.7.35	Liquidity Gap Summary in Base Currency	8-32
8.7.36	Liquidity Gap Summary in Consolidated Currency	8-32
8.7.37	Liquidity Gap Detail - Product in Base Currency	8-33
8.7.38	Liquidity Gap Detail - Product in Consolidated Currency	8-33
8.7.39	Liquidity Gap - Result Type in Consolidated Currency	8-34
8.7.40	Distribution Profile of Term Deposits	8-35
8.7.41	Market Value Summary in Base Currency	8-36
8.7.42	Market Value Summary in Consolidated Currency	8-36
8.7.43	Market Value of Equity in Base Currency	8-37
8.7.44	Market Value of Equity in Consolidated Currency	8-37
8.7.45	Net Duration Summary in Base Currency	8-38
8.7.46	Net Duration Summary in Consolidated Currency	8-39
8.7.47	Net Duration of Equity in Base Currency	8-39
8.7.48	Net Duration of Equity in Consolidated Currency	8-40
8.7.49	Market Value Detail in Base Currency	8-40
8.7.50	Market Value Detail in Consolidated Currency	8-40
8.7.51	Market Value Detail by Scenario in Base Currency	8-41
8.7.52	Market Value Detail by Scenario in Consolidated Currency	8-41
8.7.53	Duration Detail in Base Currency	8-42
8.7.54	Duration Detail in Consolidated Currency	8-43
8.7.55	Duration Detail by Scenario in Base Currency	8-43
8.7.56	Duration Detail by Scenario in Consolidated Currency	8-44
8.7.57	Ranked Market Value in Base Currency	8-44
8.7.58	Ranked Market Value in Consolidated Currency	8-44
8.7.59	Ranked Duration in Base Currency	8-45
8.7.60	Ranked Duration in Consolidated Currency	8-45
8.7.61	Value at Risk Probabilities	8-46
8.7.62	Value at Risk Probabilities Detail	8-47
8.7.63	VaR History	8-48
8.7.64	IRC History across Term	8-48
8.7.65	IRC History Across Dates	8-49
8.7.66	IRC Forecast Across Term	8-49

8.7.67	IRC Forecast Across Dates	8-50
8.7.68	IRC Benchmark	8-51
8.7.69	IRC Forecast x Days	8-51
8.7.70	IRC History and Forecast	8-52
8.7.71	Economic Indicator History and Forecast	8-53
8.7.72	FX Rates History and Forecast	8-54
8.7.73	FX History	8-54
8.7.74	FX History Month	8-55
8.7.75	FX Forecast Scenario	8-55
8.7.76	FX Forecast	8-56
8.7.77	Economic Indicator History	8-57
8.7.78	Economic Indicator Forecast	8-57
8.7.79	IRC vs Related Economic Indicators vs FX - Historical	8-58
8.7.80	ALM Process Deterministic Assumption Map	8-59
8.7.81	ALM Process Stochastic Assumption Map	8-59
8.7.82	Maturity Strategies	8-60
8.7.83	Pricing Margins	8-61
8.7.84	Discount Methods	8-61
8.7.85	Product Characteristics	8-62
8.7.86	Prepayments	8-63
8.7.86.1	Early Redemption (Constant Method - User defined Tenors)	8-65
8.7.86.2	Early Redemption (Constant Method)	8-66
8.7.86.3	Early Redemption (Prepayment Model)	8-67
8.7.86.4	Prepayment (Arctangent)	8-68
8.7.86.5	Prepayments (Constant Method - User defined Tenors)	8-69
8.7.86.6	Prepayments (Constant Method)	8-70
8.7.86.7	Prepayments (Prepayment Model)	8-71
8.7.86.8	Prepayments (PSA)	8-72
8.7.87	Prepayment Models	8-72
8.7.87.1	Assumptions - Forecast Balance	8-73
8.7.88	Transaction Strategies	8-74
8.7.89	Forecast Rates - Interest Rates	8-76
8.7.89.1	Forecast Rates (Change from Base)	8-77
8.7.89.2	Forecast Rates (Direct Input)	8-78
8.7.89.3	Forecast Rates (Implied Forward)	8-78
8.7.89.4	Forecast Rates (Structured Change)	8-79
8.7.89.5	Forecast Rates (Yield Curve Twist)	8-79
8.7.90	Forecast Rates - Currency Rates	8-79
8.7.90.1	Forecast Rates Currency (Direct Input)	8-80
8.7.90.2	Forecast Rates Currency (Structured Change)	8-81
8.7.90.3	Forecast Rates - Economic Indicator	8-81

8.7.90.4	Forecast Rates EI (Direct Input)	8-82
8.7.90.5	Forecast Rates EI (Structured Change)	8-82
8.7.91	Rate Dependency Pattern	8-82
8.7.92	Behavior Pattern Rule	8-83
8.7.93	Forecast Rate - Behavior Pattern Rule	8-83
8.7.94	Process Errors	8-84
8.7.95	Detail Cash Flows	8-84
8.7.96	Ledger to Instrument Reconciliation Report	8-86
8.7.97	Result Master to Instrument Reconciliation in Base Currency	8-88
8.7.98	Result Master to Instrument Reconciliation in Consolidated Currency	8-89
8.7.99	Detail Stepped Rate	8-90
8.7.100	IRRBB Table B	8-91
8.7.101	Material Currency	8-94
8.8	Change Database Connection	8-94
8.8.1	Dynamic Infodom Selection	8-95
8.9	Funds Transfer Pricing Reports	8-95
8.9.1	Fund Transfer Pricing - Assumptions Reports	8-95
8.9.2	Fund Transfer Pricing Reports	8-95
8.9.2.1	Transfer Pricing Process Assumption Map	8-95
8.9.2.2	Adjustments	8-96
8.9.2.3	Transfer Pricing	8-97
8.9.2.4	Transfer Pricing Rule - Detail	8-98
8.9.2.5	Transfer Pricing Margin Super Report	8-101
8.9.2.6	Funding Center Time	8-104
8.9.2.7	Funding Center Original Vs. Remaining	8-104
8.9.2.8	Transfer Pricing Account Summary Report	8-106
8.9.2.9	Transfer Pricing NIM Quality Report	8-107
8.9.2.10	Transfer Pricing Stratification Report	8-110
8.9.2.11	Zero Transfer Pricing Rate Report	8-130
8.9.2.12	Transfer Pricing Process Errors	8-132
8.9.2.13	Historical Rates Report	8-133
8.9.2.14	Rate Lock Option Cost Summary	8-134
8.9.2.15	Breakage Charge Summary	8-134
8.9.2.16	Transfer Price Audit Trail Report	8-135

9 Creating a Custom Report

9.1	Steps for Creating a Custom Report	9-1
-----	------------------------------------	-----

10 How to Change the Product Dimension in ALM BI

10.1	Changing the Product Dimension - Overview	10-1
10.2	Steps to Point to a Different Product Dimension in ALMBI	10-1
10.2.1	Case 1	10-2
10.2.1.1	Database Layer Changes	10-2
10.2.2	ALMBI Transformation Package Update	10-5
10.2.3	Case 2	10-6
10.2.3.1	Execution	10-7
10.2.4	Case 3	10-7
10.2.4.1	Database Layer Changes	10-8
10.2.4.2	Executing the Change of Product Dimension	10-8
10.2.4.3	Executing the Change of Product Dimension	10-9
10.2.4.4	Checking the Execution Status	10-9
10.2.4.5	Manual Change of Product Dimension	10-10

11 Update Hierarchy System ID through Batch Execution

11.1	Overview	11-1
11.2	Checking the Execution Status	11-1
11.3	Executing the Update Hierarchy System ID	11-1
11.4	Checking the Execution Status	11-2

12 Simplified Batch Execution

12.1	Steps for Simplified Batch Execution	12-1
------	--------------------------------------	------

13 How to Define a Batch

14 Dynamic Infodom Selection

14.1	Introduction	14-1
14.2	Switch across Infodoms in ALMBI Reporting	14-1
14.3	Adding a New Infodom to ALMBI Reporting	14-1

15 Update Breakage Charges through Batch Execution

15.1	Overview	15-1
15.2	Executing the Update Breakage Charges	15-1

15.3	Checking the Execution Status	15-2
16	How to Replace N_INT_ACCRD with N_INT_ACCRD_NET	
16.1	Overview	16-1
17	How to Populate Data in FCT_REG_LE_CAPITAL_SUMMARY Table	
17.1	Overview	17-1
18	General Data Protection Regulation (GDPR) Configuration	
18.1	PII Dashboard	18-1
19	How to Populate Common Account Summary Data Directly from Instrument Table	
19.1	Common Account Summary Data Population from Instrument Tables	19-1
20	Limit Management	
20.1	Overview	20-1
20.2	Functional Flow	20-1
20.3	Preparing and Uploading Limit Definitions	20-2
21	Troubleshooting	
21.1	Troubleshooting the Problems	21-1

1

About This Content

This guide provides information on the Oracle Financial Services Asset Liability Management Application (OFS ALM).

Audience

This guide is intended for the users of Oracle Financial Services Asset Liability Management Application (OFS ALM).

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Resources

See these Oracle resources:

- [Oracle Financial Services Release Notes](#)
- [Oracle Financial Services Installation and Configuration Guide](#)
- [Oracle Financial Services Asset Liability Management Analytics User Guide](#)
- [Oracle Financial Services Analytical Applications Data Model Utilities User Guide](#)
- [Oracle Financial Services Cash Flow Engine Reference Guide](#)

Conventions

The following text conventions are used in this document.

Table 1-1 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

2

Introduction to ALM BI

This chapter provides a general description of the Asset Liability Management Analytics Application.

Related Topics

- [Introduction to ALM BI](#)

2.1 Features and Components of ALM BI

Oracle Asset Liability Management Analytics (ALMBI) is a business intelligence application that integrates robust Oracle Business Intelligence (OBIEE) capabilities with the Asset Liability Management (ALM), Funds Transfer Pricing (FTP) results, thereby unleashing the power of back-office data and turning it into fully operational intelligence.

The features of ALMBI application are as follows:

- Wide functional coverage for ALM, FTP, intelligence.
- Designed for performance in heavy data volume environments.
- The low total cost of ownership, efficient data movement, and template-like design to ease implementation.
- Unleash the power of Oracle Financial Services Analytical Applications (OFSAA) data content; extend the wealth of back-office data to executives, risk managers, finance, and treasury with role-based dashboards, driving insight into interest rate risk and liquidity risk management through powerful analytics.
- Pervasive, compelling, and actionable insight with comprehensive drill-down paths and analysis, increasing alignment, and effectiveness.

The ALMBI application is comprised of the following components:

1. OFSAA ALMBI Reporting Mart (Physical Data Model)
 - Many ALM related relational database tables optimized for reporting and analysis.
 - Results from each ALM process are consolidated into a single reporting table allowing for comparative reporting.
 - Historical results are retained for each process, allowing for a period over period and trend reporting.
 - Results are stored in both base currency and any reporting currency specified by users during processing.
 - Account-level data is (optionally) consolidated into a series of application-specific Account Summary tables, supporting drill-down to the finest grain of detail.
 - Audit data, such as detail cash flow information and rate outputs, are additionally stored in the ALMBI Data Mart.
2. Data Movement Processes

- Data movement processes are provided to populate the required data into the ALMBI Data Mart. Data Movement is accomplished through the use of Table-to-Table (T2T) functionality and Procedural Language or Structured Query Language (PL/SQL or PLSQL) procedures.
 - Data Movement processes can be executed directly through a batch process using the Oracle Financial Services Analytical Applications Infrastructure (OFSAAI) or through a Simplified Batch process. These processes are detailed in the following sections.
3. ALMBI OBIEE Repository
 - ALMBI specific OBIEE repository file is included with the ALMBI application, which provides the mapping of the physical data into the ALMBI Business Model.
 - This repository defines the necessary data objects, join relationships, and calculated items needed for ALMBI Reporting.
 4. ALMBI OBIEE Web Catalog
 - The ALMBI specific OBIEE Web Catalog provides out of the box dashboards and seeded reports which provide users with a head-start in developing their organization-specific ALM, FTP, and related BI content.

3

Overview of the ALM BI Process Flow

This chapter provides an overview of the end-to-end process flow.

Related Topics

- [Steps in ALM BI Process Flow](#)
- [End to End ALM BI Data Movement Process](#)

3.1 Steps in ALM BI Process Flow


The following steps include the ALM BI Process:

- 1. Hierarchy Flattening**
Runs when a new Hierarchy is created and when an existing Hierarchy used within ALM BI is modified.
- 2. Dimension Table Population and Slowly Changing Dimension Processing**
Runs after a new Hierarchy or ALM Process is created and after Hierarchy modification or the <ALM>Active Time Bucket definition is changed.
- 3. Populating the Dimension Run table**
Runs only after a new ALM Process is created or modified.
- 4. Time Dimension Population**
Runs before ALM Results Transformation. This process is also run automatically during ALM Results Transformation if the current data does not already exist.
- 5. ALM Results Transformation**
Runs after the execution of any ALM Process. This process can be run manually as part of a batch process or automatically as an option embedded within each ALM Process.
- 6. (Optional) The Population of Account Summary Data**
Runs the Instrument Table-specific T2T processes for each new as-of-date and after all account-level processes have completed (if account level output option is selected). For example, ALM account level output of Market Value, Duration, Convexity, and so on.
- 7. (Optional) The population of Ledger Data**
This Ledger Transformation Process can be run as part of a batch process to move data from the Management Ledger table (processing area) to fact ledger stat of ALM BI.

3.2 End to End ALM BI Data Movement Process

The following flowchart illustrates the end to end ALM BI Data Movement Process:

Figure 3-1 ALMBI Data Movement Process



The end-to-end Data Movement Process is typically managed through the execution of one or more Batch Processes. The recommended approach is to define two batch processes to perform ALMBI Transformation, as follows:

1. ALMBI Batch1, with a single Task includes:
 - Hierarchy Flattening Process
2. ALMBI Batch2, with three Tasks in sequential order includes:

- Slowly Changing Dimension (SCD) Process
- Dimension Run Population Process
- ALMBI Transformation Process

3. (Optional) ALMBI Batch3, with Tasks to execute the required Account Summary T2T processes. This process is needed only if there is a requirement to report against the account-level data. It consists of:

- Populate Time Dimension
- Slowly Changing Dimension Process
- Account Summary T2T Definition Processes (one per Instrument table) See the following sections on how to create a batch and adding respective tasks. The following are a few examples of use cases and related processing requirements.

4. **Case 1:** Initially, when a new Hierarchy is created or when edits are made to a Hierarchy, follow these steps:

- Run Hierarchy Flattening
- Run Dimension Table Population and Slowly Changing Dimension Processing
- Populate the Dimension Run table
- Run ALM Results Transformation

5. **Case 2:** When the active time bucket definition has been changed. Follow these steps:

- Run Dimension Table Population and Slowly Changing Dimension Processing
- Run ALM Results Transformation

6. **Case 3:** When a new ALM Process is created. Follow these steps:

- Run Dimension Table Population and Slowly Changing Dimension Processing
- Populate the Dimension Run table
- Run ALM Results Transformation

4

Dimension Population

This chapter describes the steps required to set up and execute the SCD Process.


Related Topics

- [Overview of Dimension Population](#)
- [Hierarchy Flattening](#)
- [Dimension Table Population](#)
- [DIM_RUN Population](#)
- [Time Dimension Population](#)

4.1 Overview of Dimension Population

In OFSAA, hierarchies are defined and managed through the common infrastructure, Dimension Management User Interface. Before use in ALMBI, the related Parent or Child Hierarchy Data must first be converted to a flattened and level-based format. The dimension population process involves both the hierarchy flattening process and movement of the Dimension Data from Processing Dimension tables to the Common Reporting Dimension tables, shared by all the OFSAA BI Applications.

Figure 4-1 Dimension Population



The Dimension Population Process has the two components.

4.2 Hierarchy Flattening

This section describes about Hierarchy Flattening.

4.2.1 Overview of Hierarchy Flattening Process

The Hierarchies are maintained in the Dimension Management component of OFSAA Infrastructure. (In the Common Object Maintenance menu, navigate to Master Maintenance and select Dimension Management, and then select Hierarchies).

The Hierarchy Flattening process is used to move hierarchy data from the parent-child storage data structure to a level based storage data structure. In the Hierarchy Dimension Population Management model, hierarchy data for any hierarchies created on seeded or user-defined dimensions is stored within dimension specific hierarchy tables for the respective dimensions. The Hierarchy Flattening process copies this data to the REV_HIER_FLATTENED table in the BI data model after flattening is completed.

For example:

The hierarchy data of one or more Product Hierarchies created on the Product dimension (a seeded dimension) is stored in the DIM_PRODUCTS_HIER table.

Similarly, assuming there is a user-defined dimension (for example, Legal Entity) and a hierarchy has been defined on this dimension, then the hierarchy data is stored in the DIM_LE_HIER table (assuming this is the hierarchy table created for this hierarchy).

The hierarchy data in the preceding example is moved to REV_HIER_FLATTENED in the BI data model by the hierarchy flattening process.

Database components used by this transformation are:

- REV_BATCHHIERFLATTEN – Oracle database function.
- REV_HIER_TRANSFORMATON_BIAPPS – Oracle database Package called by the preceding function.

Some of the features of the Hierarchy Flattening process are:

- You have the choice to process a single hierarchy or all hierarchies belonging to a particular dimension as part of a single execution.
- Any change made to the hierarchy using the Hierarchy Management maintenance window changes the flag `FLATTENED_ROWS_COMPLETION_CODE` in `REV_HIER_DEFINITIONS` to Pending. This improves processing efficiency as the Flattening process will avoid hierarchies that have not been modified.

4.2.2 Prerequisites and Troubleshooting

The following are the prerequisites and troubleshooting steps:

1. All the post-install steps mentioned in the [Oracle Financial Services Analytical Applications Infrastructure \(OFSAAI\) Installation and Configuration Guide](#) and the [Oracle Financial Services Asset Liability Management Analytics Installation and Configuration Guide](#). ALM Analytics have to be completed successfully.
2. The Hierarchies are maintained in the Dimension Management component of OFSAA Infrastructure. (In the **Common Object Maintenance**, navigate to **Master Maintenance** and select Dimension Management, and then select **Hierarchies**).
3. The steps mentioned subsequently in this section are debugging steps and must be checked only if the hierarchy flattening process has failed. Seeded Hierarchies which are included with the installation and any hierarchies created using the Dimension Management user interface will have the proper data in the following section Tables Used by the Hierarchy Flattening Process.
 - Check in the database (Atomic Schema) to confirm the `FLATTENED_ROWS_COMPLETION_CODE` column in `REV_HIER_DEFINITIONS` table has the value Pending for the Hierarchy ID being processed. This column will have the value Pending for any new hierarchy created or modified using the OFSAAI Hierarchy Management UI.
 - Check if the `REV_DIMENSIONS_B` table has a row for the dimension that is being processed. (Use a database SQL query to check. This is available in the section Executing the Hierarchy Flattening Transformation).
 - Check if the `REV_HIERARCHIES` table has a row for the Hierarchy ID that is being processed. (Use a database SQL query to check. This is available in the section Executing the Hierarchy Flattening Transformation).
4. Application users must be mapped to a role which has the seeded batch execution function (BATPRO).
 - By default, this SMS function is mapped to the SMS Role Data Centre Manager (SYSOPC).

- The ALM Application seeds three user-profiles:
 - ALM Administration
 - ALM Analyst
 - ALM Auditor

After installation of ALM, the system administrator should additionally map the BATPRO function with the required ALM roles.

5. Before executing a batch, check if the following services are running on the application server:
 - Iccserver
 - Router
 - AM
 - Messageserver

For more information on how to check if the services are up and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).

6. Users must create Batch Processes for executing flattening and movement procedures. This process is explained in the section Executing the Hierarchy Flattening Transformation.
 - The flattening procedure takes Dimension ID and Hierarchy sys ID as additional parameters; Dimension ID is mandatory whereas Hierarchy ID is optional.
 - These processes can also be run using the Simplified Batch window, which allows for the execution of stored procedures.

4.2.3 Tables Used by the Hierarchy Flattening Process

The following are the tables used by the Hierarchy Flattening Process:

- `REV_HIERARCHIES`: This is the master table for hierarchies with one row per hierarchy.
- `REV_DIMENSIONS_B`: This is the master table for dimensions with one row per dimension.
- `REV_HIER_DEFINITIONS`: The `FLATTENED_ROWS_COMPLETION_CODE` column is checked to determine if the hierarchy can be processed.
- `DIM_<DIMENSIONNAME>_HIER`: This table stores the parent or child hierarchy data and is the source for the transformation. For example, `DIM_PRODUCTS_HIER`.
- `REV_HIER_FLATTENED`: This is the output table for the transformation into which the flattened hierarchy data gets populated.

4.2.4 Executing the Hierarchy Flattening Process

You can execute the function from the Operations Framework Module of OFSAAI. Define a new Batch and an underlying Task definition from the **Batch Maintenance** window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

1. Select the checkbox adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** from the Task Details grid. The Task Definition window is displayed.
3. Enter the **Task ID** and **Description**.
4. Select Transform Data from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** drop-down list:
 - **Datastore Type:** Select the appropriate datastore type from the drop-down list:
 - **Datastore Name:** Select the appropriate datastore name from the drop-down list.
 - **IP Address:** Select the IP address from the drop-down list.
 - **Rule Name:** Select BATCH_HIERTRANSFORMATION from the drop-down list of available transformations. (This is a seeded Data Transformation procedure installed as part of the ALMBI Application. If you do not see this procedure in the list, contact [Oracle Support](#)).
 - **Parameter List:** These are comma-separated values of Dimension ID and Hierarchy ID. Following are the available Dimension ID values and Hierarchy ID values:
 - Dimension ID Values
 - ORG_UNIT_ID = 1
 - GL_ACCOUNT_ID = 2
 - COMMON_COA_ID = 3
 - PRODUCT_ID = 4
6. If you are using a user-defined Dimension, execute the following query in the database to find the value, and use the value in the Dimension ID column to process the dimension name and description:

```
SELECT B.DIMENSION_ID, T.DIMENSION_NAME, T.DESCRPTION FROM REV_DIMENSIONS_B  
B INNER JOIN REV_DIMENSIONS_TL T ON B.DIMENSION_ID = T.DIMENSION_ID AND  
T.DIMENSION_NAME LIKE '<DIMENSION NAME>'
```

7. Replace the tag <DIMENSION NAME> in this query with the Dimension Name you find in the UI (Navigate to OFS ALM Home page, select Common Object Maintenance, select Master Maintenance, and then select Dimension Management). This is the Dimension on which the Hierarchy you want to flatten is configured. You must create separate Batches for each Dimension.

If all the Hierarchies belonging to a Dimension are to be processed, then provide null (in lower case) as the parameter value. Otherwise, provide the System Identifier of the Hierarchy that needs to be transformed.

For example, you can find the Hierarchy ID through the Hierarchy User Interface at the bottom of the window, as depicted in the following figure.

Figure 4-2 Hierarchy ID through the Hierarchy User Interface

Audit Trail		User Comments
^ System ID :40006997		
Created By	QTUSER	
Last Modified By	CHRIS	

You can also execute the following query to find the unique system identifier for a specific Hierarchy:

```
SELECT B.OBJECT_DEFINITION_ID, SHORT_DESC, LONG_DESC FROM
FSI_M_OBJECT_DEFINITION_B B INNER JOIN FSI_M_OBJECT_DEFINITION_TL T ON
B.OBJECT_DEFINITION_ID = T.OBJECT_DEFINITION_ID AND B.ID_TYPE
=<ID_TYPE>
```

Use the value in the HIERARCHY_ID column as the parameter for the hierarchy to be processed. <ID_TYPE> represents the dimension number to which a particular hierarchy belongs.

For example, if all the Hierarchies for the GL Account Dimension must be processed, the parameter list should be given as follows:

'2', null, where '2' is the Dimension ID for the seeded Dimension GL Account.

If a particular Hierarchy with code 1000018112 needs to be processed, the parameter list should be given as follows:

'2', '1000018112'

8. Click **Save**. The Task definition is saved for the selected Batch.
9. Execute the Batch.

You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.

 **Note:**

This process can also be run using the Simplified Batch user interface. In the optional parameters field within the Simplified Batch window, specify the parameters mentioned earlier.

Hierarchy Transformation can also be directly executed on the database through SQLPLUS.

- **Function Name:** REV_BATCHHIERFLATTEN
- **Parameters:** BATCH_RUN_ID, MIS_DATE, PDIMENSIONID, and PHIERARCHYID.
- **Sample Parameter Values:** 'Batch1', '20091231', '2', and '1000018112'.

 **Note:**

This process can also be run using the Simplified Batch User Interface. In the optional parameters field within the Simplified Batch window, specify the parameters mentioned above.

The first paragraph should contain the command overview or a short description of the reference information.

4.2.5 Checking the Execution Status

The status of execution can be monitored using the Batch Monitor window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The Event Log window in Batch Monitor provides logs for execution with the top row being the most recent. If there is any error during execution, it will get listed here. Even if you see Successful as the status in Batch Monitor it is advisable to go through the Event Log and re-check if there are any errors.

Alternatively, the execution log can be accessed on the application server in the following directory `$FIC_DB_HOME/log/date`. The file name will have the Batch Execution ID.

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log. (This is the same log you see in the Event Log window).

Check the `.profile` file in the Installation Home if you are unable to navigate to these locations.

4.3 Dimension Table Population

The Dimension Table Population Process serves two purposes:

- Move the Flattened Hierarchy Data from Operational tables to the BI tables.
- Execute the SCD Process against each processed dimension.

Dimension Table Population should be run after the initial creation of a hierarchy and after any changes are made to a hierarchy Dimensional data changes are handled in the ALMBI Solution using the SCD component.

Related Topics

- [Overview of SCD Process](#)
- [Prerequisites](#)
- [Executing the SCD Component](#)

- [Tables Used by the SCD Component](#)
- [Checking the Execution Status](#)
- [List of Dimension Tables](#)

4.3.1 Overview of SCD Process

SCDs are used to maintain the history of dimension-member changes over time. SCD is a required process and is tied into the BI application. Without this process, the updated information will not be reflected in ALMBI. For example, if the Active Time Bucket Definition was changed for an ALM Process Execution, the SCD process is required to reflect the new Active Time Bucket details into the Result Area. It is mandatory to run the SCD process if the hierarchies have changed.

For more information on SCDs, see:

- Oracle Data Integrator Best Practices for a Data Warehouse at: <http://www.oracle.com/technetwork/middleware/data-integrator/overview/odi-best-practices-datawarehouse-whi-129686.pdf>
- Oracle Warehouse Builder Data Modeling, ETL, and Data Quality Guide, 11g Release 2 (11.2), Part #E10935-03 at: http://docs.oracle.com/cd/E18283_01/owb.112/e10935/dim_objects.htm

The SCD component is delivered through an executable. For the ALMBI solution, the types of SCD supported are Type 1 and Type 2.

1. Type 1 SCD Methodology

The Type 1 Methodology overwrites old data with new data, and therefore does not track changes to the data across time.

Example:

Consider a Dimension table, DIM_PRODUCT:

In this example:

Table 4-1 Dimension table

N_PRODUCT_S KEY	V_PRODUCT_N AME	D_START_DATE	D_END_DATE	F_LATEST_REC ORD_INDICATO R
1	Personal Loan	5/31/2010	12/31/9999	Y

- N_PRODUCT_SKEY is the surrogate key column which is a unique key for each record in the dimension table.
- V_PRODUCT_NAME is the product name.
- D_START_DATE indicates the date from which this product record is valid.
- D_END_DATE indicates the date to which this product record is valid.
- F_LATEST_RECORD_INDICATOR: A value Y indicates this is the latest record in the dimension table for this product and N indicates it is not. If the V_PRODUCT_NAME column is set as a Type 1 and if there is a change in the product name to *Personal Loan* from *PL* in the earlier example in the next processing period, then the record changes as shown in the following table:

Table 4-2 Record Changes

N_PRODUCT_SK EY	V_PRODUCT_NAME	D_START_DATE	D_END_DATE	F_LATEST_REC ORD_INDICATOR
1	Personal Loan	6/30/2010	12/31/9999	Y

2. Type 2 SCD Methodology

The Type 2 method tracks historical data by creating multiple records for a given natural key in the dimensional tables with separate surrogate keys. With Type 2, the historical changes in dimensional data are preserved. In the earlier example, for the change in product name from PL to Personal Loan if history will be preserved then the V_PRODUCT_NAME column must be set as Type 2 in which case when SCD is processed for the processing period in which the change happens it will insert a new record as shown in the following example:

Table 4-3 Change from PL to Personal Loan

N_PRODUCT_SKEY	V_PRODUCT_NAME	D_START_DATE
1	Personal Loan	5/31/2010
1	Personal Loan	6/30/2010

A new record is inserted to the Product Dimension table with the new product name and the latest record indicator for this is set as 'Y' indicating this is the latest record for the personal loan product and the same flag for the earlier record is set to 'N'.

4.3.2 Prerequisites

The following are the prerequisites:

- The hierarchy flattening process has been run.
- The setup tables accessed by the SCD component, including SETUP_MASTER, SYS_TBL_MASTER, and SYS_STG_JOIN_MASTER have the required entries.
- Having entries in the table SETUP_MASTER is optional. By default, SCD maintains only a history of changes to all the members within a dimension, without the context of any hierarchy. If instead, you wish to maintain the history of changes for a specific hierarchy, the SETUP_MASTER table can be used for this purpose.
- This is achieved by specifying the sys-id of the required hierarchies, in table SETUP_MASTER. This table is referenced during SCD execution and if a hierarchy ID is found, it would be included during the SCD process.
- The column V_COMPONENT_DESC is used to identify the dimension-type and V_COMPONENT_VALUE for the hierarchy sys-ID.
- The permissible values for the V_COMPONENT_DESC are listed in the following table:

Table 4-4 Permissible values for the V_COMPONENT_DESC

V_COMPONENT_DESC	Meaning
PRODUCT_HIER1	Signifies the PRODUCT dimension
ORG_UNIT_HIER11	Signifies the ORG UNIT dimension
GL_ACCOUNT_HIER1	Signifies the GL ACCOUNT dimension
COMMON_COA_HIER1	Signifies the COMMON COA dimension

- Separate rows in this table are seeded for different hierarchy sys-ID's, one-row corresponding to each of the four dimensions, that is PRODUCT, ORG UNIT, COMMON COA, and GL ACCOUNT. Add entries in this table only if you add a user-defined dimension.
- The tables SYS_TBL_MASTER and SYS_STG_JOIN_MASTER are seeded for the Org unit, GL Account, Product, and Common COA dimensions. Add entries in these tables only if you add user-defined dimensions.
- Database Views with the name DIM_<Dimension Name>_V are seeded along with the seeded dimensions during the ALMBI installation. These views present data from the dimension tables as well as the flattened hierarchy data. For example, DIM_PRODUCT_V in usable format. New views should be included for any new dimensions defined.

4.3.3 Tables Used by the SCD Component

The tables used by the SCD Component are described in the following sections.

4.3.3.1 SETUP_MASTER

Rows for each of the four key dimensions PRODUCT, ORG UNIT, COMMON COA, and GL ACCOUNT will be seeded into this table during the ALMBI Installation.

The table structure is as follows:

- V_COMPONENT_CODE: This column acts as a primary key.
- V_COMPONENT_DESC: This column contains a standard value used within the database view for a flattened hierarchy.
- V_COMPONENT_VALUE: This column contains the unique hierarchy identifier for the reporting hierarchies to be used in ALMBI.

Hierarchy unique identifiers can be obtained by executing the following query.

```
Select b.object_definition_id, short_desc, long_desc from
fsi_m_object_definition_b b inner join fsi_m_object_definition_tlt on
b.object_definition_id = t.object_definition_id and b.id_type = 5 and
b.leaf_num_id = <dimension_id>; <dimension_id>
```

represents the dimension number to which a particular hierarchy belongs.

Alternatively, the unique system identifier for each hierarchy can be found at the bottom of the Hierarchy Management page while in EDIT mode.

The following rows are seeded into the SETUP_MASTER table, exactly as follows, with the exception of V_COMPONENT_VALUE. This value should reflect the unique system identifier of the Reporting Hierarchy for each dimension.

Table 4-5 SETUP_MASTER Table

V_COMPONENT_CO DE	V_COMPONENT_DE SCRIPTION	V_COMPONENT_VAL UE
22	PRODUCT_HIER1	1000018711
88	ORG_UNIT_HIER1	100573

Table 4-5 (Cont.) SETUP_MASTER Table

90	GL_ ACCOUNT_HIER1	100574
91	COMMON_COA_HIE R1	100575

4.3.3.2 SYS_TBL_MASTER

The ALMBI Application Installer populates this table for the Seeded Dimensions.

Table 4-6 Seeded Dimensions

Column Name	Data Type	Column Description
MAP_REF_NUM	Number (3) NOT NULL	The mapping reference number for this unique mapping of a source to a dimension.
TBL_NM	VARCHAR2(30) NOT NULL	Dimension Table Name
STG_TBL_NM	VARCHAR2(30) NOT NULL	Staging Table Name
SRC_PRTY	NUMBER(2) NULL	The priority of the Source when multiple sources are mapped to the same target. The sequence in which the various sources for the DIMENSION will be taken up for processing.
SRC_TYP	VARCHAR2(30) NOT NULL	The type of the Source for a Dimension, that is, Transaction Or Master Source
DT_OFFSET	NUMBER(2) NOT NULL	The offset for calculating the Start Date based on the FRD.
SRC_KEY	NUMBER(3) NULL	Source Key

Example: The following data is inserted by the Application Installer for the Product Dimension.

Table 4-7 Product Dimension

Column Name	Data Type
MAP_REF_NUM	NUMBER(3) NOT NULL
TBL_NM	VARCHAR2(30) NOT NULL
STG_TBL_NM	VARCHAR2(30) NOT NULL
SRC_PRTY	NUMBER(2)

No changes are required to this table if the Standard Key Dimensions are being used within ALMBI. If any new dimensions have been added (for example, ALM_COA_ID) a row will have to be inserted to this table manually.

4.3.3.3 SYS_STG_JOIN_MASTER

The ALMBI Application Installer populates this table for the Seeded Dimensions.

Table 4-8 Seeded Dimensions

Column Name	Data Type	Column Description
MAP_REF_NUM	NUMBER (3) NOT NULL	The Mapping Reference Number for this unique mapping of a Source to a Dimension Table
COL_NM	VARCHAR2(30) NOT NULL	Name of the column in the Dimension Table
COL_TYP	VARCHAR2(20) NOT NULL	Type of column. The possible values are given below
STG_COL_NM	VARCHAR2(30) NOT NULL	Name of the column in the Staging Table
SCD_TYP_ID	NUMBER (3) NOT NULL	SCD type for the column
PRTY_LOOKUP_REQD	CHAR(1) NOT NULL	Column to determine whether Lookup is required for Priority of Source against the Source Key Column or not
COL_DATATYPE	VARCHAR2(15) NULL	Column Data Type
COL_FORMAT	VARCHAR2(15) NULL	Column Format

The possible values for column type (the column COL_TYPE) in SYS_STG_JOIN_MASTER are:

- PK: Primary Dimension Value (maybe multiple for a given "Mapping Reference Number")
- SK: Surrogate Key
- DA: Dimensional Attribute (maybe multiple for a given "Mapping Reference Number")
- SD: Start Date
- ED: End Date
- LRI: Latest Record Indicator (Current Flag)
- CSK: Current Surrogate Key
- PSK: Previous Surrogate Key
- SS: Source Key
- LUD: Last Updated Date or Time
- LUB: Last Updated By

Example: The following data is inserted by the application installer for the Product Dimension.

Table 4-9 Product Dimensions

Column Name	Data Type
MAP_REF_NUM	6
COL_NM	V_PRODUCT_NAME
COL_TYP	DA

Use the following table to identify the map_ref_num to be used, while executing the SCD Process.

Table 4-10 Entries to identify the map_ref_num to be used, while executing the SCD Process

map_ref_num	Target Table that will be updated
124	DIM_FCST_RATES_SCENARIO
125	DIM_RESULT_BUCKET
126	DIM_ORG_UNIT
127	DIM_GL_ACCOUNT
128	DIM_PRODUCT
129	DIM_COMMON_COA
130	DIM_PRODUCT_TYPE
131	DIM_CUSTOMER
-1	<for all entries>
270	DIM_ORG_STRUCTURE

- **Wait:** When the file is being executed, you can either wait until the execution is complete or proceed with the next task. Select the checkbox for **Yes** or **No**. Click **Yes** to wait for the execution to be complete. Click **No** to proceed with the next task.
 - **Batch Parameter:** Select **Y**. (upper case required).
5. Click **Save**. The Task definition is saved for the selected Batch.
 6. Execute the Batch.

You can execute a Batch definition from the **Batch Execution** window of an OFSAAI Operations module.

You cannot execute the SCD Process from the Simplified Batch window.

4.3.5 Checking the Execution Status

The Batch Execution status can be monitored through the Batch Monitor window of the OFSAAI Operations module.

The status messages in the Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The ICC Execution log can be accessed on the application server in the directory

`$FIC_DB_HOME/log/ficgen`.

Sample Path: `/dbfiles/home/oracle/OFSAAI/ficdb/log/ficgen`

The file name will have the Batch Execution ID.

The detailed SCD component log can be accessed on the application server under `<ftp-share>/<infodom name>/logs`.

The file name will have the Batch Execution ID.

Sample Path: /dbfiles/home/oracle/ftpshare/OFSAADemo/logs

Check the .profile file in the installation home if you are not able to find the paths mentioned earlier.

4.3.6 SCD Process Scenarios

It is not necessary to run SCD for all dimensions. In certain cases, you should specify the specific dimension requiring updates.

The following common scenarios provide guidance on which dimensions must be rerun:


- Rerunning an existing ALM Process for the same as-of-date. It is not necessary to rerun any of the SCD dimensions.
- Running an existing ALM Process for a new as-of-date.
- Run SCD for Time Dimension (3), to refresh DIM_RESULT_BUCKET. Once per as-of-date and applies to all ALM processes run for that As-of-Date.
- Running a new ALM Process:
 1. Run SCD for Forecast Rate Scenarios or Stochastic Process (1)
 2. If new as-of-date, also run for Time Dimension (3)
If Hierarchy changes are made, rerun SCD for the appropriate dimension(s). For example, 4-7 as needed

4.3.7 List of Dimension Tables

List of ALMBI dimensions impacted by the SCD Procedure are:


- DIM_FCST_RATES_SCENARIO: This table stores all Deterministic Processes with relevant details.

Figure 4-3 Deterministic Processes




- DIM_RESULT_BUCKET: This table stores Income Simulation, Liquidity Risk Gap, and Interest Rate Gap Bucket information for each process.

Figure 4-4 Income Simulation, Liquidity Risk Gap, and Interest Rate Gap Bucket information




- DIM_ORG_UNIT: This table stores Organization Unit Dimension information.

Figure 4-5 Organization Unit Dimension information




- DIM_GL_ACCOUNT: This table stores General Ledger Account information.

Figure 4-6 General Ledger Account information




- DIM_COMMON_COA: This table stores Dimensional Attributes of the COMMON_COA dimension.

Figure 4-7 Dimensional Attributes of the COMMON_COA dimension



- DIM_PRODUCT: This table stores Dimensional Attributes of the PRODUCT dimension.

Figure 4-8 Dimensional Attributes of the PRODUCT dimension



- DIM_PRODUCT_TYPE: This table stores Dimensional Attributes of the PRODUCT_TYPE dimension.

Figure 4-9 Dimensional Attributes of the PRODUCT_TYPE dimension.




- DIM_CUSTOMER: This table stores Dimensional Attributes of the CUSTOMER dimension.

Figure 4-10 Dimensional Attributes of the CUSTOMER dimension



- DIM_ORG_STRUCTURE: This table stores Dimensional Attributes of the Legal Entity Dimension.

Figure 4-11 Dimensional Attributes of the Legal Entity Dimension

4.4 DIM_RUN Population

The DIM_RUN table is the dimension object that stores dimensional data for both Stochastic and Deterministic ALM Processes. A Data Transformation process is provided to populate the DIM_RUN table.

Related Topics

- [Overview of DIM_RUN Process](#)
- [Prerequisites](#)
- [Table Used to Populate RUN details](#)
- [Executing the DIM_RUN Process](#)
- [Checking the Execution Status](#)

4.4.1 Overview of DIM_RUN Process

The database components used by this transformation are:

- Database Function: FN_DIM_RUN_ALM
- Database Procedure: POP_DIM_RUN, that is invoked by the function FN_DIM_RUN_ALM.

4.4.2 Prerequisites

Following are the prerequisites for the DIM_RUN Process:

1. All the post-install steps mentioned in the [Oracle Financial Services Analytical Applications Infrastructure \(OFSAAI\) Installation and Configuration Guide](#) and the [Oracle Financial Services Asset Liability Management Analytics User Guide](#) have to be completed successfully.
2. Application users must be mapped to a role that has the seeded batch execution function (BATPRO).
3. Before executing a batch, check if the following services are running on the Application Server.
 - Iccserver
 - Router
 - AM

- Messageserver

For more information on how to check if the services are up and on, and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).

4. Batches must be created for executing the function. This is explained in section [Executing the DIM_RUN Process](#).

4.4.3 Table Used to Populate RUN details

The physical table used in the ALM BI Data Model is DIM_RUN.

FSI_PROCESS_RUN_HISTORY, FSI_M_ALM_PROCESS, and FSI_M_OBJECT_DEFINITION_TL are the source tables which are used to populate DIM_RUN.

This table stores the Run details to be used for building the ALMBI Reports. See the [Oracle Financial Services Analytical Applications Data Dictionary Guide](#) or the [ALM BI Erwin Data Model](#) for viewing the structure of this table.

4.4.4 Executing the DIM_RUN Process

You can execute the function from the Operations Framework module of OFSAAI.

Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

1. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed. Enter the Task ID and Description.
3. Select Transform Data from the **Transform Data** drop-down list.
4. Select the following from the **Dynamic Parameters** list:
 - **Rule Name:** Select `Populate_Dim_Run_ALM` from the list of all available transformations. (This is a seeded Data Transformation process which is installed as part of the ALM BI Application, if you do not see this process in the list, contact [Oracle Support](#)).
 - **Parameter List:** Not Required.
5. Click **Save**. The Task definition is saved for the selected Batch.
6. Execute the Batch. You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.

You cannot execute this process from the **Simplified Batch** window.

4.4.5 Checking the Execution Status

The Batch Execution status can be monitored through the Batch Monitor window of the OFSAAI Operations module.

The status messages in the batch monitor are:

- **N:** Not Started
- **O:** On Going
- **F:** Failure
- **S:** Success

The execution log and the detailed Dim Run population component log can be accessed from the location `$FIC_DB_HOME/log/date`.

The file name will have the Batch Execution ID.

Sample Path: `/dbfiles/home/oracle/OFSAAI/ficdb/log/date`

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log.

Check the `.profile` file in the installation home if you are not able to find the paths mentioned earlier.

4.5 Time Dimension Population

ALM Business Data is commonly represented as of a point in time or across a range of time periods. For this reason, the creation of a Time Dimension in OBIEE is an important capability. The following section describes how the time dimension is created and managed in ALM BI.

Related Topics

- [Overview of Time Dimension Population](#)
- [Prerequisites](#)
- [How does ALM BI Use DIM Dates](#)
- [Table Used to Populate the Time Dimension](#)
- [Executing the Time Dimension Population Process](#)
- [Checking the Execution Status](#)

4.5.1 Overview of Time Dimension Population

The Time Dimension is treated as a Calendar Dimension in OBIEE, which contains all dates for a specified period. The data is used on a day to day basis to populate the Account Summary Tables and many of the ALM BI result tables. The Time Dimension Population Process is used to populate the `DIM_DATES` table with values (between two dates) specified by the user.

The database components used by this process are:

- **Database Function:** `FN_DIM_DATES`
- **Database Procedure:** `PROC_DIM_DATES_POPULATION`, which is invoked by the function `FN_DIM_DATES`.

4.5.2 Prerequisites

Following are the prerequisites for Time Dimension Population:

1. All the post-install steps mentioned in the [Oracle Financial Services Analytical Applications Infrastructure \(OFSAAI\) Installation and Configuration Guide](#) and the [Oracle Financial Services Asset Liability Management Analytics User Guide](#) must be completed successfully.
2. Application users must be mapped to a role that has the seeded batch execution function (BATPRO).
3. Before executing a Batch, check if the following services are running on the Application Server.
 - Iccserver
 - Router
 - AM
 - Messageserver

For more information on how to check if the services are up and on, and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).
4. Batches must be created for executing the function. This is explained in the section Executing the Time Dimension Population Process.

4.5.3 How does ALM BI Use DIM Dates

During ALM BI transformation, each result table joins to the DIM_DATES table.

For example:

An ALM Deterministic Process inserts data into the following tables:

- Result Detail (RES_DTL_XXXX, CONS_DTL_XXXX)
- Result Master (FSI_O_RESULT_MASTER, FSI_O_CONSOLIDATED_MASTER)
- Process Cash Flows (FSI_O_PROCESS_CASH_FLOWS)
- Interest Rate Audit (FSI_O_INTEREST_RATES_AUDIT)
- Exchange Rate Audit (FSI_O_EXCHANGE_RATES_AUDIT)
- Economic Indicator Audit (FSI_O_ECONOMIC_IND_AUDIT)
- Process Errors (FSI_PROCESS_ERRORS)

Result data is written to Process Cash Flows:

- (FSI_O_PROCESS_CASH_FLOWS), Interest Rate Audit
- (FSI_O_INTEREST_RATES_AUDIT), Exchange Rate Audit
- (FSI_O_EXCHANGE_RATES_AUDIT), and Economic Indicator Audit
- (FSI_O_ECONOMIC_IND_AUDIT) tables, only when the corresponding process option is selected.

An ALM Stochastic Process can insert data into the Value at Risk result tables and the Earnings at Risk result tables based on the process options selected in the ALM Stochastic Process rule. The following tables are populated for each type of process:

- Value at Risk

- VaR by Product and Rate Path (FSI_O_STOCH_VAR)
- Total VaR by Rate Path (FSI_O_STOCH_TOT_VAR)
- Market Value by Product and Rate Path (FSI_O_STOCH_MKT_VAL)
- Total Market Value by Rate Path (FSI_O_STOCH_TOT_MKT_VAL)
- Interest Rate Audit (FSI_O_INTEREST_RATES_AUDIT)
- Detail Cash Flows (FSI_O_PROCESS_CASH_FLOWS)
- Process Errors (FSI_PROCESS_ERRORS)
- Earnings at Risk
 - Average EaR by Product (FSI_O_EAR_LEAF_AVG)
 - EaR by Product and Rate Path (FSI_O_EAR_LEAF_DTL)
 - Average Net EaR (FSI_O_EAR_TOTAL_AVG)
 - Net EaR by Product (FSI_O_EAR_TOTAL_DTL)
 - Interest Rate Audit (FSI_O_INTEREST_RATES_AUDIT)
 - Detail Cash Flows (FSI_O_PROCESS_CASH_FLOWS)
 - Process Errors (FSI_PROCESS_ERRORS)

To successfully transform data from each of the above tables into the reporting model, the dates contained in these tables must also exist in the DIM_DATES table.

This includes the as_of_date, all dynamic start dates, and the dates corresponding to all active time bucket start and end dates. Result data is written to Interest Rate Audit (FSI_O_INTEREST_RATES_AUDIT) and Detail Cash Flows (FSI_O_PROCESS_CASH_FLOWS) tables only when the corresponding process option is selected.

4.5.4 Table Used to Populate the Time Dimension

The physical table used to store the Time Dimension in the ALM BI Data Model is:

DIM_DATES: This table holds the date details to be used for building the ALMBI Reports.

4.5.5 Executing the Time Dimension Population Process

You can execute the function from the Operations Framework module of OFSAAI.

Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the How to Define a Batch.

To define a new task for a Batch definition:

1. Select the checkbox adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** from the Task Details grid. The Task Definition window is displayed.
3. Enter the Task ID and Description.
4. Select Transform Data from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** drop-down list:

- **Rule Name:** Select Dim_Dates_Population from the list of all available transformations. (This is a seeded Data Transformation which is installed as part of the ALM BI application, if you don't see this in the drop-down list, contact [Oracle Support](#)).
 - **Parameter List:** Enter the Start Date and End Date in 'yyyymmdd' format. This is a mandatory parameter.
For example: 19000101,'20120101'
 - **Start Date:** This is the date from which the Transformation will populate the DIM_DATES table.
 - **End Date:** This is the date up to which the Transformation will populate the DIM_DATES table.
6. Click **Save**. Execute the Batch.
 7. You can execute a Batch definition from the **Batch Execution** window of the OFSAAI Operations module.
 8. You can execute this process from the Simplified Batch window. For more details, see [Simplified Batch Execution](#).
 9. The function can also be executed directly on the database through SQLPLUS by providing the following details:
 - **Function Name:** FN_DIM_DATES
 - **Parameters:** P_BATCH_RUN_ID, P_AS_OF_DATE, P_ST_DT, and P_ED_DT
Sample Parameter Values: 'Batch1', '20091231', '19000101', and '19050101'

4.5.6 Checking the Execution Status

The Batch Execution Status can be monitored through the Batch Monitor window of the OFSAAI Operations module

The status messages in the Batch Monitor are:

- **N:** Not Started
- **O:** On Going
- **F:** Failure
- **S:** Success

The Batch Process execution log and the detailed Time Dimension component log can be accessed from the location `$FIC_DB_HOME/log/date`.

The file name will have the Batch Execution ID.

Sample Path: `/dbfiles/home/oracle/OFSAAI/ficdb/log/date`

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log.

Check the `.profile` file in the installation home if you are not able to find the paths mentioned above.

5

ALM Results Transformation

This chapter describes the steps required to set up and execute the ALM Result Transformation Process.

ALM Results Transformation is the process of pushing the ALM Results from the ALM Processing area to the ALM BI Mart. It transforms both Deterministic and Stochastic ALM results, as well as other related information such as forecast rates and detailed cash flows, based on the type of process and processing options selected.

Related Topics

- [Overview of the ALM Results Transformation Process](#)
- [Tables Populated by ALM Results Transformation](#)
- [Executing the ALM Results Transformation Process](#)
- [Checking the Execution Status](#)
- [Support of Multiple Hierarchies](#)

5.1 Overview of the ALM Results Transformation Process

ALM Results Transformation is used to move ALM result data from ALM Processing Tables to ALM BI FACT tables for Reporting.

The following Database components are used by the ALM Results Transformation:

- `FN_ALM_BI_TRANSFORMATION`: Oracle Database Function.
- `PKG_ALM_BI_TRANSFORMATIONS`: Oracle Database Package invoked by the above function.

5.1.1 Prerequisites

Following are the prerequisites for the ALM Results Transformation Process:

1. An ALM Process (or processes) (Stochastic or Deterministic) has been executed successfully and produced results.
2. Hierarchy Transformation is executed successfully.
3. Dimension Movement (SCD) and DIM_RUN population executed successfully.
4. Dim Dates process executed successfully.
5. All the post-install steps mentioned in the [Oracle Financial Services Analytical Applications Infrastructure \(OFSAAI\) Installation and Configuration Guide](#) and the [Oracle Financial Services Asset Liability Management User Guide](#) and [Oracle Financial Services Asset Liability Analytics User Guide](#) must be completed successfully.
6. Application users must be mapped to a role that has the seeded batch execution function (BATPRO).

7. Before executing a batch, check if the following services are running on the Application Server.

- Iccserver
- Router
- AM
- Messageserver

For more information on how to check if the services are up and on, and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).


Batches must be created for executing the function. This is explained in section Executing the ALM Results Transformation Process.

5.2 Tables Populated by ALM Results Transformation

One or more of the following tables may be included in the ALM Results Transformation Process, depending on the calculation element and audit selections in the specific process being transformed. For example, if you have selected to produce only Standard Cash Flow output and are not consolidating multi-currency results, then only the FCT_AGG_BASE_CCY_CASHFLOWS table will be populated by the transformation process. If currency consolidation is selected, and you have multiple currencies in your data set, then additionally the consolidated results table will be populated. Similarly, when the Interest Rate Gap or Liquidity Gap calculation elements are selected in the ALM Process, then results will also be written to the corresponding FCT_ tables. The following are the primary target FCT_ tables populated by the ALM Results Transformation Process:

- FCT_AGG_BASE_CCY_CASHFLOWS


Figure 5-1 FCT_AGG_BASE_CCY_CASHFLOWS



Where, RES_DTL_<Process ID> contains the standard (base currency) cash flow output for all current position and forecast balances, across all forecast rate scenarios.

- FCT_AGG_CONS_CCY_CASHFLOWS


Figure 5-2 FCT_AGG_CONS_CCY_CASHFLOWS



Where, CONS_DTL_<Process ID> contains standard (consolidated to reporting currency) cash flow output for all current position and forecast balances, across all forecast rate scenarios.

- FCT_AGG_BASE_CCY_LR_GAP


Figure 5-3 FCT_AGG_BASE_CCY_LR_GAP



Where, RES_DTL_<Process ID> contains Liquidity Gap Financial Element (base currency) cash flow output for all current position balances, across all forecast rate scenarios.

- FCT_AGG_CONS_CCY_LR_GAP


Figure 5-4 FCT_AGG_CONS_CCY_LR_GAP



Where, CONS_DTL_<Process ID> contains Liquidity Gap Financial Element (consolidated to reporting currency) cash flow output for all current position balances, across all forecast rate scenarios.

- FCT_AGG_BASE_CCY_IRR_GAP


Figure 5-5 FCT_AGG_BASE_CCY_IRR_GAP



Where, CONS_DTL_<Process ID> contains Repricing Gap Financial Element (consolidated to reporting currency) cash flow output for all current position balances, across all forecast rate scenarios.

- FCT_AGG_CONS_CCY_IRR_GAP


Figure 5-6 FCT_AGG_CONS_CCY_IRR_GAP



Where, CONS_DTL_<Process ID> contains Repricing Gap Financial Element (consolidated to reporting currency) cash flow output for all current position balances, across all forecast rate scenarios.

- FCT_AGG_BASE_CCY_ALM_MEASURES


Figure 5-7 FCT_AGG_BASE_CCY_ALM_MEASURES



Where, FSI_O_RESULT_MASTER contains Market Value, Duration, and Convexity information (base currency) for all current position balances, across all forecast rate scenarios.

- FCT_AGG_CONS_CCY_ALM_MEASURES


Figure 5-8 FCT_AGG_CONS_CCY_ALM_MEASURES



Where, FSI_O_CONSOLIDATED_MASTER contains Market Value, Duration, and Convexity information (consolidated to reporting currency) for all current position balances, across all forecast rate scenarios.

- FCT_PROCESS_CASHFLOW

Figure 5-9 FCT_PROCESS_CASHFLOW




Where, FSI_O_PROCESS_CASH_FLOWS contains account level detailed cash flow information for the number of instrument records selected on the Audit block of the ALM Process.

Note:

Here, FCT_COMMON_ACCOUNT_SUMMARY is a pre-requisite for FCT_PROCESS_CASHFLOW. To run the Cash flow successfully, first load the table FCT_COMMON_ACCOUNT_SUMMARY(PK) and then FCT_PROCESS_CASHFLOW(FK). There is a Referential Integrity (PK-FK) between these two tables which should be satisfied.

- FCT_RATE_TIERS_CASHFLOW


Figure 5-10 FCT_RATE_TIERS_CASHFLOW



Where, FSI_O_PROCESS_CASH_FLOWS contains account level detailed cash flow information for the number of instrument records selected on the Audit block of the ALM Process.

- FCT_CONS_CCY_STOCH_VAR


Figure 5-11 FCT_CONS_CCY_STOCH_VAR



Where, FSI_O_STOCH_VAR contains Value at Risk information (in Consolidated Currency) for each Monte Carlo rate path at the Product COA level.

- FCT_AGG_CONS_CCY_STOCH_VAR


Figure 5-12 FCT_AGG_CONS_CCY_STOCH_VAR



Where, FSI_O_STOCH_TOT_VAR contains Value at Risk information (in Consolidated Currency) for each Monte Carlo rate path at the Portfolio level.

- FCT_CONS_CCY_STOCH_MKT_VAL


Figure 5-13 FCT_CONS_CCY_STOCH_MKT_VAL



Where, FSI_O_STOCH_MKT_VAL contains Market Value information (in Consolidated Currency) for each Monte Carlo rate path at the Product COA level.

- FCT_CONS_CCY_EAR_AVG


Figure 5-14 FCT_CONS_CCY_EAR_AVG



Where, EAR_LEAF_AVG_<Process ID> contains the average Earnings at Risk information (in Consolidated Currency) across all Monte Carlo rate paths at the Product COA level.

- FCT_CONS_CCY_EAR_DETAIL


Figure 5-15 FCT_CONS_CCY_EAR_DETAIL



Where, AR_LEAF_DTL_<Process ID> contains Earnings at Risk information (in Consolidated Currency) for each Monte Carlo rate path at the Product COA level.

- FCT_AGG_CONS_CCY_EAR_AVG


Figure 5-16 FCT_AGG_CONS_CCY_EAR_AVG



Where, EAR_TOT_AVG_<Process ID> contains average Earnings at Risk information (in Consolidated Currency) across all Monte Carlo rate paths at the Portfolio level (net interest income - net interest expense).

- FCT_AGG_CONS_CCY_EAR_DETAIL


Figure 5-17 FCT_AGG_CONS_CCY_EAR_DETAIL



Where, EAR_TOT_DTL_<PID> contains Earnings at Risk information (in Consolidated Currency) for each Monte Carlo rate path at the Portfolio level (net interest income – net interest expense).

- FCT_STOCH_FCST_INTEREST_RATES


Figure 5-18 FCT_STOCH_FCST_INTEREST_RATES



Where, FCT_STOCH_FCST_INTEREST_RATES contains 1M forward rates output from the Monte Carlo process for each scenario, typically used for Audit purposes.

- FCT_FCST_INTEREST_RATES


Figure 5-19 FCT_FCST_INTEREST_RATES



Where, FCT_FCST_INTEREST_RATES contains forecast interest rates for each ALM Deterministic Process, for each scenario.

- FCT_FCST_EXCHANGE_RATES


Figure 5-20 FCT_FCST_EXCHANGE_RATES



Where, FCT_FCST_EXCHANGE_RATES contains forecast currency exchange rates for each ALM Deterministic Process, for each scenario.

- FCT_FCST_ECO_IND


Figure 5-21 FCT_FCST_ECO_IND



Where, FCT_FCST_ECO_IND contains forecast Economic Indicators for each ALM Deterministic Process, for each scenario.

- FCT_ALM_GAP_LIMIT_DTL

Figure 5-22 FCT_ALM_GAP_LIMIT_DTL



Where, FCT_ALM_GAP_LIMIT_DTL contains a repricing gap limit for each ALM process and for each scenario.

See the [Oracle Financial Services Analytical Applications Data Model Data Dictionary](#) or the ALM BI Erwin Data Model to view the detailed structure of these tables.

5.3 Executing the ALM Results Transformation Process

There are four ways to execute the ALM Results Transformation Process. Depending on your preference and particular use case, you can choose to run ALM Results Transformation using any of these methods.

1. Select the **ALM Results Transformation** option from the **Output Preferences** block of the **ALM Processing** window. When this option is selected, the **ALM BI Transformation** runs automatically as the ALM Process Run.

Figure 5-23 ALM BI Transformation



2. From the **ALM Processing Summary** page, select any ALM Process and then select the **Transform ALM Results** option. This triggers the immediate execution of the ALM BI Transformation Process.
3. Create and run a Batch Process using the infrastructure Batch Processing.
4. Create and run a Batch Process using the simplified batch window. For more information, see the [Simplified Batch Execution](#) section.

The following steps describe how to execute the ALM Results Transformation process from the OFSAAI Batch Processing Framework.

You can execute the function from the Operations Framework module of OFSAAI.

Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

- a. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
- b. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed.
- c. Enter the Task ID and Description.
- d. Select **Transform Data** from the Transform Data drop-down list.
- e. Select the following from the Dynamic Parameters list:
 - **Rule Name:** Select ALM_BI_TRANSFORMATION from the list of all available transformations. (This is a seeded Data Transformation which is installed as part of the ALM BI Application. If you don't see this in the list, contact [Oracle Support](#)).
 - **Parameter List:** Enter the Process ID, Rerun Flag, and Limit Flag.
 - Process ID indicates the process for which the data is to be transformed from ALM operational tables to ALM BI tables. This is a mandatory parameter.
 - Rerun Flag indicates whether the current run is a fresh run or a rerun for the same process ID. 'N' indicates a fresh run and 'Y' indicates a rerun. When ALM Results Transformation is executed for a new ALM process, it is treated as a new run. The BI_TRANSFORM_STATUS will be NULL in FSI_PROCESS_RUN_HISTORY for the Process and As-of-Date combination.
 - When the Transformation is performed for an existing process, it becomes a rerun, which means the related FACT table records are first deleted for the process and new results are re-inserted. The BI_TRANSFORM_STATUS will be "1" in FSI_PROCESS_RUN_HISTORY for the Process and As-of-date combination.
 - The sample parameters for this task are: 40006526, 'Y' (uppercase required).
- f. Click **Save**. The Task definition is saved for the selected Batch.
- g. Execute the Batch.
 - You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.
 - The function can also be executed directly on the database through SQLPLUS using the following details:

Function Name: FN_ALM_BI_TRANSFORMATION

Parameters: P_BATCH_RUN_ID, P_AS_OF_DATE, PID, and P_RE_RUN_FLAG.

Sample parameter values are 'Batch1','20111231', '40006526', and 'Y'

 **Note:**

When prompted for the execution date, select the 'As of Date' corresponding to the ALM results that you want to transform. If some other date is selected, the ALM Result Transformation will not run for the expected data set.

5.4 Checking the Execution Status

The Batch Execution Status can be monitored through the Batch Monitor window of the OFSAAI Operations module.

The status messages in the Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The Batch Process execution log and the detailed ALM Transformation component log can be accessed on the application server at `$FIC_DB_HOME/log/date`.

The file name will have the Batch Execution ID.

Sample Path: `/dbfiles/home/oracle/OFSAAI/ficdb/log/date`. The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log.

To monitor the progress of the transformation program query the table `FSI_MESSAGE_LOG` with process ID and batch run ID as follows:

```
select * from fsi_message_log where a.process_id=<ProcessID> and  
batch_run_id=<Batch Run ID>;
```

Check the `.profile` file in the installation home if you are not able to find the paths mentioned above.

5.5 Support of Multiple Hierarchies

Multiple Hierarchies on a single dimension can be set up in ALMBI.

One can view multiple hierarchies in a report in a single view through the following steps:

1. Create your product hierarchy (for example, Product Hierarchy 1).
2. Perform Hierarchy Transformation.
3. Run the SCD Process.
4. Run the ALM Results Transformation process for a particular As of Date.

Records will be populated into the relevant FACT tables for the mentioned hierarchy and As-of-Date. Similarly, perform these steps for Multiple Hierarchies and run the ALMBI Transformation accordingly. From this point, you will be able to select any of the multiple hierarchies while designing a new report.

6

Account Summary Population

This chapter describes how and when to execute the data movement processes needed to populate account-level data in the Reporting Mart.

Account Summary tables are account level BI tables that are used to consolidate information from the various product-specific tables used in both the Staging Area and Operational Processing Areas. The Account Summary tables in the ALM BI Data Model are loaded from both the Staging Area tables and Operational Instrument tables using the Table to Table (T2T) component of the OFSAAI Framework.

Related Topics

- [Overview of Account Summary Tables](#)
- [Tables Used by the Account Summary Population T2T Process](#)
- [Executing the Account Summary Population T2T Process](#)
- [Checking the Execution Status](#)

6.1 Overview of Account Summary Tables

Within ALM BI, customer account-level data from both the OFSAA Staging Area and Instrument tables and consolidated into the standardized relational ALM BI Data Model. This consolidation is performed to organize all the relevant Account-level Data into a single Fact structure to be used for reporting.

This relational BI Model consists of four vertically partitioned Account Summary tables that are organized by application subject area:

- **FCT_COMMON_ACCOUNT_SUMMARY**: This table is shared by all OFSAA BI Applications and contains dimensional values, attributes, and financial measures which are generally applicable to the individual account records. This data is sourced directly from the Staging Area.
- **FCT_ALM_ACCOUNT_SUMMARY**: This table contains ALM specific financial measures and is sourced from the operational Instrument tables.
- **FCT_FTP_ACCOUNT_SUMMARY**: This table contains FTP specific financial measures and is sourced from the operational Instrument tables.
- **FCT_LOAN_COMMITMENTS**: This table contains loan commitments, which are loans that are not yet booked and is sourced from the Operational Instrument table **FSI_D_LOAN_COMMITMENTS**.

6.1.1 Overview of Account Summary Population

Upon installation of the ALM BI Application, you will see multiple T2T process definitions for each Instrument table. Each T2T Process Maps Instrument table data to the three Account Summary tables mentioned above. The T2T process definitions are primarily direct column to column mappings from Instrument to Fact table and in certain cases might have expressions

that apply SQL functions or do arithmetic operations on instrument columns before moving them to the Fact table.

The Database functions are used for conversion if there is a data type difference between the mapped columns of an Instrument table. For example:

```
TO_NUMBER(TO_CHAR(NEXT_PAYMENT_DATE, 'YYYYMMDD')) .
```

Or an arithmetic operation if a currency conversion is required for a balance column.

For example:

```
FSI_D_CREDIT_CARDS.GROSS_FEE_INCOME*  
FSI_EXCHANGE_RATE_HIST.EXCHANGE_RATE)
```

Additionally, a Surrogate Key is populated in Fact (BI) table dimension columns by doing SQL joins between the Instrument tables and Dimension tables, based on the relevant ID column and populating the surrogate key from the Dimension Table for each Instrument Dimension ID value.

While moving data using the T2T Processes, the account number linkage between Staging, Instrument, and Fact table records is preserved since the movement happens at an account level. Additionally, the unique Account Number links the data flowing into Fact tables from both EPM Instrument tables and ERM Account Level tables.

6.1.1.1 Prerequisites

Following are the prerequisites for Account Summary Population:

- All the post-install steps mentioned in the [Oracle Financial Services Analytical Applications Infrastructure \(OFSAI\) Installation and Configuration Guide](#) and the [Oracle Financial Services Asset Liability Management Analytics User Guide](#) have to be completed successfully.
- Application Users must be mapped to a role that has the seeded Batch Execution function (BATPRO).
- Before executing a batch, check if the following services are running on the Application Server:
 - ICCServer
 - Router
 - AM
 - Messageserver

For more information on how to check if the services are up and on, and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).

- Batches must be created for executing the function. This is explained in section [Executing the Account Summary Population T2T](#).
- The Dimension table population step must be done before you execute the T2T batch. For more details, see section [Executing the Account Summary Population T2T](#).

6.2 Tables Used by the Account Summary Population T2T Process

There are separate T2T definitions configured for each instrument or stage table, which are used to populate each of - FCT_COMMON_ACCOUNT_SUMMARY, FCT_FTP_ACCOUNT_SUMMARY, FCT_ALM_ACCOUNT_SUMMARY, and FCT_LOAN_COMMITMENTS.

Table 6-1 Seeded T2T Definitions

Definition Name	Source Table	Destination Table
T2T_STG_ANNUITY_CONTRACTS_CAS	STG_ANNUITY_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_BORROWINGS_CAS	STG_BORROWINGS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_CARDS_CAS	STG_CARDS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_CASA_CAS	STG_CASA	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_FX_CONTRACTS_CAS	STG_FX_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_GUARANTEES_CAS	STG_GUARANTEES	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_INVESTMENTS_CAS	STG_INVESTMENTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_LC_CAS	STG_LC_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_LEASES_CONTRACTS_CAS	STG_LEASES_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_LOANS_CAS	STG_LOAN_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_MM_CAS	STG_MM_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_OD_CAS	STG_OD_ACCOUNTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_OPTIONS_CAS	STG_OPTION_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_RETIREMENT_ACCOUNTS_CAS	STG_RETIREMENT_ACCOUNTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_TD_CONTRACTS_CAS	STG_TD_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_FUTURES_CAS	STG_FUTURES	FCT_COMMON_ACCOUNT_SUMMARY
T2T_STG_SWAPS_CONTRACTS_CAS	STG_SWAPS_CONTRACTS	FCT_COMMON_ACCOUNT_SUMMARY
T2T_FCT_ALM_ACCOUNT__A	FSI_D_ANNUITY_CONTRACTS	FCT_ALM_ACCOUNT_SUMMARY
T2T_FCT_ALM_ACCOUNT__BORROWINGS	FSI_D_BORROWINGS	FCT_ALM_ACCOUNT_SUMMARY
T2T_FCT_ALM_ACCOUNT__BREAK_FUNDING	FSI_D_BREAK_FUNDING_CHARGES	FCT_ALM_ACCOUNT_SUMMARY

Table 6-1 (Cont.) Seeded T2T Definitions

Definition Name	Source Table	Destination Table
T2T_FCT_ALM_ACCOUNT__C ASA	FSI_D_CASA	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__C REDIT_LINES	FSI_D_CREDIT_LINES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__C REDITCARDS	FSI_D_CREDIT_CARDS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT_TD EPOSITS	FSI_D_TERM_DEPOSITS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__F ORWARDS	FSI_D_FORWARD_RATE_AGM TS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__F UTURES	FSI_D_FUTURES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__FX _CONTRACTS	FSI_D_FX_CONTRACTS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__G UARANTEES	FSI_D_GUARANTEES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUN T__INVESTMENTS	FSI_D_INVESTMENTS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUN T__LEASES	FSI_D_LEASES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__LE DGER_STAT	FSI_D_LEDGER_STAT_INSTRU MENT	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__L OANS	FSI_D_LOAN_CONTRACTS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__M M_CONTRACTS	FSI_D_MM_CONTRACTS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__M ORTGAGE_BACK_SEC	FSI_D_MORTGAGE_BACK_SE C	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__M ORTGAGES	FSI_D_MORTGAGES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__O PTIONS	FSI_D_OPTIONS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__R ETIREMENT	FSI_D_RETIREMENT_ACCOUN TS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__S WAPS	FSI_D_SWAPS	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__AN NUITY	FSI_D_ANNUITY_CONTRACTS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__AN NUITY	FSI_D_ANNUITY_CONTRACTS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__BO RROWINGS	FSI_D_BORROWINGS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__CA SA	FSI_D_CASA	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__CR EDIT_LINES	FSI_D_CREDIT_LINES	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__CR EDITCARDS	FSI_D_CREDIT_CARDS	FCT_FTP_ACCOUNT_SUMMA RY

Table 6-1 (Cont.) Seeded T2T Definitions

Definition Name	Source Table	Destination Table
T2T_FCT_FTP_ACCOUNT_TDE POSITS	FSI_D_TERM_DEPOSITS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_FO WARDS	FSI_D_FORWARD_RATE_AGM TS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_G UARANTEES	FSI_D_GUARANTEES	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__IN VESTMENTS	FSI_D_INVESTMENTS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_ALM_ACCOUNT__LE ASES	FSI_D_LEASES	FCT_ALM_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__LO ANS	FSI_D_LOAN_CONTRACTS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_MM _CONTRACTS	FSI_D_MM_CONTRACTS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT__M ORTGAGES	FSI_D_MORTGAGES	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_RET IREMENT	FSI_D_RETIREMENT_ACCOUN TS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_SW APS	FSI_D_SWAPS	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_ACCOUNT_BR EAK_FUNDING	FSI_D_BREAK_FUNDING_CHA RGES	FCT_FTP_ACCOUNT_SUMMA RY
T2T_FCT_FTP_LOAN_COMMIT MENTS	FSI_D_LOAN_COMMITMENTS	FCT_LOAN_COMMITMENTS

6.3 Executing the Account Summary Population T2T Process

Note:

You can use a seeded batch `Infodom_FFAS_Consolidated_Batch` to execute all the `FCT_FTP_ACCOUNT_SUMMARY` T2Ts. This batch also includes the DTs to delete the data from the `FCT_FTP_ACCOUNT_SUMMARY` table. If you are creating a new batch to execute the `FCT_FTP_ACCOUNT_SUMMARY` T2Ts, then delete the data from the `FCT_FTP_ACCOUNT_SUMMARY` table before executing to T2Ts for same AS of DATE or MIS DATE.

The following steps describe how to execute the ALM BI Account Summary T2T processes from the OFSAAI Batch Processing Framework.

You can execute the function from the Operations module of OFSAAI, as mentioned below:

Define a new Batch and an underlying Task definition from the **Batch Maintenance** window of OFSAAI. For more information on defining a new Batch, the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

1. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed.
3. Enter the **Task ID** and **Description**.
4. Select **Load Data** from the Load Data drop-down list.
5. Select the following from the **Dynamic Parameters** list:
 - **Datastore Type:** Select the appropriate datastore from the list.
 - **Datastore Name:** Select the appropriate name from the list.
 - **IP Address:** Select the IP Address from the list.
 - **Load Mode:** Select table to table from the list.
 - **Source Name:** Select PROCESSING from the list. (This is seeded with the ALM BI Solution Install).
 - **File Name:** Select the T2T name for the instrument you want to process. (This is a seeded T2T name installed as part of the ALM BI solution installer. If you do not see this in the drop-down, contact [Oracle Support](#)).
 - **Data File Name:** NULL
 - **Default Value:** Enter the Reporting Currency value in the following format. [DRCY]='ABC' (where 'ABC' denotes Reporting Currency Code, for example, 'USD').
6. Click **Save**. The Task definition is saved for the selected Batch.
7. Execute the Batch.

You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.

 **Note:**

You cannot execute this process from the **Simplified Batch** window.

6.4 Checking the Execution Status

The Batch execution status can be monitored through the **Batch Monitor** window of the OFSAAI Operations module.

The status messages in the Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The Batch Process execution log and the detailed Time Dimension component log can be accessed on the Application Server at `$FIC_DB_HOME/log/t2t`.

The file name will have the Batch Execution ID.

For more information on populating the Common Account Summary Data directly from Instrument tables, see the [Update Breakage Charges through Batch Execution](#).

7

Fact Ledger Population

Fact Ledger Population involves populating the `FCT_LEDGER_STAT` table from the `LEDGER_STAT` table.

Related Topics

- [Overview of Fact Ledger Population Transformation](#)
- [Prerequisites](#)
- [Tables Used by the Fact Ledger Population Transformation](#)
- [Executing the Fact Ledger Population Transformation](#)
- [Checking the Execution Status](#)

7.1 Overview of Fact Ledger Population Transformation

The `LEDGER_STAT` table is optimized for processing purposes but is not a convenient structure for reporting purposes. In generating `FACT_LEDGER_STAT`, time from `LEDGER_STAT` is transformed into an explicit dimension in `FACT_LEDGER_STAT`.

Fact Ledger Population transformation is used to populate the `FCT_LEDGER_STAT` table from the `LEDGER_STAT` table. The horizontally structured `MONTH` and `YTD` columns in `Ledger or Stat` are transposed to a vertical structure. The twelve `Month Columns` in `LEDGER_STAT` are replaced by a single `N_AS_OF_DATE_SKEY` column in `FCT_LEDGER_STAT` with each month value stored in `N_VALUE` column. Similarly, the `YTD` column value is stored in `N_VALUE_YTD`. This is done to make reporting easier, considering Time is a dimension in most of the reports.

The database components, used by the Fact Ledger Population transformations are:

- Database function `FSI_LEDGER_STAT_TRM`
- Database function `LEDGER_STAT_TRM`, which is called by the function `FSI_LEDGER_STAT_TRM` mentioned above.

7.2 Prerequisites

Following are the prerequisites for the Fact Ledger Population Transformation:

1. All the post-install steps mentioned in the [Oracle Financial Services Asset Liability Management Analytics Installation and Configuration Guide](#) have been completed successfully.
2. The Application User must be mapped to a role that has seeded batch execution function (BATPRO)
3. Ensure that your FISCAL year information is configured properly. It has the following two columns.
 - **FISCAL_PERIOD:** This gives the number of months in the given FISCAL period.

- **START_MONTH:** This indicates which month of the calendar year is the FISCAL starting month. For example, a value '1' for this column means FISCAL year starts from January, and the value of '4' indicates that the FISCAL year starts from April.
4. Before executing a Batch, check if the following services are running on the Application Server.
 - Iccserver
 - Router
 - AM Server
 - Messageserver
 - Olapdataserver

For more information on how to check if the services are up and how to start the services, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#).
 5. Batches must be created for executing the function. For more information, see the [How to Define a Batch](#) section.

7.3 Tables Used by the Fact Ledger Population Transformation

Following are the tables used by the Fact Ledger Population Transformation:

- **FCT_ALM_SIGNIFICANT_CURRENCY:** This table helps to identify which of the currencies for a given legal entity have material exposure. It stores a list of currencies for each legal entity on the books and marks them as 'significant' if the assets or liabilities in a significant currency exceed a certain threshold. That is, as per Interest Rate Risk in Banking Book regulation a currency is considered to have 'material exposure' if it accounts for more than 5% of either banking book assets or liabilities.
- **FSI_FISCAL_YEAR_INFO:** This table has the FISCAL year info. The entries required in this table are mentioned in the Prerequisites section.
- **FSI_BI_SETUP_TABLE:** This table has the setup information used by the Fact Ledger Population Transformation. They are:
 - **TARGET_TABLE_NAME:** This is the destination table name for transformation.
 - **TARGET_COLUMN_NAME:** This is the Destination column name in the FCT_LEDGER_STAT table.
 - **MEMBER_COL_NAME:** This is the column Name in the LEDGER_STAT table.
 - **SOURCE_DIM_TABLE_NAME:** This is the dimension table to which the Ledger data has to be joined to get the surrogate key value.
 - **SOURCE_COLUMN_NAME:** This is the column in the dimension table to which the LEDGER STAT ID column is joined.
 - **SKEY_COLUMN_NAME:** This is the column in the dimension table which has the surrogate key value.

- **JOIN_REQUIRED**: This provides the information, whether the column to be moved into `FCT_LEDGER_STAT` is directly available in `LEDGER_STAT` or a join must be taken with the dimension table to get the surrogate key.
- **LEDGER_STAT**: This table is the source of the transformation.
 - **DIM_<Dimension Name>**: The flattened dimension tables used in Business Intelligence (BI) reporting are accessed to obtain the surrogate key to be populated to `FCT_LEDGER_STAT` dimension columns. For example, `DIM_ORG_UNIT`, `DIM_PRODUCT`, and so on.
- **FCT_LEDGER_STAT**: This is the output table for the transformation. For more details on viewing the structure of these tables, see [Oracle Financial Services Analytical Applications Data Model Data Dictionary](#) or the ALMBI Erwin Data Model. The Custom Dimensions can be added to the target table, `FCT_LEDGER_STAT` by updating the configuration table `FSI_BI_SETUP_TABLE`.
- **DIM_LOB** and **DIM_ORG_STRUCTURE** are two Custom Dimension tables, for which the dimension data must be entered manually during implementation.

7.4 Executing the Fact Ledger Population Transformation

You can execute the function from the Operations Framework module of OFSAAI. This component for ALMBI has been seeded with the Batch ID `<INFODOM>_Fact_Table_Transformation - Task1`, which can be executed from the Batch Execution window. A single Batch triggers the transformation for `FCT_LEDGER_STAT`. The Parameter List includes `pstart_month`, `pend_month`, `pyears`, `pidentity_code`, `psource_type`, `pre_run_flg`, and `prcy`. For example, `1,12,1994,"","Y','USD'`.

You can also define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#). To define a new task for a Batch definition, follow these steps:

1. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed.
3. Enter the **Task ID** and **Description**.
4. Select **Run Executable** from the Run Executable drop-down list.
5. Select the following from the **Dynamic Parameters** list:
 - **Datastore Type**: Select the appropriate datastore type from the drop-down list.
 - **Datastore Name**: Select the appropriate datastore name from the list.
 - **IP Address**: Select the IP address from the list.
 - **Rule Name**: Select `FSI_LEDGER_STAT_TRM` from the drop-down list of available transformations. (This is a seeded Data Transformation which is installed as part of the ALMBI Solution Installer. If you do not see this in the list, contact [Oracle Support](#)).
 - **Parameter List**: Enter `pStart_Month` , `pEnd_Month` , `pYears` , `pIdentity_Code` , `pSource_Type` , `pRe_Run_Flg`, and `prcy`.
 - `pStart_Month`: This is an optional parameter that indicates the Starting Month.
 - `pEnd_Month`: This is an optional parameter that indicates the Ending Month.
 - `pYears`: This is a mandatory parameter that indicates the Year value.

- `pIdentity_Code`: This is an optional parameter that indicates the Identity Code.
- This is the identity code in the `LEDGER_STAT` table. The value '0' in this field indicates, only the rows in `LEDGER_STAT` with identity code '0' should get processed. Identity code '0' indicates rows in `LEDGER_STAT` loaded by the ledger load program. This results in the movement of rows loaded by ledger load program to `FCT_LEDGER_STAT`. Similarly, any particular allocation output values can be moved by filtering on the identity code.
- `pSource_Type`: This is an optional parameter that indicates the Source Type. Source Type indicates which process populated a row in `LEDGER_STAT`. For example, '0' indicates it was loaded by the Ledger Load program and '100' indicates the allocation rule populated it, and so on.
- `pRe_Run_Flg`: This is an optional parameter that indicates the Rerun Flag. If the value is 'Y', the existing data in the fact table will be removed and reloaded.
- `pRCY`: This indicates the reporting currency with Default Value 'USD'.

6. Click **Save**. The Task definition is saved for the selected Batch.
7. Execute the Batch.

You can execute a Batch definition from the **Batch Execution** window of the OFSAAI Operations module.

Ledger Stat Transformation can also be directly executed on the database through SQLPLUS.

Use the following details:

- Function Name: `FSI_LEDGER_STAT_TRM`
- Parameters: `pBatch_Id`, `pAs_of_date`, `pStart_Month`, `pEnd_Month`, `pYears`, `pIdentity_Code`, `pSource_Type`, `pRe_Run_Flg`, and `prcy`.
- Sample parameter values are 'Batch1', '20091231', 1, 8, 2009, 0, 0, 'Y', and 'GBP', respectively.

7.5 Checking the Execution Status

The Batch execution status can be monitored through the Batch Monitor window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The execution log can also be accessed on the Application Server in the directory `$FIC_DB_HOME/log/date`, where the file name will have the Batch Execution ID.

You can access the database level operations log by querying the `FSI_MESSAGE_LOG` table. Filter the Batch Run ID column for identifying the relevant log. Check the `.profile` file in the installation home if you are unable to find this path.

8

Overview of ALM BI Dashboards and Reports

This chapter describes the seeded reports and dashboards.

Related Topics

- [ALM BI Application](#)
- [Advantages of ALM BI](#)
- [Accessing the Standard Reports and Dashboards](#)
- [ALM BI List of Dashboards](#)
- [List of ALM Seeded Reports](#)
- [ALM Report Details](#)

8.1 ALM BI Application

The ALM BI Application integrates the results generated by the Oracle Asset Liability Management Application with Oracle Business Intelligence, giving users the ability to perform queries on ALM Results. This ability enables the user to access seeded reports and dashboards and to quickly develop new reports on a wide variety of information.

Standard Reports and dashboards are part of the installation of ALM BI. You can implement these reports as they are available, or modify them to the specifications of your users. Within minutes, you can access valuable information such as Gap Reports, Market Value Sensitivity, and Income Simulation results for quick decision making.

This chapter describes the advantages of ALM BI and discusses how to access seeded reports.

8.2 Advantages of ALM BI

ALM BI leverages OBIEE, to provide out of the box reporting of your Asset Liability Management results. It includes an ALM Reporting Data Mart, Transformation, and Data Movement processes to populate the data mart, the OBIEE Repository file containing all required data elements, join relationships, calculations and hierarchies, and the OBIEE Web Catalog containing definitions of the seeded reports and dashboards.

Through OBIEE, you have access to a robust reporting engine for managing all of your Business Intelligence needs. The key elements are:

- Tabular and Pivot Table Reporting
- Drill Down and Drill Across the capability
- Dashboard Publishing
- Graphing and Charting
- Export options, such as Excel, Word, PowerPoint, and PDF

8.3 Accessing the Standard Reports and Dashboards

After installing the ALM BI Application, (for more information, see the [OFS ALM Installation and Configuration Guide](#)), you will be able to access the standard Dashboards and seeded reports by accessing the OBIEE end user URL and logging in to the application. When you sign-on to the application, you will be directed to your Home Page, which will show basic Summary Reports.

At the top of the window, you will see a drop-box list containing the listing of all of the seeded dashboards that you can select for navigating to the desired location. Within each dashboard, you will see the associated seeded reports, which are typically providing two views, For example, Base Currency and Consolidated Currency.

Depending on the data being processed, one or both views may be relevant.

From the dashboard, you will have the option to Modify any of the reports, or you can choose the option from the top of the page to navigate to the report writer, where you will be able to access all of the seeded reports. You will also be able to access the Presentation Layer from the report writer if you wish to begin creating new reports.

8.4 Getting Seeded Reports to Show Results

Each seeded dashboard contains a set of Prompts at the top of the page, which require selections for the reports to produce results. Make the appropriate selections for each prompt to correctly filter the query for your results.

8.5 ALM BI List of Dashboards

The following dashboards are available in ALMBI:

- 01 ALM Home
- 02 Repricing Gap
- 03 Financial Results
- 04 Earnings At Risk
- 05 Liquidity Risk
- 06 Market Value
- 07 Value At Risk
- 08 Rates
- 09 Assumptions
- 10 Audit
- 11 IRRBB Reporting

Change Database Connection

- Dynamic Infodom Selection

Funds Transfer Pricing Reports

- Fund Transfer Pricing - Assumptions Reports

- Fund Transfer Pricing Reports

8.6 List of ALM Seeded Reports

The following Seeded Reports are available in ALM BI.

8.6.1 ALM Home

1. Liquidity Gap Summary in Base Currency
2. Repricing Gap Summary in Base Currency
3. Forecast Income Statement in Base Currency
4. Forecast Balance Sheet Detail in Base Currency
5. Forecast Balance Sheet Detail in Consolidated Currency
6. Historical Income and Balance Summary
7. Historical Income and Balance Detail
8. Balance Sheet Account Detail in Base Currency
9. Balance Sheet Account Detail in Consolidated Currency

8.6.2 Repricing Gap

1. Repricing Gap Summary in Base Currency
2. Repricing Gap Summary in Consolidated Currency
3. Repricing Gap Across Dates in Base Currency
4. Repricing Gap Across Dates in Consolidated Currency
5. Repricing Gap Detail in Base Currency
6. Repricing Gap Detail in Consolidated Currency

8.6.3 Financial Results

1. Forecast Income Statement in Base Currency
2. Forecast Income Statement in Consolidated Currency
3. Forecast Balance Sheet Summary in Base Currency
4. Forecast Balance Sheet Summary in Consolidated Currency
5. Net Interest Income Across Scenarios in Base Currency
6. Net Interest Income Across Scenarios in Consolidated Currency
7. Income Statement Detail in Base Currency
8. Income Statement Detail in Consolidated Currency
9. Forecast Balance Sheet Detail in Base Currency
10. Forecast Balance Sheet Detail in Consolidated Currency
11. Historical Income and Balance Summary
12. Historical Income and Balance Detail

13. Detail Cash Flow/Activity in Base Currency
14. Detail Cash Flow /Activity in Consolidated Currency
15. Balance Sheet Account Detail in Base Currency
16. Balance Sheet Account Detail in Consolidated Currency
17. Transfer Pricing Income Statement in Base Currency
18. Transfer Pricing Income Statement in Consolidated Currency

8.6.4 Earnings at Risk

1. Net Income
2. EaR Frequency Distribution
3. Yearly EaR Frequency Distribution
4. EaR Distribution by Year Forecasted
5. Interest Rate Cloud 39. Income Distribution Min / Max / Avg
6. Net Income Distribution Min 3 / Max 3 / Avg
7. Net Income Distribution
8. EaR History by Portfolio
9. EaR History by Product

8.6.5 Liquidity Risk

1. Liquidity Gap Summary in Base Currency
2. 45. Liquidity Gap Summary in Consolidated Currency
3. Liquidity Gap Detail - Product in Base Currency
4. Liquidity Gap Detail - Product in Consolidated Currency
5. Liquidity Gap- Result Type in Base Currency
6. Liquidity Gap- Result Type in Consolidated Currency
7. Distribution Profile of Term Deposits

8.6.6 Market Value

1. Market Value Summary in Base Currency
2. Market Value Summary in Consolidated Currency
3. Market Value of Equity in Base Currency
4. Market Value of Equity in Consolidated Currency
5. Net Duration Summary in Base Currency
6. Net Duration Summary in Consolidated Currency
7. 57. Net Duration of Equity in Base Currency
8. Net Duration of Equity in Consolidated Currency
9. Market Value Detail in Base Currency

10. Market Value Detail in Consolidated Currency
11. Market Value Detail by Scenario in Base Currency
12. Market Value Detail by Scenario in Consolidated Currency
13. Duration Detail in Base Currency
14. Duration Detail in Consolidated Currency
15. Duration Detail by Scenario in Base Currency
16. Duration Detail by Scenario in Consolidated Currency
17. Market Value Detail in Base Currency
18. Market Value Detail in Consolidated Currency
19. Ranked Market Value in Base Currency
20. Ranked Market Value in Consolidated Currency
21. Ranked Duration in Base Currency
22. Ranked Duration in Consolidated Currency

8.6.7 Value at Risk

1. Value at Risk Probabilities
2. Value at Risk Probabilities Detail
3. VaR History

8.6.8 Rates

1. IRC History Across Term
2. IRC History Across Dates
3. IRC Forecast Across Term
4. IRC Forecast Across Dates
5. IRC Benchmark 81. IRC Forecast x Days
6. IRC History and Forecast
7. Economic Indicator History and Forecast
8. FX Rates History and Forecast 85. FX History
9. FX History Month 87. FX Forecast Scenario
10. FX Forecast 89. Economic Indicator History
11. Economic Indicator Forecast
12. IRC vs Related Economic Indicators vs FX - Historical
13. IRC vs Related Economic Indicators vs FX - Forecast

8.6.9 Assumption

1. ALM Process Deterministic Assumption Map
2. ALM Process Stochastic Assumption Map

3. Maturity Strategies
4. Pricing Margins
5. Discount Methods
6. Product Characteristics
7. Prepayments
8. Prepayment Models
9. Assumptions - Forecast Balance
10. Transaction Strategies
11. Forecast Rates - Interest Rates
12. Forecast Rates - Currency Rates
13. Forecast Rates - Economic Indicator
14. Rate Dependency Pattern
15. Behavior Pattern Rule
16. Forecast Rate - Behavior Pattern Rule

8.6.10 Audit

1. Process Errors
2. Detail Cash Flows
3. Ledger to Instrument Reconciliation Report
4. Result Master to Instrument Reconciliation in Base Currency
5. Result Master to Instrument Reconciliation in Consolidated Currency
6. Detail Stepped Rate

8.6.11 IRRBB Reporting

1. IRRBB Table B
2. Material Currency

8.7 ALM Report Details

The following section provides information on report content for the majority of seeded reports. Some report details have been excluded in cases where report structure is redundant or where report content is intended for illustrative purposes only. All of the following content is available within the installed ALM BI web catalog by navigating to Answers and opening the desired report in edit mode.

8.7.1 Repricing Gap Summary in Base Currency

This section describes the Repricing Gap Summary in Base Currency.

8.7.2 Repricing Gap Summary in Consolidated Currency

Table 8-1 Repricing Gap Summary in Consolidated Currency

Report Name	IRR BucketWise Summary IRR BucketWise Summary Cons Currency
Description	Summary Repricing Gap Report. This report is a view of repricing gap results shown at the level of Rate Sensitive Assets, Rate Sensitive Liabilities, NetGap, and Cumulative Gap.
Dashboards Prompts	Prompt Interest Rate 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Interest Rate 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type Prompt Interest Rate 03 <ul style="list-style-type: none"> • Dynamic Gap Date • Bucket End Date

Table 8-1 (Cont.) Repricing Gap Summary in Consolidated Currency

Report Name	IRR BucketWise Summary IRR BucketWise Summary Cons Currency
Report Criteria	<p>Time Buckets.Start Date Time Buckets.End Date Currency.Base Currency Repricing Gap.Gap Runoff (660) Asset Repricing Gap.Gap Runoff (660) Liability Repricing Gap.Gap Runoff (660) Receivable Repricing Gap.Gap Runoff (660) Payable ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00) RSUM(sum(distinct (ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00))) by "Currency"."Base Currency") ifnull("Repricing Gap"."Lower Limit Amount",0.00) ifnull("Repricing Gap"."Upper Limit Amount",0.00) ifnull("Repricing Gap"."Lower Limit Amount - Interset Rate Risk Cumulative Gap",0.00) ifnull("Repricing Gap"."Upper Limit Amount - Interset Rate Risk Cumulative Gap",0.00) case when (ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00)) between "Repricing Gap"."Lower Limit Amount" and "Repricing Gap"."Upper Limit Amount" then 1 else 0 end case when (RSUM(sum(distinct (ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00))) by "Currency"."Base Currency")) between "Repricing Gap"."Lower Limit Amount - Interset Rate Risk Cumulative Gap" and "Repricing Gap"."Upper Limit Amount - Interset Rate Risk Cumulative Gap" then 1 else 0 end</p>
Conditions	Product.Account Type IN (100, 110, 300, 310, 800)

Table 8-1 (Cont.) Repricing Gap Summary in Consolidated Currency

Report Name	IRR BucketWise Summary IRR BucketWise Summary Cons Currency
Compound Layout	Title Pivot Table
Dashboards Prompts	Prompt Interest Rate 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Interest Rate 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type Prompt Interest Rate 03 <ul style="list-style-type: none"> • Dynamic Gap Date • Bucket End Date

8.7.3 Repricing Gap Across Dates in Base Currency

This section describes the Repricing Gap Across Dates in Base Currency.

8.7.4 Repricing Gap Across Dates in Consolidated Currency

Table 8-2 Repricing Gap Across Dates in Consolidated Currency

Report Name	IRR Across Period 11g IRR Across Period Consolidated Currency
Description	Summary Repricing Gap Report showing the net gap amount for a specific time period over historical time.
Dashboards Prompts	Prompt Interest Rate 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Interest Rate 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type Prompt Interest Rate 03 <ul style="list-style-type: none"> • Dynamic Gap Date

Table 8-2 (Cont.) Repricing Gap Across Dates in Consolidated Currency

Report Name	IRR Across Period 11g IRR Across Period Consolidated Currency
Report Criteria	Time Buckets.Start Date Time Buckets.End Date Calendar - ALM Results.As-of-Date Currency.Base Currency ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00) rsum(sum(distinct((ifnull("Repricing Gap"."Gap Runoff (660) Asset (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Liability (Limit)",0.00)+ifnull("Repricing Gap"."Gap Runoff (660) Receivable (Limit)",0.00)-ifnull("Repricing Gap"."Gap Runoff (660) Payable (Limit)",0.00)))) by Currency."Base Currency") ifnull("Repricing Gap"."Lower Limit Amount",0.00) ifnull("Repricing Gap"."Upper Limit Amount",0.00)
Conditions	Product.Account Type IN (100, 110, 300, 310, 800)
Compound Layout	Title Pivot Table

8.7.5 Repricing Gap Detail in Base Currency

This section describes the Repricing Gap Detail in Base Currency.

8.7.6 Repricing Gap Detail in Consolidated Currency

Table 8-3 Repricing Gap Detail in Consolidated Currency

Report Name	IRR BucketWise Detail IRR BucketWise Detail Cons Currency
Description	Detailed Repricing Gap Report showing the gap amount for individual Product Hierarchy Line Items

Table 8-3 (Cont.) Repricing Gap Detail in Consolidated Currency

Report Name	IRR BucketWise Detail IRR BucketWise Detail Cons Currency
Dashboards Prompts	Prompt Interest Rate 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Interest Rate 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type Prompt Interest Rate 03 <ul style="list-style-type: none"> • Dynamic Gap Date • Bucket End Date
Report Criteria	Time Buckets.Start Date Time Buckets.End Date Product.Product Name Level 19 Product.Account Type < formula >: case when "Repricing Gap". "Leg Type" =0 then case WHEN Product."Account Type" = 100.00 then 'Rate Sensitive Assets' WHEN Product."Account Type" = 300.00 then 'Rate Sensitive Liabilities' else 'Others' end when "Repricing Gap". "Leg Type" =2 then case WHEN Product."Account Type" = 100.00 then 'Rate Sensitive Assets' WHEN Product."Account Type" = 300.00 then 'Rate Sensitive Liabilities' WHEN Product."Account Type" IN (110.00, 800.00) then 'Off BS Receivable' else 'Others' end when "Repricing Gap". "Leg Type" =1 then case WHEN Product."Account Type" = 100.00 then 'Rate Sensitive Assets' WHEN Product."Account Type" = 300.00 then 'Rate Sensitive Liabilities' WHEN Product."Account Type" IN (310.00, 800.00) then 'Off BS Payable' else 'Others' end else 'Others' end

Table 8-3 (Cont.) Repricing Gap Detail in Consolidated Currency

Report Name	IRR BucketWise Detail IRR BucketWise Detail Cons Currency
	Product.Sort Order < formula >: case when "Repricing Gap"."Leg Type" =0 then case WHEN Product."Account Type" = 100.00 then 1 WHEN Product."Account Type" = 300.00 then 2 else 5 end when "Repricing Gap"."Leg Type" =2 then case WHEN Product."Account Type" = 100.00 then 1 WHEN Product."Account Type" = 300.00 then 2 WHEN Product."Account Type" IN (110.00, 800.00) then 3 else 5 end when "Repricing Gap"."Leg Type" =1 then case WHEN Product."Account Type" = 100.00 then 1 WHEN Product."Account Type" = 300.00 then 2 WHEN Product."Account Type" IN (310.00, 800.00) then 4 else 5 end else 5 end Currency.Base Currency Repricing Gap.Gap Runoff (660)
Conditions	None
Compound Layout	Title Pivot Table

8.7.7 Forecast Income Statement in Base Currency

This section describes the Forecast Income Statement in Base Currency.

8.7.8 Forecast Income Statement in Consolidated Currency

Table 8-4 Forecast Income Statement in Consolidated Currency

Report Name	Forecast Income Statement in Base Currency Forecast Income Statement in Consolidated Currency
Description	Income Simulation Forecast Report. Includes both current and new business.

Table 8-4 (Cont.) Forecast Income Statement in Consolidated Currency

Report Name	Forecast Income Statement in Base Currency Forecast Income Statement in Consolidated Currency
Dashboards Prompts	Prompt Financial Results 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Financial Results 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type Prompt Financial Results 03 <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	Time Buckets.Start Date Time Buckets.End Date Product.Account Type Currency.Base Currency Standard Cash Flow Results.Interest Income Standard Cash Flow Results.Interest Expense Standard Cash Flow Results.Off B/S Income Standard Cash Flow Results.Net Interest Income Standard Cash Flow Results.Net Non-interest Income Standard Cash Flow Results.Net Income Before Taxes Standard Cash Flow Results.Divdends (940) Standard Cash Flow Results.Federal Taxes (930) Standard Cash Flow Results.Local Taxes (935) Standard Cash Flow Results.Income After Taxes Standard Cash Flow Results.Non Interest Income (455) Standard Cash Flow Results.Non Interest Expense (457) Standard Cash Flow Results.Net Income Before Taxes
Conditions	"Product"."Account Type" IN (100, 110, 300, 310, 800, 350, 150, 375, 600),BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Pivot Table

8.7.9 Forecast Balance Sheet Summary in Base Currency

This section describes the Forecast Balance Sheet Summary in Base Currency.

8.7.10 Forecast Balance Sheet Summary in Consolidated Currency

Table 8-5 Forecast Balance Sheet Summary in Consolidated Currency

Report Name	Forecast Balance Sheet Summary in Base Currency Forecast Balance Sheet Summary in Cons Currency
Description	Balance Sheet Forecast Report. Provides views of both Ending and Average Balance, across time buckets.
Dashboards Prompts	Prompt – Income Scenario2 <ul style="list-style-type: none"> • Process • Bench Scenario Prompt - Income Scenario3 <ul style="list-style-type: none"> • Date • Currency • Result Type Prompt Financial Results 03 <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	Product < formula > case WHEN Product."Account Type" IN (100.00, 200.00) then 'Total Assets' WHEN Product."Account Type" IN (300, 400.00, 500.00) then 'Total Liabilities & Equity' end Product.Product Name Level 19 Standard Cash Flow Results.Average Balance (140) Standard Cash Flow Results.Ending Balance (100) Time Buckets.Start Date Time Buckets.End Date Currency.Base Currency
Conditions	Product.Account Type IN (100,200,300,400,500)
Compound Layout	Title View Selector Pivot Table - Average and Ending Balance Pivot Table2 - Average Balance Pivot Table3 - Ending Balance

8.7.11 Net Interest Income Across Scenarios in Base Currency

This section describes the Net Interest Income Across Scenarios in Base Currency.

8.7.12 Net Interest Income Across Scenarios in Consolidated Currency

Table 8-6 Net Interest Income Across Scenarios in Consolidated Currency

Report Name	Income - Scenario Report in Base Currency Income - Scenario Report in Consolidated Currency
Description	Forecast Income results across scenarios, including change versus bench scenario and percentage change versus bench scenario.
Dashboards Prompts	Prompt Financial Results 01 <ul style="list-style-type: none"> • Process • Bench Scenario Prompt Financial Results 02 <ul style="list-style-type: none"> • As of Date • Currency • Result Type • Bucket End Date
Report Criteria	Process Scenario.Scenario Name Standard Cash Flow Results.Net Interest Income Standard Cash Flow Results.Net Interest Income (Delta to Bench) Standard Cash Flow Results.Net Interest Income (Pct to Bench) Standard Cash Flow Results.Interest CF (Bench) Currency.Base Currency
Conditions	BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title 3 Pivot Table 2 (Chart) Pivot Table

8.7.13 Income Statement Detail in Base Currency

This section describes the Income Statement Detail in Base Currency.

8.7.14 Income Statement Detail in Consolidated Currency

Table 8-7 Income Statement Detail in Consolidated Currency

Report Name	Forecast Income Statement Detail Product in Base Graph 11g Forecast Income Statement Detail Product in Cons Graph 11g Forecast Income Statement Detail Product in Base Tab 11g Forecast Income Statement Detail Product in Cons Tab 11g
Description	Forecast Income Statement across time buckets with Product level detail.
Dashboards Prompts	Prompt Financial Results 01 <ul style="list-style-type: none"> Process Scenario Prompt Financial Results 02 <ul style="list-style-type: none"> As of Date Currency Result Type Prompt Financial Results 03 <ul style="list-style-type: none"> Bucket End Date
Report Criteria	Time Buckets.Start Date Time Buckets.End Date Product.Account Type Product.Product Name Level19 Standard Cash Flow Results.Interest Accrued (440) Currency.Base Currency
Conditions	Product."Account Type" IN (100, 110, 300, 310, 800) Product"."Account Type" IN (350, 150) Product"."Account Type" IN (375) Product"."Account Type" IN (600) BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Pivot Table 2 (Chart) Pivot Table

8.7.15 Forecast Balance Sheet Detail in Base Currency

This section describes the Forecast Balance Sheet Detail in Base Currency.

8.7.16 Forecast Balance Sheet Detail in Consolidated Currency

Table 8-8 Forecast Balance Sheet Detail in Consolidated Currency

Report Name(s)	Forecast Balance Sheet Detail in Base Currency Forecast Balance Sheet Detail in Consolidated Currency
Description	Forecast Balance Sheet across time buckets, with Product level detail and option to choose Avg + End, Avg Only or End Only.
Dashboards Prompts	Prompt Financial Results 01 Prompt Financial Results 02 Prompt Financial Results 03
Report Criteria	Product < formula >: case WHEN "Product"."Account Type" IN(100.00, 200.00) then 'Total Assets' WHEN "Product"."Account Type" IN (300, 400.00, 500.00) then 'Total Liabilities' end Time Buckets.Start Date Time Buckets.End Date Product.Product Name Level18 Standard Cash Flow Results.Ending Balance (100) Currency.Base Currency
Conditions	Product.Account Type in (100,200,300,400,500)
Compound Layout	Title View Selector Pivot Table - Average and Ending Balance Pivot Table2 - Average Balance Pivot Table3 - Ending Balance

8.7.17 Historical Income and Balance Summary

Table 8-9 Historical Income and Balance Summary

Report Name(s)	History Income Statement Summary
Description	Income Statement summary report for historical time periods.
Dashboards Prompts	Prompt - Hist Balance Sheet <ul style="list-style-type: none"> • As of Date • Currency

Table 8-9 (Cont.) Historical Income and Balance Summary

Report Name(s)	History Income Statement Summary
Report Criteria	Calendar - Fact Data.Calendar Date Time Buckets.Start Date Ledger Stat.Value (Avg Balance) Ledger Stat.Interest Income Ledger Stat.InterestExpense Ledger Stat.Off B/S Income Ledger Stat.Net Interest Income Ledger Stat.Non Interest Expense Ledger Stat.Net Non-interest Income Ledger Stat.Net Income Before Taxes Ledger Stat.Dividends Ledger Stat.Federal Taxes Ledger Stat.Local Taxes Ledger Stat.Income After Taxes Currency.Currency Cd
Conditions	< None >
Compound Layout	Title Pivot Table

8.7.18 Historical Income and Balance Detail

Table 8-10 Historical Income and Balance Detail

Report Name(s)	History Income Statement Detail
Description	Income Statement detail report for historical time periods.
Dashboards Prompts	Prompt - Hist Balance Sheet <ul style="list-style-type: none"> • As of Date • Currency
Report Criteria	Calendar - Fact Data.Calendar Date Ledger Stat.FINANCIAL_ELEM_ID Product.Account Type Ledger Stat.Value#1 Currency.Currency Cd
Conditions	"Product"."Account Type" IN (100.00, 200.00, 300.00, 400.00, 500.00) BOTTOMN("Time Buckets"."End Date",12) <= 12 Ledge Stat"."Financial Elem Id" IN (100, 140)
Compound Layout	Title Pivot Table

8.7.19 Detail Cash Flow or Activity in Base Currency

This section describes the Detail Cash Flow or Activity in Base Currency.

8.7.20 Detail Cash Flow or Activity in Consolidated Currency

Table 8-11 Detail Cash Flow or Activity in Consolidated Currency

Report Name(s)	Detail Cash Flow Activity in Base Currency Detail Cash Flow Activity in Consolidated Currency
Description	Reporting against detail cash flow or Audit results, across time buckets.
Dashboards Prompts	Prompt Financial Results 01 <ul style="list-style-type: none"> • Process • Scenario Prompt Financial Results with Product Leaf <ul style="list-style-type: none"> • As of Date • Currency • Result Type • Bucket End Date • Product

Table 8-11 (Cont.) Detail Cash Flow or Activity in Consolidated Currency

Report Name(s)	Detail Cash Flow Activity in Base Currency Detail Cash Flow Activity in Consolidated Currency
Report Criteria	Calendar -ALM Results.As-of-Date Process Scenario.Process Name Process Scenario.Scenario Name Time Bucket.Start Date Time Bucket.End Date Standard Cash Flow Results.Beginning Balance (60) Standard Cash Flow Results"."Beginning Net Rate (80) Standard Cash Flow Results"."Reprice Balance (250) Standard Cash Flow Results"."Before Reprice Net Rate (280) Standard Cash Flow Results"."After Reprice Net Rate (290) Standard Cash Flow Results.Payment Runoff - Positive (190)+Standard Cash Flow Results.Maturity Runoff - Negative (197) Standard Cash Flow Results"."Maturity Runoff - Positive (195)+"Standard Cash Flow Results"."Maturity Runoff - Negative (197) "Standard Cash Flow Results"."Prepay Runoff - Positive (180)+"Standard Cash Flow Results"."Prepay Runoff - Negative (182)" Standard Cash Flow Results."Annual Prepay Rate (510)" ifnull("Standard Cash Flow Results"."Total Runoff - Positive (210)" , 0) + ifnull("Standard Cash Flow Results"."Total Runoff - Negative (212)" , 0) "Standard Cash Flow Results"."Total Runoff Net Rate (230)" "Standard Cash Flow Results"."Interest Cash Flow (430)" "Standard Cash Flow Results"."Interest Credited (480)" "Standard Cash Flow Results"."Total Runoff - Positive (210)+"Standard Cash Flow Results"."Total Runoff - Negative

Table 8-11 (Cont.) Detail Cash Flow or Activity in Consolidated Currency

Report Name(s)	Detail Cash Flow Activity in Base Currency Detail Cash Flow Activity in Consolidated Currency
	(212)+"Standard Cash Flow Results"."Interest Cash Flow
	(430)+"Standard Cash Flow Results"."Interest Credited (480)"
	"Standard Cash Flow Results"."Interest Accrued (440)"
	"Standard Cash Flow Results"."Deferred Runoff (540)"
	"Standard Cash Flow Results"."New Add Balance (340)"
	"Standard Cash Flow Results"."New Add Net Rate (360)"
	"Standard Cash Flow Results"."Roll Add Balance (380)"
	"Standard Cash Flow Results"."Roll Add Net Rate (400)"
	"Standard Cash Flow Results"."New Add Balance (340)"+ "Standard Cash Flow Results"."Roll Add Balance (380)"
	"Standard Cash Flow Results"."End Balance (100)"
	"Standard Cash Flow Results"."Ending Net Rate (120)"
	"Standard Cash Flow Results"."Fully Indexed Net Rate (330)"
	"Standard Cash Flow Results"."Average Balance (140)"
	"Standard Cash Flow Results"."Avg Net Rate (160)"
	"Standard Cash Flow Results"."Warm (500)"
	"Standard Cash Flow Results"."Interest Accrued Net (441)"
	"Standard Cash Flow Results"."Non Interest Expense (457)"
	"Standard Cash Flow Results"."Balance Before Prepay (515)"
	Currency.Currency Cd
Conditions	BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Pivot Table

8.7.21 Balance Sheet Account Detail in Base Currency

This section describes the Balance Sheet Account Detail in Base Currency.

8.7.22 Balance Sheet Account Detail in Consolidated Currency

Table 8-12 Balance Sheet Account Detail in Consolidated Currency

Report Name(s)	Balance Sheet Account Detail Base Currency, Balance Sheet Account Detail Cons Currency
Description	The report displays Current Book Balance, Current Par Balance, Market Value, Current Net Rate, YTM, and Modified Duration.
Dashboards Prompts	Prompt Balance Sheet Process <ul style="list-style-type: none"> • Process Prompt Balance Sheet Date Currency <ul style="list-style-type: none"> • As of Date • Currency
Report Criteria	Productdim, ifnull("Master Results"."Cur Book Balance",0.00), ifnull("Master Results"."Cur Par Balance",0.00), ifnull("Master Results"."Market Value",0.00), ifnull("Master Results"."Option Market Value (711)",0.00), "Master Results"."Cur Net Rate W", "Master Results"."Ytm W", "Master Results"."Modified Duration W", 'Amount in ' "Currency"."Cons Currency", case when "Product"."Product Name Level19"='Total Liabilities + Capital' then 2 when "Product"."Product Name Level19"='Total Assets' then 1 when "Product"."Product Name Level19"='Off Balance Sheet Total' then 3 end
Conditions	"Process Scenario"."Scenario Num" = 1,"Master Results"."Result Type Code" = 0
Compound Layout	Title Table

8.7.23 Transfer Pricing Income Statement in Base Currency

This section describes the Transfer Pricing Income Statement in Base Currency.

8.7.24 Transfer Pricing Income Statement in Consolidated Currency

Table 8-13 Transfer Pricing Income Statement in Consolidated Currency

Report Name(s)	Transfer Pricing Income Statement in Base Currency
Description	Report display TP Income Statement across time buckets with Product level detail.

Table 8-13 (Cont.) Transfer Pricing Income Statement in Consolidated Currency

Dashboards Prompts	<p>Prompt - TP Process Scenario</p> <ul style="list-style-type: none"> • Process • Scenario <p>Prompt - TP Date Currency Result Bucket</p> <ul style="list-style-type: none"> • As of Date • Currency • Result Type <p>Prompt - TP Bucket End date</p> <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	<p>'Assets', ifnull("Standard Cash Flow Results"."Interest Cash Flow (430) Asset",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Asset",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow (430) Asset",0.00)-ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Asset",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow (430) Liabilities",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Liabilities",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Liabilities",0.00) - ifnull("Standard Cash Flow Results"."Interest Cash Flow (430) Liabilities",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Asset Liabilities",0.00), 'Liabilities', 1, "Time Buckets"."Start Date", "Time Buckets"."End Date", "Currency"."Base Currency", ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Asset",0.00), ifnull("Standard Cash Flow Results"."Interest Cash Flow Transfer Rate (437) Liabilities",0.00)</p>
Compound Layout	<p>Title</p> <p>Pivot Table</p> <p>Table</p>

8.7.25 Net Income

Table 8-14 Net Income

Report Name(s)	Net Income
Description	Report display Earnings at Risk outputs for Average, Minimum, Maximum, and Average Std Dev.

Table 8-14 (Cont.) Net Income

Report Name(s)	Net Income
Dashboards Prompts	Prompt EAR_002 <ul style="list-style-type: none"> As of Date Prompt EAR Process <ul style="list-style-type: none"> Process Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date
Report Criteria	Stochastic Process Details.Process Name "Time Buckets"."End Date" "Earnings-at-Risk"."Rate Path Num" Avg("Earnings-at-Risk"."Net Income")*-1-STDDEV("Earnings-at-Risk"."Net Income") Avg("Earnings-at-Risk"."Net Income")*-1 Avg("Earnings-at-Risk"."Net Income")*-1+STDDEV("Earnings-at-Risk"."Net Income") MIN(-1*"Earnings-at-Risk"."Net Income" by "Dim Calendar - For Bucket End Dates"."Bucket End Date") MAX(-1*"Earnings-at-Risk"."Net Income" by "Dim Calendar - For Bucket End Dates"."Bucket End Date")
Compound Layout	Title Graph Table

8.7.26 EaR Frequency Distribution

Table 8-15 EaR Frequency Distribution

Report Name(s)	EaR Frequency Distribution
Description	The report displays the frequency distribution of EaR earnings results.
Dashboards Prompts	Prompt Earning at Risk Prompt EAR_002 <ul style="list-style-type: none"> As of Date Prompt EAR Process <ul style="list-style-type: none"> Process Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date Prompt Earning at Risk <ul style="list-style-type: none"> Set # of Bins Prompt EAR Leg Type <ul style="list-style-type: none"> Product Type

Table 8-15 (Cont.) EaR Frequency Distribution

Report Name(s)	EaR Frequency Distribution
Report Criteria	"Earnings-at-Risk".Earnings BIN: floor(@{EAR_001}{20}*(Case when "Earnings-at-Risk".Earnings = min("Earnings-at-Risk".Earnings) then 0.01 when "Earnings-at-Risk".Earnings = max("Earnings- at-Risk".Earnings) then 0.99 else ("Earnings-at-Risk".Earningsmin(" Earnings-at-Risk".Earnings)) / (max("Earnings- at-Risk".Earnings) -MIN("Earnings-at-Risk".Earnings)) end))+1 ntile("Earnings-at-Risk".Earnings,10) COUNT(DISTINCT "Earnings-at-Risk"."Rate Path Num") "Earnings-at-Risk"."Rate Path Num"
Conditions	< None >
Compound Layout	Title Pivot Table Graph Pivot Table 2

8.7.27 Yearly EaR Frequency Distribution

Table 8-16 Yearly EaR Frequency Distribution

Report Name(s)	Yearly EaR Frequency Distribution
Description	The report displays the frequency distribution of EaR earnings results distributed by forecast year.
Dashboards Prompts	Prompt EAR_002 <ul style="list-style-type: none"> As of Date Prompt EAR Process <ul style="list-style-type: none"> Process Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date Prompt Earning at Risk <ul style="list-style-type: none"> Set # of Bins Prompt EAR Leg Type <ul style="list-style-type: none"> Product Type

Table 8-16 (Cont.) Yearly EaR Frequency Distribution

Report Name(s)	Yearly EaR Frequency Distribution
Report Criteria	"Calendar - ALM Results". "Per Name Year" "Earnings-at-Risk".Earnings "Earnings-at-Risk". "Rate Path Num" floor(@{EAR_001}{20}*(Case when"Earnings-at-Risk".Earnings = min("Earnings-at-Risk".Earnings) then 0.01 when "Earnings-at-Risk".Earnings = max("Earnings-at-Risk".Earnings) then 0.99 else ("Earnings-at-Risk".Earningsmin("Earnings-at-Risk".Earnings) / (max("Earnings-at-Risk".Earnings) -MIN("Earnings-at-Risk".Earnings)) end))+1 max("Earnings-at-Risk".Earnings by (floor(@{EAR_001}{20}*(Case when "Earnings-at-Risk".Earnings = min("Earnings-at-Risk".Earnings) then 0.01 when "Earnings-at-Risk".Earnings = max("Earnings-at-Risk".Earnings) then 0.99 else ("Earnings-at-Risk".Earnings- min("Earnings-at-Risk".Earnings)) / (max("Earnings-at-Risk".Earnings) -MIN("Earnings-at-Risk".Earnings)) end))+1))
Conditions	< None >
Compound Layout	Title Graph Graph (2) Graph (3) Pivot Table Pivot Table (3)

8.7.28 EaR Distribution by Year Forecasted

Table 8-17 EaR Distribution by Year Forecasted

Report Name(s)	EaR Distrubution By Year Forecasted
Description	Reports displays earnings results with each year of forecast aligned for comparison.

Table 8-17 (Cont.) EaR Distribution by Year Forecasted

Dashboards Prompts	Prompt EAR_002 <ul style="list-style-type: none"> As of Date Prompt EAR Process <ul style="list-style-type: none"> Process Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date Prompt Earning at Risk <ul style="list-style-type: none"> Set # of Bins Prompt EAR Leg Type <ul style="list-style-type: none"> Product Type
Report Criteria	"Calendar - ALM Results"."Per Name Year" "Earnings-at-Risk".Earnings "Earnings-at-Risk"."Rate Path Num" floor(@{EAR_001}{20}*(Case when "Earnings-at-Risk".Earnings = min("Earnings-at-Risk".Earnings by "Calendar - ALM Results"."Per Name Year") then 0.01 when "Earnings-at-Risk".Earnings = max("Earnings-at-Risk".Earnings by "Calendar - ALM Results"."Per Name Year") then 0.99 else ("Earnings-at-Risk".Earningsmin(" Earnings-at-Risk".Earnings by "Calendar - ALM Results"."Per Name Year")) / (max("Earnings-at-Risk".Earnings by "Calendar - ALM Results"."Per Name Year") - MIN("Earnings-at-Risk".Earnings by "Calendar - ALM Results"."Per Name Year")) end))+1
Conditions	< None >
Compound Layout	Title Pivot Table Pivot Table (2) Graph

8.7.29 Interest Rate Cloud

Table 8-18 Interest Rate Cloud

Report Name(s)	Interest Rate Cloud
Description	The report displays the 1m Interest Rates generated by the Monte Carlo process for all rate paths including forward rates.

Table 8-18 (Cont.) Interest Rate Cloud

Report Name(s)	Interest Rate Cloud
Dashboards Prompts	Prompt EAR_002_Interest_rate_cloud <ul style="list-style-type: none"> As of Date Prompt EAR Bucket End Date_interest_rate_cloud <ul style="list-style-type: none"> Process Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date Prompt Interest Rate Cloud New <ul style="list-style-type: none"> Number of Rate Paths
Report Criteria	"Calendar - ALM Results"."As-of-Date" "Time Buckets"."Bucket Id" "Fact Stochastic Interest Rates"."Net Rate" "Fact Stochastic Interest Rates"."Rate Path Num"
Conditions	Fact Stochastic Interest Rates"."Rate Path Num" <= @_{PATH}{100}
Compound Layout	Title

8.7.30 Income Distribution Min or Max or Avg

Table 8-19 Income Distribution Min or Max or Avg

Report Name(s)	Net_Income_25_3
Description	The report displays average earnings across all rates paths along with the minimum and maximum earnings results from the simulation over forecast time buckets.
Dashboards Prompts	Prompt EAR_002 - As of Date Prompt EAR Process- Process Prompt EAR Bucket End Date- Bucket End Date Prompt EAR Leg Type-Product Type Prompt EAR Product- Product
Report Criteria	"Stochastic Process Details"."Process Id" "Time Buckets"."End Date" "Earnings-at-Risk"."Rate Path Num" "Earnings-at-Risk"."Net Interest Income" AVG("Earnings-at-Risk"."Net Interest Income" by "Time Buckets"."End Date") Max("Earnings-at-Risk"."Net Interest Income" by "Time Buckets"."End Date") Min("Earnings-at-Risk"."Net Interest Income" by "Time Buckets"."End Date")
Conditions	< None >

Table 8-19 (Cont.) Income Distribution Min or Max or Avg

Compound Layout	Title
	Graph

8.7.31 Net Income Distribution Min 3 or Max 3 or Avg

Table 8-20 Net Income Distribution Min 3 or Max 3 or Avg

Report Name(s)	Net_Income_25_5
Description	The report displays average earnings across all rates paths along with top 3 and bottom 3 earnings results from the simulation over forecast time buckets.
Dashboards Prompts	Prompt - EAR_002 <ul style="list-style-type: none"> • As of Date Prompt - EAR Process <ul style="list-style-type: none"> • Process Prompt - EAR Bucket End Date <ul style="list-style-type: none"> • Bucket End Date

Table 8-20 (Cont.) Net Income Distribution Min 3 or Max 3 or Avg

Report Criteria	<pre>"Time Buckets"."End Date" "Earnings-at-Risk"."Rate Path Num" AVG("Earnings-at-Risk"."Net Interest Income" by "Time Buckets"."End Date") Max("Earnings-at-Risk"."Net Interest Income" by"Time Buckets"."End Date") Min("Earnings-at-Risk"."Net Interest Income" by "Time Buckets"."End Date") CASE WHEN RANK("Earnings-at-Risk"."Net Interest Income" BY "Time Buckets"."End Date") = 2 THEN "Earnings- at-Risk"."Net Income" END CASE WHEN RANK("Earnings-at-Risk"."Net Interest Income" BY "Time Buckets"."End Date") = (max (RANK("Earnings-at-Risk"."Net Interest Income" BY "Time Buckets"."End Date")) -1) THEN "Earnings-at-Risk"."Net Income" END CASE WHEN RANK("Earnings-at-Risk"."Net Interest Income" BY "Time Buckets"."End Date") = 3 THEN "Earnings- at-Risk"."Net Income" END CASE WHEN RANK("Earnings-at-Risk"."Net Interest Income" BY "Time Buckets"."End Date") = (max (RANK("Earnings-at-Risk"."Net Interest Income" BY"Time Buckets"."End Date")) -1) THEN "Earnings-at-Risk"."Net Income" END</pre>
Conditions	< None >
Compound Layout	Title Graph

8.7.32 Net Income Distribution

Table 8-21 Net Income Distribution

Report Name(s)	Net Income Distribution
Description	Report displays earnings for all rate paths across time buckets.

Table 8-21 (Cont.) Net Income Distribution

Report Name(s)	Net Income Distribution
Dashboards Prompts	Prompt - EAR_002 <ul style="list-style-type: none"> As of Date Prompt - EAR Process <ul style="list-style-type: none"> Process Prompt - EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date
Report Criteria	"Stochastic Process Details"."Process Id" "Time Buckets"."End Date" "Earnings-at-Risk"."Rate Path Num" "Earnings-at-Risk"."Net Income" AVG("Earnings-at-Risk"."Net Income" by "Time Buckets"."End Date")
Conditions	< None >
Compound Layout	Title Graph

8.7.33 EaR History by Product

This section describes the EaR History by Product.

8.7.34 EaR History by Portfolio

Table 8-22 EaR History by Portfolio

Report Name(s)	EaR History by Product, EaR History by Portfolio
Description	Report displays product wise or portfolio wise earnings at risk across time buckets or as of date.
Dashboards Prompts	Prompt EAR_002 <ul style="list-style-type: none"> As of Date Prompt EAR Process <ul style="list-style-type: none"> Process Prompt EAR Product <ul style="list-style-type: none"> Product Product Type Prompt EAR Bucket End Date <ul style="list-style-type: none"> Bucket End Date
Report Criteria	"Earnings-at-Risk"."Earnings","Earnings-at-Risk"."Rate Path Num",RSUM("Earnings-at-Risk"."Earnings"),Currency."Cons Currency","Calendar - ALM Results"."As-of-Date","Dim Calendar - For Bucket End Dates"."Bucket End Date"

Table 8-22 (Cont.) EaR History by Portfolio

Report Name(s)	EaR History by Product, EaR History by Portfolio
Conditions	rank("Earnings-at-Risk"."Earnings" by "Dim Calendar - For Bucket End Dates"."Bucket End Date") = @{EAR_RANK}{2}
Compound Layout	Title Pivot Table (3) Graph

8.7.35 Liquidity Gap Summary in Base Currency

This section describes the Liquidity Gap Summary in Base Currency.

8.7.36 Liquidity Gap Summary in Consolidated Currency

Table 8-23 Liquidity Gap Summary in Consolidated Currency

Report Name(s)	Liquidity Gap Summary in Base Currency Liquidity Gap Summary in Consolidated Currency
Description	The report displays a summary view of liquidity gap cash flows over liquidity gap time buckets.
Dashboards Prompts	Prompt As of Date <ul style="list-style-type: none"> As of Date Prompt Liquidity Gap 01 Test1 11g <ul style="list-style-type: none"> Process or Run Scenario Prompt Liquidity Gap 01 Test3 11g <ul style="list-style-type: none"> Legal Entity Currency Type Prompt Liquidity Gap 02 New <ul style="list-style-type: none"> Currency Result Type Prompt Liquidity Gap 03 <ul style="list-style-type: none"> Dynamic Gap Date Prompt - Bucket End Date <ul style="list-style-type: none"> Bucket End Date

Table 8-23 (Cont.) Liquidity Gap Summary in Consolidated Currency

Report Name(s)	Liquidity Gap Summary in Base Currency Liquidity Gap Summary in Consolidated Currency
Report Criteria	"Time Buckets"."Start Date" "Time Buckets"."End Date" "Time Buckets"."Bucket Name" "Time Buckets"."Bucket Id" "Liquidity Risk Gap"."Total Inflows Base" "Liquidity Risk Gap"."Total Outflows Base" "Liquidity Risk Gap"."Net Liquidity Gap Base" "Liquidity Risk Gap"."Net Gap as % of Total Outflows Base" "Liquidity Risk Gap"."Cumulative Liquidity Gap Base" "Liquidity Risk Gap"."Gap Limit" "Liquidity Risk Gap"."Net Gap as % of Total Outflows Base" "Liquidity Risk Gap"."Gap Limit"
Conditions	Product."Account Type" IN (100.00, 110.00, 300.00, 310.00, 800.00, 200.00, 400.00),BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Graph

8.7.37 Liquidity Gap Detail - Product in Base Currency

This section describes the Liquidity Gap Detail - Product in Base Currency.

8.7.38 Liquidity Gap Detail - Product in Consolidated Currency

Table 8-24 Liquidity Gap Detail - Product in Consolidated Currency

Report Name(s)	Liquidity Gap Detail - Product in Base Currency Liquidity Gap Detail - Product in Consolidated Currency
Description	The report displays the Gap Amount by Product across liquidity time buckets.

Table 8-24 (Cont.) Liquidity Gap Detail - Product in Consolidated Currency

Report Name(s)	Liquidity Gap Detail - Product in Base Currency Liquidity Gap Detail - Product in Consolidated Currency
Dashboards Prompts	Prompt Liquidity Gap 01 <ul style="list-style-type: none"> Process Scenario Prompt Liquidity Gap 02 <ul style="list-style-type: none"> As of Date Currency Result Type Prompt Liquidity Gap 03 Product <ul style="list-style-type: none"> Dynamic Gap Date Prompt - Bucket End Date <ul style="list-style-type: none"> Bucket End Date
Report Criteria	"Time Buckets"."Start Date" "Time Buckets"."End Date" "Time Buckets"."Bucket Name" Case when Product."Account Type" in (100,110, 200) then 'Total Inflows' when Product."Account Type" in (800) and "Liquidity Risk Gap"."Leg Type"=2 then 'Total Inflows' when Product."Account Type" in (300,310, 400) then 'Total Outflows' when Product."Account Type" in (800) and "Liquidity Risk Gap"."Leg Type"=1 then 'Total Outflows' end Product."Product Name Level18" "Currency"."Base Currency" ifnull("Liquidity Risk Gap"."LR Gap Principal Runoff (1661)+"Liquidity Risk Gap"."LR Interest CF Net (1672)",0)
Conditions	"Product"."Account Type" IN (100, 110, 300, 310, 800, 200, 400),BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Pivot Table

8.7.39 Liquidity Gap - Result Type in Consolidated Currency

Table 8-25 Liquidity Gap - Result Type in Consolidated Currency

Report Name(s)	Liquidity Gap- Result Type in Base Currency Liquidity Gap- Result Type in Consolidated Currency
Description	The report displays the Gap Amount by Result Type across liquidity time buckets.

Table 8-25 (Cont.) Liquidity Gap - Result Type in Consolidated Currency

Report Name(s)	Liquidity Gap- Result Type in Base Currency Liquidity Gap- Result Type in Consolidated Currency
Dashboards Prompts	Prompt - Liquidity Gap 01 <ul style="list-style-type: none"> Process Scenario Prompt - Liquidity Gap 02 (Business Type) <ul style="list-style-type: none"> As of Date Currency Prompt Liquidity Gap 03 Business Type <ul style="list-style-type: none"> Dynamic Gap Date Prompt - Liquidity Gap 03 Business Type - End Date <ul style="list-style-type: none"> Bucket End Date
Report Criteria	"Time Buckets"."Start Date" "Time Buckets"."End Date" "Time Buckets"."Bucket Name" "Result Type"."Result Type" "Currency"."Base Currency" Liquidity Risk Gap."Net Liquidity Gap"
Conditions	Product."Account Type" IN (300.00, 310.00, 400.00, 800.00),Product."Account Type" IN (100.00, 110.00, 200.00, 800.00),Product."Account Type" IN (100.00, 110.00, 200.00, 800.00,300.00,310.00,400.00),BOTTOMN("Time Buckets"."End Date",12) <= 12
Compound Layout	Title Pivot Table 3

8.7.40 Distribution Profile of Term Deposits

Table 8-26 Distribution Profile of Term Deposits

Report Name(s)	Distribution Profile of Term Deposits
Description	The report displays the balance of Term Deposit funding across Organization Unit.
Dashboards Prompts	Prompt - Distribution Profile of Term Deposits <ul style="list-style-type: none"> As of Date Currency Prompt for Term Deposits <ul style="list-style-type: none"> Product Name

Table 8-26 (Cont.) Distribution Profile of Term Deposits

Report Name(s)	Distribution Profile of Term Deposits
Report Criteria	Remaining Term Bucket."Bucket Name" Organizational Unit."Org Unit Name Level16" Organizational Unit."Org Unit Leaf Name" ifnull("Account Summary"."Cur Net Book Bal C"/ 1000000,0) "Currency"."Base Currency" Liquidity Risk Gap."Net Liquidity Gap"
Conditions	"Account Summary"."Remaining Term Bucket Number Char" IN ('1', '2', '3', '4', '5', '6', '7', '8') and UPPER("Instrument Type"."Instrument Type") = 'TERM DEPOSITS' and MIs Cd is equal to / is in US
Compound Layout	Title Pivot Table Pivot Table 2 Pivot Table 3

8.7.41 Market Value Summary in Base Currency

This section describes the Market Value Summary in Base Currency.

8.7.42 Market Value Summary in Consolidated Currency

Table 8-27 Market Value Summary in Consolidated Currency

Report Name(s)	Market Value Summary in Base Currency Market Value Summary in Consolidated Currency
Description	Report displays summary Market Value and Market Value of Equity results over historical time.
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type

Table 8-27 (Cont.) Market Value Summary in Consolidated Currency

Report Name(s)	Market Value Summary in Base Currency Market Value Summary in Consolidated Currency
Report Criteria	Calendar - ALM Results."As-of-Date" "Master Results"."Market ValueN (A)" "Master Results"."Market ValueN (L)" Master Results."Net Market Value" Product."Account Type" Currency."Base Currency" "Master Results"."Market Value (Off B/s Payable)","Master Results"."Market Value (off B/s Receivable)"
Conditions	"Product"."Account Type" IN (100, 110, 200, 300, 310, 400, 800),"Master Results"."Start Date Index" = @{MKT1}{1}
Compound Layout	Title Pivot Table (2) Pivot Table

8.7.43 Market Value of Equity in Base Currency

This section describes the Market Value of Equity in Base Currency.

8.7.44 Market Value of Equity in Consolidated Currency

Table 8-28 Market Value of Equity in Consolidated Currency

Report Name(s)	Market Value of Equity Pivot Market Value of Equity Pivot in Cons Currency Market Value of Equity Graph, Market Value of Equity Graph - Pivot, Market Value of Equity Cons Currency Graph Market Value of Equity Cons Currency Graph - pivot
Description	The report displays Market Value Results across scenarios with change versus bench scenario comparison.
Dashboards Prompts	Prompt Market Value 1 Prompt Market Value

Table 8-28 (Cont.) Market Value of Equity in Consolidated Currency

Report Name(s)	Market Value of Equity Pivot Market Value of Equity Pivot in Cons Currency Market Value of Equity Graph, Market Value of Equity Graph - Pivot, Market Value of Equity Cons Currency Graph Market Value of Equity Cons Currency Graph - pivot
Report Criteria	Calendar - ALM Results."As-of-Date" Product."Account Type" Currency."Base Currency" ')' Process Scenario."Scenario Name" case when "Process Scenario (Bench)". "Scenario Name"="Process Scenario". "Scenario Name" then 1 end Master Results." Net Market Value" Master Results." Net Market Value (Delta To Bench)" Master Results."Market Value (Net Pct To Bench)" CASE WHEN (Product."Account Type" IN (100, 200)) THEN 'Market Value (Asset)' ELSE CASE WHEN (Product."Account Type" IN (300, 400)) THEN 'Market Value (Liabilities)' ELSE CASE WHEN (Product."Account Type" IN (110) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=2))) THEN 'Market Value (off B/s Receivable)' ELSE CASE WHEN (Product."Account Type" IN (310) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=1))) THEN 'Market Value (off B/s Payable)' END END END END
Conditions	CAST(Product."Account Type" as integer) IN (100, 200, 300, 400, 110, 310, 800),"Master Results"."Start Date Index" = @{MKT1}{1}
Compound Layout	Graph Pivot Table Pivot Table (2)

8.7.45 Net Duration Summary in Base Currency

This section describes the Net Duration Summary in Base Currency.

8.7.46 Net Duration Summary in Consolidated Currency

Table 8-29 Net Duration Summary in Consolidated Currency

Report Name(s)	Duration Summary in Base Currency Duration Summary in Consolidated Currency
Description	The report displays summary Duration and Duration of Equity results over historical time.
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type
Report Criteria	Calendar - ALM Results."As-of-Date" Product."Account Type" Currency."Base Currency" "Master Results"."Duration of Equity", "Master Results"."Duration Gap" "Master Results"."Market ValueN (A)" "Master Results"."Market ValueN (L)" "Master Results"."Market Value (Off B/s Payable)" "Master Results"."Market Value (off B/s Receivable)" "Master Results"."Net Duration of Equity" "Master Results"."Net Duration Gap"
Conditions	Product."Account Type" IN (100, 110, 200, 300, 310, 400, 800),"Master Results"."Start Date Index" = @{MKT1}{1}
Compound Layout	Title Pivot Table (2) Pivot Table

8.7.47 Net Duration of Equity in Base Currency

This section describes the Net Duration of Equity in Base Currency.

8.7.48 Net Duration of Equity in Consolidated Currency

Table 8-30 Net Duration of Equity in Consolidated Currency

Report Name(s)	Duration of Equity Duration of Equity Cons Currency
Description	The report displays Duration Results across scenarios with change versus bench scenario comparison.
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> Process Scenario Prompt Market Value <ul style="list-style-type: none"> As of Date Currency Start Date Index Product Type
Report Criteria	Calendar - ALM Results."As-of-Date" Product."Account Type" Currency."Base Currency" ' ' Process Scenario."Scenario Name" case when "Process Scenario (Bench)". "Scenario Name" = "Process Scenario". "Scenario Name" then 1 end Master Results."Net Duration" Master Results."Net Duration (Delta To Bench)"
Conditions	< None >
Compound Layout	Title Pivot Table (2) Pivot Table (3)

8.7.49 Market Value Detail in Base Currency

This section describes the Market Value Detail in Base Currency.

8.7.50 Market Value Detail in Consolidated Currency

Table 8-31 Market Value Detail in Consolidated Currency

Report Name(s)	Market Value Detail Product Wise Market Value Detail Product Wise Cons Currency
Description	Report displays market value results for detailed products.

Table 8-31 (Cont.) Market Value Detail in Consolidated Currency

Dashboards Prompts	<p>Prompt Market Value 1</p> <ul style="list-style-type: none"> • Process • Scenario <p>Prompt Market Value</p> <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type
Report Criteria	<p>Calendar - ALM Results."As-of-Date" Product."Account Type" Product."Product Name Level19" Master Results."Market Value" CASE WHEN (Product."Account Type" IN (100, 200)) THEN 'Market Value (Assets)' ELSE CASE WHEN (Product."Account Type" IN (300, 400)) THEN 'Market Value (Liabilities)' ELSE CASE WHEN (Product."Account Type" IN (110) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=2))) THEN 'Market Value (Off B/s Receivable)' ELSE CASE WHEN (Product."Account Type" IN (310) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=1))) THEN 'Market Value (Off B/s Payable)' END END END END , "Currency"."Base Currency"</p>
Conditions	<p>Product."Account Type" IN (100.00, 200.00, 300.00, 400.00, 800.00, 110.00, 310.00),"Master Results"."Start Date Index" = @{{MKT1}}{1}</p>
Compound Layout	<p>Title (2) Pivot Table</p>

8.7.51 Market Value Detail by Scenario in Base Currency

This section describes the Market Value Detail by Scenario in Base Currency.

8.7.52 Market Value Detail by Scenario in Consolidated Currency

Table 8-32 Market Value Detail by Scenario in Consolidated Currency

Report Name(s)	Market Value of Equity - Detail Market Value of Equity Cons Currency Detail
Description	Report displays market value results for a selected product with comparison across scenarios.

Table 8-32 (Cont.) Market Value Detail by Scenario in Consolidated Currency

Report Name(s)	Market Value of Equity - Detail Market Value of Equity Cons Currency Detail
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type
Report Criteria	Calendar - ALM Results."As-of-Date" Product."Product Name Level19" case when "Process Scenario (Bench)". "Scenario Name"="Process Scenario". "Scenario Name" then 1 end Master Results."Market Value" Master Results."Market Value (Bench)" Master Results."Market Value (Delta To Bench)" Master Results."Market Value (Pct To Bench)" "Currency". "Base Currency", CASE WHEN (Product."Account Type" IN (100, 200)) THEN 'Market Value (Asset)' ELSE CASE WHEN (Product."Account Type" IN (300, 400)) THEN 'Market Value (Liabilities)' ELSE CASE WHEN (Product."Account Type" IN (110) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=2))) THEN 'Market Value (off B/s Receivable)' ELSE CASE WHEN (Product."Account Type" IN (310) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=1))) THEN 'Market Value (off B/s Payable)' END END END END
Conditions	"Product"."Account Type" IN (100, 110, 200, 300, 310, 400, 800),"Master Results"."Start Date Index" = @MKT1{1}
Compound Layout	Title Pivot Table

8.7.53 Duration Detail in Base Currency

This section describes the Duration Detail in Base Currency.

8.7.54 Duration Detail in Consolidated Currency

Table 8-33 Duration Detail in Consolidated Currency

Report Name(s)	Duration Detail Product Wise in Base Currency Duration Detail Product Wise Cons Currency
Description	The report displays Duration results for detailed products.
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> Process Scenario Prompt Market Value <ul style="list-style-type: none"> As of Date Currency Start Date Index Product Type
Report Criteria	Calendar - ALM Results."As-of-Date" Product."Account Type" Product."Product Name Level19" Master Results.Duration R Currency."Base Currency",CASE WHEN (Product."Account Type" IN (100, 200)) THEN 'Duration (Assets)' ELSE CASE WHEN (Product."Account Type" IN (300, 400)) THEN 'Duration (Liabilities)' ELSE CASE WHEN (Product."Account Type" IN (110) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=2))) THEN 'Duration (Off B/s Receivable)' ELSE CASE WHEN (Product."Account Type" IN (310) OR (Product."Account Type" IN (800) AND ("Master Results"."Leg Type"=1))) THEN 'Duration (Off B/s Payable)' END END END END
Conditions	Product."Account Type" IN (100.00, 200.00, 110.00, 310.00, 300.00, 400.00, 800.00),"Master Results"."Start Date Index" = @{MKT1}{1}
Compound Layout	Title (2) Pivot Table

8.7.55 Duration Detail by Scenario in Base Currency

This section describes the Duration Detail by Scenario in Base Currency.

8.7.56 Duration Detail by Scenario in Consolidated Currency

Table 8-34 Duration Detail by Scenario in Consolidated Currency

Report Name(s)	Duration of Equity Detail Market Value of Equity Cons Currency Detail
Description	The report displays Duration results for a selected product with comparison across scenarios.
Dashboards Prompts	Prompt Market Value 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type
Report Criteria	Calendar - ALM Results."As-of-Date" Currency."Base Currency" Product."Product Name Level19" Process Scenario."Scenario Name" case when "Process Scenario (Bench)"."Scenario Name"="Process Scenario"."Scenario Name" then 1 end Master Results.Duration Master Results."Duration (Bench)" Master Results."Duration (Delta To Bench)" Master Results."Duration (Pct To Bench)"
Conditions	"Product"."Account Type" IN (100, 110, 200, 300, 310, 400, 800),"Master Results"."Start Date Index" = @{MKT1}{1}
Compound Layout	Title Pivot Table

8.7.57 Ranked Market Value in Base Currency

This section describes the Ranked Market Value in Base Currency.

8.7.58 Ranked Market Value in Consolidated Currency

Table 8-35 Ranked Market Value in Consolidated Currency

Report Name(s)	Ranked Market Value in Base Currency Ranked Market Value in Consolidated Currency.
Description	The report displays a ranking of Products based on Market or Book ratio.

Table 8-35 (Cont.) Ranked Market Value in Consolidated Currency

Report Name(s)	Ranked Market Value in Base Currency Ranked Market Value in Consolidated Currency.
Dashboards Prompts	Prompt MV Ranks 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type Prompt - Top N Rank <ul style="list-style-type: none"> • Top N Rank
Report Criteria	Product."Product Leaf Name" Master Results."Market Value (Rank)" Master Results."Market Value" Master Results."Cur Par Bal"+"Master Results"."Cur Defer Bal C" Master Results."Market Value"/("Master Results"."Cur Par Bal"+"Master Results"."Cur Defer Bal C")*100 Master Results.Duration
Conditions	"Master Results"."Market Value (Rank)" <= @{{TEST}}{5},"Master Results"."Start Date Index" = @{{MKT1}}{1}
Compound Layout	Title Table Graph

8.7.59 Ranked Duration in Base Currency

This section describes the Ranked Duration in Base Currency.

8.7.60 Ranked Duration in Consolidated Currency

Table 8-36 Ranked Duration in Consolidated Currency

Report Name	Ranked Duration in Base Currency Ranked Duration in Consolidated Currency
Description	The report displays a ranking of Products based on Duration.

Table 8-36 (Cont.) Ranked Duration in Consolidated Currency

Report Name	Ranked Duration in Base Currency Ranked Duration in Consolidated Currency
Dashboards Prompts	Prompt - Duration Ranks 1 <ul style="list-style-type: none"> • Process • Scenario Prompt Market Value <ul style="list-style-type: none"> • As of Date • Currency • Start Date Index • Product Type Prompt - Top N Duration <ul style="list-style-type: none"> • Top NDuration
Report Criteria	Product."Product Leaf Name" Master Results."Duration (Rank)" Master Results."Market Value" Master Results."Cur Par Bal"+"Master Results"."Cur Defer Bal C" Master Results."Market Value"/("Master Results"."Cur Par Bal"+"Master Results"."Cur Defer Bal C")*100 Master Results.Duration
Conditions	Add "Master Results"."Duration (Rank)" <= @{{RANK}}{5},"Master Results"."Start Date Index" = @{{MKT1}}{1}
Compound Layout	Title Table Graph

8.7.61 Value at Risk Probabilities

Table 8-37 Value at Risk Probabilities

Report Name	VaR Probabilities
Description	The report displays Total VaR results by Probability Decile.
Dashboards Prompts	Prompt VaR Probabilities Dtl <ul style="list-style-type: none"> • As of Date • Process • Product Type

Table 8-37 (Cont.) Value at Risk Probabilities

Report Name	VaR Probabilities
Report Criteria	Stochastic Process Details."Process Type And Id" cast("Value-at-Risk"."Var Term" as char) ' - ' "Value-at-Risk"."Var Term Mult" cast("Value-at-Risk"."Var Term" as char(2)) ' - ' "Value-at-Risk"."Var Term Mult" Value-at-Risk."Value At Risk" Value-at-Risk."Probability Decile" Value-at-Risk."Avg Probability" Value-at-Risk."Gross Probability"
Conditions	< None >
Compound Layout	Title Graph Graph (2) Pivot Table

8.7.62 Value at Risk Probabilities Detail

Table 8-38 Value at Risk Probabilities Detail

Report Name	VaR Probabilities DTL
Description	The report displays VaR results by Probability Decile.
Dashboards Prompts	Prompt VaR Probabilities Dtl <ul style="list-style-type: none"> • As of Date • Process • Product Type
Report Criteria	Stochastic Process Details."Process Name" Value-at-Risk."Rate Path Num" cast("Value-at-Risk"."Var Term" as char(3)) ' - ' "Value-at-Risk"."Var Term Mult" Value-at-Risk."Value At Risk" Value-at-Risk."Avg Probability"
Conditions	< None >
Compound Layout	Title Graph Pivot Table

8.7.63 VaR History

Table 8-39 VaR History

Report Name	VaR History
Description	The report displays Product-wise or Portfolio wise cumulative value at risk As of Date.
Dashboards Prompts	Prompt VaR Probabilities <ul style="list-style-type: none"> • As of Date • Process • Product Type • Confidence Level
Report Criteria	"Calendar - ALM Results". "As-of-Date", "Currency". "Cons Currency" "Value-at-Risk". "Value At Risk" VaR_ cast("Value-at-Risk" "Confidence Level"*100 as char) "Product". "Product Leaf Name"
Conditions	< None >
Compound Layout	

8.7.64 IRC History across Term

Table 8-40 IRC History across Term

Report Name	IRC History Across Term
Description	Report displays interest rates for a selected IRC over historical time.
Dashboards Prompts	Prompt IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt Historical Dates <ul style="list-style-type: none"> • Effective Date
Report Criteria	Calendar - Fact Data."Calendar Date" - Interest Rate Curve Master."Iso Currency Cd" - Interest Rate Curve Master."Irc Name" - Interest Rate Curve Master."Irc Term" - IRC Rates (History)."Interest Rate (Avg)"
Conditions	"Calendar - Fact Data"."Calendar Date" IN (date '1992-06-01', date '1992-06-09', date '1992-07-13', date '1992-07-19')
Compound Layout	Title Pivot Table

8.7.65 IRC History Across Dates

Table 8-41 IRC History Across Dates

Report Name	IRC History Across Term
Description	Report displays interest rates for a selected IRC over historical time.
Dashboards Prompts	Prompt IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt Historical Dates <ul style="list-style-type: none"> • Effective Date
Report Criteria	Calendar - Fact Data."Calendar Date" - Interest Rate Curve Master."Iso Currency Cd" - Interest Rate Curve Master."Irc Name" - Interest Rate Curve Master."Irc Term" - IRC Rates (History)."Interest Rate (Avg)"
Conditions	"Calendar - Fact Data"."Calendar Date" IN (date '1992-06-01', date '1992-06-09', date '1992-07-13', date '1992-07-19')
Compound Layout	Title Pivot Table

8.7.66 IRC Forecast Across Term

Table 8-42 IRC Forecast across Term

Report Name	IRC Forecast Across Term
Description	Report displays interest rates for a selected IRC over the forecast time buckets.
Dashboards Prompts	Prompt IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(end date) <ul style="list-style-type: none"> • Bucket End Date

Table 8-42 (Cont.) IRC Forecast across Term

Report Name	IRC Forecast Across Term
Report Criteria	Time Buckets."End Date" - Interest Rate Curve Master."Iso Currency Cd" - Interest Rate Curve Master."Irc Name" - Interest Rate Curve Master."Irc Term" Calendar - ALM Results."As-of-Date" - Interest Rate Curve Master."Irc Term (# Of Days)" - IRC Rates (Forecast)."Interest Rate Fcst (Avg)"
Conditions	< None >
Compound Layout	Title Pivot Table

8.7.67 IRC Forecast Across Dates

Table 8-43 IRC Forecast across Dates

Report Name(IRC Forecast Across Dates
Description	Report plots individual term points for a selected IRC over Forecast time.
Dashboards Prompts	Prompt - IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt - Historical Dates <ul style="list-style-type: none"> • Effective Date Prompt - Process Scenario. <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets (End date) Bucket End Date
Report Criteria	Time Buckets."End Date" - Interest Rate Curve Master."Iso Currency Cd" - Interest Rate Curve Master."Irc Name" - Interest Rate Curve Master."Irc Term" - IRC Rates (Forecast)."Interest Rate Fcst (Avg)" Calendar - ALM Results."As-of-Date"
Conditions	< None >
Compound Layout	Title Pivot Table

8.7.68 IRC Benchmark

Table 8-44 IRC Benchmark

Report Name	IRC Bench Rep
Description	The report compares forecast rates per scenario to benchmark scenario rates.
Dashboards Prompts	Prompt - Forecast Date <ul style="list-style-type: none"> As of Date Prompt - IRC Name and Currency <ul style="list-style-type: none"> Currency IRC IRC Term Prompt - Process Scenario <ul style="list-style-type: none"> Process Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> Bucket End Date
Report Criteria	Time Buckets."End Date" Process Scenario."Process Name" Process Scenario."Scenario Num" Process Scenario."Scenario Name" - IRC Rates (Forecast)."Interest Rate Fcst (Avg)" - IRC Rates (Forecast)."Interest Rate Fcst (Bench Avg)" - IRC Rates (Forecast)."Interest Rate Fcst (Pct To Bench)"
Conditions	< None >
Compound Layout	Title Graph Graph(2) Graph(3) Graph(4)

8.7.69 IRC Forecast x Days

Table 8-45 IRC Forecast x Days

Report Name	IRC Fcst Over Time 11g
Description	The report shows Forecast Rates - (entire yield curve) for selected scenarios across time.

Table 8-45 (Cont.) IRC Forecast x Days

Report Name	IRC Fcst Over Time 11g
Dashboards Prompts	Prompt - Forecast Date <ul style="list-style-type: none"> • As of Date Prompt - IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	- IRC Rates (Forecast). "Interest Rate Fcst (Avg)" - Interest Rate Curve Master. "Irc Term" Time Buckets. "Start Date" Time Buckets. "End Date" - Interest Rate Curve Master. "Irc Term (# Of Days)" - Interest Rate Curve Master. "Irc Name" Process Scenario. "Process Name" Process Scenario. "Process Id" - Interest Rate Curve Master. "Iso Currency Cd"
Conditions	< None >
Compound Layout	Title Pivot Table(2) Pivot Table(3) Pivot Table

8.7.70 IRC History and Forecast

Table 8-46 IRC History and Forecast

Report Name	IRC History and Forecast
Description	The report shows historical rates and forecast rates on a single graph.

Table 8-46 (Cont.) IRC History and Forecast

Report Name	IRC History and Forecast
Dashboards Prompts	Prompt - Historical Dates <ul style="list-style-type: none"> • Effective Date Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date Prompt - IRC Name and Currency (single selection) <ul style="list-style-type: none"> • Currency • IRC • IRC Term
Report Criteria	Calendar - Fact Data."Calendar Date" Time Buckets"."End Date" - IRC Rates (Forecast)."Interest Rate Fcst (Avg)" - IRC Rates (History)."Interest Rate (Avg)"
Conditions	< None >
Compound Layout	Title Graph

8.7.71 Economic Indicator History and Forecast

Table 8-47 Economic Indicator History and Forecast

Report Name	Eco Ind History and Forecast
Description	The report shows historical and forecast Economic Indicators on a single graph.
Dashboards Prompts	Prompt - Historical Dates <ul style="list-style-type: none"> • Effective Date Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date Prompt - Economic Indicator Names (single selection) <ul style="list-style-type: none"> • Economic Indicator
Report Criteria	Calendar - Fact Data."Calendar Date" - Economic Indicator (History)."Economic Indicator Value Chg" Time Buckets."End Date" - Economic Indicator (Forecast)."Economic Indicator Value Chg"
Conditions	< None >

Table 8-47 (Cont.) Economic Indicator History and Forecast

Report Name	Eco Ind History and Forecast
Compound Layout	Title Graph

8.7.72 FX Rates History and Forecast

Table 8-48 FX Rates History and Forecast

Report Name	FX History and Forecast
Description	The report shows historical and forecast Currency Rates on a single graph.
Dashboards Prompts	Prompt - Historical Dates <ul style="list-style-type: none"> • Effective Date Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date Prompt FX Currency (From-To) <ul style="list-style-type: none"> • Currency
Report Criteria	Calendar - Fact Data."Calendar Date" - Exchange Rates (History)."Fx Rate Hist (Avg)" Time Buckets."End Date" - Exchange Rates (Forecast)."Fx Rate Audit"
Conditions	< None >
Compound Layout	Title Graph

8.7.73 FX History

Table 8-49 FX History

Report Name	FX History
Description	The report shows historical FX Rates (average, moving average, minimum, and maximum).
Dashboards Prompts	Prompt FX Currency Hist <ul style="list-style-type: none"> • Effective Date • Currency • Month

Table 8-49 (Cont.) FX History

Report Name	FX History
Report Criteria	- Exchange Rate Master."From -To Currency" Calendar - Fact Data."Calendar Date" - Exchange Rates (History)."Fx Rate Hist (Avg)" - Exchange Rates (History)."Fx Rate Hist (Mavg)" - Exchange Rates (History)."Fx Rate Hist (Min)" - Exchange Rates (History)."Fx Rate Hist (Max)"
Conditions	< None >
Compound Layout	Title Pivot Table Pivot Table(2)

8.7.74 FX History Month

Table 8-50 FX History Month

Report Name	FX History Month
Description	The report shows historical FX Rates (Fx Rate Hist (Avg) and Fx Rate Hist (Mavg)).
Dashboards Prompts	Prompt FX Currency Hist <ul style="list-style-type: none"> • Effective Date • Currency • Month
Report Criteria	Exchange Rate Master"."From -To Currency", "- Exchange Rates (History)". "Fx Rate Hist (Avg)", "- Exchange Rates (History)". "Fx Rate Hist (Mavg)", "Calendar - Fact Data"."Per Name Month"
Conditions	<NONE>
Compound Layout	Title,Pivot Table (3) Pivot Table (4)

8.7.75 FX Forecast Scenario

Table 8-51 FX Forecast Scenario

Report Name	FX Forecast Scenario
Description	Report shows FX Rate Audit.

Table 8-51 (Cont.) FX Forecast Scenario

Report Name	FX Forecast Scenario
Dashboards Prompts	Prompt FX Currency <ul style="list-style-type: none"> • As of Date • Currency Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	"Calendar - ALM Results"."As-of-Date","Time Buckets"."Start Date","Time Buckets"."End Date","- Exchange Rate Master"."From -To Currency","- Exchange Rates (Forecast)". "Fx Rate Audit","Process Scenario"."Scenario
Conditions	<NONE>
Compound Layout	Title Pivot Table

8.7.76 FX Forecast

Table 8-52 FX Forecast

Report Name	FX Forecast
Description	Report shows forecast FX Rates.
Dashboards Prompts	Prompt FX Currency <ul style="list-style-type: none"> • As of Date • Currency Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	Calendar - ALM Results."As-of-Date" Time Buckets."Start Date" Time Buckets."End Date" - Exchange Rate Master."From -To Currency" - Exchange Rates (Forecast)."Fx Rate Audit"
Conditions	< None >
Compound Layout	Title Pivot Table Pivot Table(2)

8.7.77 Economic Indicator History

Table 8-53 Economic Indicator History

Report Name	Key Economic Indicators - History
Description	Report shows historical Economic Indicators.
Dashboards Prompts	Prompt - Economic Indicator Names <ul style="list-style-type: none"> • Economic Indicator Prompt - Historical Dates <ul style="list-style-type: none"> • End Date
Report Criteria	Calendar - Fact Data."Calendar Date" - Economic Indicator (History)."Economic Indicator Value Chg" - Economic Indicator Master."Economic Indicator Name"
Conditions	< None >
Compound Layout	Title Graph

8.7.78 Economic Indicator Forecast

Table 8-54 Economic Indicator Forecast

Report Name	Key Economic Indicators - Fcst
Description	Report shows forecast Economic Indicators.
Dashboards Prompts	Prompt - Economic Indicator Names <ul style="list-style-type: none"> • Economic Indicator Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets (End date) <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	Calendar - ALM Results."As-of-Date" Time Buckets."End Date" - Economic Indicator (Forecast)."Economic Indicator Value Chg" - Economic Indicator Master."Economic Indicator Name"
Conditions	< None >
Compound Layout	Title Pivot Table

8.7.79 IRC vs Related Economic Indicators vs FX - Historical

Table 8-55 IRC vs Related Economic Indicators vs FX - Forecast

Report Name	IRC Fcst vs Related Economic Indicators Fcst vs FX Fcst
Description	Report compares the Forecast Interest Rates, Forecast Currency Rates and Forecast Economic Indicators across time buckets.
Dashboards Prompts	Prompt - IRC Name and Currency <ul style="list-style-type: none"> • Currency • IRC • IRC Term Prompt FX Currency (From-To) <ul style="list-style-type: none"> • Currency Prompt - Economic Indicator Names <ul style="list-style-type: none"> • Economic Indicator Prompt - Historical Dates <ul style="list-style-type: none"> • Effective Date Prompt - Forecast Date <ul style="list-style-type: none"> • As of Date Prompt - Process Scenario <ul style="list-style-type: none"> • Process • Scenario Prompt - Buckets(End date) <ul style="list-style-type: none"> • Bucket End Date
Report Criteria	Economic Indicator (Forecast)."Economic Indicator Value Chg" Economic Indicator Master."Economic Indicator Name" IRC Rates (Forecast)."Interest Rate Fcst (Avg)" Exchange Rate Master."From -To Currency" IRC Rates (Forecast)."Interest Rate Fcst (Avg)" Interest Rate Curve Master."Irc Name" Calendar - ALM Results."As-of-Date" Time Buckets."End Date"
Conditions	< None >
Compound Layout	Title Pivot Table

8.7.80 ALM Process Deterministic Assumption Map

Table 8-56 ALM Process Deterministic Assumption Map

Report Name	Assumptions - RM Std Assumption Map
Description	Report displays the deterministic ALM Processes with related embedded assumption rules.
Dashboards Prompts	< None >
Report Criteria	Process Assumption Matrix."Result Sys Id" Process Assumption Matrix."Result Header Desc Short" Process Assumption Matrix."Leaf Characteristics Desc Short" Process Assumption Matrix."Discount Rate Desc Short" Process Assumption Matrix."Pre Payments Desc Short" Process Assumption Matrix."Rates Desc Short" Process Assumption Matrix."Pricing Margin Desc Short" Process Assumption Matrix."Forecast Bal Desc Short" Process Assumption Matrix."Maturity Auxiliary Desc Short" Process Assumption Matrix."Transactions Desc Short" Process Assumption Matrix."Formula Leaves Desc Short" Process Assumption Matrix."Filter Desc Short"
Conditions	Process Assumption Matrix.Rates Sys ID <> -1
Compound Layout	Title Table

8.7.81 ALM Process Stochastic Assumption Map

Table 8-57 ALM Process Stochastic Assumption Map

Report Name	Assumptions - RM Stoch Assumption Map
Description	Report displays stochastic ALM Processes with related embedded assumption rules.
Dashboards Prompts	Prompt - Process Def Folder Name <ul style="list-style-type: none"> Folder Name

Table 8-57 (Cont.) ALM Process Stochastic Assumption Map

Report Name	Assumptions - RM Stoch Assumption Map
Report Criteria	Process Assumption Matrix."Result Sys Id" Process Assumption Matrix."Result Header Desc Short" Process Assumption Matrix."Pre Payments Desc Short" Process Assumption Matrix."Pricing Margin Desc Short" Process Assumption Matrix."Forecast Bal Desc Short" Process Assumption Matrix."Maturity Auxiliary Desc Short" Process Assumption Matrix."Transactions Desc Short" Process Assumption Matrix."Formula Leaves Desc Short" Process Assumption Matrix."Filter Desc Short"
Conditions	Process Assumption Matrix.Rates Sys ID = -1
Compound Layout	Title Table

8.7.82 Maturity Strategies

Table 8-58 Maturity Strategies

Report Name	Assumptions - Maturity Strategies
Description	Report displays Maturity Mix assumptions.
Dashboards Prompts	Prompt - Maturity Auxiliary Desc <ul style="list-style-type: none"> Maturity Mix Name Prompt - Folder Name <ul style="list-style-type: none"> FolderName Prompt - Maturity Currency Name <ul style="list-style-type: none"> Currency
Report Criteria	"Product - Assumptions"."Product Name" "Product - Assumptions"."Is Leaf" "Product - Assumptions"."Display Order Number" Maturity Auxiliary."Maturity Term" Maturity Auxiliary."Amrt Term" Maturity Auxiliary."Alloc Percent"
Conditions	< None >
Compound Layout	Title Graph Table

8.7.83 Pricing Margins

Table 8-59 Pricing Margins

Report Name	Assumptions – Pricing Margins
Description	Report displays Maturity Mix assumptions.
Dashboards Prompts	Prompt - Pricing Folder Name <ul style="list-style-type: none"> Folder Name Prompt Product Hierarchy Name <ul style="list-style-type: none"> Product Hierarchy Name Prompt - Pricing Margin Rule <ul style="list-style-type: none"> Pricing Margin Rule Prompt - Pricing Margin Currency Name <ul style="list-style-type: none"> Currency
Report Criteria	Pricing Margin."Pricing Margin Desc Short" "Product - Assumptions"."Product Name" "Product - Assumptions"."Is Leaf" "Product - Assumptions"."Display Order Number" Pricing Margin.Bucket Pricing Margin."Gross Rate" Pricing Margin."Net Rate"
Conditions	< None >
Compound Layout	Title Graph Pivot Table
Report Name(s)	Assumptions – Pricing Margins

8.7.84 Discount Methods

Table 8-60 Discount Methods

Report Name	Assumptions - Discount Rates
Description	Report displays the Discount Method assumptions.
Dashboards Prompts	Prompt - Discount Folder Name <ul style="list-style-type: none"> Folder Name Prompt - Product Hierarchy Name <ul style="list-style-type: none"> Product Hierarchy Name Prompt - Discount Desc <ul style="list-style-type: none"> Discount Methods Name Prompt - Discount Rate Currency Name <ul style="list-style-type: none"> Currency

Table 8-60 (Cont.) Discount Methods

Report Name	Assumptions - Discount Rates
Report Criteria	"Discount Rate"."Discount Desc Short" "Product - Assumptions"."Product Name" Product - Assumptions."Is Leaf" Product - Assumptions."Display Order Number" Discount Rate."Ccy Cd" Discount Rate."Discount Rate Method" - Interest Rate Curve Master."Irc Name" Discount Rate."Interest Component Type" Discount Rate."Switches Description" Discount Rate."Rate Spread"
Conditions	< None >
Compound Layout	Title Table

8.7.85 Product Characteristics

Table 8-61 Product Characteristics

Report Name	Assumptions - RM Product Characteristics
Description	Report displays Product Characteristic assumptions.
Dashboards Prompts	Prompt - Product Folder Name <ul style="list-style-type: none"> Folder Name Prompt - Product Hierarchy Name <ul style="list-style-type: none"> Product Hierarchy Name Prompt - Product Characteristics <ul style="list-style-type: none"> Product Characteristics Name Prompt - Product Char Currency Name <ul style="list-style-type: none"> Currency

Table 8-61 (Cont.) Product Characteristics

Report Name	Assumptions - RM Product Characteristics
Report Criteria	Product Characteristics."Product Characteristics Desc" "Product - Assumptions"."Product Name" Product - Assumptions."Is Leaf" Product - Assumptions."Display Order Number" Currency."Currency Cd" Product Characteristics."Gross Rates Flg" Product Characteristics."Model With Gross Rates" Product Characteristics."Interest Credited" Product Characteristics."Percent Taxable" Product Characteristics."Currency Gain Loss Basis" Product Characteristics."Pay Equivalent Compound Conversion" Product Characteristics."Interest Rate Cd" Product Characteristics."Amortization Type Code" Product Characteristics."Adjustable Type Code" Product Characteristics."Interest Type" Product Characteristics."Reprice Freq X Mult" Product Characteristics."Payment Freq X Mult"
Conditions	< None >
Compound Layout	Title Table

8.7.86 Prepayments

Table 8-62 Prepayments

Report Name	Assumptions - Prepayments
Description	This report displays the Prepayment assumptions.
Dashboards Prompts	Prompt - Prepayments_Id <ul style="list-style-type: none"> • Folder Name Product Hierarchy Name <ul style="list-style-type: none"> • Product Hierarchy Name Prompt - Prepay Folder Name <ul style="list-style-type: none"> • Prepayment Name Prompt - Prepayment Currency Name <ul style="list-style-type: none"> • Currency

Table 8-62 (Cont.) Prepayments

Report Name	Assumptions - Prepayments
Report Criteria	<p>"Prepayment"."Prepayment Desc Short", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Product - Assumptions"."Is Leaf", "Prepayment"."Ccy Cd", case when "Prepayment"."Cash Flow Treatment Cd" in (1,0) then 'Prepayments' else case when "Prepayment"."Cash Flow Treatment Cd" in (-1) then 'Early Redemption' else null end end, "Prepayment"."Calc Method", case when "Prepayment"."Redemption Tenor Indicator" in (0) then 'User Payment Dates' when "Prepayment"."Redemption Tenor Indicator" in (1) then 'User Defined Redemption Tenors' when "Prepayment"."Redemption Tenor Indicator" in (2) then 'User Defined Prepayment Tenors' else 'Not Applicable' end, "Prepayment"."Quote", case when "Prepayment"."Cond Sys Id"<0 then 'No' else 'Yes' end, "Prepayment"."Folder Name PMTS", "Prepayment"."Ppmt Sys Id", case when "Prepayment"."Seasonality Flg"=0 then 'No' when "Prepayment"."Seasonality Flg"=1 then 'Yes' else 'Not Applicable' end, "Product - Assumptions"."Display Order Number"</p> <p>Following drill-down reports are available under Prepayment Assumption. These reports will be displayed after clicking on Product Name link. These are based on following column names: Portfolio, Calculation method, Redemption tenor</p>
Conditions	< None >
Compound Layout	Title Table

8.7.86.1 Early Redemption (Constant Method - User defined Tenors)

Table 8-63 Early Redemption (Constant Method - User defined Tenors)

Report Name	Assumptions - Early Redemption (Constant Method - User defined Tenors)
Report Criteria	"Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Balance Type", "Prepayment"."Prepayment Rate Type", "Prepayment"."Start Date (User Defined Tenors)", "Prepayment"."End Date (User Defined Tenors)", "Prepayment"."Tenor", "Prepayment"."Multiplier", "Prepayment"."Constant Prepayment Rate (User Defined Tenors)", "Prepayment"."January Coefficient", "Prepayment"."Prepayment Desc Short", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Ccy Cd", "Prepayment"."Seasonality Fig", "Prepayment"."Sequence Number", "Prepayment"."Repeat", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id"

8.7.86.2 Early Redemption (Constant Method)

Table 8-64 Early Redemption (Constant Method)

Report Name	Assumptions - Early Redemption (Constant Method)
Report Criteria	"Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", "Prepayment"."Constant Prepayment Rate (User Prepayments Dates)", "Prepayment"."January Coefficient", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Ccy Cd", "Prepayment"."Prepayment Desc Short", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id"

8.7.86.3 Early Redemption (Prepayment Model)

Table 8-65 Early Redemption (Prepayment Model)

Report Name	Assumptions - Early Redemption (Prepayment Model)
Report Criteria	<pre> "Prepayment"."Calc Method", "Prepayment"."Cash Flow Treatment Type", "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", "Prepayment"."Prepayment Model Coefficient", case when "Prepayment"."Prepayment Model category Cd" is null then 'Not applicable' else "Prepayment"."Prepayment Model Category" end, case when "Prepayment"."Prepayment Model Sys Id" in (0) then 'Not Applicable' else "Prepayment"."Prepayment Model Name" end, [' "Prepayment"."Currency Code (IRCS)" '] [' "Prepayment"."IRC Name" ' (' cast("Prepayment"."IRC Code" as char) ')], "Prepayment"."Rate Spread", "Prepayment"."Rate Term", Case when "Prepayment"."Seasonality Flg" in (0) then 'No' else 'Yes' end, "Prepayment"."January Coefficient", "Prepayment"."February Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Ccy Cd", "Prepayment"."Prepayment Desc Short", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id" </pre>

8.7.86.4 Prepayment (Arctangent)

Table 8-66 Prepayment (Arctangent)

Report Name	Assumptions - Prepayment (Arctangent)
Report Criteria	<pre> "Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", case when "Prepayment"."Prepayment Model category Cd" is null then 'Not applicable' else "Prepayment"."Prepayment Model Category" end, case when "Prepayment"."Prepayment Model Sys Id" in (0) then 'Not Applicable' else "Prepayment"."Prepayment Model Name" end, "Prepayment"."Constant Coe.K 1", "Prepayment"."Constant Coe.K 2", "Prepayment"."Constant Coe.K 3", "Prepayment"."Constant Coe.K 4", [' '"Prepayment"."Currency Code (IRCS)" '] [' '"Prepayment"."IRC Name" ' ' (' cast("Prepayment"."IRC Code" as char) ')', "Prepayment"."Rate Spread", "Prepayment"."Rate Term", Case when "Prepayment"."Seasonality Flg" in (0) then 'No' else 'Yes' end, "Prepayment"."January Coefficient", "Prepayment"."February Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Prepayment Desc Short", "Prepayment"."Ccy Cd", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id" </pre>

8.7.86.5 Prepayments (Constant Method - User defined Tenors)

Table 8-67 Prepayments (Constant Method - User defined Tenors)

Report Name	Assumptions - Prepayments (Constant Method - User defined Tenors)
Report Criteria	"Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Balance Type", "Prepayment"."Prepayment Rate Type", "Prepayment"."Start Date (User Defined Tenors)", "Prepayment"."End Date (User Defined Tenors)", "Prepayment"."Tenor", "Prepayment"."Multiplier", "Prepayment"."Constant Prepayment Rate (User Defined Tenors)", "Prepayment"."January Coefficient", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Prepayment Desc Short", "Prepayment"."Ccy Cd", Case when "Prepayment"."Seasonality Flg" in (0) then 'No' when "Prepayment"."Seasonality Flg" in (1) then 'Yes' else 'Not Applicable' end, "Prepayment"."Sequence Number", "Prepayment"."Sequence Number", "Prepayment"."Repeat", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id"

8.7.86.6 Prepayments (Constant Method)

Table 8-68 Prepayments (Constant Method)

Report Name	Assumptions - Prepayments (Constant Method)
Report Criteria	"Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", "Prepayment"."Constant Prepayment Rate (User Prepayments Dates)", "Prepayment"."January Coefficient", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Prepayment Desc Short", "Prepayment"."Ccy Cd", case when "Prepayment"."Seasonality Fig"=0 then 'No' when "Prepayment"."Seasonality Fig"=1 then 'Yes' else 'Not Applicable' end, "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id"

8.7.86.7 Prepayments (Prepayment Model)

Table 8-69 Prepayments (Prepayment Model)

Report Name	Assumptions - Prepayments (Prepayment Model)
Report Criteria	<pre> "Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", "Prepayment"."Prepayment Model Coefficient", case when "Prepayment"."Prepayment Model category Cd" is null then 'Not applicable' else "Prepayment"."Prepayment Model Category" end, case when "Prepayment"."Prepayment Model Sys Id" in (0) then 'Not Applicable' else "Prepayment"."Prepayment Model Name" end, [' "Prepayment"."Currency Code (IRCS)" '] ' "Prepayment"."IRC Name" ' (' cast("Prepayment"."IRC Code" as char) '), "Prepayment"."Rate Spread", "Prepayment"."Rate Term", Case when "Prepayment"."Seasonality Flg" in (0) then 'No' when "Prepayment"."Seasonality Flg" in (1) then 'Yes' else 'Not applicable' end, "Prepayment"."January Coefficient", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Prepayment Desc Short", "Prepayment"."Ccy Cd", "Product - Assumptions"."Product Id", "Product - Assumptions"."Product Name", "Prepayment"."Ppmt Sys Id" </pre>

8.7.86.8 Prepayments (PSA)

Table 8-70 Prepayments (PSA)

Report Name	Assumptions - Prepayments (PSA)
Report Criteria	"Prepayment"."Calc Method", Case when "Prepayment"."Cash Flow Treatment Type" null then 'Not Applicable' else "Prepayment"."Cash Flow Treatment Type" end, "Prepayment"."Start Date (User Prepayments Date)", "Prepayment"."End Date (User Prepayments Date)", "Prepayment"."PSA Speed", case when "Prepayment"."Prepayment Model category Cd" is null then 'Not applicable' else "Prepayment"."Prepayment Model Category" end, case when "Prepayment"."Prepayment Model Sys Id" in (0) then 'Not Applicable' else "Prepayment"."Prepayment Model Name" end, Case when "Prepayment"."Seasonality Flg" in (0) then 'No' when "Prepayment"."Seasonality Flg" in (1) then 'Yes' else 'Not Applicable' end, "Prepayment"."January Coefficient", "Prepayment"."Febuary Coefficient", "Prepayment"."March Coefficient", "Prepayment"."April Coefficient", "Prepayment"."May Coefficient", "Prepayment"."June Coefficient", "Prepayment"."July Coefficient", "Prepayment"."August Coefficient", "Prepayment"."September Coefficient", "Prepayment"."October Coefficient", "Prepayment"."November Coefficient", "Prepayment"."December Coefficient", "Prepayment"."Ccy Cd", "Prepayment"."Prepayment Desc Short", "Product - Assumptions"."Product Name", "Product - Assumptions"."Product Id", "Prepayment"."Ppmt Sys Id"

8.7.87 Prepayment Models

Table 8-71 Prepayment Models

Report Name	Assumptions - Prepayment Table
Description	This report displays the Prepayment Model assumptions.
Dashboards Prompts	Prompt - Prepayments <ul style="list-style-type: none"> Folder Name Prompt - Prepay Folder Name <ul style="list-style-type: none"> Prepayment Model Name

Table 8-71 (Cont.) Prepayment Models

Report Name	Assumptions - Prepayment Table
Report Criteria	Prepayment."Prepayment Desc Short" Prepayment."Origination Term" Prepayment."Reprice Term" Prepayment."Remaining Term" Prepayment."Expired Term" Prepayment."Term To Reprice" Prepayment."Coupon Rate" Prepayment."Market Rate" Prepayment."Rate Difference" Prepayment."Rate Ratio" Prepayment."Ppmt Rate"
Conditions	< None >
Compound Layout	Title Table

8.7.87.1 Assumptions - Forecast Balance

Table 8-72 Assumptions - Forecast Balance

Report Name	Forecast Balances
Description	This report displays the data from Forecast Balance Table.
Dashboards Prompts	Prompt - Forecast Strategies Folder Name <ul style="list-style-type: none"> FolderName Prompt - Forecast Balances Rule <ul style="list-style-type: none"> Forecast Balance Rule Prompt- Currency Name <ul style="list-style-type: none"> Currency Name
Report Criteria	Case when "Forecast Balances"."Leaf Num Id" = 2 then "Forecast Balances"."GI Account Name" when "Forecast Balances"."Leaf Num Id" = 3 then "Forecast Balances"."Common Coa Name" when "Forecast Balances"."Leaf Num Id" = 4 then "Forecast Balances"."Product Name" end,"Forecast Balances"."Booking","Forecast Balances"."Fbal Method","Forecast Balances"."Rate Volume Rel Cd","Forecast Balances"."Rate Node","Forecast Balances"."Rate Dependency Pattern Name","Currency"."Currency Cd"
Conditions	<NONE>
Compound Layout	Title,Table

8.7.88 Transaction Strategies

Table 8-73 Transaction Strategies

Report Name	Transaction Strategies
Description	This report displays the data of Transaction Strategies Table.
Dashboards Prompts	Prompt - Transaction Strategies Folder Name <ul style="list-style-type: none">• FolderName Prompt - Transaction Strategies Rule <ul style="list-style-type: none">• Transaction Strategies Ru Prompt Transaction Strategies - Currency <ul style="list-style-type: none">• Currency Prompt- Balance Type <ul style="list-style-type: none">• Balance

Table 8-73 (Cont.) Transaction Strategies

Report Name	Transaction Strategies
Report Criteria	<p>"Transaction Strategies"."Product Name", "Transaction Strategies"."Ccy Code", "Transaction Strategies"."Rate Selection", "Transaction Strategies"."Rate Tiers", "Transaction Strategies"."Adj Type P", "Transaction Strategies"."Adj Type R", "Transaction Strategies"."Binary rate P", "Transaction Strategies"."Binary rate R", "Transaction Strategies"."Ccy Code P", "Transaction Strategies"."Ccy Code R", "Transaction Strategies"."Derivative Subtype Code", "Transaction Strategies"."Derivative Type Code", "Transaction Strategies"."Exchange of Principal", "Transaction Strategies"."Gross Margin P", "Transaction Strategies"."Gross Rate R", "Transaction Strategies"."Gross Rate P", "Transaction Strategies"."Gross Rate R", "Transaction Strategies"."Initial Rate Pricing Option P", "Transaction Strategies"."Initial Rate Pricing Option R", "Transaction Strategies"."Int Rate Code P", "Transaction Strategies"."Int Rate Code R", "Transaction Strategies"."Min Rate Change P", "Transaction Strategies"."Min Rate Chnage R",</p> <p>"Transaction Strategies"."Net Margin P", "Transaction Strategies"."Net Margin R", "Transaction Strategies"."Net Rate P", "Transaction Strategies"."Net Rate R", "Transaction Strategies"."Principal P", "Transaction Strategies"."Principal R", "Transaction Strategies"."Purchase Sale Ind P", "Transaction Strategies"."Rate Cap Life P", "Transaction Strategies"."Rate Cap Life R", "Transaction Strategies"."Rate Chg Round Pct P", "Transaction Strategies"."Rate Chg Round Pct R", "Transaction Strategies"."Rate Decrease Life P", "Transaction Strategies"."Rate Floor Life P", "Transaction Strategies"."Rate Floor Life R", "Transaction Strategies"."Rate Increase Life P", "Transaction Strategies"."Rate Increase Life R", "Transaction Strategies"."Rate Increase Period P", "Transaction Strategies"."Rate Increase Period R", "Transaction Strategies"."Rate Set Lag Mult P", "Transaction Strategies"."Rate Set Lag Mult R", "Transaction Strategies"."Rate Set Lag P", "Transaction Strategies"."Rate Set Lag R", "Transaction Strategies"."Rep Freq Mult P", "Transaction Strategies"."Rep Freq Mult R", "Transaction Strategies"."Rep Freq P", "Transaction Strategies"."Rep Freq R", "Transaction Strategies"."Pmt Freq", "Transaction Strategies"."Pmt Freq Mult",</p>

Table 8-73 (Cont.) Transaction Strategies

Report Name	Transaction Strategies
	"Transaction Strategies"."Amort Type", "Transaction Strategies"."Int Type", "Transaction Strategies"."Premium Percentage", "Transaction Strategies"."Deferred balance", "Transaction Strategies"."Min Bal Amot Swap", "Transaction Strategies"."Comp Basis", "Transaction Strategies"."Accr Basis", "Transaction Strategies"."payment Pattern Code", "Transaction Strategies"."Holiday Rolling Convention Code", "Transaction Strategies"."Origination Date", "Transaction Strategies"."Original Term", "Transaction Strategies"."Original Term Mult", "Transaction Strategies"."Amort Term", "Transaction Strategies"."Amort Term Mult", "Transaction Strategies"."Amort Method Code", "Transaction Strategies"."Net Margin Flag", "Transaction Strategies"."Product Id", "Transaction Strategies"."Rate Pricing Option", "Transaction Strategies"."Segment Code", "Transaction Strategies"."Short Desc", "Transaction Strategies"."Is Offbalance" Transaction Strategies"."Amort Type", "Transaction"
Conditions	"Transaction Strategies"."Is Offbalance" = 'Y'
Compound Layout	Title Table

8.7.89 Forecast Rates - Interest Rates

Table 8-74 Forecast Rates - Interest Rates

Report Name	Assumptions - Forecast Rates
Description	This report displays the IRC Name, IRC Term Point, Forecast Type, and Minimum Rate.

Table 8-74 (Cont.) Forecast Rates - Interest Rates

Report Name	Assumptions - Forecast Rates
Dashboards Prompts	Prompt - Forecast Rates Folder Name <ul style="list-style-type: none"> FolderName Prompt- Forecast Interest rates Currency Name <ul style="list-style-type: none"> Currency Name Prompt - Forecast Rates Rule <ul style="list-style-type: none"> Forecast Rates Rule Prompt - IRC NAME <ul style="list-style-type: none"> IRC Name Prompt - Scenario Name <ul style="list-style-type: none"> Scenario Name Prompt - IRC Term Point <ul style="list-style-type: none"> IRC Term Point
Report Criteria	"Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."IRC Term Point", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Minimum Rate", "Forecast Rates"."Scenario Name", Following drill-down reports are available under Forecast - Interest Rate Assumption. These reports will be displayed after clicking on IRC Name link. These are based the on Forecast Type column name.
Conditions	<NONE>
Compound Layout	Title, Table

8.7.89.1 Forecast Rates (Change from Base)

Table 8-75 Forecast Rates (Change from Base)

Report Name	Assumptions - Forecast Rates (Change from base)
Report Criteria	"Forecast Rates"."Short Desc", "Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Scenario Name", "Forecast Rates"."Interest Rate Change (Change from base)", cast("Forecast Rates"."Interest Rate Term (Change from base)" as char) ' '"Forecast Rates"."Interest Rate Term Multiplier (Change from base)"

8.7.89.2 Forecast Rates (Direct Input)

Table 8-76 Forecast Rates (Direct Input)

Report Name	Assumptions - Forecast Rates (Direct Input)
Report Criteria	"Forecast Rates"."Short Desc", "Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Scenario Name", "Forecast Rates"."Bucket Number (Direct Input)", "Forecast Rates"."Interest Rate (Direct Input)", cast("Forecast Rates"."Interest Rate Term (Direct Input)" as char) '"Forecast Rates"."Interest Rate Term Multiplier (Direct Input)"

8.7.89.3 Forecast Rates (Implied Forward)

Table 8-77 Forecast Rates (Implied Forward)

Report Name	Assumptions - Forecast Rates (Implied Forward)
Report Criteria	"Forecast Rates"."Short Desc", "Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Scenario Name", "Forecast Rates"."Interest Rate Change (Implied Forward)", cast("Forecast Rates"."Interest Rate Term (Implied Forward)" as char) '"Forecast Rates"."Interest Rate Term Multiplier (Implied Forward)"

8.7.89.4 Forecast Rates (Structured Change)

Table 8-78 Forecast Rates (Structured Change)

Report Name	Assumptions - Forecast Rates (Structured Change)
Report Criteria	"Forecast Rates"."Short Desc", "Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Scenario Name", "Forecast Rates"."From Bucket Number (Structured Change)", "Forecast Rates"."To Bucket Number (Structured Change Bucket)", cast("Forecast Rates"."Interest Rate Term (Structured Change) as char) ' "Forecast Rates"."Interest Rate Term Multiplier (Structured Change)", "Forecast Rates"."Interest Rate Change (Structured Change)"

8.7.89.5 Forecast Rates (Yield Curve Twist)

Table 8-79 Forecast Rates (Yield Curve Twist)

Report Name	Assumptions - Forecast Rates (Yield Curve Twist)
Report Criteria	"Forecast Rates"."Short Desc", "Forecast Rates"."Irc Name", "Forecast Rates"."Iso Currency Cd", "Forecast Rates"."Fcast Irc Method", "Forecast Rates"."Forecast Interpolate Method", "Forecast Rates"."Scenario Name", "Forecast Rates"."From Bucket Number (Yield Curve Twist)", "Forecast Rates"."To Bucket Number (Yield Curve Twist)", cast("Forecast Rates"."Anchor Point Term as char) ' "Forecast Rates"."Anchor Point Term Multiplier", "Forecast Rates"."Anchor Point Rate", cast("Forecast Rates"."Long Point Term as char) ' "Forecast Rates"."Long Point Multiplier", cast("Forecast Rates"."Short Point Term as char) ' "Forecast Rates"."Short Point Multiplier", "Forecast Rates"."Short Point Rate"

8.7.90 Forecast Rates - Currency Rates

Table 8-80 Forecast Rates - Currency Rates

Report Name	Assumptions - Forecast Rates Currency
Description	This report displays the Forecast Type, Minimum Rate, Currency Name, and Scenario Name.

Table 8-80 (Cont.) Forecast Rates - Currency Rates

Report Name	Assumptions - Forecast Rates Currency
Dashboards Prompts	Prompt - Forecast Rates Currency Folder Name <ul style="list-style-type: none"> FolderName Prompt - Forecast Rates Currency Rule <ul style="list-style-type: none"> Forecast Rates Currency Rule Name Prompt - Forecast Rates Currency Name <ul style="list-style-type: none"> Currency Name Prompt - Forecast Rates Currency Scenario <ul style="list-style-type: none"> Scenario Name
Report Criteria	"Forecast Rate Currency"."Scenario Name", "Forecast Rate Currency"."From Currency Cd", "Forecast Rate Currency"."Fcast Xrate Method", "Forecast Rate Currency"."Minimum Rate" Following drill-down reports are available under Forecast - Currency Rate Assumption. These reports will be displayed after clicking on Currency link. These are based on Forecast Type column name.
Conditions	<NONE>
Compound Layout	Title Table

8.7.90.1 Forecast Rates Currency (Direct Input)

Table 8-81 Forecast Rates Currency (Direct Input)

Report Name	Assumptions - Forecast Rates Currency (Direct Input)
Report Criteria	"Forecast Rate Currency"."Short Desc", "Forecast Rate Currency"."Scenario Name", "Forecast Rate Currency"."From Currency Cd", "Forecast Rate Currency"."Fcast Xrate Method", "Forecast Rate Currency"."From Bucket Number (Structured Change)", "Forecast Rate Currency"."To Bucket Number (Structured Change)", "Forecast Rate Currency"."Exchange Rate Change (Structured Change)"

8.7.90.2 Forecast Rates Currency (Structured Change)

Table 8-82 Forecast Rates Currency (Structured Change)

Report Name	Assumptions - Forecast Rates Currency (Structured Change)
Report Criteria	"Forecast Rate Currency"."Short Desc", "Forecast Rate Currency"."Scenario Name", "Forecast Rate Currency"."From Currency Cd", "Forecast Rate Currency"."Fcast Xrate Method", "Forecast Rate Currency"."From Bucket Number (Structured Change)", "Forecast Rate Currency"."To Bucket Number (Structured Change)", "Forecast Rate Currency"."Exchange Rate Change (Structured Change)"

8.7.90.3 Forecast Rates - Economic Indicator

Table 8-83 Forecast Rates - Economic Indicator

Report Name	Assumptions - Forecast Rates EI
Description	This report displays the data from Forecast Rates EI table.
Dashboards Prompts	Prompt - Forecast Rates Currency Folder Name <ul style="list-style-type: none"> Folder Name Prompt - Forecast Rates Currency Rule <ul style="list-style-type: none"> Forecast Rate Rule Name Prompt - Forecast Rates Scenario Name <ul style="list-style-type: none"> Scenario Name Prompt - Forecast Rates Economic Indicator Name <ul style="list-style-type: none"> Economic Indicator Name
Report Criteria	"Forecast Rates EI"."Scenario Name", "Forecast Rates EI"."Economic Indicator Name", "Forecast Rates EI"."Forecast Type", "Forecast Rates EI"."Minimum Rate" Following drill-down reports are available under Forecast - Economic Indicator Assumption. These reports will be displayed after clicking on Economic Indicator Name link. These are based on Forecast Type column name.
Conditions	<NONE>
Compound Layout	Title Table

8.7.90.4 Forecast Rates EI (Direct Input)

Table 8-84 Forecast Rates EI (Direct Input)

Report Name	Assumptions - Forecast Rates EI (Direct Input)
Report Criteria	"Forecast Rates EI"."Short Desc", "Forecast Rates EI"."Scenario Name", "Forecast Rates EI"."Economic Indicator Name", "Forecast Rates EI"."Forecast Type", "Forecast Rates EI"."Bucket Number (Direct Input)", "Forecast Rates EI"."Economic Indicator Value (Direct Input)"

8.7.90.5 Forecast Rates EI (Structured Change)

Table 8-85 Forecast Rates EI (Structured Change)

Report Name	Assumptions - Forecast Rates EI (Structured Change)
Report Criteria	"Forecast Rates EI"."Short Desc", "Forecast Rates EI"."Scenario Name", "Forecast Rates EI"."Economic Indicator Name", "Forecast Rates EI"."Forecast Type", "Forecast Rates EI"."From Bucket Number (Structured Change)", "Forecast Rates EI"."To Bucket Number (Structured Change)", "Forecast Rates EI"."Economic Indicator Value Change (Structured Change)"

8.7.91 Rate Dependency Pattern

Table 8-86 Rate Dependency Pattern

Report Name	Rate Dependency Condition for Pattern
Description	It displays the RDP Rule.
Dashboards Prompts	Prompt - RDP Folder Name <ul style="list-style-type: none"> FolderName Prompt RDP Pattern Type <ul style="list-style-type: none"> Rate Dependency Pattern Type Prompt RDP rule <ul style="list-style-type: none"> Rate Dependency Pattern Rule Name
Report Criteria	'@{RULE}'
Conditions	<NONE>
Compound Layout	Title Table

8.7.92 Behavior Pattern Rule

Table 8-87 Behavior Pattern Rule

Report Name	Behavior Pattern Rule
Description	This report displays the all behavior pattern rules configured in ALM.
Dashboards Prompts	Prompt - FolderName <ul style="list-style-type: none"> Folder Name Prompt - Product Hierarchy Name <ul style="list-style-type: none"> Product Hierarchy Name NameofBehaviorPatternRule <ul style="list-style-type: none"> Behavior Pattern Rule Name
Report Criteria	"Product - Assumptions"."Product Name" "Currency"."Currency Name" "Behaviour Pattern Rule Fact"."Pattern Code" "Behaviour Pattern Master"."Pattern Name"
Conditions	
Compound Layout	Title Table

8.7.93 Forecast Rate - Behavior Pattern Rule

Table 8-88 Forecast Rate - Behavior Pattern Rule

Report Name	Behavior Pattern Rule
Description	This report displays the behavior pattern rules mapped to a forecast rate scenario.
Dashboards Prompts	Prompt - FolderName <ul style="list-style-type: none"> Folder Name NameofForecastRatesRule <ul style="list-style-type: none"> Forecast Rates Rule Name
Report Criteria	"Forecast Rates (BPR)". "Scenario Name" "Behaviour Pattern Rule (Forecast Rates)". "Pattern Code" "Behaviour Pattern Master". "Pattern Name"
Conditions	
Compound Layout	Title Table

8.7.94 Process Errors

Table 8-89 Process Errors

Report Name	Audit - Process Errors
Description	This report displays the results from the Process Errors table.
Dashboards Prompts	Prompt - Process Error_new <ul style="list-style-type: none"> Process Name Identifier Number
Report Criteria	Dim Process(For Process Errors)."Process Name" Dim Process(For Process Errors)."Process Id" Process Errors Master."Error Description" Process Errors Master."Error Code" Process Errors Master.Severity Product."Product Leaf Name" Process Errors Master."Table Name" Process Errors Master."Id Number" Process Errors Master."Field Name" Process Errors Master."Field Value" Process Errors Master."Corrected Value"
Conditions	< None >
Compound Layout	Title Table

8.7.95 Detail Cash Flows

Table 8-90 Detail Cash Flows

Report Name	Audit - Detail Cash Flows
Description	This report displays the results from the detail cash flow - audit table.
Dashboards Prompts	Prompt - Process Cash Flow 1 <ul style="list-style-type: none"> Process Scenario Prompt - Process Cash Flow <ul style="list-style-type: none"> As of Date Cash Flow Date Record Sequence Identifier Number

Table 8-90 (Cont.) Detail Cash Flows

Report Name	Audit - Detail Cash Flows
Report Criteria	Process Scenario."Process Name"
	Process Cash Flows Master."Id Number"
	Product."Product Leaf Name"
	Process Cash Flows Master."Cashflow Date"
	Process Cash Flows Details."End Balance"
	Process Cash Flows Details."Ending Gross Rate"/"Process Cash Flows Details". "End Balance"*100
	Process Cash Flows Details."Ending Net Rate"/"Process Cash Flows Details". "End Balance"*100
	Process Cash Flows Details."Ending Transfer Rate"/"Process Cash Flows Details". "End Balance"*100
	Process Cash Flows Details."Prepay Runoff - Positive"
	Process Cash Flows Details."Payment Runoff - Positive"
	Process Cash Flows Details."Maturity Runoff - Positive"
	Process Cash Flows Details."Total Runoff - Positive"
	Process Cash Flows Details."Total Runoff Gross Rate"/"Process Cash Flows Details". "Total Runoff - Positive"*100
	Process Cash Flows Details."Total Runoff Net Rate"/"Process Cash Flows Details". "Total Runoff - Positive"*100
	Process Cash Flows Details."Total Runoff Transfer Rate"/"Process Cash Flows Details". "Total Runoff - Positive"*100
	Process Cash Flows Details."Repricing Balance"
	Process Cash Flows Details."Before Repricing Gross Rate"/"Process Cash Flows Details". "Repricing Balance"*100
	Process Cash Flows Details."After Repricing Gross Rate"
	Process Cash Flows Details."Before Repricing Net Rate"/"Process Cash Flows Details". "Repricing Balance"*100
	Process Cash Flows Details."After Repricing Net Rate"/"Process Cash Flows Details". "Repricing Balance"*100
	Process Cash Flows Details."Fully Indexed Gross Rate"/"Process Cash Flows Details". "Repricing Balance"*100

Table 8-90 (Cont.) Detail Cash Flows

Report Name	Audit - Detail Cash Flows
	Process Cash Flows Details."Fully Indexed Net Rate"/"Process Cash
	Flows Details"."Repricing Balance"*100
	Process Cash Flows Details."Interest Cash Flow"
	Process Cash Flows Details."Interest Cash Flow Gross"
	Process Cash Flows Details."Discount Rate"
	Process Cash Flows Details."Annual Prepayment Rate"/"Process Cash
	Flows Details"."Balance Before Prepay"*100
	Process Cash Flows Details."Balance Before Prepay"
	Process Cash Flows Details."Market Value"
	Process Cash Flows Details.Duration/"Process Cash Flows
	Details"."Market Value"
	"Process Cash Flows Details"."Inflation Adjustment to Interest (179)"
	"Process Cash Flows Details"."Inflation Adjustment to Principal (178)"
	"Process Cash Flows Details"."Index Factor (194)"
Conditions	< None >
Compound Layout	Title
	Pivot Table

8.7.96 Ledger to Instrument Reconciliation Report

Table 8-91 Ledger to Instrument Reconciliation Report

Report Name	Ledger to Instrument Reconciliation Report
Description	This report shows the instrument and ledger data.
Dashboards Prompts	Prompt - AsofDateLR <ul style="list-style-type: none"> • As of Date Prompt - OrgUnit <ul style="list-style-type: none"> • Organizational Unit Prompt - Instrument to Ledger Balance <ul style="list-style-type: none"> • Instrument Balance Prompt - Currency <ul style="list-style-type: none"> • Currency

Table 8-91 (Cont.) Ledger to Instrument Reconciliation Report

Report Name	Ledger to Instrument Reconciliation Report
Report Criteria	<pre> "Product"."Product Name Level19", "Product"."Account Type", "Product"."Product Leaf Name", ifnull(CASE WHEN "Product"."Account Type" IN (100,200) THEN (ifnull (CASE WHEN '@{LBal}{Ending}' ='Ending' THEN FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) ELSE FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) END,0) - ifnull (CASE WHEN '@{LBal} {Ending}'='Ending' THEN "Account Summary"."Eop Book Bal" ELSE "Account Summary"."Avg Book Bal" END,0)) WHEN "Product"."Account Type" IN (300,400) THEN (ifnull (CASE WHEN '@{LBal}{Ending}' ='Ending' THEN FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) ELSE FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) END,0)- ifnull (CASE WHEN '@{LBal} {Ending}'='Ending' THEN "Account Summary"."Eop Book Bal" ELSE "Account Summary"."Avg Book Bal" END,0)) END,0)/ 1000000, ifnull(ABS(((CASE WHEN "Product"."Account Type" IN (100,200) THEN (ifnull (CASE WHEN '@{LBal}{Ending}' ='Ending' THEN FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) ELSE FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) END,0) - ifnull (CASE WHEN '@{LBal}{Ending}'='Ending' THEN "Account Summary"."Eop Book Bal" ELSE "Account Summary"."Avg Book Bal" END,0))WHEN "Product"."Account Type" IN (300,400) THEN (ifnull (CASE WHEN '@{LBal}{Ending}' ='Ending' THEN FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) ELSE FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) END,0) - ifnull (CASE WHEN '@{LBal}{Ending}'='Ending' THEN "Account Summary"."Eop Book Bal" ELSE "Account Summary"."Avg Book Bal" END,0))END)/ifnull (CASE WHEN '@{LBal} {Ending}' ='Ending' THEN FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) ELSE FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) END,0))*100),0), ifnull(case when '@{LBal}{Ending}'='Ending' then FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 100)) else FILTER("Ledget Stat"."Value" USING ("Ledget Stat"."Financial Elem Id" = 140)) end,0)/ </pre>

Table 8-91 (Cont.) Ledger to Instrument Reconciliation Report

Report Name	Ledger to Instrument Reconciliation Report
Conditions	"Product"."Account Type" IN (100, 300)
Compound Layout	Title
	Pivot Table

8.7.97 Result Master to Instrument Reconciliation in Base Currency

Refer to the table in Chapter Result Master to Instrument Reconciliation in Consolidated Currency.

8.7.98 Result Master to Instrument Reconciliation in Consolidated Currency

Table 8-92 Result Master to Instrument Reconciliation in Consolidated Currency

Report Name	Result Master to Instrument Reconciliation Base Report Result Master to Instrument Reconciliation Cons Report
Description	This report displays Result master and instrument data.
Dashboards Prompts	Prompt - AsofDate <ul style="list-style-type: none"> • As of Date Prompt GL Recon <ul style="list-style-type: none"> • Process • Scenario Prompt - Result Master to Instrument Balance <ul style="list-style-type: none"> • Balance Prompt - Currency <ul style="list-style-type: none"> • Currency
Report Criteria	"Product"."Product Name Level20","Product"."Account Type","Product"."Product Leaf Name", (ifnull(case when '@{IRBal}{Par}'='Par' then "Master Results"."Cur Par Bal" else "Master Results"."Cur Defer Bal C" end,0)) - (ifnull(case when '@{IRBal} {Par}'='Par' then "Account Summary"."Eop Bal" else "Account Summary"."Deferrecur Bal" end,0)), (((ifnull(case when '@{IRBal}{Par}'='Par' then "Master Results"."Cur Par Bal" else "Master Results"."Cur Defer Bal C" end,0)) - (ifnull(case when '@{IRBal}{Par}'='Par' then "Account Summary"."Eop Bal" else "Account Summary"."Deferrecur Bal" end,0)))*100)/ ifnull(case when '@{IRBal}{Par}'='Par' then "Account Summary"."Eop Bal" else "Account Summary"."Deferrecur Bal" end,0),ifnull(case when '@{IRBal}{Par}'='Par' then "Master Results"."Cur Par Bal" else "Master Results"."Cur Defer Bal C" end,0),ifnull(case when '@{IRBal} {Par}'='Par' then "Account Summary"."Eop Bal" else "Account Summary"."Deferrecur Bal" end,0),"Currency"."Base Currency","Currency"."Currency Name"
Conditions	"Product"."Account Type" IN (100, 300)
Compound Layout	Title Pivot Table

8.7.99 Detail Stepped Rate

Table 8-93 Detail Stepped Rate

Report Name	Stepped Interest Rate (Account level)
Description	This report displays results from the detail rate tier cash flow - audit table.
Dashboards Prompts	Prompt - Process (Rate Tier Cash Flow) <ul style="list-style-type: none"> • Process • Scenario Prompt - Rate Tier Cash Flow 2 <ul style="list-style-type: none"> • As of Date Prompt - Rate Tier Cash Flow 1 <ul style="list-style-type: none"> • Account Number
Report Criteria	"Account"."Account Number" "Rate Tiers Cashflow"."Tier Name" "Rate Tiers Cashflow"."Rank" ifnull("Rate Tiers Cashflow"."Beginning Balance",0.00) ifnull("Rate Tiers Cashflow"."Interest Cash Flow",0.00) ifnull("Rate Tiers Cashflow"."Before Repricing Net Rate",0.00) ifnull("Rate Tiers Cashflow"."After Repricing Net Rate",0.00) ifnull("Rate Tiers Cashflow"."Discount Rate",0.00) ifnull("Rate Tiers Cashflow"."Duration",0.00) ifnull("Rate Tiers Cashflow"."Dv01 Fe 725",0.00) ifnull("Rate Tiers Cashflow"."End of Period Balance",0.00) ifnull("Rate Tiers Cashflow"."End Net Rate",0.00) ifnull("Rate Tiers Cashflow"."Market Value",0.00) ifnull("Rate Tiers Cashflow"."Modified Duration",0.00) ifnull("Rate Tiers Cashflow"."Repricing Balance",0.00) ifnull("Rate Tiers Cashflow"."Total Runoff Positive",0.00) "Calendar - Fact Data"."Calendar Date"
Conditions	Title
Compound Layout	Table Tittle: 2

8.7.100 IRRBB Table B

Table 8-94 IRRBB Table B

Report Name	IRRBB Table B Template - Standardized Approach, IRRBB Table B Template - Enhanced Approach Tier1 Capital Report
Description	A resident template to capture and report the required quantitative measures for the Basel Committee Standards on IRRBB Table B.
Dashboards Prompts	Prompt -Process <ul style="list-style-type: none">• Process Prompt - Shock Type <ul style="list-style-type: none">• Shock Type Prompt - As of Date <ul style="list-style-type: none">• As of Date 1• As of Date 2

Table 8-94 (Cont.) IRRBB Table B

Report Name	IRRBB Table B Template - Standardized Approach, IRRBB Table B Template - Enhanced Approach Tier1 Capital Report
Report Criteria	<p>FILTER(case when (case when "Process Scenario"."IRRBB Scenario Code" in (1) then 'Parallel Up' else case when "Process Scenario"."IRRBB Scenario Code" in (2) then 'Parallel Down' else case when "Process Scenario"."IRRBB Scenario Code" in (3) then 'Short Rate Up' else case when "Process Scenario"."IRRBB Scenario Code" in (4) then 'Short Rate Down' else case when "Process Scenario"."IRRBB Scenario Code" in (5) then 'Flattener' else case when "Process Scenario"."IRRBB Scenario Code" in (6) then 'Steepener' else " end end end end end end) in ('Parallel Up','Parallel Down') then "Standard Cash Flow Results"."Net Interest Income (Delta To Bench)" else NULL end USING((((date '@{Asofdate1}')<="Time Buckets"."End Date" and "Time Buckets"."End Date"<=TIMESTAMPADD(SQL_TSI_MONTH,12,(date '@{Asofdate1}')))) and "Calendar - ALM Results"."As-of-Date" in (date '@{Asofdate1}')) or (((date '@{Asofdate2}')<="Time Buckets"."End Date" and "Time Buckets"."End Date"<=(date '@{Asofdate1}')) and "Calendar - ALM Results"."As of Date 2" in (date '@{Asofdate2}'))))</p> <p>MAX(ABS(FILTER(case when (case when "Process Scenario"."IRRBB Scenario Code" in (1) then 'Parallel Up' else case when "Process Scenario"."IRRBB Scenario Code" in (2) then 'Parallel Down' else case when "Process Scenario"."IRRBB Scenario Code" in (3) then 'Short Rate Up' else case when "Process Scenario"."IRRBB Scenario Code" in (4) then 'Short Rate Down' else case when "Process Scenario"."IRRBB Scenario Code" in (5) then 'Flattener' else case when "Process Scenario"."IRRBB Scenario Code" in (6) then 'Steepener' else " end end end end end end) in ('Parallel Up','Parallel Down') then "Standard Cash Flow Results"."Net Interest Income (Delta To Bench)" else NULL end USING((((date '@{Asofdate1}')<="Time Buckets"."End Date" and "Time Buckets"."End Date"<=TIMESTAMPADD(SQL_TSI_MONTH,12,(date '@{Asofdate1}')))) and "Calendar - ALM Results"."As-of-Date" in (date '@{Asofdate1}')) or (((date '@{Asofdate2}')<="Time Buckets"."End Date" and "Time Buckets"."End Date"<=(date '@{Asofdate1}')) and "Calendar - ALM Results"."As of Date 2" in (date '@{Asofdate2}'))))</p> <p>by case when "Calendar - ALM Results"."As-of-Date"= @{{Asofdate1}}{ (date '2016-10-30')} then</p>

Table 8-94 (Cont.) IRRBB Table B

Report Name	IRRBB Table B Template - Standardized Approach, IRRBB Table B Template - Enhanced Approach Tier1 Capital Report
Conditions	<p>@{Asofdate1}{ (date '2016-10-30')} when "Calendar - ALM Results"."As of Date 2"=@{Asofdate2}{ (date '2016-10-24')} then @{Asofdate2}{ (date '2016-10-24')} end MAX(ABS("Master Results"."Net Market Value (Delta to Bench)") by case when "Calendar - ALM Results"."As-of-Date"= @{Asofdate1}{ (date '2016-10-30')} then @{Asofdate1}{ (date '2016-10-30')} when "Calendar - ALM Results"."As of Date 2"=@{Asofdate2}{ (date '2016-10-24')} then @{Asofdate2}{ (date '2016-10-24')} end) Reg LE Capital Summary Fact."Amount Post Reg Adjustment" case when "Calendar - ALM Results"."As-of-Date"= @{Asofdate1}{ (date '2016-10-30')} then @{Asofdate1}{ (date '2016-10-30')} when "Calendar - ALM Results"."As of Date 2"=@{Asofdate2}{ (date '2015-10-30')} then @{Asofdate2}{ (date '2015-10-30')} end For Tier 1 Capital report, below is criteria: "Reg LE Capital Summary Fact"."Amount Post Reg Adjustment" (4:03:34 PM) seema.omkarappa@oracle.com: case when "Calendar - ALM Results"."As-of-Date"= @{Asofdate1}{ (date '2016-10-30')} then @{Asofdate1}{ (date '2016-10-30')} when "Calendar - ALM Results"."As of Date 2"=@{Asofdate2}{ (date '2015-10-30')} then @{Asofdate2}{ (date '2015-10-30')} end Rep Line."Rep Line Cd" = 8110000637 UPPER("Capital Comp Group"."Cap Comp Group Code") = 'OTH' UPPER("Scenario (IRRBB)". "Scenario Desc") = 'BASELINE' "Process Scenario"."IRRBB Scenario Code" IN (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12) For Tier 1 Capital report, below are conditions: Rep Line."Rep Line Cd" = 8110000637 UPPER("Capital Comp Group"."Cap Comp Group Code") = 'OTH' UPPER("Scenario (IRRBB)". "Scenario Desc") = 'BASELINE'</p>
Compound Layout	Title, Pivot Table

8.7.101 Material Currency

Table 8-95 Material Currency

Report Name	Material Currency Report
Description	<p>Report displaying data on material currency for each legal entity and as of date.</p> <p>As per standardized approach of Interest Rate Risk in Banking Book (IRRBB) prescribed by Basel Committee (bcbs d368) loss in economic value of equity is calculated for each currency with material exposures. Material exposure is defined as "those accounting for more than 5% of either banking book assets or liabilities".</p>
Dashboards Prompts	<p>Prompt</p> <ul style="list-style-type: none"> As of Date <p>Prompt</p> <ul style="list-style-type: none"> Legal Entity <p>Prompt</p> <ul style="list-style-type: none"> Material Currency Flag
Report Criteria	<p>"ALM Significant Currency"."Currency Code"</p> <p>ALM Significant Currency."Asset Balance Currency Wise"</p> <p>ALM Significant Currency."Liability Balance Currency Wise"</p> <p>CASE WHEN "ALM Significant Currency"."Significant Currency Flag"='Y' then 'Yes' else 'No' end</p> <p>ALM Significant Currency."Customer Total Asset Balance"</p> <p>ALM Significant Currency."Reporting Currency Code"</p> <p>ALM Significant Currency."Customer Total Liability Balance"</p>
Compound Layout	<p>Title</p> <p>Table</p> <p>Table(2)</p> <p>Graph</p> <p>Graph(2)</p> <p>Narrative(2)</p>

8.8 Change Database Connection

This section describes about the Change Database Connection.

8.8.1 Dynamic Infodom Selection

1. **Infodom Selection:** This page allows users to select Infodom or database of their choice.
2. **Clear Cache:** This page allows user to clear cache after selecting Infodom or database.

8.9 Funds Transfer Pricing Reports

This section describes about the Funds Transfer Pricing Reports.

8.9.1 Fund Transfer Pricing - Assumptions Reports

1. Transfer Pricing Process Assumption Map
2. Adjustments
3. Transfer Pricing

8.9.2 Fund Transfer Pricing Reports

1. Transfer Pricing Margin Super Report
2. Funding Center Time
3. Funding Center Original Vs. Remaining
4. Transfer Pricing Account Summary Report
5. Transfer Pricing NIM Quality Report
6. Transfer Pricing Stratification Report
7. Zero Transfer Pricing Rate Report
8. Transfer Pricing Process Errors
9. Historical Rates Report
10. Rate Lock Option Cost Summary
11. Breakage Charge Summary
12. Transfer Price Audit Trail Report

8.9.2.1 Transfer Pricing Process Assumption Map

Table 8-96 Transfer Pricing Process Assumption Map

Report Name	Transfer Pricing - Process Assumption Map
Description	This report allows users to see the assumption sets and calculations requests for TP Processes.
Dashboards Prompts	Prompt Folder Name <ul style="list-style-type: none"> • Folder Name Prompt - MLS Code <ul style="list-style-type: none"> • MLS - Code

Table 8-96 (Cont.) Transfer Pricing Process Assumption Map

Report Name	Transfer Pricing - Process Assumption Map
Report Criteria	Fact TP Process Rule.Process Id Dim Object Definition.Process Name Fact TP Process Rule.Data Filter Fact TP Process Rule.Data Filter Fact TP Process Rule.Transfer Pricing Rule Fact TP Process Rule.Prepayment Rule Fact TP Process Rule.Adjustment Rule Fact TP Process Rule.Alternate Rate Output Mapping Dim Calc Mode.Calculation Mode Fact TP Process Rule.Transfer Rate Fact TP Process Rule.Forward FTP Fact TP Process Rule.TP Skip Non Zero Fact TP Process Rule.TP Charge Credit Fact TP Process Rule.Adjustment Rate Fact TP Process Rule.Adjustment Skip Non Zero Fact TP Process Rule.Adjustment Charge Credit Fact TP Process Rule.Rate Lock Option Cost Fact TP Process Rule.Option Cost Fact TP Process Rule.Option Cost Skip Non Zero Fact TP Process Rule."Adjustment Charge Credit" ' - ' "Fact TP Process Rule"."Option Cost"
Conditions	< None >
Compound Layout	Title Table

8.9.2.2 Adjustments

Table 8-97 Adjustments

Report Name	Adjustments Rule
Description	This report allows users to see the details of their FTP Adjustment Rules.

Table 8-97 (Cont.) Adjustments

Report Name	Adjustments Rule
Dashboards Prompts	Prompt Folder Name <ul style="list-style-type: none"> FolderName Prompt - Adjustment Rule <ul style="list-style-type: none"> Adjustment Rule Prompt - Product Hierarchy Name (Adjustment Rule) <ul style="list-style-type: none"> Product Hierarchy Name Prompt - Product (Adjustment Rule) <ul style="list-style-type: none"> Product Name Prompt - Currency (Adjustment Rule) <ul style="list-style-type: none"> Currency Prompt - MLS Code <ul style="list-style-type: none"> MLS - Code
Report Criteria	Fact Adjustment Rule.Product Id Dim Product.Product Name Product < formula > case when ("Dim Product"."Product Id" = "Fact Adjustment Rule"."Product Id") then 'YES' else 'NO' end Dim Currency.Currency Cd Dim - Adjustment Type.Adjustment Type Dim - Adjustment Method.Adjustment Method Dim Reference Term.ReferenceTerm Dim - Assignment Date.Assignment Date Dim IRCS.Interest Rate Name Product < formula > case when cast("Fact Adjustment Rule"."Cond Sys Id" as char) = '-1' then 'NO' else 'YES' end
Conditions	< None >
Compound Layout	Title Table

8.9.2.3 Transfer Pricing

Table 8-98 Transfer Pricing

Report Name	Transfer Pricing Rule
Description	This Report allows users to view details of their Transfer Pricing Rules.

Table 8-98 (Cont.) Transfer Pricing

Report Name	Transfer Pricing Rule
Dashboards Prompts	Prompt - Folder Name <ul style="list-style-type: none"> Folder Name Prompt -Transfer Pricing Rule <ul style="list-style-type: none"> Transfer Pricing Rule Prompt -Product Hierarchy Name (Transfer price Rule) <ul style="list-style-type: none"> Product Hierarchy Name Prompt - Product (TP Rule) <ul style="list-style-type: none"> Currency Prompt - Currency (TP Rule) <ul style="list-style-type: none"> Currency Prompt - MLS Code <ul style="list-style-type: none"> MLS - Code
Report Criteria	"Fact Transfer Price Rule"."Product Id", "Dim Products (Assumptions)". "Product Name", "Dim Products (Assumptions)". "Is Leaf", "Dim Products (Assumptions)". "Display Order Name", "Dim - Data Source"."Data Source", "Fact Transfer Price Rule"."Ccy Cd", "Dim - TP Method"."Tp Calc Method", "Dim IRCS"."Interest Rate Name", case when cast("Fact Transfer Price Rule"."Cond Sys Id" as char) = '-1' then 'NO' else 'YES' end, "Fact Transfer Price Rule"."Transfer Price Sys Id", "Fact Transfer Price Rule"."Cond Sequence", "Dim Object Definition"."Short Desc"
Conditions	< None >
Compound Layout	Title Table

8.9.2.4 Transfer Pricing Rule - Detail

Table 8-99 Transfer Pricing Rule - Detail

Report Name	Assumptions - Transfer Pricing Rule - Detail
Description	This report displays the Transfer Pricing Rule details.

Table 8-99 (Cont.) Transfer Pricing Rule - Detail

Report Name	Assumptions - Transfer Pricing Rule - Detail
Dashboards Prompts	Prompt - Folder Name <ul style="list-style-type: none"> • Folder Name Prompt - Transfer Pricing Rule <ul style="list-style-type: none"> • Transfer Pricing Rule Prompt - Product Hierarchy Name (Transfer price Rule) <ul style="list-style-type: none"> • Product Hierarchy Name Prompt - Product (TP Rule) <ul style="list-style-type: none"> • Product Name Prompt - Currency (TP Rule) <ul style="list-style-type: none"> • Currency Prompt - Condition Sys Id <ul style="list-style-type: none"> • Conditional Sys Id Prompt - MLS Code <ul style="list-style-type: none"> • MLS - Code

Table 8-99 (Cont.) Transfer Pricing Rule - Detail

Report Name	Assumptions - Transfer Pricing Rule - Detail
Report Criteria	<p>"Dim Products (Assumptions)". "Product Name", "Dim Products (Assumptions)". "Display Order Name", "Dim Products (Assumptions)". "Is Leaf", "Dim Currency". "Currency Cd", case when cast("Fact Transfer Price Rule". "Cond Sys Id" as char) = '-1' then 'NO' else 'YES' end, "Dim - TP Method". "Tp Calc Method", "Fact Transfer Price Rule". "Interest Rate Code", "Dim - Data Source". "Data Source", "Fact Transfer Price Rule". "Holiday Calculation Option", "Fact Transfer Price Rule". "Holiday Calendar", "Fact Transfer Price Rule". "Holiday Rolling Convention", case when "Fact Transfer Price Rule". "Mid Period Reprice Flg"=0 then 'No' when "Fact Transfer Price Rule". "Mid Period Reprice Flg"=1 then 'Yes' else null end, case when "Fact Transfer Price Rule". "Output Audit Flag"=0 then 'No' when "Fact Transfer Price Rule". "Output Audit Flag"=1 then 'Yes' else null end, case when "Fact Transfer Price Rule". "Across Org Unit Flg"=0 then 'No' when "Fact Transfer Price Rule". "Across Org Unit Flg"=1 then 'Yes' else null end, "Dim - Assignment Date". "Assignment Date", "Fact Transfer Price Rule". "Cashflow Discount Method", "Fact Transfer Price Rule". "Cash Flow Type", "Fact Transfer Price Rule". "Caterpillar Method", "Fact Transfer Price Rule". "Constant Rate", "Fact Transfer Price Rule". "Economic Value Cash Flow Interest Type", case when "Fact Transfer Price Rule". "Economic Value Exclude Accrued Interest Flag"=0 then 'No' when "Fact Transfer Price Rule". "Economic Value Exclude Accrued Interest Flag"=1 then 'Yes' else null end, case when "Fact Transfer Price Rule". "Economic Value Interest Only Flag"=0 then 'No' when "Fact Transfer Price Rule". "Economic Value Interest Only Flag"=1 then 'Yes' else null end, "Dim IRCS". "Interest Rate Name", case when "Fact Transfer Price Rule". "Economic Value TP Rate Calculation Flag"=0 then 'No' when "Fact Transfer Price Rule". "Economic Value TP Rate Calculation Flag"=1 then 'Yes' else null end, case when "Fact Transfer Price Rule". "Gross Rate Flg"=0 then 'No' when "Fact Transfer Price Rule". "Gross Rate Flg"=1 then 'Yes' else NULL end, "Fact Transfer Price Rule". "Historical Term", "Fact Transfer Price Rule". "Historical Mult", "Fact Transfer Price Rule". "Lag Term", case when "Fact Transfer Price Rule". "Option Cost Method Cd"=0 then 'No' when "Fact Transfer Price Rule". "Option</p>

Table 8-99 (Cont.) Transfer Pricing Rule - Detail

Report Name	Assumptions - Transfer Pricing Rule - Detail
	Cost Method Cd"=1 then 'Yes' else NULL end, case when "Fact Transfer Price Rule"."Output Avg Life To Inst Flg"=0 then 'No' when "Fact Transfer Price Rule"."Output Avg Life To Inst Flg"=1 then 'Yes' else NULL end, case when "Fact Transfer Price Rule"."Output Dur To Inst Flg"=0 then 'No' when "Fact Transfer Price Rule"."Output Dur To Inst Flg"=1 then 'Yes' else NULL end, "Fact Transfer Price Rule"."Behavior Pattern", "Fact Transfer Price Rule"."Rate Spread", "Fact Transfer Price Rule"."Single Rate Discount", "Fact Transfer Price Rule"."Target Balance", "Fact Transfer Price Rule"."Transfer Price Rate Term", "Fact Transfer Price Rule"."Transfer Price Term Adjustment Amount", "Fact Transfer Price Rule"."Transfer Price Term Operator", "Fact Transfer Price Rule"."Weighted Term Cash Flow Code", "Fact Transfer Price Rule"."Yield Curve Term", "Fact Transfer Price Rule"."Yield Curve Mult", "Fact Transfer Price Rule"."Transfer Price Sys Id", "Dim Object Definition"."Short Desc"

8.9.2.5 Transfer Pricing Margin Super Report

Table 8-100 Transfer Pricing Margin Super Report

Report Name	TP Margin Super Report
Description	The TP Margin Super Report provides users access to all relevant FTP dimensions and measures. This report displays results aggregated by the selected dimension and also provides drill to detail capability.

Table 8-100 (Cont.) Transfer Pricing Margin Super Report

Report Name	TP Margin Super Report
Dashboards Prompts	Prompt -As of Date <ul style="list-style-type: none"> • As of Date Prompt -Product <ul style="list-style-type: none"> • Product Name Prompt - Org Unit <ul style="list-style-type: none"> • Org Unit Prompt -Entity <ul style="list-style-type: none"> • Legal Entity -Prompt -TP Rate Type <ul style="list-style-type: none"> • Rate or Charge Credit Amount Prompt -Currency <ul style="list-style-type: none"> • Currency Name Prompt - Product Type <ul style="list-style-type: none"> • Product Type Prompt - MLS Code <ul style="list-style-type: none"> • MLS - Code

Table 8-100 (Cont.) Transfer Pricing Margin Super Report

Report Name	TP Margin Super Report
Report Criteria	<pre> "Dim Product"."Product Name Level19", "Dim Product"."Product Name", "Dim Product"."Account Type", "Fact Account Summary"."Average Book Balance", "Fact Account Summary"."EOP Balance", "Fact Account Summary"."Weighted Average Current Rate", case when '{@TPRateType}'='Rate' then "Fact Account Summary"."Weighted Average TP Rate" else "Fact Account Summary"."Charge Credit Rate" end, case when '{@TPRateType}'='Rate' then "Fact Account Summary"."Weighted Average Liquidity Premium Rate" else "Fact Account Summary"."Liquidity Premium Chg" end, "case when '{@TPRateType}'='Rate' then ""Fact Account Summary"".""Weighted Average Basis Risk Rate"" else ""Fact Account Summary"".""Basis Risk Chg"" end", case when '{@TPRateType}'='Rate' then "Fact Account Summary"."Weighted Average Pricing Incentive Rate" else "Fact Account Summary"."Pricing Incentive Amount Chg" end, case when '{@TPRateType}'='Rate' then "Fact Account Summary"."Weighted Average Other Adjustments Rate" else "Fact Account Summary"."Other Adj Chg" end, "Fact Account Summary"."Weighted Average Charge Credit Rate", CASE WHEN "Dim Product"."Account Type" in (100,200) Then ("Fact Account Summary"."Weighted Average Current Rate"- "Fact Account Summary"."Weighted Average All In TP Rate") else Case when "Dim Product"."Account Type" in (300,400) then ("Fact Account Summary"."Weighted Average All In TP Rate"- "Fact Account Summary"."Weighted Average Current Rate") end end, case when '{@TPRateType}'='Rate' then "Fact Account Summary"."Weighted Average All In TP Rate" else "Fact Account Summary"."Other Adj Chg" + "Fact Account Summary"."Basis Risk Chg" + "Fact Account Summary"."Pricing Incentive Amount Chg" + "Fact Account Summary"."Liquidity Premium Chg" + "Fact Account Summary"."Charge Credit Rate" end </pre>
Conditions	<pre> "Dim Product"."Account Type" IN (100, 200, 300, 400) </pre>
Compound Layout	<pre> Title Table </pre>

8.9.2.6 Funding Center Time

Table 8-101 Funding Center Time

Report Name	Funding Center Time
Description	This report allows users to see Funding Center income, Weighted Average Transfer Rates or Average Balances over time.
Dashboards Prompts	Prompt - Date Range <ul style="list-style-type: none"> • Calendar From Date • Calendar To Date Prompt - OrgUnit (Funding Centre) - 1 <ul style="list-style-type: none"> • Org Unit Prompt - TP Rate Type <ul style="list-style-type: none"> • Rate/Charge Credit Amount
Report Criteria	"Dim Product"."Product Name Level19", "Dim Product"."Product Name", "Dim Calendar"."Year", "Dim Calendar"."Month", FILTER("Fact Ledger Stat"."Value" USING ("Financial Elements"."Financial Element Identifier" = 140)), case when '@{TPRateType}'='Rate' then (FILTER("Fact Ledger Stat"."Value" USING ("Financial Elements"."Financial Element Identifier" = 170))) else (FILTER("Fact Ledger Stat"."Value" USING ("Financial Elements"."Financial Element Identifier" = 450))) end
Conditions	"Dim Product"."Account Type" IN (100, 200, 300, 400)
Compound Layout	Title Pivot Table (4)

8.9.2.7 Funding Center Original Vs. Remaining

Table 8-102 Funding Center Original Vs. Remaining

Report Name	TP Funding Center Org Vs Rem
Description	This report allows users to compare Remaining Term and Original Term transfer pricing results.

Table 8-102 (Cont.) Funding Center Original Vs. Remaining

Report Name	TP Funding Center Org Vs Rem
Dashboards Prompts	<p>Prompt - AsOfDate (FundingCenter)</p> <ul style="list-style-type: none"> As of Date <p>Prompt - Product (Funding Center)</p> <ul style="list-style-type: none"> Product Name <p>Prompt - OrgUnit (Funding Center)</p> <ul style="list-style-type: none"> Org Unit Name <p>Prompt - Product Type</p> <ul style="list-style-type: none"> Product Type
Report Criteria	<p>"Dim Product"."Product Name Level19"</p> <p>Dim Product.Product Name</p> <p>Product < formula > sum(CASE WHEN "Fact Ledger Stat"."Financial</p> <p>Element Identifier" = 140 THEN "Fact Ledger Stat"."Value" END)</p> <p>Product < formula > sum(case when "Fact Ledger Stat"."Financial</p> <p>Element Identifier" = 170 then "Fact Ledger Stat"."Value" end)</p> <p>Product < formula > sum(case when "Fact Ledger Stat"."Financial</p> <p>Element Identifier" = 450 then "Fact Ledger Stat"."Value" end)</p> <p>Product < formula > sum(case when "Fact Ledger Stat"."Financial</p> <p>Element Identifier" = 172 then "Fact Ledger Stat"."Value" end)</p> <p>Product < formula > sum(case when "Fact Ledger Stat"."Financial</p> <p>Element Identifier" = 452 then "Fact Ledger Stat"."Value" end)</p> <p>Product < formula > sum(IFNULL((case when "Fact Ledger Stat"."Financial Element Identifier" = 170 then "Fact Ledger Stat"."Value" end), 0) - IFNULL((case when "Fact Ledger Stat"."Financial Element Identifier" = 172 then "Fact Ledger Stat"."Value" end),0))</p> <p>Product < formula > sum(IFNULL((case when "Fact Ledger Stat"."Financial Element Identifier" = 450 then "Fact Ledger Stat"."Value" end),0) - IFNULL((case when "Fact Ledger Stat"."Financial Element Identifier" = 452 then "Fact Ledger Stat"."Value" end),0))</p>

Table 8-102 (Cont.) Funding Center Original Vs. Remaining

Report Name	TP Funding Center Org Vs Rem
Conditions	Fact Ledger Stat."Financial Element Identifier" IN (140, 170, 450, 172, 452),"Dim Product"."Account Type" IN (100, 200, 300, 400)
Compound Layout	Title Table (2)
Report Name(s)	TP Funding Center Org Vs Rem

8.9.2.8 Transfer Pricing Account Summary Report

Table 8-103 Transfer Pricing Account Summary Report

Report Name	TP Account Summary Report
Description	This report allows users to see an overview of the account level TP information. A variant of the TP Margin Super report allowing further drill down to Account Detail Report.
Dashboards Prompts	<p>Prompt – AsOfDate (TP Account Summary)</p> <ul style="list-style-type: none"> As of Date <p>Prompt - Product (TP Account Summary)</p> <ul style="list-style-type: none"> Product Name <p>Prompt - Customer (TP Account Summary)</p> <ul style="list-style-type: none"> Customer Name <p>Prompt - Account Number (TP Account Summary)</p> <ul style="list-style-type: none"> Account Number <p>Prompt - Account Officer (TP Account Summary)</p> <ul style="list-style-type: none"> Account Officer <p>Prompt - OrgUnit (TP Account Summary)</p> <ul style="list-style-type: none"> Org Unit <p>Prompt - Entity (TP Account Summary)</p> <ul style="list-style-type: none"> Legal Entity <p>Prompt - Currency (TP Account Summary)</p> <ul style="list-style-type: none"> Currency <p>Prompt - Product Type (TP Account Summary)</p> <ul style="list-style-type: none"> Product Type <p>Prompt - Idnumber</p> <ul style="list-style-type: none"> Identity Number

Table 8-103 (Cont.) Transfer Pricing Account Summary Report

Report Name	TP Account Summary Report
Report Criteria	"Dim Account"."Account Number", "Fact Account Summary"."Weighted Average Basis Risk Rate", "Fact Account Summary"."Weighted Average Liquidity Premium Rate", "Fact Account Summary"."Weighted Average Other Adjustments Rate", "Fact Account Summary"."Weighted Average Pricing Incentive Rate", "Fact Account Summary"."Weighted Average Current Rate", "Fact Account Summary"."Weighted Average TP Rate", "Fact Account Summary"."Average Book Balance", "Fact Account Summary"."EOP Balance", "Fact Account Summary"."Weighted Average All In TP Rate", CASE WHEN "Dim Product"."Account Type" in (100,200) Then ("Fact Account Summary"."Weighted Average Current Rate"- "Fact Account Summary"."Weighted Average All In TP Rate") else Case when "Dim Product"."Account Type" in (300,400) then ("Fact Account Summary"."Weighted Average All In TP Rate"- "Fact Account Summary"."Weighted Average Current Rate") end end, "Dim Product"."Product Name", "Dim Product"."Product Name Level19", "Dim Product"."Account Type"
Conditions	"Dim Product"."Account Type" IN (100, 200, 300, 400)
Compound Layout	Title Pivot Table

8.9.2.9 Transfer Pricing NIM Quality Report

Table 8-104 Transfer Pricing NIM Quality Report

Report Name	TP NIM Quality Report
Description	This report allows users to view standard deviations of transfer pricing results of the primary transfer pricing value (TRANSFER-RATE).

Table 8-104 (Cont.) Transfer Pricing NIM Quality Report

Report Name	TP NIM Quality Report
Dashboards Prompts	Prompt - AsOfDate <ul style="list-style-type: none"> • As of Date Prompt - Product <ul style="list-style-type: none"> • Product Name Prompt - OrgUnit <ul style="list-style-type: none"> • Org Unit Prompt - Entity <ul style="list-style-type: none"> • Legal Entity Prompt - Rate Type <ul style="list-style-type: none"> • Rate Type Prompt - Currency <ul style="list-style-type: none"> • Currency Name Prompt - Product Type <ul style="list-style-type: none"> • Product Type

Table 8-104 (Cont.) Transfer Pricing NIM Quality Report

Report Name	TP NIM Quality Report
Report Criteria	<pre> "Dim Product"."Product Name", "Dim Product"."Account Type", "Dim Product"."Product Name Level19", sum("Fact Account Summary"."Record Count"), "Fact Account Summary"."Average Book Balance", case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Weighted Average TP Rate" else "Fact Account Summary"."Weighted Average All In TP Rate" end, "Fact Account Summary"."Weighted Average Current Rate", case when ASCII('@{RateType}{Base}') =ASCII('Base') then (case when "Dim Product"."Account Type" in (300,400) then "Fact Account Summary"."Weighted Average TP Rate" - "Fact Account Summary"."Weighted Average Current Rate" when "Dim Product"."Account Type" in (100,200) then "Fact Account Summary"."Weighted Average Current Rate" - "Fact Account Summary"."Weighted Average TP Rate" end) else (case when "Dim Product"."Account Type" in (300,400) then "Fact Account Summary"."Weighted Average All In TP Rate" - "Fact Account Summary"."Weighted Average Current Rate" when "Dim Product"."Account Type" in (100,200) then "Fact Account Summary"."Weighted Average Current Rate" - "Fact Account Summary"."Weighted Average All In TP Rate" end) end,case when ASCII('@{RateType}{Base}') =ASCII('Base') then STDDEV(case when "Dim Product"."Account Type" in (300,400) then "Fact Account Summary"."Weighted Average TP Rate" - "Fact Account Summary"."Weighted Average Current Rate" when "Dim Product"."Account Type" in (100,200) then "Fact Account Summary"."Weighted Average Current Rate" - "Fact Account Summary"."Weighted Average TP Rate" end) else STDDEV(case when "Dim Product"."Account Type" in (300,400) then "Fact Account Summary"."Weighted Average All In TP Rate" - "Fact Account Summary"."Weighted Average Current Rate" when "Dim Product"."Account Type" in (100,200) then "Fact Account Summary"."Weighted Average Current Rate" - "Fact Account Summary"."Weighted Average All In TP Rate" end) end </pre>
Conditions	<pre> "Dim Product"."Account Type" IN (100, 200, 300, 400) </pre>

Table 8-104 (Cont.) Transfer Pricing NIM Quality Report

Report Name	TP NIM Quality Report
Compound Layout	Title Table

8.9.2.10 Transfer Pricing Stratification Report

Table 8-105 Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
Description	This report allows users to view a stratification of transfer pricing results (TP results are accumulated into tranches).
Dashboards Prompts	Prompt - AsOfDate <ul style="list-style-type: none"> • As of Date Prompt - Product <ul style="list-style-type: none"> • Product Name Prompt - OrgUnit <ul style="list-style-type: none"> • Org Unit Prompt - Entity <ul style="list-style-type: none"> • Legal Entity Prompt - Currency <ul style="list-style-type: none"> • Currency Name Prompt - Product Type <ul style="list-style-type: none"> • Product Type
Report Criteria	"Dim Product"."Product Name Level19", "Dim Product"."Product Name", ("Fact Account Summary"."Record Count"), "Fact Account Summary"."Average Book Balance", "Fact Account Summary"."Average Book Balance value", "Fact Account Summary"."Weighted Average All In TP Rate", "Fact Account Summary"."Weighted Average Basis Risk Rate", "Fact Account Summary"."Weighted Average Current Rate", "Fact Account Summary"."Weighted Average Liquidity Premium Rate", "Fact Account Summary"."Weighted Average Other Adjustments Rate", "Fact Account Summary"."Weighted Average Pricing Incentive Rate", "Fact Account Summary"."Weighted Average TP Rate" CASE WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate"

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate"</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '3'</p> <p>THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '4'</p> <p>THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."All In TP Rate"</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."All In TP Rate"</p> <p>BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '5' THEN '>5 and <=6'</p> <p>WHEN cast((CASE WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 0.0 AND 1.0 THEN 0.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 1.0 AND 2.0 THEN 1.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 2.0 AND 3.0 THEN 2.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 3.0 AND 4.0 THEN 3.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 4.0 AND 5.0 THEN 4.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 5.0 AND 6.0 THEN 5.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 6.0 AND 7.0 THEN 6.0</p> <p>WHEN "Fact Account Summary"."All In TP Rate" BETWEEN 7.0 AND 8.0 THEN 7.0</p> <p>ELSE "Fact Account Summary"."All In TP Rate" END) as char) = '6' THEN '>6 and <=7'</p> <p>ELSE 'All Other Rates' END</p> <p>Add CASE WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate"</p> <p>BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '3' THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary".</p> <p>"Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '4' THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '5' THEN '>5 and <=6' WHEN cast((CASE WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Basis Risk Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Basis Risk Rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>CASE WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN</p> <p>5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '3' THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary".</p> <p>"Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '4' THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" "Current Net Rate" BETWEEN</p> <p>1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary".BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" END) as char) = '5' THEN '>5 and <=6' WHEN cast((CASE WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Current Net Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Current Net Rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END</p> <p>Add CASE WHEN cast((CASE WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Liquidity Premium Rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Liquidity</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> Premium Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Liquidity Premium Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Liquidity Premium Rate" END) as char)=2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Liquidity Premium Rate" END) as char) = '3' THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Liquidity Premium Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> 7.0 ELSE "Fact Account Summary"."Liquidity Premium Rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END CASE WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '3' THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 Add WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '4' THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '5' THEN '>5 and <=6' WHEN cast((CASE WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Other Adjustments rate" BETWEEN 7.0 AND 8.0 THEN 7.0 </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> ELSE "Fact Account Summary"."Other Adjustments rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END, CASE WHEN cast((CASE WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Pricing Incentive Rate" END) as char) = '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Pricing Incentive Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 1.0 </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<pre> Incentive Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Pricing Incentive Rate" END) as char) = '4' THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Pricing Incentive Rate" END) as char) = '5' THEN '>5 and <=6' WHEN cast((CASE WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Pricing Incentive Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Pricing Incentive Rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END </pre>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>CASE WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char)</p> <p>= '0' THEN '>0 and <=1' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '1' THEN '>1 and <=2' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate"</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
	<p>BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '2' THEN '>2 and <=3' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '3' THEN '>3 and <=4' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '4' THEN '>4 and <=5' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate"</p>

Table 8-105 (Cont.) Transfer Pricing Stratification Report

Report Name	TP Stratification Report TP Stratification Report Graph - Modified
Compound Layout	<p>BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '5' THEN '>5 and <=6' WHEN cast((CASE WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 0.0 AND 1.0 THEN 0.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 1.0 AND 2.0 THEN 1.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 2.0 AND 3.0 THEN 2.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 3.0 AND 4.0 THEN 3.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 4.0 AND 5.0 THEN 4.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 5.0 AND 6.0 THEN 5.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 6.0 AND 7.0 THEN 6.0 WHEN "Fact Account Summary"."Transfer Rate" BETWEEN 7.0 AND 8.0 THEN 7.0 ELSE "Fact Account Summary"."Transfer Rate" END) as char) = '6' THEN '>6 and <=7' ELSE 'All Other Rates' END</p> <p>"Dim Product"."Account Type" IN (100, 200, 300, 400)</p> <p>Title Pivot Table View Selector Pivot Table (2) Pivot Table (3) Pivot Table (4) Pivot Table (5) Pivot Table (6) Pivot Table (7)</p>

8.9.2.11 Zero Transfer Pricing Rate Report

Table 8-106 Zero Transfer Pricing Rate Report

Report Name	Zero TP Rate Report
Description	This report allows users to see records with zero or missing transfer rates by product. Hyperlinks on Product lead to instrument level detail reports.
Dashboards Prompts	Prompt - AsOfDate <ul style="list-style-type: none"> • As of Date Prompt - Product <ul style="list-style-type: none"> • Product Name Prompt - OrgUnit <ul style="list-style-type: none"> • Org Unit Prompt - Entity <ul style="list-style-type: none"> • Legal Entity Prompt - Rate Type <ul style="list-style-type: none"> • Rate Type Prompt - Currency <ul style="list-style-type: none"> • Currency Name Prompt - Product Type <ul style="list-style-type: none"> • Product Type
Conditions	< None >
Compound Layout	Title Table

Table 8-106 (Cont.) Zero Transfer Pricing Rate Report

Report Name	Zero TP Rate Report
Report Criteria	<pre> "Dim Product"."Product Name" Dim Product"."Product Name",sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) is null then "Fact Account Summary"."Record Count" end by "Dim Product"."Product Name"),sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) is null then "Fact Account Summary"."Average Book Balance" end by "Dim Product"."Product Name"),sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) = 0 then "Fact Account Summary"."Record Count" end by "Dim Product"."Product Name"),sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) = 0 then "Fact Account Summary"."Average Book Balance" end by "Dim Product"."Product Name") ,sum("Fact Account Summary"."Record Count" by "Dim Product"."Product Name"),sum("Fact Account Summary"."Average Book Balance" by "Dim Product"."Product Name"),(sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In TP Rate" end) = 0 then "Fact Account Summary"."Record Count" end by "Dim Product"."Product Name")/sum("Fact Account Summary"."Record Count" by "Dim Product"."Product Name"))*100,(sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In TP Rate" end) = 0 then "Fact Account Summary"."Average Book Balance" end by "Dim Product"."Product Name")/sum("Fact Account Summary"."Average Book Balance" by "Dim Product"."Product Name"))*100,sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) is null then "Fact Account Summary"."Record Count" end by "Dim Product"."Product Name") * 100/ </pre>

Table 8-106 (Cont.) Zero Transfer Pricing Rate Report

Report Name	Zero TP Rate Report
	<pre>sum("Fact Account Summary"."Record Count" by "Dim Product"."Product Name"),sum(case when (case when ASCII('@{RateType}{Base}') =ASCII('Base') then "Fact Account Summary"."Transfer Rate" else "Fact Account Summary"."All In Transfer Rate" end) is null then "Fact Account Summary"."Average Book Balance" end by "Dim Product"."Product Name") * 100/sum("Fact Account Summary"."Average Book Balance" by "Dim Product"."Product Name")</pre>
Conditions	< None >
Compound Layout	Title Table

8.9.2.12 Transfer Pricing Process Errors

Table 8-107 Transfer Pricing Process Errors

Report Name	FTP Process Error
Description	This report allows users to see the process errors with their impact.
Dashboards Prompts	Prompt - Process Errors <ul style="list-style-type: none"> Process Name Identification Number
Report Criteria	Fact Process Errors.Short Desc Fact Process Errors.Process Sys Id Fact Process Errors.Error Description Fact Process Errors.Error Code Fact Process Errors.Severity Dim Product (Process Errors).Product Leaf Name Fact Process Errors.Table Name Fact Process Errors.Id Number Fact Process Errors.Field name Fact Process Errors.Field Value Fact Process Errors.Corrected Value
Conditions	
Compound Layout	Title Pivot Table

Table 8-107 (Cont.) Transfer Pricing Process Errors

Report Name	FTP Process Error
Report Criteria	Fact Process Errors.Short Desc Fact Process Errors.Process Sys Id Fact Process Errors.Error Description Fact Process Errors.Error Code Fact Process Errors.Severity Dim Product (Process Errors).Product Leaf Name Fact Process Errors.Table Name Fact Process Errors.Id Number Fact Process Errors.Field name Fact Process Errors.Field Value Fact Process Errors.Corrected Value

8.9.2.13 Historical Rates Report

Table 8-108 Historical Rates Report

Report Name	FTP - IRC Report FTP - IRC Report - Rate by Term FTP - IRC Report - Rate by Date
Description	This report allows users to query historical interest rates used by Transfer Pricing processes.
Dashboards Prompts	Prompt - IRC Code <ul style="list-style-type: none"> Interest Rate Code IRC Description Interest Rate Term Prompt - Effective Date <ul style="list-style-type: none"> Effective Date
Report Criteria	Fact IRC Rate."Effective Date" Fact IRC Rate."Interest Rate" Dim IRCS"."Interest Rate Code" Dim IRCS"."Irc Description" Dim IRCS"."Currency" Fact IRC Rate"."Interest Rate Term(D)"
Conditions	
Compound Layout	Title Pivot Table (2) Pivot Pivot (3)

8.9.2.14 Rate Lock Option Cost Summary

Table 8-109 Rate Lock Option Cost Summary

Report Name	Rate Lock Option Cost Summary
Dashboards Prompts	Prompt - AsOfDate <ul style="list-style-type: none"> As Of Date Prompt - OrgUnit <ul style="list-style-type: none"> Org Unit Prompt - Currency <ul style="list-style-type: none"> Currency
Report Criteria	Product.Product Name Fact Loan Commitments Account Summary.Commitment Term Fact Loan Commitments Account Summary.Curr Book Balance Fact Loan Commitments Account Summary.Weighted Average Curr Net Rate Fact Loan Commitments Account Summary.Weighted Average Transfer Rate Fact Loan Commitments Account Summary.Weighted Average Commit Option Cost Pct Fact Loan Commitments Account Summary.Commit Option Cost Fact Loan Commitments Account Summary.Commit fee to Cust Dim Product.Product Name Level19 cast("Fact Loan Commitments Account Summary"."Org Term" as char) "Fact Loan Commitments Account Summary"."Org Term Multiplier"
Conditions	Product.Account Type in (100.200.300.400)
Compound Layout	Title Pivot Table

8.9.2.15 Breakage Charge Summary

Table 8-110 Breakage Charge Summary

Report Name	Breakage Charge Summary
Description	This report is a view of Current Book Balance, Breakage Amount, Weighted Average Current Net Rate, Weighted Average Transfer Rate, Weighted Average Break Funding Rate, Break Funding Market Value, Break Funding Amount, Break Funding Amount Change.

Table 8-110 (Cont.) Breakage Charge Summary

Report Name	Breakage Charge Summary
Dashboards Prompts	Prompt - AsOfDate <ul style="list-style-type: none"> As Of Date Prompt - OrgUnit <ul style="list-style-type: none"> Org Unit Prompt - Currency <ul style="list-style-type: none"> Currency Prompt - Breakage Type <ul style="list-style-type: none"> Breakage Type Prompt - Product Type <ul style="list-style-type: none"> Product Type
Report Criteria	Product.Product Name Breakage Type MLS.Breakage Type Description Fact Account Summary.Weighted Average Current Rate Fact Account Summary.Weighted Average TP Rate Fact Account Summary.Weighted Average Break Funding Rate Fact Account Summary.Curr Net Book Bal Fact Account Summary.Break Funding Amount Fact Account Summary.Breakage Amount Fact Account Summary.Break Funding MV Fact Account Summary.Break Funding Amount Change Dim Product.Product Name Level19
Conditions	Product.Account Type in (100.200.300.400)
Compound Layout	Title Pivot Table

8.9.2.16 Transfer Price Audit Trail Report

Table 8-111 Transfer Price Audit Trail Report

Report Name	Transfer Price Audit Trail Report
Description	This report shows the audit details of the Transfer Price process.
Dashboards Prompts	Prompt - Process Id <ul style="list-style-type: none"> Process Id Prompt - Process Name <ul style="list-style-type: none"> Process Name

Table 8-111 (Cont.) Transfer Price Audit Trail Report

Report Name	Transfer Price Audit Trail Report
Report Criteria	"Fact FTP Audit Trail"."Instrument Type Code", "Fact FTP Audit Trail"."ID Number", "Fact FTP Audit Trail"."Identity Code", "Fact FTP Audit Trail"."As Of Date/MIS Date", "Fact FTP Audit Trail"."Transfer Price Sys Id", "Fact FTP Audit Trail"."Tp Method", "Fact FTP Audit Trail"."TP IRC", "Fact FTP Audit Trail"."TP Accrual Frequency Code", "Fact FTP Audit Trail"."Accrual Basis Code", "Fact FTP Audit Trail"."All in TP Rate Formula", "Fact FTP Audit Trail"."Adjustment Sys ID", "Fact FTP Audit Trail"."Liquidity Adjustment Method Code", "Fact FTP Audit Trail"."Liquidity Adjustment IRC", "Fact FTP Audit Trail"."Basis Adjustment Method Code", "Fact FTP Audit Trail"."Basis Adjustment IRC", "Fact FTP Audit Trail"."Other Adjustment Method Code", "Fact FTP Audit Trail"."Pricing Adjustment Method Code", "Fact FTP Audit Trail"."Pricing Adjustment IRC", "Fact FTP Audit Trail"."Breakage Adjustment Method Code", "Fact FTP Audit Trail"."Breakage Adjustment IRC", "Fact FTP Audit Trail"."Adjustment Accrual Frequency Code", "Fact FTP Audit Trail"."Rate Lock - Discount Curve Code", "Fact FTP Audit Trail"."Rate Lock - Volatility Curve Code", "Fact FTP Audit Trail"."Economic Value - Cash Flow Interest Type", "Fact FTP Audit Trail"."Economic Value - IRC", "Fact FTP Audit Trail"."Stochastic Rate Index Sys ID", "Fact FTP Audit Trail"."Term Structure Model Code", "Fact FTP Audit Trail"."Option Cost - Accrual Frequency Code", REPLACE("Fact FTP Audit Trail"."Propagation Type 1",'_',' '), REPLACE("Fact FTP Audit Trail"."Propagation Type 2",'_',' '), REPLACE("Fact FTP Audit Trail"."Propagation Type 3",'_',' '), REPLACE("Fact FTP Audit Trail"."Propagation Type 4",'_',' '), "Fact FTP Audit Trail"."Batch Id"
Conditions	Title
Compound Layout	Table
	Title 2

 **Note:**

The FTP Dashboards contain a prompt for Legal Entity. This prompt refers to Legal Entity data loaded directly from the Staging Area to the Reporting Data Model. If Legal Entity is not required, you can ignore this step and either delete the Legal Entity prompt or ignore it on the relevant FTP dashboards.

9

Creating a Custom Report

This section details how to create a Custom Report using OBIEE and ALM BI.

Related Topics

- [Steps for Creating a Custom Report](#)

9.1 Steps for Creating a Custom Report

To create a Custom Report and add it to an existing Dashboard page, perform the following steps:

1. Log in to the ALMBI Application and click the **New** link available at the top right corner.
2. Select **Analysis**.
3. Click **ALM BI** from **Select Subject Area** to see all the metadata objects available to build the report.
4. Once you select the **ALM BI**, you can see all the presentation items available on the LHS.
5. Select the required columns one after the other from the LHS as shown in the following Figure.
6. You can put filters to restrict the data. To apply filters, **Ctrl+Click** the respective dimension columns and then provide the filter values as shown.
7. Repeat the earlier step # 5 to add all the relevant filters to the earlier report and upon adding all the filters, as shown.
8. Click the **Results** tab on the top and delete the **Table view** available in the **Compound Layout** by clicking the Delete button.
9. After deletion of the **Table view**, add one **Pivot view** to the **Compound Layout** by selecting it from the list.
10. After adding the **Pivot View**, change the format of the Pivot.
11. Select the **Chart Pivoted Results** and make the changes to the pivot view to get the final Chart view, and then click Ok.
12. Click **Save** or **Save As** on the right-hand top corner.
13. Add the newly created report to the **Catalog** page.

10

How to Change the Product Dimension in ALM BI

This section describes how to change the Product Dimension. The seeded Product Dimension is PRODUCT. You can change any Product Dimensions other than the seeded dimension.

Related Topics

- [Changing the Product Dimension - Overview](#)
- [Steps to Point to a Different Product Dimension in ALMBI](#)

10.1 Changing the Product Dimension - Overview

ALM Product is a logical idea in the Presentation or Logical layer. In the physical layer, it can hold any one of the Product Dimension members that are available in ALM.

(This can be `DIM_COMMON_COA`, `DIM_PRODUCT`, `DIM_GL_ACCOUNT`, or any other user-defined Product Dimensions).

As part of the released RPD (ALMBI 6.1 version), the ALM Product container was mapped to the `DIM_PRODUCT` table in the physical layer (containing `PRODUCT_ID`). In an implementation, however, users can point to any other Product Dimension table.

The section [Steps to Point to a Different Product Dimension in ALMBI](#) describes the steps to change the Product Dimension in the following three cases:

- **Case 1:** Changing the Product Dimension from `DIM_PRODUCT` to `DIM_COMMON_COA`.
- **Case 2:** Changing the Product Dimension from `DIM_COMMON_COA` to `DIM_GL_ACCOUNT`.
- **Case 3:** Changing the Product Dimension from `DIM_PRODUCT` to the user-defined dimension. For example: `DIM_TM_COA_ID`.

10.2 Steps to Point to a Different Product Dimension in ALMBI

ALM Product is a logical idea in the Presentation or Logical Layer and in the physical layer, it can hold any one of the product dimension members that are available in ALM. It can be from `DIM_COMMON_COA`, `DIM_PRODUCT`, `DIM_GL_ACCOUNT`, or any other user-defined dimension. This section details the steps that must be performed to enable these changes in the following places:

- **RPD Layer:** Change the references in the physical layer.
- **Database Layer:** Change data in the `FSI_BI_SETUP_TABLE`.

Changes in RPD Layer: Stop the BI Server and open the RPD file in offline mode. Expand the ALMBI folder in the physical layer of the repository.

Take a backup of ALMBI RPD before doing any changes.

10.2.1 Case 1

When the Product Dimension needs to be changed from DIM_PRODUCT to DIM_COMMON_COA, the following changes are required in the OBIEE Repository:

1. Repository physical layer will have DIM_PRODUCT.
2. Rename the table name from DIM_PRODUCT to DIM_COMMON_COA.
3. Rename every column name of the DIM_PRODUCT with PRODUCT to COMMON_COA.
4. Rename every column name of the DIM_PRODUCT with PRODUCT to COMMON_COA.
5. Double click **Dim Product - Assumptions (View)**.
6. Go to **General** tab. Replace below query:

```
Select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_onl
y_flag,c.product_name,a.hierarchy_id,a.display_order_num,c.language
from dim_products_hier a
left outer join dim_products_b b on
a.child_id=b.product_id left outer join
dim_products_tl c
on b.product_id=c.product_id
and c.language='US'
with
select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_onl
y_flag,c.common_coa_name,a.hierarchy_id,a.display_order_num,c.language
from dim_common_coa_hier a
left outer join dim_common_coa_b b on
a.child_id=b.common_coa_id left outer join
dim_common_coa_tl c
on b.common_coa_id=c.common_coa_id
and c.language='US'
```

7. Click **OK**.
8. Save the Repository file.
9. Start the BI Server.

10.2.1.1 Database Layer Changes

The following changes are required in the Database layer. These can be applied in these two ways:

- Batch Execution
- Manual SQL Execution

10.2.1.1.1 Change of Product Dimension through Batch Execution

The database component used to change the Product Dimension or any other User-defined Product Dimension is `FN_ALM_BI_SET_USER_DEF_DIM` - Oracle Database function.

Table used by the Change of Product Dimension Process is `FSI_BI_SETUP_TABLE`. This table stores the source Dimension table name, source Column name, member column name, and Surrogate Key Column Name with the Join required flag. The flag `JOIN_REQUIRED = 'Y'` represents the active dimension to be considered for ALMBI Transformation.

Users must create a Batch Process for changing the Product Dimension. This process is explained in Executing the Change of Product Dimension.

The procedure takes Source Dimension Table Name, Source Column Name, Member Column Name, and Skey Column Name as additional parameters. Source Dimension Table Name is mandatory whereas Source Column Name, Member Column Name, and Skey Column Name are optional if a record with Source Dimension table Name already exists in `FSI_BI_SETUP_TABLE`. This process can also be run using the Simplified Batch window.

10.2.1.1.2 Executing the Change of Product Dimension

You can execute the function from the Operations Framework module of OFSAAI.

Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition:

1. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** button from the Task Details grid. The **Task Definition** window is displayed.
3. Enter the **Task ID** and **Description**.
4. Select the Transform Data component from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** list:
 - **Datastore Type:** Select the appropriate datastore type from the list.
 - **Datastore Name:** Select the appropriate datastore name from the list.
 - **IP Address:** Select the IP Address from the list.
 - **Rule Name:** Select `FN_ALM_BI_SET_USER_DEF_DIM` from the drop-down list. (This is a seeded Data Transformation Procedure installed as part of the ALMBI Application. If you do not see this procedure in the list, contact Oracle Support [Oracle Support](#)).
 - **Parameter List:** These are comma-separated values of Source Dimension Table Name, Source Column Name, Member Column Name, and Skey Column Name. For example: `'DIM_COMMON_COA', 'N_COMMON_COA_ID', 'COMMON_COA_ID', and 'N_COMMON_COA_SKEY'`.
6. Click **Save**. The Task definition is saved for the selected Batch.
7. Execute the Batch. You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.

 **Note:**

This process can also be run using the Simplified Batch User Interface. In the optional parameters field within the Simplified Batch window, specify the parameters mentioned above. For more details, see the [Simplified Batch Execution](#) window.

10.2.1.1.3 Checking the Execution Status

The status of execution can be monitored using the Batch Monitor window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The Event Log window in Batch Monitor provides logs for execution with the top row being the most recent. If there is any error during execution, it will get listed here. Even if you see Successful as the status in Batch Monitor it is advisable to go through the Event Log and re-check if there are any errors.

Alternatively, the execution log can be accessed on the application server in the following directory `$FIC_DB_HOME/log/date`. The file name will have the Batch Execution ID.

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log. (This is the same log you see in the Event Log window).

Check the `.profile` file in the installation home if you are unable to navigate to the above-mentioned locations.

10.2.1.1.4 Change of Product Dimension through Batch SQLPLUS

The details are as follows:

- **Function Name:** `FN_ALM_BI_SET_USER_DEF_DIM`
- **Parameters:** `BATCH_RUN_ID`, `MIS_DATE`, `DIMTABLENAME`, `SOURCECOLNAME`, and `MEMBERCOLNAME`
- **Sample Parameter Values:** `'Batch1'` , `'20130310'` , `' DIM_COMMON_COA'` , `'N_COMMON_COA_ID'` , `'COMMON_COA_ID'` , and `'N_COMMON_COA_SKEY'`
- **Manual Change of Product Dimension**
 - Execute the following query and it will return three rows as seen in the following screen shot.

```
update fsi_bi_setup_table set JOIN_REQUIRED='Y' where
target_table_name='FCT_TABLE' and
SOURCE_DIM_TABLE_NAME='DIM_COMMON_COA';
```

```

update fsi_bi_setup_table set JOIN_REQUIRED='N' where
target_table_name='FCT_TABLE' and
SOURCE_DIM_TABLE_NAME='DIM_PRODUCT';

```

By default, the JOIN_REQUIRED column will have 'Y' for the row where SOURCE_DIM_TABLE_NAME='DIM_PRODUCT'.

- Execute the following statements to change the value of the JOIN_REQUIRED column for DIM_COMMON_COA.
- Commit the transaction.
It appears as seen in the following figure.

10.2.2 ALMBI Transformation Package Update

The ALMBI Transformation Package should also be updated in ALMBI for a User-defined Product Dimension.

Perform the following actions to update the ALMBI Transformation Package (PKG_ALM_BI_TRANSFORMATIONS) to handle a User-defined Dimension.

Note:

The examples used here use the following: DIM_ALM_COA table with dimension member column as ALM_COA_ID. You should substitute this with the correct user-defined dimension table and column name as required.

1. Inside the PKG Declaration section, include the new user-defined dimension reference in the variable 'v_basic_select'.

For example, existing variable declaration is:

```

For a new user v_basic_select VARCHAR2(500) := 'SELECT PROCESS_ID,PRODUCT,
CURRENCY,START_DATE_INDX,SCENARIO,RESULT_TYPE,ORG_UNIT,COMMON_COA,BUCKET

```

defined dimension reference ('ALM_COA_ID'), make the following:

update:

```

v_basic_select VARCHAR2(500) := ' SELECT PROCESS_ID,PRODUCT,
CURRENCY,START_DATE_INDX,SCENARIO,RESULT_TYPE,ORG_UNIT,COMMON_COA,BUCKET
S,LEGT
YPE, ALM_COA_ID, ';

```

2. Inside the PKG Body section, extend the existing IF condition with a new ELSEIF.

```

ELSIF V_BI_SETUP_TABLE.MEMBER_COL_NAME = 'ALM_COA_ID' THEN
V_JOIN_CLAUSE := V_BISETUP_JOIN_COLUMN || ' = CONS_RES_DTL.ALM_COA_ID AND '
||
V_BI_SETUP_TABLE.DIM_TABLE_NAME || '.F_LATEST_RECORD_INDICATOR = ''Y'' ';

```

3. Once the above changes are complete, recompile, and execute the package.

10.2.3 Case 2

When the new product dimension is DIM_GL_ACCOUNT, the following changes are required in the OBIEE Repository:

1. Rename the existing DIM_GL_ACCOUNT table name to DIM_GL_ACCOUNT_OLD.
2. Rename the DIM_COMMON_COA to DIM_GL_ACCOUNT in the same way it has been stated above for DIM_PRODUCT.
3. Rename every column of DIM_COMMON_COA.
4. Double click on the alias table **Dim General Ledger** in the physical layer.
5. Source table is displayed as DIM_GL_ACCOUNT_OLD.
6. Click **Select** next to the Source table name.
7. Select the physical table DIM_GL_ACCOUNT and click **OK**, and then click **OK** again.
8. Select **Dim Product - Assumptions (View)** and double click.
9. Go to **General** tab. Replace below query:

```
select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_onl
y_
flag,c.common_coa_name,a.hierarchy_id,a.display_order_num,c.language
from dim_common_coa_hier a
left outer join dim_common_coa_b b on
a.child_id=b.common_coa_id left outer join
dim_common_coa_tl c
on b.common_coa_id=c.common_coa_id
and c.language='US'
```

with

```
select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_onl
y_flag,c.gl_account_name,a.hierarchy_id,a.display_order_num,c.language
from dim_general_ledger_hier a
left outer join dim_general_ledger_b b on
a.child_id=b.gl_account_id left outer join
dim_general_ledger_tl c
on b.gl_account_id=c.gl_account_id
and c.language='US'
```

10. Click **OK**.
11. Save the Repository file.
12. Start the BI Server.

10.2.3.1 Execution

Changes required in the Database Layer:

Changes to the Database Layer can be achieved in two ways:

- Batch Execution
Follow the steps mentioned in section Case 1 of 'Change of Product Dimension through Batch Execution'.
- Manual Execution
 1. Execute the following query and it will return three rows. By default, the JOIN_REQUIRED column will have 'Y' for the row where SOURCE_DIM_TABLE_NAME='DIM_COMMON_COA'.
 2. Execute the following statements to change the value of JOIN_REQUIRED column for DIM_GL_ACCOUNT.


```
update fsi_bi_setup_table set JOIN_REQUIRED='N' where
target_table_name='FCT_TABLE' and
SOURCE_DIM_TABLE_NAME='DIM_COMMON_COA';

update fsi_bi_setup_table set JOIN_REQUIRED='Y' where
target_table_name='FCT_TABLE' and
SOURCE_DIM_TABLE_NAME='DIM_GL_ACCOUNT';
```
 3. Commit the transaction.

10.2.4 Case 3

When the product dimension needs to be changed from DIM_PRODUCT to User-defined Dimension (for example, DIM_TM_COA_ID), the following changes are required in the OBIEE Repository:

1. Repository physical layer will have DIM_PRODUCT.
2. Rename the table name from DIM_PRODUCT to DIM_TM_COA_ID.
3. Rename every column name of the DIM_PRODUCT from 'PRODUCT' to 'TM_COA'.
4. Select **Dim Product - Assumptions (View)** and double click.
5. Go to the **General** tab.
6. Replace below query:

```
select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_only_flag
,c.product_name,a.hierarchy_id,a.display_order_num,c.language from
dim_products_hier a
left outer join dim_products_b b on
a.child_id=b.product_id left outer join
dim_products_tl c
on b.product_id=c.product_id
and c.language='US'
```

```

with
select
a.parent_id,a.child_id,a.child_depth_num,a.parent_depth_num,b.leaf_onl
y
_flag,c.tm_coa_name,a.hierarchy_id,a.display_order_num,c.language from
dim_tm_coa_hier a
left outer join dim_tm_coa_b b on
a.child_id=b.tm_coa_id left outer join
dim_tm_coa_tl c on b.tm_coa_id=c.tm_coa_id
and c.language='US'

```

7. Click **OK**.
8. Select `DIM_PRODUCTS_TL`.
9. Rename the table `DIM_PRODUCTS_TL` to `DIM_TM_COA_TL`.
10. Expand `DIM_TM_COA_TL`.
11. Rename column `PRODUCT_ID` to `TM_COA_ID`.
12. Rename column `PRODUCT_NAME` to `TM_COA_NAME`.
13. Save the Repository file.
14. Start the BI Server.

10.2.4.1 Database Layer Changes

The following changes are required in the Database Layer. These can be applied in following two ways:

- Batch Execution
- Manual SQL Execution

10.2.4.2 Executing the Change of Product Dimension

The database component used to change the product dimension or any other user-defined Product Dimension is `FN_ALM_BI_SET_USER_DEF_DIM` - Oracle Database function.

Table used by the Change of Product Dimension Process is `FSI_BI_SETUP_TABLE`. This table stores the Source Dimension Table Name, Source Column Name, Member Column Name, and Surrogate Key Column Name with the Join required flag. The flag `JOIN_REQUIRED = 'Y'` represents the active dimension to be considered for ALMBI Transformation.

Users must create a Batch Process for changing the product dimension. This process is explained in Executing the Change of Product Dimension.

The procedure takes Source Dimension Table Name, Source Column Name, Member Column Name, and Skey Column Name as additional parameters. Source Dimension Table Name is mandatory whereas Source Column Name, Member Column Name, and Skey Column Name are optional if a record with Source Dimension table Name

already exists in FSI_BI_SETUP_TABLE. This process can also be run using the Simplified Batch window.

10.2.4.3 Executing the Change of Product Dimension

You can execute the function from the Operations Framework module of OFSAAI. Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch Definition:

1. Select the check box adjacent to the newly created Batch Name in the **Batch Maintenance** window.
2. Click **Add (+)** button from the Task Details grid. The **Task Definition** window is displayed.
3. Enter the Task ID and Description.
4. Select the Transform Data component from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** list:
 - **Datastore Type:** Select the appropriate datastore type from the list.
 - **Datastore Name:** Select the appropriate datastore name from the list.
 - **IP Address:** Select the IP address from the list.
 - **Rule Name:** Select FN_ALM_BI_SET_USER_DEF_DIM from the drop-down list. (This is a seeded Data Transformation procedure installed as part of the ALMBI Application. If you don't see this procedure in the list, contact [Oracle Support](#)).
 - **Parameter List:** These are comma-separated values of Source Dimension Table Name, Source Column Name, Member Column Name, and Skey Column Name. For example: 'DIM_COMMON_COA', 'N_COMMON_COA_ID', 'COMMON_COA_ID', and 'N_COMMON_COA_SKEY'.
6. Click **Save**. The Task definition is saved for the selected Batch.
7. Execute the Batch. You can execute a Batch definition from the **Batch Execution** window of the OFSAAI Operations module.

Note:

This process can also be run using the Simplified Batch user interface. In the optional parameters field within the Simplified Batch window, specify the parameters mentioned above. For more details, see the [Simplified Batch Execution](#) window.

10.2.4.4 Checking the Execution Status

The status of execution can be monitored using the Batch Monitor window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure

- S: Success

The Event Log window in Batch Monitor provides logs for execution with the top row being the most recent. If there is any error during execution, it will get listed here. Even if you see Successful as the status in Batch Monitor it is advisable to go through the Event Log and re-check if there are any errors.

Alternatively, the execution log can be accessed on the application server in the following directory `$FIC_DB_HOME/log/date`. The file name will have the Batch Execution ID.

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log. (This is the same log you see in the Event Log window).

Check the `.profile` file in the installation home if you are unable to navigate to the above-mentioned locations.

Change of Product Dimension can also be directly executed on the database through SQLPLUS.

Details are:

- **Function Name:** FN_ALM_BI_SET_USER_DEF_DIM
- **Parameters:** BATCH_RUN_ID, MIS_DATE, DIMTABLENAME
- SOURCECOLNAME, MEMBERCOLNAME, and SKEYCOLNAME

Sample Parameter Values: 'Batch1', '20130310', 'DIM_TM_COA_ID', 'N_TM_COA_ID', 'TM_COA_ID', and 'N_TM_COA_SKEY'.

10.2.4.5 Manual Change of Product Dimension

Execute the following queries:

```
update fsi_bi_setup_table set JOIN_REQUIRED='N' where
target_table_name='FCT_TABLE' and SOURCE_DIM_TABLE_NAME='DIM_PRODUCT';
INSERT INTO FSI_BI_SETUP_TABLE
(target_table_name,target_col_name,member_col_name,source_dim_table_name,
source_column_name,skey_column_name,join_required) VALUES
('FCT_TABLE','N_PRODUCT_SKEY','TM_COA_ID','DIM_TM_COA_ID','N_TM_COA_ID',
'N_TM_COA_SKEY','Y');
```

11

Update Hierarchy System ID through Batch Execution

This chapter describes about the how to update the hierarchy system ID through the Batch Execution.

11.1 Overview

The database component is used to update the Hierarchy System ID is `FN_ALMBI_UPDATE_FLAT_HIER` - Oracle database function.

The table used by the Update Hierarchy System ID is `SETUP_MASTER`.

Related Topics

- [Checking the Execution Status](#)
- [Executing the Update Hierarchy System ID](#)

11.2 Checking the Execution Status

- Users must create a Batch Process to update the Hierarchy System ID. This process is explained in section Executing the Update Hierarchy System ID section.
- The procedure takes Component Code and Component Value as parameters and updates the `SETUP_MASTER` table.
- This process can also be run using the Simplified Batch window.

11.3 Executing the Update Hierarchy System ID

You can execute the function from the Operations module of OFSAAI, as mentioned below:

Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

1. Select the check box adjacent to the newly created Batch Name in the Batch Maintenance window.
2. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed. Enter the Task ID and Description.
3. Enter the Task ID and Description.
4. Select Transform Data from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** drop-down list:
 - **Datastore Type:** Select the appropriate datastore type from the list.

- **Datastore Name:** Select the appropriate datastore name from the list.
 - **IP Address:** Select the IP address from the list.
 - **Rule Name:** Select FN_ALMBI_UPDATE_FLAT_HIER from the drop-down list. (This is a seeded Data Transformation procedure installed.)
 - **ALM BI Application:** If you do not see this procedure in the list, contact [Oracle Support](#)).
 - **Parameter List:** These are comma-separated values of component Code and component Value. For example: ('3', 201739) (3 – COA, 201739 – hierarchy ID that needs to be transformed).
6. Click **Save**. The Task definition is saved for the selected Batch.
 7. Execute the Batch.

You can execute a Batch definition from the Batch Execution window of the OFSAAI Operations module.

 **Note:**

This process can also be run using the Simplified Batch User Interface. In the Optional Parameters field within the Simplified Batch window, specify the parameters mentioned above. For more details, see the [Simplified Batch Execution](#) section.

Update Hierarchy System ID can also be directly executed on the database through SQLPLUS.

Use the following details:

- **Function Name:** FN_ALMBI_UPDATE_FLAT_HIER
- **Parameters:** BATCH_RUN_ID, MIS_DATE, COMPONENTCODE, and COMPONENTVALUE

11.4 Checking the Execution Status

The status of execution can be monitored using the Batch Monitor window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The Event Log window in the Batch Monitor provides logs for execution with the top row being the most recent. If there is any error during execution, it will get listed here. Even if you see Successful as the status in Batch Monitor, it is advisable to go through the Event Log and re-check if there are any errors.

Alternatively, the execution log can be accessed on the Application Server in the following directory `$FIC_DB_HOME/log/date`. The file name will have the Batch Execution ID.

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log. (This is the same log you see in the Event Log window).

12

Simplified Batch Execution

This section describes how to set up and execute a Simplified Batch required for running ALM BI Processes.

Related Topics

- [Steps for Simplified Batch Execution](#)

12.1 Steps for Simplified Batch Execution

To execute a procedure through the Simplified Batch User Interface, create a batch through the following steps:

1. From **OFSAAI Home**, navigate to **Financial Service Application**, select **Administration**, and then select **Simplified Batch**.
2. Click **Add (+)** to add a new Batch.
3. Enter the **Name** and **Description** of the Batch that you wish to add.
4. Select **Folder Name** and **Access Type**.
5. Select Batch Execution Type: **Parallel** or **Sequential**.
6. Parallel Execution signifies the list of tasks to be executed in Parallel Sequential Execution signifies the list of tasks to be executed in sequential order.
7. Click Select Task in **Task Details** pane.
8. Select **Task Type** and **Source**. (See the following mapping table for more information).

Table 12-1 Task Type and Source

Sl. No.	Procedure	Task Type	Folder or Source	Task Selector or Rule Name
1	Hierarchy Flattening Process	Transform Data	Not Applicable	batch_hierTransformation
2	ALMBI Transformation	Transform Data	Not Applicable	ALM_BI_TRANSFORMATION
3	Time Dimension Population	Transform Data	Not Applicable	Dim_Dates_Population
4	DIM RUN Population	Transform Data	Not Applicable	Populate_Dim_Run_ALM
5	Account Summary Population	Load Data	<select the appropriate source>	<Choose the T2T name for the instrument you want to process>

9. Click **Search** to view the list of Tasks based on Task Type.

10. In the **Task Selector** pane, select **Task**. Drag and drop into the right pane. (That is, Rule Name, which is a seeded Data Transformation procedure installed as part of the OFS ALM Analytics Application Installer. If you do not see this procedure in the list, contact [Oracle Support](#)).

 **Note:**

You can deselect the task by dragging and dropping it into the left pane.

11. Click **OK**.
In the Task Details pane, select the Task by clicking on the checkbox and enter the optional parameters. Here the optional parameters would be the same parameter list as mentioned in the respective batch execution processes.
12. Click **Save**.
13. Select the Batch you created by clicking on the checkbox in the **Simplified Batch Summary** window.
14. Click **Run** to execute the Batch.

13

How to Define a Batch

To create or define a batch from the OFSAAI **Batch Maintenance** window, follow these steps:

1. From the OFSAAI Home menu, navigate to Operations and select **Batch Maintenance**.
2. In the **Batch Maintenance** window, select **Add (+)** from the Batch Name toolbar. The New Batch Definition window is displayed.
3. Enter the Batch details as tabulated.

Table 13-1 Batch Details

Field	Description
Batch Name	The Batch Name is auto-generated by the system. You can edit to specify a Batch name based on the following conditions: <ul style="list-style-type: none">• The Batch Name should be unique across the Information Domain.• The Batch Name must be alphanumeric and should not start with a number.• The Batch Name should not exceed 41 characters in length.• The Batch Name should not contain special characters "." and "-".
Batch Description	Enter a description for the Batch based on the Batch Name.
Duplicate Batch	(Optional) Select the checkbox to create a new Batch by duplicating the existing Batch details. On selection, the Batch ID field is enabled.
Batch ID (If duplicate Batch is selected)	Select the required Batch ID from the list. It is mandatory to specify the Batch ID if the Duplicate Batch option is selected.
Sequential Batch	Select the checkbox if the Batch has to be created sequentially based on the task specified. For example, if there are 3 tasks defined in a Batch, task 3 should have precedence as task 2, and task 2 should have precedence as task 1.

4. Click **Save** to save the Batch definition details. The new Batch definition details are displayed in the **Batch Name** pane of the **Batch Maintenance** window with the specified Batch ID.

14

Dynamic Infodom Selection

This section details how to configure multiple Infodoms.

Related Topics

- [Introduction](#)
- [Switch across Infodoms in ALMBI Reporting](#)
- [Adding a New Infodom to ALMBI Reporting](#)

14.1 Introduction

You can view ALMBI Reports from an Infodom by manually configuring the OBIEE connection pool pointing to a particular Infodom database. Dynamic Infodom Selection can switch multiple Infodoms.

14.2 Switch across Infodoms in ALMBI Reporting

To switch from INFODOM1 to INFODOM2, follow these steps:

1. Go to **Dashboards** and select **Dynamic Infodom Selection**.
2. Select INFODOM2, and enter username and password. Click **Apply**.
3. Click '**Change Schema**' and then click **OK**.
4. Click '**Issue SQL**' then click the **Back** button as shown below.
5. To delete cache, clicking **Manage Sessions**, and close All Cursors.
6. Refresh the dashboard pages. Now all dashboards will display data from the Infodom which you have selected above. The snapshot changed to INFODOM2 as shown below.

Similarly, an INFODOM can be switched to a different INFODOM.

14.3 Adding a New Infodom to ALMBI Reporting

1. Log in to **ALM BI Application**.
2. Navigate to **Dashboards** and select **Dynamic Infodom**.
3. Click **Page Options** and click **Edit Dashboard** on the top right corner of the **Dashboard** as shown below:
4. Under **Section 1**, click Edit to edit the Prompt for Sources.
5. Click **Edit** on **Prompt For Sources** window.
6. Edit DATABASE prompt label as required and click **OK**.
7. Enter new Infodom as **INFODOM3** by clicking + and **OK** the prompt.
8. Click from **Prompt For Sources** window.
9. Navigate to **Shared Folders** and select **Change Database Connection**.

10. Select and **Edit** the **Prompt For Sources_TNS**.
11. Select the **TNS** and Click **Edit**.
12. Click on expand Options. Edit the SQL Statement to include the new Infodomain TNS Entry details as follows:


Existing:

```
Select case when '{@DBNAME}' = 'INFODOM1' THEN '<TNS ENTRY1>' else
case when '{@DBNAME}' = 'INFODOM2' THEN
'<TNS ENTRY2>' end end from "ALM BI"
```

Modified:

```
Select case when '{@DBNAME}' = 'INFODOM1' THEN '<TNS ENTRY1>' else
case when '{@DBNAME}' = 'INFODOM2' THEN
'<TNS ENTRY2>' else case when '{@DBNAME}' = 'INFODOM3' THEN '<TNS
ENTRY3>' end end end from "ALM BI"
```

Figure 14-1 Edit Prompt



13. Click **OK** and save the prompt.

15

Update Breakage Charges through Batch Execution

This chapter describes about the how to update the Breakage Charges through Batch Execution.

Related Topics

- [Overview](#)
- [Executing the Update Breakage Charges](#)
- [Checking the Execution Status](#)

15.1 Overview

The database component used to update Breakage charges is `FN_FCT_FTP_ACC_SUMMARY_UPDATE` - Oracle Database function.

Users must create a Batch Process to update Breakage Charges.

- The procedure takes Component Code and Component Value as parameters and updates the `SETUP_MASTER` table.
- This process can also be run using the Simplified Batch window.

Related Topics

- [Executing the Update Breakage Charges](#)
- [Checking the Execution Status](#)

15.2 Executing the Update Breakage Charges

You can execute the function from the Operations module of OFSAAI, as mentioned below:

- Define a new Batch and an underlying Task definition from the Batch Maintenance window of OFSAAI. For more information on defining a new Batch, see the [How to Define a Batch](#) section.

To define a new task for a Batch definition, follow these steps:

1. Select the check box adjacent to the newly created Batch Name in the Batch Maintenance window. For more information, see the [Checking the Execution Status](#) section.
2. Click **Add (+)** from the Task Details grid. The **Task Definition** window is displayed.
3. Enter the **Task ID** and **Description**.
4. Select Transform Data from the **Transform Data** drop-down list.
5. Select the following from the **Dynamic Parameters** drop-down list:
 - **Datastore Type:** Select the appropriate datastore type from the list.

- **Datastore Name:** Select the appropriate datastore name from the list.
 - **IP Address:** Select the IP address from the list.
 - **Rule Name:** Select FN_FCT_FTP_ACC_SUMMARY_UPDATE from the drop-down list. (This is a seeded Data Transformation procedure installed as part of the ALM BI application. If you don't see this procedure in the list, contact [Oracle Support](#)).
 - **Parameter List:** NULL.
6. Click **Save**. The Task definition is saved for the selected Batch.
 7. Execute the Batch. You can execute a Batch definition from the **Batch Execution** window of the OFSAAI Operations module.

 **Note:**

This process can also be run using the Simplified Batch user interface. In the Optional Parameters field within the Simplified Batch window, specify the parameters mentioned above. For more details, see the [Simplified Batch Execution](#) section.

15.3 Checking the Execution Status

The status of execution can be monitored using the **Batch Monitor** window of the OFSAAI Operations module.

The status messages in Batch Monitor are:

- N: Not Started
- O: On Going
- F: Failure
- S: Success

The **Event Log** window in the Batch Monitor provides logs for execution with the top row being the most recent. If there is any error during execution, it will get listed here.

Even if you see Successful as the status in **Batch Monitor**, it is advisable to go through the Event Log and re-check if there are any errors.

Alternatively, the execution log can be accessed on the Application Server in the following directory `$FIC_DB_HOME/log/date`. The file name will have the Batch Execution ID.

The database-level operations log can be accessed by querying the `FSI_MESSAGE_LOG` table. The Batch Run ID column can be filtered for identifying the relevant log. (This is the same log you see in the Event Log window).

Check the `.profile` file in the installation home if you are unable to navigate to the above-mentioned locations.

16

How to Replace N_INT_ACCRD with N_INT_ACCRD_NET

This appendix describes the steps about how to replace N_INT_ACCRD with N_INT_ACCRD_NET.

Related Topics

- [Overview](#)

16.1 Overview

FE 440 is translated using the Exchange rate at Origination for following Financial Dashboard and select Report:

- Forecast Income and Balance Summary and select Forecast Income Statement in Consolidated Currency
- Forecast Income and Balance Detail and select Income Statement Detail in Consolidated Currency
- Forecast Income Statement Detail Product and select Forecast Income Statement Detail Product-wise in Consolidated Currency
- Income and select Scenario Report, and then select Net Interest Income Across Scenarios in Consolidated Currency

If you want to use FE 441, translated using the Current Bucket Exchange rate instead of FE 440, then replace N_INT_ACCRD_NET (FE 441) in place of N_INT_ACCRD (FE 440) in ALM BI RPD layer.

To replace N_INT_ACCRD with N_INT_ACCRD_NET, follow below steps:

1. Take back up of RPD.
2. Open RPD in Online mode.
3. Go to the **BMM Layer**.
4. In ALM BI, expand the Cash Flow Results report.
5. Double-click on **Interest Income** column.
6. Go to the **Column Source** tab.
7. Select **CF Res Cons** and click **Edit**.
8. Click **Edit Expression**.
9. Replace N_INT_ACCRD with N_INT_ACCRD_NET.
10. Click **OK** to continue.
11. Repeat the steps 6 - 10 for below columns:
 - Interest Expense
 - Off B/S Income

- Interest Accrued (440)#1
 - Interest Accrued (440)#2
12. Check-in the changes and save the RPD.
 13. Remove the RPD and Presentation Cache.
 14. Verify the reports.

17

How to Populate Data in FCT_REG_LE_CAPITAL_SUMMARY Table

This chapter describes about the how to populate the data in FCT_REG_LE_CAPITAL_SUMMARY table.

17.1 Overview

 **Note:**

The details about populating the tier 1 capital component from the Basel table are mentioned below. If you do not have the Basel license, then you can populate the table via script and have the value flow through to Table B.

Tier 1 Capital for reporting periods T and T-1 must be designated and reported. Currently, this value should be reported by the Basel capital application fact table:

`FCT_REG_LE_CAPITAL_SUMMARY.N_AMOUNT_POST_REG_ADJUSTMENT`

If the Basel capital fact table is not licensed, then the tier 1 capital value must be manually loaded into the reporting table via SQL command. The target table is FCT_REG_LE_CAPITAL_SUMMARY and its fields are as follows:

Table 17-1

Column Name	Data Type	Nullable	PK	FK
N_ENTITY_SKEY	NUMBER(10)	No	Yes	No
N_REP_LINE_SKEY	NUMBER(10)	No	Yes	No
N_GAAP_SKEY	NUMBER(10)	No	Yes	No
N_LEV_RATIO_DE D_GROUP_SKEY	NUMBER(5)	Yes	No	No
N_CAPITAL_COM P_GROUP_SKEY	NUMBER(10)	No	Yes	No
V_RCY_CODE	VARCHAR2(3)	Yes	No	No
N_COUNTRY_SKEY	NUMBER(10)	Yes	No	No
N_LOB_SKEY	NUMBER(10)	Yes	No	No
N_AMOUNT_PRE _REG_ADJUSTM ENT	NUMBER(22,3)	Yes	No	No
N_AMOUNT_POS T_REG_ADJUSTM ENT	NUMBER(22,3)	Yes	No	No

Table 17-1 (Cont.)

Column Name	Data Type	Nullable	PK	FK
F_NON_QUALIFIED_CAP_INSTR_FLAG	CHAR(1)	Yes	No	No
N_FORECAST_DATE_SKEY	NUMBER(10)	No	Yes	No
V_SCENARIO_CODE	VARCHAR2(20)	No	Yes	No
N_MIS_DATE_SKEY	NUMBER(10)	No	Yes	Yes
N_RUN_SKEY	NUMBER(10)	No	Yes	Yes
N_BRANCH_SKEY	NUMBER(10)	Yes	No	Yes

The T1 Capital amount should be entered into the field N_AMOUNT_POST_REG_ADJUSTMENT with the following constraints:

- N_REP_LINE_SKEY = 8110000637
- V_CAP_COMP_GROUP_CODE = 'OTH'
- V_SCENARIO_CODE should be defaulted to the users' 'Baseline' forecast scenario ID
- N_FORECAST_DATE_SKEY should be defaulted to '999991231'

18

General Data Protection Regulation (GDPR) Configuration

This chapter describes about the GDPR configuration for ALMBI.

18.1 PII Dashboard

 **Note:**

This is applicable from ALMBI v8.0.6.0.0 onwards.

To configure the GDPR in ALMBI, follow these steps:

1. Navigate to **FTP Reporting**, select **Funds Transfer Pricing Reports**, and then select **Transfer Price Account Summary Report**.
2. The PII Dashboard columns are as follows:
 - Customer Name (DIM_CUSTOMER_TL.CUSTOMER_NAME)
 - Account Number (DIM_ACCOUNT.V_ACCOUNT_NUMBER)

 **Note:**

Added V_Original_ACCOUNT_NUMBER in the DIM_ACCOUNT table (Presentation layer of the RPD). If you want to view the original account number, then include it in the Transfer Pricing Account Summary report under 12 [Fund Transfer Pricing - Assumptions](#).

19

How to Populate Common Account Summary Data Directly from Instrument Table

This chapter describes about the how to populate the Common Account Summary Data directly from Instrument table.

19.1 Common Account Summary Data Population from Instrument Tables

In order to meet the requirements of specific customers where the `FCT_COMMON_ACCOUNT_SUMMARY` gets loaded directly through Instrument `FSI_D_` tables, a single T2T definition as an example for Annuity table shall be provided, which moves data from `FSI_D_ANNUIITY_CONTRACTS` table to `FCT_COMMON_ACCOUNT_SUMMARY` table.

Sl. No.	Definition Name	Source Table	Destination Table
1	T2T_FCT_COMMON_A CCOUNT_ANNUIITY	FSI_D_ANNUIITY_CON TRACTS	FCT_COMMON_ACCO UNT_SUMMARY

This T2T should be copied for all applicable Instrument tables where data movement from Instrument table to Common Account Summary is required.

20

Limit Management

This section covers the Limit Management details.

Related Topics

- [Overview](#)
- [Functional Flow](#)
- [Preparing and Uploading Limit Definitions](#)

20.1 Overview

Limit functionality is useful if you want to compare the repricing gap measures calculated by the ALM application with a limit set as per the risk policy of the bank. This is done to assess the current level of risk and take corrective actions when required.

Using this, you can define the following:

1. Set and monitor net repricing gap limit.
2. Set and monitor cumulative repricing gap limit.
The limit can be defined in Amount or Percent terms and in base currency or in consolidated currency or both.

Limits are defined at granularity of the following dimensions:

- Legal Entity
- Organization Unit
- Currency
- Time Bucket
- Rate Scenario


Following ALMBI Reports are impacted:

- Repricing Gap Summary in Base Currency
- Repricing Gap Summary in Consolidated Currency
- Repricing Gap Across Dates in Base Currency
- Repricing Gap Across Dates in Consolidated Currency

20.2 Functional Flow

The following flow explains about how to define a limit, perform the quality check, and move the data for reporting purpose.

Figure 20-1 Functional Flow



20.3 Preparing and Uploading Limit Definitions

- Step 1:** Create a limit definition with the following attributes and upload data to table `STG_ALM_GAP_LIMIT_DTL`:

Table 20-1 Limit Definition

Column Name	Name	Data Type	Nullable	Primary Key	Description
D_EFFECTIVE_END_DATE	Effective End Date	DATE	Yes	No	Date till which the limit definition is effective.
D_EFFECTIVE_START_DATE	Effective Start Date	DATE	Yes	No	Date from which the limit definition is effective.
FIC_MIS_DATE	Extraction Date	DATE	No	Yes	Date till which the limit definition is effective.
N_BUCKET_NUMBER	Bucket Number	NUMBER(5)	No	Yes	This is to identify a dynamic bucket number.

Table 20-1 (Cont.) Limit Definition

Column Name	Name	Data Type	Nullable	Primary Key	Description
N_LWR_LIMT_AMOUNT	Lower Limit Amount	NUMBER(22, 3)	Yes	No	Normally the limit will be specified as a range. The lower value of the range must be given here.
N_START_DATE_INDEX	Start Date Index	NUMBER(5)	No	Yes	This is to identify dynamic bucket start dates.
N_UPR_LIMT_AMOUNT	Upper Limit Amount	NUMBER(22, 3)	Yes	No	Normally the limit will be specified as a range. The upper value of the range must be given here.
V_ALM_GAP_MEASURE	ALM Gap Measure Name	VARCHAR2(100)	No	Yes	Name of the measure for which limit is specified. Indicative Values are 'Net Reprice Gap' and 'Cumulative Reprice Gap'.
V_CURRENCY_TYPE_CD	Currency Type Code	VARCHAR2(40)	No	Yes	This column decides whether the given limits are for Base (Natural) currency or consolidated (Reporting) currency. Indicative Values are 'Entered' for base or natural currency and 'Functional' for consolidated or reporting currency.

Table 20-1 (Cont.) Limit Definition

Column Name	Name	Data Type	Nullable	Primary Key	Description
V_FCAST_R ULE_NAME	Forecast Rate Rule Name	VARCHAR2(60)	No	Yes	Name of the forecast rate rule for which limit is specified.
V_ISO_CUR RENCY_CD	ISO Currency Code	VARCHAR2(3)	No	Yes	Code of the currency for which limit is specified. In case currency type is reporting then this column will store reporting currency code.
V_LIMIT_ME THOD	Limit Method	VARCHAR2(60)	Yes	No	The manner in which limit is specified. Indicative Values are 'Absolute' when the limit is defined as the amount or 'Relative' when limit is defined in terms percentage.
V_LV_CODE	Legal Entity Code	VARCHAR2(20)	No	Yes	Stores the code for the legal entity to which the branch belongs.
V_ORG_UNI T_CODE	Organization Unit Code	VARCHAR2(40)	No	Yes	This column stores the cost center to which the account belongs to. Dim_Org_Uni t is the equivalent dimension table for this column.

Table 20-1 (Cont.) Limit Definition

Column Name	Name	Data Type	Nullable	Primary Key	Description
V_SCENARIO_NAME	Scenario Name	VARCHAR2(40)	No	Yes	Name of the forecast rate scenario for which limit is specified.
V_TIME_BUCKET_NAME	Time Bucket Name	VARCHAR2(30)	No	Yes	Name of the time bucket which has been created from UI and for which limit is being specified.

2. **Step 2:** Maintain limit in processing or metadata tables.

To maintain the limit in processing or metadata table, you can execute the batch **<INFODOM>_ALM_GAP_LIMIT_LOADER** (GAP Limits Loader) from the ICC Batch screen within OFSAAI Framework. There is a seeded batch **<INFODOM>_ALM_GAP_LIMIT_LOADER** with the following parameters for the task:

- **Execution Date:** Date of batch execution
- **Batch_run_id:** ID of the batch

Here, no parameters are required from the user.

During this batch execution, data is uploaded and copied to the processing area where master definitions with changes over time will be maintained. Quality check and limit definition updating are also performed here.

Following quality checks will be performed here:

- Dimension Data:** All values like legal entity, currency, and so on. should be checked to confirm that they are present in respective dimension tables and are active. This includes the following:
 - Check if the legal entity code for a given record conforms to values in `DIM_LEGAL_ENTITY_B`; only those values which are 'leaf-only' and 'enabled' are considered.
 - Check if the currency type code for a given record conforms to values in `FSI_CURRENCY_TYPE_MLS`.
 - Check if the currency code for a given record conforms to ISO codes in `FSI_CURRENCIES`.
- Metadata:** Time bucket, start date index, forecast rule, the scenario should be checked with relevant metadata tables to confirm that they are correct and active. This includes the following:
 - Check if the bucket-name for a given record conforms to values in `FSI_TIME_BUCKET_MASTER`; follow this up and check if the bucket number for that particular record exists in `DIM_RESULT_BUCKET`.
 - Check if the start-date index for a given record conforms to the bucket-name: start-date index mapping in `FSI_LR_BUCKETS_AUX` and `TIME_BUCKET_SYS_ID`.

- iii. Check if the forecast-rule name for a given record conforms to values in FSI_M_OBJECT_DEFINITION_TL; follow it up and check if the scenario-name for that record conforms to forecast-rule name: scenario name mapping in FSI_FCAST_RATES_SCENARIOS.
- c. Values given for limit method and reprice measures must be from the prescribed list.
- d. Check if the repricing gap measure is one of 'NET REPRICE GAP' or 'CUMULATIVE REPRICE GAP'.
- e. Effective start date should be LESSER THAN effective end date. However, the date of execution (As of Date) can be LESS THAN, GREATER THAN AND EQUAL TO effective start date. The date of execution is allowed to be LESS THAN AND EQUAL TO effective end date but never greater than the effective end date.
- f. The limit type should be one of 'ABSOLUTE' or 'RELATIVE'.

Table 20-2 Limit Amount

Limit Amount – Lower Value	Limit Amount – Upper Value
0	100
110	200

- g. Here, the lower value starts from 110 whereas the upper value of the previous band was 100. Thus, there is break, that is, 101-109 is lost.
 - h. When the limit method is Absolute, then the upper value of limit should be greater than lower value and there should be no breakage of the gap between given ranges. For example: If the limit is defined in a way then there is a break.
 - i. When the limit method is Relative, then the lower limit value should not be less than 0 and the upper value should not be more than 100.
 - j. 'Valid till' date is in future (higher than as of date) and greater than 'valid from' date.
 - k. Conditional upper and lower limits include the following: Succeeding lower limit should be continuous with previous upper limit whether the method is Absolute or Relative. (bucket continuity constraint)
 - l. Limits should be non-negative irrespective of method or lower or upper. The upper limit should be greater than lower limit All buckets in a set (as differentiated by bucket name after filtering through other Primary Key columns) must follow the same limit method.
 - m. For limit method RELATIVE, first lower limit must be 0 and last upper limit should be 100 to cover the entire percentage spectrum; of course, neither limit should cross 100 at any stage If any record within a limit definition fails the quality test, the entire limit definition will be rejected, and a message will be logged in FSI_MESSAGE_LOG table.
- 3. Step 3:** Prepare limit definition for reports.

In this step, limit definitions from the master will be prepared for use in BI by reports. You can execute this from the ICC Batch screen within the OFSAAI framework. A seeded batch INFODOMNAME_TRANSFORMALMRESULT is

provided with the Task component as ALMBI TRANSFORMATION and following parameters for the task:

- **Execution Date:** Date of batch execution.
- **Batch_run_id:** ID of the batch.
- **Process ID (PID):** The process for which the task is to be executed, either from UI or from the back-end.
- **Limit flag(b_limit_flag):** Possible values are 'Y' or 'N'; the limits should be prepared only if the flag is 'Y'.
- **Rerun flag (p_re_run_flag):** Possible values are 'Y' or 'N'; if flag is 'Y', previously present limit definitions will be removed.

Here, Process ID, Limit Flag, and Rerun parameters are required user input.

21

Troubleshooting

This section provides Troubleshooting tips for problems that you may encounter while working in ALM BI.

Related Topics

- [Troubleshooting the Problems](#)

21.1 Troubleshooting the Problems

- 1. Problem:** Batch Failed to Execute.
Solution: Before executing a batch, check if the following services are running on the Application Server (For more information on how to check if the services are up and on, and how to start the services if you find them not running, see the [Oracle Financial Services Analytical Applications Infrastructure User Guide](#)).
 - Iccserver
 - Router
 - AM
 - Messageserver
- 2. Problem:** SCD is not processing a particular Hierarchy.
Solution: If SCD wants to process a DIM_PRODUCT Hierarchy SYS ID (say 1000018711), then the entry should be available in the table SETUP_MASTER as:

Table 21-1 Hierarchy SYS ID

V_COMPONENT_CODE	V_COMPONENT_DESC	V_COMPONENT_VALUE
22	PRODUCT_HIER1	1000018711

For more information, see the tables used by the [SCD Component](#) section.

- 3. Problem:** During the execution of the ALMBI Transformation, the program may not complete successfully.
Solution: Check for the existence of the PROCESS_ID and LAST_RUN_AS_OF_DATE combination in the FSI_PROCESS_RUN_HISTORY table.

The following SQL Query can be executed to check the status:

```
"SELECT * FROM FSI_PROCESS_RUN_HISTORY"
```

- 4. Problem:** Failed to execute ALMBI Transformation after the SCD Process has run.
Solution: Execute DIM_RUN Population, as mentioned in the section before ALMBI Transformation.

The following SQL Query can be executed to check the existence of the process in the DIM_RUN table:

```
SELECT * FROM DIM_RUN WHERE V_RUN_ID = '<PROCESS_ID>'.
```