

# Oracle® Financial Service Balance Sheet Planning

## System Administrator User Guide



Release 8.1.2.2.0  
G30574-04  
April 2025

ORACLE®

Copyright © 2000, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

# Contents

## 1 Preface

---

|     |                              |   |
|-----|------------------------------|---|
| 1.1 | Audience                     | 1 |
| 1.2 | Access to Oracle Support     | 1 |
| 1.3 | Related Information Sources  | 1 |
| 1.4 | Additional Documents to Read | 1 |
| 1.5 | Conventions                  | 2 |
| 1.6 | Abbreviations                | 2 |
| 1.7 | What is New in this Release? | 3 |

## 2 Introduction to Balance Sheet Planning

---

|     |                                                                                |   |
|-----|--------------------------------------------------------------------------------|---|
| 2.1 | Roles in Balance Sheet Planning                                                | 1 |
| 2.2 | Oracle Balance Sheet Planning and Other Oracle Financial Services Applications | 3 |
| 2.3 | Oracle Balance Sheet Planning Key Benefits                                     | 3 |
| 2.4 | Oracle Financial Services Enterprise Performance Management                    | 6 |

## 3 OFSAAI - An Overview

---

|       |                                |    |
|-------|--------------------------------|----|
| 3.1   | Components of OFSAAI           | 1  |
| 3.2   | Accessing OFSAA Applications   | 3  |
| 3.3   | OFSAA Login Page               | 3  |
| 3.3.1 | Log in as System Administrator | 4  |
| 3.3.2 | Log in as System Authorizer    | 5  |
| 3.3.3 | Log in as Business User        | 5  |
| 3.4   | Changing Password              | 6  |
| 3.5   | OFSAA Landing Page             | 7  |
| 3.5.1 | Header                         | 7  |
| 3.5.2 | Accessing Navigation List      | 9  |
| 3.6   | Modules in OFSAAI              | 10 |
| 3.7   | Logging in OFSAA               | 11 |
| 3.7.1 | Purging of Logs                | 11 |
| 3.7.2 | Log File Format                | 12 |

## 4 Data Entries Forms and Queries

---

|         |                                     |    |
|---------|-------------------------------------|----|
| 4.1     | Excel Upload (Atomic)               | 1  |
| 4.1.1   | Navigating to Excel Upload (Atomic) | 2  |
| 4.1.2   | Excel-Entity Mappings               | 2  |
| 4.1.3   | Adding Excel-Entity Mappings        | 2  |
| 4.1.4   | Excel Upload                        | 4  |
| 4.2     | Forms Designer                      | 5  |
| 4.2.1   | Creating a New Form                 | 7  |
| 4.2.2   | Altering Existing Forms             | 15 |
| 4.2.3   | Copying Forms                       | 18 |
| 4.2.4   | Deleting Forms                      | 18 |
| 4.2.5   | Assigning Rights                    | 18 |
| 4.2.5.1 | User Value Map                      | 19 |
| 4.2.6   | Message Type Maintenance            | 20 |
| 4.3     | Forms Authorization                 | 20 |
| 4.3.1   | DEFQ Field Properties               | 21 |
| 4.4     | Data Entry                          | 22 |
| 4.4.1   | Viewing Form Details                | 23 |
| 4.4.2   | Searching Records                   | 24 |
| 4.4.3   | Editing Form Details                | 25 |
| 4.4.4   | Adding Form Data                    | 26 |
| 4.4.5   | Authorizing Record                  | 26 |
| 4.4.5.1 | Re-authorizing Records              | 28 |
| 4.4.5.2 | Re-authorizing Deleted Records      | 29 |
| 4.4.6   | Exporting Form Data                 | 30 |
| 4.4.7   | Copying Form Data                   | 30 |
| 4.4.8   | Deleting Form Details               | 31 |
| 4.4.9   | References                          | 31 |
| 4.4.9.1 | Creating Tree View Form             | 31 |
| 4.4.9.2 | Dimensional Table Tree              | 31 |
| 4.4.9.3 | Parent-Child Tree                   | 32 |
| 4.4.9.4 | Applying Rules                      | 32 |
| 4.4.9.5 | Defining List of Values             | 32 |
| 4.4.9.6 | Defining Messaging Details          | 33 |
| 4.4.9.7 | Form Data Versioning                | 35 |
| 4.4.9.8 | Save with Authorization             | 35 |

## 5 OFSAA Attributes

---

|       |                              |   |
|-------|------------------------------|---|
| 5.1   | Adding Attribute Definition  | 1 |
| 5.1.1 | Viewing Attribute Definition | 2 |

|         |                                   |   |
|---------|-----------------------------------|---|
| 5.1.2   | Modifying Attribute Definition    | 3 |
| 5.1.2.1 | Copying Attribute Definition      | 3 |
| 5.1.3   | Attribute Definition Dependencies | 4 |
| 5.1.4   | Deleting Attribute Definition     | 4 |

## 6 Dimension Members

---

|     |                                |   |
|-----|--------------------------------|---|
| 6.1 | Adding Member Definition       | 1 |
| 6.2 | Viewing Member Definition      | 4 |
| 6.3 | Modifying Member Definition    | 4 |
| 6.4 | Copying Member Definition      | 4 |
| 6.5 | Member Definition Dependencies | 5 |
| 6.6 | Deleting Member Definition     | 5 |

## 7 Hierarchy Maintenance

---

|     |                                   |   |
|-----|-----------------------------------|---|
| 7.1 | Adding Hierarchy Definition       | 1 |
| 7.2 | Viewing Hierarchy Definition      | 6 |
| 7.3 | Modifying Hierarchy Definition    | 6 |
| 7.4 | Copying Hierarchy Definition      | 7 |
| 7.5 | Hierarchy Definition Dependencies | 7 |
| 7.6 | Deleting Hierarchy Definition     | 7 |

## 8 Filter

---

|       |                             |    |
|-------|-----------------------------|----|
| 8.1   | Adding Filter Definition    | 2  |
| 8.1.1 | Define Data Element Filter  | 4  |
| 8.1.2 | Define Hierarchy Filter     | 8  |
| 8.1.3 | Define Group Filter         | 10 |
| 8.1.4 | Define Attribute Filter     | 10 |
| 8.2   | Viewing Filter Definition   | 11 |
| 8.3   | Modifying Filter Definition | 11 |
| 8.4   | Copying Filter Definition   | 11 |
| 8.5   | Checking Dependencies       | 11 |
| 8.6   | Viewing SQL of Filter       | 12 |
| 8.7   | Deleting Filter Definition  | 12 |

## 9 Expression

---

|     |                              |   |
|-----|------------------------------|---|
| 9.1 | Adding Expression Definition | 2 |
| 9.2 | Viewing Expression           | 3 |
| 9.3 | Modifying Expression         | 4 |

|     |                       |   |
|-----|-----------------------|---|
| 9.4 | Copying Expression    | 4 |
| 9.5 | Checking Dependencies | 4 |
| 9.6 | Deleting Expression   | 4 |

## 10 OFSAA Rate Management

---

|          |                                                       |    |
|----------|-------------------------------------------------------|----|
| 10.1     | Interest Rates                                        | 1  |
| 10.1.1   | Searching for Interest Rate Curve                     | 2  |
| 10.2     | Interest Rates Details                                | 3  |
| 10.2.1   | Creating an Interest Rate Code                        | 4  |
| 10.2.2   | Interest Rate Code Tabs                               | 5  |
| 10.2.2.1 | Navigating Between Interest Rate Code Tabs            | 5  |
| 10.2.2.2 | Parameters Tab                                        | 11 |
| 10.2.2.3 | Hybrid Term Structure Tab                             | 14 |
| 10.2.3   | Batch Creation                                        | 18 |
| 10.2.3.1 | Running Hybrid Rate Generation using Simplified Batch | 18 |
| 10.2.3.2 | Viewing Log Messages                                  | 19 |
| 10.3     | Currency                                              | 19 |
| 10.3.1   | Searching for Currency                                | 20 |
| 10.3.2   | Editing Currencies                                    | 21 |
| 10.3.3   | Adding Currencies                                     | 21 |
| 10.3.4   | Deleting Currencies                                   | 21 |
| 10.4     | Currency Rates                                        | 21 |
| 10.4.1   | Preparing to Work with Exchange Rate Data             | 22 |
| 10.4.2   | Adding Exchange Rate Data                             | 22 |
| 10.4.3   | Adding Multiple Exchange Rates                        | 23 |
| 10.4.4   | Editing Exchange Rate Data                            | 23 |
| 10.4.5   | Viewing Exchange Rate Data                            | 24 |
| 10.4.6   | Deleting Exchange Rate Data                           | 24 |
| 10.4.7   | Data Loader                                           | 24 |
| 10.4.8   | Excel Compatibility                                   | 24 |
| 10.5     | Currency Exchange Rate Validation                     | 25 |
| 10.5.1   | Features of Exchange Rate Validation                  | 25 |
| 10.5.2   | Currency Rate Validation                              | 25 |
| 10.5.3   | Validating Exchange Rate Relationships                | 26 |
| 10.5.4   | Running an Exchange Rate Validation                   | 27 |
| 10.5.4.1 | Running a Validation Immediately                      | 27 |
| 10.5.5   | Scheduling One or More Validations                    | 29 |
| 10.5.6   | Viewing the Messages                                  | 30 |
| 10.6     | Economic Indicators Summary Page                      | 30 |
| 10.6.1   | Searching for Economic Indicator                      | 31 |
| 10.6.2   | Economic Indicators Details                           | 32 |

## 11 Holiday Calendar

---

|      |                                  |   |
|------|----------------------------------|---|
| 11.1 | Searching for a Holiday Calendar | 1 |
| 11.2 | Creating a Holiday Calendar      | 2 |
| 11.3 | Excel Import and Export          | 4 |
| 11.4 | Executing Holiday Calendar       | 4 |
| 11.5 | Holiday Exceptions               | 4 |

## 12 Oracle Balance Sheet Planning Process

---

|          |                                                                                                  |    |
|----------|--------------------------------------------------------------------------------------------------|----|
| 12.1     | Overview of the Process                                                                          | 1  |
| 12.2     | Reconciling the Data                                                                             | 5  |
| 12.3     | Cleansing the Data by performing Cash Flow Edits                                                 | 6  |
| 12.4     | Setting Application Preferences                                                                  | 6  |
| 12.5     | Activating Currencies and Loading Exchange Rates                                                 | 6  |
| 12.6     | (Mandatory) Deciding on historical rate information and managing by creating Interest Rate Codes | 7  |
| 12.7     | Capturing Instrument Behavior for Non-standard Instruments                                       | 8  |
| 12.7.1   | Capturing Instrument Behavior for Non-Standard Instruments                                       | 8  |
| 12.7.2   | Defining Behavior Patterns                                                                       | 8  |
| 12.7.2.1 | CFE Requirements and Functionality                                                               | 8  |
| 12.7.2.2 | Non Maturity                                                                                     | 9  |
| 12.7.2.3 | Devolvement and Recovery                                                                         | 9  |
| 12.7.2.4 | Behavior Pattern Structure                                                                       | 10 |
| 12.7.2.5 | Payment Events                                                                                   | 10 |
| 12.7.2.6 | Principal Runoff Term                                                                            | 10 |
| 12.7.2.7 | Payment Type                                                                                     | 11 |
| 12.7.3   | Defining Payment Patterns                                                                        | 11 |
| 12.7.3.1 | Payment Pattern Structure                                                                        | 11 |
| 12.7.3.2 | Payment Events                                                                                   | 12 |
| 12.7.3.3 | Payment Method                                                                                   | 12 |
| 12.7.3.4 | Absolute Payment Patterns                                                                        | 13 |
| 12.7.3.5 | Relative Payment Patterns                                                                        | 13 |
| 12.7.3.6 | Split Payment Patterns                                                                           | 13 |
| 12.7.4   | Defining Repricing Patterns                                                                      | 14 |
| 12.7.4.1 | User-Defined Repricing Pattern                                                                   | 14 |
| 12.7.4.2 | User-Defined Repricing Event                                                                     | 14 |
| 12.7.4.3 | Event Detail                                                                                     | 15 |
| 12.7.4.4 | Indexed Rate                                                                                     | 15 |
| 12.7.4.5 | Absolute Repricing Pattern                                                                       | 16 |

|           |                                                                      |    |
|-----------|----------------------------------------------------------------------|----|
| 12.7.4.6  | Relative Repricing Pattern                                           | 16 |
| 12.7.4.7  | Pricing with Balance Tiers                                           | 16 |
| 12.7.5    | Loading Payment Schedule Details                                     | 17 |
| 12.7.6    | (Mandatory) Defining Time Buckets                                    | 17 |
| 12.7.7    | (Mandatory) Defining Product Characteristics                         | 17 |
| 12.7.8    | (Mandatory - Deterministic) Defining Forecast Rate Scenarios         | 18 |
| 12.7.9    | Defining Prepayments                                                 | 18 |
| 12.7.9.1  | Prepayment Methodologies and Rules                                   | 18 |
| 12.7.9.2  | Constant Prepayment Method                                           | 19 |
| 12.7.10   | Prepayment Model Method                                              | 19 |
| 12.7.10.1 | Prepayment Model Structure                                           | 19 |
| 12.7.10.2 | Types of Prepayment Drivers                                          | 19 |
| 12.7.11   | PSA Method                                                           | 21 |
| 12.7.11.1 | Arctangent Calculation Method                                        | 21 |
| 12.7.12   | Defining Default Forecast Assumptions                                | 25 |
| 12.7.13   | Defining Transfer Pricing Rules                                      | 25 |
| 12.7.14   | Transfer Pricing Methodologies and Rules                             | 26 |
| 12.7.14.1 | Cash Flow: Average Life                                              | 27 |
| 12.7.14.2 | Cash Flow: Duration                                                  | 29 |
| 12.7.14.3 | Cash Flow: Weighted Term                                             | 30 |
| 12.7.14.4 | Cash Flow: Zero Discount Factors                                     | 31 |
| 12.7.14.5 | Moving Averages                                                      | 33 |
| 12.7.14.6 | Straight Term                                                        | 35 |
| 12.7.14.7 | Spread from Interest Rate Code                                       | 36 |
| 12.7.14.8 | Spread from Note Rate                                                | 37 |
| 12.7.14.9 | Redemption Curve                                                     | 38 |
| 12.7.15   | Defining Transfer Pricing Methodologies Using Node Level Assumptions | 38 |
| 12.7.16   | Define Adjustment Rules                                              | 40 |
| 12.7.16.1 | Adjustment Methods and Rules                                         | 40 |
| 12.7.17   | (Mandatory) Defining and Running the Balance Sheet Planning Process  | 46 |
| 12.7.18   | Reviewing Processing Errors                                          | 47 |
| 12.7.19   | Accessing Balance Sheet Planning, Detail Cash Flow Results           | 47 |
| 12.7.20   | Analyzing Results                                                    | 47 |
| 12.7.21   | Reprocessing Erroneous Accounts                                      | 48 |

## 13 Common Rule Management Tasks

---

|      |                           |   |
|------|---------------------------|---|
| 13.1 | Rule Summary Page         | 1 |
| 13.2 | Searching for Rules       | 2 |
| 13.3 | Creating Rules            | 3 |
| 13.4 | Viewing and Editing Rules | 3 |
| 13.5 | Copying Rules             | 4 |



|      |                     |   |
|------|---------------------|---|
| 13.6 | Deleting Rules      | 4 |
| 13.7 | Dependency Checking | 5 |

## 14 Cash Flow Edits

---

|        |                                  |   |
|--------|----------------------------------|---|
| 14.1   | Creating Cash Flow Edit Process  | 3 |
| 14.2   | Executing Cash Flow Edit Process | 7 |
| 14.2.1 | Using Cash Flow Edit Process UI  | 7 |
| 14.2.2 | Batch Based Procedure            | 8 |
| 14.3   | View Cash Flow Edit Process Log  | 9 |

## 15 User Defined Behavior Patterns

---

|        |                                                                     |    |
|--------|---------------------------------------------------------------------|----|
| 15.1   | Creating Behavior Patterns                                          | 1  |
| 15.1.1 | Searching for Behavior Patterns                                     | 2  |
| 15.1.2 | Defining Non-Maturity Behavior Patterns (for Tractor TP Method use) | 3  |
| 15.1.3 | Defining Non-Performing Behavior Patterns                           | 8  |
| 15.1.4 | Defining Devolvement and Recovery Behavior Patterns                 | 9  |
| 15.1.5 | Defining Non-Maturity Behavior Patterns                             | 11 |
| 15.2   | Export and Import Replicating Portfolio Data in Excel               | 13 |

## 16 User Defined Payment Patterns

---

|        |                                  |   |
|--------|----------------------------------|---|
| 16.1   | Search for Payment Patterns      | 1 |
| 16.2   | Create Payment Patterns          | 2 |
| 16.2.1 | Define Absolute Payment Patterns | 3 |
| 16.2.2 | Define Relative Payment Patterns | 5 |
| 16.2.3 | Define Split Payment Patterns    | 7 |

## 17 User Defined Repricing Patterns

---

|        |                                    |   |
|--------|------------------------------------|---|
| 17.1   | Search Repricing Pattern           | 1 |
| 17.2   | Create Repricing Patterns          | 2 |
| 17.2.1 | Define Absolute Repricing Patterns | 2 |
| 17.2.2 | Define Relative Repricing Patterns | 6 |

## 18 Behavior Pattern Rule

---

|      |                                              |   |
|------|----------------------------------------------|---|
| 18.1 | Create Behavior Pattern Rules                | 1 |
| 18.2 | Defining Behavior Pattern Rule               | 2 |
| 18.3 | Defining a Behavior Pattern Rule: An Example | 3 |

|           |                                                    |    |
|-----------|----------------------------------------------------|----|
| <b>19</b> | <b>Time Buckets</b>                                |    |
| 19.1      | Overview of Time Bucket Rules                      | 1  |
| 19.2      | Creating Time Bucket Rules                         | 3  |
| 19.3      | Defining Time Bucket Rules                         | 3  |
| 19.3.1    | Procedure                                          | 3  |
| 19.3.1.1  | Excel Import/Export                                | 8  |
| 19.3.1.2  | Additional Required Steps                          | 8  |
| <b>20</b> | <b>Default Product Profiles</b>                    |    |
| 20.1      | Viewing a Seeded Product Profile                   | 1  |
| 20.2      | Creating Product Profiles                          | 2  |
| 20.3      | Summary of Seeded Product Profiles                 | 3  |
| <b>21</b> | <b>Product Characteristics</b>                     |    |
| 21.1      | Creating Product Characteristic Rules              | 1  |
| 21.2      | Defining Product Characteristic Rules              | 2  |
| 21.2.1    | Procedure                                          | 2  |
| 21.2.2    | Assumption List Tab                                | 3  |
| 21.2.3    | Product Characteristic Details Screen              | 4  |
| 21.2.3.1  | All Business Tab                                   | 4  |
| 21.2.3.2  | New Business Tab                                   | 7  |
| 21.2.3.3  | Relationship Triggers                              | 8  |
| 21.2.3.4  | Model Integration Tab                              | 16 |
| 21.2.3.5  | Define Inflation Adjustment Attributes Tab         | 17 |
| 21.3      | Copying Assumptions across Currencies and Products | 19 |
| <b>22</b> | <b>Forecast Rate Scenarios</b>                     |    |
| 22.1      | Creating Forecast Rate Rule                        | 1  |
| 22.1.1    | Features of Forecast Rates                         | 2  |
| 22.2      | Currency Forecast Methods                          | 4  |
| 22.3      | Economic Indicator Forecast Methods                | 6  |
| 22.4      | Interest Rate Forecast Methods                     | 7  |
| 22.5      | BSP Volatility Codes                               | 13 |
| 22.6      | Editing a Forecast Rate                            | 14 |
| 22.7      | Behavior Pattern Rule Mapping                      | 15 |
| 22.8      | Data Loader Procedure                              | 15 |

## 23 Prepayment Rules

---

|        |                                                |   |
|--------|------------------------------------------------|---|
| 23.1   | Create Prepayment Rules                        | 1 |
| 23.2   | Defining Prepayment Methodologies              | 2 |
| 23.2.1 | Defining Assumptions with the Default Currency | 2 |
| 23.2.2 | Defining Constant Prepayment Method            | 3 |
| 23.2.3 | Defining Prepayment Model Method               | 5 |
| 23.2.4 | Defining PSA Prepayment Method                 | 6 |
| 23.2.5 | Defining the Arctangent Calculation Method     | 7 |
| 23.2.6 | Defining Early Redemption Assumptions          | 8 |

## 24 Prepayment Models

---

|          |                                                           |    |
|----------|-----------------------------------------------------------|----|
| 24.1     | Create Prepayment Models                                  | 1  |
| 24.1.1   | Procedure to Define the Structure of the Prepayment Model | 3  |
| 24.1.2   | Prepayment Rate Calculation                               | 3  |
| 24.1.2.1 | Manual                                                    | 3  |
| 24.1.2.2 | Integrated Model                                          | 5  |
| 24.1.2.3 | External Model                                            | 5  |
| 24.1.3   | Editing Prepayment Models                                 | 7  |
| 24.1.4   | Editing Prepayment Rates in a Prepayment Model            | 7  |
| 24.1.5   | Editing Prepayment Rate Calculation                       | 8  |
| 24.1.6   | Prepayment Rate Data Loader                               | 8  |
| 24.1.7   | Prepayment Model Analysis                                 | 9  |
| 24.1.7.1 | Searching for a Model Rule                                | 12 |
| 24.1.7.2 | Defining a Model                                          | 12 |
| 24.1.7.3 | Editing Prepayment Model Analysis Rule                    | 20 |
| 24.1.7.4 | Deleting Prepayment Model Analysis Rule                   | 21 |
| 24.1.7.5 | Copying Prepayment Model Analysis Rule                    | 21 |
| 24.1.7.6 | Dependency Checking                                       | 21 |
| 24.1.8   | Prepayment Rate Calculation Process                       | 22 |
| 24.1.8.1 | Creating a Prepayment Rate Calculation Process            | 22 |
| 24.1.8.2 | Editing an Existing Prepayment Rate Calculation Process   | 25 |
| 24.1.8.3 | Executing a Prepayment Rate Calculation Process           | 26 |
| 24.1.8.4 | Performance Tuning Prepayment Rate Calculation Processes  | 28 |

## 25 Non-Maturity Products Data Creation Process

---

|        |                                 |   |
|--------|---------------------------------|---|
| 25.1   | Creating Data Creation Process  | 3 |
| 25.2   | Executing Data Creation Process | 6 |
| 25.2.1 | UI Based Procedure              | 7 |

## 26 Non Maturity Products Model Analysis

---

|      |                                                           |    |
|------|-----------------------------------------------------------|----|
| 26.1 | Searching for a Non-Maturity Products Model Analysis Rule | 2  |
| 26.2 | Creating Non-Maturity Products Model                      | 2  |
| 26.3 | Editing Non-Maturity Products Model Analysis Rule         | 11 |
| 26.4 | Deleting Non-Maturity Products Model Analysis Rule        | 11 |
| 26.5 | Copying Non-Maturity Products Model Analysis Rule         | 12 |
| 26.6 | Dependency Checking                                       | 12 |

## 27 Forecast - Pricing Margins

---

|        |                                                       |   |
|--------|-------------------------------------------------------|---|
| 27.1   | Overview of Pricing Margin Rules                      | 1 |
| 27.2   | Creating Pricing Margin Rules                         | 1 |
| 27.3   | Defining Pricing Margin Rules                         | 2 |
| 27.3.1 | Defining Pricing Margins Using Node Level Assumptions | 2 |
| 27.3.2 | Rate Dependency Selection Screen                      | 3 |
| 27.3.3 | Pricing Margin Details Screen                         | 4 |
| 27.4   | Defining a Pricing Margin Rule: An Example            | 5 |

## 28 Forecast – Maturity Mix

---

|      |                                          |   |
|------|------------------------------------------|---|
| 28.1 | Overview of Maturity Mix Rules           | 1 |
| 28.2 | Creating Maturity Mix Rules              | 2 |
| 28.3 | Defining Maturity Mix Rules              | 2 |
| 28.4 | Defining a Maturity Mix Rule: An Example | 5 |

## 29 Transfer Pricing Rules

---

|        |                                                |    |
|--------|------------------------------------------------|----|
| 29.1   | Creating Transfer Pricing Rules                | 1  |
| 29.2   | Defining Transfer Pricing Methodologies        | 2  |
| 29.3   | Defining Assumptions with the Default Currency | 3  |
| 29.3.1 | Availability of Transfer Pricing Methodologies | 8  |
| 29.3.2 | Required Parameters                            | 9  |
| 29.4   | Defining the Redemption Curve Methodology      | 10 |
| 29.4.1 | Defining Tractor Methodology                   | 10 |
| 29.4.2 | Defining the Unpriced Account Methodology      | 11 |
| 29.5   | Copying Assumptions across Currencies          | 11 |

## 30 Adjustment Rules

---

|          |                                                              |   |
|----------|--------------------------------------------------------------|---|
| 30.1     | Create Adjustment Rules                                      | 1 |
| 30.2     | Defining Adjustment Methods                                  | 2 |
| 30.2.1   | Availability of Adjustment Methods                           | 3 |
| 30.2.1.1 | Adjustment Method Parameters                                 | 4 |
| 30.2.1.2 | Procedure to Define the Formula Based Rate Adjustment Method | 7 |
| 30.2.1.3 | Procedure to Define the Fixed Rate Adjustment Method         | 8 |

## 31 BSP Processing

---

|        |                                                  |   |
|--------|--------------------------------------------------|---|
| 31.1   | Overview of BSP Processes                        | 1 |
| 31.2   | Creating a BSP Process Rule                      | 3 |
| 31.2.1 | Creating a Static Deterministic BSP Process Rule | 3 |
| 31.3   | Executing a BSP Process                          | 9 |

## 32 Data Aggregation and Stratification

---

|          |                                                  |    |
|----------|--------------------------------------------------|----|
| 32.1     | Partial Aggregation                              | 1  |
| 32.2     | Stratification Action Operations                 | 1  |
| 32.3     | Aggregation Action Operations                    | 2  |
| 32.4     | Stratification Tips                              | 2  |
| 32.5     | Setting up Stratification Definitions            | 3  |
| 32.5.1   | Stratification Configuration                     | 3  |
| 32.5.1.1 | Setting up Stratification Tier Structures        | 4  |
| 32.5.2   | Setting up Stratification Definitions            | 5  |
| 32.5.3   | Defining Stratification Rules                    | 5  |
| 32.5.4   | Defining Stratification Tiers                    | 7  |
| 32.5.5   | Executing a Stratification Rule                  | 8  |
| 32.5.5.1 | Using SQL* Plus to Execute a Stratification Rule | 9  |
| 32.5.5.2 | Using ICC Batch Framework                        | 9  |
| 32.5.6   | Creating New Aggregate Table                     | 10 |

## 33 Andrew Davidson and Company (ADCo) Prepayment Method

---

|          |                                        |   |
|----------|----------------------------------------|---|
| 33.1     | Deployment of ADCo Libraries on OFSAAI | 1 |
| 33.2     | Procedure For Setting Up ADCo Process  | 2 |
| 33.2.1   | Mapping of the ADCo Function           | 2 |
| 33.2.1.1 | Rate Management                        | 3 |
| 33.2.1.2 | Application Preferences                | 4 |
| 33.2.1.3 | Forecast Rates                         | 5 |
| 33.2.1.4 | Prepayments                            | 6 |
| 33.2.1.5 | Transaction Strategies                 | 6 |

|          |                                 |   |
|----------|---------------------------------|---|
| 33.2.1.6 | BSP Processing                  | 6 |
| 33.2.1.7 | Error Scenarios                 | 6 |
| 33.2.1.8 | CD/MLS Tables Included for ADCo | 7 |
| 33.3     | ADCo Mapping                    | 8 |
| 33.4     | Limitations                     | 9 |

## 34 Moody's WSA Integration

---

|        |                                                        |   |
|--------|--------------------------------------------------------|---|
| 34.1   | Deployment of Moody Libraries on OFSAAI                | 1 |
| 34.1.1 | Steps to Deploy Moody Libraries on OFSAAI              | 1 |
| 34.2   | Moody's Integration – Considerations                   | 2 |
| 34.2.1 | WSA Engine and Processing of the Records               | 2 |
| 34.2.2 | WSA Engine and OFSAA Rate Management                   | 3 |
| 34.2.3 | WSA Engine and OFSAA Product Characteristic Definition | 3 |
| 34.3   | Setting up a Moody's Process                           | 6 |
| 34.4   | Limitations                                            | 6 |

## A Process Tuning

---

|     |                                             |     |
|-----|---------------------------------------------|-----|
| A.1 | Multiprocessing Model                       | A-1 |
| A.2 | Multiprocessing Options                     | A-3 |
| A.3 | Tuning Application Multiprocessing          | A-7 |
| A.4 | Recommendations for Performance Improvement | A-8 |

## B Multi-Language Support

---

## C Common Utilities and Scripts

---

## D Standard Navigation Paths

---

## E Export of Dimensions and Forecast Set Cash Flow Results

---

|     |                                     |     |
|-----|-------------------------------------|-----|
| E.1 | Database Tables used for Dimensions | E-1 |
| E.2 | Configuration File                  | E-2 |
| E.3 | Export                              | E-3 |

## F OFS BSP Error Messages

---

## G Integrate OFS BSP 8.1.0.0.0 and Hyperion EPBCS

---

|     |                                                             |     |
|-----|-------------------------------------------------------------|-----|
| G.1 | Creating an Application                                     | G-1 |
| G.2 | Creating Dimensions                                         | G-4 |
| G.3 | Exporting the Dimensions and Forecast Set Cash Flow Results | G-5 |
| G.4 | Importing Dimensions                                        | G-5 |
| G.5 | Refresh the Database                                        | G-6 |
| G.6 | Importing Data                                              | G-6 |
| G.7 | Recurring Steps at different stages                         | G-7 |

## Index

---

# 1

## Preface

This section provides information about the Oracle Financial Services Balance Sheet Planning Application Pack's (OFS BSP Pack) System Administrator User Guide.

### 1.1 Audience

Oracle Financial Services Balance Sheet Planning Application Pack's (OFS BSP Pack) Planning Administrator and Planning Analyst User Guide describes all the features and functions of BSP's Planning user interfaces and primarily is intended for the use of Planning Administrators and Planning Users.

### 1.2 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For more information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

### 1.3 Related Information Sources

This section identifies additional documents related to the OFS BSP Application Pack. You can access the below documents online from the Oracle Help Center (OHC) Documentation Library for OFS BSP Application Pack Release 8.1.0.0.0:

- [OFS Balance Sheet Planning Release Notes, Release 8.1.2.0.0](#)
- [OFS Balance Sheet Planning Application Pack Installation and Configuration Guide, Release 8.1.2.0.0](#)
- [OFS Balance Sheet Planning-Planning Administrator and Planning Analyst User Guide, Release 8.1.2.0.0](#)
- [OFS Balance Sheet Planning Analytics User Guide Release 8.1.2.0.0](#)
- [OFS Balance Sheet Planning Cloning Reference Guide Release 8.1.x](#)
- [OFS Balance Sheet Planning Security Guide Release 8.1.x](#)

### 1.4 Additional Documents to Read

Oracle Financial Services Balance Sheet Planning Application is built on the Oracle Financial Services Advanced Analytical Applications Infrastructure (OFS AAI). See the following OFS AAI documents as no separate documents are required at the pack or application level for Oracle Financial Services Balance Sheet Planning Application Pack:

- [OFS Analytical Applications Infrastructure \(OFS AAAI\) Application Pack Installation and Configuration Guide Release 8.1.2.0.0](#)
- [OFS Analytical Applications Infrastructure Administration Guide Release 8.1.x](#)
- [OFS Analytical Applications Infrastructure Cloning Reference Guide Release 8.1.x](#)



- [OFS Analytical Applications Infrastructure Security Guide Release 8.1.x](#)
- [OFS Analytical Applications Infrastructure User Guide Release 8.1.2.0.0](#) You can access the common document from the OHC Documentation Library:
- [OFS Analytical Applications 8.1.2.0.0 Technology Matrix](#)
- [OFS Data Model Utilities Guide](#)
- [OFS Cash Flow Engine Reference Guide](#)

## 1.5 Conventions

The following text conventions are used in this document:

**Table 1-1 Conventions**

| Convention       | Meaning                                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>boldface</b>  | Boldface type indicates graphical user interface elements associated with an action or terms defined in text or the glossary.                      |
| <i>italic</i>    | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.                                      |
| monospace        | Monospace type indicates commands within a paragraph, URLs, code in examples, file names, text that appears on the screen, or text that you enter. |
| <u>Hyperlink</u> | Hyperlink type indicates the links to external websites, internal document links to sections.                                                      |

## 1.6 Abbreviations

The following table lists the abbreviations used in this document:

Preface Abbreviations

**Table 1-2 Preface Abbreviations**

| Abbreviation | Meaning                                          |
|--------------|--------------------------------------------------|
| AIX          | Advanced Interactive eXecutive                   |
| BDP          | Big Data Processing                              |
| DBA          | Database Administrator                           |
| DDL          | Data Definition Language                         |
| DEFQ         | Data Entry Forms and Queries                     |
| DML          | Data Manipulation Language                       |
| EAR          | Enterprise Archive                               |
| EJB          | Enterprise JavaBean                              |
| EPBCS        | Enterprise Planning and Budegeting Cloud Service |
| ERM          | Enterprise Resource Management                   |
| FTP          | File Transfer Protocol                           |
| HDFS         | Hadoop Distributed File System                   |
| HTTPS        | Hypertext Transfer Protocol Secure               |
| J2C          | J2EE Connector                                   |
| J2EE         | Java 2 Enterprise Edition                        |
| JCE          | Java Cryptography Extension                      |

**Table 1-2 (Cont.) Preface Abbreviations**

| Abbreviation | Meaning                                                                                    |
|--------------|--------------------------------------------------------------------------------------------|
| JDBC         | Java Database Connectivity                                                                 |
| JDK          | Java Development Kit                                                                       |
| JNDI         | Java Naming and Directory Interface                                                        |
| JRE          | Java Runtime Environment                                                                   |
| JVM          | Java Virtual Machine                                                                       |
| LDAP         | Lightweight Directory Access Protocol                                                      |
| LHS          | Left Hand Side                                                                             |
| MFA          | Multi-Factor Authentication                                                                |
| MOS          | My Oracle Support                                                                          |
| OFSAA        | Oracle Financial Services Analytical Applications                                          |
| OFSAAI       | Oracle Financial Services Analytical Application Infrastructure                            |
| OFSAAAI      | Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack |
| OHC          | Oracle Help Center                                                                         |
| OLAP         | On-Line Analytical Processing                                                              |
| OLH          | Oracle Loader for Hadoop                                                                   |
| ORAAH        | Oracle R Advanced Analytics for Hadoop                                                     |
| OS           | Operating System                                                                           |
| RAM          | Random Access Memory                                                                       |
| RDBMS        | Relational Database Management System                                                      |
| RHEL         | Red Hat Enterprise Linux                                                                   |
| SFTP         | Secure File Transfer Protocol                                                              |
| SID          | System Identifier                                                                          |
| SSL          | Secure Sockets Layer                                                                       |
| TNS          | Transparent Network Substrate                                                              |
| URL          | Uniform Resource Locator                                                                   |
| VM           | Virtual Machine                                                                            |
| WAR          | Web Archive                                                                                |
| XML          | Extensible Markup Language                                                                 |

## 1.7 What is New in this Release?

The following new features are introduced as part of this release:

1. **Node Level Assumptions :** Node Level Assumptions enables Forecast Balance Assumptions to inherit/override based on the sequence in the planning phase of BSP. This new UI will facilitate users to establish Planning Points that are combinations of Product, Org, and Currency in which the Product Member can be defined as either node or a leaf. Product Node-Level Planning is the purpose of the UI, but it will allow specifying Leaf Values of Product as well as Node-Level Values.
2. **BSP BI Reports :** BSP BI Reports is aimed to replace BSP In-app Java reports with BI Data Visualization capability. The existing 5 Reporting categories is migrated with Out of Box which was prevailing in the earlier version, in addition the new BSP BI Reports provides Hierarchy Level Reporting (that is Legal Entity, Planning Center & Product level)

which will facilitate results to roll up at the Node Level for DV Reports which can be accessed across all groups).

For more information, see [OFS Balance Sheet Planning Analytics User Guide Release 8.1.2.0.0](#).

3. Non-Maturity Products Modeling : Helps to create a model that can calculate Core/Volatile Balance for Non-Maturity Products portfolio; based on Historical End of Period Balances available from these products. You can define Non-Maturity Behavior Patterns based on model outputs like how much is core, how long core will be available based on the Decay Rate Profile generated by the model. These in-built PYTHON Models can help you manage, funds available from Non-Maturity Products more precisely to enhance your profitability.

For more information, see the [Non-Maturity Products Data Creation Process](#) and [Non Maturity Products Model Analysis](#) chapters.

4. Enhanced Cash Flow Edits : A redesigned Cash Flow Edits is available to check the quality of input data and cleanse it. In addition to a fresh User Interface, rules have been categorized into multiple groups/sub-groups. Users can select one or more groups/sub-group to execute on the selected date. A fresh installation of BSP 8.1.2.0.0 will have only the new Cash Flow Edits.

For more information, see [Cash Flow Edits](#) chapter.

# 2

## Introduction to Balance Sheet Planning

Oracle Financial Services Balance Sheet Planning is designed to help financial services institutions budget for a full balance sheet and the associated net interest margin. Banks have a number of very unique needs when looking ahead. They must be sensitive to economic conditions, and create plans that not only forecast future performance, but also the forward risks they are assuming. Most importantly, they require tools that accurately forecast net interest margin. By accurately modeling the detailed and complex events on a bank's balance sheet, for both the current book of business and forecasted new volumes, Oracle Financial Services Balance Sheet Planning enables the delivery of accurate margin forecasts and comprehensive, meaningful budgets.

This module provides an introduction to Oracle Balance Sheet Planning and discusses its place in the Oracle Financial Services Analytical (OFSAA) group of applications.

### 2.1 Roles in Balance Sheet Planning

OFS Balance Sheet Planning functionality is divided into three distinct roles:

- System Administrator
- Planning Administrator
- Planning User
- Auditor

This User Guide is intended primarily for BSP System Administrators. See the OFS Balance Sheet Planning User Guide for details on the Planning Administrator and Planning User roles. For information on granting roles to OFSAA users, see the OFSAA Infrastructure User Guide.

Four user types operate the Balance Sheet Planning Application as follows:

**Table 2-1 User Roles in Balance Sheet Planning**

| Role                   | Description                                                                              | Responsibilities                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| System Administrator   | BSP System Administrators are super-users who have access to 100% of BSP's functionality | <ul style="list-style-type: none"> <li>Loading, cleansing, and reconciling all business fact data</li> <li>Maintenance of metadata (dimensions, attributes, hierarchies, and so on)</li> <li>Building and maintaining all Cash Flow Modelling assumptions including Interest Rate Forecasts</li> <li>Processing and validating current position forecasts               <ul style="list-style-type: none"> <li>Once validated, BSP Planning Administrators import current position forecasts to load or "initialize" each new Forecast Set</li> <li>Once a Forecast Set has been loaded with an initial current position forecast, Planning Users can begin forecasting new business and processing their forecasts</li> </ul> </li> <li>As super-users, System Administrators also have access to all of the functionality provided within BSP's forecasting users interfaces</li> </ul> <p>The BSP System Administrator also:</p> <ul style="list-style-type: none"> <li>May share some of these responsibilities with other administrators who are responsible for other business areas/disciplines</li> <li>Can also fill the role of Planning Administrator</li> </ul> <p>Exports finished balance sheet and net interest margin forecasts to external planning systems</p> |
| Planning Administrator | Planning Administrators are responsible for overseeing the planning process              | <ul style="list-style-type: none"> <li>Defining and maintaining Planning Center User Maps that control Planning User access to Forecast Sets</li> <li>Administering Forecast Sets through their lifecycle</li> <li>Oversight of the Planning Process</li> <li>Planning Administrators have unconstrained access to every Forecast Set but are not involved in the maintenance of any Cash Flow modeling assumptions.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**Table 2-1 (Cont.) User Roles in Balance Sheet Planning**

| Role          | Description                                                                                                                                  | Responsibilities                                                                                                                                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Planning User | Planning Users are granted access to the planning functionality documented in the BSP Planning Administrator and Planning Analyst User Guide | Within their assigned Planning Centers, their role includes: <ul style="list-style-type: none"> <li>• Forecasting new Business Volumes and pricing margins</li> <li>• Processing new Business Forecasts</li> <li>• Analyzing and approving the results</li> </ul> |
| Auditor       | The auditor has Read-Only access for review purposes                                                                                         |                                                                                                                                                                                                                                                                   |

## 2.2 Oracle Balance Sheet Planning and Other Oracle Financial Services Applications

Oracle Financial Services Balance Sheet Planning (BSP) operates on top of a common infrastructure layer: Oracle Financial Services Analytical Applications Infrastructure (OFSAI). OFSAA Applications form a comprehensive decision support solution that significantly enhances Enterprise Risk and Performance Management Functions across a Financial Institution.

## 2.3 Oracle Balance Sheet Planning Key Benefits

The key benefits of OFS BSP are covered in the following sections:

### Centralized Administration of Cash Flow Modelling Assumptions

System Administrators build and maintain Cash Flow Modelling assumptions including:

- All Rate Management Functions
- Interest Rate Curves and Historical Rates
- Currencies and Historical Currency Exchange Rates
- Rate Forecasts
- All Modelling Assumptions including:
  - Product Characteristics
  - Behavior Patterns, Payment Patterns, and Repricing Patterns
  - Prepayment Rules and Prepayment Models
  - Transfer Pricing Rules
  - Transfer Pricing Adjustment Rules

### Rigorous Calculations

Oracle BSP is designed to operate on transaction-level data using Oracle's highly accessible and flexible financial services Data Model. Each account, as well as all forecasted new-business activity, is modeled independently on a Daily Cash Flow basis.

### Decentralized Collection and Processing of Balance Sheet and Margin Forecasts

- Collect and process forecasts across large numbers of distributed Planning Centers.
- Planning Administrators build and maintain maps that assign planning users to Planning Centers.
- Planning Administrators assign a Planning Center - User Map to each Forecast Set to Control Access.
- These Planning Center - User Maps support one-to-one assignments or many-to-many assignments.
- You can have as many maps as you need, but the same Planning Center - User Map can be used for multiple Forecast Sets.
- As super-planning users, Planning Administrators can all Forecast Sets without constraint.

### Defined Workflows for Each Planning User

A “Planning Point” represents a distinct Product/Org/Currency combination found on your balance sheet.

On logging into the system and after selecting a Forecast Set to work with, BSP utilizes Planning Center <- -> User Maps to present each Planning User with a set of Planning Points that he/she is responsible for forecasting.

Each Planning Point features a clear Yes or No status regarding the following key indicators:

- Are historical actuals available for the Planning Point?
- Does current position forecast data exist for the Planning Point?
- Is there a new business forecast for the Planning Point?
- Has the new business forecast been processed through the Cash Flow Engine?
- Have the forecast results for the Planning Point been reviewed/approved?

Planning Users forecast new business volumes and margins for each Planning Point, process their forecasts, and review their results.

### Distinct Forecast Sets

A Forecast Set constitutes a discrete set of planning data. Examples might include the 2022 Budget, 18-Month Rolling Forecast as of October 2021, and so on.

- Each Forecast Set represents a specific Scenario and Version of Forecast Data for a specified Starting Date and a specified duration.
- You can have as many Forecast Sets as you need.
- Only BSP System Administrators and BSP Planning Administrators can define and manage Forecast Sets.

BSP allows you to work simultaneously with multiple Forecast Sets. Two different Forecast Sets could be for the same period where one is for a Forecast Scenario and the other is for the Budget Scenario. Each of these Forecast Sets might also have multiple versions. You may also have forecast sets for different periods (example, one for October, one for November, and one for December).

Every Forecast Set having the same starting date will share the same underlying detailed instrument data and will share the same current position forecast results, but each Forecast

Set stores its own forecasts of new business volumes and spreads as well as its own results for the new business forecasts.

### Rolling Forecast Sets

Forecast Sets can reference other Forecast Sets. For example, when you are working on "Version 2" of a Forecast Set, the Administrator can configure the user interfaces to allow users to work on Version 2 while also giving them side-by-side views of data found in a previous Forecast Set (e.g., Version 1).

The same idea applies across time. For example, if you are working on a Forecast Set called "18 Month Rolling Forecast as of Jun 2022", that Forecast Set could display results from a previous Forecast Set (example, "18 Month Rolling Forecast as of May 2022").

### Option to retain Planning Preferences from a previous Forecast Set

When building a new Forecast Set, BSP provides several options for recovering Forecast Data from previous Forecast Sets. One option is to retain the Forecast Balance Methods and/or Forecast Pricing Methods from a previous Forecast Set. Another option is to also retain the Forecast Balance drivers and/or Forecast Pricing drivers (that is, the actual forecast data) from a previous Forecast Set. The usefulness of this functionality is clear in the simple example of building a new version of a working set (e.g., Version 2 vs. Version 1), but it is particularly useful over time. Any new Forecast Set can be almost 100% ready for total-bank processing as soon as it is "initialized" if it can reference and re-use data from a previous Forecast Set.

### Forecast Set Lifecycle

Administrators manage the lifecycle of each Forecast Set from Defined to Deleted.

- **Defined**
  - Forecast Set is defined in outline.
- **Initialized**
  - Forecast Set has been loaded with a current position runoff forecast provided by the System Administrator.
  - Administrators can access all planning functions on Initialized Forecast Sets.
  - Planning Users have no access to Initialized Forecast Sets.
- **Published**
  - Planning User can access all Planning Functions on Published Forecast Sets.
  - Administrators can revoke access by re-setting a Forecast Set's status to Initialized.
- **Locked**
  - Locked Forecast Sets may not be updated but can be retained as required.
  - Locked Forecast Sets can continue to serve as "Prior Forecast Set" or as "Initialization Forecast Set" for other Forecast Sets.
- **Deleted**
  - The Forecast Set definition has been deleted.
  - The Forecast Set's projected new business volumes and margins have been deleted.
  - All of the Forecast Set's result data have been deleted (both current book and new business results).
  - All of the logging data from OFSAA Batch jobs associated with the Forecast Set have been deleted.



## 2.4 Oracle Financial Services Enterprise Performance Management

Financial Institutions, their regulators as well as their shareholders are focused on the need to measure and meet risk-adjusted performance objectives, price products to reflect their true risk, and better understand how their institution is impacted by threats to liquidity, capital adequacy, and exposure to market rate volatility.

### OFSA Data Model

OFSA Data Model (OFSAADM) is shipped with optimized Data Structures and pre-packaged Data Elements developed specifically for the Financial Services Industry. OFSAADM is the foundation for the OFS Applications. It provides the database structures necessary to support the Individual Business Applications.

### OFSA Infrastructure

OFSA Infrastructure is the foundation for OFSA. It provides support for User Administration, Metadata Management, a Processing Framework, Forms Framework, and additional capabilities necessary to support the Individual Business Applications.

### OFSA Funds Transfer Pricing

Oracle Financial Services Funds Transfer Pricing is the industry's first and leading matched maturity funds transfer pricing application, enabling financial institutions to determine the spread earned on assets, from funding sources, and the spread earned as a result of interest rate exposure for each customer relationship. This enables accurate assessment of profitability along product, channel, and business lines, as well as the centralization of interest rate risk so it can be effectively managed. Oracle Financial Services Funds Transfer Pricing is fully integrated with Oracle's Financial Services Analytical Applications and shares a common customer account-level data model.

The transfer pricing process isolates the four major sources of a bank's margin:

- The spread earned on assets
- The spread earned on liabilities
- The spread earned or lost as a result of Interest Rate exposure
- The spread earned or lost as a result of Embedded Options such as prepayments

Measuring and managing interest margin offers tremendous profit opportunities. By separating the components of net interest income, Oracle Funds Transfer Pricing isolates rate risk into your funding center where it can be centrally managed. In turn, business units are held accountable for what they can control: pricing and profitability. Armed with this highly accurate information, companies make solid, supportable decisions that lead to increased success in the marketplace.

### OFSA Profitability Management

Oracle Financial Services Profitability Management enables financial services institutions to calculate profitability by-products, channels, segments, and even individual customers. These profitability calculations are adjusted for risk, and they drive Risk-Adjusted Performance Management (RAPM), an imperative for financial services institutions operating in this rapidly evolving and complex industry.

Isolating and analyzing business unit profitability is only the first step in building effective profitability management. To hold operational managers truly accountable for profitability, senior management must give them the power to identify the products that are profitable in each market segment, for each customer.

Together with OFSAA Transfer Pricing, OFSAA Profitability Management is the tool that delivers this power. Profitability Management links general ledger, account-level, and statistical data together to produce detailed financial statements for individual business units, products, and customers. Combining powerful modeling and disciplined accounting, OFSAA Profitability Management delivers complete, accurate, and inclusive profiles of profitability.

### **OFSAA Price Creation and Discovery**

Oracle Financial Services Price Creation and Discovery is an interactive application that provides real-time transfer rates to support pricing loan transactions that reflect immediate market conditions. Risk-based pricing queries are directly integrated with the Oracle Financial Services Funds Transfer Pricing Solution and leverage the same business rule logic. Query results incorporate all details of the underlying transfer price and include all elements of a product's profit and loss, including the allocated expense, expected loss, and capital charge.

### **OFSAA Asset Liability Management**

Volatile market conditions and increasing regulatory pressures are placing greater demands on the risk management function. These stresses are driving financial institutions to review their current Risk Modeling and Measurement capabilities. Yet, these circumstances also provide institutions with the opportunity to update technology solutions to systems fully integrated across the risk and performance spectrum. Departmental, one-off solutions are no longer viable alternatives in an environment where all systems need to work together.

Oracle Financial Services Asset Liability Management (ALM) helps Financial Services Institutions measure and manage Interest Rate Risk and Liquidity Risk, perform balance sheet valuations, and forecast both Net Interest Income and Net Income. The Oracle Financial Services ALM Solution can measure and model every loan, deposit, investment, and off-balance sheet instrument individually, using both deterministic and Stochastic Methods. This helps institutions gain a better understanding of the risks they have assumed and their sensitivity to changes in economic conditions.

### **OFSAA Balance Sheet Planning**

Oracle Financial Services Balance Sheet Planning is designed to help Financial Services Institutions budget for a full balance sheet and the associated profit and loss statement. Banks have a number of very unique needs when looking ahead. They must be sensitive to economic conditions, and create plans that not only forecast future performance, but also the forward risks they are assuming. Most importantly, they require tools that accurately forecast net interest margin. By accurately modeling the detailed and complex events on a bank's balance sheet, for both the current book of business and forecasted new volumes, Oracle Financial Services Balance Sheet Planning enables the delivery of accurate margin forecasts and comprehensive, meaningful budgets.

### **OFSAA Business Intelligence Applications**

OFSAA Business Intelligence (BI) Applications are complete, prebuilt BI solutions that deliver intuitive, role-based intelligence for everyone in an organization—from front-line employees to senior management—that enable better decisions, actions, and business processes.

### **Oracle Financial Services Analytical Overview**

For over 15 years, Oracle has set the standard for Analytical Applications in financial services. With our applications financial services organizations can achieve management excellence

with a lower total cost of ownership, due to our integrated architecture, combining performance and risk applications into a single, seamlessly integrated framework.

In today's turbulent markets, financial institutions require a better understanding of the relationship between risk and return, while strengthening competitive advantage and enhancing long-term customer value. Oracle Financial Services Analytical Applications enable Financial Institutions to measure profitability and meet risk-adjusted performance objectives, cultivate a risk management culture through transparency, lower the costs of compliance and regulation, and improve insight into customer behavior.

# 3

## OFSAAI - An Overview

Oracle Financial Services Analytical Applications Infrastructure is a complete end-to-end Business Intelligence solution that enables financial services institutions to develop analytical applications.

Oracle Financial Services Analytical Applications Infrastructure (OFSAAI) is a general-purpose Analytics Applications Infrastructure that provides the tooling platform necessary to rapidly configure and develop analytical applications for the financial services domain. It is built with Open-Systems Compliant architecture providing interfaces to support business definitions at various levels of granularity.

Applications are built using OFSAAI by assembling business definitions or business metadata starting from data-model to lower grain objects like Dimensions, Metrics, Security Maps, and User Profile to higher order objects like Rules, Models, and Analytic Query Templates which are assembled using the lower grain ones. In addition to application definition tools, it provides the entire gamut of services required for Application Management including Security Service, Workflow Service, Metadata Management, Operations, Life-cycle Management, public API's and Web Services that are exposed to extend and enrich the tooling capabilities within the applications.

Oracle Financial Services Analytical Applications Infrastructure is the complete end-to-end Business Intelligence solution that is easily accessible via your desktop. A single interface lets you tap your company's vast store of operational data to track and respond to business trends. It also facilitates analysis of the processed data. Using OFSAAI you can query and analyze data that is complete, correct, and consistently stored at a single place. It has the prowess to filter data that you are viewing and using for analysis.

It allows you to personalize information access to the users based on their role within the organization. It also provides a complete view of your enterprise along with the following benefits:

- Track enterprise performance across information data store.
- Use one interface to access all enterprise databases.
- Create consistent business dimensions and measures across business applications.
- Automate the creation of coordinated data marts.
- Use your own business language to get fast and accurate answers from all your databases.
- Deploy an open XML and web-based solution against all major relational or multi-dimensional databases on Microsoft Windows and UNIX servers.

### 3.1 Components of OFSAAI

An overview of the technological components of the OFSAA Infrastructure.

The OFSAA Infrastructure consists of the following components/modules that are used to deploy an analytical solution.

- **Data Model Management** is intended for uploading the warehouse data from the operational systems to database schema using erwin XML file.


- **Data Management Framework** is a comprehensive data integration platform that facilitates all the data integration requirements from high-volume and high-performance batch loads to event-driven integration processes and SOA-enabled data services. This module is used for managing Data movement. This includes sub modules like Data Sources, Data Mapping, Post Load Changes and Data Quality Framework.
- **Data Entry Forms and Queries** module facilitates you to design web-based user friendly Data Entry windows with a choice of layouts for easy data view and data manipulation. This module has sub modules like Forms Designer, Data Entry, and Excel Upload.
- **Data Maintenance Interface** module helps in the design and creation of forms that are in a user-specified format. Authorized users with the required privileges can use these forms to view and update existing data in the database.
- **Unified Analytical Metadata** is intended for the Information and Business Analysts who are instrumental in supporting and affecting analytical decisions. This module is used to define and maintain analytical metadata definitions. This module has sub modules like Alias, Derived Entity, Dataset, Dimension Management, Business Measure, Business Processor, Build Hierarchy, Business Dimension, Essbase Cube, Filters, Expression, Map Maintenance, and Cube Migration.
- **Rule Run Framework** facilitates you to define a set of rules, reporting objects, and processes that are required to transform data in a warehouse. This module has sub modules like Rule, Process, Run, and Manage Run Execution.
- **Metadata Browser** module provides extensive browsing capabilities of metadata, helps in tracking the impact of changes to metadata, and trace through to the source of originating data. The metadata in the Metadata Browser window is organized into different categories like Data Foundation Metadata, Business Metadata, and Process Metadata.
- **Operations** module facilitates you in administration and processing of business data to create the highest level of efficiency within the system and to derive results based on a specified rule. It includes sections like Batch Maintenance, Batch Execution, Batch Scheduler, Batch Monitor, Batch Processing Report, Batch Cancellation, and View Log.
- **Questionnaire** module is an assessment tool, which presents a set of questions to users, and collects the answers for analysis and conclusion. It can be interfaced or plugged into OFSAA application packs.
- **System Configuration & Identity Management** module facilitates System Administrators to provide security and operational framework required for Infrastructure. Administration window has a Tiles menu with Tiles like System Configuration, Identity Management, Database Details, Manage OFSAA Product Licenses, Create New Application, Information Domain, Translation Tools and Process Modelling Framework.
- **Object Administration** facilitates System Administrators to define the security framework with the capacity to restrict access to the data and metadata in the warehouse, based on a flexible, fine-grained access control mechanism. These activities are mainly done at the initial stage and then on a need basis. It includes sections like Object Security, Object Migration, and Utilities (consisting of Metadata Difference, Metadata Authorization, Save Metadata, Write-Protected Batch, Component Registration, Transfer Document Ownership, and Patch Information).

#### Note

For information about OFSAA Product Licenses after installation of Application Packs, see the View OFSAA Product Licenses After Installation of Application Pack section.

All components are encapsulated within a common Security and Operational Framework as shown in the following figure:

**Figure 3-1 Security and Operational Framework**



Infrastructure also supports many business analytical solution(s) like Operational Risk, PFT, and Basel, which are licensed separately to the organization. This manual provides an overview of only the technological components.

## 3.2 Accessing OFSAA Applications

Access the OFSAA Applications through the Web browser or via the Host Name.

You can access the OFSAA Applications through the Web browser using the link that the System Administrator (SA) creates after installing and configuring Oracle Financial Services Analytical Applications. Enter the URL in the following syntax in the Web browser: `http(s):<IP Address of the Web Server>:<servlet port>/<context name>/login.jsp`.

You can also login to the application with the Host Name, instead of the IP Address.

## 3.3 OFSAA Login Page

Access the OFSAA Application using the OFSAA Login page.

To access the OFSAA Login page:

1. Enter the URL (`<IP Address/hostname of the Web Server>:<servlet port>/<context name>/login.jsp`) in the browser, to view the Login window.
2. Select the required **Language**, to access the OFSAA Applications. The languages are listed based on the installed Language Packs.

The login window is displayed in the selected Language.

3. Enter the **User ID** and **Password** provided by the System Administrator.
4. Click **Login**, to access the [OFSAA Application Landing page](#).

You will be prompted to [change your password](#) on your first login. If the OFSAA Setup is configured for OFSAA Native Security Management System (SMS) Authentication, the password to be entered will be as per the password restrictions set in the OFSAA SMS Repository.

### 3.3.1 Log in as System Administrator

The System Administrator (SA) installs and configures Oracle Financial Services Analytical Applications.

The System Administrator manages: [System Configuration](#), [Database Details](#), [Identity](#) and access, [OFSAA Product Licenses](#), [Application Creation](#), [Information Domain](#), and Process Modelling Framework.

After the successful installation of OFSAA Application, only the System Administrator can login to the application using the User ID **Sysadmn**.


To login as System Administrator:

1. In the Login page, enter the User ID **sysadmn** and the default password. For more information about login credentials, refer to the [Support Note for Credentials and Other Additional Information Required During Installation of OFSAA Infrastructure and Applications, Releases v8.1.x.x.x \(Doc ID 2691681.1\)](#).

After the first login, you are prompted to change the password.

2. Click **Login**.

**Figure 3-2 Landing Page & Navigation List for Sysadmn**





### 3.3.2 Log in as System Authorizer

The System Authorizer ID is created at the time of installation, and this ID is required to authorize the users created by the system administrator.

The System Authorizer manages identity, user authentication and authorization security using AccessManagement constructs.


To login as System Authorizer:

1. In the Login page, enter the User ID **sysauth** and the default password. For more information about login credentials, refer to the [Support Note for Credentials and Other Additional Information Required During Installation of OFSAA Infrastructure and Applications, Releases v8.1.x.x.x \(Doc ID 2691681.1\)](#).

After the first login, you are prompted to change the password

2. Click **Login**.

**Figure 3-3** Landing Page and Navigation List for System Authorizer




### 3.3.3 Log in as Business User

The Business Users will be created by System Administrator and will be authorized by the System Authorizer.

To login as Business User:

- Enter the User ID and Password provided by the System Administrator and click **Login**.  
You will be prompted to change the password after the first login.



**Figure 3-4 Landing Page and Navigation List for Business User**

## 3.4 Changing Password

Users can change the password to access the OFSAA Application when required.

All the OFSAA Users (Sysadmn, Sysauth and Business User) will be prompted to change the password after the first login. This is a mandatory step. Set the new password based on the [configured](#) guidelines.

To change the password of the OFSAA Application:

1. Login to the OFSAA Application.
2. Select the Username and click **Change Password** to access the OFSAA Login page.

### **Note**

The **Change Password** option is available if:

- **SMS Authentication and Authorization** is configured as **Authentication Type** in **System Configuration**.
- **LDAP Authentication and SMS Authorization** is configured as **Authentication Type** in **System Configuration** and the **SMS Auth Only** is selected for the user in **User Maintenance** settings.
- **SSO Authentication and SMS Authorization** is configured as **Authentication Type** in **System Configuration** and **SMS Auth Only** is selected for the user in **User Maintenance** settings.

3. Enter the **Old Password**.
4. Enter the **New Password** and confirm it.
5. Click **OK**.

If you encounter any of the following problems, contact the System Administrator:

- Your User ID and password are not recognized.
- Your User ID is locked after three consecutive unsuccessful attempts.


- Your User ID has been disabled.

## 3.5 OFSAA Landing Page

The OFSAA Landing Page provides a Dashboard view to all users (Sysadmn, Sysauth and Business User), based on the assigned access rights.

All the applications are displayed as tiles. Click a tile to access the application.

**Figure 3-5 OFSAA Landing Page**




You can change the Landing page based on your [Preferences](#).

### 3.5.1 Header

The OFSAA Header is the primary navigation bar that enables access to other menus such as Applications, Administration, Reports, and User Menu.

Figure 3-6 OFSSA Header



**Hamburger/Navigation Menu Icon-** This icon is used to trigger the Application Navigation List.

**Application Icon-** This icon is used to show the available Applications installed in your environment at any time.


**Administration Icon-** This icon is used to navigate to the Administration window. The Administration window displays modules like System Configuration, Identity Management, Database Details, Manage OFSSA Product Licenses, Create New Application, Information Domain, Translation Tools, and Process Modelling Framework as Tiles.

**Reports Icon-** This icon is used to launch various User Reports such as User Status Report, User Attribute Report, User Admin Activity Report, User Access Report, and Audit Trail Report.

**Language Menu-** It displays the language you selected in the OFSSA Login screen. The language options displayed in the Language menu are based on the Language Packs installed in your OFSSA instance. Using this menu, you can change the language at any point of time.

**User Menu-** Clicking this icon displays the following menu:

Figure 3-7 User Menu



- **Preferences-** To customize the OFSSA Landing page based on specific [preferences](#).
- **Change Password-** To change the login, [password](#) based on the user access level. This option is available only if SMS Authorization is configured.

- **Log Out-** To sign out from OFSAA Applications.

**Last Login Details-** View the **Last Login Date** and **Time**, the **Last Failed Login Date** and **Time**, and the **Last Failed Login Count** of the current user.

## 3.5.2 Accessing Navigation List

The Navigation List facilitates access to administrator level tasks or OFSAA Applications.

The **Navigation list** varies based on the logged in user (Sysadmn, Sysauth or Business User):


- **Sysadmn:** Access Administration level tasks, such as [System Configuration](#), [Identity Management](#), [Database Details](#), [Manage OFSAA Product Licenses](#), [Create New Application](#), [Information Domain](#), and [Process Modelling Framework](#).
- **Sysauth:** Access the authentication and authorization specific tasks such as Identity Management.
- **Business User:** Access all the installed applications.

To launch the Navigation List and access OFSAA Tasks or Applications:

1. Login to the OFSAA Application as Sysadmn/Sysauth/Business User.
2. Click the **Hamburger** icon on the OFSAA Landing page.

For instance, to access **Data Sources**, login as a Business User, and then click **Financial Services Enterprise Modeling>Data ManagementData Management Framework>Data Management Tools>Data Sources**.

**Figure 3-8 Data Management Tools Menu**



3. Click **Hierarchical menu** to view the navigation path of the current sub menu.

The Summary page of the current sub menu (For example, Data Sources) is displayed in the right content area.

When Summary is displayed, the Navigation List is hidden. To launch it again, click the **Hamburger** icon.

4. To access the OFSAA Landing Page at any time, click **Home**.

## 3.6 Modules in OFSAAI

- Data Model Management is intended for uploading the Warehouse Data from the Operational Systems to Database Schema using ERwin XML file.
- Data Management Framework is a comprehensive Data Integration Platform that facilitates all the Data Integration requirements from high-volume and high-performance batch loads to event-driven integration processes and SOA-enabled Data Services. This module is used for managing Data Movement. This includes sub-modules like Data Sources, Data Mapping, Post Load Changes, and Data Quality Framework.
- Data Entry Forms and Queries Module facilitates you to design Web-based user-friendly Data Entry Windows with a choice of layouts for easy Data View and Data Manipulation. This module has sub-modules like Forms Designer, Data Entry, and Excel Upload.
- Data Maintenance Interface Module helps in the design and creation of forms that are in a user-specified format. Authorized users with the required privileges can use these forms to view and update existing data in the Database.
- Unified Analytical Metadata is intended for the Information and Business Analysts who are instrumental in supporting and affecting analytical decisions. This module is used to define and maintain Analytical Metadata Definitions. This module has sub-modules like Alias, Derived Entity, Dataset, Dimension Management, Business Measure, Business Processor, Build Hierarchy, Business Dimension, Essbase Cube, Filters, Expression, Map Maintenance, and Cube Migration.
- Rule Run Framework facilitates you to define a set of rules, reporting objects, and processes that are required to transform data in a warehouse. This module has sub-modules like Rule, Process, Run, and Manage Run Execution.
- Metadata Browser module provides extensive browsing capabilities of metadata, helps in tracking the impact of changes to metadata, and traces through to the source of originating data. The metadata in the *Metadata Browser* Window is organized into different categories like Data Foundation Metadata, Business Metadata, and Process Metadata.
- Operations Module facilitates you in the administration and processing of business data to create the highest level of efficiency within the system and to derive results based on a specified rule. It includes sections like Batch Maintenance, Batch Execution, Batch Scheduler, Batch Monitor, Batch Processing Report, Batch Cancellation, and View Log.
- Questionnaire Module is an assessment tool, which presents a set of questions to users, and collects the answers for analysis and conclusion. It can be interfaced or plugged into OFSAA Application Packs.
- System Configuration & Identity Management Module facilitates System Administrators to provide Security and Operational Framework required for Infrastructure. The *Administration* Window has a Tiles menu with Tiles like System Configuration, Identity Management, Database Details, Manage OFSAA Product Licenses, Create New Application, Information Domain, Translation Tools, and Process Modelling Framework.
- Object Administration facilitates System Administrators to define the Security Framework with the capacity to restrict access to the data and metadata in the warehouse, based on a flexible, fine-grained access control mechanism. These activities are mainly done at the initial stage and then on a need basis. It includes sections like Object Security, Object Migration, and Utilities (consisting of Metadata

Difference, Metadata Authorization, Save Metadata, Write-Protected Batch, Component Registration, Transfer Document Ownership, and Patch Information).

## 3.7 Logging in OFSAA

Logging in OFSAA is done using Log4J. The log files are available in the following locations:

- UI/Web Logs : <DEPLOYED LOCATION>/<Context>.ear/<Context>.war/logs
- Application Logs : \$FIC\_HOME/logs
- Execution Logs : /ftpshare/logs/<MISDATE>/<INFODOM>/<COMPONENT NAME>/<LOG FILE NAME>.log

### 3.7.1 Purging of Logs

Configure the logger related attributes in the RevLog4jConfig.xml file available in the \$FIC\_HOME/conf/ folder. Each of log file will have appenders in this file and attributes pertaining to this particular appender can be changed.

The default size of the log files is set to 5000 KB and number of maximum backup log files retained is set to 5, both of which are configurable. Increasing these parameters to a higher value should depend on the server hardware configurations and may reduce the performance.

#### ① Note

Similar settings are also available in OFSAALogger.xml file available in the \$FIC\_HOME/conf/ folder which contains configuration for additional loggers used in OFS AAI. You can configure the Log file size as explained in the following section.

To configure the Logs file size, follow these steps:

1. Navigate to \$FIC\_HOME/conf folder or <DeployedLocation>/<context.war>/<context>/ and locate RevLog4jConfig.xml file.
2. Configure the logger related attributes in the RevLog4jConfig.xml file. This file will have Appenders for each log files.

Sample Appender for UMM log file is shown:

```
<RollingFile name="UMMAPPENDER"
fileName="/scratch/ofsaaweb/weblogic/user_projects/domains/cdb/applications/
cdb.ear/cdb.war/logs/UMMService.log"
filePattern="/scratch/ofsaaweb/weblogic/user_projects/domains/cdb/
applications/cdb.ear/cdb.war/logs/UMMService-%i.log" >
<PatternLayout>
<Pattern> [%d{dd-MM-yy HH:mm:ss,SSS zzz aa}{GMT}] [%-5level] [WEB] %m%n </
Pattern>
</PatternLayout>
<Policies>
<SizeBasedTriggeringPolicy size="5000 KB" /> </Policies>
```

```
<DefaultRolloverStrategy max="5"> <!-- number of backup files --> </
DefaultRolloverStrategy>

</RollingFile>
```

3. To change the log file size, modify the value set for `SizeBasedTriggeringPolicy` `size`.
4. To change the number of backup files to be retained, modify the value set for `DefaultRolloverStrategy` `max`.

## 3.7.2 Log File Format

In OFSAA, log format is standardized and can be read by any standard log analysis tool. The standard log format is as follows:

```
[GMT TIMESTAMP] [LOGGER LEVEL] [LOGGER LOCATION] [MODULE/COMPONENT] [LOGGED IN
USER] [JAVA CLASS] <LOG MESSAGE>
```

Sample:

```
[25-04-18 10:08:41,066 GMT AM] [INFO ] [WEB] [UMM] [UMMUSER] [BUSINESSMETADATA]
Inside createImplicitObjectsForAllInfodom
```

```
[25-04-18 10:08:41,069 GMT AM] [INFO ] [WEB] [UMM] [UMMUSER] [BUSINESSMETADATA]
Call createImplicitObjectsForMapper for infodom = TESTCHEF
```

```
[25-04-18 10:08:42,142 GMT AM] [DEBUG] [WEB] [UMM] [UMMUSER] [BUSINESSMETADATA]
Source created successfully for infodom TESTCHEF
```

```
[25-04-18 10:08:42,142 GMT AM] [INFO ] [WEB] [UMM] [UMMUSER] [BUSINESSMETADATA]
Start - code added to create user group hierarchy for this Infodom
```

```
[25-04-18 10:08:42,142 GMT AM] [INFO ] [WEB] [UMM] [UMMUSER] [BUSINESSMETADATA]
Inside createUserGroupHierarchyForInfodom
```

# 4

## Data Entries Forms and Queries

Data Entry Forms and Queries (DEFQ) within the Infrastructure system facilitate you to design web-based user-friendly *Data Entry* windows with a choice of layouts for easy data view and data manipulation. An authorized user can enter new data and update the existing data in the shared database. Data entry Forms are primarily focused to create data entry systems that access the Database and load the generated Input Data.

To access Data Entries Forms and Queries:

1. Login to OFSAA.
2. Click

**Figure 4-1** icon



from the header to display the applications in a Tiles Menu.

3. Select the Financial Services Enterprise Modeling Application from the Tiles Menu. The Navigation list to the left is displayed.
4. Click Common Tasks to expand the list.
5. Click Data Entries Forms and Queries to expand the list further. The following links are displayed on the Navigation list:
  - a. [Excel Upload \(Atomic\)](#)
  - b. [Forms Designer](#)
  - c. [Forms Authorization](#)
  - d. [Data Entry](#)

### 4.1 Excel Upload (Atomic)

The *Atomic Schema Upload* Window consists of Excel Utilities such as Excel-Entity Mappings and Excel Upload. The Excel Entity Mappings and Upload utilities have restricted access depending on the following function roles mapped:

- Users with XLADMIN and XLUSER Function Roles can perform both mapping and upload operations.
- Users with the XLADMIN Function Role can only define mapping and authorize, but cannot upload the file.
- Users with the XLUSER Function can only retrieve Mapping Definition (pre-defined by XLADMIN User) and can upload the file based on the retrieved mapping.

Click on the below links to view the section in detail.



- [Excel-Entity Mappings](#)
- [Excel Upload](#)

## 4.1.1 Navigating to Excel Upload (Atomic)

You can access the *Excel Upload* Window by expanding Data Entries Forms and Queries from the Navigation Lst to the left and clicking Excel Upload (Atomic).

## 4.1.2 Excel-Entity Mappings


Excel-Entity Mapping helps you to map Excel Data to the destination table in the database. Excel-Entity Mapping supports excel files created in Microsoft 2007 and earlier versions along with the option to map and upload multiple sheets created within a single excel file. You need to have the XLADMIN Function role mapped to define the mapping.

## 4.1.3 Adding Excel-Entity Mappings

To define the mapping in the *Excel-Entity Mappings* Window:

1. From the LHS menu of *DEFQ- Excel Upload* Window, click Excel-Entity Mappings . The *Excel-Entity Mappings* Window is displayed.

**Figure 4-2 Excel-Entity Mappings Window**



| Mapping ID                             | Mapping Name  | Created By | Created On            | Download Excel                                                                        |
|----------------------------------------|---------------|------------|-----------------------|---------------------------------------------------------------------------------------|
| <input type="checkbox"/> 1524546125598 | XcelEntMap001 | AAAIUSER   | 2018-04-24 01:02:05.0 |  |

2. Click the **Add** button in the Mappings Summary toolbar. The *Add Excel-Entity Mappings* Window is displayed.
3. Enter the Mapping Name and a brief Description .
4. Click **Browse** .  
The Choose File to Upload dialog is displayed.
5. Select the required Excel file to be used as the template and click the **Move** button.  
The columns in the selected Excel template are listed in the Select Excel Columns Grid and the Database Tables are listed in the Select Entities Grid.

**Figure 4-3 Excel-Entity Mappings Window**

Excel-Entity Mappings  
[Excel-Entity Mappings](#) > Excel-Entity Mapping Definition(Add Mode)

Mapping Details

Mapping Name \*  Description

Select the Excel File

Excel File \*

Source Date Format :  Destination Date Format : mm-dd-yyyy

☒ First Row is the Header ☐ Bulk Authorization

☐ Template Validation Required

☐ Apply to all Dates ☐ Save With Authorization  Sheet :

Select Excel Columns

| Sheet1              |
|---------------------|
| N_RUN_KEY           |
| V_RUN_ID            |
| FIC_MIS_DATE        |
| D_RECORD_START_DATE |
| D_RECORD_END_DATE   |
| V_UNIQUE_ID         |

Map

Select Entities

|                              |
|------------------------------|
| ACCOUNT_POOL_MAPPING         |
| APP_FILTER_DIM_MAP           |
| ATTRIBUTION_DEFINITION       |
| ATTRIBUTION_EXECUTION_MASTER |
| BEHAVIOR_INFO                |
| BENCHMARK_RATES              |
| BKG_PREPAYMENT               |
| CAP_STRUCT_PARAM_MASTER      |
| COM_ENTITY_GROUP_MAP         |
| COM_ENTITY_PROCESS_DETAILS   |
| COM_VALUECODE_MAPPING        |
| CONTRA_GL_ACCOUNT            |
| CURRENCY_APPLICATION_MASTER  |

Mapping Information

| <input type="checkbox"/> Excel Fields | Field Order | Date Format | Destination table | Destination column |
|---------------------------------------|-------------|-------------|-------------------|--------------------|
|---------------------------------------|-------------|-------------|-------------------|--------------------|

6. Enter the format in which the dates are stored in the excel sheet in the Source Date Format Field.
7. Select the Apply to all Dates check box if you want to apply the Source Date format to all date fields in the Excel Sheet.
8. Select the First Row is the Header check box if your Excel Template has a header row.
9. Select the Template Validation Required check box to validate whether the Excel Template you use is the same as the Excel Sheet you use during the [Excel Upload](#) Window. The validation is done when you upload the excel sheet. The error will be displayed if there is any mismatch between the Excel Template you use to map and the actual Excel Sheet you upload.  
This field is displayed only if you have selected the First Row as the Header check box.
10. Select the Bulk Authorization check box to assign the “Excel\_Name” across the selected column. For example, the selected column “v\_fic\_description” will have the Excel Name assigned.

**Note**

Ensure that the selected “Varchar2” column contains the required length to hold the Excel Name. To select Bulk Authorization, you need to have Save with Authorization check box selected.

11. Select Save with Authorization check box to authorize the data upon successful data load. The three mandatory fields namely Maker ID, System Date, and Authorization Status are displayed in the Select Excel Columns Grid.

You need to map these fields to the corresponding columns in the Select Entities Grid. The value for the Maker ID Column is updated with the User ID of the user who is performing the Excel Upload. The value for Maker Date is updated with the current System Date during which the upload is

performed and the value for Authorization Status is updated with the flag 'U'. See [Save with Authorization](#) to create a Form where the uploaded data can be authorized.

12. Select a column from the Select Excel Columns grid and select an attribute or column from the required table from the Select Entities grid. Click **Map**.
13. Click **Automap**.  
The respective columns with similar names in the Excel sheet and the database are mapped. You need to manually map the other columns. The mapping details are displayed in the Mapping Information grid which facilitates you to edit the details as required.
14. Click **Save Mapping**.  
The *Excel-Entity Mapping* Window displays the Excel-Database Table Mapping details. In the *Excel-Entity Mappings* Window, you can also do the following:
  - Click the **View** button in the Mappings Summary toolbar to View the mapping details.
  - Click the **Edit** button in the Mappings Summary toolbar to Edit the mapping details.
  - Click the **Delete** button in the Mappings Summary toolbar to Delete the mapping details.
  - Click the **Download Excel** button to download the Excel template used in the mapping.


## 4.1.4 Excel Upload

Excel Upload helps you to upload Excel Data to the destination table in the database. You need to have the “XLUSER” function role mapped to access the *Excel Upload* Window and retrieve mapping definition (pre-defined by XLADMIN User) to upload Excel Data. Excel Upload supports Excel files created in Microsoft 2007 and earlier versions along with the option to map and upload multiple sheets created within a single Excel file. You need to ensure that the excel data contains the dates in the format as defined in [Add Excel-Entity Mapping Definition](#).

To upload Excel Data in the *Excel Upload* Window:

1. Click Browse in the Excel File to Upload Grid. The Choose File to Upload dialog is displayed.
2. Select the required Excel file and click the Move button.  
Select the required sheet in the Excel file from the Sheet drop-down list and the Preview Grid displays the data of the selected sheet of the Excel file.

**Figure 4-4 Excel Upload Window**



3. Click the Move button in the Excel-Entity Mappings Grid.  
The Mapping Selector dialog is displayed with the pre-defined mapping details.
4. Select the check box adjacent to the required Mapping Definition and click OK .

**Note**

You can download the Excel template used in the mapping by clicking the **Download Excel** Button.

5. Click **Upload** .  
A confirmation dialog is displayed on successful upload and the Excel Data is uploaded to the Database Table. You can click on View Log to view the log file for errors and upload status.

## 4.2 Forms Designer

**Note**

This functionality does not work when CSRF is enabled.

Forms Designer within the Data Entry Forms and Queries Section facilitates you to design Web-based User-friendly Forms using the pre-defined layouts. You can access DEFQ - Forms Designer by expanding Data Management Framework and Data Entry Forms and Queries within the tree structure of the LHS menu and selecting Forms Designer.

Figure 4-5 Forms Designer Window

The screenshot shows the Oracle Forms Designer window. On the left is a vertical sidebar with a 'STEP' indicator and a list of steps from 1 to 9. Step 2 is highlighted in blue. The main area of the window has the text 'Select one of the following options...' at the top. Below this is a rounded rectangle containing six radio button options: 'Create a New Form' (selected), 'Alter Existing Forms', 'Copy Forms', 'Delete Forms', 'Assign Rights', and 'Message Type Maintenance'. Below the options is a section for 'Available Applications' with a dropdown menu showing 'New Application Name'. Underneath are two text input fields: 'New Application Name' and 'New Form Name'. At the bottom of the main area are two buttons: 'Next' (blue) and 'Reset' (gray).

Figure 15: Forms Designer Window

The Window displays a list of pre-defined options to create, modify, and delete Forms. You can also assign rights and define messages. By default, the option to Create a New Form is selected and the left pane indicates the total steps involved in the process. The available options are as indicated below. Click on the links to view the section in detail.


- [Creating a New Form](#)
- [Altering Existing Forms](#)
- [Copying Forms](#)
- [Deleting Forms](#)
- [Assigning Rights](#)
- [Message Type Maintenance](#)

## 4.2.1 Creating a New Form

To design a New Form in the *DEFQ - Forms Designer* Window:

1. Ensure that Create a New Form option is selected and do the following:
  - Specify the application name by either entering the New Application Name or selecting Available Applications from the drop-down list.
  - Enter the New Form Name .
2. Click **Next** .  
The *DEFQ - Layout* Window is displayed with a range of pre-defined layouts for you to choose from.

**Figure 4-6 DEFQ – Layout Window (Step 3 of Designing Form)**



The following table describes the layouts in the DEFQ – Layout Window.

**Table 4-1 Layouts in the DEFQ – Layout Window and their Description**

| Layout               | Description                                                                                                |
|----------------------|------------------------------------------------------------------------------------------------------------|
| Grid Layout          | It is the default layout that displays the records in the Form of a table/grid with multiple rows of data. |
| Single Record Layout | It displays a single record at a time.                                                                     |

**Table 4-1 (Cont.) Layouts in the DEFQ – Layout Window and their Description**

| Layout              | Description                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Edit/View Layout    | It is a combination of the Single Record and Grid layout. By selecting a record in the grid, the record is displayed in a single record format, which is editable. By default, the first record will be displayed in the editable grid.<br><br>Note: The column names are editable only during altering the created Form.                                                             |
| Multi-Column Layout | It displays a single record with its column in a grid format. You can view a multi-column layout Form without having to scroll or with minimum scrolling to view all the columns.                                                                                                                                                                                                     |
| Wrapping Row Layout | It displays rows of a single record in a wrapped manner in a grid format. You can view a wrapping row layout Form easily without having to scroll horizontally to view all the data.                                                                                                                                                                                                  |
| Tree View Layout    | It displays the Hierarchical dimensional table with the selected dimension details. You can select the following options:<br>Dimensional Table Tree Parent-Child Tree<br><br>Note: The process to create a Form using the Tree View Layout differs from the procedure explained below. For more information, refer <a href="#">Creating Tree View Form</a> in the References section. |

3. Select the required layout and click Next . The List of Available Tables is displayed.
4. Select the required Table from the list on which the Form is to be created.

**Figure 4-7 DEFQ – List of Available Tables Selection Window (Step 4 of Designing Form)**

**STEP**

**1**

**2**

**3**

**4**

**5**

**6**

**7**

**8**

**9**

**You are in Step 4 of Designing 'From\_1'**

Choose one or more Entities on which the Data Entry Form is to be created.  
Selection of more than one Entity requires Equi-Join Conditions to be specified for all participating Entities.

List of Available Tables

|                              |   |
|------------------------------|---|
| ACCOUNT_POOL_MAPPING         | ^ |
| APP_FILTER_DIM_MAP           |   |
| ATTRIBUTION_DEFINITION       |   |
| ATTRIBUTION_EXECUTION_MASTER |   |
| BEHAVIOR_INFO                |   |
| BENCHMARK_RATES              |   |
| BKG_PREPAYMENT               |   |
| CAP_STRUCT_PARAM_MASTER      |   |
| COM_ENTITY_GROUP_MAP         |   |
| COM_ENTITY_PROCESS_DETAILS   | v |

Back Next

**Note**

You should use tables with names not longer than 25 characters. This is a limitation.



For multiple selections, you can either press the Ctrl key for nonadjacent selection or the SHIFT key for adjacent selections. Click **Next**, the *Fields Selection Window* is displayed.

**Note**

If multiple tables are selected, you need to specify Join Conditions. Select the Table from the drop-down list and select the Available Fields. Specify the Join Condition. Click Next, the join conditions are validated and the *Fields Selection Window* is displayed.

5. Select the fields to be joined from the Available Fields list and click the Move icon. You can press the Ctrl key for multiple selections and also click Move All icon to select all the listed fields. All mandatory fields are auto-selected and are indicated on the window with an asterisk ( \* ).

**Figure 4-8 DEFQ – Fields Selection Window (Step 5 of Designing Form)**

**STEP**

1  
2  
3  
4  
**5**  
6  
7  
8  
9

You are in Step 5 of Designing "From\_1"

**Fields Selection Screen**

Choose a set of fields to display. All mandatory fields will be automatically pre-selected and will be prefixed by an asterisk (\*).  
Use the Move Up and Move Down Buttons to order the fields. Field names are displayed in the Entity Name.Field Name format.

| Available fields                  |    | Fields to Display                        |
|-----------------------------------|----|------------------------------------------|
| BEHAVIOR_INFO.D_RECORD_END_DATE   | >  | *BEHAVIOR_INFO.FIC_MIS_DATE              |
| BEHAVIOR_INFO.D_RECORD_START_DATE | <  | *BEHAVIOR_INFO.F_BEH_FLAG                |
| BEHAVIOR_INFO.N_BEHAVIOUR_PCT     | >> | *BEHAVIOR_INFO.F_LATEST_RECORD_INDICATOR |
| BEHAVIOR_INFO.V_BEHAVIOUR_DESC    | << | *BEHAVIOR_INFO.N_TENOR_DAYS              |
| BEHAVIOR_INFO.V_BUCKET_CODE       |    | *BEHAVIOR_INFO.V_BRANCH_CODE             |
| BEHAVIOR_INFO.V_FLOW_TYPE         |    | *BEHAVIOR_INFO.V_CCY_CODE                |
| BEHAVIOR_INFO.V_F_NP_TYPE         |    | *BEHAVIOR_INFO.V_PROD_CODE               |
| BEHAVIOR_INFO.V_F_PERF_CODE       |    |                                          |

Back Next

**Note**

You can click

**Figure 4-9** Icon



or buttons to arrange the fields in the required order as intended to display in the Data Entry Form. The fields order need not be similar to the arrangement in the underlying table.

Ensure the fields selected are not of CLOB Data Type since it is not supported in DEFQ.

6. Click **Next** .  
The *Sort Fields Selection* Window is displayed.

Figure 4-10 DEFQ – Sort Fields Selection Window (Step 6 of Designing Form)

STEP

1

2

3

4

5

6

7

8

9

You are in Step 6 of Designing 'From\_1'

Sort Fields Selection Screen

Choose the Field(s) from the List of Fields to Display based on which the Data should appear sorted in the Data Entry Form. Use the Move Up and Move Down buttons to order the Fields for Multiple Fields sort.

Available Fields

BEHAVIOR\_INFO.FIC\_MIS\_DATE  
BEHAVIOR\_INFO.F\_BEH\_FLAG  
BEHAVIOR\_INFO.F\_LATEST\_RECORD\_INDICATOR  
BEHAVIOR\_INFO.N\_TENOR\_DAYS  
BEHAVIOR\_INFO.V\_BRANCH\_CODE  
BEHAVIOR\_INFO.V\_CCY\_CODE  
BEHAVIOR\_INFO.V\_PROD\_CODE  
BEHAVIOR\_INFO.D\_RECORD\_END\_DATE  
BEHAVIOR\_INFO.D\_RECORD\_START\_DATE  
BEHAVIOR\_INFO.N\_BEHAVIOUR\_PCT  
BEHAVIOR\_INFO.V\_BEHAVIOUR\_DESC  
BEHAVIOR\_INFO.V\_BUCKET\_CODE  
BEHAVIOR\_INFO.V\_FLOW\_TYPE  
BEHAVIOR\_INFO.V\_F\_NP\_TYPE  
BEHAVIOR\_INFO.V\_F\_PERF\_CODE

>

<

>>

<<

Chosen Fields

^

v

☐ Sort by descending

☐ Excel Map

Back

Next

You can sort the fields in the required order as intended to display in the Data Entry Form. Additionally, the mandatory fields which need user inputs are indicated in the '\*' symbol and are auto-selected in the Selected Fields Pane.

- Select the field from the Available Fields list and click

Figure 4-11 icon



. You can press the Ctrl key for multiple selections and also click

Figure 4-12 Icon



to select all the listed fields.

- (Optional) To arrange multiple fields, select the Sort by Descending check box.
- (Optional) Select the Excel Map check box to enable Bulk Authorization.

**Note**

In case you have selected the Excel Map check box, you need to select “Excel Name” from the Store Field As a list in the *DEFQ Field Properties* window. Only on selection, the “SelectExcelSheetName” list is displayed for the authorizer in the *DEFQ - Data Entry Window*.

7. Click Next . The *DEFQ Field Properties Window* is displayed with the Form details such as Field Name, Display Name, In View, In Edit/Add, Allow Add, Store Field as, Rules, and Format Type.
- Figure 21: DEFQ – Field Properties Window (Step 7)

Figure 4-13 Figure 21: DEFQ – Field Properties Window (Step 7)

STEP

1  
2  
3  
4  
5  
6  
7  
8  
9

Form DeGn 01 - Table Name : ACCOUNT\_POOL\_MAPPING

Number of Rows to be displayed 5 Page Size 20

☐ Batch Commit Message Details Form Filter Data Versioning

| Field Name    | Display Name          | In View | In Edit or Add | Allow Add                           | Store Field as | Rules | Format Type |
|---------------|-----------------------|---------|----------------|-------------------------------------|----------------|-------|-------------|
| FIC_MIS_DATE* | Extraction Date       | Display | Calendar       | <input checked="" type="checkbox"/> | Normal         | Rules | None        |
| N_ACCT_SKEY*  | Account Surrogate Key | Display | Read Only      | <input checked="" type="checkbox"/> | Normal         | Rules | None        |
| N_RUN_SKEY*   | Run Surrogate Key     | Display | Read Only      | <input checked="" type="checkbox"/> | Normal         | Rules | None        |

Back

Save

Save with Authorization

Specify the parameters for each field as tabulated.

The following table describes the fields in the DEFQ – Field Properties Window.

**Table 4-2 Fields in the DEFQ – Field Properties Window and their Description**

| Field           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display Name    | Edit the default Display Name if required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| In View         | <p>Select either Display or Do not Display to display the field in the Form.</p> <p>If the field is a foreign key field or if more than one table is selected, then the following options are available in the drop-down list;</p> <p>Same Field</p> <p>Alternate Display Field Do not Display Options</p>                                                                                                                                                                                                                                                                                                                                        |
| In Edit/Add     | <p>Specify the edit parameters by selecting from the drop-down list. The available options depend on the type of field selected.</p> <p>For normal fields, you can select Text Field, Text Area, Select List, Protected Field, Read-Only, and Do Not Show.</p> <p>For foreign key fields s you can select Read-Only, Select List, and Do Not Show. For primary key fields, you can select Read Only and Do Not Show.</p> <p>For calendar fields, you can select Calendar and Do Not Show.</p> <p>Note: If you choose the Select List option, you need to define the values. For more information, see <a href="#">Defining List of Values</a></p> |
| Allow Add       | <p>Select the check box to permit users to add a new record.</p> <p>Note: An alert message is displayed if you are trying to save a Form with add option disabled for the mandatory fields.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Store field as  | Select the required option from the drop-down list. You can select the store format as Normal, Sequence Generator, Maker Date, Checker Date, Created Date, Modified Date Auth Flag, Maker id, Maker Date, Checker id, Checker Date, Checker Remarks, Maker Remarks, and Excel Name (If Excel Map is selected in <i>Sort Fields Selection</i> Window).                                                                                                                                                                                                                                                                                             |
| Rules           | <p>Click Rules and specify Rules and Expressions for the selected field in the</p> <p><i>Specifying Rules and Expressions for Data - Validations</i> Window.</p> <p>For more information, refer <a href="#">Applying Rules</a> section in the References.</p>                                                                                                                                                                                                                                                                                                                                                                                     |
| Format Type     | <p>Select the required Format type from the drop-down list depending on the field type selected.</p> <p>CLOB data type is not supported.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Batch Commit    | <p>Select the check box to group all the sets of table Forms into a batch.</p> <p>All the Form tables are executed along with the batch execution and if in case, a Form in the table fails to execute, the entire set of Forms are returned.</p>                                                                                                                                                                                                                                                                                                                                                                                                 |
| Message Details | Click Message Details to define the message type for Creator and Authorizer in the <i>Messaging Details for a Form</i> window. For more information, see <a href="#">Defining Messaging Details</a>                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Form Filter     | Click Form Filter to define an expression for Form-level filter condition in the <i>Filter for Form</i> Window.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Data Versioning | Click <b>Data Versioning</b> to perform data versioning on an authorized Form. For more information, see <a href="#">Form Data Versioning</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

8. Click either Save to only save the Form details or click Save for Authorization to save the changes with authorization.

For more details, refer [Save with Authorization](#) Section.

**Figure 4-14 DEFQ – Save Window**

**Note**

Sometimes, on clicking Save, the form does not get saved. This is because the Java heap size setting for the OFSAAI service is set too high and the webserver memory setting is too low. Contact System Administrator to modify it to the appropriate setting by viewing the log file created in the path: \$FIC\_APP\_HOME/common/FICServer/logs/.

While saving, the *User for Mapping - DEFQ* Window is displayed which facilitates you to assign user rights to the Form. For more information, see [Assigning Rights](#).

## 4.2.2 Altering Existing Forms

To alter the field details of an existing Form in the *DEFQ - Forms Designer* Window:

1. Select Alter Existing Forms from the available options and do the following:
  - Select the Available Applications from the drop-down list.

- Select the Available Forms from the drop-down list.

The listed Forms are dependent on the DSN (Data Source Name) that you have specified.

2. Click **Next** . The *Fields Selection* Window is displayed.

**Figure 4-15** icon



**Figure 4-16** icon



Add or remove the selected fields as required to be displayed in the Form. You can choose a field from the Available Fields list and click to add, or choose the selected field from the Fields to the Display list and click

**Figure 4-17** icon



to de-select. You can press the Ctrl key for multiple selections and also click

**Figure 4-18** icon

or



buttons to select/deselect all the listed fields.

3. Click **Next** .  
The *Sort Fields Selection* Window is displayed.

- **Figure 4-19** icon



**Figure 4-20** Remove All



Sort the fields in required order as intended to display in the Form. You can choose a field from the list and click or

**Figure 4-21 Icon**



buttons to select/deselect. You can also click

**Figure 4-22 Move All icon**



or buttons to select/deselect all the listed fields.

- Select a field and click

**Figure 4-23 Icon**



or

**Figure 4-24 Icon**



buttons to arrange fields in the required order.

- (Optional) To arrange multiple fields, select the Sort by Descending check box.
- (Optional) Select the Excel Map check box to enable Bulk Authorization.

**Note**

In case you have selected the Excel Map check box, you need to select “Excel Name” from the Store Field As a list in the *DEFQ Field Properties* Window. Only on selection, the “SelectExcelSheetName” list is displayed for the authorizer in the *DEFQ - Data Entry* Window.

4. Click Next . The *DEFQ Field Properties* Window is displayed. Modify the parameters for each field as required. See [DEFQ Field Properties](#) details.



5. Click either Save to save the Form details or click Save for Authorization to save the changes with authorization.

While saving, the *User for Mapping - DEFQ* Window is displayed which facilitates you to assign user rights to the Form. For more information, see [Assigning Rights](#).

## 4.2.3 Copying Forms

You can duplicate and recreate a Form with the required variants from an existing Form. You can also change user rights or display options and other subtle variations for the selected layout.

To Copy a Form in the *DEFQ - Forms Designer* Window:

1. Select Copy Forms from the available options and do the following:
  - Select the application from the From Application drop-down list which consists of the required Form which you want to copy.
  - Select the application from the To Application drop-down list for which you want to copy the Form.
  - Select the required Form from the Save Form drop-down list.
  - Enter a name for the Form in the As Form Field.
2. Click **Next** .  
The specified Form is duplicated as a new Form and a confirmation dialog is displayed with the status.

## 4.2.4 Deleting Forms

You can remove the forms which are not required in the system by deleting them from the *DEFQ - Forms Designer* Window.

1. Select Delete Forms from the available options and do the following:
  - Select the application from the Available Application drop-down list which consists of the required Form which you want to delete.
  - Select the Form from the Available Forms drop-down list which you want to delete.
2. Click **Next** .  
An information dialog is displayed for confirmation. Click OK.

## 4.2.5 Assigning Rights

You can assign user permissions to view, add, edit, and delete the Form details in the *User for Mapping - DEFQ* Window.

1. Select Assign Rights from the available options and do the following:
  - Select the required application from the Available Applications drop-down list.
  - Select the required form for which you want to assign rights to a user from the Available Forms drop-down list.
2. Click Next .  
The *DEFQ- Assign Rights* Window is displayed.
3. Select the required user from the Available User List .  
You can also click or buttons to reload the previous/next set of users in the list.

4. Select the check box corresponding to the user permissions such as View , Add , Edit , Delete , or All Above . You must give View permission to allow users to Edit or Delete a Form.
5. Select Authorize or Auto-Authorize check box as required.  
The Authorize and Auto-Authorize options are applicable for all the forms that have been saved with the Authorize option. The Auto-Authorize feature for records is applicable in scenarios where the Creator and Authorizer are the same. If a user has Add and Auto-Authorize permissions, the data entered by the user is auto authorized and the data will be in Authorized status. In the case of normal Authorization, the Record added by the creator has to be authorized by a different user who has Authorize permissions.

**Note**

The Auto-Authorize feature in Forms Designer is applicable only for data entered through the *Data Entry* window and not through the *Excel Upload* Window.

6. Select the Show Data Created by Current Users Only check box if you want the current user to view data created by him only.
7. Click User Value Map to map users to the form based on the Data Filter.
8. Click **Save Access Rights** .  
A confirmation dialog is displayed after saving and the user is added to the Assigned User List.

### 4.2.5.1 User Value Map

This feature allows you to create a Data Filter based on any field/column of the table you selected for designing the Form. When a user tries to access the form in the *Data Entry* Window, data will be filtered and displayed based on the selected field, to the users associated with that column.

**Note**

The data type of field/column you select to define the filter should be NUMBER or VARCHAR. The users mapped to the DEFQ form whose assign rights are authorized through “Forms Authorization” can save the filter.

There are two types of filters, Global Data Filter and Custom Data Filter.

**Global Data Filter:** In this filter, the value will be fetched from the DEFQ\_GLOBAL\_VALUES table of the Atomic Schema, which is automatically created during information domain creation. The table needs to be populated manually through excel upload. The table contains all the entities and the users mapped to them.

**Custom Data Filter:** This filter enables the user to provide a custom filter for the form you design. In this filter, you should enter values for all the users mapped to the form manually.

To set a Data Filter:

1. Click User Value Map in the *DEFQ- Assign Rights* Window. The *User Value Map* Window is displayed.
2. Select the Global Data Filter option to filter the data globally.

- Select the field based on which the data should be filtered and displayed for the user, from the Fields to the Display Section.

**Note**

Normally the user can access all the data from the table whenever the DEFQ Form is created. Based on this filter, the user will be displayed only the data which is mapped to him.

3. Select the Custom Data Filter to provide a custom filter for a specific DEFQ Form.
  - Select User ID from the drop-down list and enter Values for that user. It is mandatory
4. Click **Save**.

## 4.2.6 Message Type Maintenance

You can manage the Message Type details which alert the Creator of the Form or to an Authorizer in the *DEFQ Message Type Maintenance* Window. Message Type details can be defined while creating a Form. For more information, see [Define Messaging Details](#).

In the *DEFQ - Forms Designer* window, do the following:

1. Select Message Type Maintenance from the available options and click Next . The *DEFQ - Message Type Maintenance* Window is displayed.
2. Select the message category from the Message Type drop-down list.
3. Edit the message details by doing the following:
  - The defined Message Subject and Message Content are auto-populated. Edit the details as required.
  - Add or remove the defined recipients. Double-click on the required member to toggle between the Available and Mapped Recipients list.

**Note**

Selecting Authorizer alerts all the selected authorizers for authorization.

4. Click **Save** .  
A confirmation is displayed on updating the Message Type details.

## 4.3 Forms Authorization

**Note**

This functionality doesn't work when CSRF is enabled. To disable CSRF, see the *Update General Details* section in the [OFS Analytical Applications Infrastructure User Guide](#)

Forms Authorization within the Data Entry Forms and Queries section of the Infrastructure System facilitates you to view and authorize/approve any changes that are made to the privileges assigned to a user in a particular Form.

You need to have the FRMAUTH function role mapped to access the *Forms Authorization* Window.

### Note

You cannot authorize or reject a right request created by you, even if you have the FRMAUTH Function role mapped.

You can access the *Forms Authorization* Window from the left-hand side (LHS) menu of the Infrastructure home page. Click “+” and expand the Data Model Management and select Data Entry Forms and Queries.

Figure 24: Forms Authorization Window

Figure 4-25 Forms Authorization Window

| ■ Select All             | Application        | Form Name          | Access Rights Before | Access Rights After | Operations | Created By | Created Date        | Last Saved By | Last Saved Date     | Checked By | Checked Date |
|--------------------------|--------------------|--------------------|----------------------|---------------------|------------|------------|---------------------|---------------|---------------------|------------|--------------|
| <input type="checkbox"/> | audit trail report | copy 1 audit trail | -                    | DV,DA,DE,A          | ADD        | DEFQUSER   | 2012-04-17 04:14:20 | DEFQUSER      | 2012-04-17 04:14:20 |            |              |
| <input type="checkbox"/> | audit trail report | copy 2 audit       | -                    | DV,DA,DE,DD         | ADD        | PR2USER    | 2012-04-12 13:06:39 | PR2USER       | 2012-04-12 13:06:39 |            |              |
| <input type="checkbox"/> | layout             | edit               | -                    | DV,DA,DE,DD         | ADD        | DEFQUSER   | 2012-04-17 04:28:18 | DEFQUSER      | 2012-04-17 04:28:18 |            |              |
| <input type="checkbox"/> | layout             | multi_column       | -                    | DV,DA,DE,DD         | ADD        | DEFQUSER   | 2012-04-17 04:29:40 | DEFQUSER      | 2012-04-17 04:29:40 |            |              |
| <input type="checkbox"/> | layout             | single             | -                    | DV,DA,DE,DD         | ADD        | DEFQUSER   | 2012-04-17 04:25:05 | DEFQUSER      | 2012-04-17 04:25:05 |            |              |
| <input type="checkbox"/> | test               | test13             | -                    | DV,DA,DE,DD         | ADD        | PR2USER    | 2012-04-13 10:25:17 | PR2USER       | 2012-04-13 10:25:17 |            |              |

The *Forms Authorization* Window displays the list of privileges assigned to a user in different Forms. These privileges include create, view, modify, delete, authorize, and auto-authorize records. The *Forms Authorization* Window allows you to select a user from the drop-down list adjacent to the User ID Field. This field displays the User IDs associated with the selected Information Domain.

On selecting a user from the User ID Field, the columns in the *Forms Authorization* Window lists the grants requested for that user on different Forms as listed below.

## 4.3.1 DEFQ Field Properties

The following table describes the columns in the Forms Authorization Window.

Table 4-3 Column Names in the Forms Authorization window and their Description

| Column Name          | Description                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------------------|
| Application          | Lists the specific application to which the Form has been assigned.                                                        |
| Form Name            | Displays the Form Name.                                                                                                    |
| Access Rights Before | Displays the available Right Requests for the selected user in the Form. Note: For the new Form, the column remains blank. |

**Table 4-3 (Cont.) Column Names in the Forms Authorization window and their Description**

| Column Name         | Description                                                                                                                                                                                              |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Access Rights After | Displays the Right Requests raised for authorization. DV - DEFQ VIEW<br>DA - DEFQ ADD DE - DEFQ EDIT DD - DEFQ DELETE A - AUTHORIZE<br>DU - AUTO AUTHORIZE<br>S - SHOW DATA CREATED BY CURRENT USER ONLY |
| Operations          | Displays the operation carried out in the Form.<br>For example, "ADD" indicates a new form is created and specific roles are assigned.                                                                   |
| Created By          | Displays the USER ID from which the Right Request has been created.                                                                                                                                      |
| Created Date        | Displays the date on which the Right Request has been created.                                                                                                                                           |
| Last Saved By       | Displays the USER ID from which the previous Right Request change has been saved.                                                                                                                        |
| Last Saved Date     | Displays the date on which the previous Right Request change has been saved.                                                                                                                             |
| Checked By          | Displays the USER ID from which the Right Request has been authorized.                                                                                                                                   |
| Checked Date        | Displays the date on which the Right Request has been authorized.                                                                                                                                        |

To authorize or Reject a form in the *Forms Authorization Window*:

Select the User ID from the drop-down box. 4B43BThe Right Requests submitted on various forms are displayed.

Select the check box(s) adjacent to the requests to authorize/reject.

You can also select all the requests at once for a user, by clicking the Select All check box.

Click Authorize / Reject to authorize or reject the selected Right Requests.

After the Form action privileges are authorized for a user, those actions can be performed on the Form. For an existing Form with certain rights, the rights remain the same until the changes are authorized/rejected by an authorizer.

#### **Note**

Special characters are not allowed in DEFQ Definitions except underscore (\_).

## 4.4 Data Entry

#### **Note**

This functionality doesn't work when CSRF is enabled. To disable CSRF, see the *Update General Details* section in the [OFS Analytical Applications Infrastructure User Guide](#)

Data Entry within the Data Entry Forms and Queries section of the Infrastructure system facilitates you to view, add, edit, copy, and delete data using the various layout formats and Authorize/Re-authorize Data Records based on the permissions defined during the Form creation.


You can use the Search option to query the records for specific data and also export the data in Microsoft Excel format for reference. You can launch multiple instances of the *Data Entry* Window using the URL to search and update records, simultaneously.

You can access DEFQ - Data Entry by expanding the Data Entry Forms and Queries section of the Data Model Management Module within the tree structure of the LHS Menu.

**Note**

An alert message is displayed if you are not mapped to any Forms in the system.

**Figure 4-26 DEFA – Data Entry Window**



The *DEFQ - Data Entry* Window displays the list of Data Entry Forms and Query Forms mapped to the logged-in user in the LHS Menu. You can select the required Form to view the details. In the *DEFQ - Data Entry* Window, you can do the following:

- [Viewing Form Details](#)
- [Editing Form Details](#)
- [Adding Form Data](#)
- [Authorizing Record](#)
- [Exporting Form Data](#)
- [Copying Form Data](#)
- [Deleting Form Details](#)

## 4.4.1 Viewing Form Details

The *DEFQ - Data Entry* Window displays the selected Form Data in the View mode by default. The Forms are displayed based on the application names in the LHS Menu. There are various layouts available to customize the view and by default, the Form details are displayed in the layout in which it was designed.

In the *DEFQ - Data Entry* Window, the following layout types are available. You can click on any of the following layouts to view the Form details. The buttons that are the Previous Page, Back, Next, and Next Page helps you to navigate through the records. However, the customized header sorting does not apply when you have navigated to Previous or Next pages.

**Note**

The Roll Back option can be used only for authorized records that are after the records are edited and saved, you can roll back/undo the changes in View Mode.

The following table describes the Layouts in the *DEFQ – Data Entry* Window.

**Table 4-4 Layouts in the DEFQ – Data Entry Window and their Description**

| Layout         | Description                                                                                                                                                                                                                                                                 |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Single Record  | To view the details of a single record at any given point. You can use the navigation buttons to view the next record in the table.                                                                                                                                         |
| Editable View  | To view and edit a single record. A list of five rows/records is displayed by default, and the same can be changed by entering the required number in Display Rows. You need to select the required record from the list to view/edit and click Save to update the changes. |
| Grid (Default) | To view all the records in a list. A list of five rows/records is displayed by default, and the same can be changed by entering the required number in Display Rows. You can click on the column header to alphabetically sort the list of records in the table.            |
| Multi-column   | To view all the columns of a selected record. This layout enables you to view a record without having to scroll or with minimum scrolling to view all the columns.                                                                                                          |
| Wrapped Rows   | To view all the rows of a selected record. This layout enables you to view a wrapping row easily without having to scroll horizontally to view the columns.                                                                                                                 |

## 4.4.2 Searching Records

In the *DEFQ - Data Entry* window, you can search for a record in the View, Edit, and Authorize modes. You can perform a quick Search to find a specific record or run an Advanced Search to further query the record for the required details.

To search for a record in the *DEFQ - Data Entry* window:

1. Click

**Figure 4-27 Icon**



. The search fields are displayed.

2. Select Field Name from the drop-down list.

- 3. Enter the value/data in the Search Field.
  - 4. Click **Go** .  
The search results are displayed in the list.
- To perform an Advanced search in the *DEFQ - Data Entry* Window:
- 5. Click

Figure 4-28 Icon



within the Search fields. The *Advanced Search* Window is displayed.  
Figure 28: Advanced Search Window

Figure 4-29 Advanced Search Window

- 6. Select the required Parentheses/Join, Field, Operator from the drop-down list and enter the Value as required to query the Form data.
- 7. Click **GO** . The results are displayed with the field names containing the Searched Data.

### 4.4.3 Editing Form Details

You can edit the permitted Form Field Values in the *DEFQ - Data Entry* Window. However, you cannot modify the primary key fields which are displayed in a non-editable format.

To edit Form Details in the *DEFQ - Data Entry* Window:

- 1. Open the required Form in view mode and click

Figure 4-30 Icon



. The editable fields are enabled.



2. Enter/update the required details.
3. Click Save and update the changes.
4. If required, you can click Reset to undo the changes and return to original field values. If you have edited an Authorized Record, the same is again marked for authorization. After the record is updated, a modified status flag is set, and only these record changes can be rolled back. The Roll Back option is supported in view mode only for Authorized Records, that is records that are updated and saved.

## 4.4.4 Adding Form Data

You can add a row to the required table and enter the field details. To Add Form Data in the *DEFQ - Data Entry* Window:

1. Open the required Form in View Mode and click

**Figure 4-31** Icon



. By default, five rows are displayed.

2. You can modify by specifying the number of required rows in the Display Rows field and clicking Reset .
3. Enter the required Numeric Data in the new fields. If you want to view the Numeric Data separated by commas, enter the details accordingly.
4. Click **Save** and update the data to the selected table.

## 4.4.5 Authorizing Record

You need to have DEFQMAN and SYSAUTH function roles mapped to access and authorize Forms in the DEFQ Framework. You can Authorize a single record or all the records of a selected Form within the *DEFQ - Data Entry* Window. You can Authorize a record in a table that has a primary key field. A primary key field in the record is indicated by "PK". You need to have the authorization rights defined by the user who has created the record. You can also Reject or Hold inappropriate records in the table.

Figure 4-32 DEFQ - Data Entry Authorization Window

Single Record Editable View Grid Multi-Column Wrapping Row

View Edit Add Delete Authorize Export Search Copy

Display 5 Rows Select Excel Sheet Name: AXLSX

asap

[10565] Search Results For Search Column - 'Country Long Description' [10566] and Search Value - 'AXLSX'

Reauthorize Records

Reauthorize Deleted Records

Authorize All Reject All Hold All

| Auth                     | Rej                      | Hold                     | Country Surrogate Key | Country Identifier | Record End Date | Record Start Date | Latest Record Indicator | Extraction Date | Country Long Description | Province |
|--------------------------|--------------------------|--------------------------|-----------------------|--------------------|-----------------|-------------------|-------------------------|-----------------|--------------------------|----------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 451                   | g                  | 08/31/2012      |                   | Unauthorized            | 11/30/2001      | AXLSX                    | f        |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 651                   | g                  | 08/31/2012      |                   | Unauthorized            | 11/30/2001      | AXLSX                    | f        |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6781                  | g                  | 08/31/2012      |                   | Unauthorized            | 11/30/2001      | AXLSX                    | f        |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98651                 | a                  | 08/31/2012      |                   | Unauthorized            | 11/30/2001      | AXLSX                    | f        |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 99651                 | g                  | 08/31/2012      |                   | Unauthorized            | 11/30/2001      | AXLSX                    | f        |

< >

<<Previous Page <Back Reset Save >Next> >>Next Page>> Authorize Excel Reject Excel

The status of each record in the table is indicated with an “AuthFlag” as indicated below:

- Unauthorized records are displayed with the status flag “ U ”.
- Authorized records are displayed with the status flag “ A ”.
- Rejected records are displayed with the status flag “ R ”.
- Modified records are displayed with the status flag “ M ”.
- Deleted records are displayed with the status flag “ D ”.
- If an Unauthorized record is on Hold , the status flag is displayed as “ H ”.
- If a Modified record is on Hold , the status flag is displayed as “ X ”.
- If a Deleted record is on Hold , the status flag is displayed as “ Z ”. To Authorize Data in the DEFQ - Data Entry Window:

1. Open the required Form in view mode and click

Figure 4-33 Icon



The list of available records for Authorization is displayed. If there are “no records” for Authorization in the selected Information Domain, an alert message is displayed.

2. Select the “Auth” check box adjacent to the required record with the status flag “ Unauthorized / Put On Hold ” and click Save . A confirmation dialog is displayed. Click OK .

You can also do a Bulk Authorization if Excel Map is selected in the *Sort Fields Selection* window. Select the mapped Excel Name from the “SelectExcelSheetName” drop-down list. The DEFQ - Data Entry Window displays only those records which are uploaded through the selected Excel sheet. Click Authorize Excel. A confirmation dialog is displayed. Click OK.

You can Reject / Hold a record by doing the following:

- To Reject a record, select the check box in the “ Rej ” column adjacent to the required record and click Save . A confirmation dialog is displayed. Click OK .

You can also Reject records in Bulk Mode if Excel Map is selected in the *Sort Fields Selection* window. Select the mapped Excel Name from the “SelectExcelSheetName” drop-down list. The *DEFQ - Data Entry* Window displays only those records which are uploaded through the selected Excel sheet. Click Reject Excel. A confirmation dialog is displayed. Click OK.

- To Hold a record and to authorize or reject at a later point, select the check box in the “ Hold ” column adjacent to the required record and click Save .

In the *DEFQ - Data Entry* Window, you can also do the following:

- Click Authorize All and click on Save to authorize all the records displayed on the Current Page.
- Click Reject All and click on Save to reject all the records displayed on the Current Page.
- Click Hold All and click on Save to hold all the records displayed on the Current Page.

If you have enabled the option to send alerts to the Creator of the Form in the *Message Type Maintenance* Window, a message is sent indicating that the records are authorized/rejected/put on hold.

### 4.4.5.1 Re-authorizing Records

You can re-authorize an Authorized Record that has been updated by other users. When an Authorized Record is updated, the status flag (AuthFlag) is set to “M” indicating that the record has been modified and needs re-authorization.

**Figure 4-34 DEFQ - Data Entry Re-Authorize Window**

Modified Record Authorization :

| Auth                     | Rej                      | Hold                     | Extraction Date     | Currency Code Surrogate KeyPK | Currency Code | Record End Date     | Record Start Date   | Latest Record Indicator | Local Currency Indicator | Reporting |
|--------------------------|--------------------------|--------------------------|---------------------|-------------------------------|---------------|---------------------|---------------------|-------------------------|--------------------------|-----------|
| Edited Data :            |                          |                          |                     |                               |               |                     |                     |                         |                          |           |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 06/29/2011 14:52:08 | 666                           | 3             | 06/11/2010 10:10:16 | 06/29/2011 14:52:08 | 8                       |                          | Modified  |
| Original Data :          |                          |                          |                     |                               |               |                     |                     |                         |                          |           |
|                          |                          |                          | 06/29/2011 14:52:08 | 666                           | 3             | 06/11/2010 10:10:16 | 06/29/2011 14:52:08 | 8                       |                          | Modified  |

< [Progress Bar]

<<Previous Page <Back Reset Close Save Next> Next Page>>

To re-authorize modified records in the *DEFQ - Data Entry* Window:

- Open the required Form in view mode and click

**Figure 4-35 Icon**



The list of available records with the Authorization status is displayed. If there are “no records” for Authorization in the selected Information Domain, an alert message is displayed.

- 2. Click Reauthorize Records .  
The *DEFQ Authorization Window* is displayed.
- 3. Select the “Auth” check box adjacent to the required record.
- 4. Click Save .  
On re-authorization, a confirmation message is displayed.

You can also select the check box adjacent to “Rej” to reject the record, or “Hold” to re-authorize or reject at a later point. A message is sent to the Form creator indicating that records are authorized/rejected/put on hold.

4.4.5.2 Re-authorizing Deleted Records

You can re-authorize the delete action when an Authorized Record has been deleted by other users. When an Authorized Record is deleted, the status flag (AuthFlag) is set to “D” indicating that the record has been deleted and needs re-authorization.

Figure 4-36 DEFQ - Data Entry Re-Authorize Deleted Records Window

| Auth                     | Rej                      | Hold                     | Extraction Date     | Currency Code Surrogate Key | Currency Code | Record End Date | Record Start Date   | Latest Record Indicator | Local Currency Indicator | Reporting |
|--------------------------|--------------------------|--------------------------|---------------------|-----------------------------|---------------|-----------------|---------------------|-------------------------|--------------------------|-----------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 06/29/2011 14:52:08 | 990                         | 45            |                 | 07/23/2009 14:22:25 | U                       |                          | Deleted   |

To re-authorize deleted records in the *DEFQ - Data Entry Window*:

- 1. Open the required Form in view mode and click

Figure 4-37 Icon



The list of available records with the Authorization status is displayed. If there are “no records” for Authorization in the selected Information Domain, an alert message is displayed.

2. Click Reauthorize Deleted Records . The *DEFQ Authorization Window* is displayed.
3. Select the “Auth” check box adjacent to the required record.
4. Click **Save** .  
On re-authorization, a confirmation message is displayed.

You can also select the check box adjacent to “Rej” to reject the record, or “Hold” to re-authorize or reject at a later point. A message is sent to the Form creator indicating that records are authorized/rejected/put on hold.

## 4.4.6 Exporting Form Data

You can export the required record(s) to a selected location in CSV format. To Export Form Data in the *DEFQ*

- *Data Entry Window*:

1. In the View mode, select the check box adjacent to the record(s) which you want to export.
2. Click

**Figure 4-38** Icon



The File Download dialog is displayed.

3. Click **Save** .  
The Save As dialog is displayed.
4. Select the location and click **Save** . The selected record is exported.

## 4.4.7 Copying Form Data

You can copy the existing fields and create new fields in a record. When you copy a field, the primary key values are incremented from the pre-defined value to the next acceptable value. However, the other fields can be modified as required.

To copy fields in the *DEFQ - Data Entry Window*:

1. Open the required Form in view mode and click

**Figure 4-39** Icon



The list of available records is displayed. All the primary field data (indicated by \*) is incremented by default.

2. Click **Save** .  
The field values are added to the record.  
You can click Edit to modify the values or click Next to copy the next set of fields.

## 4.4.8 Deleting Form Details

You can remove Form details that are no longer required by deleting them from the *DEFQ - Data Entry* Window.

1. In the View mode, select the check box adjacent to the record which you want to delete.
2. Click

**Figure 4-40** Icon



An information dialog is displayed.

3. Click **OK** to confirm and delete the record.

## 4.4.9 References

This section of the document consists of information related to intermediate actions that need to be performed while completing a task. The procedures are common to all the sections and are referenced where ever required. You can see the following sections based on your need.

### 4.4.9.1 Creating Tree View Form

The process to create a Form using the Tree View Layout differs from the procedure as explained for other layouts. You can create a Form using the Tree View Layout, by selecting either Dimensional Table Tree or Parent-Child Tree.

### 4.4.9.2 Dimensional Table Tree

If you want to create a Form using the Dimension Table Tree, select Tree view > Dimension Table Tree option in the *DEFQ - Layout* Window. On clicking Next, you need to provide the required details in the following windows:

1. Dimension Table Selection : Enter the Root Name and select the Table. Click **Next** .
2. Fields Selection : Select required Fields to Display from Available fields and click **Next** .
3. Dimension Node Selection : Select Field Nodes from Available fields and click **Next** .
4. Select Dimensional Tree Nodes for the selected fields and click **Next** .
5. DEFQ Field Properties Window: Specify the required details. For more information, see [DEFQ Field Properties](#)

### 4.4.9.3 Parent-Child Tree

If you want to create a Form using the Parent-Child Tree, select Tree view > Parent-Child Tree option in the *DEFQ - Layout Window*. On clicking Next, you need to provide the required details in the following windows:

1. Hierarchy Table Selection: Enter the Root Name and select the Table. Click Next .
2. Parent-Child Node Selection : Select Parent Node, Child Node, and Node Description from the drop-down list.
3. Fields Selection : Select required Fields to Display from Available fields and click Next .
4. DEFQ Field Properties window : Specify the required details. For more information, see [DEFQ Field Properties](#)

### 4.4.9.4 Applying Rules

You can apply rules to Validate Form Data to specific fields such as Text Field, Text Area, or Protected Field. To specify rules for a field in the *DEFQ - Forms Designer DEFQ Field Properties Window*:

1. Click Rule adjacent to the required field. The *Specifying Rules and Expressions for Data Validations* Window is displayed.
2. Select the required Fields, Operators, and Functions from the list.
3. Enter the Rule Expression in the Expression Viewer field.
4. Depending on the data type of the selected field, the following column constraints are displayed. Select the required check box.
  - No Spaces
  - Characters Only
  - Alpha Numeric
  - Not Null
  - Non Negative
5. Select the Alignment type from the drop-down list.
6. Click **OK** and save the details.

### 4.4.9.5 Defining List of Values

While creating a Form, if you choose the Select List field parameter option in the In Edit/Add column in the *DEFQ Field Properties Window*, you need to define the list of values in the *Select List Window*. However, you do not need to define the values for foreign key fields and primary key fields.

In the *Select List Window*, select the required Field Type from the following options:

- Comma Separated Values : Supports only the user-specified values while creating a Form.
- Dynamic List of Values : Supports field name from a table and stores it in the database. The same can be used during Data Entry.

If Comma Separated Values is selected:

1. Enter the List of Values to be displayed.
2. Specify Alternate Display Values to be displayed.
3. Click OK and save the specified list of values. If Dynamic List of Values is selected:
4. Select Table Value, List Value, and Display Value field.
5. Select the Field, Operator, and Functions from the list.
6. Define a filter condition for the selected values.
7. Click **OK** and save the specified list of values.

#### 4.4.9.6 Defining Messaging Details

While creating a Form, you can click Message Details in the *DEFQ Field Properties* Window to define the messaging details. You can specify an alert message which is sent to the Creator of the Form or an Authorizer.



Figure 4-41 Messaging Details window

The screenshot displays the 'Form Specific Message Details' window, which is organized into several sections:

- Form Specific Message Details:** This top section contains a checkbox labeled 'Messaging Required'. Below it are two columns: 'Available Message Types' and 'Chosen Message Types'. The 'Available Message Types' list includes 'Canceled Request for Creation', 'Canceled Request for Modification', 'Created and Authorized', 'Created and Put-On-Hold', and 'Created and Rejected'. Navigation arrows (> and <) are positioned between these two columns.
- Details for Message Types:** This middle section features a 'Message Type' dropdown menu. Below the dropdown is a checkbox labeled 'Specific Messages Required'. Further down are input fields for 'Message Subject' and 'Message Content'.
- Field Mapping:** This section contains three pairs of mapping areas, each with 'Available' and 'Mapped' fields connected by navigation arrows (> and <):
  - Available Fields For Subject** and **Mapped Fields For Subject**
  - Available Fields For Content** and **Mapped Fields For Content**
  - Available Recipients** and **Mapped Recipients**
- Buttons:** At the bottom center, there are two buttons: a blue 'Save' button and a gray 'Cancel' button.

In the *Messaging Details for a Form* window:

1. Select Messaging Required check box to activate the Messenger feature.

**Note**

If the option is not selected, a single mail is sent for the entire batch. Message details such as recipients, subject, and contents are fetched from the metadata.

2. Select the required Available Message Types from the list and click

**Figure 4-42** Icon



3. Select the Message Type from the drop-down list based on a specific action.
4. Select Specific Messages Required to add a specific message.
5. Select Available Fields for Subject , Content , and Recipients from the list and click

**Figure 4-43** Icon



6. Click Save and save the messaging details. You also need to select Save with Authorization in the *DEFQ Field Properties* Window for the messages to be functional.

### 4.4.9.7 Form Data Versioning

You can perform data versioning on an Authorized Form. The modifications made to the particular Form are tracked and displayed as per date versioning. In the *Data Versioning for Form* Window, do the following:

1. Select Enable Data Versioning check box to ensure that the version is tracked.
2. Select the Table and Version Identifier from the drop-down list.
3. Click OK and save the versioning details.

### 4.4.9.8 Save with Authorization

The Save with Authorization feature in Forms Designer (*Sort Fields Selection* Window) allows you to authorize the uploaded data. Authorization serves as a checkpoint for the validation of uploaded data.

Figure 4-44 Data Entry Save Authorization Window

To authorize the uploaded data, you need to create a Form in DEFQ with the Save with Authorization check box selected.

- Before any DEFQ Form is created to authorize the data, the underlying table in the Data Model needs to have the below columns added to its table structure. You need to perform a Data Model Upload to have the new structures reflected in the application.  
Columns required:  
*V\_MAKER\_ID VARCHAR2(20), V\_CHECKER\_ID VARCHAR2(20), D\_MAKER\_DATE DATE, D\_CHECKER\_DATE DATE, F\_AUTHFLAG VARCHAR2(1), V\_MAKER\_REMARKS VARCHAR2(1000), V\_CHECKER\_REMARKS VARCHAR2(1000)*
- Navigate to Create a New Form in the Forms Designer Section and complete the design steps up to Step 6. From the *DEFQ Field Properties* Window explained in step 7, select the appropriate values as listed below for Store Field As depending on the columns selected:  
*V\_MAKER\_ID - MakerID V\_CHECKER\_ID - CheckerID D\_MAKER\_DATE - Maker Date  
D\_CHECKER\_DATE - Checker Date  
F\_AUTHFLAG - AuthFlag V\_MAKER\_REMARKS - Maker Remarks  
V\_CHECKER\_REMARKS - Checker Remarks*
- Click **Save with Authorization**.  
After the data is loaded into the table, you can log in as 'Authorizer' and navigate to the *Data Entry* window. Select the Form to open and authorize the records loaded.

# 5

## OFSAA Attributes

Attributes refer to the distinguished properties or qualifiers that describe a Dimension Member. Attributes may or may not exist for a simple dimension. Attributes Section is available within the Dimension Management Section of the Financial Services Applications Module.

The *Attributes* Window displays the list of pre-defined Dimension Attributes with the other details such as the Numeric Code, Name, Data Type, Required, and Seeded. You can search for a specific Attribute based on Numeric Code, Name, or Data Type and view the list of existing definitions within the system.

### 5.1 Adding Attribute Definition

Attributes facilitate you to define the properties or qualifiers for the Dimension Members. The Write role should be mapped to your user group, from the *User Group Role Map* Window.

To create an Attribute definition in the *Attributes* Window:

1. From the *Attributes* window, click **Add**  
The *Attribute Definition (New Mode)* Window is displayed.

**Figure 5-1 Attributes Window**



2. In the Dimension Section, select the required dimension from the drop-down list.
3. Click the **Code Generate** icon button in the Numeric Code Field. A unique code is auto-generated. You can also manually enter the code in the Numeric Code Field.
4. Enter the Name and required Description for the Attribute.

**Note**

Name: The characters & ' " are restricted in the Name Field.

Description: The characters ~&+ ' "@ are restricted in the Description Field.

5. Enter the Attribute Window is as tabulated:  
The following table describes the fields in the Attribute Window.

**Table 5-1 Fields in the Attributes Window and their Descriptions**

| Field                                            | Description |
|--------------------------------------------------|-------------|
| Fields marked in red asterisk (*) are mandatory. |             |

**Table 5-1 (Cont.) Fields in the Attributes Window and their Descriptions**

| Field              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type               | <p>Select the Data Type as DATE, DIMENSION, NUMBER, or STRING from the drop-down list.</p> <p>If NUMBER is selected as the Data Type:</p> <p>The Scale field is enabled with “0” as the default value.</p> <p>Enter a Scale value <math>\geq 0</math>. If it is left as 0, values for this attribute will be limited to Integers. If you wish to enable decimal entries for this attribute, the maximum Scale value must be <math>&gt; 0</math> and <math>\leq</math> the scale defined for NUMBER_ASSIGN_VALUE in the dimension's underlying attribute table. See the <a href="#">OFS Data Model Utilities Guide</a> for further details on the Attribute Table.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Required Attribute | <p>Select Yes or No. If this is set to No, an attribute value is optional for the associated Dimension Members.</p> <p>Note: This field is disabled in Add and Edit modes if any members already exist for the Dimension on which this attribute is defined.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Default Value      | <p>If Required Attribute is set to Yes, a Default Value must be entered, otherwise it is optional.</p> <p>If DIMENSION is selected as the Data Type:</p> <p>Select the required Dimension from the drop-down list in the Dimension field.</p> <p>Select the Default Value from the drop-down list of members mapped to the selected Dimension. If the required Member is not listed in the drop-down then select --More—and the <i>Member Search</i> Window is displayed.</p> <p>If NUMBER is selected as the Data Type:</p> <p>Enter a numeric value in the Default Value field, and it must be consistent with the Scale you have defined.</p> <p>If DATE is selected as the Data Type:</p> <p>Click the</p> <p><b>Figure 5-2 Icon</b></p>  <p>button to select a valid date as the Default Value from the calendar.</p> <p>If STRING is selected as the Data Type:</p> <p>Enter an Alphanumeric Value in the Default Value field.</p> <p>The Maximum Number of characters allowed in the Default value field for String Data Type is 1000.</p> |

6. Click **Save** . The entries are validated and the defined Attribute is captured.

## 5.1.1 Viewing Attribute Definition

You can view individual Attribute Definition details at any given point. The Read-only role should be mapped to your user group.

To view the existing Attribute Definition details in the *Attribute Window*:

1. Select the check box adjacent to the Numeric Code of the Attribute, whose details are to be viewed.
2. Click View button in the Dimension Attributes Toolbar.

The *View – Attributes* window is displayed with the details such as Dimension, Numeric Code, Name, Description, and Attribute Properties.

## 5.1.2 Modifying Attribute Definition

You can modify the Name, Description, or Default Value fields of an attribute definition. The Write role should be mapped to your user group.

To modify an existing Attribute Definition in the *Attributes* Window:

1. Select the check box adjacent to the Numeric Code of the Attribute, whose details are to be updated.
2. Click Edit button in the Dimension Attribute toolbar. The Edit button is disabled if you have selected multiple Attributes. .  
The *Edit - Attributes* Window is displayed

**Figure 5-3 Edit - Attributes**



3. Edit the Attribute details such as Name, Description, or Default Value. For more information, see [Adding Attribute Definition](#)
4. Click Save to save the changes.

### 5.1.2.1 Copying Attribute Definition

The Copy Attribute Definition facilitates you to quickly create a new Attribute Definition based on the existing attributes or by updating the values of the required attributes. The Write role should be mapped to your user group.

To copy an existing Attribute Definition in the *Attributes* Window:

1. Select the check box adjacent to the Numeric Code of the Attribute, whose details are to be duplicated.
2. Click Copy button in the Dimension Attributes toolbar to copy a selected Attribute definition.  
Copy button is disabled if you have selected multiple Attributes.
3. In the *Copy – Attributes* Window you can:
  - Create a new attribute definition with existing variables. Specify new Numeric Code and Attribute Name . Click Save .
  - Create a new attribute definition by updating the required variables. Specify new Numeric Code and Attribute Name . Update the required details. For more information, see Add Attribute Definition. Click Save .

The new attribute definition details are displayed in the *Attributes* Window.

## 5.1.3 Attribute Definition Dependencies

You can view the dependencies of Attributes. The Read-only role should be mapped to your User Group. To view the dependency of an attribute in the *Attributes* Window:

1. Select the check box adjacent to the Numeric Code of the Attribute whose dependency is to be checked.
2. Click the

**Figure 5-4** Icon



button in the Dimension Attributes toolbar. The Check Dependencies button is disabled if you have selected multiple attributes. The *Attributes Dependency Information* Window is displayed with the dependency details.

## 5.1.4 Deleting Attribute Definition

You can remove the Attribute Definitions which are not required in the system by deleting them from the

*Attributes* Window. The Write role should be mapped to your User Group.

1. Select the check box adjacent to the Numeric Code(s) of the Attributes whose details are to be removed.
2. Click the Delete button in the Dimension Attributes Toolbar.
3. Click OK in the information dialog to confirm the deletion.

# 6

## Dimension Members

Dimension Members refer to the individual items that constitute a dimension when data is categorized into a single object. Example, Product, Organization, Time, and so on. Members are available within Dimension Management section of the Infrastructure system.

For more information on how to set up alphanumeric and numeric codes, see Configurations to use Alphanumeric and Numeric Codes for Dimension Members section in [OFSAAI Administration Guide](#).

**Figure 6-1 Members window**

|                          | Alphanumeric Code | Numeric Code | Name                           | Is Leaf |
|--------------------------|-------------------|--------------|--------------------------------|---------|
| <input type="checkbox"/> | DIVIDENDS         | 600          | Dividends                      | No      |
| <input type="checkbox"/> | EARNINGASSETS     | 100          | Earning Assets                 | No      |
| <input type="checkbox"/> | EQUITY            | 500          | Equity                         | No      |
| <input type="checkbox"/> | UNALLOCINTEXP     | 620          | Interest Expense (Unallocated) | No      |
| <input type="checkbox"/> | UNALLOCINTINC     | 610          | Interest Income (Unallocated)  | No      |

The Members window displays the list of pre-defined Dimension Members with the other details such as the Alphanumeric Code, Numeric Code, Name, and Is Leaf. You can also search for a specific Member based on Alphanumeric / Numeric Code (irrespective of whether dimension is configured to be numeric or alphanumeric), Name, Description, Enabled status, Is Leaf status, Attribute Name, or Attribute Value and view the list of existing definitions within the system.

### 6.1 Adding Member Definition

This option allows you to add member definition. The Write role should be mapped to your user group.

To create an Attribute definition in the Attributes window:



1. Click **Add** from the toolbar. The Member Definition (New Mode) window is displayed.

**Figure 6-2 Members Add window**

2. In the Dimensions section, select the required Dimension from the drop-down list.
3. Enter the following Member Details:

**Table 6-1 Fields in the Members Add window Field and their Descriptions**

| Field                                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fields marked in red asterisk (*) are mandatory. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Alphanumeric Code                                | <p>The <b>Alphanumeric Code</b> field is editable only if the selected Dimension accepts Alphanumeric Code. For example, <b>Billing Method</b> Dimension. Else, the field is Read Only and the value is fetched from the Numeric Code field entered.</p> <p>Enter the required Alphanumeric Code. Ensure that the code has a maximum of 14 characters and there are no special characters like &amp; ' ~ " @ + included.</p>                                                             |
| Numeric Code                                     | <p>Enter the Numeric Code by doing any of the following:</p> <p>To auto-generate a Numeric Code, click the button next to the field. A system generated code is displayed.</p> <p>Manually enter the required code which is auto validated for uniqueness. A maximum of 14 numeric characters can be specified.</p> <p>Note: if the selected Dimension accepts only Numeric Code, then the specified, the Numeric Code is auto populated to the <b>Alphanumeric Code</b> field also.</p> |
| Name                                             | <p>Enter the Name of the Member.</p> <p><b>Note:</b> The characters &amp; ' are restricted</p>                                                                                                                                                                                                                                                                                                                                                                                           |
| Description                                      | <p>Enter the required Description for the Member.</p> <p><b>Note:</b> The characters ~&amp;+' " @ are restricted.</p>                                                                                                                                                                                                                                                                                                                                                                    |

**Table 6-1 (Cont.) Fields in the Members Add window Field and their Descriptions**

| Field   | Description                                                                                                                                                                                                                                                                                                                                                                       |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Enabled | This field is set to Yes by default and is editable only in Edit window.<br><b>Note:</b> You can change the option to No only when the particular member is not used in any hierarchy. The disabled members will not be displayed in Hierarchy rules, or UIs which are based on Hierarchies, such as Hierarchy Filters and hierarchical assumption browsers used in applications. |
| Is Leaf | This field is set to Yes by default.<br>If <b>Yes</b> , the particular member can be used as a leaf node in any hierarchy and child cannot be added to this node.<br>If <b>No</b> , the node becomes a non-leaf and can have child nodes.<br><b>Note:</b> A member created as Non Leaf having child nodes to it in any hierarchy cannot be made Leaf.                             |

**Note**

If the Dimension is selected as "Common Chart of Accounts", proceed further. Else, jump to step 5.

- Click **Browser** button in **Copy Attribute Assignment From** field. The Member Browser Properties window is displayed. This field can be left blank so that the Member Attributes panel can be filled in without considering the values already assigned.

**Figure 6-3 Member Browser Properties window**

**Members**

Dimension: Common Chart of Accounts

Search

Alphanumeric Code:  Numeric Code:

Name:

Description:

Enabled: ☐ Yes ☐ No Is Leaf: ☐ Yes ☐ No

Attribute Name:  Attribute Value:

Dimension Members

| Alphanumeric Code | Numeric Code   | Name             |
|-------------------|----------------|------------------|
| 98765432820043    | 98765432820043 | AUTOD_CCOA0      |
| 98765432820043    | 98765432820043 | AUTOD_CCOA1      |
| 0                 | 0              | ccoa_c1          |
| 1                 | 1              | ccoa_p1          |
| -1                | -1             | Default Member   |
| 10                | 10             | Earning Assets U |

Ok Close

- Select the required Member from the Dimension Members list. Click the **Search** button in the Search grid to search for a specific Member based on Alphanumeric Code, Numeric Code, Name, Description, Enabled status, Is Leaf status, Attribute Name, or Attribute Value. You can also click the **Search** button to find a member present in the Dimension Members grid using key words.
  - Click **OK**. The selected Member is displayed in the **Copy Attribute Assignment From** field in New – Member Details window and the details of selected Attribute are displayed in the Member Attributes section. You can edit the Attribute details as indicated:
    - Edit Attribute based on date by clicking the **Calendar** icon.
    - Edit Attribute based on Dimension Value by selecting from the drop-down list.
    - Edit Attribute based on Number Value by entering the valid numerical value.
    - Edit Attribute based on String Value by specifying alphanumerical value.
5. Click **Save** and the defined Member Definition is captured after validating the entries.

## 6.2 Viewing Member Definition

You can view individual Member Definition details at any given point.

To view the existing Member Definition details in the Members window:

1. Select the checkbox adjacent to the Alphanumeric Code of the Member, whose details are to be viewed.
2. Click the **View** button in the toolbar.  
The View – Member Details window is displayed with the details such as Dimension, Member Details, and Member Attributes details.

## 6.3 Modifying Member Definition

To modify an existing Member Definition in the Members window:

1. Select the checkbox adjacent to the Alphanumeric Code of the Member, whose details are to be updated.
2. Click **Edit** button in the toolbar. **Edit** button is disabled if you have selected multiple Members. The Edit – Member Details window is displayed.
3. Edit the Member details as required. For more information, see [Adding Member Definition](#).
4. Click **Save** to save the changes.

## 6.4 Copying Member Definition

The Copy Member Definition facilitates you to quickly create a new Member Definition based on the existing attributes or by updating the values of the required members.

To copy an existing Member Definition in the Members window:

1. Select the checkbox adjacent to the Alphanumeric Code of the Member, whose details are to be duplicated.
2. Click the **Copy** button in the toolbar to copy a selected Member definition. **Copy** button is disabled if you have selected multiple Members.

3. In the Copy – Member Details window you can:
  - Create new Member with existing variables. Specify the Numeric Code and new Member Name.
  - Create new Member definition by updating the required variables. Specify the Numeric Code and new Member Name.
4. Update the required details. For more information, see [Adding Member Definition](#).
5. Click Save.  
The new member definition details are displayed in the Members window.

## 6.5 Member Definition Dependencies

You can view the dependencies of Members.

To view the dependency of member in the Members window:

1. Select the checkbox adjacent to the Alphanumeric Code of the Member, whose dependency is to be viewed.
2. Click **Check Dependencies** button in the toolbar. The Check Dependencies button is disabled if you have selected multiple members.  
The Members Dependency Information window is displayed with the dependency details.

## 6.6 Deleting Member Definition

You cannot delete predefined members or the members which are the Nodes for a hierarchy.

To delete a Member in the Members window.

1. Select the checkbox adjacent to the Alphanumeric Code(s) of the Members, whose details are to be removed.
2. Click **Delete** button in the Dimension Members tool bar.
3. Click **OK** in the information dialog to confirm deletion.

# 7

## Hierarchy Maintenance

Hierarchies refer to dimension members that are arranged in levels, with each level representing the aggregated total of the data from the level below. One dimension type can have multiple hierarchies associated with it. Hierarchies are available within the Dimension Management section of Infrastructure system.

You can access Hierarchies window by expanding **Unified Analytical Metadata** and **Dimension Management** within the tree structure of LHS menu and selecting **Hierarchy Maintenance**.

**Figure 7-1 Hierarchies window**

| Name              | Display Level | Created By | Creation Date       | Last Modification Date |
|-------------------|---------------|------------|---------------------|------------------------|
| Repline Hierarchy | 53            | SYSADMN    | 02/27/2018 05:39:46 | 02/27/2018 05:39:46    |

The Hierarchies window displays the list of Hierarchies created in all public folders, shared folders to which you are mapped and private folders for which you are the owner, along with other details such as the Name, Display level, Created By, Creation Date, and Last Modification Date. For more information on how object access is restricted, see Object Security in AMHM module section.

You can also search for a specific Hierarchy definition based on Folder, Hierarchy Name, Dimension Member Alphanumeric Code, Dimension Member Numeric Code, or Dimension Member Name and view the existing definitions within the system.

### 7.1 Adding Hierarchy Definition

In the Hierarchies window, you can create Hierarchy Definition up to 15 levels by default. The maximum permissible levels are up to 58 Hierarchies. To create a hierarchy, the Write role should be mapped to your user group.

**Note**

When an AMHM Hierarchy is created, implicitly a UAM Business hierarchy also gets created and will be listed in the Summary window of Business Hierarchy.

To create a Hierarchy definition in the Hierarchies window:

1. Click the **Add** button in the Hierarchies toolbar.  
The New – Hierarchy Details window is displayed.

**Figure 7-2 Add Hierarchies window**

2. Select Dimension from the drop-down list.  
The selected Dimension from the New – Hierarchy Details window is displayed as the default dimension for which member has to be defined.

The following table describes the fields in the Hierarchy Properties window.

| Field                                            | Description                                                                                                      |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Fields marked in red asterisk (*) are mandatory. |                                                                                                                  |
| Name                                             | Enter the <b>Name</b> of the Hierarchy.<br><b>Note:</b> The characters &' " are restricted.                      |
| Description                                      | Enter the required <b>Description</b> for the Hierarchy.<br><b>Note:</b> The characters ~&+! " @ are restricted. |

| Field                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder                | <p>Select the folder where the hierarchy is to be stored from the drop-down list.</p> <p>The Folder selector window behavior is explained in <a href="#">User Scope</a> section.</p> <p>Click the <b>Add</b> button to create a new private folder. The Segment Maintenance window is displayed. For more information, see <a href="#">Segment Maintenance</a>.</p> <p><b>Note:</b> You can select <b>Segment/Folder Type</b> as Private and the <b>Owner Code</b> as your user code only.</p>                                                                                                                                            |
| Access Type           | <p>Select the Access Type as <b>Read Only</b> or <b>Read/Write</b>.</p> <p><b>Read-Only:</b> Select this option to give other users access to only view the hierarchy definition.</p> <p><b>Note:</b> A user with Phantom and Write role can modify or delete the hierarchy even though the access type is selected as Read-only.</p> <p><b>Read/Write:</b> Select this option to give all users the access to view, modify (including Access Type), and delete the hierarchy definition.</p>                                                                                                                                             |
| Automatic Inheritance | <p>Click <b>Yes</b> to inherit the hierarchy properties of the Parent to the Child.</p> <p>Click <b>No</b> if you want to define a new hierarchy.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Display Signage       | <p>Click <b>Yes</b> to display the Signage to the right hand side of the member in the Show hierarchy panel. Else, click <b>No</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Show Member Code      | <p>Select from the drop-down list as one of the following:</p> <ul style="list-style-type: none"> <li>• <b>Alphanumeric Code to Left of Name:</b> Displays Alphanumeric Code on the Left side of Member Name.</li> <li>• <b>Alphanumeric Code to Right of Name:</b> Displays Alphanumeric Code on the Right side of Member Name.</li> <li>• <b>Only Name - No Code:</b> Displays only the Member Name.</li> <li>• <b>Numeric Code to Left of Name:</b> Displays the Numeric Code on the Left side of Member Name.</li> <li>• <b>Numeric Code to Right of Name:</b> Displays the Numeric Code on the Right side of Member Name.</li> </ul> |
| Initial Display Level | <p>Select the Initial Display level from the drop-down list.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Orphan Branch         | <p>Click <b>Yes</b> to display the Orphan Branch in the Show Hierarchy panel. Otherwise, click <b>No</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

3. To add Child under the Show Hierarchy tab:  
The TREE\_NODE\_LIMIT needs to be set in the AMHMConfig.properties file is moved to the Hierarchy database. There are two ways to render members of a hierarchy. One is the paginated mode, and the other is the non-paginated mode. The method is decided based on the number of nodes for a particular hierarchy.

- If the number of members is more than `TREE_NODE_LIMIT` (configured in AMHM property tables in CONFIG schema and not in the properties file), members are loaded in paginated mode.
- If the number of members is less than `TREE_NODE_LIMIT` (configured in AMHM property tables in CONFIG schema and not in the properties file), members are loaded non-paginated mode.
- If `TREE_NODE_LIMIT` is not configured in AMHM property tables, then this value defaults to 5000. Any change in this table requires a server restart, and the values in the property file does not affect 8.1.0.0.0+ environments.

Select the **Pagination** icon to view more options under the available components. Click a record to enable the Pagination buttons.

- a. Right-click in the Show Hierarchy tab.
  - b. Select Add Child option and the Add Member window are displayed.
  - c. Select the required Member and click **Move** button. The Member is displayed in the Selected Members panel. Click **Move All** button to select all Members which are shown in the Show Members pane. Click to select all nodes/members in the server. You can click **Remove** button to deselect a Member or click **Remove All** button to deselect all the Members.  
You can click the **Search** icon to search for the required member using Alphanumeric code, Numeric Code, Name, Description, Attribute Name, or Attribute Value.  
You can also click the **Toggle Numeric Code** icon to toggle the display of Numeric Code left, right, or name and click **Names Left** icon to display Alphanumeric Code left, right, or name.
  - d. Click **OK**.  
The selected Member is displayed as Child under **Show Hierarchy** panel in the New – Hierarchy Details window.
4. To add Sibling:
    - a. Right-click on the Child and select the option Add Sibling.  
The Add Member window is displayed.
    - b. Select the required Member and click the **Move** button.  
The Member is displayed in the **Selected Members** panel. You can click **Move All** button to select all Members which are shown in the Show Members pane. Click **Select All** icon to select all nodes/ members in the server.
    - c. You can click the **Remove** icon to deselect a Member or click **Remove All** icon to deselect all the Members. You can also Click **Search** icon to search for the required member.
    - d. Click Apply.  
The selected Member is displayed as **Sibling** below the **Parent** under Show Hierarchy panel in the New – Hierarchy Details window.
  5. To add Leaf under a Parent, Child, or Sibling:
    - a. Right-click the Parent or Child and select **Add Leaf**.  
The Add Member window is displayed.
    - b. Select the required Member and click the **Move** button.  
The Member is displayed in the **Selected Members** panel. You can click the **Move All** button to select all Members which are shown in the Show Members pane. Click to select all nodes/ members in the server.



You can click the **Remove** button to deselect a Member or click **Remove All** button to deselect all the Members. You can also Click the **Search** icon to search for the required member.

- c. Click **Apply**.  
The selected Member is displayed as Leaf below the Parent or Sibling under **Show Hierarchy** panel in the New – Hierarchy Details window.
6. To define Level Properties:
  - a. Select **Level Properties** from the options under Parent, Child, Sibling or Leaf and the Level Properties window is displayed.
  - b. Enter the valid **Name** and **Description** in the respective fields.
  - c. Click **OK** and the Levels defined are displayed in the drop-down in **Initial Level Display** field in **Hierarchy Properties** grid in New – Hierarchy Details window.
7. To cut and paste Child or Sibling:
  - a. Right-click on any node and select **Cut**.
  - b. Right-click on any node and **Paste as Child** or **Paste as Sibling**.
8. To Delete and Undelete:
  - a. Right-click on the node to be deleted and select **Delete Node**.  
The node deleted is stroked out.
  - b. Right-click and select **UnDelete** to cancel deletion of the node.
9. To add Child / Sibling / leaf:
  - a. Right-click on any node and select **Create and add Child**.  
The New - Member Details window is displayed. For more information, see [Add Member Definition](#).
  - b. Right-click on any node and select **Create and add Sibling**.
  - c. Right-click on any node and select **Create and add leaf**.
10. To view the Member Properties and Member Attributes of a node in the Show Hierarchy panel:
  - a. Click the **Left Arrow** button and the Member Property grid is displayed.
  - b. Click on a Member.  
The properties such as Alphanumeric code, Numeric Code, Name, Description, Enabled, Is Leaf, Created By, Creation Date, Last Modified By, Last Modification Date, Attribute, and Value of the selected Member are displayed in the Member Properties and Member Attributes grids.

In the Hierarchies window you can also:

- Click the **Collapse** icon to collapse the members under a node.
- Click the **Expand** icon or **Branch** icon to expand a branch or collapse a branch.
- Click the **Focus** icon or **Defocus** icon to focus or defocus a selected node except the root node.
- Click **Names Right** icon or **Name Left** icon to view the name of members right or left.
- Click the **Numeric Right** icon or **Numeric Left** icon to view the Numeric code values of members right or left.
- Click the **Show Member Code** icon or **Show Member Name** icon to show code or show name of the members.

- Click the **Advanced Properties** button to view the Advanced Properties of the nodes.
11. Click **Save** in the New – Hierarchy Details window to validate and capture the entries. The Audit Trail section at the bottom of the window displays the metadata about the Hierarchy with the option to add additional information as comments. The User Comments section facilitates you to add or update additional information as comments.

## 7.2 Viewing Hierarchy Definition

You can view individual Hierarchy Definition details at any given point.

To view the existing Hierarchy Definition details in the Hierarchies window:

1. Select the checkbox adjacent to the Hierarchy Name.
  2. Click the **View** button in the Hierarchies tool bar. The View button is disabled if you have selected multiple Hierarchies.
- The View – Hierarchy Details window is displayed with all the Hierarchy details.

In the View – Hierarchy Details window you can click the **Search** icon to search for a member using the Alphanumeric Code, Numeric Code, or Member Name in the Search dialog.

### Note

The search functionality of this **Search** icon will not return any values if you search for a node in the Orphan Branch of the hierarchy.

## 7.3 Modifying Hierarchy Definition

You can modify the Name, Description, Folder, Access Type, Automatic inheritance, Display Signage, Show Member Code, Initial Display level, Orphan branch, Show hierarchy details in Edit – Hierarchy Details window.

### Note

When you modify a Hierarchy, the implicitly created UAM Business Hierarchy will also get updated.

To modify the Hierarchy Definition:

1. Select the checkbox adjacent to the Hierarchy Name whose details are to be updated.
  2. Click the **Edit** button in the Hierarchies tool bar.
- The **Edit** button is disabled if you have selected multiple Members. The Edit – Hierarchy Details window is displayed. In the Edit – Hierarchy Details window you can click the **Search** button to search for a member using the Alphanumeric Code, Numeric Code, or Member Name in the Search dialog. Edit the Hierarchy details as required.

For more information, see [Add Hierarchy Definition](#).

3. Click **Save** and save the changes.

## 7.4 Copying Hierarchy Definition

The Copy Hierarchy Definition facilitates you to quickly create a new Hierarchy Definition based on the existing attributes or by updating the values of the required hierarchies.

To copy an existing Hierarchy Definition in the Hierarchies window:

1. Select the checkbox adjacent to the Hierarchy name whose details are to be duplicated.
2. Click the **Copy** button in the Hierarchies toolbar to copy a selected Hierarchy definition.

The **Copy** button is disabled if you have selected multiple Hierarchies. The Copy – Hierarchy Details window is displayed.

In the Copy – Hierarchy Details window you can click the **Search** button to search for a member using the Alphanumeric Code, Numeric Code, or Member Name in the Search dialog.

3. In the Copy – Hierarchy Details window you can:
  - Create new hierarchy definition with existing variables. Specify a new **Hierarchy Name**. Click **Save**.
  - Create new hierarchy definition by updating the required variables. Specify a new Hierarchy Name and update the required details.  
For more information, see [Add Hierarchy Definition](#).
4. Click **Save**.

The new Hierarchy definition details are displayed in the Hierarchies window.

## 7.5 Hierarchy Definition Dependencies

You can view the dependencies of Hierarchies.

To view the dependency of Hierarchy in the Hierarchies window:

1. Select the checkbox adjacent to the Hierarchy Name.
2. Click the **Check Dependencies** button in the Hierarchies toolbar.

The **Check Dependencies** button is disabled if you have selected Hierarchy definitions.

The Hierarchies Dependency Information window is displayed.

## 7.6 Deleting Hierarchy Definition

You can remove the Hierarchy Definitions which are not required in the system by deleting from the Hierarchies window.

### Note

When you delete an AMHM Hierarchy, the implicitly created UAM Business Hierarchy will also get deleted, if it is not used in higher objects.

To delete a Hierarchy Definition:

1. Select the checkbox adjacent to Hierarchy Name(s) whose details are to be removed.
2. Click the **Delete** button in the Hierarchies tool bar.

3. Click **OK** in the information dialog to confirm deletion.

To delete an existing Business Hierarchy in the Business Hierarchy window:

1. Select the checkbox adjacent to the required Business Hierarchy code.
2. Click the **Delete** button from the Business Hierarchy tool bar.  
A confirmation dialog is displayed.
3. Click **OK**. The Business Hierarchy details are marked for delete authorization.

# 8

## Filter

Filters in the Infrastructure system allow you to filter metadata using the defined expressions.

You can access Filters by expanding **United Analytical Metadata** section within the tree structure of LHS menu and selecting **Filter**.

Based on the role that you are mapped to, you can access read, modify or authorize Filters window. For all the roles and descriptions, see [Appendix A](#). The roles mapped to Filters are as follows:

- Filter Access
- Filter Advanced
- Filter Authorize
- Filter Phantom
- Filter Read Only
- Filter Write

**Figure 8-1 Filter Summary window**

The screenshot shows the 'Filters Summary' window. At the top, there's a 'Filters' link and a search bar. Below the search bar, there are filters for 'Folder Name' (set to 'PFTSEG') and 'Filter Name' (empty). There's also a 'Type' dropdown menu. Below these are action buttons: '+ Add', 'View', 'Edit', 'Copy', 'Check Dependencies', 'Delete', and 'View SQL'. The main part of the window is a table with the following data:

| Name | Type      | Modification Date   | Modified by |
|------|-----------|---------------------|-------------|
| F1   | Hierarchy | 08/09/2018 00:32:18 | AAAIUSER    |

At the bottom, there's a pagination bar showing 'Page 1 of 1 (1-1 of 1 items)' and 'Records Per Page 1'.

The Filters Summary window displays the list of Filters created in all public folders, shared folders to which you are mapped and private folders for which you are the owner, along with the other details such as the Name, Type, Modification Date, and Modified By.

For more information on how object access is restricted, see [Object Security](#) in Dimension Management module section.

You can also search for a specific Filter definition based on Folder Name, Filter Name, or Type and view the list of existing definitions within the system. If you have selected Hierarchy from the Type drop-down list, the Dimension drop-down list is also displayed.

## 8.1 Adding Filter Definition

This option allows you to add a filter. Filter can be of 4 types namely, Data Element, Hierarchy, Group, and Attribute. To create filter definition, the Write role should be mapped to your user group.

To create a new filter from the Filters Summary window:

1. Click the **Add** button in the Filters toolbar.  
The Filter Definition window is displayed.

**Figure 8-2 Filter Definition New window**

2. Enter the Filter Details section details as tabulated:  
The following table describes the fields in the Filter Definition window.

**Table 8-1 Fields in the Filter Definition window and their Description**

| Field          | Description |
|----------------|-------------|
| Filter Details |             |

**Table 8-1 (Cont.) Fields in the Filter Definition window and their Description**

| Field       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder Name | <p>Select the Folder Name where the Filter is to be stored from the drop-down list.</p> <p>The Folder selector window behavior is explained in <a href="#">User Scope</a> section.</p> <p>Click to create a new private folder. The Segment Maintenance window is displayed. For more information, see <a href="#">Segment Maintenance</a> section.</p> <p><b>Note:</b> You can select <b>Segment/Folder Type</b> as Private and the <b>Owner Code</b> as your user code only.</p>      |
| Access Type | <p>Select the Access Type as <b>Read Only</b> or <b>Read/Write</b>.</p> <p><b>Read-Only:</b> Select this option to give other users the access to only view the filter definition.</p> <p><b>Note:</b> A user with Phantom and Write role can modify or delete the filter even though the access type is selected as Read-only.</p> <p><b>Read/Write:</b> Select this option to give all users the access to view, modify (including Access Type) and delete the filter definition.</p> |
| Filter Name | <p>Enter the filter name in the <b>Filter Name</b> field.</p> <p><b>Note:</b> The characters &amp; ' " are restricted.</p>                                                                                                                                                                                                                                                                                                                                                              |
| Description | <p>Enter the description of the filter in the <b>Description</b> field.</p> <p><b>Note:</b> The characters ~&amp;+ ' " @ are restricted.</p>                                                                                                                                                                                                                                                                                                                                            |

- From the Filter Type Selection pane, select the **Filter Type** from the drop-down list. There are four different Filter Types available in the Filter Type Selection grid as tabulated. Click the links to navigate to the appropriate sections.

The following table describes the fields in the Filter Type pane.

**Table 8-2 Fields in the Filter Type pane and their Description**

| Filter                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Data Element</a> | <p><b>Data Element Filter</b> is a stored rule that expresses a set of constraints. Only columns that match the data type of your Data Element selection are offered in the Data Element drop-down list box.</p> <p><b>Example:</b> Balances between 10,000 and 20,000 Accounts opened in the current month Loans with amortization terms greater than 20 years.</p> <p>Data Element Filters can access most instrument columns and most columns in the Management Ledger. Data Element Filters are used within other OFSAA rule types (e.g., Allocation rules, Transfer Pricing rules, Asset   Liability Management rules, and others).</p> |

Table 8-2 (Cont.) Fields in the Filter Type pane and their Descriptio

| Filter                    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Hierarchy</a> | <p><b>Hierarchy Filter</b> allows you to utilize rollup nodes within a Hierarchy to help you exclude (filter out) or include data within an OFSAA rule.</p> <p><b>Example:</b> You might want to process data for a specific set of divisions or lines of business where you have a Hierarchy rule that expresses those divisions or lines of business as rollup nodes. A Hierarchy Filter could be constructed to "enable" the Commercial and Retail lines of business while NOT enabling the Wealth Management line of business. Each of these lines of business might include a handful or even thousands of cost centers. When incorporated into an OFSAA processing rule, this Hierarchy Filter would include every cost center in the Commercial and Retail lines of business.</p>                                                                                                                                                                                                                                                                                                                                                                                                  |
| <a href="#">Group</a>     | <p><b>Group Filters</b> can be used to combine multiple Data Element Filters with a logical "AND".</p> <p><b>Example:</b> If Data Element Filter #1 filtered on mortgage balances greater than 100,000 and Data Element Filter #2 filtered on current mortgage interest rates greater than 6%, you could construct a Group Filter to utilize both Data Filters. In this case, the resulting Group Filter would constrain your data selection to mortgage balances greater than 100,000 AND current mortgage interest.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <a href="#">Attribute</a> | <p><b>Attribute Filters</b> are created using defined Attributes. Attribute filters facilitates you to filter on one or more Dimension Type Attributes. For each attribute, you can select one or more values.</p> <p><b>Example:</b> Consider a filter that selects all records where the dimension Common Chart of Account member represents an attribute value Expense account, i.e., the attribute "<b>Account Type</b>" = <b>Expense</b>.</p> <p>Now, using Attribute Filters, you can specify complex criteria as given below:</p> <p>Common Chart of Accounts where the Account Type attribute is Earning Assets or Interest-bearing Liabilities, and the Accrual Basis attribute is Actual/Actual</p> <p>Also, You could further refine the filter by adding another condition for:</p> <p>Organizational Unit where the Offset Org ID is a specific Org member</p> <p>The Filter then saves these criteria rather than the member codes which meet the criteria at the time the Filter is saved. During execution, the engine dynamically selects all records from your processing table (e.g. Mortgages, Ledger, etc.), which meet the specified member attribute criteria.</p> |

4. Click **Save** after the required filter conditions are defined to save the Filter definition.

## 8.1.1 Define Data Element Filter

When you have selected the Filter Type as Data Element, define the Filter conditions by doing the following in the Data Element Selection section:

1. In the Data Element Selection section, click the **View Attributes** icon.  
The Data Element Selection window is displayed.



Figure 8-3 Data Element Selection window

- Select any of the following Filter **Classification Type** from the drop-down list:
    - **Classified:** This is the default selection and displays all the classified EPM specific entities. If you are an EPM user, you need to select this option while defining Data Element Filter to list all the related entities.
    - **Unclassified:** This option displays all the non-classified i.e. non EPM specific entities. If you are a non EPM user, you need to select this option while defining Data Element Filter to list all the related entities.
    - **All:** This option will select all the tables available in the selected Information Domain irrespective of whether an entity has its table is classified or not.
  - Select the required database table from the **Entity Name** drop-down list. The associated members are displayed in the Show Members section.
  - Select the required member and click the **Move** button. The member is listed in the Selected Members panel. Click the **Move All** button to move all Members. You can click **Remove** button to deselect a Member or click **Remove All** button to deselect all Members.
  - Click **OK**. The selected Data Elements are displayed in the **Data Element Selection** field.
2. Select the **Filter Method** from the drop-down list.  
For each column you wish to include in your Data Filter definition, you must specify one of the following Filter Method:

The following table describes the fields in the Data Filter Definition.

**Table 8-3    Fields in the Data Filter Definition window and their Description**

| Filter          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific Values | <p><b>Specific Values</b> are used to match a selected database column to a specific value or values that you provide. You may either include or exclude Specific Values.</p> <p>You can add additional values by clicking the <b>Add</b> button. Click adjacent to <b>Add</b> button to add 3, 5, 10 rows by selecting the checkbox adjacent to 3, 5, or 10 respectively. You can add custom number of rows by specifying the number in the text box provided, as shown and click the <b>Select</b> button.</p> |

**Figure 8-4    Specific Values selected**



To remove a row, select the checkbox and click **Delete**.

When comparing Specific Values for a character type column, you must provide Specific Values that are character strings.

When comparing Specific Values for a date type column, you must provide Specific Values that are dates (the application displays a Calendar control).

When comparing Specific Values for a numeric column, you must provide Specific Values that are numbers.

Select **Include Values** or **Exclude Values** to include or exclude the selected values.

**Table 8-3 (Cont.) Fields in the Data Filter Definition window and their Description**

| Filter               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ranges               | <p><b>Ranges</b> are used to match a selected database column to a range of values or to ranges of values that you provide. You may either include or exclude Range values.</p> <p>Range Type is available for OFSA Datatype Term, Frequency, Leaf, Code, and Identity and Column Datatype Date, Numeric and Varchar.</p> <p>You can add additional values by clicking the <b>Add</b> button. Click adjacent to <b>Add</b> button to add 3, 5, 10 rows by selecting the checkbox adjacent to 3, 5, or 10 respectively. You can add custom number of rows by specifying the number in the text box provided, as shown and click .</p> <p>To remove a row, select the checkbox and click <b>Delete</b>.</p> <p>If the Column Datatype is VARCHAR, provide Specific Values (alphanumeric) that are character strings.</p> <p>If the Column Datatype is DATE, provide Specific Values that are dates (the application displays a Calendar control).</p> <p>If the Column Datatype is Numeric, provide Specific Values that are numbers.</p> <p>If OFSA Datatype is LEAF, provide either numeric values or click to select the numeric member ids.</p> <p>If OFSA Datatype is CODE, provide either numeric values or click to select the numeric member ids.</p> <p>If OFSA Datatype is IDENTITY, provide specific numeric values. However, no validation is done during save to validate the input value for a valid identity code.</p> <p>Select <b>Include Values</b> or <b>Exclude Values</b> to include or exclude the selected values</p> |
| Another Data Element | <p><b>Another Data Element</b> is used to match a selected database column to another database column. When constructing an Another Data Element Filter Method, you may only compare a column to other columns that you have already selected (the Data Element drop-down list box will only contain columns that you have already selected).</p> <p>You may use any of the following operators when choosing the Another Data Element Filter Method:</p> <p>=, &lt;&gt; (meaning "not equal to"), &lt;, &gt;, &lt;=, or &gt;=.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Expression           | <p><b>Expression</b> is used to match a selected database column to the results of an OFSAAI Expression rule.</p> <p>You may any of the following operators when choosing the Expression Filter Method:</p> <p>=, &lt;&gt; (meaning "not equal to"), &lt;, &gt;, &lt;=, or &gt;=.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |


- Click **Add** to list the completed filter conditions in the Filter Conditions grid.
  - Click **Update** after modifying a filter condition to update in the Filter Conditions grid.
  - Click the **Sort Ascending** or **Sort Descending** icons to move a selected Filter Condition up or down.
  - Click the **Delete** button to delete selected individual Filter Conditions records.
3. Click **Add** or **Edit** in the Filter Definition window if you are creating a new or updating an existing Filter definition.
  4. Click **Save** to validate the entries and save the filter details.

## 8.1.2 Define Hierarchy Filter

When you have selected the Filter Type as Hierarchy, define the Filter conditions by doing the following in the Hierarchy Selection section:

1. Select the required **Dimension** from the drop-down list.
2. Select the associated **Hierarchy** from the drop-down list. You can select More to search for a specific Hierarchy in the Hierarchy more dialog.
3. Select any combination of rollup points and leaf (last descendent child) values.

**Figure 8-5 Show Hierarchy Tab**



The Show Hierarchy tab displays the leaves in each node in ascending order of Members.

In order to sort the nodes alphabetically, `HIERARCHY_IN_FILTER_SORT-$INFODOM$-$DIMENSION_ID$=$VALUES$` in the `AMHMConfig.properties` file present in the deployed location should be set as Y. You should add such entry for all the required Dimension IDs for the sort functionality to work for those dimensions.

For example: `HIERARCHY_IN_FILTER_SORT-0FSAINFO-4345=Y`

Restart servers after making any change in AMHMConfig.properties file for the change to take effect.

### Note

Select the **Pagination** icon to view more options under the available components. Click the **More Options** (three dots) icon to enable the Pagination buttons.


From this pane, you can:

- Click **Search** button to search for a hierarchy member using Dimension Member Alphanumeric Code, Dimension Member Numeric Code, Dimension Member Name, or Attribute and by keying in Matching Values in the Search dialog. The search results are also displayed in the ascending order of Member Names.
- Click **Collapse** icon to collapse the members under a node.
- Click **Name Right** or **Name Left** icons to view the name of members right or left.
- Click **Numbers Right** or **Numbers Left** icons to view the Numeric code values of members right or left.
- Click **Show Member Code** or **Show Member Name** icons to show code or show name of the members.
- Click **Focus** or **Defocus** icons to focus or defocus a selected node except the root node.

You can also click the **Search** button to find a member present in the nodes list using key words. For large tree (nodes>5000), this search will not return any value if the tree is not expanded.

4. Click **Save** to validate the entries and save the filter details.

**Figure 8-6 Show Members Tab**



The **Show Members** tab displays all the selected nodes in a list view, which helps you visualize all the selected nodes as a list rather than as a tree. Currently, this feature is available in the **Edit** and **View** mode of the Hierarchy Filter.

### 8.1.3 Define Group Filter

When you have selected the Filter Type as Group, define the Filter conditions by doing the following in the Data Element Filters grid:

1. Select the checkbox(s) adjacent to the required member names in the Available Filters section and click the **Move** button. The selected members are displayed in the Selected Filters section. Click **Move All** button to select all the Members.  
You can click **Remove** button to deselect a Member or click **Remove All** button to deselect all the Members.  
  
You can also click the **Search** button to search for a member in the Data Element Filter Search dialog using Folder Name and Filter Name.
2. Click **Save** to validate the entries and save the filter details.

### 8.1.4 Define Attribute Filter

When you have selected the Filter Type as Attribute, define the Filter conditions by doing the following in the Attribute Selection section:

1. Select the required Dimension from the drop-down list.
2. Select the associated Attribute from the drop-down list. The list consists of only Dimension Type attributes for selection.
3. Click the **Show Attribute** icon in the Attribute Values grid.

The Attribute Values window is displayed.

In the Attribute Values window, the **Dimension** field under Dimension grid is auto populated with the Dimension name with which the selected Attribute is defined and is non-editable. In the Search grid you can search for Attribute Values depending on Alphanumeric Code, Numeric Code, or Name.

4. Select the checkbox(s) adjacent to the Alphanumeric Codes of the required Attribute Values in the Attribute Values grid and click **OK**. The Attribute Values grid displays the selected attribute values.

Select Attribute Value(s) in the Attribute Values grid and click the **Delete** icon to delete it.

You can use the Attribute Values present in the Attribute Values grid to generate conditions.

5. Click the **Add** button in the Attribute Values grid. The Filter Conditions grid is populated with the filter condition using all the Attribute values.

You cannot define two conditions using the same attributes. Because conditions are joined with a logical 'AND' and this will make the query invalid.

In the Filter Conditions grid, you can select a condition to view the Attribute Values used to generate it and can update the condition.

You can also click **View SQL** button to view the SQL statement in View SQL window. Click the **View Attributes** button to view a long filter condition in View Condition dialog.

6. Click **Save**. The Attribute Filter definition is saved.

## 8.2 Viewing Filter Definition

You can view individual Filter details at any given point.

To view the existing Filter Definition details in the Filters Summary window:

1. Select the checkbox adjacent to the Filter Name.
2. Click the **View** button in the Filter tool bar.

The View – Filter Details window is displayed with the filter details.

## 8.3 Modifying Filter Definition

This option allows you to modify the details of Filters.

To modify the Filter Definition:

1. Select the checkbox adjacent to the Filter Name whose details are to be updated.
2. Click the **Edit** button and the Edit – Filter Details window is displayed. Modify the required changes.

For more information, see [Add Filter Definition](#).

3. Click **Save** to save the changes.

## 8.4 Copying Filter Definition

The Copy Filter Definition facilitates you to quickly create a new Filter Definition based on the existing parameters or by updating the values.

To copy an existing Filter Definition in the Filters window:

1. Select the checkbox adjacent to the Filter Name which you want to create a copy.
2. Click the **Copy** button in the Filters tool bar. The **Copy** button is disabled if you have selected multiple checkboxes.

The Copy – Filter Details window is displayed.

3. In the Copy – Filter Details window you can:
  - Create new filter definition with existing variables. Specify a new **Filter Name** and click **Save**.
  - Create new filter definition by updating the required variables. Specify a new Filter Name and update the required details. For more information, see [Add Filter Definition](#). Click **Save**.

The new filter definition details are displayed in the Filters Summary window.

## 8.5 Checking Dependencies

You can view the dependencies of a defined Filter. You can use filter in a Run definition. However, the Run definitions are not shown as dependent objects when you check dependency for a filter. This is a limitation.

To check the dependencies of a filter from the Filters Summary window:

1. Select the checkbox adjacent to the Filter Name.

2. Click the **Check Dependencies** icon in the Filters tool bar. The **Check Dependencies** button is disabled if you have selected multiple members.

The Dependent Objects window is displayed with Object ID, Name, and ID Type of the dependent Objects.

## 8.6 Viewing SQL of Filter

You can view the corresponding SQL of a defined filter.

To view the SQL of a filter from the Filters Summary window:

1. Select the checkbox adjacent to the filter to view the SQL.
2. Click the **View SQL** button.

The SQL equivalent of the selected filter is displayed in the View SQL window.

## 8.7 Deleting Filter Definition

You can remove the Filter Definitions which are not required in the system by deleting from the Filters Summary window.

### Note

A filter definition with dependency cannot be deleted. However, if the dependent object is a Run Definition, you are able to delete the filter definition. This is a limitation.

To delete a Filter Definition:

1. Select the checkbox adjacent to the Filter Name whose details are to be removed.
2. Click the **Delete** button in the Filters tool bar.
3. Click **OK** in the information dialog to confirm deletion.



# 9

## Expression

An Expression is a user-defined tool that supplements other IDs and enables to manipulate data flexibly. Expression has three different uses:

- To specify a calculated column that the Oracle Financial Services Analytical Application derivatives from other columns in the database.
- To calculate assignments in data correction.
- To create calculated conditions in data and relationship filters.


Example:- Calculations like average daily balances, current net book balance, average current net book balance, and weighted average current net rate can be created through Expressions.

Based on the role that you are mapped to, you can access read, modify or authorize Expression window. For all the roles and descriptions, see [Appendix A](#).

The roles mapped to Expression are as follows:

- Expression Access
- Expression Advanced
- Expression Authorize
- Expression Phantom
- Expression Read Only
- Expression Write

**Figure 9-1 Expression Summary window**



| Expression Summary  |             |                 |            |                    |
|---------------------|-------------|-----------------|------------|--------------------|
| Expressions         |             |                 |            |                    |
| Search              |             |                 |            |                    |
| Folder Name         | FUSanhm     | Expression Name |            |                    |
| Return Type         |             |                 |            |                    |
| Expression Name     | Folder Name | Return Type     | Created By | Creation Date      |
| expression          | FUSanhm     | Numeric         | STUSER     | 13-OCT-11 04:36:27 |
| expression01        | FUSanhm     | Numeric         | STUSER     | 08-APR-12 13:32:30 |
| G-Exp               | FUSanhm     | Numeric         | STUSER     | 16-SEP-11 04:03:44 |
| Gold Test Hierarchy | FUSanhm     | Numeric         | STUSER     | 06-SEP-11 05:16:15 |
| g_exp_copy          | FUSanhm     | Numeric         | STUSER     | 21-NOV-11 19:33:03 |
| i-Exp11             | FUSanhm     | Numeric         | STUSER     | 16-SEP-11 04:01:19 |
| JavaScript\$111     | FUSanhm     | Numeric         | STUSER     | 19-SEP-11 07:39:33 |

The Expression Summary window displays the list of pre-defined Expressions with other details such as the Expression Name, Folder Name, Return Type, Created By, and Creation Date. For more information on how object access is restricted, see [Object Security](#) in Dimension Management module section.

You can also search for a specific Expression definition based on Folder Name, Expression Name, or Return Type and view the list of existing definitions within the system.

## 9.1 Adding Expression Definition

This option allows you to add an expression definition using variables, functions, and operators. The Write role should be mapped to your user group.

To create a new Expression from the Expressions Summary window:

1. Click the **Add** button in the Expressions Toolbar.  
The New - Expression window is displayed.

**Figure 9-2 Expression Summary New window**

2. In the Expression Details grid:
  - Enter the **Expression Name** and the required **Description**.

### **Note**

Expression Name: The characters & ' " are restricted in the name field.  
Description: The characters ~&+ ' " @ are restricted in the description field.

- Select the **Folder Name** from the drop-down list.
  - The Folder selector window behavior is explained in [User Scope](#) section.
  - Click the **Add** icon to create a new private folder.  
The Segment Maintenance window is displayed. For more information, see [Segment Maintenance](#).

### **Note**

You can select **Segment/Folder Type** as Private and the **Owner Code** as your user code only.

- Select the **Access Type** as Read Only or Read/Write.
  - **Read-Only:** Select this option to give other users the access to only view the expression.

**Note**

A user with Phantom and Write role can modify or delete the expression even though the access type is selected as Read-only.

- **Read/Write:** Select this option to give all users the access to view, modify (including Access Type) and delete the expression.
3. In the Entity Group Selection grid:
    - In the Variants section, click the **View** icon. The Variant Selection window is displayed.
      - Select the **Entity Type** and **Entity Name** from the drop-down lists.
      - Select the required member and click the **Move** icon.  
The member is displayed Selected Members list. Click the **Move All** icon to select all the Members.  
  
You can also click the **Remove** icon to deselect a Member or click **Remove All** icon to deselect all Members.
      - Click **OK**.  
The selected Entity Name and Members are displayed in the Variants section in the New Expression window.
    - In the Variant's section, click "+" to expand Entity Group and double-click to select the required Entity.  
The selected Entity is displayed in the Expression grid.
    - In the Function section, click "+" to expand Functions and select a function such as Mathematical, Date, String, or Others options.  
The selected Function is displayed in the Expression grid. For more information see [Function Types and Functions](#).
    - In the Operators section, click "+" to expand Operators and select an operator such as Arithmetic, Comparison, or Others.  
The selected Operator is displayed in the Expression grid. For more information see [Operator Types](#).
      - You can click **Add Constant** icon from the Add Constant grid to specify a Constant Value. Enter the numerical value and click .
    - In the Expression grid, you can right-click on the expression and do the following:
      - Click **Replace Expression** to replace the expression with a new one.
      - Click **Insert Expression After** to insert a new expression after the selected expression.
      - Click **Delete** to delete a selected expression.
      - You can also click the **Clear Expression** icon in the Expression grid to clear the Expression.
  4. Click **Save** to validate the entries and save the new Expression.

## 9.2 Viewing Expression

You can view individual Expression details at any given point.

To view the existing Expression details the Expression Summary window:

1. Select the checkbox adjacent to the Expression Name.

2. Click the **View** button in the Expressions tool bar.

The View Expression window is displayed with the Expression details.

## 9.3 Modifying Expression

You can modify the Expression details as required in the Edit – Expression screen.

To modify the Expression:

1. Select the checkbox adjacent to the Expression Name whose details are to be updated.
2. Click the **Edit** button and the Edit – Expression window is displayed. Modify the required changes.

For more information, see [Add Expression Definition](#).

3. Click **Save** and upload the changes.

## 9.4 Copying Expression

The Copy Expression facilitates you to quickly create a new Expression based on the existing parameters or by updating the values.

To copy an existing Expression in the Expression Summary window:

1. Select the checkbox adjacent to the Expression Name which you want to create a copy.
2. Click the **Copy** button in the Expressions tool bar. The **Copy** button is disabled if you have selected multiple checkboxes.

The Copy – Expression window is displayed.

3. In the Copy – Expression window you can:
  - Create new Expression with existing variables. Specify a new **Filter Name** and click **Save**.
  - Create new Expression by updating the required variables. Specify a new Expression Name and update the required details.

For more information, see [Add Expression Definition](#). Click **Save**.

The new Expression details are displayed in the Expression Summary window.

## 9.5 Checking Dependencies

You can view the dependencies of a defined Expression in the Expression Summary screen:

1. Select the checkbox adjacent to the required Expression Name.
2. Click the **Check Dependencies** button in the Expressions tool bar. The **Check Dependencies** button is disabled if you have selected multiple expressions.

The Dependent Objects window is displayed with Object id, Name, and id type of the dependent Objects.

## 9.6 Deleting Expression

You can delete an expression which has Read/Write Access Type.

To delete an expression from the Expression Summary window:

1. Select the checkbox adjacent to the Expression Name(s) whose details are to be removed.
2. Click the **Delete** icon in the Expressions tool bar.
3. Click **OK** in the information dialog to confirm deletion.

# 10

## OFSA Rate Management

OFSA Rate Management is a comprehensive utility enabling you to manage currencies, yield curves, interest rates, and currency exchange rate data with a high degree of security and. OFSA Rate Management also allows you to maintain economic forecasts such as GDP growth, inflation rates, or unemployment projections that can be linked to your models for interest rates, exchange rates, or new business growth.

Historical rate data obtained from OFSA Rate Management is utilized by the Enterprise Performance Management (EPM) applications (OFS Funds Transfer Pricing, OFS Profitability Management, OFS Asset Liability Management, OFS Balance Sheet Planning, and OFS Cash Flow Engine).

- Interest Rates
- Currency
- Currency Rates
- Economic Indicators

### 10.1 Interest Rates

The quality and availability of interest rate information vary throughout the world. In many markets, gathering comprehensive rate information is a challenge because of insufficient security types, inconsistent quoting conventions, and lack of liquidity. The Interest Rates module in OFSA Rate Management allows you to define and manage complex yield curve definitions using multiple rate formats and other rate attributes to give you data storage capabilities appropriate to your market. The Interest Rates module also supports the creation and maintenance of historical rate data for each yield curve you define.

Historical interest rate data from OFSA Rate Management is utilized in OFSA Transfer Pricing to generate transfer rates and option costs. Historical interest rate data is also utilized in OFSA Asset Liability Management, OFSA Balance Sheet Planning, and OFSA Cash Flow Engine to generate forecasted interest rate scenarios.

To view the Interest Rate Code Summary page, navigate to Common Object Maintenance and select Rate Management, and then select Interest Rates.

Figure 10-1 Interest Rate Summary Page

Interest Rates As of Date: 05/31/2020

Search

Code  Name

Currency  Rate Format

Curve Type

| <input type="checkbox"/> | Code    | Name              | Rate Format       | Compound Basis | Accrual Basis | Currency  | Curve Type          | Creation Date       | Created By | Last Modification Date | Last Modified By |
|--------------------------|---------|-------------------|-------------------|----------------|---------------|-----------|---------------------|---------------------|------------|------------------------|------------------|
| <input type="checkbox"/> | -1      | OTH               | Zero Coupon Yield | Annual         | Actual/Actual | US Dollar | Interest Rate Curve | 09/10/2009 12:18:35 | RTUSER     |                        |                  |
| <input type="checkbox"/> | 11      | PS - Base Curve A | Zero Coupon Yield | Annual         | Actual/Actual | US Dollar | Interest Rate Curve | 07/12/2020 11:29:09 | FTPUSER    | 07/12/2020 11:29:52    | FTPUSER          |
| <input type="checkbox"/> | 12      | PS - Base Curve B | Zero Coupon Yield | Annual         | Actual/Actual | US Dollar | Interest Rate Curve | 07/12/2020 11:30:27 | FTPUSER    | 07/12/2020 11:30:55    | FTPUSER          |
| <input type="checkbox"/> | 2321    | PS - Hybrid Curve | Zero Coupon Yield | Annual         | Actual/Actual | US Dollar | Interest Rate Curve | 07/07/2020 05:58:00 | FTPUSER    | 07/07/2020 05:58:30    | FTPUSER          |
| <input type="checkbox"/> | 6666666 | StandardIRC       | Zero Coupon Yield | Semiannual     | 30/365        | US Dollar | Interest Rate Curve | 06/17/2020 10:05:28 | FTPUSER    | 06/17/2020 10:05:48    | FTPUSER          |

## 10.1.1 Searching for Interest Rate Curve

A Search pane is provided to search for interest rate curves using Code, Name, Currency, Rate Format, or Curve Type parameters.

To search the Interest Rate, follow these steps:

1. Enter the search criteria and click **Search**.
2. Click Reset to remove any **Code**, **Name**, **Currency**, **Rate Format**, or **Curve Type** constraint specified and refresh the window.  
The search results are displayed in a table containing all of the interest rate curves that meet the search criteria. The **Interest Rates Summary** page offers several icons that allow you to perform different functions when an interest rate curve is selected.
  - **Add:** Click Add to build a new interest rate curve. The Add icon is disabled if any row in the pane is selected.
  - **View:** Select a single row in the table to enable the View icon. Click View to view the contents of an Interest rate curve in read-only format. The View icon is enabled only when a single Interest rate curve is selected in the table.
  - **Edit:** Select a single row in the table to enable the Edit icon. Clicking the Edit icon allows you to modify a previously saved Interest rate curve. The Edit icon is only enabled when a single row is selected. You can control the number of rows to display on the window by selecting the Pagination Options icon from the action bar.
  - **Delete:** Select one or more rows out of the table to enable the Delete icon. Clicking on the Delete deletes the Interest rate curve you have selected.
  - **Copy:** Selecting a single row in the table enables the Copy icon. Click the Copy icon to create a copy of an existing Interest rate curve. The Copy icon is only enabled when a single Interest rate curve is selected.
  - **Check Dependencies:** Select an interest rate curve and then click the Check Dependencies icon to generate a report on all rules that utilize your selected interest rate curve. The Check Dependencies icon is only enabled when a single interest rate curve is selected.
  - **Execute the Historical Interest Rates Data Loader:** This icon executes a function to import historical rates and parameters for all defined Interest rate curves. For more information on setting up the automated process, see the OFS Data Model Utilities User Guide.

FusionApps.properties file must be present under Web Server <deployed path>/WEB-INF/props and \$FIC\_WEB\_HOME/webroot/WEB-INF/props directories.

Update the entry details of the source name. It must be infodom\_SOURCE\_NAME=Actual\_Source\_Name.

For example, if Infodom Name is DEV6INFO and the source Name is DEVETLSRC, then the entry will be DEV6INFO\_SOURCE\_NAME=DEVETLSRC.

Launch the Historical Interest Rates Data Loader from the Interest Rates Summary page after making this change.

For more information, see [Doc ID 2233513.1](#).

To execute a historical Interest Rate data load, execute the **Historical Interest Rates Data Loader**. A warning message will appear *Upload all available Interest Rates and Parameters?* Click **Ok** to load all historical rates and parameters.

Click **Data Loader** to execute all the interest rates and parameters.

3. To select an Interest rate curve, select a check-box in the first column of the table. More than one Interest rate curve can be selected at a time, but this disables some of the icons. You can select or deselect all the Interest rate curves in the Summary page by selecting the check box in the upper left-hand corner of the Summary table directly to the left of the Code column header.

The following list provides the Interest Rate details based on the search criteria.

- **Code:** Displays the interest rate curve's code. The code is a unique number in the range of 1 to 9999999. Hover on a row in the pane to display the interest rate curve's detailed description.
- **Name:** Displays the interest rate curve's short name.
- **Rate Format:** Displays the Interest rate curve's rate format (zero-coupon or yield-to-maturity).
- **Compound Basis:** Displays the Interest rate curve's compounding basis (Annual, Semiannual, Monthly, or Simple).
- **Accrual Basis:** Displays the Interest rate curve's Accrual Basis (that is, 30/360, Actual/Actual, and so on).
- **Currency:** Displays the Currency (Reference Currency) to which an Interest rate curve is applicable.
- **Curve Type:** Displays the curve type as an Interest rate curve or Volatility Curve.
- **Creation Date:** Displays the Date and Time at which an Interest rate curve was created.
- **Created By:** Displays the Name of the user who created the Interest rate curve.
- **Last Modification Date:** Displays the Date and Time at which an Interest rate curve was last modified.
- **Modified By:** Displays the Name of the user who last modified the Interest rate curve.

## 10.2 Interest Rates Details

When you **Add**, **Edit**, or **View** an interest rate curve, the **Interest Rate Code Details** window is displayed. The **Interest Rate Code Details** window includes an **Interest Rate Code Details** pane, five **Interest Rate Code** tabs, and an **Audit Trail** pane.



The **Audit Trail** pane is a standard footer pane for every OFSAA rule type. The **Audit Trail** pane displays **Created By**, **Creation Date**, **Last Modified By**, and **Modification Date**. The **User Comments** tab can be used to add comments to any rule, subject to a maximum of 4000 characters.

## 10.2.1 Creating an Interest Rate Code

To create an Interest Rate Code, follow these steps:

1. Click **Add** from the Interest Rate Code Summary page.

**Figure 10-2 Interest Rate Code Details window**

2. Enter the following information in the Interest Rate Code window.
  - **Interest Rate Code:** When constructing a new yield curve, you must specify an Interest Rate Code between 1 and 9999999. Interest Rate Codes are used internally to uniquely identify yield curves. When working with Rate Management or other OFS Analytical Applications, you reference yield curves by Name, not by Interest Rate Codes. Interest Rate Codes are embedded within your instrument data (for example, the INTEREST\_RATE\_CD and T\_RATE\_INT\_RATE\_CD columns within the instrument data are populated with Interest Rate Codes). After you have saved a yield curve, you cannot renumber its Interest Rate Code.
  - **Name and Reference Currency:** You must provide a Name and Reference Currency for your yield curve. Unlike Interest Rate Codes, you can rename or change the Reference Currency for previously saved yield curves. While you can choose to rename a yield curve, however, it is very unlikely that you will choose to modify a yield curve's Reference Currency. A yield curve's Reference Currency is the currency for which your market rates are valid. For example, the Reference Currency for a Prime Rate yield curve would be US Dollars. LIBOR or other internationally quoted rates are always quoted with respect to an underlying Reference Currency (for example, US Dollar LIBOR, Euro LIBOR, and so on). The Reference Currencies drop-down list displays only Active currencies. For more information on Active and Inactive currencies, see the Currency section.
  - **Description:** You can optionally describe or modify your yield curve's description at any time.
  - **Structure Type:** This attribute is required for each yield curve. Structure Type supports both Standard and Hybrid yield curve definitions. Hybrid yield curves are re-expressions of one or more pre-existing Standard yield curves. For more information, see Hybrid Term Structure Tab under Interest Rate Code Tabs. After you have saved the yield curve, you cannot change the selected Structure Type.
  - **Volatility Curve:** You can select the Volatility Curve option to indicate the curve selected will contain volatility rates. If you select this option, all other curve attributes

become disabled and the curve is used exclusively for managing volatility details. For FTP Volatility, both the Terms tab and Historical Rates tab are available with this option. For ALM Volatility, only the Historical Rates tab is available. After you have saved the yield curve, you cannot change the selected Volatility Curve. Volatility curves are used in FTP to calculate the Rate Lock Option Costs. ALM Volatility is used to evaluate embedded options for the Black 76 market valuation.

- **Risk-Free:** (Optional) This flag is for tagging IRCs as risk-free. That is editable in new and edit modes. It is available for non-hybrid curves and hybrid curves, and not available for Volatility Curves.
  - **Display for all currencies:** This option allows you to designate certain Interest rate curves to make them available for assumption mapping to any currency. Assumption rules filter the list of Interest Rate Codes based on the currency when defining assumptions for a specific product/currency combination. When this option is enabled, the Interest Rate Code appears in assumption rules for all currencies.
3. Click **Save**. To build out the Interest Rate Code, you must enter data within the Interest Rate Code tabs. For more information, see the Interest Rate Code Tabs section.

## 10.2.2 Interest Rate Code Tabs

Interest Rate Code tabs are used to define the yield curve and to add, edit, or delete historical interest rate data. The Interest Rate Code tabs are:

- Attributes
- Terms
- Historical Rates
- Parameters
- Hybrid Term Structure

### 10.2.2.1 Navigating Between Interest Rate Code Tabs

For new yield curves, you must begin with the Attributes tab. After you have selected attributes for a yield curve, you cannot edit them. After assigning the attributes, navigate to the Terms tab to define a term structure for your yield curve or volatility curve, that is, an overnight rate, a one-month rate, a three-month rate, and so on. To navigate to the Terms tab, either click Apply on the Attribute tab or click the Terms tab.

#### Note

You must specify an Interest Rate Code, Name, and Reference Currency in the Interest Rate Code Details window before navigate to the Terms tab.

The first time you navigate to the Terms tab, an initial 1-month term point is provided, but even if this is the only term point you want for the curve, you must click Apply to finish the term structure specification. In future revisions to the curve's definition, navigate directly to the Historical Rates tab, but if you modify the term structure, you must always click Apply on the Term tab before navigating to the Historical Rates tab. The Historical Rates tab is used to input interest rate or volatility data. This tab is used for maintaining the interest rates database. To navigate to the Historical Rates tab, either click Apply on the Terms tab or select the Historical Rates tab if you have already defined your term structure.

**Note**

You must specify the following before navigating to the Historical Rates tab:

- An Interest Rate Code, Name, and Reference Currency in the Interest Rate Code Details window.
- A term structure in the Terms tab.

### 10.2.2.1.1 Attributes Tab

Yield curve attributes include Rate Format, Compounding Basis, Accrual Basis, and Curve Identifier.

**Figure 10-3 Attribute Tab of Interest Rate Code screen**

All attributes are disabled if the Volatility Curve is selected. The following list describes the fields in the Attribute Tab of Interest Rate Code screen.

- **Rate Format:** To define the yield curve, you must select either the Zero Coupon or Yield to Maturity Rate Format. Rates entered into Rate Management (in the Historical Rates tab) are always entered in the nominal form, such as 5.125% or 6.875%, not as discount factors. For more information on how the two rate formats affect internal cash flow engine calculations, see the OFS Cash Flow Engine Reference Guide.
- **Compounding Basis:** Select a Compounding Basis for the yield curve: Annual, Semiannual, Monthly, or Simple. Annual is the most common method. The Monthly Option is enabled based on Rate Format selection (if Rate Format is selected as Yield to Maturity). For more information on Compounding Basis and how different compounding bases affect cash flow calculations in OFSAA, see the OFS Cash Flow Engine Reference Guide.
- **Accrual Basis:** Select an Accrual Basis for the yield curve. The Accrual Basis list depends on the Compounding Basis selection. If the Compounding Basis is selected as Annual, Semiannual, or Monthly, then the following Accrual Basis types are available:

- Actual/Actual
- 30/365
- Actual/365

If the Compounding Basis is selected as Simple, then the following Accrual Basis types are available:

- 30/360
- Actual/360

- Actual/Actual
- 30/365
- 30/Actual
- Actual/365

For more information on Accrual Basis and how different accrual bases affect cash flow calculations in OFSAA, see the OFS Cash Flow Engine Reference Guide.

- **Curve Identifier:** The curve identifiers can be mapped to the Adjustable Rate Mortgage (ARM) indices used for ADCO prepayment model processing. This is a drop-down list that contains the six Curve Identifier types, that is, Par Treasury, Zero-coupon Treasury, Par LIBOR/Swap, Zero-coupon LIBOR/Swap, Prime Lending Rate, and Cost of Funds Index. The Reference Currency for these indices is always US Dollar. The curve identifier is optional when the IRC is not used for ADCO prepayment model processing. This is applicable only in ALM and HM applications.


### 10.2.2.1.2 Terms Tab

Use the Terms tab to construct the yield curve's term structure. You can specify as many yield curve terms from the 1 day to 100 years range.

#### Note

You must supply input data for all term points of an IRC. This applies to historical rate and direct input forecast method. If data of one or more terms points is not given then it can lead to errors during calculation.

**Figure 10-4 Terms Tab on Interest Rate Code window**



#### Note

When constructing a volatility curve, the term types available are Contract Term and Expiration Term. You must add the relevant terms for each of these dimensions. Click **Apply** after defining terms for each dimension to save the assumptions before proceeding.

- **Adding New Term Points:** Click **Add** to add new term points by selecting a Term value and a Multiplier (such as 7 days, 2 months, 5 years, and so on). You can also add term points using the Data Input Helper option. For more information, see the **Data Input Helper** section.

- **Deleting Existing Term Points:** To delete an existing term, select the term point (or terms), and click **Delete**. A confirmation message is displayed. Click **Ok**.

### 10.2.2.1.3 Historical Rates Tab

Use the Historical Rates tab to define, modify, or view interest rate data. Enter data in simple percentages (such as 5.125, 4.875, and so on). If you are entering historical rates for a volatility curve, then enter volatilities for the combination of Contract Term and Expiration Term. Select the desired Expiration Term from the drop-down list to complete the Volatility Matrix. Effective dates must be entered separately for each Expiration term in the list.

### 10.2.2.1.4 Historical Rates Tab on Interest Rate Code window

The Historical Rates Tab pane on the Interest Rate Code window allows you to see the historical rates available for the interest rate code that is being created.

**Figure 10-5 Interest Rate Code window - Historical Rates Tab**

| Contract Term | Effective Date | Rate Data Source |
|---------------|----------------|------------------|
| 10 Months     | 04/13/2018     | 3.000000         |
| 20 Months     | 04/13/2018     | 4.000000         |
| 35 Months     | 04/13/2018     | 5.000000         |

#### Note

FTP Volatility curves are only applicable to FTP Rate lock option cost calculations and ALM/CFE Volatility only applies to embedded option market valuation.

To enter historical rates for an FTP volatility curve, enter volatilities for the Contract Term. Select the desired Expiration Term from the drop-down list to complete the Volatility Matrix. Effective Dates must be entered for each Expiration Term.

To enter historical rates for an ALM Volatility Surface, enter volatilities based on the following two dimensions:

- Strike Rate (Vertical Axis)
- Expiration Date (Horizontal Axis)

For a new ALM Volatility Surface, enter an As of Date and the number of breakpoints for Strike Rate and Expiration Date, then click Generate. The size of the matrix cannot exceed 20 x 20. For Strike Rate, enter values in ascending order. For Expiration Date, enter values in ascending order with values greater than the currently specified As of Date. At every intersection of Strike Rate and Expiration Date, enter a volatility amount in percent (that is, 25 = 25%).

The Rate Data Source parameter shows from where the rates are taken from, either they are entered through the User Interface, loaded through the Data Loader, or generated using the Generate Rates of Hybrid IRC.

You can perform the following tasks:

- Add Historical Rates
- Rate Lookup Behavior Between Term Points
- Rate Lookup Behavior Beyond Term Points
- Rate Lookup Behavior Between Effective Dates
- Generate Graph
- Excel Import or Export
- Deletion of Historical Rates
- Data Input Helper

#### 10.2.2.1.5 Add Historical Rates

By default, the Historical Rates tab displays interest rate data for the past month (for example, for the 30 days leading up to the current date). Click the Effective Date Range drop-down list to expand your view to the last 3 months, 6 months, one year, 3 years, 6 years, or all rate data.

#### 10.2.2.1.6 Rate Lookup Behavior between Term Points

The OFS Cash Flow Engine is common to OFS FTP, OFS PMTPC, OFS ALM, and OFS BSP applications. To lookup rates from Rate Management, the Cash Flow Engine performs an interpolation between yield curve Term Points. For example, in determining a Straight Term Transfer Rate (common for products such as time deposits), the Engine must determine a three-month rate from a yield curve that contains only a one-month rate and a six-month rate. In such a case, the Cash Flow Engine performs interpolation to determine the implied three-month rate. While each of the applications supports simple linear interpolation, OFS FTP and OFS ALM also support Cubic and Quartic Spline interpolation methods. These more advanced methods will be supported for all the OFS Analytical Applications in a future release.

#### 10.2.2.1.7 Rate Lookup Behavior Beyond Term Points

If the Cash Flow Engine must determine a rate from a yield curve for a term point smaller than the first term point of the yield curve, then the Engine utilizes the first term point of the yield curve. For example, if the Engine must determine an overnight rate from a yield curve whose first term point is one month, the Engine utilizes the one-month rate.

If the Cash Flow Engine must determine a rate from a yield curve for a term point greater than the longest term point on the yield curve, the Engine utilizes the last term point of the yield curve. For example, if the Engine must determine a 30-year rate from a yield curve whose last term point is 10 years, the Engine utilizes the 10-year rate.

#### 10.2.2.1.8 Rate Lookup Behavior between Effective Dates

When you are looking up rates from Rate Management for a business date, the Cash Flow Engine helps to find if there is no rate data for that specific business date.

For example, in generating an original term transfer rate for an instrument with an origination date of June 14, 2010, the Cash Flow Engine may find rate data for May 31, 2010, and for June 30, 2010, but no rate data for any dates between May 31, 2010, and for June 30, 2010. In such cases, the Cash Flow Engine always falls back to the latest available rate data before the business date of interest (May 31, 2010, in this case).

#### 10.2.2.1.9 Deletion of Historical Rates

To delete historical rates entered, select one or more rows and then click **Delete**.

### 10.2.2.1.10 Generate Graph

The Generate Graph option allows you to generate the graph for selected Historical rates.

To generate a graph, follow these steps:

1. Select the Effective Date Range on the Historical Rates tab.  
The From Date and To Date fields will be automatically updated after selecting the Effective Date Range.
2. Select the Effective Date using the corresponding **Calendar** icon.
3. Enter the term points in respective fields and click **Apply**.
4. Select the **Terms** using the corresponding check boxes.
5. Click **Generate Graph**. The graph is generated. Here, you can view the graph for Interest Rate vs Effective Date or Interest Rate vs Term Point.

### 10.2.2.1.11 Excel Import or Export

To aid in data entry, use the Excel Import or Export functionality to add or edit rate data to historical rates. This is an optional step.

#### Note


Starting from the 8.0.4 release, the Excel Import feature will work only on that Internet Explorer browser. Excel Export feature is supported by all browsers such as Chrome or Firefox.

To export the data, follow these steps:

#### Excel Export:

1. On the Interest Rates toolbar, click the **Excel** icon.
2. Click **Export** to export data for the chosen selected effective date range. Within the same block, select **Export to Excel**, which launches the Excel application and displays the data window including headers.

**Figure 10-6 Export and Import options for Historical Rates data**



#### Excel Import:

You can add rows to the pane in the same format. After complete data is entered (or existing data is edited), copy the range of the pane you want to append and go back to the **Historical Rates** pane. In the same block, click the **Import**. The data copied from excel will appear in the **Historical Rates** pane.


1. If appending data that pre-existed for the same effective date, the import will overwrite existing data.
2. In some cases, some fields will be output to the pane that is not editable, such as bucket start and end dates (when defining forecast assumptions). Add or edit data in the columns that would be editable only in the UI itself.

#### Data Input Helper:

Use the Data Input Helper feature to copy from a row where you have already defined the interest rate definition or apply a fixed value down the page. This is an optional step. To use data input helper, follow these steps:

1. Select the check box next to the rows that you want to work with or use the Select All option by selecting the check box on the header row.
2. Select **Data Input Helper**.
3. From the **Data Input Helper** window, select method - **Grow by Amount** or some other appropriate method.
4. Select the term points from the **Available Columns** list and click **Add** or **Add All** to move the data to the **Selected Columns** list.

**Figure 10-7 Data Input Helper window**



Based on the selected method, the list of Available Columns will vary. If Method is selected as Increment By Months, Increment By Days, or Increment By Years, then only the Effective Date option is displayed in the Available Columns list.

5. Click **Apply** to modify the Start date and enter the Incremental Value.

### 10.2.2.2 Parameters Tab

Fixed income instruments are used for forecasting and simulating the Cash Flows. The Cash Flow Engine needs interest rate models to simulate the evolution of interest rates. The Cash Flow Engine uses these models as part of the stochastic engine. You can enter the parameters for these models in the following ways:

- System-generated calculations through Parameter Estimation



- Direct input into the UI
- Excel Import
- UI entry through Data Input Helper methods
- Data Loader

The following interest rate models are available:

- Extended Vasicek
- Ho and Lee
- Merton
- Vasicek

### 10.2.2.2.1 Parameter Estimation

This section explains the procedure to calculate the estimated parameters.

#### Prerequisites

Installation of R and Oracle R Enterprise (ORE) is required to use the Term Structure Parameter Estimation functionality under Rate Management - Interest Rates, for computing term structure parameters.

For more information, see the OFS Advanced Analytical Applications Infrastructure Installation and Configuration Guide.

Conditions for Parameter Estimation: If the following conditions are met, you can calculate parameters for any Term Structure Model for a given Effective Date, based on your relative look back term and a sufficient number of observations (available historical rates) for the IRC. If you rerun with a different look-back term, it will overwrite the existing parameters for the selected Term Structure Model on that IRC's Effective Date.

- **Term point:** Underlying historical rates must be available for a 30-Day or 1-Month term point.
- **Minimum Number of historical rates:** A total of at least 10 historical rates (observations) are required, on appropriate look-back dates.
- **Lookback Dates:** Historical rates must be available on dates looking back from the Parameter's Effective Date (the End Date), in 30-day intervals moving backward from End Date to Start Date, for a minimum of 10 intervals.

For example: If the first rate's Effective Date is 1 Jan. 2013, then the second rate's date must be 2 Dec. 2012 (1 Jan. 2013, 30 days = 2 Dec. 2012), and so on. If a rate is not found for the required date, the engine looks for a rate within the neighborhood of 5 days up or down (therefore a total range of 10 days), searching iteratively starting with Date -1, then Date +1, through Date +5, then Date -5. The next rate lookup would be 60 days before the End Date, and so on.

The minimum relative term for all lookbacks must be at least 300 Days (that is, to accommodate a minimum of ten 30-day intervals). Using the above logic, if a rate is not found for the lookup date (or date within the neighboring range), an error will be logged in FSI\_PROCESS\_ERRORS with ID\_Number to identify the Interest Rate Code, and the parameter estimation Engine will exit.

To define the Parameter Estimation, follow these steps:

**Figure 10-8 Parameters Tab on Interest Rate Code window**

Parameters

Effective Date Range: Last Month  
From Date 07/25/2020 To Date 08/25/2020 Term Structure Model

| Effective Date | Term Structure Model | Mean Reversion Speed | Long Run Rate | Volatility | Rate Data Source |
|----------------|----------------------|----------------------|---------------|------------|------------------|
| 08/25/2020     | Extended Vasicek     | 0.000000             | 0.000000      | 0.01       | UI               |

Buttons: Add, Delete, Data Input Helper, Refresh, Excel Export or Import, Apply, Save, Cancel

To edit or recalculate the existing Parameters, enter the Effective Date Range filter.

- The following icons are available here:
  - Add
  - Delete
  - Data Input Helper
  - Refresh
  - Excel Export or Import
- Default parameters for the **Extended Vasicek Model** are displayed for one Effective Date (the System Date on which the Interest Rate Code was created). You can edit these parameters or add new parameters using **Add**. Use the **Refresh** to return to existing Parameters.

**Note**

Steps 3 and 4 are applicable only if you are Adding or Editing Parameters.

To add or edit the parameters, use the **Data Input Helper** or **Excel Import** or **Export**. For more information, see the Excel Import or Export and Data Loader sections.

- Enter the **Effective Date**. Note that the **Effective Date** cannot be greater than the **Current System Date**.
- Select the Model from the Term Structure Model drop-down list. Effective Date and Term Structure Model combination must be unique within this IRC.
- The following term structure models are utilized in stochastic modeling of interest rates in OFS FTP and OFS ALM:
  - Extended Vasicek
  - Ho and Lee
  - Merton

- Vasicek
6. The following parameters needed by the models:

**Table 10-1 List of supported parameters for Models Term structure models in Interest Rate**

| Model            | Parameter 1 | Parameter 2          | Parameter 3   |
|------------------|-------------|----------------------|---------------|
| Extended Vasicek | Volatility  | Mean Reversion Speed |               |
| Ho and Lee       | Volatility  |                      |               |
| Merton           | Volatility  |                      |               |
| Vasicek          | Volatility  | Mean Reversion Speed | Long Run Rate |

7. Values for Long Run Rate and Volatility are in percentages. For example, a Long Run Rate of 5% is displayed as 5.000. To maintain the integrity of data, Rate Management restricts the accepted input values. The valid range and the default setting for each parameter.

**Table 10-2 Valid Range and Default Values of Interest Rate Parameters**

| Parameter            | Valid Range   | Default Value |
|----------------------|---------------|---------------|
| Volatility           | 0% to 500%    | 0.01          |
| Mean reversion speed | 0.00 to 500   | 0.0           |
| Long run rate        | 0.00% to 500% | 0.0           |

8. The **Rate Data Source** indicates if you have directly entered Parameters through the UI. You can calculate the Parameters to display system-generated values.
9. Select Calculate to view the Term Structures Parameter Estimation window.
10. If you are directly entering the Parameters, then enter values appropriate to the Model, then click **Apply** else click **Calculate**.
11. The End Date is auto-populated with the Effective Date. Enter the Relative Term with Multiplier to define the rate look-back period.
12. The Term or Multiplier value must be at least 300 Days.
13. The Start Date is automatically updated after entering a Relative Term.
14. Click **Calculate Number of Observations** to confirm the number of rates found for appropriate dates within the Relative Term. If there are at least 10 observations, then the **Estimate** option will become active.
15. Click **Estimate** to calculate the parameters and store them in the Historical Parameters table (FSI\_IRC\_TS\_PARAM\_HIST). A confirmation message is displayed. Click **Ok**. The calculation will complete and you will be directed back to the Parameters tab.
16. Similar to the validation used for direct input from the UI, if any of the calculated parameters are outside of the valid range, the Engine displays an error message.

Delete parameters by selecting one or more rows and then clicking Delete. For more information on term structure models and stochastic processing, see the OFS Funds Transfer Pricing User Guide, OFS Asset Liability Management User Guide, and OFS Cash Flow Engine Reference Guide.

### 10.2.2.3 Hybrid Term Structure Tab

Hybrid Term Structures allows you to specify the following three types of Hybrid yield curves:

- Spread
- Moving Average
- Merge
- Minimum
- Maximum
- Custom Weighed Average

### ① Note

Minimum and Maximum Hybrid IRC types from the Hybrid IRC type selection are intended for future enhancement and must be ignored in the current release. The Parameters and Hybrid Term Structure tabs are disabled if the Volatility Curve is checked.

Hybrid yield curves are built up from either one or more standard yield curves. When you add, modify, or delete any historical rate data from a standard yield curve, the data associated with any related hybrid yield curve must be updated. After defining, the Hybrid yield curves can be used like any other interest rate curve in the system. You can reference these curves within the OFSAA application business rules that allow the selection of an Interest Rate Code.

**Figure 10-9 Hybrid Curve tab on Interest Rate Code window**

### Hybrid Curve Type :

- **Spread:** A Spread hybrid yield curve is defined as the difference between two standard yield curves. The Spread type of hybrid yield curve is useful in establishing liquidity risk or basis risk yield curves.
- **Moving Average:** Moving average hybrid yield curves represent moving average data of a single underlying standard yield curve. These curves are used in Funds Transfer Pricing.
- **Merge:** Merge hybrid yield curves represent a blending of two or more underlying yield curves. In constructing a Merge type of hybrid yield curve, specify the percentage weighting applied to each of the underlying standard hybrid yield curves.
- **Minimum:** The Minimum hybrid yield curve is defined as the minimum between two standard yield curves.

- **Maximum:** The Maximum hybrid yield curve is defined as the maximum between two standard yield curves.
- **Custom Weighted Average:** Allows to accept weights as input. Here, Effective dates are listed for the term point with maximum historical period over which average need to be calculated. For term points where historical dates are not applicable, you cannot enter weights. The default weight values are zero. Following formula is used to calculate Hybrid Curve Rate for each effective date in historical period =  $(\text{Weight} * \text{Rate}) / \text{Total Weight}$ . For more information, see Defining Custom Weighted Average section.

### 10.2.2.3.1 Define a Hybrid Curve

To define a hybrid curve, follow these steps:

1. Select the **Source Type** as **Hybrid** in the **Hybrid Term Structure** tab, and then select the **Hybrid Curve Type** (Spread, Moving Average, or Merge).
2. Select the Interest Rate Codes for the hybrid type and click **Apply**.

### 10.2.2.3.2 Generate Historical Rates

After a hybrid curve is defined, generate the Historical Rates as far back as the rate source curves allow. The Generate Frequency determines the frequency of the historical rates populated with the Generate function. If you select the Generate Frequency as monthly, it generates month-end values only. If you select daily, it generates the maximum number of historical values.

To generate the rates, follow these steps:

1. Select the interpolation method as **Linear**, **Cubic**, or **Quartic**.
2. Select the **Generate Frequency** (Daily, Weekly, Bi-Weekly, or Monthly) and enter the **Specific Date Range** (From Date and To Date).
3. Click **Generate**. The rates will be populated and you will be directed to the Historical Rates tab to view the results.  
If **Hybrid Curve Type** is selected as **Moving Average**, then select the **Moving Average Term** in Days, Months, or Years.

### 10.2.2.3.3 Automate (Schedule) the Generate Rates Action in Hybrid IRCs

The generation of the Hybrid IRC rates is available within the Hybrid IRC of Rate Management UI. As a manual process, you can additionally schedule a Run thorough an ICC Batch process or a Simplified Batch process. If you are running Generate Rates through the UI, then provide the following three parameters:

- **Interest Rate Code:** For example, you are in edit mode for a particular Hybrid IRC, execute the Generate Rates option. So, the IRC is implied.
- **FROM DATE:** this is the start date of the generate rates process.
- **TO DATE:** this is the date to which hybrid rates will be computed.

When generating Hybrid Rates through a batch (ICC or Simplified), specify ALL in the Parameter list to generate rates for all Hybrid IRCs. Or, a list of IRCs can be specified with comma-separated values within quotes.

'IRC\_Code1, IRC\_Code2, IRC\_Code3' and so on.

**Note**

Use ALL in the Parameter list for all IRCs.

The **TO DATE** is determined based on the Effective Date specified for the Batch and the **FROM DATE** for each IRC is determined by referring to the last (maximum) effective date in the current historical rates table +1 day.

There is one exception to the calculated FROM DATE. In cases where a new Hybrid IRC is generating rates for the first time, the minimum Effective Date from the Parent IRC is used as the FROM DATE.

**Note**

Hybrid Rates generated by the Generate Rates procedure are written to the FSI\_IRC\_RATE\_HIST table. Outputs from the procedure can be verified within the Interest Rates UI or by querying this table directly.

**Dependent Tables:** The following list describes the details of the Dependent Tables.

- **FSI\_IRCS:** Holds header information of all Interest Rate Codes.
- **FSI\_IRC\_HYBRID\_STRUCT\_WEIGHT:** Holds the Hybrid IRCs' - Interest Rate Term, Interest Rate Term Mult, and Rate Weightage. It is the child Table of FSI\_IRCS.
- **FSI\_IRC\_RATE\_HIST:** This Output table holds calculated rates for the Hybrid IRCs, as well as all historical rates for non-hybrid IRCs input through the Interest Rates UI or loaded directly using the interest rates data loader program.
- **FSI\_MESSAGE\_LOG:** Holds error log information.
- **DATE\_TASK\_MASTER:** Located in the Config Schema. This table must have a seeded date for IRC\_HYBRID\_SCHEDULER DT.
- **DATE\_TASK\_STEP\_PRECEDENCE:** Similar to DATE\_TASK\_MASTER, this table must also have an entry for IRC\_HYBRID\_SCHEDULER DT.

**Prerequisites to Running Hybrid IRC Batches:**

- The function FN\_FSI\_IRC\_HYBRID\_SCHEDULER must be in Compiled status in the Atomic schema. Sometimes, the functions created in the Database can be in an invalid state due to some issues (by the installer), so use the Compile option in the Database to get them in a valid state.
- You can create the ICC batch using the IRC\_HYBRID\_SCHEDULER rule name, which is seeded with the installation.
- Hybrid IRC rates are calculated based on their underlying standard IRC rates, which are also stored in the FSI\_IRC\_RATE\_HIST table. Historical Rates must already exist for all parent and dependent IRCs for the relevant effective date range.

**Note**

Seeded data related to Batch information must be present in the DATE\_TASK\_MASTER and DATE\_TASK\_STEP\_PRECEDENCE tables in the Config schema.

## 10.2.3 Batch Creation

There are two methods for creating and running the batch processes, ICC Batch and Simplified Batch. The following section describes how to set up and run the Hybrid Rate Generation using both approaches. For more information, see the OFS Analytical Applications Infrastructure User Guide.

Running Hybrid Rate Generation using ICC Batch:

1. Navigate to **Common Object Maintenance**, select **Operations**, and then select **Batch Maintenance**. Click **Create Batch**.
2. Enter the following details in the Batch Maintenance window:
  - Component = "Transform Data"
  - Rule Name = "IRC\_HYBRID\_SCHEDULER"
  - Parameter List = 'IRC\_Code'

Use ALL in the Parameter list to use all IRCs.

3. Save the batch.
4. Navigate to **Common Object Maintenance**, select **Operations**, and then select **Batch Execution**.
5. Search the **Batch** created under **Batch Maintenance** and select it.
6. Enter the **Information Date** for the batch.
7. Click **Execute Batch**.

To schedule a future Hybrid Rate Generation Batch Process, or to schedule the Hybrid Rate Generation Batch Process on a recurring basis, do the following:

8. Navigate to **Common Object Maintenance**, select **Operations**, and then select **Batch Scheduler**.
9. Search the **Batch** to schedule and select it.
10. Click **New Schedule** or **Existing Schedule**:

An Existing Schedule can be selected only if there are existing scheduled batches to view.

11. If New Schedule is selected, the New Schedule details appear. Enter the Scheduled Task Name. To schedule the Hybrid Rate Generation on a recurring basis, select Daily, Weekly, Monthly, or Adhoc.
12. In the Schedule Task pane, enter **Start Date** and **End Date** in the Date field.
13. In the Run Time field, enter the time for the next validation to be run.
14. Click Save to set the schedule as specified or Cancel to drop your changes.

Any error messages or warnings generated during the Hybrid Rate Generation process that is displayed in the View Log.

For more information, see the OFS Analytical Applications Infrastructure User Guide.

### 10.2.3.1 Running Hybrid Rate Generation using Simplified Batch

To run Hybrid Rate Generation using Simplified Batch, follow these steps:

1. Navigate to **Common Object Maintenance**, select **Operations**, and then select **Simplified Batch**.

(Optional) <Enter a step example.>

2. Click **Add**.
3. From the **Task Details** pane, click **Select Task**. In the **Task Selection** window, select **Task Type** as **Transform Data**. Click **Search**. In the **Task Selector**, select the **IRC\_HYBRID\_SCHEDULER** and click **Ok**.
4. Enter the Parameters and click **Save**.
5. In the **Simplified Batch Summary** page, search the Hybrid Rate Generation batch, and select it. Click the **Run** icon.
6. Click **Yes** to confirm you want to continue, enter a date (this will be your TO DATE), and click **Ok** to continue. A confirmation message is displayed.
7. Click **Ok**. When the batch is complete, navigate to Operations and select View Log to view the processing log.

Any error messages or warnings are accessible from the View Log window.

Simplified Batch does not provide access to logs for Transform Data tasks.

For more information, see the OFS Analytical Applications Infrastructure User Guide.

### 10.2.3.2 Viewing Log Messages

Any error messages or warnings generated during the rate generation batch are displayed in the Log Information window.

To access this window, follow these steps:

1. Navigate to the Operations menu and select View Log.
2. Enter search criteria as Data Transformation and related Batch ID.
3. Select the Task ID to view the log information.

You can additionally query the FSI\_MESSAGE\_LOG table directly to view the error log details.

For more information, see the OFS Analytical Applications Infrastructure User Guide.

## 10.3 Currency

Financial institutions transact business in more than one currency. Transacting business in multiple currencies demands functional capabilities for multi-currency accounting and currency rate management.

OFSAA Rate Management's Currency module supports the definitions and maintenance of currencies. Currency definitions are fundamental to the definition of both interest rate yield curves and currency exchange rates. A key attribute of every yield curve is the currency with which it is associated, and currency exchange rates can only be established between defined currencies. OFSAA Rate Management provides a comprehensive list of ISO-defined currencies; you can also define and add your user-defined currencies.

To view the Interest Rate Code Summary page, navigate to **Common Object Maintenance**, select **Rate Management**, and then select **Currency**. This page displays a comprehensive list of more than 170 seeded ISO currency codes.



## 10.3.1 Searching for Currency

A Search pane is provided to search for currencies by Name, Currency (by ISO currency code), Status, or Reporting Currency.

To search the currency, follow these steps:

1. Enter the search criteria and click **Search**.
2. Click the **Reset** to remove the search criteria you have specified and refresh the window.
3. The search results are displayed in a tabular format containing all of the currencies that meet to search criteria. The Currency summary pane offers several icons as follows to perform different functions when a currency is selected.
  - **Add**: Click **Add** to begin the process of adding a new currency. The **Add** icon is disabled if any rows in the pane are selected.
  - **Edit**: Select a single row out of the pane to enable the **Edit**. Click the **Edit** icon to modify an existing currency. The **Edit** icon is only enabled when a single currency has been selected.  
You can control the number of rows to display on the page by selecting the Pagination Options icon from the action bar.
  - **Delete**: Select one or more rows out of the pane to enable the **Delete** icon. Click the **Delete** icon to delete the currency or currencies you have selected.
  - **Check Dependencies**: Select a currency and then click the **Check Dependencies** icon to generate a report on all rules that utilize your selected currency.  
The Check Dependencies icon is only enabled when a single currency has been selected.
4. The **Currencies** window contains all of the currencies that meet the search criteria. The Currencies Summary page has several icons to perform different functions when a currency is selected.  
To select a currency, select the check box in the first column of the pane. More than one currency can be selected at a time but this will cause some of the icons to become disabled. Select a check box a second time deselects the currency.

Select or deselect all of the currencies in the Summary page by selecting the check box in the upper left-hand corner of the Summary page directly to the left of the Code column header.

The following list provides the currency details based on the search criteria:

- **Code**: For seeded currencies, these are ISO Currency Codes. For user-defined currencies, these can be any pure character string (no numbers) up to a length of 3 characters.
- **Currency Name**: For seeded currencies, these are ISO Currency Codes. For user-defined currencies, these can be any string up to a length of 40 characters.
- **Reference Interest Rate Code**: Reference Interest Rate Code is the Interest Rate Code with which currency is associated with forecasting purposes. Define multiple yield curves each of which has the same Reference Currency, but a currency can only have one Reference Interest Rate Code.
- **Reporting Currency**: A reporting currency is an active currency to which balances in other currencies can be consolidated to facilitate reporting. Balances in reporting currencies can be, in turn, consolidated to the functional currency. For example, an American multinational bank might consolidate its holdings in Asian currencies to the Japanese yen (Reporting Currency) and its balances in European currencies to the

Euro (Reporting Currency) after which it might consolidate these reporting currencies to the U.S. dollar (Functional Currency).

- **Status:** The status of any currency can be either Active or Inactive. You must Activate a currency before doing the following:  
Define that currency as a Reference Currency for a yield curve (For more information, see the **Reference Currency** section in the Interest Rates Details window.)

Enter Exchange Rate data for a currency (For more information, see the Currency Rates section.)

Define Forecast Rates for that currency within OFS ALM (For more information, see the Forecast Rates section).

## 10.3.2 Editing Currencies

To edit a currency, select a currency, click Edit. You cannot modify any currency Code value. You can modify the Currency Name, Reference Interest Rate Code, Reporting Currency value (Yes or No), and the currency's Status (Active or Inactive).

You cannot inactivate any currency that is:

- Defined as the Reference Currency for any yield curve
- Associated with any exchange rate data
- Utilized within any Forecast Rates rule within OFSAA Asset/Liability Management

After completing the edits, click **Save**.

## 10.3.3 Adding Currencies

To add a currency, follow these steps:

The first row in the Currencies window is an empty row that is ready for you to edit as a new currency. Select this empty row, click **Edit**, and generate the new currency.

or

Generate a new currency by clicking **Add**. This generates another empty row at the top of the Currencies window to edit purpose.

## 10.3.4 Deleting Currencies

Select one or more currencies and then click **Delete**. You cannot delete any currencies that are utilized elsewhere in the system.

## 10.4 Currency Rates

OFSAA Rate Management's Currency Rates module uses the currencies defined and activated in the Currency module to support the creation and maintenance of historical exchange rates. Currency exchange rates are utilized in:

- OFS Funds Transfer Pricing (OFS FTP) Ledger Migration processes
- OFS Asset Liability Management (OFS ALM) Currency Consolidation process (see the OFS Asset Liability Management User Guide)
- OFS Profitability Management multi-currency allocations.

- OFS Hedge Management and IFRS Valuations (see the Oracle Hedge Management and IFRS Valuations User Guide)

To view the Currency Rate, navigate to Common Object Maintenance, select Rate Management, and then select Currency Rates. In this window, you can manage historical exchange rates between currencies.

For ALM, FTP, and PFT, From Currency defaults to the Initial Currency selection from the Assumption Management defaults in the active Application Preferences window. You can select another From Currency from the drop-down list that displays all Active currencies.

## 10.4.1 Preparing to Work with Exchange Rate Data

To view, edit, or delete the exchange rate data, you must enter the To Currency value. With the From Currency, the To Currency drop-down list displays only Active currencies.

**Figure 10-10** Currency Rates Summary page

After selecting a To Currency value, select a value for Rate Type as Floating Rate or Fixed Rate (the default selection is Floating Rate). After selecting a To Currency value, a second pane is displayed as Floating Currency Rates (if you have chosen a Rate Type of Floating Rate) or Fixed Currency Rates (if you have chosen a Rate Type of Fixed Rate).

- **Floating Rates:** Floating exchange rates, such as those between the US Dollar (USD), the Pound Sterling (GBP), the Japanese Yen (JPY), and the Euro (EUR), are market-driven and can change from day-to-day, hour-to-hour, or minute-to-minute.
- **Fixed Rates:** Some countries, especially smaller countries or countries that have experienced significant inflation in the recent past, can wish to "peg" their currency to a larger, more stable currency such as the US Dollar, Japanese Yen, or Euro.

## 10.4.2 Adding Exchange Rate Data

After you have specified a value for To Currency, the Floating Currency Rates section appears. To define a Fixed Rate relationship, select the Fixed Rate Type and replace the Floating Currency Rates with the Fixed Currency Rates.

Both Currency Rates panes initially display a single blank row followed by the most recent month's exchange rate data (if any such exchange rate data already exists). To enter a single new exchange rate data point, enter data into the blank row, and click **Save**.

**Figure 10-11 Defining a Currency Rate**

**Currency Selection**

From Currency: US Dollar To Currency: Andorran Peseta  
 Rate Type: Floating Rate Effective Date Range: Last Month  
 From Date: 06/27/2021 To Date: 07/27/2021

**Floating Currency Rates**

Exchange Rate per 1 unit of Andorran Peseta

| Effective Date                                 | USD    | Status | Data Source Code |
|------------------------------------------------|--------|--------|------------------|
| <input checked="" type="checkbox"/> 07/27/2021 | 140.90 |        |                  |

Save Cancel

The following list describes the columns in the Currency Rate window:

- **Effective Date:** Directly enter a date or select the Calendar ( ) icon to choose an effective date for your new exchange rate data point.  
Rate Management stores the historical exchange rate data. You cannot enter exchange rate data for dates greater than the current date. For more information regarding rate forecasts and the relationship between historical exchange rates for forecasted exchange rates, see the Forecast Rate Scenarios. If you have gaps in the historical exchange rate data, any OFS Analytical Application that needs to perform a rate translation function will fall back to the most recent date for which exchange rate data exists. For example, if an OFS Analytical Application needs to translate a rate from USD to EUR for February 22, 2010, and the latest available USD to EUR rate data in the Rate Management database is February 11, 2010, then the application will utilize the exchange rate for February 11, 2010.
- **Status:** Status is a read-only display that is updated after the Currency Rates Validation has been run.
- **Data Source Code:** The Data Source Code is displayed read-only and indicates whether the rates were input through the UI or the data loader.
- **Currency Exchange Rate:** For both Floating Rates and Fixed Rates, units of the From Currency are converted to one unit of the To Currency. See Table 12 for example.

**Table 10-3 Example of one Currency to another Currency Conversion**

| From Currency   | To Currency        | Approximate Rate |
|-----------------|--------------------|------------------|
| USD - US Dollar | GBP-Pound Sterling | 1.50             |
| USD - US Dollar | EUR - Euro         | 1.36             |
| USD - US Dollar | JPY - Japanese Yen | 0.01105          |

### 10.4.3 Adding Multiple Exchange Rates

Click Add to add additional blank rows to enter the additional Effective Dates and Exchange Rates. After adding the multiple new exchange rates, click **Save**.

### 10.4.4 Editing Exchange Rate Data

Select the check box on the left-hand side of any row to enable the Edit icon. After clicking Edit, the row becomes active to edit the Effective Date and (or) the Exchange Rate. Click **Save** to save the changes.

## 10.4.5 Viewing Exchange Rate Data

By default, both the Floating Currency Rates pane and the Fixed Currency Rates pane display the most recent month of historical exchange rate data. You can control the amount of data displayed by selecting a different value from the Effective Date Range drop-down list in the Currency Selection window.

Click the **View** icon to a specific range of effective dates by modifying the From Date, To Date, or both dates within the Currency Rates window.

## 10.4.6 Deleting Exchange Rate Data

Select one or more check boxes on the left-hand side of any row to enable the Delete icon. After clicking **Delete**, a confirmation message is displayed. Click **Ok**.

## 10.4.7 Data Loader

The Data Loader icon executes a function to import historical Currency rates for all defined Currencies. For more information on setting up the automated process, see the OFS Data Model Utilities User Guide.

To execute a data load, click the **Data Loader** icon. A warning message is displayed *Upload all available Currency Rates?*

Click the **Data Loader** icon to execute all the currency rates.

## 10.4.8 Excel Compatibility

This functionality is used for adding or editing historical exchange rates from an Excel sheet. You can right-click on any cell in the table and perform the following actions:

- Delete or Insert multiple rows.
- Apply a Formula on a particular column.
- Export the data to excel using the **Save As** option.
- You can copy data from excel and paste the same using standard copy, paste shortcuts **Ctrl+C** and **Ctrl+V**.

**Figure 10-12 Historical Rates Tab**

## 10.5 Currency Exchange Rate Validation

Exchange Rate Validation has the following features:

- Movement of historical exchange rates to the Currency Direct Access table.
- Calculation of inverse exchange rates for reporting currencies.
- Calculation of triangulated exchange rates where possible.

### Note

This feature is equivalent to the Rate Validation capability in OFSA 4.5 Rate Manager.

### 10.5.1 Features of Exchange Rate Validation

The goal of exchange rate validation is to ensure that exchange rates from all active currencies to all reporting currencies are available for processing in the OFSAA applications. Some of these rates can come from the validated direct input, others are calculated based on relationships with other rates. To support triangulation, all fixed exchange rates are available for all currencies that make up an exchange that needs to be triangulated. Also, a direct exchange rate between each Child currency and each reporting currency is calculated and supplied to support quick access to exchange rates. If a Child currency is a Reporting Currency, then Exchange Rates are calculated for all currencies having an exchange relationship with the Parent currency.

### 10.5.2 Currency Rate Validation

Load currency rates through the Rate Management or using the Historical Rate Data Loader. The initial status is Not Yet Validated.

1. Execute the Currency Rate Validation engine.
2. Navigate to **Operations**, select **Batch Maintenance**, and then click **Create Batch**.

Component = "Transform Data"

Rule Name = "Rate\_Validation"

Parameter List (Required) = FROM\_DATE and TO\_DATE, for example, '20110101', '20110131'

After completion of the validation process, the status in the Currency Rates window changes to Valid or Invalid (in case there is an issue).

3. View both input and calculated results in the FSI\_EXCHNG\_RATE\_DIRECT\_ACCESS table. The OFSAA processing engine reads this table for sourcing historical exchange rates.

#### Note

Executing Rate Validation is a required step when a multi-currency setup is enabled. All of the OFSAA processing engines require exchange rates to be validated through this process to convert results from base currency to a selected reporting currency. If exchange rate validation is not run or required exchange rates are not available, the engines will use default exchange rates = 1.

## 10.5.3 Validating Exchange Rate Relationships

You must run the exchange rate validation process after adding or modifying exchange rate data. Run the process immediately or schedule one or more to be run in the future.

Each exchange rate has one of the following statuses:

- **Not Yet Validated:** The exchange rate has been input or loaded but not yet validated.
- **Valid:** The exchange rate has been validated.
- **Invalid:** The exchange rate has violated one or more acceptance rules.

Only exchange rates in Valid status are available for processing and they are not subject to future validation unless you edit them. The Rate Validation status is displayed in the Currency Rates window of the Rate Management.

**Exchange Rate Validation Criteria:** In the rate validation process, all exchange rate relationships in the database are examined for compliance with the following criteria. Error messages and warnings are displayed if one or more criteria are not met. For more information, see the Viewing Log Messages.

If a currency is defined as a Child in a fixed exchange relationship then it must not be in any floating (standard) exchange rate relationship at the same time. Consequently, all floating exchange rates to or from the Child currency must be defined through the Parent currency. If this criterion is not met then the following message is displayed: Invalid fixed relationship-Child currency exists in a standard exchange rate within the same period.

- A Child currency within a fixed relationship must not be a Child currency in any other fixed relationship during the same period. If this criterion is not met then the following message is displayed: Invalid fixed relationship-Child currency already exists in a fixed relationship for the same period.
- A circular relationship must not exist. In other words, a Child currency cannot link back to its Parent in any other fixed-rate relationship within the same period. If it does, then the following message is displayed: Invalid fixed relationship creates a circular relationship with other fixed exchange rates.



- Regarding new floating (standard) exchange rates, From and To currencies must not exist as Child currencies within any fixed exchange rate relationships. If this criterion is not met then the following message is displayed: From or To or Both currency or currencies in the new exchange rate already exist in a fixed relationship for the same period.
- If any exchange rate is equal to 0, then a warning message is displayed. 0 is a valid value. You can use it, for example, to designate an exchange rate with a currency of a country that no longer exists.

If two exchange rate relationships fail to meet these criteria then both of them will be labeled Invalid. (Exception, if one of the relationships is already in Valid status, then the other one will be labeled Invalid.) For example, if a currency is defined as a Child in a fixed rate relationship and is also defined as being in a floating relationship at the same time, then both fixed and floating rates for that currency will be labeled Invalid.

If there are both direct and inverse floating exchange rates defined for any two currencies (in other words, one currency is both a To and a From currency in relation to the other), then both relationships will be marked Valid.

## 10.5.4 Running an Exchange Rate Validation

You can run a validation immediately or schedule one or more for later. The validation status is displayed in the Currency Rates window of the Rate Management.

### 10.5.4.1 Running a Validation Immediately

Execute the exchange rate validation using the Currency Rates Validation option.

**Figure 10-13** Currency Rate Validation window

To execute the exchange rate validation, follow these steps:

1. Select a check box on the left-hand side of any row to enable the **Currency Rates Validation** icon.
2. Click **Currency Rates Validation**.
3. To execute exchange rate validation from the Currency Rates window, the following two options are available:
  - **Specify Dates:** After selecting this option, a Select Dates pane is displayed to enter or verify the FROM\_DATE and TO\_DATE parameters. These dates will be passed to the batch for execution.



- **FROM\_DATE:** This defaults to the date of last rate validation.
- **TO\_DATE:** This defaults to the current date.
- **Validate For All Dates:** Select this option to validate all the rates irrespective of dates.

**Note**

This option will replace all of the validated exchange rate history and can be a time-consuming process depending on the amount of history available to be processed.

You can execute rate validation using a Simplified Batch or the ICC Batch window. You can also launch it from the Currency Rates UI (Currency Rates Validation toolbar).

To run the validation using the Simplified Batch, follow these steps:

1. Click **Common Object Maintenance**, select **Operations**, and then select **Simplified Batch**, and then click **Add**.
2. From the **Task Details** pane, click **Select Task**. In the **Task Selection** window, choose **Task Type** as **Transform Data**. Click **Search**. In the **Task Selector** window, select **Rate\_Validation** and click **Ok**.
3. Back in the **Simplified Batch Definition** window, enter the optional parameters to specify the From and To dates, using the format YYYYMMDD, YYYYMMDD. From\_Date and To\_Date must not be the same value. Set From\_Date equal to the last rate validation date and To\_Date to the current date. This will ensure that the Effective To Date for the prior record is set correctly.
4. Click **Save**.
5. In the **Simplified Batch Summary** page, search for and select your batch, then click **Run**.
6. Click **Yes** to confirm you want to continue, enter a Date and click **Ok** to continue. You will receive a message that it has been successfully launched.
7. Click **Ok**.  
When the batch is complete, optionally navigate to Operations and select View Log to view the processing log.

Any error messages or warnings are displayed in View Log. For more information, see [Viewing the Messages](#).

Simplified Batch does not yet provide access to logs for Transform Data tasks.

For more information, see the OFS Analytical Applications Infrastructure User Guide.

To run the validation using the ICC Batch Framework, follow these steps:

1. Navigate to **Operations**, select **Batch Maintenance**, and then click **Add** to create a new batch.
2. Search for the above batch, and select it.
3. In the **Task Details** pane (tool-bar), click **Add**. In the **Task Selection** window, choose the **Task Type** as **Transform Data**. Click **Search**. In the Task Selector, select the **Rate\_Validation** task and click **Ok**.
4. Back in the **Task Definition** window, select the **Rule Name** as **Rate\_Validation** and enter the optional parameters to specify the From and To dates, using the format YYYYMMDD, YYYYMMDD.

**From\_Date** and **To\_Date** must not be the same value. Set **From\_Date** equal to the last rate validation date and **To\_Date** to the current date. This will ensure that the Effective To Date for the prior record is set correctly.

5. Click **Save**.
6. Navigate to **Operations**, and select **Batch Execution**. Search your batch and select it. Enter Information Date and click **Execute Batch**.
7. Click **Ok**. A message is displayed stating Batch triggered successfully, also displaying the Batch Run ID.
8. Click **Ok**.
9. To view rates, query the database table FSI\_EXCHNG\_RATE\_DIRECT\_ACCESS after the run is complete.  
FSI\_EXCHNG\_RATE\_DIRECT\_ACCESS: This output table holds the valid currency codes and their exchange rate with respect to the reporting currency for some time say From Date value to optional To Date value. When Exchange Rate Validation runs, if data already exists for the selected date range, the Rate Validation package will overwrite the existing values. If no dates are given, the Rate Validation package truncates this table and re-loads data for the entire historical date range. The following describes the structure of the FSI\_EXCHNG\_RATE\_DIRECT\_ACCESS table:

**Table 10-4 Column details of FSI\_EXCHNG\_RATE\_DIRECT\_ACCESS table**

| Column Name                       | Nullable | Data Type    |
|-----------------------------------|----------|--------------|
| FROM_CURRENCY_CD                  | Not Null | varchar2(15) |
| TO_CURRENCY_CD                    | Not Null | varchar2(15) |
| EFFECTIVE_FROM_DATE               | Not Null | Date         |
| EFFECTIVE_TO_DATE                 | Not Null | Date         |
| EXCHANGE_RATE                     | Not Null | Number(15,9) |
| EXCHANGE_RATE_CONVERT<br>_TYPE_CD | Not Null | Number(5)    |
| EXCHANGE_RATE_CONV_FO<br>RMULA    | Not Null | Number(15)   |

10. When the batch is complete, navigate to Operations and select View Log to view the processing log. Any error messages or warnings are displayed in View Log. For more information, see [Viewing the Messages](#).  
For more information, see the OFS Analytical Applications Infrastructure User Guide.

## 10.5.5 Scheduling One or More Validations

To schedule a future validation, or to schedule validations on a recurring basis, follow these steps:

1. Navigate to **Operations** and select **Batch Scheduler**. The **Batch Scheduler** window appears.
2. In the **Batch Name** pane, select the **Scheduled Batch ID**. An unchecked box means that no validation is scheduled to run.
3. Select **New Schedule** or **Existing Schedule**.

The Existing Schedule can be selected only if there are existing schedule batches to view.

If New Schedule is selected, the New Schedule pane appears. Enter the Scheduled Task Name.

To schedule the validation on a recurring basis, select Daily, Weekly, Monthly, or Adhoc.

4. In the **Schedule Task** pane, enter the **Start Date** and **End Date** in the **Date** field.
5. In the **Run Time** field, enter the time for the next validation to be run.
6. Click **Save** to set the schedule as specified or Cancel to drop your changes.

Any error messages or warnings generated during the validation process are displayed in the View Log. For more information, see [Viewing the Messages](#).

For more information, see the OFS Analytical Applications Infrastructure User Guide.

## 10.5.6 Viewing the Messages

Any error messages or warnings generated during the exchange rate validation process are displayed in the Log Information window.

To view the messages, follow these steps:

1. Navigate to **Operations** and select **View Log**.
2. Click the **Task ID**. The Log Information window will display.

These exception messages can also be seen in the FSI\_MESSAGE\_LOG table with the help of the batch\_id which was used during execution.

## 10.6 Economic Indicators Summary Page

An economic indicator is any economic statistic such as the Consumer Price Index (CPI), growth rate of the Gross Domestic Product (GDP), unemployment rate, Purchasing Managers Index, indices of consumer confidence, and so on. Such macroeconomic statistics tell us how well the economy has behaved in the past. Some economic indicators are referred to as lagging indicators while others are classified as leading indicators. Leading indicators can provide insights into the future direction of the economy.

OFSAA Rate Management's Economic Indicators module allows you to define and store such historical indicators. Economic Indicators provide baselines from which OFSAA Asset Liability Management can generate forecasts of future values of economic statistics that can affect new business or other modeling assumptions.

To view the Economic Indicators, navigate to Common Object Maintenance and select the Rate Management, and then select Economic Indicators, an empty window is displayed. After you have defined one or more Economic Indicators, the Economic Indicators Summary page shows all the Economic Indicators that you have previously built.

**Figure 10-14 Economic Indicators Summary page**

| Name | Country | Creation Date       | Created By | Last Modification Date | Last Modified By |
|------|---------|---------------------|------------|------------------------|------------------|
| E11  | USA     | 08/25/2020 18:40:03 | FTPUSER    |                        |                  |

## 10.6.1 Searching for Economic Indicator

A Search pane is provided in which you can search for Economic Indicators by Name or Country. Each Economic Indicators rule is specific to one country.

To search the Economic Indicator, follow these steps:

1. Enter search criteria and click the **Search** icon.
2. Click the **Reset** icon to remove any Name or Country search criteria and refreshes the window.  
The search results are displayed in a tabular format containing all of the Economic Indicators that meet search criteria. The Economic Indicators Summary page offers several icons to perform different functions when an Economic Indicator is selected.
  - **Add**: Click Add to begin the process of building a new Economic Indicator. The Add icon is disabled if any rows in the pane are selected.
  - **View**: Select a single row out of the pane to enable the View. Click the View icon to view the contents of an Economic Indicator on a read-only basis. The View icon is only enabled when a row is selected.
  - **Edit**: Select a single row out of the pane to enable the Edit. Click the Edit icon allows you to modify a previously saved Economic Indicator. The Edit icon is only enabled when a single row is selected.
  - **Delete**: Select one or more rows out of the pane to enable the Delete. Clicking on the Delete deletes the Economic Indicators you have selected.
  - **Copy**: Select a single row out of the pane to enable the Copy. Click the Copy icon to create a copy of an existing economic indicator. The Copy icon is only enabled when a single economic indicator is selected.
  - **Check Dependencies**: Select an Economic Indicator and then click the Check Dependencies icon to generate a report on all rules that utilize your selected economic indicator.  
The Check Dependencies is only enabled when a single economic indicator is selected.
  - **Data Loader**: The Data Loader option executes a function to import historical economic indices for all defined Economic Indicators. For more information on setting up the automated process, see the OFS Data Model Utilities User Guide.  
To execute a data load, click on the **Data Loader**.

A warning message will appear Upload all available Economic Indicators? Click Ok, and all historical indices will be loaded.

To select an Economic Indicator, select a check box in the first column of the pane. More than one Economic Indicators can be selected at a time but this will cause some of the icons to become disabled.

Select or deselect all of the Economic Indicators in the Economic Indicators Summary page by selecting the check box in the upper left-hand corner of the Summary page directly to the left of the Name column header.

The following columns categorize each Economic Indicator on the Summary page:

- **Name**: Displays the Economic Indicator's short name. Performing a mouse-over on a row within the pane displays the Economic Indicator's detailed description.
- **Country**: Displays the Country to which an Economic Indicator applies.

- **Creation Date:** Displays the Date and Time at which an Economic Indicator was created.
- **Created By:** Displays the Name of the user who created an Economic Indicator.
- **Last Modification Date:** Displays the Date and Time at which an Economic Indicator was last modified.
- **Modified By:** Displays the Name of the user who last modified an Economic Indicator.

## 10.6.2 Economic Indicators Details

When you **Add**, **Edit**, or **View** an Economic Indicator, the Economic Indicator Details window is displayed. The **Economic Indicator Detail** window includes an **Economic Indicator Details** pane, the **Economic Indicators - Historical Data** pane, and an **Audit Trail** pane.

The **Audit Trail** pane is a standard footer pane for every OFSAA rule type. The **Audit Trail** pane displays Created By, Creation Date, Last Modified By, and Modification Date. The **User Comments** tab can be used to add comments to any rule, subject to a maximum of 4000 characters.

## 10.6.3 Adding an Economic Indicator

To add an Economic Indicator, follow these steps:

1. Click **Add** from the Economic Indicator Summary page.
2. Enter the following information in the Economic Indicator Details window as tabulated.
  - **Name:** The name of your Economic Indicator is how you will subsequently refer to your rule within the OFS Analytical Applications. You cannot rename existing Economic Indicators.
  - **Frequency:** The frequency of your Economic Indicator must match the frequency with which the indicator's data is made public. Unemployment statistics, for example, are normally released on a monthly frequency. Select a frequency from the Frequency drop-down list. Available frequencies are **Weekly**, **Monthly**, **Quarterly**, **Semi-Annually**, and **Annually**.
  - **Value Type:** Select a Value Type from the **Value Type** drop-down list. Available Value Types are Numeric, Percentage, and Amount.
    - **Numeric:** 0-999999
    - **Percentage:** -100 to +100
    - **Amount:** 0-999999
  - **Country:** Select a country to which your Economic Indicator applies from the Country drop-down list. The value set of Countries is drawn from the seeded Country dimension. OFSAA is seeded with over 70 country values, and you can add user-defined countries.
3. Click **Save**. To build out your historical data, enter data within the Economic Indicators - Historical Data pane.

The Economic Indicators - Historical Data pane displays a single blank row followed by the most recent period's data (if data has previously been stored in the database).

**Figure 10-15 Economic Indicators - Historical Data section on Economic Indicator window**
**Table 10-5 Economic Indicators - Historical Data section - Fields and Descriptions**

| Fields                                         | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Start Date and End Date                        | Select the <b>Calendar</b> icon immediately adjacent to the End Date to choose an ending date for your Economic Indicator data point. The application will automatically populate the Start Date based on the Economic Indicator's frequency. For example, if your Economic Indicator is an unemployment statistic that has a monthly frequency, select an end date that is the last day of the month that the unemployment rate describes. In this example, the application will automatically populate the Start Date with the first day of the month you have selected. |
| Value                                          | Enter the value for your Economic Indicator (such as the unemployment rate).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Adding Multiple Data Points                    | Click <b>Add</b> to add additional blank rows into which you can enter additional Economic Indicator data. When you have finished adding data, click Save.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Editing Economic Indicators - Historical Data  | Select a single check box on the left-hand side of any row to enable the Edit. Clicking <b>Edit</b> to become the row active. You can edit this row and subsequently save the changes.                                                                                                                                                                                                                                                                                                                                                                                     |
| Viewing Economic Indicators - Historical Data  | By default, the Economic Indicators - Historical Data pane displays the most recent month of historical data. You can restrict the amount of data displayed by selecting a different value from the <b>Effective Date Range</b> drop-down list.<br>You can also choose to view a specific date range by modifying the <b>From Date</b> , <b>To Date</b> , or both dates within the <b>Economic Indicators - Historical Data</b> pane.                                                                                                                                      |
| Deleting Economic Indicators - Historical Data | Select one or more check boxes on the left-hand side of any row to enable the <b>Delete</b> icon. After clicking Delete, a confirmation message is displayed to delete the selected rows.                                                                                                                                                                                                                                                                                                                                                                                  |

**Table 10-5 (Cont.) Economic Indicators - Historical Data section - Fields and Descriptions**

| Fields                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data Loader             | <p>The Data Loader option executes a function to import historical economic indicators for all defined economic indicators. For more information on setting up the automated process, see the <a href="#">OFS Data Model Utilities User Guide</a>.</p> <p>To execute a data load, click the Data Loader. A warning message will appear Upload all available Economic Indicators?</p> <p>Click <b>Data Loader</b> to execute all the Economic Indicators.</p> |
| Excel Import and Export | <p>Use Excel Import or Export functionality to add or edit Historical Economic Indicators.</p>                                                                                                                                                                                                                                                                                                                                                               |

# Holiday Calendar

This chapter discusses the procedure to create a Holiday Calendar and generate a list of the weekend and holiday dates. Individual applications may consume the Holiday Calendar events in different ways. For more information, see the application-specific User Guides and the OFS Cash Flow Engine Reference Guide.

A Holiday is a day designated as having special significance for which individuals, a government, or some religious groups have deemed that observance is warranted and thus no business is carried on this day. The Holiday Calendar code can range from 1 to 99999.

The procedure for working with and managing a Holiday Calendar is similar to that of other OFSAA business rules.

## 11.1 Searching for a Holiday Calendar

Search for a Holiday Calendar to perform any of the following tasks:

- View
- Edit
- Copy
- Delete
- Check Dependencies
- Refresh

**Figure 11-1 Holiday Calendars**

The screenshot shows the 'Holiday Calendars' summary page. At the top right, it says 'As of Date: 05/31/2020'. Below the title bar is a search bar with the text 'Search'. Underneath the search bar is a 'Name' input field. Below that is a table with the following data:

| <input type="checkbox"/> | Name ▲   | Created By | Creation Date       | Last Modified By | Last Modification Date | Status    |
|--------------------------|----------|------------|---------------------|------------------|------------------------|-----------|
| <input type="checkbox"/> | Weekends | FTPUSER    | 06/17/2020 10:07:35 | FTPUSER          | 06/17/2020 10:08:13    | Processed |

Below the table, there are navigation controls including a 'Jump to page' field and a '1 - 1 / 1' indicator.

You must have created a Holiday calendar to be able to search for Holiday Calendar rules.

To search for a new Holiday Calendar rule, follow these steps:

1. From the LHS menu, select **Common Object Maintenance**, and then select **Holiday Calendar** to display the **Holiday Calendars** Summary page. This page holds all Holiday Calendars and related functionality. You can navigate to other pages relating to the Holiday Calendar from this page.



2. Enter the name of the Holiday Calendar and click **Search**. Only Holiday Calendars that match the search criteria are displayed.

**Note**

You can control the number of rows to display on the screen by selecting the Pagination icons from the action bar.

## 11.2 Creating a Holiday Calendar

You create Holiday Calendars to capture holidays for a given date range for any organization. It is possible to create and use multiple Holiday Calendars.

The Holiday Calendar functionality allows you to define two types of holidays: Fixed and Moving.

- A fixed holiday is deemed as a holiday for every year in the holiday period, for that particular day. Example: 25th December – Christmas, is a fixed holiday. For a fixed holiday, the Holiday Calendar procedure will populate entries in the holiday list table for the selected date range.
- A moving holiday is deemed as a holiday only for that particular date and year, and not for every year in the holiday period. All occurrences of a moving holiday must be input manually. Example: 10th April 2020 is a moving holiday for Good Friday.
- A HOLIDAY\_TYPE code:
  - 0: Fixed type
  - 1: Moving type
  - 2: Weekend

The Holiday Calendar procedure will also ensure that holiday and weekend entries are not duplicated. For example, if weekends are defined as Saturday/Sunday and Christmas falls on a weekend day, there will be only one entry in the FSI\_HOLIDAY\_LIST table. The PREVIOUS\_WORKINGDAY and NEXT\_WORKINGDAY fields designate the valid prior and following working days, respectively.

To create a new Holiday Calendar rule, follow these steps:

1. From the LHS menu, select **Common Object Maintenance**, and then select **Holiday Calendar** to display the **Holiday Calendars** summary page.
2. Click the **Add** icon. The Holiday Calendar Details page is displayed.

**Figure 11-2 Holiday Calendar Definition**

3. Enter a code value for the new Holiday Calendar.  
The code is a numeric identifier for the Holiday Calendar. The code value must be a unique number between and must be between 1 and 99999.
4. Enter the name and a brief description for the Holiday Calendar.  
The name you assign to the Holiday Calendar must be unique. The name can hold a maximum of 30 characters.
5. In the Holiday Properties grid, select not more than two weekend days. Then choose the Holiday Period. The Holiday Period can be defined for a range of up to 40 years less than the current date and 40 years greater than the current date, totally spanning a maximum of 80 years.
6. In the Holiday Details grid, define the Holiday details for any period within the holiday range defined in the previous step.

### **Note**

To define a fixed holiday, input the holiday date for the first occurrence in the date range. For example, if your Date Range runs from 01-JAN-2000 to 31-DEC-2050, you should input the fixed holiday, Christmas, as 25-DEC-2000. The Holiday Calendar procedure will populate all subsequent 25-DEC entries in the holiday list table (FSI\_HOLIDAY\_LIST).

7. Click **Save**. Once the Holiday Calendar definition is saved, its status in the Holiday Calendar Summary page is marked as defined.
8. A Holiday Calendar created can also be deleted. Select one or more check boxes of Holiday Calendar definitions and click **Delete**.

## 11.3 Excel Import and Export

Excel Import and Export functionality is used for adding or editing Holiday Calendar definitions.

## 11.4 Executing Holiday Calendar

Execute a Holiday Calendar definition to generate calendar dates listing the various types of holidays for a given holiday period.

Predefined rules are a prerequisite to execute the Holiday Calendar.

To execute the Holiday Calendar, follow these steps:

1. Navigate to the Holiday Calendar Summary page.
2. Search for a rule.
3. Select a Holiday Calendar and Click the Generate Calendar Dates icon to execute the selected Holiday Calendar.

Holiday list for holiday ID #1 generated successfully message appears (where #1 is the Holiday Calendar code). The holiday list can be confirmed by querying the FSI\_HOLIDAY\_LIST table.

4. The status of a Holiday Calendar where holiday dates are generated displays as Processed in the status column on the summary page.

If you do not want to Generate Calendar dates immediately, you can select that particular Holiday Calendar anytime later from the summary page with its status defined, and then click the Generate Calendar Dates icon to execute the selected Holiday Calendar.

5. The generated holiday list is no longer valid if:
  - a. There is a change in the definition of the Holiday Calendar.
  - b. There is an update or modification to the Holiday Exceptions defined for that holiday calendar.

In such a case, you will get a message *"This Holiday Calendar has been modified, Please generate the holiday list again"* and the Holiday Calendar state will be changed to Defined until the holiday list is regenerated with a new definition.

## 11.5 Holiday Exceptions

You can specify exceptions to the holidays.

As a prerequisite, a Holiday Calendar must be properly defined and the status of the Holiday Calendar in the summary page must be processed. Generating the holiday list will populate the holidays (weekends, fixed, and moving) along with the working days. Then the Show Exceptions button is enabled on the detail page. Any changes in the holiday definition will disable the "Show Exceptions" button. The user must generate the holiday list again to define or view the exceptions.

1. Click **Show Exceptions** in the Holiday Exceptions pane. The Holiday Exceptions window opens.
2. The search block in the Exceptions page has the following fields:
  - **From and To:** Denotes the range of years which is a subset out of the holiday list generated, for which exceptions are required to be defined.

- **Fixed Holidays:** You can filter the list of holidays by the type of Fixed Holidays.
  - **Moving Holidays:** You can filter the list of holidays by the type of Moving Holidays.
  - **Holiday Date:** For a particular known holiday date, exceptions can be defined.
  - **All Exceptions:** This check box when selected lists all the exceptions, if already defined, for the holidays within the From, To Date range.
3. The search result gives the list of all holidays based on the selection of the above search criteria fields.
  4. In the Holiday Exceptions pane, there are two types of exceptions that can be defined: Not a holiday and Shift to.
  5. Any holiday can be marked as not a holiday, in which case that day is removed from the Holiday List. If you select Not a Holiday from the Exception Type drop-down, then the Shift to date field is disabled.
  6. Spring earlier considered as a holiday in the Holiday Calendar can be marked as Not a Holiday in the Holiday Exceptions window. You can write your comments or remarks in the Notes next to the Exception Type drop-down list.
  7. Any holiday can be shifted to another day, in which case the earlier declared holiday is removed from the Holiday List, while the shifted day is included as a holiday.

# Oracle Balance Sheet Planning Process

This module describes the steps that you need to follow to define and execute the end-to-end Balance Sheet Planning Process.

Oracle Balance Sheet Planning is based on the Oracle Financial Services Analytical Applications Infrastructure (OFSAAI). OFSAAI is the central, integrated data source and Administration layer on which Oracle Financial Services Analytical Applications (OFSA) are built. This description of the Oracle Balance Sheet Planning Process assumes that your system administrator has set up the OFSAAI data repository and has populated it with your enterprise-wide business data.

This chapter covers the following topics:

- [Overview of the Process](#)
- [Reconciling the Data](#)
- [Cleansing the Data by performing Cash Flow Edits](#)
- [Setting Application Preferences](#)
- [Activating Currencies and Loading Exchange Rates](#)
- [\(Mandatory\) Deciding on historical rate information and managing by creating Interest Rate Codes](#)
- [Capturing Instrument Behavior for Non-standard Instruments](#)
- [\(Mandatory\) Defining Time Buckets](#)
- [\(Mandatory\) Defining Product Characteristics](#)
- [\(Mandatory - Deterministic\) Defining Forecast Rate Scenarios](#)
- [Defining Prepayments](#)
- [Prepayment Model Method](#)
- [Defining Default Forecast Assumptions](#)
- [Defining Transfer Pricing Rules](#)
- [Transfer Pricing Methodologies and Rules](#)
- [Defining Transfer Pricing Methodologies Using Node Level Assumptions](#)
- [\(Mandatory\) Defining and Running the Balance Sheet Planning Process](#)
- [Reviewing Processing Errors](#)
- [Accessing Balance Sheet Planning, Detail Cash Flow Results](#)
- [Analyzing Results](#)
- [Reprocessing Erroneous Accounts](#)

## 12.1 Overview of the Process

Oracle Financial Services Balance Sheet Planning (OFS BSP) is designed to model balance sheets under a variety of rate environments. OFS BSP functionality uses several key concepts

and has evolved from the continual iterations of building simulated management processes. The basis of OFS BSP functionality includes:

- The ability to model account-level detail to precisely capture the complex product characteristics within a financial institution's portfolios.
- A flexible time horizon is critical to meeting the wide range of forecasting requirements of financial institutions.
- Unconstrained chart of accounts definition is a basic requirement of effective modeling.
- A structured process for defining and controlling assumptions is critical to any successful modeling process.

### **Key Operational Concepts**

OFS BSP includes six key modeling attributes:

- Modeling Using Account-Level Data
- Separation of Data from Assumptions
- Separation of Assumptions Types
- A Structured Approach to Defining Rate Scenarios
- Flexible Chart of Accounts
- Powerful Assumption IDs

#### **Modeling Using Account-Level Data**

OFS BSP models data at an account level (loan-by-loan and deposit-by deposit). In this way, cash flows are precisely modeled based on the unique characteristics of each loan and deposit.

#### **Separation of Different Types of Assumptions**

By separating data from modeling assumptions, you can modify assumptions and then run a reprocessing procedure without affecting data. In addition to the instrument data being separate from assumptions, each type of assumption is defined independently from other assumption types. Although they act dynamically during a processing run, assumptions about new business characteristics, new business volume, new business pricing, new business maturity mixes, and prepayments are defined independently. This facilitates the isolation of the impact of a change on one assumption.

#### **Structured Approach to Defining Rate Scenarios**

Structured testing of alternative rate environments is a key to a strong “what-if” analysis process. The model provides numerous utilities for defining and quality controlling rate scenarios. Because rate scenario modeling assumptions can be saved as patterns in Forecast Rate Scenario rules, the typical burden of quality controlling rate scenarios is dramatically reduced. Once a pattern of rate shocks, spread changes, or yield curve rotations (or combination of the above) is defined, it can be saved as a Forecast Rate assumption rule to be used again and again. When data are updated in the model, all you need to do is update the base position of key market rates. The change pattern in an assumption rule can be applied and the forecast rate assumptions are automatically updated. It can also easily be cloned and modified to be saved as another Forecast Rate assumption rule. This approach for defining rate scenarios is ideally suited for testing numerous rate environments in a controlled fashion.

## Flexible Chart of Accounts

You can define an unlimited chart of accounts (Dimension Member Values), incorporating all of the key elements which drive cash flow generation.

## The Power of Assumption Rules

You can mix and match any set of combinations of assumptions: forecast rate scenarios, pricing margins, maturity mix strategies, prepayments, product characteristics, and so on. The separation of each element of the scenario assumptions means that you can incrementally modify one piece of the modeling equation and easily test its effect.

## How the Model Works?

While the specific operation of each section of the model is addressed separately in this guide, a general description of the modeling logic includes the following premises:

- The current position data defines the existing base of transactions.
- New business volumes are generated within OFS BSP's planning user interfaces.
- The maturity mix of new volumes is defined by assumptions.
- Pricing of new volumes and repricing of existing volumes are defined by rate scenario assumptions and the contractual pricing characteristics of individual transactions.
- Dynamic prepayment assumptions can be applied to any account.
- Cash flows are determined through the integration of data and assumptions.
- Assumptions can be flexibly combined.

## Current Position Data

OFS BSP forecasts are based on modeling the behavior of existing transactions, as well as those that originate in future periods. The complete cash flow characteristics of each existing transaction are defined in the data structure that is imported into the OFSAA data model on a loan-by-loan and deposit-by-deposit basis.

### Note

A System Administrator is responsible for producing a current position forecast that is subsequently used by Planning Administrators and Planning Users within BSP's planning user interfaces.

## New Business Volumes

New Add volumes in each period are defined on the basis of a forecast of new incremental volume for each account or calculated on the basis of achieving a "target balance" in the account. The cash flow characteristics of newly originated volumes are determined by the Product Characteristics definitions. New volume assumptions apply to non-interest income and expense accounts as well.

### Note

All New Business volumes are generated by planning users within BSP's planning user interfaces.

## The Maturity Mix of New Volumes

The maturity mix of forecasted volumes originated for an account is determined by assumptions that are applied to each element of the account.

### Note

In BSP, Maturity Mix data is applied to New Business volumes generated within BSP's planning user interfaces.

## Pricing of New Volumes and Repricing

Pricing of newly originated volumes, or repricing of adjustable and variable rate volumes, is determined by the integration of several factors. Each existing or newly originated transaction is linked to a single rate (a market rate) or a yield curve. The actual rate determined at origination or repricing takes into account the prevailing single rate or yield curve. The term of the transaction (if pricing is tied to a yield curve) is also taken into account, as well as other pricing characteristics (margin, life cap, period cap, and so on.). Incremental pricing margins can be applied to new originations on a period-by-period basis for each account.

### Note

All New Business pricing is generated by planning users within BSP's planning user interfaces.

## Dynamic Prepayment Assumptions

You can apply dynamic prepayment assumptions to any account. Prepayments are applied on a loan-by-loan basis. Prepayment assumptions use individual instruments characteristics to drive prepayment behavior.

## Cash Flows

Cash flows for every instrument are calculated in every modeling period according to the contractual terms defined in the incoming data and/or product characteristics definitions, combined with interest rate scenario and prepayment assumptions. Principal and interest cash flows are recalculated as contractually defined.

## Batching Assumptions

Financial forecasts are built through the integration of current position data with each of the modeling scenario assumption elements:

- Current Position Data (account-level data)
- Forecast Rate Scenario Assumptions
- Forecast Balance Assumptions (collected in Planning interfaces)
- Maturity Mix Strategies
- Pricing Margin Assumptions (collected in Planning interfaces)
- Prepayment Assumptions
- Product Characteristics Assumptions



## Flow of the Modeling Process

The organization of the OFS BSP menu structure is better understood in the context of the general flow of the modeling process, as follows:

1. Set up Application Preferences, including:
  - Certain elements of Application Preferences (as of date for data, modeling leaves, and so on)
  - Default values and limit details
2. Load transaction-level data.
  - Load data into the system for modeling.
3. Perform cash flow edits.

Each of the individual instrument records must be quality controlled. For each instrument record, the cash flow edits check all of the columns used in cash flow calculations for internal consistency. For example, the maturity date must be greater than the origination date, and the payment frequency must be greater than zero. This process is available within BSP Processing and is a critical step in ensuring that OFS BSP produces expected results.
4. Define modeling assumptions.

Define assumption sets. These include any number of the assumptions described in this module and will minimally include Time Buckets, Product Characteristics, and Forecast Rate Scenarios.
5. Specify the model run. Select a combination of assumption sets that will be applied to the data you wish to model. You may define a single processing run, or a batch of several runs, including multiple sets of assumptions. The run or batch is launched and results are produced into results tables.

## 12.2 Reconciling the Data

Reconciliation is the process of comparing the information carried in the Instrument tables to the general ledger balances (contained in Ledger Stat).

The goal of the Balance Sheet Planning Process is to measure and manage interest rate and liquidity risk for the entire balance sheet, as represented on the general ledger. Many ledger accounts have corresponding data in the Instrument tables. In such instances, the balances from the instrument data must be compared with the corresponding ledger balances.

The reconciliation process involves defining a level at which some piece of information in the Instrument tables is to be compared to the General Ledger data carried in the Management Ledger (also known as LEDGER\_STAT). That level can be one dimension (to reconcile for each general ledger account number, for example, General Ledger Account ID) or multiple dimensions (to reconcile for each general ledger account number within each business unit, for example, General Ledger Account and Organization Unit).

The most common type of reconciliation is to compare the current balance of Instrument table data to the general ledger ending balance. The data carried in the database is a snapshot of the portfolio as of a given date. Consequently, comparing the current balances from the Instrument table to the general ledger ending balance measures the degree to which the extracted data is in balance with, or reconciles to, the general ledger.

Variances between the Instrument table and the Management Ledger table should be corrected. If the magnitude of the variances is within an acceptable tolerance, plug entries

should be created to force the reconciliation to zero. An Instrument table (FSI\_D\_LEDGER\_STAT\_INSTRUMENT) has been seeded in the database to hold these plug balances and any Ledger Specific balances that you wish to include as instrument balances for BSP processing.

## 12.3 Cleansing the Data by performing Cash Flow Edits

The data in the Instrument tables must be clean, accurate, and complete before it is used to generate cash flows and for further processing. Oracle BSP provides seeded Cash Flow Edit rules to edit (clean and prepare) Instrument table data. You can create multiple Cash Flow Edit Processes depending on the data to be cleansed. In addition, you can view actual results of Cash Flow Edits by accessing the audit data written into the FSI\_PROCESS\_ERRORS table.

You can also select the preview mode option so that you can preview the changes that will be made to the Instrument table data as a result of cash flow edits before those changes are applied in the Instrument tables.

It is highly recommended that you create and run Cash Flow Edits before processing data to generate any type of cash flow-related results. See: Cash Flow Edits.

## 12.4 Setting Application Preferences

Application Preferences allow users to set the current As of Date and configure default values used throughout the application.

## 12.5 Activating Currencies and Loading Exchange Rates

Rate Management under “Common Object Maintenance” handles all currency definitions for OFSAA applications. Currencies are conveniently referred to by code and written description. A comprehensive list of ISO-defined currencies is included, and you can define and add your own. Upon installation, one currency is active and ready for processing: the one identified by your organization as the functional currency. You can activate other currencies and define and activate newly-created currencies when needed. In addition, you can designate key currencies to be used for reporting. These alone will be available for cross-currency consolidation.

The Common Object Maintenance > Rate Management > Currencies screen enables you to select currencies for reporting and for establishing interest rates and exchange rates. It allows you to activate relevant currencies and classify them as:

- Functional Currency
- Reporting Currencies
- Other Active Currencies

Before defining the classifications, let's begin by discussing two types of currencies: ISO-defined and user-defined.

### Currency Definitions and Classifications

OFSAA Rate Management provides a list of ISO-defined currencies for you to activate as needed. (The functional currency is activated upon installation). You can also define and add your own. Any currency except the functional currency can be deactivated or deleted.

Currencies are displayed in alphabetical order by currency code.

### Functional Currency

At the time of installation, Rate Management requires the installer to designate a functional, or primary currency for the organization (stored in the FSI\_DB\_INFO table). A German multinational bank would therefore designate the Euro as its functional currency. Only one functional currency is allowed per organization, and once assigned it cannot be changed. The functional currency is both an active and a reporting currency.

### Reporting Currencies

A reporting currency is an active currency that balances in other currencies is consolidated, to facilitate reporting. Balances in reporting currencies are, in turn, consolidated to the functional currency. For example, an American multinational bank might consolidate its holdings in Asian currencies to the Japanese Yen and its balances in European currencies to the Euro. Then it would consolidate the sums to the U.S. dollar.

### Other Active Currencies

An active currency is any currency the organization works with. When OFSAA is installed only the functional currency is active and available for processing. If your institution has holdings in more than one currency then you need to activate those currencies. A Mexican bank doing business in the United States and Canada, for instance, would activate the U.S. dollar and the Canadian dollar.

For more information on loading exchange rate data using the staging area and the related data loader utility, see Oracle Financial Services Analytical Applications Data Model Utilities User Guide, Stage History Rates Loader module.

For more information on loading exchange rate data using the Currency Rates user interface, see Currency Rates.

## 12.6 (Mandatory) Deciding on historical rate information and managing by creating Interest Rate Codes

The quality and availability of interest rate information vary throughout the world. In many markets, gathering comprehensive rate information is a challenge because of insufficient security types, inconsistent quoting conventions, and lack of liquidity. OFSAA Rate Management facilitates the process of inputting and viewing interest rates and yields by supporting multiple rate formats and other rate attributes to give you data storage capabilities appropriate to your market. For example, you can store the following data attributes for each interest curve:

- Rate format (zero-coupon or yield-to-maturity)
- Accrual basis
- Compound basis

Term structure parameters provide insight into the stability and direction of future rates. Rate Management enables you to define and store—up to daily—term structure parameters for any and all currently supported term structure models.

When you add an Interest Rate Code, the Add/Edit page appears with four tabbed pages. The pages display interest rate code characteristics and enable you to define, input, modify, and view data. The tabs are Attributes, Terms, Rates, and Parameters. You can only define interest rates where you have an active currency. See Rate Management.

For more information on loading interest rate data using the staging area and the related data loader utility, see Oracle Financial Services Analytical Applications Data Model Utilities User Guide, Stage History Rates Loader module.

## 12.7 Capturing Instrument Behavior for Non-standard Instruments

This section covers the following sub-sections:

- [Capturing Instrument Behavior for Non-Standard Instruments](#)
- [Defining Behavior Patterns](#)
- [Defining Payment Patterns](#)
- [Defining Repricing Patterns](#)
- [Loading Payment Schedule Details](#)

### 12.7.1 Capturing Instrument Behavior for Non-Standard Instruments

Payment and repricing characteristics for most instruments can be accommodated through the data attribute values in the Instrument tables. However, certain instruments may not have contractual cash flows or may have cash flows that are based on unique payment and repricing patterns that are too complex to be accommodated in the standard fields of the Instrument tables. Oracle Balance Sheet Planning allows you to define custom behavior, payment, and repricing patterns to accurately model the unique characteristics for such instruments.

### 12.7.2 Defining Behavior Patterns

In user-defined Behavior patterns, you can assign a unique amortization type code to a set of payment tenors, and define principal cash flow amounts (via percentages) for the following instrument types:

- Non-maturity Instruments
- Non Performing Instruments
- Devolvement and Recovery of Guarantees

Once you create a behavior pattern, you can use it by mapping the unique behavior pattern code as the amortization type code for your instruments. Behavior pattern codes are defined within a pre-set range (70000 – 99999). When the cash flow engine encounters an instrument with an amortization type code within this pre-determined range, it understands that a Behavior Pattern should be referenced for determining the principal cash flow amounts.

#### 12.7.2.1 CFE Requirements and Functionality

AMRT\_TYPE\_CD of the instrument table should contain the behavior pattern code.

Non Performing Assets

Behavior Sub Type = Substandard, Doubtful, and Loss (from Behavior Pattern).

BEHAVIOR\_SUB\_TYPE\_CD can be NULL when BEHAVIOR\_TYPE\_CD = 1 (Non-Maturity). When BEHAVIOR\_TYPE\_CD = 2 (Non-Performing), then value is expected in BEHAVIOR\_SUB\_TYPE\_CD. All the Substandard, Doubtful, and Loss events of Behavior

Pattern will be processed by the CFE. Any outstanding balance after all the Non Performing events from the pattern definition are processed will be written off on the maturity date. No interest cash flows will be generated.

Next Payment Date: This will need to be after As of Date of the process run. Suggested to be the same as Maturity Date since no interest payment is expected to happen. Maturity Date: This will need to be after As of Date of the process run. Write off event will happen on the maturity date.

Compounding Basis, Accrual Basis, Remaining Number of Payments, Current Payments, Current Net Rate, Adjustable Type Code: Since the interest cash flow will not be generated, these can be the default values. Interest cash flow is output for Earning Assets, Interest bearing Liabilities, Interest Income, and Interest Expense account types.

### 12.7.2.2 Non Maturity

Behavior Sub Type = Core and Volatile (from Behavior Pattern).

Instrument records need not contain behavior sub-type. The engine will generate the core runoffs and volatile runoffs based on the pattern definition. Interest cash flow is paid out on the payment dates.

Original Term, Amortization Term, Maturity Date: Engine arrives at Maturity Date based on the highest tenor given in the pattern definition. It is suggested that the Original Term and Amortization term be assigned 99 years for non-maturity accounts. If the engine calculated maturity date is less than the maturity date in the instrument record (as normally is the case), then the instrument matures on the calculated maturity date, and the remaining interest is paid out on the calculated maturity date (interest in arrears case). The maturity date is calculated by the engine by adding the longest non-maturity tenor to as of date.

### 12.7.2.3 Devolvement and Recovery

Behavior Sub Type = Sight Devolvement, Sight Recovery, Usance Devolvement, and Usance Recovery (from Behavior Pattern).

Instrument data should contain the behavior subtype as Sight (Code: 306) or Usance (Code: 305). The sub-type code is used by the engine to generate the devolvement or recovery events.

- If sub-type =Sight and Devolvement Status is "No" (both from the instrument record), then all the Sight Devolvement events from the Behavior Pattern will be processed. Finally, all the Sight Recovery Events will be processed.
- If subtype = Sight and Devolvement Status is "Yes" (both from the instrument record), then all the Sight Recovery events available in the Behavior Pattern will be processed.

Any unrecovered balances will be written off on the maturity date. Similarly, Usance events will be processed.

One Behavior pattern can contain a mix of Sight and Usance events but the Engine will process the events based on the Behavior Type Code of the instrument. No interest cash flows will be generated.

Next Payment Date: This will need to be after As of Date of the process run. Suggested to be the same as Maturity Date since no interest payment is expected to happen.

Maturity Date: This will need to be after As of Date of the process run. Any outstanding balance after all the Recovery events from the pattern definition are processed will be written off on the maturity date.

Compounding Basis, Accrual Basis, Remaining Number of Payments, Current Payments, Current Net Rate, Adjustable Type Code: Since the interest cash flow will not be generated, these can be the default values.

### 12.7.2.4 Behavior Pattern Structure

Oracle Balance Sheet Planning allows you to build three types of behavior patterns:

- Non Maturity
- Non Performing
- Devolvement and Recovery

These behavior patterns differ in terms of how they allow you to categorize cash flows based on the specific behavior type being modeled. The following table summarizes the various payment types available for each type of behavior pattern.

**Table 12-1 Payment Types available for each type of Behavior Pattern**

| Pattern Type             | Payment Type       |
|--------------------------|--------------------|
| Non Maturity             | Volatile           |
|                          | Core               |
| Non Performing           | Sub Standard       |
|                          | Doubtful           |
|                          | Loss               |
| Devolvement and Recovery | Sight Devolvement  |
|                          | Sight Recovery     |
|                          | Usance Devolvement |
|                          | Usance Recovery    |

### 12.7.2.5 Payment Events

You must define one or more payment events to complete a behavior pattern. A payment event is a set of payment characteristics, which define the timeline and amount of a specific payment in the behavior pattern. While the payment types can change based on the pattern type selected, three inputs are required for all behavior patterns:

- Term
- Amount
- Type

### 12.7.2.6 Principal Runoff Term

The Term of the principal runoff is determined by the input of a Tenor and Multiplier. For example, if you are defining the "Volatile" component of a non-maturity instrument, you would likely define the runoff term for the first amount as "1 Day". In this case, Tenor = "1" and Multiplier = "Day"

#### Amount

The cash flow amount is defined as a percentage of the end-of-period balance. For example, in the case of the Non-Maturity behavior pattern type, if the assumption for the Volatile runoff amount is that 25% of the portfolio is to be categorized as "volatile", the input should be "25". The sum of the percentages for the Non-Maturity behavior pattern type must equal 100%. The

"Total Percentage" is shown at the bottom of the Pattern detail area indicating the cumulative percentage.

### 12.7.2.7 Payment Type

The payment type selection categorizes all payment runoff into meaningful groupings. The principal runoff type is carried forward by the cash flow engine and can be identified in the cash flow results by the following financial element codes.

- 186 Writeoff Positive
- 187 Timing of Writeoff Positive
- 188 Writeoff Negative
- 189 Timing of Writeoff Negative
- 200 Non Maturity - Core Runoff
- 201 Timing of Non Maturity - Core Runoff
- 202 Non Maturity - Volatile Runoff
- 203 Timing of Non Maturity - Volatile Runoff
- 204 Devolvement Runoff
- 205 Timing of Devolvement Runoff
- 206 Recovery Runoff
- 207 Timing of Recovery Runoff
- 208 Non-Performing Asset Runoff
- 209 Timing of Non-Performing Asset Runoff

## 12.7.3 Defining Payment Patterns

In a user-defined payment pattern, you can assign a unique amortization type code to a set of payment events, which may include some of the following customized features:

- Changes in payment frequency
- Seasonal payment dates
- Nonstandard or variable payment amounts

Once you create a payment pattern, you can use it by entering the payment pattern code as the amortization type code for the instrument.

### 12.7.3.1 Payment Pattern Structure

Oracle Balance Sheet Planning allows you to build three types of payment patterns:

- Absolute
- Relative
- Split

These payment patterns differ in terms of how they address payment schedules, which determine whether the payment events constituting the pattern are determined by calendar dates or periods. Absolute patterns are defined with sets of payment characteristics scheduled on specific calendar dates. Relative patterns are defined with sets of payment characteristics scheduled for certain periods.



You can also define a payment pattern with both absolute and relative payment events. This type of pattern is called a split pattern.

In addition, for each payment pattern, you need to specify a payment type, either conventional, level principal, or non-amortizing. Your choice of the pattern type and the payment types will determine the fields that are used for calculation.

### 12.7.3.2 Payment Events

You must define one or more payment events to complete a payment pattern. A payment event is a set of payment characteristics, which define the timeline and amount of a specific payment in the payment pattern.

Though the characteristics of the payment phase change based on whether you are defining an absolute, relative, or split pattern, two characteristics are required for all amortizing patterns:

- Payment method
- Value

### 12.7.3.3 Payment Method

The payment methods determine the payment amount for the payment event. There are six different methods.

The following table describes the different payment methods.

**Table 12-2 Payment Methods**

| Method                | Description                                                                                                                                                                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| % of Original Balance | This method calculates the payment as a percentage of the original balance; the percentage being defined by the input percent. This method is useful for apportioning the starting balance on a level principal instrument over several payments. This method is only available for payment patterns defined with a level principal payment type. |
| % of Current Balance  | This method calculates the payment as a percentage of the current balance before payment; the percentage being defined by the input percent. This method is only available for payment patterns defined with a level principal payment type.                                                                                                      |
| % of Original Payment | This method calculates the payment as a percentage of the original payment column from the detailed instrument data. This percentage is defined by the input percent.                                                                                                                                                                             |
| % of Current Payment  | This method calculates the payment as a percentage of the previous payment; the percentage being defined by the input percent. This payment is calculated on the payment date based on the characteristics of the instrument at the time of the payment, including the current rate, current balance, and current payment frequency.              |
| Absolute Payment      | This is an input payment amount. This amount represents both principal and interest for a conventional payment type and represents only principal for a level principal payment type. For both types of patterns, absolute value payment amounts are entered as gross of participations.                                                          |
| Interest Only         | This is a calculated payment amount. An interest-only payment is calculated during processing as balance times rate times accrual factor.                                                                                                                                                                                                         |



### 12.7.3.3.1 Value

The value reflects the percentage or payment amount based on the method chosen for the payment event. Value is disabled for phases using the Interest Only payment method.

Payment amounts for conventional pattern phases must reflect both principal and interest payments. Payment amounts for the level principal pattern phase only reflect the principal portion of the payment. For level principal pattern phases, the total cash flow on a payment date is the principal amount stored as the payment plus the calculated interest.

#### Note

The payment method and value columns are not displayed for payment patterns defined with a non-amortizing payment type. All payments are assumed to be interested only in this type of payment pattern.

### 12.7.3.4 Absolute Payment Patterns

Absolute payment patterns are commonly used for instruments that pay on a seasonal schedule, such as agricultural or construction loans that require special payment handling based on months or seasons.

Take the example of a loan that follows a seasonal payment pattern, in which the payment patterns for January, February, and March are scheduled for interest-only payments. As revenues for the customer increase, the payment amount also increases. Therefore, the payments for April and May are 80% of the original payment, and June through September is 100% of the original payment. The payment decreases as the production season slows. The payment for October is decreased to 80% of the original payment, and the payments for November and December are decreased again to 50% of the original payment.

#### Note

You can define absolute payment patterns only for up to a year. This is because all entries are automatically ordered by date and are scheduled in a single year rotation.

### 12.7.3.5 Relative Payment Patterns

Relative payment patterns are commonly used for modeling instruments with irregular payment frequencies or for instruments where the payment type changes over time.

Take the case of a four-year loan for example. The payment for the first 12 months could only be interest. The first 35 payments are scheduled for 50% of the currently scheduled payment, and the last payment is a balloon payment for the balance of the loan.

### 12.7.3.6 Split Payment Patterns

A split pattern contains multiple sets of payment patterns under a single amortization code. You use a split pattern for financial instruments that make principal payments along with two concurrent amortization schedules. Each separate amortization schedule is termed a timeline and assigned a percentage of the balance. A Split Pattern can constitute both absolute and/or relative payment patterns within itself.

## 12.7.4 Defining Repricing Patterns

User-defined repricing patterns provide a mechanism to capture the repricing structure of instruments whose rates change according to complex schedules which cannot be captured in the standard fields of instrument tables.

The user-defined repricing pattern allows you to define multiple changes to various elements affecting repricing including:

- Rates
- Margins
- Frequency

A repricing pattern has two major components:

- User-Defined Repricing Pattern
- User-Defined Repricing Event

### Note

Oracle Balance Sheet Planning Repricing Pattern interface supports simultaneous multiple-user access.

### 12.7.4.1 User-Defined Repricing Pattern

The user-defined repricing pattern provides you with the ability to define a series of repricing patterns and events that describe the interest rate adjustment characteristics over the life of a cash flow instrument. One repricing pattern can be assigned to many cash flow instruments. There are two types of repricing patterns that you can define:

- Absolute Repricing Pattern
- Relative Repricing Pattern

### 12.7.4.2 User-Defined Repricing Event

The events of a repricing pattern define changes to the interest rates of an instrument during its life. Every pattern begins with an initial event, which describes the behavior for the initial period.

### Note

This initial event is required for the setup of all repricing patterns but is not used in Oracle Funds Transfer Pricing. This feature is used only by Oracle BSP when assigning a rate at the origination of new business and transaction strategy records.

The second event describes the change in behavior after the initial period is over. A third event describes the next change in behavior and so on. In relative repricing patterns, you can also define the number of times an event will be repeated before the next event is triggered.

At least one event must be defined for a repricing pattern. All events are listed in the Repricing Events table. The repricing pattern type, absolute or relative, determines the data required to

be populated in the events table. Caution: You have the option to change the repricing pattern type at any time during the creation process. However, changing the repricing pattern type causes the system to automatically refresh the Repricing Events table, and the loss of all the data that you previously entered.

### 12.7.4.3 Event Detail

You define each event with a repricing type of either flat rate or indexed rate. The repricing types determine the event detail characteristic that is available.

#### Flat Rate

Selecting the flat rate repricing type allows you to set the rate of the instrument to a fixed value. For example, 6%. The following table describes the event detail characteristics that are available when the flat rate repricing type is selected.

**Table 12-3 Event Detail**

| Characteristic | Description                 |
|----------------|-----------------------------|
| Net Rate       | The new net rate value      |
| Gross Rate     | The new gross rate value    |
| Transfer Rate  | The new transfer rate value |

### 12.7.4.4 Indexed Rate

Selecting the indexed rate repricing type allows you to set the rate of the instrument to an adjustable value, defined as the index rate plus a margin.

The following table describes the event detail characteristics that are available when the indexed rate repricing type is selected.

**Table 12-4 Indexed Rate**

| Characteristic                   | Description                                                                                                                                                 |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Interest Rate Code               | The reference interest rate is used as the index rate to set gross and net rates. This list of values is pulled from the current Historical Rates database. |
| Transfer Rate Interest Rate Code | The interest rate used to calculate the transfer rate.                                                                                                      |
| Yield Curve Term                 | The term used in interest rate code lookups; if left blank, defaults to the term until the next repricing; set with a value and multiplier.                 |
| Net Margin                       | Added to the index rate to get the net rate.                                                                                                                |
| Gross Margin                     | Added to the index rate to get the gross rate.                                                                                                              |
| Transfer Margin                  | Added to the index rate to get transfer rate.                                                                                                               |
| Rate Cap Life                    | The upper limit for gross rate.                                                                                                                             |
| Rate Floor Life                  | The lower limit for gross rate.                                                                                                                             |
| Rate Set Lag                     | Period by which the date of the interest rate used for calculation precedes the event date; set with a value and a multiplier.                              |

### 12.7.4.5 Absolute Repricing Pattern

The absolute repricing pattern is used for instruments that are date-dependent. Each specific date is a separate event.

You may have up to one year of defined events that repeat for the life of the instrument. For example, you could define one event for each day of the year; the maximum number of events that you can define is 365. However, you can only define one event for any given date.

### 12.7.4.6 Relative Repricing Pattern

The relative repricing pattern is a series of repricing events that are driven by user-defined timelines. It is used for instruments where the repricing is determined by the elapsed time since origination. You specify the duration of each repricing period (frequency) and the number of times the event should occur (repeat) before calculating the next event in the pattern.

For example, an event can be defined with a frequency of 1, a multiplier of Months, and a repeat value of 3. This translates into an event that reprices every month for a duration of 3 consecutive months.

You may have a graduated rate mortgage that requires three rate changes over the life of the instrument. You will have three events following the initial event. If you wish the instrument to retain the behavior defined for the last event, the repeat value should be set to 999. This prevents wrapping, or the recycling of all the defined events until the life of the instrument runs out.

### 12.7.4.7 Pricing with Balance Tiers

Repricing Patterns include the option to set rates based on the balance of the instrument being priced. This selection is optional and users can select "None", meaning there are no balance tiers needed, or they can select "Current Balance". If Current Balance is selected, then users can define balance tier ranges and include different pricing details for each balance tier. This option is useful for applying pricing to products such as Savings Accounts or Money Market Accounts that pay different levels of interest-based on the account balance.

Balance tiered pricing can be applied to detailed instrument records or aggregate balances. When applying to aggregate balances, it is important to define the mix percentage of the portfolio for which the pricing will be applied. This is necessary because the original mix of accounts containing the related balance information is lost when the data is aggregated. The mix percentage input solves this problem. When balance tiered pricing is applied to detailed accounts, the mix percentage input is not required.

Example:

Suppose the repricing pattern is defined with the following balance tiers:

Balance > 0 and < 25,000 then current rate = 0.00%, mix % = 50%

Balance >=25,000 then current rate = 2.5%, mix % = 50%

Scenario 1, the instrument table contains detailed account records

Account #1 = \$10,000

Account #2 = \$10,000

Account #3 = \$10,000

Account #4 = \$10,000

Account #5 = \$10,000

Account #6 = \$50,000

The resulting rate will be  $[(\$50,000 \times 0.00\%) + (\$50,000 \times 2.50\%)] / \$100,000 = 1.25\%$

Scenario 2, the instrument table contains 1 aggregated instrument record Account #1 = \$100,000

**Note**

In scenario 2, the mix percentage is needed.

The resulting rate will be  $(0.00 \times .50) + (2.50 \times .50) = 1.25\%$

## 12.7.5 Loading Payment Schedule Details

Supporting instrument records that have unique payment characteristics is the Payment Schedule option. Users can directly load cash flows for individual instrument contracts into the FSI\_D\_PAYMENT\_SCHEDULE table.

Instrument records are associated with Payment Schedules through the Amortization Type Code (AMRT\_TYPE\_CD) column. If the cash flow engine encounters an AMRT\_TYPE\_CD = 800, 801, or 802 it understands that the instrument record is associated with a Payment Schedule and will perform a lookup in the Payment Schedule table based on the IDENTITY\_CODE, ID\_NUMBER, and INSTRUMENT\_TYPE\_CD of the record being processed.

For more information, see Initializing Schedule Records and Amortization Type Code sections of Cash Flow Engine Reference Guide.

## 12.7.6 (Mandatory) Defining Time Buckets

In generating forecasts for your current book of business, the OFSAA Cash Flow Engine processes your instrument-level business data on a daily basis. Results are aggregated into "time buckets" that you specify. Time Buckets also govern how new business forecasts are generated and stored as well as the overall duration of your forecast.

In general, the OFSAA Cash Flow Engine works with versatile Time Bucket definitions. In an ALM or Liquidity Risk Management context you might want to work with several different Time Buckets. For example, in a Liquidity Risk Management context you might want to use daily buckets for 90 days followed by weekly buckets for 52 weeks. In an ALM context, you might want to use monthly time buckets for 60 months followed by annual time buckets for 5 years.

OFS Balance Sheet Planning shares the OFSAA Cash Flow Engine with other OFS applications but supports a subset of the engine's total capabilities. OFS BSP is intended to produce monthly forecasts over a chosen duration so Time Bucket modelling in BSP is limited to monthly time buckets. OFS Balance Sheet Planning supports forecasts of up to 240 months.

## 12.7.7 (Mandatory) Defining Product Characteristics

Product Characteristic rules allow you to define payment, pricing, and repricing characteristics for new businesses. They are also used to specify general calculation attributes for both existing accounts and new businesses. Defining a Product Characteristics rule is a mandatory step in setting up and configuring the Oracle BSP Application.

## 12.7.8 (Mandatory - Deterministic) Defining Forecast Rate Scenarios

Forecast Rate scenarios allow you to define your deterministic modeling scenarios including projections for future interest rates, future currency exchange rates, and future economic indicators. The cash flow engine uses interest rate forecasts to project cash flows, including pricing new business, re-pricing existing business, calculating prepayments, determining discount methods, and determining rate-dependent forecast assumptions.

The Forecast Rates scenario rules use interest rate codes, currency codes and economic indicator codes defined/stored in Rate Management, including all the activities and reporting currencies and the primary, or functional, currency at your institution.

Defining a Forecast Rate Scenario is a mandatory step in setting up and configuring the Oracle BSP Application.

### Note

OFS BSP supports Forecast Rate Scenarios having only one baseline forecast for each Interest Rate Code (IRC). BSP does not support Forecast Rate Scenarios having multiple forecast scenarios for each IRC.

## 12.7.9 Defining Prepayments

One of the major business risks faced by financial institutions engaged in the business of lending is prepayment risk. Prepayment risk is the possibility that borrowers might choose to repay part or all of their loan obligations before the scheduled due dates. Prepayments can be made by either accelerating principal payments or refinancing.

Prepayments cause the actual cash flows from a loan to a financial institution to be different from the cash flow schedule drawn at the time of loan origination.

A Prepayment Rule contains methodologies to model the prepayment behavior of various amortizing instruments and quantify the associated prepayment risk. Prepayment methodologies are associated with the product-currency combinations within the Prepayment rule. For more information, see Defining Prepayment Methodologies.

### 12.7.9.1 Prepayment Methodologies and Rules

You can use any of the following five methods in a Prepayment rule to model the prepayment behavior of instruments:

- Constant Prepayment method
- Prepayment Model method
- PSA method
- Arctangent method
- ADCo Prepayment method

**Note**

For more information on the ADCo Prepayment method, see [ADCo Prepayment Method](#).

## 12.7.9.2 Constant Prepayment Method

The Constant Prepayment method of “Use Payment Dates”, calculates the prepayment amount as a flat percentage of the current balance.

You can create your origination date ranges and assign a particular prepayment rate to all the instruments with origination dates within a particular origination date range.

The Constant Prepayment method of “User-defined Prepayment Tenors” allows prepayment on any date, irrespective of contractual payment dates. You can create your own origination date ranges and define prepayment tenor(s) for each range. You can associate a specific prepayment rate for each prepayment tenor.

## 12.7.10 Prepayment Model Method

The Prepayment Model method allows you to define more complex prepayment assumptions compared to the other prepayment methods. Under this method, prepayment assumptions are assigned using a custom Prepayment model.

You can build a Prepayment model using a combination of up to three prepayment drivers and define prepayment rates for various values of these drivers. Each driver maps to an attribute of the underlying transaction (age/term or rate) so that the cash flow engine can apply a different prepayment rate based on the specific characteristics of the record.

**Note**

All prepayment rates should be input as annual amounts.

### 12.7.10.1 Prepayment Model Structure

A typical Prepayment model structure includes the following:

- **Prepayment Drivers:** You can build a Prepayment model using one to three prepayment drivers. A driver influences the prepayment behavior of an instrument and is either an instrument characteristic or a measure of interest rates.
- **Prepayment Driver Nodes:** You can specify one or more node values for each of the prepayment drivers that you select.
- **Interpolation or Range method:** Interpolation or Range methods are used to calculate prepayment rates for the prepayment driver values that do not fall on the defined prepayment driver nodes.

### 12.7.10.2 Types of Prepayment Drivers

The prepayment drivers are designed to allow the calculation of prepayment rates at run time depending on the specific characteristics of the instruments for which cash flows are being generated. Although nine prepayment drivers are available, a particular prepayment model can contain only up to three prepayment drivers.

The prepayment drivers can be divided into the following two categories:

- **Age/Term Drivers:** The Age/Term drivers define term and repricing parameters in a Prepayment model. All such prepayment drivers are input in units of months. These drivers include:
  - **Original Term:** You can vary your prepayment assumptions based on the contractual term of the instrument. For example, you could model faster prepayment speeds for longer-term loans, such as a 10-year loan, than for short-term loans, such as a 5-year loan. You would then select the Original Term prepayment driver and specify two node values: 60 months and 120 months.
  - **Repricing Frequency:** You can vary your prepayment assumptions based on the repricing nature of the instrument being analyzed. Again, you could specify different prepayment speeds for different repricing frequencies and the system would decide which one to apply at run time on a record by record basis.
  - **Remaining Term:** You can specify prepayment speeds based on the remaining term to maturity. For example, loans with few months to go until maturity tend to experience faster prepayments than loans with longer remaining terms.
  - **Expired Term:** This is similar to the previous driver but instead of looking at the term to maturity, you base your assumptions on the elapsed time. Prepayments show some aging effects such as the loans originated recently experiencing more prepayments than older ones.
  - **Term to Repricing:** You can also define prepayment speeds based on the number of months until the next repricing of the instrument.
- **Interest Rate Drivers:** The Interest Rate drivers allow the forecasted interest rates to drive prepayment behavior to establish the rate-sensitive prepayment runoff. Interest Rate Drivers include:
  - **Coupon Rate:** You can base your prepayment assumptions on the current gross rate on the instrument.
  - **Market Rate:** This driver allows you to specify prepayment speeds based on the market rate prevalent at the time the cash flows occur. This way, you can incorporate your future expectations on the levels of interest rates in the prepayment rate estimation. For example, you can increase prepayment speeds during periods of decreasing rates and decrease prepayments when the rates go up.
  - **Rate Difference:** You can base your prepayments on the spread between the current gross rate and the market rate.
  - **Rate Ratio:** You can also base your prepayments on the ratio of current gross rate to market rate.

The following diagram illustrates a three-driver prepayment model:



**Figure 12-1 Prepayment Model**

Active Time Bucket: 240\_MonthlyBuckets  
BSP Assumption Specification > Prepayment Models

Prepayment Models

Name: Test

Description:

Folder: BSPSEG

Prepayment Rate Calculation: Manual

Access Type: ☐ Read Only ☒ Read/Write

Dimensions Bucket Definition Matrix Definition

Dimensions

| Dimensions    | Position | Lookup Method | Bucket |
|---------------|----------|---------------|--------|
| Original Term |          |               |        |
|               |          |               |        |
|               |          |               |        |

Apply Cancel

Audit Trail User Comments

The ~ signifies a point on the X-Y-Z plane. In this example, it is on the second node of the Z-plane. The Z -plane behaves like layers.

Oracle Balance Sheet Planning allows you to build prepayment models using the Prepayment Model rule. The Prepayment Model rule can then be referenced by a Prepayment Rule. See Prepayment Models.

## 12.7.11 PSA Method

The PSA Prepayment method (Public Securities Association Standard Prepayment Model) is a standardized prepayment model that is built on a single dimension, the remaining term.

The PSA curve is a schedule of prepayments that assumes that prepayments will occur at a rate of 0.2 percent CPR in the first month and will increase an additional 0.2 percent CPR each month until the 30th month and will prepay at a rate of 6 percent CPR thereafter ("100 percent PSA"). PSA prepayment speeds are expressed as a multiple of this base scenario. For example, 200 percent PSA assumes annual prepayment rates will be twice as fast in each of these periods -- 0.4 percent in the first month, 0.8 percent in the second month, reaching 12 percent in month 30 and remaining at 12 percent after that. A zero percent PSA assumes no prepayments.

You can create your own origination date ranges and assign a particular PSA speed to all the instruments with origination dates within a particular origination date range.

### **Note**

PSA speed inputs can be between 0 and 1667.

### 12.7.11.1 Arctangent Calculation Method

The Arctangent Calculation method uses the Arctangent mathematical function to describe the relationship between Prepayment Rates and spreads (coupon rate less market rate).

**Note**

All prepayment rates should be input as annual amounts.

User-defined coefficients adjust this function to generate differently shaped curves. Specifically:


- $CPR_t = k_1 - (k_2 * ATAN(k_3 * (-C_t/M_t + k_4)))$
- Where  $CPR_t$  = annual prepayment rate in period  $t$
- $C_t$  = Coupon in period  $t$
- $M_t$  = Market rate in period  $t$
- $k_1 - k_4$  = User-defined coefficients

A graphical example of the Arctangent prepayment function is displayed, using the following coefficients:


- $k_1 = 0.3$
- $k_2 = 0.2$
- $k_3 = 10.0$
- $k_4 = 1.2$

Each coefficient affects the prepayment curve in a different manner.


**Figure 12-2 Prepayment Curve**




The following diagram shows the impact of  $K_1$  on the prepayment curve.  $K_1$  defines the midpoint of the prepayment curve, affecting the absolute level of prepayments. Adjusting the value creates a parallel shift of the curve up or down.

**Figure 12-3 Impact of K1 on the Prepayment Curve**

The following diagram shows the impact of K2 on the prepayment curve. K2 impacts the slope of the curve, defining the change in prepayments given a change in market rates. A larger value implies greater overall customer reaction to changes in market rates.


**Figure 12-4 Impact of K2 on the Prepayment Curve**

The following diagram shows the impact of K3 on the prepayment curve. K3 impacts the amount of torque in the prepayment curve. A larger K3 increases the amount of acceleration, implying that customers react more sharply when spreads reach the hurdle rate.

**Figure 12-5 Impact of K3 on the Prepayment Curve**

The following diagram shows the impact of K4 on the prepayment curve. K4 defines the hurdle spread: the spread at which prepayments start to accelerate. When the spread ratio =  $k_4$ , prepayments =  $k_1$ .

**Figure 12-6 Impact of K4 on the Prepayment Curve**



## 12.7.12 Defining Default Forecast Assumptions

You define new business assumptions in Oracle BSP through two different assumption rules:

- Forecast Maturity Mix
- Forecast Pricing Margins

For each of your forecasting products, Pricing Margin assumption sets allow you to specify default spreads relative to a pricing index (by currency) for each forecast month. When working with Forecast Sets in BSP's planning user interfaces, users can change this default margin and/or pricing method.

For each of your forecasting products, Maturity Mix assumption sets allow you to specify maturity terms (by currency) for each forecast month. BSP Planning Users can not modify the Maturity Mix assumptions specified by the BSP System Administrator.

## 12.7.13 Defining Transfer Pricing Rules

Defining Transfer Pricing rules is one of the optional steps in the Oracle Balance Sheet Planning process. You must define Transfer Pricing rules, to transfer price your forecasted balances. A Transfer Pricing rule is used to manage the association of transfer pricing methodologies to various product-currency combinations. It can also be used to manage certain parameters used in option costing.

See: [Defining Transfer Pricing Methodologies Using Node Level Assumptions](#)

To reduce the amount of effort required to define the transfer pricing methodologies for various products and currencies, Oracle Funds Transfer Pricing allows you to define transfer pricing methodologies using node level and conditional assumptions.

### Node Level Assumptions

Oracle Balance Sheet Planning uses the Product Dimension that has been selected within Application Preferences, to represent a financial institution's product portfolio. Using this dimension, you can organize your product portfolio into a hierarchical structure and define parent-child relationships for different nodes of your product hierarchy. This significantly reduces the amount of work required to define transfer pricing, prepayment, adjustment rule methodologies, and other BSP assumption rules.

You can define transfer pricing, prepayment, adjustment rule methodologies, and other BSP assumption rules at any level of your product hierarchy. Children of parent nodes on a hierarchy automatically inherit the methodologies defined for the parent nodes. However, methodologies directly defined for a child take precedence over those at the parent level. See [Defining Transfer Pricing Methodologies Using Node Level Assumptions](#).

### Conditional Assumptions

The conditional assumption feature allows you to segregate your product portfolio based on common characteristics, such as term to maturity, origination date, and repricing frequency, and assign specific transfer pricing methodologies to each of the groupings.

For example, you can slice a portfolio of commercial loans based on repricing characteristics and assign one global set of Transfer Pricing, Prepayment, Adjustment Rule Methodologies, or other BSP assumption rules to the fixed-rate loans and another to the floating-rate loans.

## 12.7.14 Transfer Pricing Methodologies and Rules

The transfer pricing methodologies supported by Oracle Funds Transfer Pricing can be grouped into the following categories:

**Cash Flow Transfer Pricing Methods:** Cash Flow transfer pricing methods are used to transfer price instruments that amortize over time. They generate transfer rates based on the Cash Flow characteristics of the instruments.

To generate cash flows, the system requires a detailed set of transaction-level data attributes, such as, origination date, outstanding balance, contracted rate, and maturity date, which resides only in the Instrument tables. Consequently, Cash Flow methods apply only if the data source is Account tables. Data stored in the Management Ledger Table reflects only accounting entry positions at a particular point in time and does not have the required financial details to generate cash flows, therefore, preventing you from applying Cash Flow methodologies to this data.

The Cash Flow methods are also unique in that Prepayment rules are used only with these methods. You can select the required Prepayment rule when defining a Transfer Pricing Process.

Oracle Funds Transfer Pricing supports the following Cash Flow Transfer Pricing methods:

- [Cash Flow: Average Life](#)
- [Cash Flow: Duration](#)
- [Cash Flow: Weighted Term](#)
- [Cash Flow: Zero Discount Factors](#)

**Non-Cash Flow Transfer Pricing Methods:** These methods do not require the calculation of cash flows. While some of the non-cash flow methods are available only with the Account tables data source, some are available with both the Account and Ledger table data sources.

Oracle Funds Transfer Pricing supports the following Non-Cash Flow Transfer Pricing methods:

- [Moving Averages](#)
- [Straight Term](#)
- [Spread from Interest Rate Code](#)
- [Spread from Note Rate](#)
- [Redemption Curve](#)
- [Reference Period's Compounded Rate](#)
- [Tractor Method](#)
- [Caterpillar](#)
- [Weighted Average Perpetual](#)
- [Unpriced Account](#)

Oracle Funds Transfer Pricing also allows Mid-period Repricing. This option allows you to take into account the impact of high market rate volatility while generating transfer prices for your products. However, the mid-period repricing option applies only to adjustable-rate instruments and is available only for certain Non-Cash Flow transfer pricing methods.

**Note on Bulk Updates versus Row-by-Row Processing:** Any TP method that does not refer to individual account characteristics utilizes a bulk update to assign a single transfer rate to a group of instrument records. Any TP Method that needs to refer to individual account characteristics to process will execute on a row-by-row basis. In general, Bulk updates are faster than row-by-row processing.

The following TP methods, when not defined through a conditional assumption and not utilizing Mid-Period Repricing, use Bulk Updates:

- Redemption Curve (Assignment Date = As-of-Date only)
- Moving Average
- Spread from Note Rate
- Spread from IRC (Assignment Date = As-of-Date only)

All other TP Methods like Tractor, Caterpillar, and Weighted Average Perpetual are processed row-by-row. When Conditional Assumptions or Mid Period Repricing are used, processing will always be row-by-row, regardless of the TP Method selection.

### 12.7.14.1 Cash Flow: Average Life

The Average Life method determines the average life of the instrument by calculating the effective term required to repay half of the principal or nominal amount of the instrument. The TP rate is equivalent to the rate on the associated interest rate curve corresponding to the calculated term.

**Figure 12-7 Cash Flow: Average Life Formula**

$$\text{Average Life} = \sum_{i=1}^n \frac{P_i}{P} t_i$$

Where:

$P$  is the principal

$P_i$  is the principal repayment in coupon  $i$ , hence

$\frac{P_i}{P}$  is the fraction of the principal repaid in coupon  $i$ , and

$t_i$  is the time from the start of coupon  $i$

Oracle Funds Transfer Pricing derives the Average Life based on the cash flows of an instrument as determined by the characteristics specified in the Instrument Table and using your specified prepayment rate, if applicable. The average life formula calculates a single term, that is, a point on the yield curve used to transfer the price of the instrument being analyzed. The Average Life calculation does not differentiate between fixed-rate and adjustable-rate instruments. It applies the same calculation logic to both. It computes the Average Life of the loan (to maturity).

#### **Note**

The Average Life TP Method provides the option to Output the result of the calculation to the instrument record (TP\_AVERAGE\_LIFE). This can be a useful option if you would like to refer to the Average Life as a reference term within an Adjustment Rule.

Users also have the choice to populate the TP\_AVERAGE\_LIFE column directly with a value computed outside of OFSAA FTP. If this value is populated, the FTP engine reads the TP\_AVERAGE\_LIFE and will look up the FTP rate for the given term. In this case, the TP Engine does not generate cash flows and will not re-compute the Average Life. It simply uses the value that has been provided and lookup the appropriate FTP rate from the specified TP Interest Rate Curve.

#### **Note**

Repricing patterns are now supported for the Cashflow Average Life method. For index repricing patterns, rates will be referred from the specified IRC based on the account origination date.



## 12.7.14.2 Cash Flow: Duration

The Duration method uses the Macaulay Duration Formula:

**Figure 12-8 Cash Flow: Duration Formula**

$$\text{Duration} = \frac{\sum_{n=1}^N \left[ \frac{CF_n}{(1+r)^m} \times t_n \right]}{\sum_{n=1}^N \left[ \frac{CF_n}{(1+r)^m} \right]}$$

In this formula:

- N: Total number of payments from Start Date until the earlier of repricing or maturity.
- CF<sub>n</sub>: Cash flow (such as Regular Principal, Prepayments, and Interest) in period n.
- r: Periodic Rate (Current Rate/Payments per year).
- m: Remaining term to cash flow/Active Payment Frequency.
- t<sub>n</sub>: Remaining term to cash flow n, expressed in years.

Oracle Funds Transfer Pricing derives the Macaulay duration based on the cash flows of an instrument as determined by the characteristics specified in the Instrument Table and using your specified prepayment rate, if applicable. The Duration Formula calculates a single term, that is, a point on the yield curve used to transfer price the instrument.

- Within the Duration Calculation, the discount rate or current rate, r, is defined in one of three ways, based on how the methodology is set up by the user:
  - The current rate is defined as the Current Net Rate if the processing option, "Model with Gross Rates" is not selected and the Current Gross Rate if the option is selected. The current rate is used as a constant discount rate for each cash flow.
  - The user may directly input while defining the TP rule, a constant rate to use for discounts. If specified, this rate is used as a constant discount rate for each flow.
  - The user can select to discount the cash flows using spot rates from a selected interest rate curve. With this approach, a discount rate is read from the selected interest rate curve corresponding to the term of each cash flow.

### **Note**

The Duration TP Method provides the option to Output the result of the calculation to the instrument record (TP\_DURATION). This can be a useful option if you would like to refer to the duration as a reference term within an Adjustment Rule.

Users also have the choice to populate the TP\_DURATION column directly with a value computed outside of OFSAA FTP. If this value is populated, the FTP engine reads the TP\_DURATION and will look up the FTP rate for the given term. In this case, the TP Engine does not generate cash flows and will not re-compute the DURATION. It simply uses the value that has been provided and look up the appropriate FTP rate from the specified TP Interest Rate Curve.

### 12.7.14.3 Cash Flow: Weighted Term

The Weighted Term method builds on the theoretical concepts of duration. You can use the Cash flow Duration TP method approach to the Cash Flow Weighted Term method. Based on that, the following Cash Flow Discounting Methods are used:

- Multiple Rate
- Single Rate

For more information, see the [Transfer Pricing Rules](#) section.

As shown earlier, duration calculates a weighted-average term by weighting each period,  $n$ , with the present value of the cash flow (discounted by the rate on the instrument) in that period.

Since the goal of the Weighted Term method is to calculate a weighted average transfer rate, it weights the transfer rate in each period,  $y_n$ , by the present value for the cash flow of that period. Furthermore, the transfer rates are weighted by an additional component, time, to account for the length of time over which a transfer rate is applicable. The time component accounts for the relative significance of each strip cash flow to the total transfer pricing interest income/expense. The total transfer pricing interest income/expense on any cash flow is a product of that cash flow, the transfer rate, and the term. Long-term cash flows have a relatively larger impact on the average transfer rate. The Weighted Term method, with Discounted Cash Flow option selected, can be summarized by the following formula:

**Figure 12-9 Cash Flow: Weighted Term Formula**

$$\text{Weighted-Average} = \bar{y} = \frac{\sum_{n=1}^N \left[ y_n \times \frac{CF_n}{(1+r)^m} \times t_n \right]}{\sum_{n=1}^N \left[ \frac{CF_n}{(1+r)^m} \times t_n \right]}$$

In this formula:

- $N$ : Total number of payments from Start Date until the earlier of repricing or maturity
- $CF_n$ : Cash Flow (such as Regular Principal, Prepayments, and Interest) in period  $n$
- $r$ : Periodic Rate (Current Rate/Payments per year)
- $m$ : Remaining term to Cash Flow  $n$ /active payment frequency
- $t_n$ : Remaining term to Cash Flow  $n$ , expressed in years
- $y_n$ : Transfer rate in period  $n$

Within the Cash Flow Weighted Term method definition screen, users can select the Cash Flow type as either Principal + Interest (the default selection) or Principal Only. This selection impacts the  $CF_n$  in the above formula.

Additionally, users can choose whether or not to discount the cash flows as described above. If the "Cash Flow" option is selected rather than "Discounted Cash Flow", the following simplified formula is applied:

**Figure 12-10 Cash Flow: Weighted Term Formula without Discounted Cash Flow**

$$\text{Weighted Average } y = \left( \frac{\sum_{n=1}^N [y_n \times CF \times t_n]}{\sum_{n=1}^N [CF \times t_n]} \right)$$

For this method, the following options are also provided:

- Cash Flow Weighted Rate
- Cash Flow and Terms Weighted Rate (by default, this will remain selected for all existing definitions)

If Transfer Rate needs to be weighed only by Cash Flow rather than both Cash Flow and the Cash Flow Weighted Rate can be selected, and the system will not consider terms ( $t_n$ ) for calculations.

If Cash Flow and Terms Weighted Rate is selected, then both terms, as well as Cash Flow, will be used for Weighing Transfer Rate as per calculations shown above.

The discount rate or current rate,  $r$ , is defined in one of three ways, based on how the methodology is set up by the user:

- The current rate is defined as the current net rate from the instrument record unless the processing option, "Model with Gross Rates" is selected, in which case, the current gross rate is used. The current rate is used as a constant discount rate for each cash flow.
- The user may directly input while defining the TP rule, a single constant rate to use for discounts. If specified, this rate is used as a constant discount rate for each cash flow.
- The user can select to discount the cash flows using spot rates from a selected interest rate curve. With this approach, a discount rate is read from the selected interest rate curve corresponding to the term of each cash flow.

#### **Note**

When validating the Cash Flow Weighted Term transfer rate, FE 492 (Discount Factor) from detail cash flow output is useful. FE 490 (Discount Rate) however, may be incorrect in the detailed cash flow output if the Current Net Rate is specified as the discount rate. This condition does not affect the accuracy of the calculated discount factor, only the audit table rate output for FE 490. If multiple rate discounting (based on IRC) or a single custom rate is specified, then FE 490 will be correct. For more information on FEs, see the [OFS Cash Flow Engine Reference Guide](#).

### 12.7.14.4 Cash Flow: Zero Discount Factors

The Zero Discount Factors (ZDF) method takes into account common market practices in valuing fixed-rate amortizing instruments. For example, all Treasury strips are quoted as discount factors. A discount factor represents the amount paid today to receive \$1 at maturity date with no intervening cash flows (that is, zero-coupons).

The Treasury discount factor for any maturity (as well as all other rates quoted in the market) is always a function of the discount factors with shorter maturities. This ensures that no risk-free arbitrage exists in the market. Based on this concept, one can conclude that the rate quoted for fixed-rate amortizing instruments is also a combination of some set of market discount factors. Discounting the monthly cash flows for that instrument (calculated based on the constant instrument rate) by the market discount factors generates the par value of that instrument (otherwise there is arbitrage).

ZDF starts with the assertion that an institution tries to find a funding source that has the same principal repayment factor as the instrument being funded. In essence, the institution strip funds each principal flow using its funding curve (that is, the transfer pricing yield curve). The difference between the interest flows from the instrument and its funding source is the net income from that instrument.

Next, ZDF tries to ensure consistency between the original balance of the instrument and the amount of funding required at origination. Based on the transfer pricing yield used to fund the instrument, the ZDF solves for a single transfer rate that would amortize the funding in two ways:

- Its principal flows match those of the instrument.
- The Present Value (PV) of the funding cash flows (that is, the original balance) matches the original balance of the instrument.

ZDF uses zero-coupon factors (derived from the original transfer rates, see the example below) because they are the appropriate vehicles in strip funding (that is, there are no intermediate cash flows between the origination date and the date the particular cash flow is received). The zero-coupon yield curve can be universally applied to all kinds of instruments.

This approach yields the following formula to solve for a weighted average transfer rate based on the payment dates derived from the instrument's payment data.

Customer can set IRCACCRUAL\_DSNTFACTOR\_FLAG as 'Y', in SETUP\_MASTER table; in case you want to use IRC accrual for discount factor calculations. By default, system always converts IRC to A/A before it is used for discount factor calculations.

Execute the following SQL statement to set IRCACCRUAL\_DSNTFACTOR\_FLAG to Y:

```
Insert into SETUP_MASTER
(V_COMPONENT_CODE,V_COMPONENT_DESC,V_COMPONENT_VALUE) values
('IRCACCRUAL_DSNTFACTOR_FLAG','IRCACCRUAL_DSNTFACTOR_FLAG','Y');
```

**Figure 12-11 Zero Discount Factors = y =**

$$100 \times \left[ \frac{B_0 - \sum_{n=1}^N (B_{n-1} \times DTP_n) + \sum_{n=1}^N (B_n \times DTP_n)}{\sum_{n=1}^N (B_{n-1} \times DTP_n)} \right] \times p$$

In this formula:

- B0: Beginning balance at the time, 0
- Bn-1: Ending balance in the previous period
- Bn: Ending balance in the current period
- DTPn: Discount factor in period n based on the TP yield curve

- N: Total number of payments from Start Date until the earlier of repricing or maturity
- p: Payments per year based on the payment frequency; (for example, monthly payments gives p=12)

#### ① Note

While calculating the number of payments per year, the system can consider the accrual factor defined at the account level when the **Consider Account Accrual Factor** checkbox is enabled.

This following table illustrates how to derive zero coupon discount factors from monthly pay transfer pricing rates.

**Table 12-5 Deriving Zero-Coupon Discount Factors: An Example**

| Term in Months | (a) Monthly Pay Transfer Rates | (b) Monthly Transfer Rate: (a)/12 | (c) Numerator (Monthly Factor): 1+ (b) | (d) PV of Interest Payments: (b)*Sum((f)/100 to current row | (e) Denominator (1 - PV of Int Pmt): 1 - (d) | (f) Zero-Coupon Factor: [(e)/(c) * 100 |
|----------------|--------------------------------|-----------------------------------|----------------------------------------|-------------------------------------------------------------|----------------------------------------------|----------------------------------------|
| 1              | 3.400%                         | 0.283%                            | 1.002833                               | 0.000000                                                    | 1.000000                                     | 99.7175                                |
| 2              | 3.500%                         | 0.292%                            | 1.002917                               | 0.002908                                                    | 0.997092                                     | 99.4192                                |
| 3              | 3.600%                         | 0.300%                            | 1.003000                               | 0.005974                                                    | 0.994026                                     | 99.1053                                |

Indeed, the discount factor is calculated using the following formula:

$$1 / ((1 + \text{Discount rate}/100)^{(\text{Annualized Discount Term})})$$

For more details, you can refer to [OFS Cash Flow Engine Reference Guide](#).

#### ① Note

For the ZDF method, the discount factor used for discounting cash flows is output as FE 490, after multiplied by 100. For more information on FES, see the [OFS Cash Flow Engine Reference Guide](#).

## 12.7.14.5 Moving Averages

Under this method, a user-definable moving average of any point on the transfer pricing yield curve can be applied to a transaction record to generate transfer prices. For example, you can use a 12-month moving average of the 12-month rate to transfer price of a particular product.

The following options become available on the user interface (UI) along with Arithmetic and Geometric mean, with this method:

- **Interest Rate Code:** Select the Interest Rate Code to be used as the yield curve to generate transfer rates.
- **Assignment Date:** The Assignment Date allows you to choose the date from which the Moving Average will be calculated. Choices available are the As of Date, Last Repricing

Date, Origination Date, Commitment Start Date, TP Effective Date, or Adj Effective Date. If the selected date is null or 01-Jan-1900, then As of Date will be used as fallback logic.

- **Yield Curve Term:** The Yield Curve Term defines the point on the Interest Rate Code that is used.
- **Historical Range:** The Historical Term defines the period over which the average is calculated.

The following table illustrates the difference between the yield curve and historical terms.

**Table 12-6 Yield and Historical Terms: An Example**

| Moving Average                                 | Yield Curve Term      | Historical Range |
|------------------------------------------------|-----------------------|------------------|
| Six-month moving average of the 1-year rate    | 1 year (or 12 months) | 6 months         |
| Three-month moving average of the 6-month rate | 6 months              | 3 months         |

The range of dates is based on the As-of-Date minus the Historical Term plus one, because the Historical Term includes the As-of-Date.

**Table 12-7 Assignment Date and Transfer Rate Calculation**

| Icons                 | Description                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| As Of Date            | If the As-of-Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms. As of Date is available only of the selected source is Ledger table. |
| Last Repricing Date   | If the Last Repricing Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms.                                                             |
| Origination Date      | If the Origination Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms.                                                                |
| Commitment Start Date | If the Commitment Start Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms.                                                           |
| TP Effective Date     | If the TP Effective Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms.                                                               |

**Table 12-7 (Cont.) Assignment Date and Transfer Rate Calculation**

| Icons                     | Description                                                                                                                                                                                                                                                                                      |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Adjustment Effective Date | If the Adjustment Effective Date is Nov 21, the Yield Curve Term selected is Daily, and the Historical Term selected is 3 Days, then, the system will calculate the three-day moving average based on the rates for Nov 19, 20, and 21. The same logic applies to monthly or annual yield terms. |

**Note**

If any of the above date values are 01-Jan-1900 or blank or null, then the OFS FTP engine considers As-of-Date for Transfer Rate calculation.

After you select the date, OFS FTP computes the Historical Rate using the selected date. OFS FTP takes the values of the yield curve points that fall within that range and does a straight average.

**Note**

The Moving Averages method applies to either data source: Management Ledger Table or Account Tables.

## 12.7.14.6 Straight Term

When you select the Straight Term method and Standard Term approach, the system derives the transfer rate using the last repricing date and the next repricing date for adjustable-rate instruments, and the origination date and the maturity date for fixed-rate instruments.

- Standard Calculation Mode:
  - For Fixed Rate Products (Repricing Frequency = 0), use Yield Curve Date = Origination Date, Yield Curve Term = Maturity Date - Origination Date.
  - For Adjustable Rate Products (Repricing Frequency > 0)
    - \* For loans still in the tease period (tease end date > As-of-Date, and Tease End Date > Origination Date), use Origination Date and Tease End Date - Origination Date.
    - \* For loans not in the tease period, use the Last Repricing Date and Repricing Frequency.

**Note**

For loans in the Tease period, the Next Reprice Date should reflect the end of the Tease Period and the reprice frequency should reflect the expected reprice frequency after the tease period ends.

- Remaining Term Calculation Mode:
  - For Fixed Rate Products, use As-of-Date and Maturity - As-of-Date.



- For Adjustable Rate Products, use As-of-Date and Next Repricing Date - As-of-Date. In addition to the standard logic used for determining the appropriate “Term”, users also have the option to select either Original Term or Repricing Frequency and also have the option to modify these terms using simple mathematical operators. These options can be useful in cases where the straight term method should be applied to the same record under different circumstances. For example, for calculating the base rate on an adjustable-rate instrument, the standard approach should be used. For the same instrument, users may further want to use the entire original term for applying a liquidity premium or other add-on rate. To support the second case, we give the option to directly specify the term to be used, and we further provide the option to modify the term using simple operators, such as +, -, \*, /.

The following options become available in the application with this method:

- **Term:** Select from Standard, Original Term, or Reprice Frequency. Standard is the default selection and the resulting Term will follow the above logic. The Original Term and Reprice Frequency options allow users to override the standard logic and specify which term to use.
- **Adjustment Operator:** When either Original Term or Reprice Frequency is selected as the Term, the Adjustment Operator becomes active. The term adjustment is optional and gives users the ability to modify the term.
- **Adjustment Amount:** This input works together with the adjustment operator to indicate how the term should be modified.
- **Interest Rate Code:** Select the Interest Rate Code to be used for transfer pricing the account.
- **Mid-Period Repricing Option:** Select the checkbox beside this option to invoke the Mid-Period Repricing option.
- **Holiday Calendar:** Select whether a holiday calendar is applicable for calculating the charges/credits or for calculating Economic Value.
- **Rolling Convention:** Select the appropriate business day rolling convention if a Holiday Calendar is selected.
- **Interest Calculation Logic:** Select the appropriate option to indicate how the interest payment should be adjusted when a holiday date is encountered.

 **Note**

The Straight Term method applies only to accounts that use Account Tables as the data source.

For more information, see the [Transfer Pricing Rules](#) section.

## 12.7.14.7 Spread from Interest Rate Code

Under this method, the transfer rate is determined as a fixed spread from any point on an Interest Rate Code. The following options become available on the application with this method:

- **Interest Rate Code:** Select the Interest Rate Code for transfer pricing the account.
- **Yield Curve Term:** The Yield Curve Term defines the point on the Interest Rate Code that will be used to transfer price. If the Interest Rate Code is a single rate, the Yield Curve



Term is irrelevant. Select Days, Months, or Years from the drop-down list, and enter the number.

- **Lag Term:** While using a yield curve from an earlier date than the Assignment Date, you need to assign the Lag Term to specify a length of time before the Assignment Date.
- **Rate Spread:** The transfer rate is a fixed spread from the rate on the transfer rate yield curve. The Rate Spread field allows you to specify this spread.
- **Assignment Date:** The Assignment Date allows you to choose the date for which the yield curve values are to be picked up. Choices available are the As-of-Date, Last Repricing Date, Origination Date, Adjustment Effective Date, or TP Effective Date.
- **Mid-Period Repricing Option:** Select the check box beside this option to invoke the Mid-Period Repricing option.

#### Note

The Spread From Interest Rate Code method applies to either data source: Ledger Table or Account Tables.

## 12.7.14.8 Spread from Note Rate

To generate transfer prices using this method, you need to provide just one parameter: a rate spread. This spread is added or subtracted from the coupon rate of the underlying transaction to generate the final transfer rate for that record.

While entering the rate spread, make sure to input it with the appropriately positive or negative sign, as illustrated in the following table. The first row describes a situation where you are transfer pricing an asset and want to have a positive matched spread for it (the difference between the contractual rate of the transaction and the transfer rate is positive). Here, you should enter a negative rate spread.

**Table 12-8 Example of Rate Spread**

| Account Type        | Matched Spread | Sign of Rate Spread     |
|---------------------|----------------|-------------------------|
| Asset               | Negative       | Positive (Profitable)   |
| Asset               | Positive       | Negative (Unprofitable) |
| Liability or Equity | Positive       | Positive (Profitable)   |
| Liability of Equity | Negative       | Negative (Unprofitable) |

The following option becomes available in the application when you select this method:

- **Mid-Period Repricing Option:** Select the check box beside this option to invoke the Mid-Period Repricing option.

#### Note

The Spread From Note Rate method applies only to accounts that use Account Tables as their data source.

### 12.7.14.9 Redemption Curve

This method allows you to select multiple-term points from your transfer pricing yield curve and calculate an average transfer rate based on the weights you assign to each term point. The following options become available in the application with this method:

- **Interest Rate Code:** Select the Interest Rate Code, which you want to use as the transfer pricing yield curve.
- **Assignment Date:** The Assignment Date allows you to choose the date for which the yield curve values will be picked up. Choices available are the As-of-Date, Last Repricing Date, Origination Date, Adjustment Effective Date, or TP Effective Date.
- **Percentages or Term Points:** See Redemption Curve.
- **Mid-Period Repricing Option:** Select the check box beside this option to invoke the Mid-Period Repricing option.

#### ① Note

The Redemption Curve method applies to either data source: Ledger Table or Account Tables.

### 12.7.15 Defining Transfer Pricing Methodologies Using Node Level Assumptions

In Oracle Funds Transfer Pricing, your product portfolio is represented using the Product Dimension specified in your FTP Application Preferences. Node Level Assumptions allow you to define transfer pricing, prepayment, and adjustment assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining transfer pricing, prepayment, and adjustment assumptions. Child nodes for which no assumptions are specified automatically inherit the methodology of their closest parent node. Conversely, explicit definitions made at a child level will take precedence over any higher-level parent node assumption.

Node level assumptions simplify the process of applying rules in the user interface and significantly reduce the effort required to maintain business rules over time as new products are added to the product mix. It is also not required for all rules to assign assumptions to the same nodes. Users may assign assumptions at different levels throughout the hierarchy.


#### ① Note

While creating a new rule, if you perform any activities (such as conditional assumption creation, defining products, search, copy across, and so on) in the Assumption window and click the Cancel button, the Rule will be saved with basic Rule definition and displayed in Rule summary page.

The Behavior of Node Level Assumptions:

The following graphic displays a sample product hierarchy:

Figure 12-12 Sample Product Hierarchy



Suppose you want to transfer price this product hierarchy using the Spread from Interest Rate Code transfer pricing method except for the following products:

- **Mortgages:** You want to transfer price these using the Zero Discount Factors cash flow based method.
- **Credit Cards:** You want to transfer price all but secured credit cards using the Spread from Note Rate method.

To transfer price in this manner, you need to attach transfer-pricing methods to the nodes of the product hierarchy as follows:

- Hierarchy Root Node: Spread from Interest Rate Code
- Mortgages: Zero Discount Factors Cash Flow
- Credit Cards: Spread from Note Rate
- Secured Credit Cards: Spread from Interest Rate Code

The transfer pricing method for a particular product is determined by searching up the nodes in the hierarchy. Consider the Secured Credit Cards in the previous example. Since the Spread from IRC is specified at the leaf level, the system does not need to search any further to

calculate the transfer rates for the Secured Credit Cards. However, for a Premium Credit Card, the system searches up the hierarchical nodes for the first node that specifies a method. The first node that specifies a method for the Premium Credit Card is the Credit Card node and it is associated with the Spread from Note Rate method.

#### Note

Not specifying assumptions for a node is not the same as selecting the "Do Not Calculate" method. Child nodes for which no assumptions are specified automatically inherit the methodology of their closest parent node. So if neither a child node nor its immediate parent has a method assigned, the application searches up the nodes in the hierarchy until it finds a parent node with a method assigned, and uses that method for the child node. If there are no parent nodes with a method assigned then the application triggers a processing error stating that no assumptions are assigned for the particular product/currency combination. However, if the parent node has the "Do Not Calculate" method assigned to it then the child node inherits "Do Not Calculate", obviating the need for calculation and a processing error.

All parameters that are attached to a particular methodology (such as Interest Rate Code) are specified at the same level as the method. If multiple Interest Rate Codes are to be used, depending on the type of the product, the method would need to be specified at a lower level. For instance, if you want to use IRC 211178 for Consumer Products and IRC 3114 for Commercial Products, then the transfer pricing methodologies for these two products need to be specified at the Commercial Products and Consumer Products nodes.

You need not specify prepayment assumptions at the same nodes as transfer pricing methods. For example, each mortgage category can have a different prepayment method while the entire Mortgage node uses the Zero Discount Factors cash flow method for transfer pricing.

## 12.7.16 Define Adjustment Rules

Adjustment Rules allow users to define Transfer Pricing Add-on rates that are assigned incrementally to the base FTP rate to account for a variety of miscellaneous risks such as Liquidity risk or Basis risk or to supplement strategic decision-making with Pricing Incentives, Breakage Charges, or other types of rate adjustments.

Within both the Standard and Stochastic Transfer Pricing Processes, users can select an appropriate Adjustment rule to calculate add-on rates or breakage charges.

Add-on rates can be a fixed rate, a fixed amount, or a formula based rate. Breakage Charges can be a fixed percentage, a fixed amount or can be calculated on an Economic Loss basis. The adjustments are calculated and output separately from the base funds transfer pricing rate, so they can be easily identified and reported. Additionally, adjustments allow you to apply event-based logic through the use of conditional assumptions that are applied or varied only if a specific condition is satisfied.

### 12.7.16.1 Adjustment Methods and Rules

You can use any of the following methods in an Adjustment Rule when the selected Adjustment Type is Liquidity Premium, Basis Risk Cost, Pricing Incentive, or Other Adjustment:

- [Adjustment - Fixed Rate](#)
- [Adjustment - Fixed Amount](#)
- [Adjustment - Formula Based Rate](#)

- [Adjustment - Use TP Method from selected TP Rule](#)

Alternatively, you can use any of the following methods in an Adjustment Rule when the selected Adjustment Type is Breakage Charge:

- Economic Loss
- Fixed Amount
- Fixed Percentage

### 12.7.16.1.1 Adjustment - Fixed Rate

**Figure 12-13 Adjustment Rule Details**

The screenshot displays the 'Adjustment Rule Details' configuration interface. It includes sections for 'Adjustment Type' (set to Breakage Charge), 'Define Adjustment Rate' (set to Fixed Rate), and 'Parameters'. The 'Parameters' section contains a table with columns for Term, Multiplier, Operator, and Rate. The table shows a configuration with Term '12', Multiplier '12', Operator 'Months', and Rate '12'. There are also buttons for 'Apply' and 'Cancel'.

The Fixed Amount Adjustment method allows the user to associate an amount with specific terms or term ranges. Reference term selections include the following:

- **Repricing Frequency:** The fixed amount is matched to the specified reprice frequency of the instrument. If the instrument is a fixed rate and, therefore, does not have a reprice frequency, the fixed amount lookup happens based on the original term of the instrument.
- **Original Term:** The calculation assigns the fixed amount based on the original term on the instrument.
- **Remaining Term:** The calculation assigns the fixed amount based on the remaining term of the instrument.

The remaining term value represents the remaining term of the contract and is expressed in days.

- **Holiday Calendar:** Select if a holiday calendar is applicable for calculating the charges/credits.
- **Rolling Convention:** Select the appropriate business day rolling convention if a Holiday Calendar is selected.
- **Interest Calculation logic:** Select the appropriate option to indicate how the interest payment should be adjusted when a holiday date is encountered.

Remaining Term = Maturity Date – As-of-Date.

- **Duration (read from the TP\_DURATION column):** The calculation assigns the fixed amount based on the Duration of the instrument, specified in the TP\_DURATION column.
- **Average Life (read from the TP\_AVERAGE\_LIFE column):** The calculation assigns the fixed amount based on the Average Life of the instrument, specified in the TP\_AVG\_LIFE column.

You can create your reference term ranges and assign a particular adjustment amount to all instruments with a reference term falling within the specified range.

### Note

All adjustment rates should be input as annual rates.

## 12.7.16.1.2 Adjustment - Fixed Amount

**Figure 12-14 Adjustment Rule Details**

The Fixed Amount Adjustment method allows the user to associate an amount with specific terms or term ranges. Reference term selections include the following:

- **Repricing Frequency:** The calculation retrieves the rate for the term point equaling the reprice frequency of the instrument. If the instrument is a fixed rate and, therefore, does not have a reprice frequency, the calculation retrieves the rate associated with the term point equaling the original term on the instrument.
- **Original Term:** The calculation retrieves the rate for the term point equaling the original term on the instrument.
- **Remaining Term:** The calculation retrieves the rate for the term point corresponding to the remaining term of the instrument. The remaining term value represents the remaining term of the contract and is expressed in days. Remaining Term = Maturity Date – As-of-Date.
- **Duration (read from the TP\_DURATION column):** The calculation retrieves the rate for the term point corresponding to the Duration of the instrument, specified in the TP\_DURATION column.
- **Average Life (read from the TP\_AVERAGE\_LIFE column):** The calculation retrieves the rate for the term point corresponding to the Average Life of the instrument, specified in the TP\_AVG\_LIFE column.

You can create your reference term ranges and assign a particular adjustment amount to all instruments with a reference term falling within the specified range.

- **Holiday Calendar:** Select if a holiday calendar is applicable for calculating the charges/credits.
- **Rolling Convention:** Select the appropriate business day rolling convention if a Holiday Calendar is selected.
- **Interest Calculation logic:** Select the appropriate option to indicate how the interest payment should be adjusted when a holiday date is encountered.

**Note**

All adjustment amounts should be input in base currency for the selected product/currency combination.

## 12.7.16.1.3 Adjustment - Formula Based Rate

**Figure 12-15 Adjustment Rule Details - Formula Based Rate**

The Formula Based Rate Adjustment method allows the user to determine the add-on rate based on a lookup from the selected yield curve, plus a spread amount, and then the resulting rate can be associated with specific terms or term ranges. Reference term selections include:

- **Repricing Frequency:** The calculation retrieves the rate for the term point equaling the repricing frequency of the instrument. If the instrument is a fixed rate and, therefore, does not have a repricing frequency, the calculation retrieves the rate associated with the term point equaling the original term on the instrument.
- **Original Term:** The calculation retrieves the rate for the term point equaling the original term on the instrument.
- **Remaining Term:** The calculation retrieves the rate for the term point corresponding to the remaining term of the instrument. The remaining term value represents the remaining term of the contract and is expressed in days.  
Remaining Term = Maturity Date – As-of-Date
- **Duration (read from the TP\_DURATION column):** The calculation retrieves the rate for the term point corresponding to the Duration of the instrument, specified in the TP\_DURATION column.
- **Average Life (read from the TP\_AVERAGE\_LIFE column):** The calculation retrieves the rate for the term point corresponding to the Average Life of the instrument, specified in the TP\_AVG\_LIFE column.

You can create your reference term ranges and assign a particular formula based adjustment rate to all instruments with a reference term falling within the specified range.

With this method, you also specify the Interest Rate Code and define an Assignment Date for the Rate Lookup. The Interest Rate Code can be any IRC defined within Rate Management, but will commonly be a Hybrid IRC defined as a Spread Curve (for example, Curve A – Curve B).

Assignment Date selections include:



- As-of-Date
- Last Repricing Date
- Origination Date
- TP Effective Date
- Adjustment Effective Date
- Commitment Start Date

Each term range additionally allows users to input a Rate Cap and a Rate Floor. These boundaries will only apply to the 'Formula Based Method' and 'Use TP Method from TP Rule' based adjustments. These are optional inputs. This input limits the Max or Min rate regardless of the rate passed by the Formula/TP Rule. Sometimes, there may be major external events that cause a short-term spike in rates and certain accounts may be negatively impacted as a result. Applying a rate cap (or floor) allows business users to limit these spikes.

### Note

Term range considers one month equal to 30.416667 days and 1 year = 365 days, therefore, 12 Months would marginally be more than one year by 0.000004 days.

The formula definition is comprised of the following components.

**Figure 12-16 Adjustment Rate Details - Formula Based Rates**

- **Term Point:** This allows you to associate a specific term point from the IRC to each Term Range.
- **Coefficient:** This allows you to define a multiplier that is applied to the selected rate.
- **Rate Spread:** This allows you to define an incremental rate spread to be included on top of the IRC rate.

The resulting formula for the adjustment rate: (Term Point Rate \* Coefficient) + Spread For example:

**Figure 12-17 Formula Rate Parameters**



**Note**

For increased precision, you can reduce the Term Ranges to smaller term increments allowing you to associate specific IRC rate tenors with specific terms.

- **Holiday Calendar:** Select if a holiday calendar is applicable for calculating the charges/credits.
- **Rolling Convention:** Select the appropriate business day rolling convention if a Holiday Calendar is selected.
- **Interest Calculation logic:** Select the appropriate option to indicate how the interest payment should be adjusted when a holiday date is encountered.

#### 12.7.16.1.4 Adjustment - Use TP Method from Selected TP Rule

The Use TP Method from Selected TP Rule selection allows the user to calculate the add-on rate based on any TP method available in the selected Transfer Pricing Rule.

**Figure 12-18 Adjustment Rule (Edit Mode)**

Adjustment Rule  
Assumption Specification > Adjustment Rule (Edit Mode)

Adjustment Rule

Name \* PS - 8074 Avg Life Test

Description

Folder \* PFTEG

Access Type \* ☒ Read/Write ☐ Read Only

Product Hierarchy Selection

Folder \* PFTEG

Product Hierarchy \* PS - Bulk Update Test Hie

Currency Selection

Currency \* Thai Baht

US Dollar

Adjustment Type Selection

| Adjustment Type *                                    | Folder | Transfer Pricing Rule    |
|------------------------------------------------------|--------|--------------------------|
| <input checked="" type="checkbox"/> Basis Risk Costs | PFTEG  | PS - 8074 Prepay TP Rule |
| <input type="checkbox"/> Liquidity Adjustment        | PFTEG  | PS - 8074 Prepay TP Rule |
| <input type="checkbox"/> Other Adjustments           | PFTEG  | PS - 8074 Prepay TP Rule |

Assumption Browser Assumption List

Assumption Browser

**Figure 12-19 Adjustment Rule Details - TP Method**

Adjustment Rule  
Adjustment Rules > > Adjustment Rule (Definition Mode)

Adjustment Type

☐ Adjustment Type Selection

☒ Basis Risk Costs

Define Adjustment Rule

Selected Product: Loan Auto

Term: Standard

Adjustment Method: UseTP Method from Selected TP Rule

Output Audit Detail: ☐

Parameters

Rate Cap: 99,999

Rate Floor: -99,999

Apply Cancel

Users can attach any Transfer Pricing Rule on the Adjustment Rule summary page separately for each type of add-on rate. The TP Methods mapped to product hierarchy members in the TP Rule will be read during the adjustment rate calculation process and applied during the calculation of the Adjustment Rate(s). Outputs will be written to the respective Adjustment Rate column, for example, Basis Risk Cost Rate, Liquidity Premium Rate, Pricing Incentive Rate, or Other Adjustment Rate.

- **Term:**
  - **Standard Term:** Adjustment would be calculated as per the repricing period for adjustable-rate instruments and use the original term (maturity date - origination date) for fixed-rate instruments.
  - **Original Term:** Adjustments would be calculated as per the original term like a fixed-rate instrument.

If the underlying TP method is (Cash Flow: Average Life or Cash Flow: Duration) and output average life or duration is selected.

A table FSI\_O\_FTP\_ADJ\_TP\_VALUES has been introduced to store average life or duration values for each of the adjustment types. Each value will be tagged to a particular adjustment type based on the following ADJUSTMENT\_TYPE\_CD's:

- Liquidity Adjustment (1)
- Basis Risk Cost (2)
- Pricing Incentive (3)
- Other Adjustments (4)

The same account can have multiple average life/duration values stored against a particular adjustment type; as values are not overwritten and can be uniquely identified using Batch Run ID.

Adjustments using cash flow TP methods will generate cash flows and be stored in the FSI\_O\_PROCESS\_CASH\_FLOWS table, irrespective of whether TP Average Life or TP Duration is updated in the instrument record or not.

Additionally, a Delete Batch procedure is introduced – This purge batch has been provided to delete records in FSI\_O\_FTP\_ADJ\_TP\_VALUES as per selected from and to “As-of-Date”.

#### Note

Adjustment Rates are always processed row by row rather than in bulk, so care should be taken when selecting a TP Method for use in calculating an Adjustment Rate. Specifically, bulk methods should be tested to ensure results and performance are as expected.

## 12.7.17 (Mandatory) Defining and Running the Balance Sheet Planning Process

When all of the assumptions for a forecast are defined, users can define and execute BSP Processes where they combine the relevant assumptions into a BSP simulation run. BSP Processes initialize all selected assumption data and call the cash flow engine to execute the selected calculation processes and generate a result set. A BSP Process requires specific inputs based on the BSP Process type, including:

- Product Hierarchy / Data Source selection

- Calculation Elements
- Process Assumption Rules
- Output Preferences
- Audit Preferences
- Processing Parameters

Defining options within each of these pages and saving the process creates a unique Process Identifier for individual forecasting objectives.

## 12.7.18 Reviewing Processing Errors

There is always the possibility that errors may occur during the execution of a BSP Process. A log of such errors is generated during processing and can be accessed by selecting the "View Log" link from the BSP Process summary pages. Within this log, the report lists the specific transaction for which an error was generated and provides the internally generated identifier of the BSP Process that generated it.

As part of the rectification process, it is advisable to determine what caused the error and what should be done to correct it for the next run.

## 12.7.19 Accessing Balance Sheet Planning, Detail Cash Flow Results

Detailed cash flow results for individual account records can be written to an audit table for validation purposes. If you select the Detailed Cash Flows audit option on the BSP Process - Audit Block, the detailed cash flow results are written to the FSI\_O\_PROCESS\_CASH\_FLOWS table.

Application Preferences > Maximum Number of Instrument Records to Include in Detail Cash Flow Output.

## 12.7.20 Analyzing Results

You should always analyze results obtained from the BSP Engine. For example, you should review the forecast rate – audit information to ensure that the new business rates and resulting interest accruals have been generated correctly for each scenario.

In addition, you should review both your beginning balances and resulting balances in each forecast period as well as your scenario-specific behavioral assumptions to verify that assumptions have been defined and applied correctly. The following relational database tables are populated with BSP Static Deterministic process results and can be queried directly by a SQL query tool such as Oracle SQL Developer:

**Table 12-9 Database Tables Populated with Static Deterministic Process**

| Table Name    | Description                                                                                                                                                                                                                                                                                                                                                                         | Sample SQL query                                                                                                                                  |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Result Master | Static and point-in-time information such as current balance, current rate, current transfer rate, yield to maturity, market value, duration, DV01, and convexity are stored in this table for each Product COA member included in the process, for all scenarios associated with the process. Result Master data is stored in original / base currency.                            | <code>select * from fsi_o_result_master<br/>where result_sys_id=xxxxxx<br/>order by start_date_index,<br/>scenario_num, product_id;</code>        |
| Result Detail | Cash flow results are stored in result detail and are spread across columns based on the "active" time bucket rule used when the process was run. Each row of data represents a distinct Financial Element such as Beginning Balance, Average Balance, Ending Balance, Interest Cash Flow, Principal Cash Flow, and so on. Result Detail data is stored in original/ base currency. | <code>select * from res_dtl_xxxxxx order<br/>by start_date_index,<br/>scenario_num, product_id,<br/>financial_elem_id,<br/>result_type_cd;</code> |

## 12.7.21 Reprocessing Erroneous Accounts

While reviewing your results, you might discover accounts with invalid results that need to be reprocessed. Oracle BSP Processes allow you to rerun a subset of information to make corrections to appropriate products when needed.

If you need to reprocess a portion of your instrument data, make sure that you reprocess all the Product dimensions members, across all instrument tables where relevant data exists.

# Common Rule Management Tasks

The rule management tasks that are common to business rules in this and other OFSAA applications are as follows.

This section focuses on the rule management tasks that are common across all rules in this application.

The procedures for carrying out these tasks are the same for each rule type, except for rule-specific steps explicitly stated in the rule-specific documentation.

## Note

You can perform these tasks from the Summary page for the rule type with which you are working. Depending on the rule type, some tasks might not be available.

## Topics

- [Rule Summary Page](#)
- [Searching for Rules](#)
- [Creating Rules](#)
- [Viewing and Editing Rules](#)
- [Copying Rules](#)
- [Deleting Rules](#)
- [Dependency Checking](#)

## 13.1 Rule Summary Page

The Rule summary page is the gateway to all rules and related functionality of the application. From there, you can navigate to other related pages. On the header of the Rule summary page, you can perform simple queries on Folder, Rule Name, and in many cases, the dimension upon which the rule is based.

For example, the following table shows the Rule Summary page components of the Payment Pattern Rule.

**Table 13-1 List of key terms used in Common Rule Summary page**

| Name   | Description                                                                                     |
|--------|-------------------------------------------------------------------------------------------------|
| Folder | Filter the rules under the folder.<br>The default value must be set in Application Preferences. |

**Table 13-1 (Cont.) List of key terms used in Common Rule Summary page**

| Name               | Description                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| (Rule) Name        | You can specify all or part of a rule name. For example, if you want to see only those Rules which start with 'A' – Enter A in the text field. |
| Dimension          | The default value must be set in Application Preferences.                                                                                      |
| Search             | Initiates rule search based on specified criteria.                                                                                             |
| Reset              | Restores default search criteria.                                                                                                              |
| Add                | Initiates the Data or Ledger Loader rule creation process                                                                                      |
| (Rule) Name        | Hover over this to show the rule description and in some cases also displays the unique system ID number.                                      |
| Created By         | Shows who created the Rule version.                                                                                                            |
| Creation Date      | Shows when the Rule was created.                                                                                                               |
| Last Modified By   | Shows who last modified the rule.                                                                                                              |
| Last Modified Date | Shows when the rule was last modified.                                                                                                         |
| View               | Opens the selected rule in read-only mode.                                                                                                     |
| Edit               | Opens the selected rule in edit mode.                                                                                                          |
| Delete             | Deletes the selected Rule.                                                                                                                     |
| Copy               | Initiates the process for copying rules.                                                                                                       |
| Run                | Initiates the process for running Rules.                                                                                                       |
| Pagination Options | Indicates the number of rows to display per page in the summary table.<br><br>The default value must be set in Global Preferences.             |

## 13.2 Searching for Rules

Search for a business rule to perform any of the following tasks:

- **Update, Copy, Delete, or Run** existing rules.
- Define methodologies for products or define other processing assumptions

To search for a rule, follow these steps:

1. Navigate to the **Rule Summary** page for the appropriate rule type.
2. Select the folder from the **Rule Summary** page in which the rule is stored.
3. (Optional) Enter the name of the rule.
4. Click **Search** button.  
Only rules that match the search criteria are displayed.

To search for a rule in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page for the appropriate rule type.
2. Click Search button in the Search area .
3. Enter Rule name, description, or select folder, and then click Search.

4. When you click Search, depending upon the search criteria, this filters, and displays the relevant search combination parameters under the Rule Summary as a list.

## 13.3 Creating Rules

You create a rule to specify the way you want a particular task or business process to be carried out by the application. Creating a rule is a process in which you specify the properties for the rule itself.

To create a new rule, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to create. Every rule has a separate Summary page.
2. Click **Add** to display the **Rule Definition** page.
3. Enter a name for the rule.  
The name of a rule must be unique within the selected folder for each rule type.
4. Select the folder in which you want to store the rule.  
(Optional) Enter a description for the rule.
5. Select the required access for other users.
6. Click **Apply** or **Save**, depending on the rule type.
7. Specify any other properties or options that may apply for the rule that you are creating.

To create a new rule/process in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to create. Every rule has a separate Summary page.
2. Click **Add** to display the Rule Definition page.
3. Enter a name for the rule.  
The name of a rule must be unique within the selected folder for each rule type.
4. Select the folder in which you want to store the rule.
5. (Optional) Enter a description for the rule.
6. Select the required access for other users.
7. Click **Apply** or **Save**, depending on the rule type.
8. Specify any other properties or options that may apply to the rule that you are creating.

## 13.4 Viewing and Editing Rules

You can view existing rules, and you can edit existing rules, provided you have read/write privileges.

To view and edit a rule, follow these steps:

1. Navigate to the **Rule Summary** page of the rule you want to update.
2. Search for a Rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate rule and click **Edit** to open the rule you want to update.
4. Update the Name or Description.
5. Click **Apply** or **Save**, depending on the rule type.

To view and edit a rule in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page of the rule you want to update.
2. Search for a Rule. For further information, see the [Searching for Rules](#) section.
3. Click in the **Action** column and select **View/Edit** to open the rule you want to update.
4. Update the rule details.
5. Click **Apply** or **Save**, depending on the rule type.

## 13.5 Copying Rules

You can copy rules to avoid having to enter data multiple times. This saves time and effort and also reduces mistakes.

To copy a rule, follow these steps:

1. Navigate to the **Rule Summary** page of the rule you want to copy.
2. Search for a Rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate rule and click **Copy** to duplicate the rule.
4. Select a folder where you want to save the rule copy.
5. Enter a unique name for the new rule.
6. (Optional) Enter a brief description of the rule.
7. Select the access type.
8. Click **Save** button.

To copy a rule in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page of the rule you want to copy.
2. Search for a Rule.  
For more information, see the [Searching for Rules](#) section.
3. Click in the **Action** column and select **Save As** to duplicate the rule.
4. Select a folder where you want to save the rule copy.
5. Enter a unique name for the new rule.  
Optional) Enter a brief description of the rule.
6. Select the access type.
7. Click the **Save** button.

## 13.6 Deleting Rules

You can delete rules that are no longer required.

### Note

A rule cannot be retrieved after deletion.



Restrictions on deleting rules are:

- You cannot delete rules if you have only Read privileges. Only users with read/write privilege and rule owners can delete rules.
- You cannot delete a rule that has a dependency.

To delete a rule, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to delete.
2. Search for a Rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate Rule and click **Delete**.

To delete a rule in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to delete.
2. Search for a Rule.  
For more information, see the [Searching for Rules](#) section.
3. Click in the **Action** column and select **Delete**.

## 13.7 Dependency Checking

You can check dependencies for rules to know where a particular rule, dimension, member, attribute, IRC has been used. This also prevents accidental deletion of rules having dependencies.

To check the dependency of a rule, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to check dependencies.
2. Search for a rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate rule or rules and click **Check Dependencies** corresponding to the rule that you want to check for.

**Note**

You can select more than one rule at a time to check dependencies.

The Dependency Information window opens containing the following information: Child Object Name, Child Object Type, Folder, Parent Object Name, Parent Object Type, and Folder.

For example, if a Product Characteristics rule 'A' which has been used in a static deterministic process 'P' is checked for dependencies, then the following information is displayed in the Dependency Information window.

Child object Name –A

Child Object Type – Product Characteristics

Folder – The folder name in which A resides

Parent Object Name - P

Parent Object Type – Static Deterministic Process

Folder - The folder name in which P resides

**Note**

You cannot delete a child object which has dependencies. You will get a message: *Dependencies found. Cannot delete.*

To delete the child, you must first delete the outermost parent object which uses the child.

To check the dependency of a rule in Cash Flow Process, Cash Flow Edit Process, and Forecast Rate windows, follow these steps:

1. Navigate to the **Rule Summary** page of the Rule you want to check dependencies.
2. Search for a rule. For further information, see the [Searching for Rules](#) section.
3. Click in the **Action** column and select **Dependency Check** to the rule that you want to check for.

# 14

## Cash Flow Edits

This module discusses the procedure for validating and cleansing your Instrument table data before you process it to generate cash flow-based results.

The cash Flow Edit process allows you to verify the accuracy and check the completeness of your Instrument table data.

**Note**

Cash Flow Edits do not support the Derivatives tables.

The procedure for working with and managing a Cash Flow Edit process is similar to that of the Oracle Cash Flow Engine processes.

**Figure 14-1 Cash Flow Edit Summary page**

Cash Flow Edits Summary

Filters: 

Name

Description

Folder: CFSEEG

Sort By: 

Process Id

Field Search

Page 1 (0 of 0 items)

< 1 >

| Process Id          | Name | Folder | Access Type | Status | Last Run By | Last Run Date | Action |
|---------------------|------|--------|-------------|--------|-------------|---------------|--------|
| No data to display. |      |        |             |        |             |               |        |

Page 1 (0 of 0 items)

< 1 >

The definitions based on the search criteria are listed under List of Cash Flow Edits. This is the search section that contains multiple parameters. You can specify one or multiple search criteria in this section. When you click Search, depending upon the search criteria, this filters and displays the relevant search combination parameters under the Cash Flow Edits Summary as a list.

**Figure 14-2 Searching Cash Flow Edits**

Filters: 

Name

Description

Folder: CFSEEG

Sort By: 

Process Id

Field Search

Page 1 (0 of 0 items)

< 1 >

The Cash Flow Edits Summary window displays the following columns.

**Table 14-1 Cash Flow Edits rule – Fields and Descriptions**

| Column        | Description                                                                                                                                            |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Process ID    | Displays the Process ID of Cash Flow Edit rule                                                                                                         |
| Name          | Displays the Cash Flow Edit rule's short name.                                                                                                         |
| Folder        | Displays the Folder name where Cash Flow Edit rule is saved.                                                                                           |
| Access Type   | Displays the access type of rule. It can be Read-Only or Read/Write.                                                                                   |
| Status        | Displays the status of the rule.                                                                                                                       |
| Last Run By   | Displays the Name of the user who last runs the Cash Flow Edit rule.                                                                                   |
| Last Run Date | Displays the Date and Time when Cash Flow Edit was run last.                                                                                           |
| Action        | Displays the list of actions that can be performed on the Cash Flow Edit rule. For more information, see Cash Flow Edit rule – Icons and Descriptions. |

The Action column on Cash Flow Edits Summary page offers several actions that allow you to perform different functions. The following actions are available for the Cash Flow Edit rule.

**Table 14-2 Cash Flow Edit rule – Icons and Descriptions**

| Fields          | Description                                                                                                                                                                                                                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add             | Click <b>Add</b> icon to build a new Cash Flow Edit rule.                                                                                                                                                                                                                                                                                                           |
| View/Edit       | Click on the <b>Action</b> icon against the Rule Name and select <b>View/Edit</b> to view or edit the contents of a Cash Flow Edit rule in read/write format.                                                                                                                                                                                                       |
| Save As         | Click on the <b>Action</b> icon against the Rule Name and select <b>Save As</b> to create a copy of an existing Cash Flow Edit rule.                                                                                                                                                                                                                                |
| Delete          | Click on the <b>Action</b> icon against the Rule Name and select <b>Delete</b> to delete an existing Cash Flow Edit rule.                                                                                                                                                                                                                                           |
| Execute         | Click on the <b>Action</b> icon against the Rule Name and select <b>Execute</b> to execute an existing Cash Flow Edit rule. After clicking <b>Execute</b> , the Run Parameter Execution window is displayed. Select As of Date (Execution Date) and Legal Entity, and then click <b>Run</b> . For more information, see Executing Cash Flow Edit Processes section. |
| Execute Details | Click on the <b>Action</b> icon against the Rule Name and select <b>Execute Details</b> to view execution details of the Cash Flow Edit rule.                                                                                                                                                                                                                       |

You must create and run Cash Flow Edit processes on your Instrument table data before you submit cash flow engine based rules for processing.

# 14.1 Creating Cash Flow Edit Process

Creating a Cash Flow Edit process is a one-step process. You define both the attributes that uniquely describe a particular Cash Flow Edit process and the data to be validated or cleansed by that process on the Create Cash Flow Edit process page.

- 1. Navigate to the **Cash Flow Edits Summary** page.
- 2. Click **Add** . The Create Cash Flow Edits Process page is displayed.

**Figure 14-3    Cash Flow Edit Process**

- 3. Enter the process details shown in the following table.

**Table 14-3    List of process details used for Creating Cash Flow Edit Process**

| Parameter    | Description                                                                                                                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name         | Enter the name of the Cash Flow Edit rule.                                                                                                                                                                             |
| Description  | Enter the description of the Cash Flow Edit rule.                                                                                                                                                                      |
| Preview Mode | Selecting this parameter allows you to view the results of running a Cash Flow Edit process before the system updates the underlying records in the Instrument tables. The default value of this parameter is checked. |
| Folder       | Enter the Folder details where Cash Flow Edit rule needs to be saved.                                                                                                                                                  |
| Access Type  | Select the Access Type as Read-Only or Read/Write.                                                                                                                                                                     |

- 4. Click **Apply** to navigate to **Cash Flow Edit Rules** section.

**Figure 14-4 Creating Cash Flow Edits Rule**

5. Enter the Cash Flow Edit details shown in the following table.

**Table 14-4 List of Cash Flow Edit details used for Creating Cash Flow Edit Process**

| Parameter | Description                                                                                                                                                                                          |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Group     | Select the group of Cash Flow Edit Rules that you want to include in the process. For example, Cash Flow                                                                                             |
| Sub Group | Select the sub group of Cash Flow Edit Rules that you want to include in the process. The value of this field varies based on the selected Group. The list of Rule Ids with conditions is displayed. |

Detail of rules for the selected group and sub-group are listed on the screen for reference.

6. Click **Apply** to navigate to the **Source Data** section.

**Figure 14-5 Creating Cash Flow Edits Rule**

7. Enter the Source Data details shown in the following table.

**Table 14-5 List of Source Data details used for Creating Cash Flow Edit Process**

| Parameter          | Description                                                                                                        |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Data Source        | This field allows you to select the Instrument tables that must be included in a Cash Flow Edit process.           |
| Data Filter Folder | Select the Folder from which you want to apply Data Filter                                                         |
| Data Filter        | This field allows you to select a subset of data for processing by selecting a filter that was previously created. |

**Note**

To select FX Contracts instrument tables from the **Data Source** drop-down, do Setup Master Configurations. Insert the records into the setup master table as mentioned below:

| V_COMPONENT_CODE           | V_COMPONENT_DESC                                       | V_COMPONENT_VALUE     | Description                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------|--------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CFE_EDITS_TABLE            | Cash Flow Engine Instrument                            | FSI_D_CFE_INSTRUMENTS | This is used to display source table name in Cash Flow Edits screen.<br>V_COMPONENT_DESC contains logical name to be displayed in screen while<br>V_COMPONENT_VALUE contains physical name of table in database.<br>To add more than one table use "~" as separator.<br><b>Example:</b><br>V_COMPONENT_DESC can be "Cash Flow Engine Instrument~Custom Table" and<br>V_COMPONENT_VALUE can be "FSI_D_CFE_INSTRUMENTS~FSI_D_CUSTOM_TABLE". |
| CFE_EDITS_BATCH_SIZE       | Instrument Count to Process in Single batch            | 1000                  | This is to set Instrument Count to Process in Single batch                                                                                                                                                                                                                                                                                                                                                                                |
| CFE_EDITS_CALLABLES_SIZE   | Callables Count to Execute the Cash Flow Edits Process | 8                     | This is to set Callables Count to Execute the Cash Flow Edits                                                                                                                                                                                                                                                                                                                                                                             |
| CFE_EDITS_FLUSH_BATCH_SIZE | Save or Update Records Flush Batch Size                | 500                   | This is to set Flush Batch Size for Save or Update Records                                                                                                                                                                                                                                                                                                                                                                                |

- Click **Apply** to navigate to the **Freeze Process** section. Click **Save** on the Freeze Process window after verifying all the details.



**Figure 14-6 Creating Cash Flow Edits Rule**

The Cash Flow Edits process is saved and the Summary page is displayed.

## 14.2 Executing Cash Flow Edit Process

Execute a Cash Flow Edit process to check the accuracy and the completeness of your Instrument table data. When run in Preview mode, you can view the results of running a Cash Flow Edits process by querying the FSI\_O\_CFE\_EDITS\_MESSAGES table for generated errors before the system updates the underlying records in the Instrument tables.

### Prerequisites

Predefined Rules

You can execute Cash Flow Edit process using following methods:

- [Using Cash Flow Edit Process UI](#)
- [Batch Based Procedure](#)

#### **Note**


Source table selected in Cash Flow Edits Process must contain unique index. Execution will fail if unique index is not present in table.

### 14.2.1 Using Cash Flow Edit Process UI

To execute the cash flow edits process, follow these steps:

1. Navigate to the **Cash Flow Edits Summary** page.
2. Search for a rule.
3. Click in the **Action** column and select **Execute** to execute an existing Cash Flow Edit rule. The Run Parameter Execution window is displayed.

Figure 14-7 Using Cash Flow Edit UI



The dialog box titled "Run Execution Parameters" contains the following fields and controls:

- Process Name:** A text field containing the value "Reprice\_Abs-Flat".
- As Of Date:** A date selection field with a calendar icon. A "Required" label is positioned below the field.
- Legal Entity:** A text field with two icons to its right: a hierarchy icon and a document icon.
- Buttons:** Three buttons labeled "Run", "Reset", and "Cancel" are located at the bottom of the dialog.

Select the As of Date (Execution Date) and Legal Entity, and then click Run.

The **Cash Flow Edits Run Confirmation** page is displayed. The status of the process is displayed in the **Status** column. After completion of the process, you can navigate to the Execution Details page by selecting the **Execution Details** option under the **Action** column

#### Note

You can view the results of running a Cash Flow Edits rule before the system updates the underlying records in the Instrument tables, provided you selected Preview Mode while defining it. If the rule runs in Preview Mode, query the FSI\_O\_CFE\_EDITS\_MESSAGES table for any generated errors.

## 14.2.2 Batch Based Procedure

Cash Flow Processes can also be executed as batch processes. The following approaches are available:

- ICC Batch

To execute the batch with ICC Batch, follow these steps:

1. From the LHS menu, select Common Object Maintenance, select Operations, and then select Batch Maintenance.
2. Create a new batch.
3. Enter the Batch Name and Description.
4. To add a task, click the Add button under the Task Details section.

5. Define the Task ID and Description.
6. Select Components as "WORKFLOW\_EXECUTION".
7. Do not change the default values populated for fields "Datastore Type", "Datastore Name", "Primary IP For Runtime processes".
8. Input the following required parameters:
  - Object ID: \$objectId
  - Workflow: "CASH\_FLOW\_PROCESS\_EXEC"
  - Optional Parameters:  
 RUN\_P1\_DATE:EXECDATE,RUN\_P2\_INFODOM:OFSCFEINFO,RUN\_P3\_ID:200023,RUN\_P4\_USERID:CFEUSER,RUN\_P5\_DATE\_FORMAT:yyyyMMdd,RUN\_P6\_AS\_OF\_DATE:EXECDATE,RUN\_P7\_LEGAL\_ENTITY\_ID:-1,RUN\_P8\_LEGAL\_HIERARCHY\_ID:-1

The value for parameter RUN\_P3\_ID should be taken from column PROCESS\_ID of table FSI\_M\_CFE\_PROCESS\_DETAILS for Cash Flow Process OR column PROCESS\_ID of table FSI\_M\_CFE\_EDITS\_DETAILS for Cash Flow Edits. Replace the value 200023 given against RUN\_P3\_ID with the value available in the table for the respective Business Definition.

Replace the value CFEUSER given against **RUN\_P4\_USERID** with the logged in user id which will be used to audit the last executed by.

Replace the value -1 given against **RUN\_P7\_LEGAL\_ENTITY\_ID** with the actual legal entity id to process the instruments.

Replace the value -1 given against **RUN\_P8\_LEGAL\_HIERARCHY\_ID** with the actual legal entity hierarchy id. This is required if you process for a parent LE member and want to include its child and descendants. This is the equivalent of LE hierarchy selected in run execution parameters when process is executed from summary UI.

9. Save the rule and Execute the batch with Batch ID and MIS Date.

## 14.3 View Cash Flow Edit Process Log

To view the cash flow edit errors, warnings, and info, navigate to ftpshare/logs folder and view the CashFlowEditsProcessExecution.log file.

You can view the log using Batch Monitor also. To view the logs from Batch Monitor, follow these steps:

1. Navigate to **Common Object Maintenance**, select **Operations**, and then select **Batch Monitor**.
2. Select the Batch Run ID.
3. View the Task Details of Cash Flow Edits Execution.

Figure 14-8 View the Task Details

Information Date20210113▼

Monitor Refresh Rate (seconds)5

Batch Run ID

OFSCFEINFO\_1610538617081\_20210113\_1▼

▼ Batch Status

| Batch Run ID                        | Batch Status |
|-------------------------------------|--------------|
| OFSCFEINFO_1610538617081_20210113_1 | Failed       |

▼ Task Details

| Task ID ▲                                 | Task Description       | Metadata Value         | Component ID   | Task Status    | Task Log                 |
|-------------------------------------------|------------------------|------------------------|----------------|----------------|--------------------------|
| <input checked="" type="checkbox"/> Task1 | CashFlowEditsExecution | CashFlowEditsExecution | TRANSFORM DATA | [10105] Failed | <a href="#">View Log</a> |

Page1

of 1 (1-1 of 1 items) ⌂ < > ⌕

Records Per Page15

4. Click **View Log**.

Cash Flow Edit Process Errors

**Note**

- Error: Engine does not process, however sometimes default value can get used for calculations.
- Warning: Engine may use the default value or given wrong data for calculation, results may be incorrect.
- Info: Does not impact any processing but results may not be as expected.

The table stores error messages generated by the engine.

**Table 14-6 Error Messages**

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                                                                                                                                 | Error Description                                                                         | Assignment                                                                      | Warning                                    | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------|-------------|---------------|
| 2          | (AMRT_TYP<br>E_CD <> 700<br>OR<br>( amrt_type_<br>cd = 700<br>AND<br>amrt_term <><br>0 ) )<br>AND (CASE<br>amrt_term_m<br>ult WHEN 'Y'<br>THEN<br>amrt_term *<br>365 WHEN<br>'M'<br>THEN<br>amrt_term *<br>30.41667<br>ELSE<br>amrt_term<br>END) <<br>(CASE<br>org_term_mu<br>lt WHEN 'Y'<br>THEN<br>org_term *<br>365 WHEN<br>'M'<br>THEN<br>org_term *<br>30.41667<br>ELSE<br>org_term<br>END)<br>THEN 'P'<br>ELSE 'F'<br>END | Amortization<br>term can only<br>be equal to<br>zero on Non-<br>Amortizing<br>instruments | AMRT_TER<br>M =<br>ORG_TERM<br>and<br>AMRT_TER<br>M_MULT =<br>ORG_TERM<br>_MULT | Original Term<br>><br>Amortization<br>Term | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                 | Error Description                                                                                                                    | Assignment | Warning                                                             | Error Level | Edit Priority |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------|-------------|---------------|
| 3          | (ORIGINATIO<br>N_DATE <<br>AS_OF_DAT<br>E<br>and<br>CUR_PAR_B<br>AL is not<br>NULL<br>and<br>ORG_PAR_B<br>AL is not<br>NULL<br>and<br>CUR_PAR_B<br>AL =<br>ORG_PAR_B<br>AL)                     | Instrument<br>has<br>originated in<br>past but<br>Current Par<br>Balance and<br>Original Par<br>Balance are<br>equal                 |            | Current Par<br>Balance =<br>Original Par<br>Balance                 | Warning     |               |
| 4          | (ORIGINATIO<br>N_DATE <<br>AS_OF_DAT<br>E<br>and<br>DEFERRED_<br>CUR_BAL is<br>not NULL<br>and<br>DEFERRED_<br>ORG_BAL is<br>not NULL<br>and<br>DEFERRED_<br>CUR_BAL =<br>DEFERRED_<br>ORG_BAL) | Instrument<br>has<br>originated in<br>past but<br>Deferred<br>Current<br>Balance and<br>Deferred<br>Original<br>Balance are<br>equal |            | Deferred<br>Current<br>Balance =<br>Deferred<br>Original<br>Balance | Warning     |               |
| 5          | (CUR_GROS<br>S_RATE is<br>NULL or<br>CUR_GROS<br>S_RATE < 0)                                                                                                                                    | Current gross<br>rate is<br>negative                                                                                                 |            | Current<br>Gross Rate <<br>0                                        | Info        |               |
| 6          | (CUR_NET_<br>RATE is<br>NULL or<br>CUR_NET_R<br>ATE < 0)                                                                                                                                        | Current net<br>rate is<br>negative                                                                                                   |            | Current Net<br>Rate < 0                                             | Info        |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                                                                      | Error Description                                                                  | Assignment           | Warning                   | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------|---------------------------|-------------|---------------|
| 7          | (ACCRUAL_BASIS_CD is NULL<br>or<br>ACCRUAL_BASIS_CD < 1<br>or<br>ACCRUAL_BASIS_CD > 7)                                                                               | Accrual basis code must be between 1 and 7 inclusively                             | ACCRUAL_BASIS_CD = 3 | Invalid Accrual Basis     | Warning     |               |
| 8          | (AMRT_TYPE_CD is NULL<br>or<br>AMRT_TYPE_CD not in (100, 400, 600, 700, 710, 800, 801, 802, 820, 840, 850, 10, 20))                                                  | Amortization type must be a valid OFSAA code                                       | AMRT_TYPE_CD = 700   | Invalid Amortization Type | Warning     |               |
| 9          | (AMRT_TYPE_CD = 20<br>and<br>(PMT_PATTERN_CD is null<br>or<br>PMT_PATTERN_CD <= 0))                                                                                  | Amortization type is Payment Pattern but Payment Pattern Code is invalid           | AMRT_TYPE_CD = 700   | Invalid Payment Pattern   | Warning     |               |
| 10         | (AMRT_TYPE_CD = 20<br>and<br>PMT_PATTERN_CD is not null<br>and<br>PMT_PATTERN_CD > 0<br>and<br>PMT_PATTERN_CD not in (select AMRT_TYPE_CD from fsi_payment_pattern)) | Amortization type is Payment Pattern but Payment Pattern definition does not exist | AMRT_TYPE_CD = 700   | Invalid Payment Pattern   | Warning     |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                                                                                                                                             | Error Description                                                                                              | Assignment             | Warning                         | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------|---------------------------------|-------------|---------------|
| 11         | (AMRT_TYP<br>E_CD = 10<br>and<br>(BEHAVIOU<br>R_PATTERN<br>_CD is null or<br>BEHAVIOUR<br>_PATTERN_<br>CD <= 0))                                                                                                                            | Amortization<br>type is<br>Behaviour<br>Pattern but<br>Behaviour<br>Pattern Code<br>is invalid                 | AMRT_TYPE<br>_CD = 700 | Invalid<br>Behaviour<br>Pattern | Warning     |               |
| 12         | (AMRT_TYP<br>E_CD = 10<br>and<br>BEHAVIOUR<br>_PATTERN_<br>CD is not<br>NULL and<br>BEHAVIOUR<br>_PATTERN_<br>CD > 0 and<br>BEHAVIOUR<br>_PATTERN_<br>CD<br>not in (select<br>PATTERN_C<br>D from<br>fsi_behaviour<br>_pattern_ma<br>ster)) | Amortization<br>type is<br>Behaviour<br>Pattern but<br>Behaviour<br>Pattern<br>definition<br>does not<br>exist | AMRT_TYPE<br>_CD = 700 | Invalid<br>Behaviour<br>Pattern | Warning     |               |



**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                                                                                                                                       | Error Description                                                                                                                          | Assignment             | Warning                                | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------------------|-------------|---------------|
| 13         | (AMRT_TYP<br>E_CD in<br>(800, 801,<br>802)<br>and NOT<br>EXISTS<br>(select 1 from<br>FSI_D_Paym<br>ent_Schedule<br>WHERE<br>FSI_D_Paym<br>ent_Schedule<br>.ID_NUMBE<br>R<br>=SOURCE_T<br>ABLE.ID_NU<br>MBER<br>AND<br>FSI_D_Paym<br>ent_Schedule<br>.IDENTITY_C<br>ODE =<br>SOURCE_TA<br>BLE.IDENTIT<br>Y_CODE<br>AND<br>FSI_D_Paym<br>ent_Schedule<br>.INSTRUME<br>NT_TYPE_C<br>D =<br>SOURCE_TA<br>BLE.INSTRU<br>MENT_TYPE<br>_CD)) | Cannot find<br>record with<br>matching ID<br>Number,<br>Identity Code<br>and<br>Instrument<br>Type Code in<br>Payment<br>Schedule<br>table | AMRT_TYPE<br>_CD = 700 | Invalid<br>Payment<br>schedule<br>data | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Error Description                                                                | Assignment             | Warning                                       | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------|-----------------------------------------------|-------------|---------------|
| 14         | (AMRT_TYP<br>E_CD in<br>(800, 801,<br>802)<br>and<br>ORIGINATIO<br>N_DATE ><br>(select<br>max(PAYME<br>NT_DATE)<br>from<br>FSI_D_Paym<br>ent_Schedule<br>WHERE<br>FSI_D_Paym<br>ent_Schedule<br>.ID_NUMBE<br>R<br>=SOURCE_T<br>ABLE.ID_NU<br>MBER<br>AND<br>FSI_D_Paym<br>ent_Schedule<br>.IDENTITY_C<br>ODE =<br>SOURCE_TA<br>BLE.IDENTIT<br>Y_CODE<br>AND<br>FSI_D_Paym<br>ent_Schedule<br>.INSTRUME<br>NT_TYPE_C<br>D =<br>SOURCE_TA<br>BLE.INSTRU<br>MENT_TYPE<br>_CD)) | Origination<br>Date is<br>greater than<br>highest date<br>in Payment<br>Schedule | AMRT_TYPE<br>_CD = 700 | Invalid<br>Payment<br>schedule<br>data        | Warning     |               |
| 15         | (AMRT_TER<br>M_MULT is<br>NULL<br>or<br>AMRT_TER<br>M_MULT not<br>in ('D', 'M',<br>'Y'))                                                                                                                                                                                                                                                                                                                                                                                    | Amortization<br>term<br>multiplier<br>must be D,<br>M, or Y                      | AMRT_TER<br>M_MULT = M | Invalid<br>Amortization<br>Term<br>Multiplier | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                      | Error Description                                                                                                                                                  | Assignment                        | Warning                                                                        | Error Level | Edit Priority |
|------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------|-------------|---------------|
| 16         | (AMRT_TYP<br>E_CD = 600<br>AND<br>(NEG_AMRT<br>_EQ_MULT<br>is NULL or<br>NEG_AMRT_<br>EQ_MULT<br>not in ('D',<br>'M', 'Y')))         | Negative<br>Amortization<br>Equalization<br>Frequency<br>multiplier<br>must be D,<br>M, or Y                                                                       | NEG_AMRT_<br>EQ_MULT =<br>M       | Invalid<br>Negative<br>Amortization<br>Equalization<br>Frequency<br>Multiplier | Warning     |               |
| 17         | (AMRT_TYP<br>E_CD = 600<br>and<br>(NEG_AMRT<br>_LIMIT is<br>NULL<br>or<br>NEG_AMRT_<br>LIMIT >=200<br>or<br>NEG_AMRT_<br>LIMIT < 0)) | Negative<br>Amortization<br>limit value<br>does not fall<br>in a valid<br>range (0 to<br>200),<br>Applicable to<br>Negative<br>amortization<br>instruments<br>only | NEG_AMRT_<br>LIMIT = 0            | Invalid<br>Negative<br>Amortization<br>Limit                                   | Warning     |               |
| 18         | (ORG_TERM<br>_MULT is<br>NULL<br>or<br>ORG_TERM<br>_MULT not in<br>( 'D', 'M', 'Y'))                                                 | Original term<br>multiplier<br>must be D,<br>M, or Y                                                                                                               | ORG_TERM<br>_MULT= M              | Invalid<br>Original Term<br>Multiplier                                         | Warning     |               |
| 19         | (AMRT_TYP<br>E_CD = 600<br>and<br>(NEG_AMRT<br>_PMT_CHG_<br>FREQ is<br>NULL<br>or<br>NEG_AMRT_<br>PMT_CHG_F<br>REQ < 0))             | Payment<br>Change<br>Frequency<br>cannot be<br>negative,<br>Applicable to<br>Negative<br>amortization<br>instruments<br>only                                       | NEG_AMRT_<br>PMT_CHG_F<br>REQ = 0 | Invalid<br>Negative<br>Amortization<br>Payment<br>Change<br>Frequency          | Warning     |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                                                             | Error Description                                                                                 | Assignment                                | Warning                                                                             | Error Level | Edit Priority |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------|-------------|---------------|
| 20         | (AMRT_TYP<br>E_CD = 600<br>and<br>(NEG_AMRT<br>_PMT_CHG_<br>FREQ_MULT<br>is NULL<br>or<br>NEG_AMRT_<br>PMT_CHG_F<br>REQ_MULT<br>not in ('D',<br>'M', 'Y'))) | Negative<br>Amortization<br>Payment<br>Change<br>Frequency<br>Multiplier<br>must be D,<br>M, or Y | NEG_AMRT_<br>PMT_CHG_F<br>REQ_MULT<br>= M | Invalid<br>Negative<br>Amortization<br>Payment<br>Change<br>Frequency<br>Multiplier | Warning     |               |
| 21         | (INT_PMT_F<br>REQ_MULT<br>is NULL<br>or<br>INT_PMT_F<br>REQ_MULT<br>not in ('D',<br>'M', 'Y'))                                                              | Interest<br>Payment<br>frequency<br>multiplier<br>must be D,<br>M, or Y                           | INT_PMT_F<br>REQ_MULT<br>= M              | Invalid<br>Interest<br>Payment<br>Frequency<br>Multiplier                           | Warning     |               |
| 22         | (PRIN_PMT_<br>FREQ_MULT<br>is NULL<br>or<br>PRIN_PMT_<br>FREQ_MULT<br>not in ('D',<br>'M', 'Y'))                                                            | Principal<br>Payment<br>frequency<br>multiplier<br>must be D,<br>M, or Y                          | PRIN_PMT_<br>FREQ_MULT<br>= M             | Invalid<br>Principal<br>Payment<br>Frequency<br>Multiplier                          | Warning     |               |
| 23         | (RATE_CHG_<br>_RND_CD is<br>NULL<br>or<br>RATE_CHG_<br>RND_CD < 0<br>or<br>RATE_CHG_<br>RND_CD ><br>4)                                                      | Rate change<br>round code<br>must be<br>between 0<br>and 4                                        | RATE_CHG_<br>RND_CD = 0                   | Invalid Rate<br>Change<br>Rounding<br>Code                                          | Warning     |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                  | Error Description                                 | Assignment            | Warning                                | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------|----------------------------------------|-------------|---------------|
| 24         | (ADJUSTABLE_TYPE_CD > 0<br>and<br>(RATE_SET_LAG_MULT is NULL<br>or<br>RATE_SET_LAG_MULT not in ('D', 'M', 'Y'))) | Rate Set Lag Multiplier must be D, M, or Y        | RATE_SET_LAG_MULT = M | Invalid Rate Set Lag Multiplier        | Warning     |               |
| 25         | (ADJUSTABLE_TYPE_CD > 0<br>and<br>(REPRICE_FREQ_MULT is NULL<br>or<br>REPRICE_FREQ_MULT not in ('D', 'M', 'Y'))) | Repricing Frequency Multiplier must be D, M, or Y | REPRICE_FREQ_MULT = M | Invalid Repricing Frequency Multiplier | Warning     |               |
| 26         | (RATE_CHG_RND_FAC is NULL<br>or<br>RATE_CHG_RND_FAC < 0<br>or<br>RATE_CHG_RND_FAC > 1)                           | Rate change round factor must be between 0 and 1  | RATE_CHG_RND_FAC = 0  | Invalid Rate Change Rounding Factor    | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                         | Error Description                                             | Assignment                                                                                                                                                                                                                                                                                                                                                                                                  | Warning                                    | Error Level | Edit Priority |
|------------|-----------------------------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------|---------------|
| 27         | (MATURITY_DATE < NEXT_INT_PAYMENT_DATE) | Maturity date cannot be before the next interest payment date | MATURITY_DATE =<br>(CASE<br>PRIN_PMT_FREQ_MULT<br>WHEN 'Y'<br>THEN<br>ADD_MONT<br>HS(NEXT_P<br>RIN_PAYME<br>NT_DATE,<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_<br>FREQ * 12))<br>WHEN 'M'<br>THEN<br>ADD_MONT<br>HS(NEXT_P<br>RIN_PAYME<br>NT_DATE,<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_<br>FREQ))<br>ELSE<br>NEXT_PRIN<br>_PAYMENT_<br>DATE +<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_<br>FREQ) END) | Maturity Date < Next Interest Payment Date | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                             | Error Description                                                                                                     | Assignment                                                                                                                                                                                                                                                                                                                                                              | Warning                                          | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------|---------------|
| 28         | (MATURITY_DATE < NEXT_PRIN_PAYMENT_DATE)                                    | Maturity date cannot be before the next principal payment date                                                        | MATURITY_DATE =<br>(CASE<br>PRIN_PMT_FREQ_MULT<br>WHEN 'Y'<br>THEN<br>ADD_MONT<br>HS(NEXT_PRIN_PAYMENT_DATE,<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_FREQ * 12))<br>WHEN 'M'<br>THEN<br>ADD_MONT<br>HS(NEXT_PRIN_PAYMENT_DATE,<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_FREQ))<br>ELSE<br>NEXT_PRIN_PAYMENT_DATE +<br>((REMAIN_N<br>O_PMTS -1)*<br>PRIN_PMT_FREQ) END) | Maturity Date < Next Principal Payment Date      | Warning     |               |
| 29         | (AMRT_TYPE_CD = 600 and (NEG_AMRT_EQ_FREQ is NULL or NEG_AMRT_EQ_FREQ < 0)) | Negative amortization equalization frequency cannot be negative, Applicable to Negative amortization instruments only | NEG_AMRT_EQ_FREQ = 0                                                                                                                                                                                                                                                                                                                                                    | Negative Amortization Equalization Frequency < 0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                            | Error Description                                                                                                                                                                                                                                | Assignment                                            | Warning                                                                                    | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------|---------------|
| 30         | (AMRT_TYP<br>E_CD = 600<br>and<br>NEG_AMRT_<br>EQ_FREQ is<br>not null<br>and<br>NEG_AMRT_<br>EQ_FREQ ><br>0<br>and<br>NEG_AMRT_<br>EQ_DATE<br><=<br>greatest(ORI<br>GINATION_D<br>ATE,<br>AS_OF_DAT<br>E)) | Negative<br>Amortization<br>equalization<br>date is less<br>than<br>origination<br>date (future<br>origination)<br>or less than<br>the as-of-<br>date (past<br>origination),<br>Applicable to<br>Negative<br>Amortization<br>instruments<br>only | NEG_AMRT_<br>EQ_DATE =<br>NEXT_REPR<br>ICE_DATE       | Negative<br>Amortization<br>Equalization<br>Date <<br>Origination<br>Date or As of<br>Date | Warning     |               |
| 32         | (AMRT_TYP<br>E_CD = 600<br>a<br>nd<br>NEG_AMRT_<br>EQ_FREQ is<br>not NULL<br>and<br>NEG_AMRT_<br>EQ_FREQ ><br>0<br>and<br>NEG_AMRT_<br>EQ_DATE ><br>MATURITY_<br>DATE)                                     | Next interest<br>payment date<br>is less than<br>as-of-date<br>(past<br>origination<br>case), As of<br>Date can not<br>be greater<br>than the<br>origination<br>date and<br>greater than<br>the next<br>payment<br>date.                         | NEG_AMRT_<br>EQ_DATE =<br>NEXT_REPR<br>ICE_DATE       | Negative<br>Amortization<br>Equalization<br>Date ><br>Maturity Date                        | Warning     |               |
| 31         | (AS_OF_DAT<br>E ><br>ORIGINATIO<br>N_DATE<br>and<br>AS_OF_DAT<br>E >=<br>NEXT_INT_P<br>AYMENT_DA<br>TE)                                                                                                    | Negative<br>Amortization<br>equalization<br>date is after<br>Maturity<br>Date,<br>Applicable to<br>Negative<br>Amortization<br>instruments<br>only                                                                                               | NEXT_INT_P<br>AYMENT_DA<br>TE =<br>AS_OF_DAT<br>E + 1 | Next Interest<br>Payment<br>Date < As of<br>Date                                           | Warning     |               |



Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                | Error Description                                                                                                                                                            | Assignment                                         | Warning                                        | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|------------------------------------------------|-------------|---------------|
| 33         | (AS_OF_DATE > ORIGINATION_DATE and AS_OF_DATE >= NEXT_PRINCIPAL_PAYMENT_DATE)                  | Next principal payment date is less than as-of-date (past origination case), As of Date can not be greater than the origination date and greater than the next payment date. | NEXT_PRINCIPAL_PAYMENT_DATE = AS_OF_DATE + 1       | Next Principal Payment Date < As of Date       | Warning     |               |
| 34         | (ORIGINATION_DATE >= AS_OF_DATE and ORIGINATION_DATE >= NEXT_INTEREST_PAYMENT_DATE)            | Next interest payment date is less than origination date (future origination case)                                                                                           | NEXT_INTEREST_PAYMENT_DATE = ORIGINATION_DATE + 1  | Next Interest Payment Date < Origination Date  | Warning     |               |
| 35         | (ORIGINATION_DATE >= AS_OF_DATE and ORIGINATION_DATE >= NEXT_PRINCIPAL_PAYMENT_DATE)           | Next principal payment date is less than origination date (future origination case)                                                                                          | NEXT_PRINCIPAL_PAYMENT_DATE = ORIGINATION_DATE + 1 | Next Principal Payment Date < Origination Date | Warning     |               |
| 36         | (ORIGINATION_DATE <= AS_OF_DATE and NEXT_REPRICE_DATE <= AS_OF_DATE and REPRICE_FREQUENCY > 0) | Next repricing date is less than as-of-date (past origination case)                                                                                                          | NEXT_REPRICE_DATE = AS_OF_DATE + 1                 | Next Reprice Date < As of Date                 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                   | Error Description                                                                                                                                         | Assignment                                          | Warning                                                                                                          | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------|---------------|
| 37         | (ORIGINATIO<br>N_DATE ><br>AS_OF_DAT<br>E and<br>NEXT_REPR<br>ICE_DATE <<br>ORIGINATIO<br>N_DATE and<br>REPRICE_F<br>REQ > 0)                     | Next<br>repricing date<br>is less than<br>the<br>origination<br>date (future<br>origination<br>case)                                                      | NEXT_REPR<br>ICE_DATE =<br>ORIGINATIO<br>N_DATE + 1 | Next Reprice<br>Date <<br>Origination<br>Date                                                                    | Warning     |               |
| 38         | (AMRT_TYP<br>E_CD = 600<br>and<br>(ORG_PAYM<br>ENT_AMT is<br>NULL<br>or<br>ORG_PAYME<br>NT_AMT = 0)<br>and<br>NEG_AMRT_<br>PMT_DECR_<br>LIFE > 0) | Payment<br>decrease life<br>is expressed<br>as a percent<br>of a original<br>payment,<br>Applicable to<br>negative<br>amortization<br>instruments<br>only | NEG_AMRT_<br>PMT_DECR_<br>LIFE = 0                  | Original<br>Payment<br>Amount = 0<br>and Negative<br>Amortization<br>Payment<br>Decrease<br>Limit (Life) <><br>0 | Warning     |               |
| 39         | (AMRT_TYP<br>E_CD = 600<br>and<br>(ORG_PAYM<br>ENT_AMT is<br>NULL<br>or<br>ORG_PAYME<br>NT_AMT = 0)<br>and<br>NEG_AMRT_<br>PMT_INCR_<br>LIFE > 0) | Payment<br>increase life<br>is expressed<br>as a percent<br>of a original<br>payment,<br>Applicable to<br>negative<br>amortization<br>instruments<br>only | NEG_AMRT_<br>PMT_INCR_<br>LIFE = 0                  | Original<br>Payment<br>Amount = 0<br>and Negative<br>Amortization<br>Payment<br>Increase<br>Limit (Life) <><br>0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                       | Error Description                                                                      | Assignment                                                                   | Warning                                           | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------|-------------|---------------|
| 40         | (ORG_TERM = 0 OR ORG_TERM <> (CASE ORG_TERM _MULT WHEN 'Y' THEN MONTHS_B ETWEEN(MA TURITY_DATE, ORIGINATIO N_DATE)*12 WHEN 'M' THEN MONTHS_B ETWEEN(MA TURITY_DATE, ORIGINATIO N_DATE) ELSE (MATURITY_DATE - ORIGINATIO N_DATE) END)) | Original term should equal the time between the origination date and the maturity date | ORG_TERM #ORG_TER M_MULT = MONTHS_B ETWEEN(MA TURITY_DATE, RIGINATIO _DATE)# | Original Term <> Maturity Date - Origination Date | Warning     |               |
| 41         | (ORIGINATIO N_DATE is NULL or ORIGINATIO N_DATE < '1-Aug-1950' or ORIGINATIO N_DATE > '1-Aug-2099')                                                                                                                                   | Origination date must be acceptable                                                    | ORIGINATIO N_DATE = 1-Jan-50                                                 | Origination date < 01/01/1950                     | Warning     |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                | Error Description                                                              | Assignment                                                                                                          | Warning                                        | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------|---------------|
| 42         | (INT_PMT_F<br>REQ ><br>(CASE<br>INT_PMT_F<br>REQ_MULT<br>WHEN 'Y'<br>THEN<br>MONTHS_B<br>ETWEEN(MA<br>TURITY_DAT<br>E,<br>ORIGINATIO<br>N_DATE)*12<br>WHEN 'M'<br>THEN<br>MONTHS_B<br>ETWEEN(MA<br>TURITY_DAT<br>E,<br>ORIGINATIO<br>N_DATE)<br>ELSE<br>(MATURITY_<br>DATE -<br>ORIGINATIO<br>N_DATE)<br>END)) | Interest<br>Payment<br>frequency<br>cannot be<br>greater than<br>original term | INT_PMT_F<br>REQ#INT_P<br>MT_FREQ_<br>MULT =<br>MONTHS_B<br>ETWEEN(MA<br>TURITY_DAT<br>E,<br>ORIGINATIO<br>N_DATE)# | Interest<br>Payment<br>Freq ><br>Original Term | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                        | Error Description                                                                                                                                  | Assignment                                                                        | Warning                                                     | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-------------|---------------|
| 43         | (PRIN_PMT_FREQ > (CASE PRIN_PMT_FREQ_MULT WHEN 'Y' THEN MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)*12 WHEN 'M' THEN MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE) ELSE (MATURITY_DATE - ORIGINATION_DATE) END)) | Principal Payment frequency cannot be greater than original term                                                                                   | PRIN_PMT_FREQ#PRIN_PMT_FREQ_MULT=MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)# | Principal Payment Freq > Original Term                      | Warning     |               |
| 44         | ((CUR_PAYMENT is NULL or CUR_PAYMENT_NT < 0 and CUR_PAR_BAL > 0) or (CUR_PAYMENT > 0 and CUR_PAR_BAL < 0))                                                                                                             | Current payment and current par balance can not have opposite signs                                                                                | CUR_PAYMENT_NT = 0                                                                | Current Payment and Current Par Balance have opposite signs | Warning     |               |
| 45         | (AMRT_TYPE_CD = 600 and NEG_AMRT_PMT_CHG_FREQ > 0 and AS_OF_DATE > NEG_AMRT_PMT_ADJUSTMENT_DATE)                                                                                                                       | Negative Amortization Payment Adjustment Date is less than the as-of-date (past origination), Applicable to negative amortization instruments only | NEG_AMRT_PMT_ADJUSTMENT_DATE=NEG_AMRT_PMT_REPRICE_DATE                            | Negative Amortization Payment Adjustment Date < As of Date  | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                            | Error Description                                                                                                                                                                                               | Assignment                                                                                                                                                                                                                                                                                                    | Warning                                                                            | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------|---------------|
| 46         | (AMRT_TYP<br>E_CD = 600<br>and<br>NEG_AMRT_<br>PMT_CHG_F<br>REQ > 0<br>and<br>AS_OF_DAT<br>E<br><<br>NEG_AMRT_<br>PMT_ADJUS<br>T_DATE<br>and<br>NEG_AMRT_<br>PMT_ADJUS<br>T_DATE<br><<br>ORIGINATIO<br>N_DATE)                                                             | Negative<br>Amortization<br>Payment<br>adjustment<br>date is less<br>than<br>origination<br>date (future<br>origination),<br>Applicable to<br>negative<br>amortization<br>instruments<br>only                   | NEG_AMRT_<br>PMT_ADJUS<br>T_DATE=NE<br>XT_REPRIC<br>E_DATE                                                                                                                                                                                                                                                    | Negative<br>Amortization<br>Payment<br>Adjustment<br>Date <<br>Origination<br>Date | Warning     |               |
| 47         | ((INT_PMT_F<br>REQ is NULL<br>or<br>INT_PMT_F<br>REQ <= 0)<br>and<br>((ORIGINATI<br>ON_DATE <=<br>AS_OF_DAT<br>E<br>and<br>MATURITY_<br>DATE ><br>AS_OF_DAT<br>E) or<br>(ORIGINATIO<br>N_DATE ><br>AS_OF_DAT<br>E<br>and<br>MATURITY_<br>DATE ><br>ORIGINATIO<br>N_DATE))) | Interest<br>Payment<br>frequency is<br>less than or<br>equal to zero,<br>and both<br>maturity date<br>and<br>origination<br>date are valid<br>dates and<br>can be used<br>to calculate<br>payment<br>frequency. | NEXT_INT_P<br>AYMENT_DA<br>TE<br>#ORG_TER<br>M#ORG_TE<br>RM_MULT<br>#INT_PMT_F<br>REQ<br>#INT_PMT_F<br>REQ_MULT<br>#REMAIN_N<br>O_PMTS=M<br>ATURITY_DA<br>TE<br>#MONTHS_B<br>ETWEEN<br>(MATURITY_<br>DATE,<br>ORIGINATIO<br>N_DATE)<br>##MONTHS_<br>BETWEEN(M<br>ATURITY_DA<br>TE,<br>ORIGINATIO<br>N_DATE)## | Interest<br>Payment<br>Frequency<br><= 0                                           | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                               | Error Description                                                                                                                                                      | Assignment                                                                                                                                                                                                                             | Warning                          | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|---------------|
| 48         | ((PRIN_PMT_FREQ is NULL or PRIN_PMT_FREQ <= 0) and ((ORIGINATION_DATE <= AS_OF_DATE and MATURITY_DATE > AS_OF_DATE) or (ORIGINATION_DATE > AS_OF_DATE and MATURITY_DATE > ORIGINATION_DATE))) | Principal Payment frequency is less than or equal to zero, and both maturity date and origination date are valid dates and can be used to calculate payment frequency. | NEXT_PRIN_PAYMENT_DATE#ORG_TERM<br>#ORG_TERM_MULT<br>#PRIN_PMT_FREQ#PRIN_PMT_FREQ_MULT<br>#REMAIN_N<br>O_PMTS=M<br>ATURITY_DATE#MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)#<br>#MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)## | Principal Payment Frequency <= 0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                                                                                                  | Error Description                                                                                                                                                                                               | Assignment                                                                                                                                                                                                                                                                                            | Warning                                  | Error Level | Edit Priority |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------|---------------|
| 49         | ((INT_PMT_F<br>REQ is NULL<br>or<br>INT_PMT_F<br>REQ <= 0)<br>and<br>((ORIGINATI<br>ON_DATE <=<br>AS_OF_DAT<br>E and<br>MATURITY_<br>DATE <=<br>AS_OF_DAT<br>E and<br>NEXT_INT_P<br>AYMENT_DA<br>TE ><br>AS_OF_DAT<br>E)<br>or<br>(ORIGINATIO<br>N_DATE ><br>AS_OF_DAT<br>E AND<br>MATURITY_<br>DATE <<br>ORIGINATIO<br>N_DATE and<br>NEXT_INT_P<br>AYMENT_DA<br>TE ><br>ORIGINATIO<br>N_DATE))) | Interest<br>payment<br>frequency is<br>less than or<br>equal to zero<br>and maturity<br>date is<br>invalid, but<br>next interest<br>payment date<br>can be used<br>to calculate a<br>valid payment<br>frequency | MATURITY_<br>DATE#ORG_<br>TERM#ORG<br>_TERM_MUL<br>T<br>#INT_PMT_F<br>REQ#INT_P<br>MT_FREQ_<br>MULT<br>#REMAIN_N<br>O_PMTS=NE<br>XT_INT_PAY<br>MENT_DATE<br>#MONTHS_B<br>ETWEEN<br>(MATURITY_<br>DATE,<br>ORIGINATIO<br>N_DATE)##M<br>ONTHS_BET<br>WEEN(MATU<br>RITY_DATE,<br>ORIGINATIO<br>N_DATE)## | Interest<br>Payment<br>Frequency<br><= 0 | Warning     |               |



Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                              | Error Description                                                                                                                                                         | Assignment                                                                                                                                                                                                     | Warning                          | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------|---------------|
| 50         | ((PRIN_PMT_FREQ is NULL or PRIN_PMT_FREQ <= 0) and ((ORIGINATION_DATE <= AS_OF_DATE and MATURITY_DATE <= AS_OF_DATE) or (ORIGINATION_DATE > AS_OF_DATE AND MATURITY_DATE < ORIGINATION_DATE and NEXT_PRIN_PAYMENT_DATE > ORIGINATION_DATE))) | Principal payment frequency is less than or equal to zero and maturity date is invalid, but next interest payment date can be used to calculate a valid payment frequency | MATURITY_DATE#ORG_TERM#ORG_TERM_MULT#PRIN_PMT_FREQ#PRIN_PMT_FREQ_MULT#REMAINING_PMTS=NEXT_PRIN_PAYMENT_DATE#MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)##MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)## | Principal Payment Frequency <= 0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                                                                                                                                                         | Error Description                                                                                                                                                        | Assignment                                                                                                                                                                                                                                                                                                                                         | Warning                                  | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------|---------------|
| 51         | ((INT_PMT_F<br>REQ is NULL<br>or<br>INT_PMT_F<br>REQ <= 0)<br>and<br>((ORIGINATI<br>ON_DATE <=<br>AS_OF_DAT<br>E<br>and<br>MATURITY_<br>DATE <=<br>AS_OF_DAT<br>E<br>and<br>NEXT_INT_P<br>AYMENT_DA<br>TE <=<br>AS_OF_DAT<br>E)<br>or<br>(ORIGINATIO<br>N_DATE ><br>AS_OF_DAT<br>E AND<br>MATURITY_<br>DATE <<br>ORIGINATIO<br>N_DATE and<br>NEXT_INT_P<br>AYMENT_DA<br>TE <<br>ORIGINATIO<br>N_DATE))) | Interest<br>payment<br>frequency is<br>less than or<br>equal to zero<br>and all dates<br>which can be<br>used to<br>calculate<br>payment<br>frequency are<br>in the past | MATURITY_<br>DATE#NEXT<br>_INT_PAYME<br>NT_DATE#O<br>RG_TERM<br>#ORG_TER<br>M_MULT#IN<br>T_PMT_FRE<br>Q<br>#INT_PMT_F<br>REQ_MULT#<br>REMAIN_NO<br>_PMTS=AS_<br>OF_DATE +<br>1#AS_OF_D<br>ATE + 1<br>#MONTHS_B<br>ETWEEN(MA<br>TURITY_DAT<br>E,<br>ORIGINATIO<br>N_DATE)<br>##MONTHS_<br>BETWEEN(M<br>ATURITY_DA<br>TE,<br>ORIGINATIO<br>N_DATE)## | Interest<br>Payment<br>Frequency<br><= 0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                                       | Error Description                                                                                                                        | Assignment                                                                                                                                                                                                                                                               | Warning                                                  | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-------------|---------------|
| 52         | ((PRIN_PMT_FREQ is NULL or PRIN_PMT_FREQ <= 0) and ((ORIGINATION_DATE <= AS_OF_DATE and MATURITY_DATE <= AS_OF_DATE and NEXT_PRIN_PAYMENT_DATE <= AS_OF_DATE) or (ORIGINATION_DATE > AS_OF_DATE AND MATURITY_DATE < ORIGINATION_DATE and NEXT_PRIN_PAYMENT_DATE < ORIGINATION_DATE))) | Principal payment frequency is less than or equal to zero and all dates which can be used to calculate payment frequency are in the past | MATURITY_DATE<br>#NEXT_PRIN_PAYMENT_DATE<br>#ORG_TERM#ORG_TERM_MULT<br>#PRIN_PMT_FREQ#PRIN_PMT_FREQ_MULT<br>#REMAINING_PMTS=AS_OF_DATE + 1<br>#AS_OF_DATE + 1<br>#MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)<br>##MONTHS_BETWEEN(MATURITY_DATE, ORIGINATION_DATE)## | Principal Payment Frequency <= 0                         | Warning     |               |
| 53         | (AMRT_TYPE_CD = 600 and (NEG_AMRT_PMT_INCR_CYCLE is NULL or NEG_AMRT_PMT_INCR_CYCLE < 0))                                                                                                                                                                                             | Negative Amortization Payment increase limit (cycle) cannot be less than zero, Applicable to negative amortization instruments only      | NEG_AMRT_PMT_INCR_CYCLE=0                                                                                                                                                                                                                                                | Negative Amortization Payment Increase Limit (Cycle) < 0 | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                  | Error Description                                    | Assignment                   | Warning                                       | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|------------------------------|-----------------------------------------------|-------------|---------------|
| 54         | (RATE_CAP_LIFE < CUR_GROSS_RATE and RATE_CAP_LIFE <> 0 and CUR_GROSS_RATE <> 0 and TEASER_END_DATE < AS_OF_DATE) | Current gross rate is greater than the rate cap life | RATE_CAP_LIFE=CUR_GROSS_RATE | Rate Cap Life < Current Gross Interest Rate   | Info        |               |
| 55         | (RATE_CAP_LIFE < CUR_NET_RATE and RATE_CAP_LIFE <> 0)                                                            | Current net rate is greater than the rate cap        |                              | Rate Cap Life < Current Net Interest Rate     | Info        |               |
| 56         | (RATE_CHG_MIN is NULL or RATE_CHG_MIN < 0)                                                                       | Minimum rate change can not be negative              | RATE_CHG_MIN=0               | Rate Change Minimum < 0                       | Warning     |               |
| 57         | (RATE_DECR_CYCLE is NULL or RATE_DECR_CYCLE < 0)                                                                 | Rate decrease limit (cycle) must not be negative     | RATE_DECR_CYCLE=0            | Rate Decrease Limit (Cycle) < 0               | Warning     |               |
| 58         | (RATE_FLOOR_LIFE > CUR_GROSS_RATE and CUR_GROSS_RATE <> 0 and TEASER_END_DATE < AS_OF_DATE)                      | Current gross rate is less than the rate floor       |                              | Rate Floor Life > Current Gross Interest Rate | Info        |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                       | Error Description                                                                   | Assignment                       | Warning                                                               | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------|-------------|---------------|
| 59         | (RATE_FLOOR_LIFE > CUR_NET_RATE)                                                      | Rate floor life must not be greater than the current net rate                       | RATE_FLOOR_LIFE=CUR_GROSS_RATE   | Rate Floor Life > Current Net Interest Rate                           | Info        |               |
| 60         | (RATE_INCR_CYCLE is NULL or RATE_INCR_CYCLE < 0)                                      | Rate increase limit (cycle) can not be less than 0                                  | RATE_INCR_CYCLE=0                | Rate Increase Limit (Cycle) < 0                                       | Warning     |               |
| 61         | (REMAINING_PMTS is NULL or REMAINING_PMTS < 1)                                        | There has to be at least 1 payment left                                             | REMAINING_PMTS=1                 | Remaining Number of Payments < 1                                      | Warning     |               |
| 62         | (ADJUSTABLE_TYPE_CD > 0 and (RATE_SET_LAG is NULL or RATE_SET_LAG < 0))               | Rate set lag cannot be negative                                                     | RATE_SET_LAG=0                   | Rate Set Lag < 0                                                      | Warning     |               |
| 63         | (TEASER_END_DATE < ORIGINATION_DATE)                                                  | Teaser End Date cannot be before Origination Date                                   | TEASER_END_DATE=ORIGINATION_DATE | Teaser End Date < Origination Date                                    | Warning     |               |
| 64         | (TEASER_END_DATE > MATURITY_DATE)                                                     | Teaser End Date cannot be after Maturity Date                                       | TEASER_END_DATE=MATURITY_DATE    | Teaser End Date > Maturity Date                                       | Warning     |               |
| 65         | (AMRT_TYPE_CD = 710 and ORG_PAR_BAL < CUR_PAR_BAL)                                    | Original balance on Rule of 78's instruments should be greater than current balance |                                  | Original Par Balance < Current Par Balance                            | Info        |               |
| 66         | (AMRT_TYPE_CD = 600 and (REPRICE_FREQUENCY_REQ is NULL or REPRICE_FREQUENCY_REQ = 0)) | Reprice Frequency cannot be zero for Adjustable Negative Amortization instrument    |                                  | Adjustable Negative Amortization instrument has Reprice Frequency = 0 | Info        |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                            | Error Description                                                               | Assignment                                                                                                                                                                                                                                                                                           | Warning                                                                  | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------|---------------|
| 67         | (REPRICE_F<br>REQ <> 0<br>and<br>LAST_REPRI<br>CE_DATE ><br>NEXT_REPR<br>ICE_DATE)                                         | Last repricing<br>date is<br>greater than<br>next repricing<br>date             | LAST_REPRI<br>CE_DATE=(C<br>ASE<br>REPRICE_F<br>REQ_MULT<br>WHEN 'Y'<br>THEN<br>ADD_MONT<br>HS(NEXT_R<br>EPRICE_DAT<br>E, -<br>REPRICE_F<br>REQ*12)<br>WHEN 'M'<br>THEN<br>ADD_MONT<br>HS(NEXT_R<br>EPRICE_DAT<br>E, -<br>REPRICE_F<br>REQ) ELSE<br>NEXT_REPR<br>ICE_DATE -<br>REPRICE_F<br>REQ END) | Last Reprice<br>Date > Next<br>Reprice Date                              | Warning     |               |
| 68         | (ADJUSTABL<br>E_TYPE_CD<br>in (50, 250)<br>and<br>(INTEREST_<br>RATE_CD is<br>NULL<br>or<br>INTEREST_<br>RATE_CD <=<br>0)) | Interest rate<br>code must be<br>valid for<br>adjustable<br>rate<br>instruments | ADJUSTABL<br>E_TYPE_CD<br>=0                                                                                                                                                                                                                                                                         | Adjustable<br>Rate<br>instrument<br>has invalid<br>Interest Rate<br>Code | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                             | Error Description                                                                                                                  | Assignment                | Warning                                                           | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------|-------------|---------------|
| 69         | (ADJUSTABLE_TYPE_CD > 0 and INTEREST_RATE_CD > 0 and exists (select 1 from fsi_ircs where fsi_ircs.interest_rate_cd = SOURCE_TABLE.interest_rate_cd and fsi_ircs.volatility_curve_flg > 0)) | Interest rate code of instrument is not an yield curve. Repricing attributes will be ignored and processed as fixed interest rate; | ADJUSTABLE_TYPE_CD = 0    | Invalid Interest Rate Code. Curve Type is not Interest Rate Curve | Warning     |               |
| 70         | (NET_MARGIN_CD is NULL or NET_MARGIN_N_CD not in (0, 1))                                                                                                                                    | Valid net margin codes are 0 or 1.                                                                                                 | NET_MARGIN_N_CD=0         | Invalid Net Margin Code                                           | Warning     |               |
| 71         | (AMRT_TYPE_CD = 600 and (NEG_AMRT_PMT_DECR_CYCLE is NULL or NEG_AMRT_PMT_DECR_CYCLE < 0))                                                                                                   | Payment Decrease Limit (Cycle) cannot be less than zero. Applicable to negative amortization instruments only                      | NEG_AMRT_PMT_DECR_CYCLE=0 | Negative Amortization Payment Decrease Limit (Cycle) = 0          | Warning     |               |
| 72         | (AMRT_TYPE_CD = 600 and (NEG_AMRT_PMT_DECR_LIFE is NULL or NEG_AMRT_PMT_DECR_LIFE < 0))                                                                                                     | Payment Decrease Limit (Life) cannot be less than zero. Applicable to negative amortization instruments only                       | NEG_AMRT_PMT_DECR_LIFE=0  | Negative Amortization Payment Decrease Limit (Life) = 0           | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                            | Error Description                                                                                                                              | Assignment                          | Warning                                                                | Error Level | Edit Priority |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------|-------------|---------------|
| 73         | (AMRT_TYP<br>E_CD = 600<br>and<br>NEG_AMRT_<br>PMT_DECR_<br>LIFE <> 0<br>and<br>CUR_PAYME<br>NT <<br>ORG_PAYME<br>NT_AMT * (1<br>-<br>NEG_AMRT_<br>PMT_DECR_<br>LIFE/100)) | Current<br>payment is<br>less than the<br>minimum<br>payment<br>amount.<br>Applicable to<br>negative<br>amortization<br>instruments<br>only    |                                     | Current<br>Payment is<br>less than Life<br>Pay Floor                   | Info        |               |
| 74         | (AMRT_TYP<br>E_CD = 600<br>and<br>(NEG_AMRT_<br>PMT_INCR_<br>_LIFE is<br>NULL or<br>NEG_AMRT_<br>PMT_INCR_<br>LIFE < 0))                                                   | Payment<br>Increase<br>Limit (Life)<br>cannot be<br>less than<br>zero.<br>Applicable to<br>negative<br>amortization<br>instruments<br>only     | NEG_AMRT_<br>PMT_INCR_<br>LIFE=0    | Negative<br>Amortization<br>Payment<br>Increase<br>Limit (Life) =<br>0 | Warning     |               |
| 75         | (AMRT_TYP<br>E_CD = 600<br>and<br>NEG_AMRT_<br>PMT_INCR_<br>LIFE <> 0<br>and<br>CUR_PAYME<br>NT ><br>ORG_PAYME<br>NT_AMT * (1<br>+<br>NEG_AMRT_<br>PMT_INCR_<br>LIFE/100)) | Current<br>payment is<br>greater than<br>the maximum<br>payment<br>amount.<br>Applicable to<br>negative<br>amortization<br>instruments<br>only |                                     | Current<br>Payment is<br>greater than<br>Life Pay Cap                  | Info        |               |
| 76         | (ISSUE_DAT<br>E ><br>ORIGINATIO<br>N_DATE)                                                                                                                                 | Issue date<br>can not be<br>greater than<br>origination<br>date                                                                                | ISSUE_DATE<br>=ORIGINATI<br>ON_DATE | Issue Date ><br>Origination<br>Date                                    | Warning     |               |
| 77         | (REPRICE_F<br>REQ is NULL<br>or<br>REPRICE_F<br>REQ < 0)                                                                                                                   | Repricing<br>frequency<br>must not be<br>negative                                                                                              | REPRICE_F<br>REQ=0                  | Reprice<br>Frequency <<br>0                                            | Warning     |               |



Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                            | Error Description                                                                                              | Assignment                                    | Warning                                                                         | Error Level | Edit Priority |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------|-------------|---------------|
| 78         | (AMRT_TYP<br>E_CD = 710<br>and<br>REPRICE_F<br>REQ <> 0)                                                                                                                                   | Rule of 78's<br>instruments<br>are implicitly<br>fixed rate.                                                   | REPRICE_F<br>REQ=0                            | Amortization<br>type is Rule<br>of 78's but<br>Reprice<br>Frequency is<br>not 0 | Warning     |               |
| 79         | (ORG_PAR_<br>BAL = 0 and<br>(REPRICE_F<br>REQ is NULL<br>or<br>REPRICE_F<br>REQ = 0))                                                                                                      | For transfer<br>pricing of<br>fixed rate<br>instruments,<br>the original<br>balance<br>should be<br>populated. |                                               | Original Par<br>Balance is 0<br>for a fixed<br>rate<br>instrument               | Info        |               |
| 80         | (REPRICE_F<br>REQ <> 0<br>and<br>TEASER_EN<br>D_DATE ><br>ORIGINATIO<br>N_DATE<br>and<br>TEASER_EN<br>D_DATE ><br>AS_OF_DAT<br>E<br>and<br>NEXT_REPR<br>ICE_DATE ><br>TEASER_EN<br>D_DATE) | Next<br>repricing date<br>is greater<br>than teaser<br>end date.                                               | NEXT_REPR<br>ICE_DATE=T<br>EASER_END<br>_DATE | Next Reprice<br>Date ><br>Teaser End<br>Date                                    | Warning     |               |
| 81         | (ADJUSTABL<br>E_TYPE_CD<br><> 0<br>and<br>(LRD_BALA<br>NCE is NULL<br>or<br>LRD_BALAN<br>CE = 0))                                                                                          | The balance<br>as of the last<br>repricing date<br>cannot be<br>equal to 0                                     | LRD_BALAN<br>CE=CUR_PA<br>R_BAL               | Balance on<br>Last Reprice<br>Date = 0                                          | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                        | Error Description                                                                                             | Assignment           | Warning                                                            | Error Level | Edit Priority |
|------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------|-------------|---------------|
| 82         | (ADJUSTABLE_TYPE_CD <> 0 and (LAST_REPRICE_DATE < ISSUE_DATE or LAST_REPRICE_DATE < ORIGINATION_DATE)) | Transfer pricing will not occur when the last repricing date is less than the issue date and origination date | LAST_REPRICE_DATE=0  | Last Reprice Date < Issue/Origination Date                         | Info        |               |
| 83         | (ADJUSTABLE_TYPE_CD = 0 and REPRICE_FREQUENCY > 0)                                                     | Repricing frequency and adjustable type code are inconsistent                                                 | REPRICE_FREQUENCY=0  | Reprice Frequency > 0 for fixed rate instrument                    | Info        |               |
| 84         | (ADJUSTABLE_TYPE_CD <> 0 and (REPRICE_FREQUENCY is NULL or REPRICE_FREQUENCY = 0))                     | Repricing frequency and adjustable type code are inconsistent                                                 |                      | Adjustable Type is not fixed but Reprice Frequency is 0            | Info        |               |
| 85         | (AMRT_TYPE_CD = 710 and ADJUSTABLE_TYPE_CD <> 0)                                                       | Rule of 78's instrument should only have a Fixed adjustable type code.                                        | ADJUSTABLE_TYPE_CD=0 | Amortization type is Rule of 78's but Adjustable Type is not fixed | Warning     |               |
| 86         | (AMRT_TYPE_CD = 600 and ADJUSTABLE_TYPE_CD = 0)                                                        | Negative amortization instruments cannot have fixed adjustable type code                                      | AMRT_TYPE_CD=100     | Adjustable Type is fixed rate for Negative amortization instrument | Info        |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                 | Error Description                                                                                                                 | Assignment                                                                                                                                                                                                                                                                                                    | Warning | Error Level | Edit Priority |
|------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------|---------------|
| 87         | (LAST_INT_PAYMENT_DATE > NEXT_INT_PAYMENT_DATE and INT_PMT_FREQ > 0)                            | Last interest payment date is greater than next interest payment date and can be calculated using interest payment frequency      | LAST_INT_PAYMENT_DATE<br>TE<br>=(CASE<br>INT_PMT_FREQ<br>REQ_MULT<br>WHEN 'Y'<br>THEN<br>ADD_MONTHS<br>(NEXT_INT_PAYMENT_DATE, -<br>INT_PMT_FREQ<br>REQ*12)<br>WHEN 'M'<br>THEN<br>ADD_MONTHS(NEXT_INT_PAYMENT_DATE, -<br>INT_PMT_FREQ<br>REQ)<br>ELSE<br>NEXT_INT_PAYMENT_DATE -<br>INT_PMT_FREQ<br>REQ END) |         | Warning     |               |
| 88         | (LAST_INT_PAYMENT_DATE > NEXT_INT_PAYMENT_DATE and (INT_PMT_FREQ is NULL or INT_PMT_FREQ <= 0)) | Last interest payment date is greater than next interest payment date, but cannot be calculated using interest payment frequency. | LAST_INT_PAYMENT_DATE=ORIGINATION_DATE                                                                                                                                                                                                                                                                        |         | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                     | Error Description                                                                                                                    | Assignment                                                                                                                                                                                                                                                                                       | Warning                                                   | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------|---------------|
| 89         | (LAST_PRIN_PAYMENT_DATE > NEXT_PRIN_PAYMENT_DATE and PRIN_PMT_FREQ > 0)                             | Last principal payment date is greater than next principal payment date and can be calculated using principal payment frequency      | LAST_PRIN_PAYMENT_DATE<br>ATE<br>=(CASE<br>PRIN_PMT_FREQ_MULT<br>WHEN 'Y'<br>THEN<br>ADD_MONT_HS<br>(NEXT_PRIN_PAYMENT_DATE, -<br>PRIN_PMT_FREQ*12)<br>WHEN 'M'<br>THEN<br>ADD_MONT_HS<br>(NEXT_PRIN_PAYMENT_DATE, -<br>PRIN_PMT_FREQ)<br>ELSE<br>NEXT_PRIN_PAYMENT_DATE -<br>PRIN_PMT_FREQ END) |                                                           | Warning     |               |
| 90         | (LAST_PRIN_PAYMENT_DATE > NEXT_PRIN_PAYMENT_DATE and (PRIN_PMT_FREQ is NULL or PRIN_PMT_FREQ <= 0)) | Last principal payment date is greater than next principal payment date, but cannot be calculated using principal payment frequency. | LAST_PRIN_PAYMENT_DATE<br>ATE=ORIGIN<br>ATION_DATE                                                                                                                                                                                                                                               | Last principal payment date > Next principal payment date | Warning     |               |
| 91         | (LAST_INT_PAYMENT_DATE ATE < ORIGINATION_DATE)                                                      | Last interest payment date cannot be less than the origination date                                                                  | LAST_INT_PAYMENT_DATE<br>ATE=ORIGIN<br>ATION_DATE                                                                                                                                                                                                                                                | Last Interest Payment Date < Origination Date             | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                       | Error Description                                                                                           | Assignment                              | Warning                                                          | Error Level | Edit Priority |
|------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------|-------------|---------------|
| 92         | (LAST_PRIN_PAYMENT_DATE < ORIGINATION_DATE)                                           | Last principal payment date cannot be less than the origination date                                        | LAST_PRIN_PAYMENT_DATE=ORIGINATION_DATE | Last Principal Payment Date < Origination Date                   | Warning     |               |
| 93         | (LAST_INT_PAYMENT_DATE > AS_OF_DATE and ORIGINATION_DATE <= AS_OF_DATE)               | Last interest payment date cannot be greater than the as-of-date if the instrument originated in the past.  | LAST_INT_PAYMENT_DATE=AS_OF_DATE        | Last interest payment date > As of Date                          | Warning     |               |
| 94         | (LAST_PRIN_PAYMENT_DATE > AS_OF_DATE and ORIGINATION_DATE <= AS_OF_DATE)              | Last principal payment date cannot be greater than the as-of-date if the instrument originated in the past. | LAST_PRIN_PAYMENT_DATE=AS_OF_DATE       | Last principal payment date > As of Date                         | Warning     |               |
| 95         | (INTEREST_TIMING_TYPE_CD = 2 and AMRT_TYPE_CD in (100, 400, 600, 710, 800, 840, 850)) | Interest type can only be arrears for conventionally amortizing instruments.                                | INTEREST_TIMING_TYPE_CD=1               | Amortization Type is conventional but interest timing is Advance | Warning     |               |
| 96         | (INTEREST_TIMING_TYPE_CD is NULL or INTEREST_TIMING_TYPE_CD not in (1, 2, 3))         | Interest type must be a valid OFSAA code.                                                                   | INTEREST_TIMING_TYPE_CD=1               | Invalid interest timing type                                     | Warning     |               |

**Table 14-6 (Cont.) Error Messages**

| Error Code | Error Condition                                                                                 | Error Description                                                                                     | Assignment            | Warning                                 | Error Level | Edit Priority |
|------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------------|-------------|---------------|
| 97         | (COMPOUND_BASIS_CD is NULL or COMPOUND_BASIS_CD not in (110, 120, 130, 140, 150, 160, 170))     | Compoundin g basis code must be a valid OFSAA code                                                    | COMPOUND_BASIS_CD=160 | Invalid Compoundin g Basis Code         | Warning     |               |
| 98         | (ACCRUAL_BASIS_CD IN (1, 4, 5) and (INT_PMT_FREQ_MULT = 'D' or AMRT_TYPE_CD in (800,801, 802))) | Accrual basis code cannot have a 30 day month assumption on instruments defined by a payment schedule | ACCRUAL_BASIS_CD=3    | Amortization Type / Accrual Basis Error | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                                                                                                       | Error Description                                                    | Assignment           | Warning                                            | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------|----------------------------------------------------|-------------|---------------|
| 99         | (ACCRUAL_BASIS_CD = 7 and (HOLIDAY_CALENDAR_CODE is NULL or HOLIDAY_CALENDAR_CODE <= 0 or HOLIDAY_CALENDAR_OPTION_CD is NULL or HOLIDAY_CALENDAR_OPTION_CD not in (1, 2) or HOLIDAY_ROLLING_CONVENTION_CD is NULL or HOLIDAY_ROLLING_CONVENTION_CD not in (2,3,4,5))) | Holiday calendar must be given when using Business/252 accrual basis |                      | Holiday calendar not given for B/252 accrual basis | Info        |               |
| 100        | (AMRT_TYPE_CD = 10 and BEHAVIOUR_TYPE_CD is NULL)                                                                                                                                                                                                                     | Behaviour Type Code is Null, defaulted to 1 (Non-Maturity)           | BEHAVIOUR_TYPE_CD= 1 | Behaviour Type Code is Null                        | Warning     |               |
| 101        | (AMRT_TYPE_CD = 10 and BEHAVIOUR_TYPE_CD not in (1,2,3))                                                                                                                                                                                                              | Behaviour Type Code is invalid, defaulted to 1 (Non-Maturity)        | BEHAVIOUR_TYPE_CD= 1 | Invalid Behaviour Type Code                        | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                                                                         | Error Description                                                                                                  | Assignment                        | Warning                                                  | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------------|-------------|---------------|
| 102        | (AMRT_TYP<br>E_CD = 10<br>and<br>BEHAVIOUR<br>_TYPE_CD =<br>2<br>and<br>(BEHAVIOU<br>R_SUB_TYP<br>E_CD<br>is NULL<br>or<br>BEHAVIOUR<br>_SUB_TYPE<br>_CD<br>not in (201,<br>202, 203))) | Behaviour<br>Sub Type<br>should be<br>201 or 202 or<br>203 when<br>Behaviour<br>Type is Non-<br>Performing         | BEHAVIOUR<br>_SUB_TYPE<br>_CD=201 | Invalid<br>Behavior Sub<br>Type Code                     | Warning     |               |
| 103        | (AMRT_TYP<br>E_CD = 10<br>and<br>BEHAVIOUR<br>_TYPE_CD =<br>3<br>and<br>(BEHAVIOU<br>R_SUB_TYP<br>E_CD is<br>NULL<br>or<br>BEHAVIOUR<br>_SUB_TYPE<br>_CD<br>not in (305,<br>306)))      | Behaviour<br>Sub Type<br>should be<br>305 or 306<br>when<br>Behaviour<br>Type is<br>Devolvement<br>and<br>Recovery | BEHAVIOUR<br>_SUB_TYPE<br>_CD=305 | Invalid<br>Behavior Sub<br>Type Code                     | Warning     |               |
| 104        | (AMRT_TYP<br>E_CD = 840<br>and<br>RESIDUAL_<br>AMOUNT <<br>0)                                                                                                                           | Residual<br>Amount<br>cannot be<br>less than 0<br>for Lease<br>instrument                                          | RESIDUAL_<br>AMOUNT=0             | Invalid<br>Residual<br>Amount for<br>Lease<br>instrument | Warning     |               |
| 105        | (AMRT_TYP<br>E_CD = 840<br>and<br>RESIDUAL_<br>AMOUNT ><br>CUR_PAR_B<br>AL)                                                                                                             | Residual<br>Amount<br>cannot be<br>higher than<br>Current Par<br>Balance for<br>Lease<br>instrument                | RESIDUAL_<br>AMOUNT=0             | Invalid<br>Residual<br>Amount for<br>Lease<br>instrument | Warning     |               |



Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                        | Error Description                                                                      | Assignment                   | Warning                                                                 | Error Level | Edit Priority |
|------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------|-------------------------------------------------------------------------|-------------|---------------|
| 106        | (AMRT_TYP<br>E_CD = 850<br>and<br>MATURITY_<br>AMOUNT > 0<br>and<br>ADJUSTABL<br>E_TYPE_CD<br>> 0)                     | Annuity<br>instrument<br>with maturity<br>amount must<br>have fixed<br>interest rate   | ADJUSTABL<br>E_TYPE_CD<br>=0 | Invalid<br>Adjustable<br>Type for<br>Annuity with<br>Maturity<br>Amount | Warning     |               |
| 107        | (MOA_EXPE<br>CTED_BAL ><br>0<br>and<br>(MOA_OFFS<br>ET_PERCEN<br>T is NULL<br>or<br>MOA_OFFS<br>ET_PERCEN<br>T < 0))   | Expected<br>balance is<br>greater than<br>0 but offset<br>percentage is<br>less than 0 | MOA_OFFS<br>ET_PERCEN<br>T=0 | Invalid offset<br>percent                                               | Warning     |               |
| 108        | ((MOA_EXP<br>ECTED_BAL<br>*<br>MOA_OFFS<br>ET_PERCEN<br>T/100) ><br>CUR_PAR_B<br>AL)                                   | Calculated<br>Offset<br>Balance is<br>higher than<br>Current Par<br>Balance            |                              | Calculated<br>Offset<br>Balance ><br>Current Par<br>Balance             | Info        |               |
| 109        | (ADJUSTABL<br>E_TYPE_CD<br>= 10<br>and<br>(REPRICE_P<br>ATTERN_CD<br>is NULL<br>or<br>REPRICE_P<br>ATTERN_CD<br><= 0)) | Invalid<br>reprice<br>pattern code<br>given for<br>instrument                          | ADJUSTABL<br>E_TYPE_CD<br>=0 | Invalid<br>reprice<br>pattern code                                      | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                                                                                         | Error Description                                                    | Assignment                       | Warning                         | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------|---------------------------------|-------------|---------------|
| 110        | (ADJUSTABLE_TYPE_CD = 10 and REPRICE_PATTERN_CD > 0 and REPRICE_PATTERN_CD not in (select ADJUSTABLE_TYPE_CD from fsi_reprice_pattern)) | Invalid reprice pattern code given for instrument                    | ADJUSTABLE_TYPE_CD = 0           | Invalid reprice pattern code    | Warning     |               |
| 111        | (ADJUSTABLE_TYPE_CD = 0 and (ORG_PAYMENT_AMOUNT is NULL or ORG_PAYMENT_AMOUNT <= 0))                                                    | Original payment amount is required for fixed-rate instruments       | ORG_PAYMENT_AMOUNT = CUR_PAYMENT | Invalid Original Payment Amount | Warning     |               |
| 112        | (PERCENT_SOLD < 0 or PERCENT_SOLD > 99)                                                                                                 | Percent Sold must be greater than or equal to zero and less than 100 | PERCENT_SOLD = 0                 | Invalid Percent Sold            | Warning     |               |
| 113        | (CURRENT_PAR_BAL is NULL or CURRENT_PAR_BAL = 0)                                                                                        | Instruments with Current Par Balance zero are not processed.         |                                  | Current Par Balance = 0         | Warning     |               |
| 114        | (EMBEDDED_OPTIONS_FLG = 1 and AMRT_TYPE_CD <> 700)                                                                                      | Embedded option is supported only for non-amortizing instrument      | EMBEDDED_OPTIONS_FLG = 0         | Invalid embedded options flag   | Warning     |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                       | Error Description                                                                   | Assignment                         | Warning                   | Error Level | Edit Priority |
|------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|---------------------------|-------------|---------------|
| 115        | (ADJUSTABLE_TYPE_CD = 0 and TP_EFFECTIVE_DATE > ORIGINATION_DATE)     | TP Effective Date must not be after Origination Date for fixed rate instrument      |                                    | Invalid TP Effective Date | Info        |               |
| 116        | (ADJUSTABLE_TYPE_CD = 0 and TP_EFFECTIVE_DATE < ORIGINATION_DATE)     | TP Effective Date must not be before Origination Date for fixed rate instrument     |                                    | Invalid TP Effective Date | Info        |               |
| 117        | (ADJUSTABLE_TYPE_CD > 0 and TP_EFFECTIVE_DATE > LAST_REPRICE_DATE)    | TP Effective Date must not be after Last Reprice Date for non-fixed rate instrument |                                    | Invalid TP Effective Date | Info        |               |
| 118        | (ADJUSTABLE_TYPE_CD > 0 and TP_EFFECTIVE_DATE <= NEXT_REPRICE_DATE)   | TP Effective Date must not equal to Next Reprice Date for non-fixed rate instrument |                                    | Invalid TP Effective Date | Info        |               |
| 119        | (TP_EFFECTIVE_DATE is not NULL and TP_EFFECTIVE_DATE < '01-JAN-1970') | TP Effective Date is before '01-JAN-1970'                                           | TP_EFFECTIVE_DATE=ORIGINATION_DATE | Invalid TP Effective Date | Info        |               |
| 120        | (TP_EFFECTIVE_DATE > MATURITY_DATE)                                   | TP Effective Date is after maturity date                                            | TP_EFFECTIVE_DATE=ORIGINATION_DATE | Invalid TP Effective Date | Info        |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition                                                         | Error Description                                                                           | Assignment                           | Warning                           | Error Level | Edit Priority |
|------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------------|-------------|---------------|
| 121        | (ADJUSTABLE_TYPE_CD = 0 and ADJ_EFFECTIVE_DATE > ORIGINATION_DATE)      | Adjustment Effective Date must not be after Origination Date for fixed rate instrument      |                                      | Invalid Adjustment Effective Date | Info        |               |
| 122        | (ADJUSTABLE_TYPE_CD = 0 and ADJ_EFFECTIVE_DATE < ORIGINATION_DATE)      | Adjustment Effective Date must not be before Origination Date for fixed rate instrument     |                                      | Invalid Adjustment Effective Date | Info        |               |
| 123        | (ADJUSTABLE_TYPE_CD > 0 and ADJ_EFFECTIVE_DATE > LAST_REPRICE_DATE)     | Adjustment Effective Date must not be after Last Reprice Date for non-fixed rate instrument |                                      | Invalid Adjustment Effective Date | Info        |               |
| 124        | (ADJUSTABLE_TYPE_CD > 0 and ADJ_EFFECTIVE_DATE <= NEXT_REPRICE_DATE)    | Adjustment Effective Date must not equal to Next Reprice Date for non-fixed rate instrument |                                      | Invalid Adjustment Effective Date | Info        |               |
| 125        | (ADJ_EFFECTIVE_DATE is not NULL and ADJ_EFFECTIVE_DATE < '01-JAN-1970') | Adjustment Effective Date is before '01-JAN-1970'                                           | ADJ_EFFECTIVE_DATE= ORIGINATION_DATE | Invalid Adjustment Effective Date | Info        |               |
| 126        | (ADJ_EFFECTIVE_DATE > MATURITY_DATE)                                    | Adjustment Effective Date is after maturity date                                            | ADJ_EFFECTIVE_DATE= ORIGINATION_DATE | Invalid Adjustment Effective Date | Info        |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition | Error Description | Assignment | Warning                                                                                                             | Error Level | Edit Priority |
|------------|-----------------|-------------------|------------|---------------------------------------------------------------------------------------------------------------------|-------------|---------------|
| 127        |                 |                   |            | Invalid<br>Payment<br>Frequency<br>Multiplier                                                                       |             |               |
| 128        |                 |                   |            | Maturity Date<br>< Next<br>Payment<br>Date                                                                          |             |               |
| 129        |                 |                   |            | Next<br>Payment<br>Date < As of<br>Date                                                                             |             |               |
| 130        |                 |                   |            | Next<br>Payment<br>Date <<br>Origination<br>Date                                                                    |             |               |
| 131        |                 |                   |            | Payment<br>Freq ><br>Original Term                                                                                  |             |               |
| 132        |                 |                   |            | Payment<br>Frequency<br><= 0                                                                                        |             |               |
| 133        |                 |                   |            | Payment<br>Frequency<br><= 0                                                                                        |             |               |
| 134        |                 |                   |            | Payment<br>Frequency<br><= 0                                                                                        |             |               |
| 135        |                 |                   |            | Current book<br>balance<br>should equal<br>the current<br>par balance<br>plus the<br>deferred<br>current<br>balance |             |               |
| 136        |                 |                   |            | Current net<br>par balance<br>should reflect<br>the bank-<br>owned<br>portion of the<br>current gross<br>balance    |             |               |
| 137        |                 |                   |            | Last payment<br>date > Next<br>payment date                                                                         |             |               |
| 138        |                 |                   |            | Last payment<br>date > Next<br>payment date                                                                         |             |               |

Table 14-6 (Cont.) Error Messages

| Error Code | Error Condition | Error Description | Assignment | Warning                                | Error Level | Edit Priority |
|------------|-----------------|-------------------|------------|----------------------------------------|-------------|---------------|
| 139        |                 |                   |            | Last Payment Date < Origination Date   |             |               |
| 140        |                 |                   |            | Last payment date > As of Date         |             |               |
| 141        |                 |                   |            | Percent Sold should be between 0 to 99 |             |               |
| 142        |                 |                   |            | Invalid Exchange of Principal flag     |             |               |

# User Defined Behavior Patterns

User defined behavior patterns allow you to define principal amortization schedules and replicating portfolio characteristics for non-maturity products in your portfolio. You can utilize a behavior pattern while generating cash flows (for use in ALM and Liquidity Risk Management) by entering the behavior pattern code as the amortization type code (AMRT\_TYPE\_CD) for the relevant instrument records. In Funds Transfer Pricing, for certain TP Methods, you can select a Behavior Pattern to support your Transfer Pricing assumptions. In many cases, particularly for ALM processing, the "non-maturity" instruments will be aggregated or summarized balances.

The Behavior Pattern codes can range from 70000 to 99999

The procedure for working with and managing Behavior Patterns includes the following steps:

- [Searching for Behavior Pattern](#)
- [Creating a Behavior Pattern](#)
- [Viewing and Editing Behavior Patterns](#)
- [Copying Behavior Patterns](#)
- [Deleting Behavior Patterns](#)

## 15.1 Creating Behavior Patterns

Depending on the Transfer Pricing method, the Behavior Pattern mapped to the individual instrument records (amrt\_type\_cd), may or may not be used. For cash flow TP methods, the engine will read the Behavior Pattern from the instrument record. For Tractor, Caterpillar and Weighted Average Perpetual methods, the Behavior Pattern is assigned directly within the TP Rule at a Product / Currency level and hence, the TP engine will not refer to the Behavior Pattern assigned to the individual instrument records for these methods.

You create Behavior Patterns to capture the principal run-off behavior of product types that do not have contractual maturities.

To create a Behavior Pattern, perform the following:

1. Navigate to the **Behavior Pattern Summary** Page.
2. Click **Add** to display the Behavior Pattern Details Page.

**Figure 15-1 Behavior Patterns Details Page**

Behavior Patterns

Code \* 78906

Name \* PS - AAAA

Description

Type \* Non Maturity

Replicating Portfolio ☐

Non-Maturity

| Tenor * | Multiplier * | Allocation Input Type * | Percentage * | Type *   |
|---------|--------------|-------------------------|--------------|----------|
|         | Months       |                         |              | Volatile |

3. Enter a unique Numeric Code for the new Behavior Pattern. The code is must be mapped the appropriate instrument record's AMRT\_TYPE\_CD and BEHAVIOUR\_PATTERN\_CD to connect the instrument to the appropriate pattern.

**Note**

The code, also known as an amortization type code, is a numeric identifier for the behavior pattern. The code value must be a number between 70000 and 99999. The code value you assign to the new pattern must be unique. In addition, the code must be mapped to the appropriate instrument records, (AMRT\_TYPE\_CD field) to connect the instrument to the appropriate pattern.

4. Enter the **Name** and a **Description** for the pattern.
5. Select the Behavior Pattern Type from the following options:
  - Non Maturity
  - Non-Performing
  - Devolvement and Recovery.

**Note**

The Replicating Portfolio option is enabled only for the Non Maturity Behavior Pattern. This option should be selected only when defining a Behavior Pattern for use in Funds Transfer Pricing – Tractor TP Method. Replicating Portfolio Behavior Pattern codes should not be mapped to instrument records (amrt\_type\_cd) and will not be available for selection in any UI other than Tractor TP Method.

6. Define the Behavior Pattern Tenor Specifications for the Maturity Branches.
7. The selection of the Behavior Pattern Type made in the previous step determines the information you must provide to successfully define that Pattern Type. For more information, see:
  - [Defining Non-Maturity Behavior Patterns](#)
  - [Defining Non-Performing Behavior Patterns](#)
  - [Defining Devolvement and Recovery Behavior Patterns](#)

**Note**

The Behavior Pattern Details Page above displays the specifications associated with the Non Maturity Pattern Type. Should you change this value for one of the other two alternatives, Non Performing or Devolvement and Recovery, the payment specifications section corresponding to the new Pattern Type get refreshed. Although you can change your selection of the Pattern Type at any point in this procedure, sometimes this might result in loss of data related to any prior selection.

## 15.1.1 Searching for Behavior Patterns

Search for a behavior pattern to perform any of the following tasks:

- View



- Edit
- Copy
- Delete
- Check Dependencies

To search the behavior pattern, follow these steps:

1. Navigate to the **Behavior Pattern Summary** page.

**Figure 15-2 Behavior Pattern Summary Page**

Behavior Patterns As of Date: 03/31/2022

Search Refresh

Code  Name

Behavior Patterns

| <input type="checkbox"/> | Code  | Name           | Pattern Type              | Creation Date       | Created By | Last Modification Date | Last Modified By |
|--------------------------|-------|----------------|---------------------------|---------------------|------------|------------------------|------------------|
| <input type="checkbox"/> | 70001 | Bug34350456_BP | Devolverment and Recovery | 07/20/2022 08:17:07 | ALMADMIN   | 07/20/2022 08:17:07    | ALMADMIN         |
| <input type="checkbox"/> | 70002 | BP_test        | Devolverment and Recovery | 07/20/2022 12:34:13 | ALMADMIN   | 07/20/2022 12:34:13    | ALMADMIN         |
| <input type="checkbox"/> | 70003 | BP_NM          | Non Maturity              | 07/21/2022 06:44:41 | ALMADMIN   | 09/14/2022 09:00:10    | ALMADMIN         |
| <input type="checkbox"/> | 70004 | BP_NP          | Non Performing            | 07/21/2022 06:46:10 | ALMADMIN   | 07/21/2022 06:46:45    | ALMADMIN         |
| <input type="checkbox"/> | 70005 | Ejada BP       | Non Maturity              | 09/29/2022 06:56:29 | ALMADMIN   | 09/29/2022 06:56:29    | ALMADMIN         |

2. Enter the search criteria.
3. Enter the code or name of the Pattern.
4. Click the **Search** icon.
5. The search results are displayed in a table containing all of the behavior patterns that meet the search criteria. The **Behavior Pattern Summary** page offers several icons that allow you to perform different functions when a behavior pattern is selected.
6. To select a behavior pattern, select a check box in the first column of the table. More than one behavior pattern can be selected at a time, but this disables some of the icons.

You can select or deselect all the behavior patterns in the Summary page by selecting the check box in the upper left-hand corner of the Summary table directly to the left of the Code column header.

## 15.1.2 Defining Non-Maturity Behavior Patterns (for Tractor TP Method use)

### Note

This is applicable only for FTP application.

The Tractor Transfer Pricing Method, utilizes a replicating portfolio concept. Replicating Portfolio's are a special type of Non-Maturity Behavior Pattern and are created and managed through the Non-Maturity Behavior Pattern UI.

Through the replicating portfolio UI, users can define one or more core balance amounts. Users assign a term to each core and generate balance strips at any granularity (e.g. typically daily or monthly, depending on the frequency of the transfer pricing process). To maintain the portfolio over time, users must roll and re-balance the portfolio to update the volatile plug amount and if needed re-balance the core amount.

Update the Balance type when source table is the instrument table. The Balance type allows you to select the type of the Balance.

- If the Source is selected as "Management Ledger, then it can be either Average Balance or Ending Balance.
- If the source is selected as either "Instrument" or: Aggregate Table", then it can be Cur Book, Cur Par or Average balance.

To define a non-maturity behavior pattern for Tractor TP method use, follow these steps:

1. In the Behavior Pattern details page, select Non Maturity as the Behavior Pattern Type.
2. Enter the following details:

**Table 15-1 Key Terms used in the Behavior Pattern Details page**

| Term                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Core Allocation Input | This drop-down is a mandatory selection. The drop-down values are Amount and Percentage. If the Non-Maturity profile method is selected as the Non-Maturity Products Model, then allocation will always be in percentage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Core Allocation       | The amount that is apportioned to each core. The Allocation amount in absolute or percentage for each strip is automatically determined (when Strip Tenor is "Days", or "Months") by evenly spreading the defined Core Amount across the number of strips for the portfolio. When Strip Tenor is "At Maturity", the entire amount is placed at the maximum term, determined by the inputs for "Term " and "Multiplier". If the user selects 'Amount' in the Core Allocation Input drop-down , then the 'Core Allocation' text box accepts values from 0.0000 to 9,999,999,999.9999. If the user selects 'Percentage' in the Core Allocation Input drop-down , then the 'Core Allocation' text box accepts only a percentage value between 0.0000 and 100.0000. |
| Tenor                 | Used to specify the maturity term for the portfolio. This term defines the maximum term for the initial strip balance and the rollover term for each rollover strip.<br><br>When you manually select or schedule the replicating portfolio process, the Org term of the volatile strip is calculated. Replicating Portfolio generates the volatile strips that sets the ORG_TERM equal to the Period between Maturity date and Origination date.                                                                                                                                                                                                                                                                                                               |
| Multiplier            | The unit of time applied to the Tenor. The choices are: <ul style="list-style-type: none"> <li>• Days</li> <li>• Months</li> <li>• Years</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**Table 15-1 (Cont.) Key Terms used in the Behavior Pattern Details page**

| Term                                | Description                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type                                | For replicating portfolio, type is defaulted to core. The Volatile strip is generated automatically as a reconciling plug entry to balance the portfolio. The term of the plug entry is defaulted to 1 Day, unless a holiday calendar is used, in which case the volatile amount maturity can be extended to the next business day.                                 |
| Strip Tenor                         | Indicates the frequency of the strips generated for the portfolio. Available options are "Days", "Months" or "At Maturity". For example, if "Days" is selected, strips will be generated for each day from the as-of-date to the maturity term. If "At Maturity" is selected, a single strip will be generated and the balance will be placed at the maturity term. |
| Source Balance Selection            | The source balance selection allows you to define the source Instrument Table, Aggregate table (or Ledger Table).                                                                                                                                                                                                                                                   |
| Balance Type                        | The Balance type allows you to select the type of Balance. It can be either Average Balance or Ending Balance. This option will be enabled if the Source Balance is selected as Management Ledger.                                                                                                                                                                  |
| Enable Holiday Calendar             | Replicating Portfolio's allow users to enable a holiday calendar. If this option is selected, portfolio strips will not be generated on weekends or holidays. In addition, during rollover of maturing strips new maturity dates will be adjusted to ensure maturities fall only on working days.                                                                   |
| Holiday Calendar Code               | The holiday calendar code allows users to select the applicable holiday calendar.                                                                                                                                                                                                                                                                                   |
| Holiday Calendar Rolling Convention | The rolling convention within replicating portfolios is defaulted to next business day. Related to this method is an additional date adjustment to ensure that only one core strip falls on a single date. We refer to this secondary adjustment as an exclusive business day convention.                                                                           |
| Default Portfolio Roll Frequency    | The default portfolio roll frequency option allows you to set default rolling frequency of replicating portfolio.                                                                                                                                                                                                                                                   |
| Merge Delta Strips on Re-balancing  | If Merge Delta Strips on Re-balancing option is enabled, then the core strips will be merged during the rebalancing.                                                                                                                                                                                                                                                |

**Table 15-1 (Cont.) Key Terms used in the Behavior Pattern Details page**

| Term                         | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Generate the Portfolio       | <p>After initially creating (and saving) the replicating portfolio definition, users should Generate the Portfolio. This action launches a background process which generates the strip records for the portfolio. Prior to running this process be mindful of the As-of-date defined in your Application Preferences, as this date will be used as the initial Origination Date for the newly created strips.</p> <p>If % is selected as the Core Allocation Input type, the procedure will read the current period balance (CUR_BOOK_BAL or Ending Balance), for the selected "Product Member" (from Source Balance selection) and determine the Required Core Amount based on the resulting Balance x Core %. This applies to both Management Ledger (Ending Balance) and Instrument table (CUR_BOOK_BAL).</p> |
| Roll the Portfolio Forward   | <p>Each period (day or month), users will need to roll the portfolio forward. The new as-of-date for the portfolio will be determined based on the existing as-of-date plus the default roll frequency. As a general rule, users should update their as-of-date in application preferences prior to running the Roll Portfolio Process.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Roll the Portfolio Backwards | <p>This option allows you to roll back the portfolio to the initially selected As-of-Date.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Roll Back                    | <p>If you have rolled the portfolio forward by mistake and needed to roll the portfolio back to original state, click the Roll Back button. This will first take your confirmation on the rolled back date based on the rolled forward as of date minus the default roll frequency. All the original strips and corresponding tenors will be restored to the original state.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**Table 15-1 (Cont.) Key Terms used in the Behavior Pattern Details page**

| Term                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Re-balance the Portfolio | <p>After rolling the portfolio, users will need to re-balance the portfolio. There are two options provided for re-balancing:</p> <ul style="list-style-type: none"> <li>• <b>Plug to Volatile Strip:</b> This option should be selected when no changes to the core allocation have been made. This process will compare the current period source balance with the current portfolio strip balance. The difference will be posted to the new volatile strip.<br/>The Plug to Volatile Strip Re-balance method will not be relevant when the Core input type is % as the portfolio balance will change with every new as-of-date and new balancing/delta strips will be required to re-balance the portfolio.</li> <li>• <b>Rebalance Core Strips:</b> This option should be selected only when users have modified the Core Allocation or when the Core input type is %. If the Core Allocation has increased or decreased, balancing strips will be generated for each tenor to bring the core strip balance back in line with the Core Allocation Balance. This process will additionally run the Plug to Volatile process to create the plug strip.</li> </ul> |
| View the Portfolio       | This option allows you to view the portfolio strips.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

This table describes various fields in the Behavior Pattern Details page. You can enter or select the relevant details to populate the screen to define the Non-maturity Behavior Patterns for the Tractor TP Method use.

3. Make your required selections in the **Source Balance Selection** section.
4. Click **Add Core** (one or more) to input the core amount, associated maturity term and strip frequency.
5. To delete a row, select the check box corresponding to the row you want to remove and click **Delete**.
6. Click **Save**.  
The Behavior Pattern is saved and the Behavior Pattern summary page is displayed.

**Figure 15-3 Behavior Pattern summary page**

The screenshot displays the 'Behavior Patterns' summary page. At the top, the breadcrumb 'ETP Maintenance > Patterns > Behavior Patterns' is visible. The main form contains the following elements:

- Code:** 77777
- Name:** Reporting Portfolio
- Description:** (empty text area)
- Type:** Non Maturity (dropdown)
- Replicating Portfolio:** ☒
- Source Balance Selection:** (section header)
- Balance Type:** (dropdown)
- Product Hierarchy:** test\_hier (dropdown)
- Currency:** US Dollar (dropdown)
- Merge Delta Strips on Re-balancing:** ☐
- Holiday Calendar Code:** (dropdown)
- Enable Holiday Calendar:** ☐
- Instrument Table:** ☒ **Management:** ☐ **Ledger:** ☐
- Folder:** PFTSEG (dropdown)
- Product Member:** chcf (dropdown)
- Default Portfolio Roll Frequency:** 365 (dropdown) **Days:** (dropdown)

7. Return to the Behavior Pattern / Replicating Portfolio in EDIT mode and execute the portfolio maintenance activities, including:
  - Generate Portfolio
  - Roll Portfolio
  - Rebalance Portfolio
  - View Portfolio

### Note

After the Replicating Portfolio is generated and the volatile plug has been updated for the current period, it is ready for processing by the FTP Engine. FTP Processes utilizing the Tractor TP Method should not be Run until all Replicating portfolios are updated.


## 15.1.3 Defining Non-Performing Behavior Patterns

Non-Performing Behavior Patterns are commonly used for balances that are classified as non-earning assets. These balances are typically sourced from the Management Ledger as aggregate balances. Users can assign expected maturity profiles to these balances classifying them into appropriate categories of Sub Standard, Doubtful, or Loss.

To define the Non-Performing Behavior Patterns, perform the following steps:

1. In the Behavior Pattern Details Page, select **Non-Performing** as the **Behavior Pattern Type**.
2. Enter the **Code**, **Name**, and **Description** for the Behavior Pattern.
3. Click the **Add** icon to open the **Non-Performing Behavior Patterns Summary** page.

**Figure 15-4 Behavior Pattern with Type as Non-Performing**



The screenshot shows the 'Behavior Patterns' configuration page. The 'Behavior Patterns' section is expanded, showing details for a pattern with Code '70010', Name 'Non-performing loans', and Description 'Behavior Pattern Details'. The 'Type' is set to 'Non-Performing'. Below this, the 'Non-Performing' section is expanded, showing a table with columns: Tenor, Multiplier, Percentage, and Type. The table contains four rows of data:

| Tenor | Multiplier | Percentage | Type        |
|-------|------------|------------|-------------|
| 6     | Months     | 25.0000    | Substandard |
| 12    | Months     | 25.0000    | Substandard |
| 18    | Months     | 30.0000    | Doubtful    |
| 24    | Months     | 20.0000    | Loss        |

At the bottom of the page, there are 'Save' and 'Cancel' buttons.

4. Enter or select the following details:
  - **Tenor**: Specify the maturity tenor for the first maturity strip. For example, if "1 Day" is defined, then the applicable percentage of the balance will runoff (mature) on the As-of-Date + 1 Day.
  - **Multiplier**: The unit of time applied to the Tenor. The choices are:

- Days
- Months
- Years
- **Percentage:** The relative amount of the Principal Balance that will mature on the date specified by the Tenor + Multiplier. The percentage amounts can exceed 100% for Non-Performing Patterns.
- **Runoff Type:** This allows you to classify the Runoff based on the appropriate type. The options are:
  - Substandard
  - Doubtful
  - Loss

**Note**

There is no difference in behavior from a Cash Flow perspective, but the Runoff Amount will be written to a Principal Runoff Financial Element corresponding to the selected Runoff Type.

5. Click the **Add** icon to add additional payment strips to the Pattern and define appropriate assumptions for each strip.
6. To delete a row, select the check box corresponding to the row(s) you want to remove and click the **Delete** icon.
7. Click **Save**.

The Behavior Pattern is saved and the **Behavior Pattern Summary** Page is displayed.

## 15.1.4 Defining Devolvement and Recovery Behavior Patterns

Devolvement and Recovery Behavior Patterns are commonly used for estimating Cash Flows associated with Letters of Credit and Guarantees. These product types are categorized as Off-Balance-Sheet Accounts. Users can assign expected maturity profiles to the related balances classifying them into appropriate categories of Sight Devolvement and Sight Recovery or Usance Devolvement and Usance Recovery. Sight Devolvement and Recovery are the most common types.

To define the Non-Performing Behavior Patterns, perform the following steps:

1. In the **Behavior Pattern Details** page, select **Devolvement and Recovery** as the Behavior Pattern Type.
2. Enter the **Code**, **Name**, and **Description** for the Behavior Pattern.
3. Click the **Add** icon to open the Non-Performing Behavior Patterns Summary page.

**Figure 15-5 Behavior Pattern with Type as Devolvement and Recovery**

4. Enter or select the following details:

- **Tenor:** Specify the maturity tenor for the first maturity strip. For example, if “1 Day” is defined, then the applicable percentage of the balance will Runoff (mature) on the As-of-Date + 1 Day.
- **Multiplier:** The unit of time applied to the Tenor. The choices are:
  - Days
  - Months
  - Years
- **Percentage:** The relative amount of the Principal Balance that will mature on the date specified by the Tenor + Multiplier. The percentage amounts can exceed 100% for devolvement and recovery patterns.
- **Runoff Type:** This allows you to classify the Runoff based on the appropriate type. The options are:
  - **Sight Devolvement:** indicates the Beneficiary is paid as soon as the Paying Bank has determined that all necessary documents are in order. This is the preferred approach.
  - **Sight Recovery**
  - **Usance Devolvement:** Usance is a period, which can be between 30 and 180 days after the bill of Lading Date.
  - **Usance Recovery**

**Note**

There is no difference in behavior from a Cash Flow perspective, but the Runoff Amount will be written to a Principal Runoff Financial Element corresponding to the selected Runoff Type.

5. Click the **Add** icon to add additional payment strips to the Pattern and define appropriate assumptions for each strip.
6. To delete a row, select the check box corresponding to the row(s) you want to remove and click the **Delete** icon.
7. Click **Save**.



The Behavior Pattern is saved and the Behavior Pattern Summary Page is displayed.

This release includes a facility that enables the automatic load of behavior patterns. There is a Behavior Pattern Loader Utility, which helps to automatically load model output records from STG\_BEHAVIOUR\_PATTERN into FSI\_BEHAVIOUR\_PATTERN\_MASTER and FSI\_BEHAVIOUR\_PATTERN\_DETAIL. The utility first performs a sanity check on all records as per business requirement and only moves records that pass these checks. In the case of Non-Maturing Behavior Patterns, only Non-Replicating Portfolio Patterns can be loaded through this utility. For more information, see the OFS Data Model Utilities User Guide.

## 15.1.5 Defining Non-Maturity Behavior Patterns

Non-Maturity Behavior Patterns are commonly used for deposit products like Checking, Savings, and Money Market Accounts as well as for Credit Card Accounts. These account types are similar in that they do not have Contractual Cash Flows because Customers have the option to deposit or withdraw any amount at any time (up to any established limits).

When working with Non-Maturity Behavior Patterns, your percentage weights, assigned to maturity terms must add up to 100%.

To define a non-maturity behavior pattern for non-Tractor TP method, there are two ways:

- Manual
- Non-Maturity Products Model

**Figure 15-6 Behavior Patterns**

For Manual Model, you can follow these steps:

1. In the Behavior Pattern Details page, select Non Maturity as the Behavior Pattern Type.
2. Select Non-Maturity Products Profile Method as **Manual**.
3. Enter or select the following details:
  - **Tenor:** Used to specify the maturity term for the particular row. For example, if “1 Day” is defined, then the applicable percentage of the balance will runoff (mature) on the As-of-Date + 1 Day.
  - **Multiplier:** The unit of time applied to the tenor. The choices are as follows:
    - Days
    - Months
    - Years
  - **Percentage:** The outstanding balance indicating how much of the outstanding balance will mature on the specified term. If the Non-Maturity profile method is selected as the Non-Maturity Products Model, then allocation will be in percentage.

- **Allocation Input Type:** This field allows you to select the Amount or Percentage when defining the volume for each maturity tier.
- **Type:** Allows you to classify the runoff based on the appropriate type. If you select Percentage under 'Allocation Input Type', this allows you to select Core or Volatile. When Amount 'Allocation Input Type' is selected, only Core amounts are allowed to be entered. The TP engine calculates the Volatile amount internally based on the sum of the portfolio balance less the sum of the core amounts. i.e. 100% of the portfolio balance is accounted for as either core or volatile.

**Note**

There is no difference in behavior from a cash flow perspective, but the runoff amount will be written to a Principal Runoff financial element corresponding to the selected Runoff Type.

4. Click the **Add** icon to add additional payment strips to the Pattern. After defining the initial strip as Volatile, subsequent strips are usually classified as Core with varying maturity terms assigned.
5. You can also use the Excel Import/Export feature to add the Behavior Pattern information. For more information, see Excel Import/Export Feature.
6. You may want to utilize the Data Input Helper to copy from a row where you have already defined the Pattern definition or apply a fixed value down the page. For more information, see the Data Input Helper feature.
7. To delete a row, select the check box corresponding to the row you want to remove and click the **Delete** icon.
8. Click **Save**.  
The Behavior Pattern is saved and the Behavior Pattern Summary Page is displayed.

Another way to define Non-Maturity profile is via Non-Maturity Products Model. You can have single Core or Multiple Core strips based on if decay profile is being used:

- One Core and One Volatile strip in percentage if “Multiple Core Strips as per Decay Profile” is not selected.
- Multiple Core and Volatile strips in percentage if “Multiple Core Strips as per Decay Profile” is selected.

**Single Core Non-Maturity Behavior Pattern:** Behavior pattern picks the core from the underlying model which is defined at certain portfolio level. the application calculates the percentage of the core as  $(\text{Core}/\text{total}) \times 100$ , and the remaining would become volatile strip with tenor 1 day. Core strip tenor will be WAL given by the model. The amount is not applicable if the model is being used.

**Multiple Core Non-Maturity Behavior Pattern:** The Multiple Core Strips as per Decay Profile” check-box allows you to define Multiple Core Strips.

**Note**

Users have an option to define Tenor and multiplier for each strip for the concerned Behavior Pattern. System will calculate the strip percentage as per the selected model's decay profile and user -defined strip tenor.

**Total portfolio balance by Model (Model Output):** Total balance is the balance available at the latest As of Date in the Historical Period selected for which model is created. For example, if the Historical Period is 1st Jan 2020 to 31st Dec 2020, and say most recent as of date was 31st Dec 2020, then whatever is the total available balance of all the accounts considered under portfolio (product, currency,); would represent the total Portfolio Balance.

**Threshold balance:** This field is displayed only when the “Multiple Core Strips as per Decay Profile” check-box is selected. The default value of this field is 0.0. This field accepts only positive numbers/Decimals values. While using decay rate profile from the underlying model, balance will keep reducing using every period's decay rate till threshold balance is reached. No further strips will be created beyond Threshold balance. It is recommended to give some valid positive value as threshold balance, else after few initial strips, principal will become small and decaying part will be even smaller, so you will get huge number of strips with negligible run-offs and after 500 strips, system will throw an error.

The **Generate Profile** button creates the Profile Strips as per total and threshold balance.

The system uses the decay profile/decay rate generated by the model and creates the remaining balance/Runoff Profile as per As of Date (frequency) which can be in Days/Months and Years. If the frequency is in Days, then the tenor of the defined strips would be days else it would be in months/years as per the model definition.

For example, starting 100,000 total balance, in 1 month, 20,000 will Runoff with 20% decay rate and that becomes the first strip. While using the model only Percentage Strip Mode is allowed, So first strip is defined with 1 Month tenor and thereafter 2nd, 3rd strip with corresponding balance run-offs. And say cut off given by the user was 20,000 so up to 8th month strips would be defined using regular Runoffs as per decay profile. After that whatever is remaining, 16,777.22, in this case, would be given next term point 9 month as that is available balance up to 9 months. You can choose any strip as volatile or core. But in any case total strips percentage cannot be more than 100 By default, the minimum tenor strip will become volatile and all higher tenors will be tagged as Core Strips but you can still edit them.


Use the Model Search option to search the model based on Product and Currency.

**Figure 15-7 Model Selection**

The screenshot shows a 'Model Selection' dialog box. It has a 'Product' text input field and a 'Currency' dropdown menu. Below these is a 'Search' button. A table with two columns, 'Selected Model' and 'Available Models', is positioned below the search area. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

## 15.2 Export and Import Replicating Portfolio Data in Excel

There is an option through the Replicating Portfolio > View Portfolio UI to manually edit existing portfolio strips through Export and Import of the active Strip Data.

**Figure 15-8 Export and Import Replicating Portfolio Data in Excel**

The following screen shot illustrates the functionality:

- The Export option works against the entire active portfolio. For example, a user can currently filter on a specific CORE # or look at results for all Core's. Additionally, the selection of Strips can span multiple pages, for example - as seen in the preceding screen shot, 1-20 of 71. In this example, all 71 active strips are exported to Excel.
- The import function will replace ALL existing "Active" strips.
- The strip data being imported is validated to confirm that all required data is included. If the data is not complete, for example, it does not provide information for Core #, Strip Type, As of Date, Maturity Date, Tenor, Multiplier, Allocation (or Amount), then a warning message is given indicating that "The selected data is incomplete and cannot be imported. Please re-check the data and try again." The portfolio can also be edited directly on the view portfolio screen after new strips have been imported.
- When you click Strip Source option, the status column in the summary table shows the tagged strip records that have been created by system or manually. You can edit these tags for strips that are manually created or existing strips after exporting them into Excel.

**Figure 15-9 Excel Sheet**

The screenshot shows an Excel spreadsheet titled 'ExcelExportServlet.ExcelExportServlet [Read-Only] [Compatibility Mode] - Microsoft Excel'. The data is organized in columns A through L. The first row (row 1) contains headers: Core, Type, As Of Date, Maturity Date, Tenor, Multiplier, Allocation, Transfer Rate, Origination Date, Strip Sub Type, Original Strip Number, and Strip Source. The second row (row 2) shows data for Core # 1: Core, 29-Jun-2014, 02-Jul-2014, 3, D, 4, 0, 29-Jun-2014, 1, 1, System. The third row (row 3) shows data for Core # 0: Volatile, 29-Jun-2014, 30-Jun-2014, 1, D, 4, 0, 29-Jun-2014, 1, 1, System. The fourth row (row 4) is empty, and the fifth row (row 5) is also empty.

# User Defined Payment Patterns

User defined payment patterns allow you to define custom repayment patterns for products in your portfolio. You can include a payment pattern while generating cash flows by entering the payment pattern code as the amortization type code for the instrument. The Payment Pattern code can range from 1000 to 69999.

This chapter describes the procedure for capturing instrument payment patterns that are too complex to be accommodated in the standard fields of Instrument tables.

The procedure for working with and managing Payment Patterns is, similar to that of other Oracle assumption rules.

## Topics

- [Searching for Patterns](#)
- [Creating Payment Patterns](#)
- [Viewing and Editing Payment Patterns](#)
- [Copying Payment Patterns](#)
- [Deleting Payment Patterns](#)

## 16.1 Search for Payment Patterns

Search for a payment pattern to perform any of the following tasks:

- View
- Edit
- Copy
- Delete
- Check Dependencies

### Prerequisites

- Predefined Payment Patterns

### Procedure

To search for payment patterns, do the following:

1. Navigate to the **Payment Pattern** summary page. This page is the gateway to all payment patterns and related functionality. You can navigate to other pages relating to payment patterns from this page.

**Figure 16-1 Payment Pattern Summary Page**

Payment Patterns As of Date: 06/25/2014

Search

| Code | Description | Pattern Type | Creation Date       | Created By | Last Modification Date | Last Modified By |
|------|-------------|--------------|---------------------|------------|------------------------|------------------|
| 1111 | hngf        | Absolute     | 04/25/2018 17:43:14 | AUTOUSER   | 04/25/2018 17:43:14    | AUTOUSER         |
| 1125 | gfbhfh      | Absolute     | 04/30/2018 15:03:53 | AUTOUSER   | 04/30/2018 15:06:53    | AUTOUSER         |
| 1126 | hgfx        | Absolute     | 04/30/2018 15:11:34 | ALMUSER    | 04/30/2018 15:11:34    | ALMUSER          |
| 1127 | gdxf        | Split        | 05/03/2018 12:57:21 | AUTOUSER   | 05/03/2018 12:57:19    | AUTOUSER         |
| 1128 | hsf         | Absolute     | 04/30/2018 15:04:44 | AUTOUSER   | 04/30/2018 15:04:44    | AUTOUSER         |
| 2135 | kigh        | Absolute     | 04/25/2018 17:43:38 | AUTOUSER   | 04/25/2018 17:43:38    | AUTOUSER         |
| 2136 | kgb         | Absolute     | 04/25/2018 17:43:53 | AUTOUSER   | 04/25/2018 17:43:53    | AUTOUSER         |
| 2156 | ukgbj       | Absolute     | 04/25/2018 17:44:28 | AUTOUSER   | 04/25/2018 17:48:08    | AUTOUSER         |

- Enter the Code or Description of the pattern in Search Criteria.
- Click the **Search** icon.

Only patterns that match the search criteria are displayed.

You can control the number of rows to display on-screen by selecting the "Pagination Options" icon from the action bar.

## 16.2 Create Payment Patterns

You create payment patterns to capture the repayment behavior of instruments that are too complex to be accommodated through the use of the standard instrument table fields.

To create the payment pattern, do the following:

- Navigate to the **Payment Pattern** summary page.
- Click **Add** icon. The **Add Payment Pattern** page is displayed.
- Enter a Code value for the new payment pattern. You can also click Generate Code Option in Code field to generate the code automatically.

### Note

The code, also click Generate Code Option in Code field to generate the code automatically known as an amortization type code, is a numeric internal identifier for the payment pattern. The code value must be a number between 1000 and 69999. The code value you assign to the new pattern must be unique. In addition, the code must be mapped to the appropriate instrument records (AMRT\_TYPE\_CD field) to connect the instrument to the appropriate pattern.

- Enter the Name for pattern.
- Enter a brief Description for the pattern.
- Select the Payment Pattern Type: Absolute, Relative, or Split.
- Select the Payment Type: Conventional, Level Principal, or Non-amortizing. Define the Payment Pattern Term Specifications for payment phases.

### Note

The Payment Type option is not available for Split Payment Pattern type.

The selection of the payment pattern type made in the previous step determines the information you must provide to successfully define that pattern type. See:

- [Defining Absolute Payment Patterns](#)
- [Defining Relative Payment Patterns](#)
- [Defining Split Payment Patterns](#)

8. Click **Save**.

#### **Note**

The Payment Pattern Details page displays the specifications associated with the Absolute Payment Pattern Type, which is the default Payment Pattern Type value. Should you decide to change this value for any of the other two alternatives, Relative or Split, the system will refresh the payment specifications corresponding to the new Pattern Type. Although you can change your selection of the Pattern Type at any point in this procedure, sometimes this might cause loss of data related to any prior selection.

## 16.2.1 Define Absolute Payment Patterns

Absolute payment patterns are commonly used for instruments that are on a seasonal schedule, such as agricultural or construction loans that require special payment handling based on months or seasons.

When working with absolute payment patterns, it is sufficient to define payments for one calendar year. Once the term exceeds a year, the payment schedule will loop until the instrument matures.

### Prerequisites

Selecting Absolute as the pattern type.

**Figure 16-2 Absolute Payment Patterns**

The screenshot displays the 'Payment Pattern Details' form. The 'Pattern Type' is set to 'Absolute' and the 'Payment Type' is set to 'Conventional'. Below this, the 'Absolute Pattern Definition - Conventional' section is expanded, showing 'Term Specifications'. A table with columns 'Month\*', 'Day\*', 'Cash Flow Type\*', 'Payment Method', and 'Value' is visible. The 'Month\*' column has a dropdown menu, and the 'Cash Flow Type\*' column is set to 'Principal and Interest'.

To define absolute payment pattern, do the following:

1. In the **Payment Patterns** page, select **Pattern Type** as **Absolute**.
2. Select the Payment Type from the drop-down list: **Conventional**, **Level Principal**, or **Non-Amortizing**. The Payment Type determines the type of information required to successfully define the Payment Phase.
3. Define the **Payment Phases**. A Payment Phase is a set of payment characteristics that defines the timeline of the instrument's amortization.

- a. Define the following parameters:
  - **Month:** This drop-down list allows you to select the month of the payment phase being defined.
  - **Day:** Used to specify the day of the month the payment is due.
- b. Select the **Cash Flow Type**. The available types depends on the Payment Type. This do not apply to the Non-Amortizing Payment Type.

Table: Relationship between Cash Flow Type and Payment Types

|                        | Level Principal | Non-Amortizing | Conventional |
|------------------------|-----------------|----------------|--------------|
| Principal and Interest | Yes             |                | Yes          |
| Principal Only         | Yes             |                |              |
| Interest Only          | Yes             | Yes            |              |

- c. Select the **Payment Method**. The available Payment Methods depend on the Payment Type. For more information, see: Relation between Payment Method and Payment Types. Payment Methods do not apply to the Non-Amortizing Payment Type.
- d. Enter the Value for the Payment Method you selected in the previous step for applicable Payment Types.  
If you selected the Interest Only Payment Method in the previous step, the Value field does not apply.
4. Click the **Add** icon to add additional Payment Phases to the Pattern. Click Delete icon corresponding to the rows you want to delete.
5. Click **Add Multiple Row** icon to enter the number of rows you want to add and click Go.
6. The **Download Excel** icon helps you to export payment information, modify and paste back in the UI.

**Note**

A Payment Pattern must have at least one valid Payment Phase to be successfully defined. The system raises a warning if you try to save a Payment Pattern with an incomplete Payment Phase.

7. Click **Apply** and Save.

The Payment Pattern is saved and the Payment Pattern summary page is displayed.

**Note**

When a detail instrument using an Absolute Payment Pattern is processed for Remaining Term cash flow processing, the Next Payment Date is internally calculated to determine which Payment Phase should be used. The calculated Next Payment Date is only used for this purpose. The Next Payment Date stored on the Instrument record in the Instrument table is always the date used for processing the initial payment.

The following table describes the relationship between Payment Phase properties and Payment Types.



**Table 16-1 Relationship between Payment Phase Properties and Payment Types**

|                | Level Principal | Non-Amortizing | Conventional |
|----------------|-----------------|----------------|--------------|
| Month          | Yes             | Yes            | Yes          |
| Day            | Yes             | Yes            | Yes          |
| Payment Method | Yes             |                | Yes          |
| Value          | Yes             |                | Yes          |

The following table describes the relationship between Payment Method and Payment Types.

**Table 16-2 Relationship between Payment Methods and Payment Types**

| Payment Method                 | Level Principal | Non-Amortizing | Conventional |
|--------------------------------|-----------------|----------------|--------------|
| Percentage of Original Balance | Yes             |                |              |
| Percentage of Current Balance  | Yes             |                |              |
| Percentage of Original Payment | Yes             |                | Yes          |
| Percentage of Current Payment  | Yes             |                | Yes          |
| Absolute Payment               | Yes             |                | Yes          |
| Interest Only                  | Yes             |                | Yes          |

## 16.2.2 Define Relative Payment Patterns

You create Relative Payment patterns for instruments that have irregular scheduled payments.

### Prerequisites

Selecting Relative as the pattern type.

**Figure 16-3 Relative Payment Patterns**

The screenshot shows the 'Payment Pattern Details' form. The 'Code' field is set to 1001, and the 'Description' is 'Relative Pattern'. The 'Pattern Type' is set to 'Relative' and the 'Payment Type' is set to 'Conventional'. Below this, the 'Relative Pattern Definition - Conventional' section is expanded, showing a table with three rows of payment details:

|                          | Frequency* | Multiplier* | Repeat* | Cash Flow Type*        | Payment Method | Value |
|--------------------------|------------|-------------|---------|------------------------|----------------|-------|
| <input type="checkbox"/> | 1          | Months      | 1       | Principal and Interest |                | 10.00 |
| <input type="checkbox"/> | 1          | Months      | 1       | Principal and Interest |                | 10.00 |
| <input type="checkbox"/> | 1          | Months      | 1       | Interest Only          |                | 0.00  |

To define a relative payment pattern, follow these steps:

1. In the **Payment Patterns** page, select **Pattern Type** as **Relative**.
2. Select the Payment Type from the drop-down list: **Conventional**, **Level Principal**, or **Non-Amortizing**. The Payment Type determines the type of information required to successfully define the Payment Phase.

The payment type determines the available characteristics for defining the payment amount.

3. Define the **Payment Phase**.

The payment type determines the type of information required to successfully define the payment phase. For more details, see: Relation between Payment Phase Attributes and Payment Types.

- a. Enter the **Frequency** for each payment phase.
- b. Select the appropriate Multiplier for each payment phase from the following options:
  - Days
  - Months
  - Years
- c. Enter the number of times each Payment Phase should be repeated in the Repeat column.
- d. Select the **Cash Flow Type**. The available types depend on the Payment Type. This does not apply to the Non-Amortizing Payment Type.

**Table 16-3 Relationship between cash Flow Type and Payment Types**

|                        | Level Principal | Non-Amortizing | Conventional |
|------------------------|-----------------|----------------|--------------|
| Principal and Interest | Yes             |                | Yes          |
| Principal Only         | Yes             |                |              |
| Interest Only          | Yes             | Yes            |              |

- e. Select the **Payment Method**.  
The available payment methods depend on the payment type. For more details, see Relation between Payment Method and Payment Types. Payment Methods do not apply to the Non-Amortizing Payment Type.
- f. Type the Value for the Payment Method you selected in the previous step for applicable Payment Types.
4. Click the **Add** icon to add additional Payment Phases to the Pattern. Click Delete icon corresponding to the rows you want to delete.
5. Click **Add Multiple Row** icon to enter the number of rows you want to add and click Go.
6. The **Download Excel** icon helps you to export payment information, modify and paste back in the UI.

**Note**

A Payment Pattern must have at least one valid Payment Phase to be successfully defined. The system raises a warning if you try to save a Payment Pattern with an incomplete Payment Phase. You can define up to 365 Payment Phases for each Payment Pattern.

7. Click **Apply** and **Save**.

The payment pattern is saved and the Payment Pattern home page is displayed.

You can use the Move Up and Move Down icons to move the Payment Phases up or down. Also, you can click the Delete icon to delete a row. Any empty rows are ignored and not saved with the payment pattern

**Note**

It is not necessary to set up relative payment patterns for the complete term of an instrument. The payment pattern automatically repeats until the maturity date. Suppose a payment pattern is created to make monthly payments for the first year and quarterly payments for the next three years. If you apply this pattern to an instrument record with an original term of five years, the payment pattern wraps around and the fifth year is scheduled for monthly payments.

An easy way to set up payment patterns for instruments with varying original terms is to use the repeat value of 999 in the last row of the payment pattern. For example, a payment pattern that pays monthly for the first year and quarterly thereafter, can be set up with two rows. The first row shows 12 payments in one month. The second row shows 999 payments in three months. When this payment pattern is processed it repeats the three-month payment frequency until the maturity date is reached.

The following table describes the relationship between payment phase attributes and payment types.

**Table 16-4 Relationship between Payment Phases and Payment Types**

| Payment Phase Attributes | Payment Types: Level Principal | Payment Types: Non-Amortizing | Payment Types: Conventional |
|--------------------------|--------------------------------|-------------------------------|-----------------------------|
| Frequency                | Yes                            | Yes                           | Yes                         |
| Multiplier               | Yes                            | Yes                           | Yes                         |
| Repeat                   | Yes                            | Yes                           | Yes                         |
| Payment Method           | Yes                            |                               | Yes                         |
| Value                    | Yes                            |                               | Yes                         |

## 16.2.3 Define Split Payment Patterns

You can use a Split payment pattern for financial instruments that make principal payments along with two concurrent amortization schedules. Split patterns may be a combination of Absolute and Relative Payment Patterns for example, and contain multiple sets of payment phases under a single amortization code. These patterns could further use a combination of Conventional, Level Principal, and Non-Amortizing Payment Types.

**Figure 16-4 Split Payment Patterns**

The screenshot displays the 'Payment Pattern Details' form. The 'Code' field is set to '1001'. The 'Description' field contains 'Relative Pattern'. The 'Pattern Type' dropdown is set to 'Split'. The 'Payment Type' dropdown is set to 'Conventional'. Below this, the 'Split Pattern Definition' section shows a table with two rows. The first row is for 'Absolute' payment pattern with 'Conventional' payment type and a 'Percent' of 50.00. The second row is for 'Relative' payment pattern with 'Conventional' payment type and a 'Percent' of 50.00.

| Payment Pattern* | Payment Type* | Percent* |
|------------------|---------------|----------|
| Absolute         | Conventional  | 50.00    |
| Relative         | Conventional  | 50.00    |

To define a split payment pattern, follow these steps:

1. In the Payment Patterns page, select Pattern Type as Split.

2. Define Split Pattern definition.
  - a. Select the required **Pattern Sub Type** for each leg.
    - Absolute
    - Relative
  - b. Select the Payment Type for each Payment Phase or Split.
  - c. Enter the Percent value to indicate the percentage weight of the timeline being defined for the individual payment phases (each row). The sum of the percentage weights must total 100%.

**Note**

The payment pattern term specifications for different payment phases or splits vary depending on whether you select the Absolute or Relative Pattern Type. You can define the term specifications for the splits following the steps described previously for defining payment phases for these patterns. See:

- [Define Absolute Payment Patterns](#)
- [Define Relative Payment Patterns](#)

3. Select one of the legs and then select **Define** button to enter pattern details for the leg.
4. Select one of the legs and then select **Delete** button to delete pattern details for the leg.
5. Click the **Add** icon to add additional Payment Phases to the Pattern.
6. Click **Add Multiple Row** icon to enter the number of rows you want to add and click Go.
7. Click **Apply** and **Save**.

The Split payment pattern is saved and the Payment Pattern summary page is displayed.

# User Defined Repricing Patterns

User Defined Repricing Patterns provide a mechanism to capture Instrument Repricing Patterns that are too complex to be accommodated through the use of the Standard Account Table Fields. You can utilize a Repricing Pattern to generating Cash Flows by entering the Adjustable Type Code as “Repricing Pattern” along with actual Repricing Pattern Code for the relevant Instrument Records.

The procedure for working with and managing Repricing Patterns is, similar to that of other Oracle Business Rules.

## 17.1 Search Repricing Pattern

Search for a Repricing Pattern to perform any of the following tasks:

- View
- Edit
- Copy
- Delete

### Prerequisites


Predefined Repricing Patterns

### Procedure

To search the repricing patterns, follow these steps:

- Navigate to the **Repricing Pattern Summary** page. This page is the gateway to all repricing patterns and related functionality. You can navigate to other pages relating to repricing patterns from this point.

**Figure 17-1 Repricing Pattern Summary Page**



| Code | Description | Pattern Type | Creation Date       | Created By | Last Modification Date | Last Modified By |
|------|-------------|--------------|---------------------|------------|------------------------|------------------|
| 556  | egre        | Absolute     | 04/25/2018 17:51:45 | AUTOUSER   | 04/25/2018 17:51:45    | AUTOUSER         |
| 500  | dxhf        | Absolute     | 04/25/2018 17:50:27 | AUTOUSER   | 04/25/2018 17:51:47    | AUTOUSER         |
| 568  | zdtbf       | Absolute     | 04/25/2018 17:51:58 | AUTOUSER   | 04/25/2018 17:51:58    | AUTOUSER         |
| 501  | gsdb        | Absolute     | 04/30/2018 14:43:20 | AUTOUSER   | 04/30/2018 14:43:39    | AUTOUSER         |
| 503  | ghf         | Absolute     | 04/30/2018 14:47:01 | AUTOUSER   | 04/30/2018 14:47:01    | AUTOUSER         |
| 502  | sdg         | Absolute     | 04/30/2018 14:53:32 | ALMUSER    | 04/30/2018 14:53:32    | ALMUSER          |
| 504  | dxghfngt    | Absolute     | 04/30/2018 14:53:35 | ALMUSER    | 04/30/2018 14:53:35    | ALMUSER          |

- Enter the Code or Description of the pattern in Search Criteria.
- Click the **Search** .  
Only patterns that match the search criteria are displayed.

## 17.2 Create Repricing Patterns

You create Repricing patterns to capture the Repricing Behavior of instruments whose rates change according to complex schedules.

To create the Repricing Pattern, follow these steps:

1. Navigate to Repricing Pattern Summary Page.
2. Click **Add** icon.  
The Add Repricing Pattern Page is displayed.
3. Enter a Numeric Code Value for the new Repricing Pattern. You can also click Generate Code Option in Code field to generate the code automatically.
4. Enter the name of the pattern.

### Note

The code is a numeric internal identifier for the repricing pattern. The code value must be a number between 500 and 4999 and the code value you assign to the new pattern must be unique. In addition, the code must be mapped to the appropriate instrument records (ADJUSTABLE\_TYPE\_CD and REPRICE\_PATTERN\_CD (applicable to CFE only)) to connect the instrument to the appropriate pattern.

5. Type a brief description for the pattern.
6. Select the Repricing Pattern Type: Absolute or Relative.  
The selection of the Repricing Pattern type determines the fields that are displayed in the Repricing Events Table and the information you must provide to successfully define that pattern type. See:
  - [Define Absolute Repricing Patterns](#)
  - [Define Relative Repricing Patterns](#)

The Add Repricing Pattern page displays the parameters associated with the Absolute repricing pattern type, which is the default repricing pattern type value. If you change this value to Relative, the system refreshes the repricing specifications corresponding to the new pattern type, and any data entered previously is lost. However, a warning message is displayed when you change the pattern type. The data is discarded only after your confirmation.

7. Click **Save**.

### 17.2.1 Define Absolute Repricing Patterns

The Absolute Repricing Pattern is used for instruments that are date dependent. Each specific date is a separate event. You need to enter the month and day for each event, except for the initial event.

Figure 17-2 Define Absolute Repricing Pattern

Repricing Pattern Details

Code\*

570

Description\*

UDR 570

Pattern Type\*

Absolute

Repricing Events - Absolute

Month\*

Day\*

Repricing Type\*

Initial

Indexed

January

12

Indexed

February

12

Indexed

March

12

Flat

Prerequisites

Selecting Absolute as the pattern type.

Procedure

This table describes key terms used for this procedure.

Table 17-1 Key Terms used in Absolute Repricing Pattern

| Key Terms         | Description                                                                                                                          |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Add Row           | Allows you to add one or more Repricing Events.                                                                                      |
| Add Multiple Rows | Allows you to add more Repricing Events.                                                                                             |
| Define            | Add detail for each Repricing Event.                                                                                                 |
| Delete            | Allows you to delete specific rows in the Repricing Events Table.                                                                    |
| Month             | In conjunction with the Day field, this drop-down menu, allows you to specify a unique month-day combination for a Repricing Event.  |
| Day               | In conjunction with the Month drop-down menu, this field allows you to specify a unique month-day combination for a Repricing Event. |

To define Absolute Repricing Pattern, perform the following:

1. Select Pattern Type as **Absolute**.
2. This screen allows you to do the following:
  - Add Row: Allows you to Add one or more repricing events.
  - Delete: Allows you to delete specific rows in the Repricing Events table.
3. Click Add Event.
4. Enter the following details:
  - Month: In conjunction with the Day field, this drop-down menu, allows you to specify a unique month-day combination for a repricing event.
  - Day: In conjunction with the Month drop-down menu, this field allows you to specify a unique month-day combination for a repricing event.
5. Specify the required month-day combination for the event. You cannot specify a month-day combination for the first event as this row is reserved for the initial period.

6. Select the Repricing Type: **Flat** or **Indexed**.

The default is flat. If you select Indexed, the system automatically changes the fields available for entry.

Note: You can change your selection of the Repricing Type at any point in this process. Sometimes it may cause a loss of data.

For more information on Flat Repricing Type, see . [Repricing Event is Flat Repricing](#)

For more information on Index Repricing Type, see [Repricing Event is Index Repricing](#).

- Select Balance Tier option:
  - **None:** If selected, the Balance Tiered Pricing is not applied.
  - **Current Balance:** Users can define balance tiers and associate different rates with the corresponding balance tier level. Balance tier in this case is decided using the principal balance of instrument on As of Date. Thus, even when actual balance goes down due to repayment, the instrument continues to be in original balance tier.
  - **Reducing Balance:** If the Balance Type is selected as Reducing Balance, then the repricing rate will be calculated using principal balance as on Repricing Date. Thus, the balance tier applicable to instrument range over its life due to repayment.

7. Click **Define**.

### Repricing Event is Flat Repricing

Flat Rate: A Flat Rate is a specific rate—it is directly input.

To define a Flat Rate Event, follow these steps:

1. Select the Flat option from Repricing Method drop-down list for the event you are going to define. Notice the bottom half of the screen refreshes, displaying the required inputs. Complete the following steps on the Add Repricing Events Page:

**Figure 17-3 Flat Repricing Pattern Detail Pane**

Flat Repricing Event Detail - Tiered by Balance Interest Rate option

Select Balance: None

|                          | From | Balance Tiers | To | <input type="checkbox"/> Mix Percentage | Net Rate | Gross Rate | Transfer Rate |
|--------------------------|------|---------------|----|-----------------------------------------|----------|------------|---------------|
| <input type="checkbox"/> | 0    | And Above     |    |                                         | 0.000000 | 0.000000   | 0.000000      |

Total Mix Percentage  Total Net Rate  Total Gross Rate  Total Transfer Rate

2. Select Balance Tier option:
  - None: If selected, the Balance Tiered pricing is not applied.
  - Current Balance: Users can define balance tiers and associate different rates with the corresponding balance tier level.
3. Specify the required month-day combination for the event. You cannot specify a month-day combination for the first event as this row is reserved for the initial period.
4. Enter the Net Rate.
5. Enter the Gross Rate.
6. Enter the Transfer Rate.



**Note**

The Transfer Rate functionality will be released in future.  
You must enter a valid value for at least one of these rate fields.

- Click Apply.  
The Event Summary Page is displayed. Note the status indicator has changed from Red to Green indicating that details for the event have been defined. At this point, you have the option of defining additional events or saving. To add an additional event, repeat Click Add Row. You can edit the details of Defined Event. If you want to save the repricing pattern and events, advance to the next step.

**Repricing Event is Indexed Repricing**

An Indexed Rate is a set of parameters used to calculate a rate.

To define an Indexed Rate Event, follow these steps:

- Select the Indexed option from Repricing Method drop-down list for the event you are going to define. Notice the bottom half of the screen refreshes, displaying the required inputs. Complete the following steps on the Add Repricing Events Page:

**Figure 17-4 Indexed Repricing Event Detail**

| Select Balance           |                       | Current Balance          | Mix Percentage                      | Interest Rate Code*   | Transfer Interest Rate Code* | Yield Curve Term | Net Margin               | Gross Margin             | FTP Margin               | Rate Cap Life            | Rate Floor Life          | Rate Set Lag             |
|--------------------------|-----------------------|--------------------------|-------------------------------------|-----------------------|------------------------------|------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | Balance Tiers From To | <input type="checkbox"/> | <input checked="" type="checkbox"/> | [USD] 21025352 (7777) | [USD] 21025352 (7777)        | 2 Months         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

- Select the check box above each column that you want to include in the repricing event.
- Select a Balance Tier option:  
§ None: The Balance Tiered pricing is not applied.  
§ Current Balance: The users can define balance tiers and associate different rates with the corresponding balance tier level.
- Select the Interest Rate Code.
- Select the Transfer Price Code.

**Note**

The Transfer Price Curve functionality will be released in the future.

- Enter the Yield Curve Term and select the appropriate Multiplier.
- Enter the Net Margin.
- Enter the Gross Margin.
- Enter the Transfer Price Margin.
- Enter the Rate Cap Life.
- Enter the Rate Floor Life.
- Enter the Rate Set Lag and select the appropriate Multiplier.

13. Click **Apply**. The Event Summary Page is displayed.
14. At this point, you have the option of defining additional events or saving. To add an additional event, repeat Click Add Row.  
If you want to save the repricing pattern and events, advance to the next step.
15. Click **Save**.  
The Repricing Pattern is saved and the Repricing Pattern Summary Page is displayed.

## 17.2.2 Define Relative Repricing Patterns

The Relative Repricing Pattern is used for instruments where the repricing is determined by the elapsed time since origination. Defining a Relative Repricing Pattern involves the definition of a series of repricing events applicable to a specific Repricing Pattern Code. You need to specify the length of each Repricing Period and the number of times that event should occur before calculating the next event in the pattern.

**Figure 17-5 Define Relative Repricing Pattern**

| Repricing Pattern Details |          |  |  |  |  |
|---------------------------|----------|--|--|--|--|
| Code*                     | 571      |  |  |  |  |
| Description*              | UDR 571  |  |  |  |  |
| Pattern Type*             | Relative |  |  |  |  |

| Repricing Events - Relative |            |                                |                                |                 |                          |
|-----------------------------|------------|--------------------------------|--------------------------------|-----------------|--------------------------|
|                             | Frequency* | Multiplier*                    | Repeat*                        | Repricing Type* |                          |
| <input type="checkbox"/>    | Initial    | <input type="text" value="1"/> | <input type="text" value="1"/> | Flat            | <input type="checkbox"/> |
| <input type="checkbox"/>    | 1          | Months                         | 1                              | Indexed         | <input type="checkbox"/> |
| <input type="checkbox"/>    | 2          | Months                         | 1                              | Flat            | <input type="checkbox"/> |

The steps to create relative repricing patterns are similar to creating absolute repricing patterns.

The only difference is that the fields in the Repricing Events table are different.

### Prerequisites

Selecting Relative as the pattern type.

### Procedure:

This table describes key terms used for this procedure.

**Table 17-2 Key Terms used in Relative Repricing Pattern**

| Key Terms         | Description                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------|
| Add Row           | This allows you to Add one or more Repricing Events.                                                             |
| Add Multiple Rows | Allows you to add more Repricing Events.                                                                         |
| Move Up           | Allows you to move a particular row up by one position. This action for the first and second rows is not active. |
| Move Down         | Allows you to move a particular row down by one position. This action for the first and last rows is not active. |

**Table 17-2 (Cont.) Key Terms used in Relative Repricing Pattern**

| Key Terms        | Description                                                                                                                                                                         |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Delete           | This allows you to delete specific rows in the Repricing Events Table. You need to specify the following parameters in the Repricing Events Table for a Relative Repricing Pattern: |
| Frequency        | In conjunction with the Multiplier drop-down menu, this field allows you to specify how often Repricing occurs.                                                                     |
| Multiplier       | The unit of time applied to the frequency. The choices are:<br>Days<br>Months<br>Years                                                                                              |
| Repeat           | This allows you to specify the number of times a repricing event should be repeated.                                                                                                |
| Repricing Method | A drop-down list, it displays the Repricing Type, Flat Rate or Indexed Rate, associated with a particular event.                                                                    |

After defining the above details, click Define. The Event summary Page is displayed. Note the status indicator turns from Red to Green indicating that details for the event have been defined.

The steps to create relative Repricing Patterns are similar to creating [Creating Absolute Repricing Patterns](#).

The only difference is that the fields in the Repricing Events Table are different.

Select Pattern Type as Relative and follow the steps mentioned in [Creating Absolute Repricing Patterns](#) section.

# 18

## Behavior Pattern Rule

The Behavior Pattern (BP) functionality works similarly to amortization types. The Behavior Pattern code is assigned at the detail instrument level, and these designations are evaluated by the cash flow engine (CFE) for calculations. However, Behavior Patterns are portfolio level property rather than instrument level. Generally, a bank processes aggregated data for non-maturing products. In this case, the Behavior Pattern is assigned effectively at the portfolio level. If you are using CFE with any other service, then data is required at the instrument level and BP is also assigned accordingly.

In this case, you must track the changes to Behavior Patterns and assign appropriate codes to affected instruments. Due to this, only one BP can be used by the CFE in the CFE processes for current business. If you want to model multiple types of BP under varying scenarios, then you can use a Behavior Pattern Rule.

The Behavior Pattern Rule UI allows you to group Behavior Pattern codes (behavioral assumptions) together in a set at the Product/Currency level which then can be rotated to select a value on a combination. You can select which behavior assumption pattern to use and the underlying Behavior Pattern in that set will affect the data on processing

This chapter describes the procedure for working with and managing the Behavior Pattern rules.

### 18.1 Create Behavior Pattern Rules

You create behavior pattern rules to capture the principal run-off behavior of product types that do not have contractual maturities.

To create a Behavior Pattern rule, follow these steps:

1. Click **Add** icon from the top of the **Behavior Pattern Rule Summary** Page.

**Figure 18-1 Creating Behavior Pattern Rule**

Behavior Pattern Rule Details

Name \*

Description

Folder ALMSEG Access Type ☐ Read Only ☒ Read/Write

Select Product Hierarchy

Folder \* ALMSEG Product Hierarchy \* Default\_Prod\_Hier

Select Currency

Currency \* US Dollar

Assumption Browser Assumption List

Assumption Browser

| Product                                | Method | Conditional Assumption | Status |
|----------------------------------------|--------|------------------------|--------|
| <input type="checkbox"/> Total Rollup  |        |                        |        |
| <input type="checkbox"/> Orphan Branch |        |                        |        |

2. Complete standard steps for this procedure.  
For more information, see the Overview of Common Rule Management Tasks section.

**Note**

In addition to the standard steps for creating Rules, the procedure for creating a Behavior Pattern Rule involves one extra step. After Standard Step, you need to select a product hierarchy. For more information, see the Overview of Common Rule Management Tasks section. You can define methodologies at any level of the hierarchical product dimension. The Hierarchical Relationship between nodes allows the inheritance of methodologies from parent nodes to child nodes.

Oracle Asset Liability Management provides you with the option to copy, in total or selectively, the product assumptions contained within ALM business Rules from one currency to another currency or a set of currencies or from one product to another product or a set of products.

## 18.2 Defining Behavior Pattern Rule

The definition of a Behavior Pattern rule is part of the Create or Edit Behavior Pattern rule process. When you click Save in the Create Behavior Pattern Rule process, the rule is saved and the **Behavior Pattern Rule Summary** page is displayed.

However, Behavior Pattern assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your Behavior Pattern assumptions for product-currency combinations before clicking Save.

### Defining Behavior Pattern Rule Using Node Level Assumptions

Node Level Assumptions allow you to define assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining rules. Children of parent nodes on a hierarchy automatically inherit the assumptions defined for the parent nodes. However, assumptions explicitly defined for a child take precedence over those at the parent level.

### Prerequisites

Performing basic steps for creating or editing a Behavior Pattern rule

### Procedure

From the Assumption Browser screen, select the product or products and the currency for which you want to define a Behavior Pattern or Patterns and select Add to launch the Behavior Pattern Details window.

**Note**

Using the default currency to setup assumptions can save data input time. At run time, the calculation engine uses assumptions explicitly defined for a product currency combination. If assumptions are not defined for a currency, the engine uses the assumptions defined for the product and the default currency. If the assumptions are the same across some or all currencies for a specific product, you can input assumptions for the default currency. Be careful using this option on screens where an Interest Rate.

## 18.3 Defining a Behavior Pattern Rule: An Example

To create a Behavior Pattern rule, enter the following details in the Behavior Pattern Rule window:

1. From the Behavior Pattern Rule window, select the following.
  - Currency (US Dollar)
  - Name
  - Description
  - Folder
  - Access Type
2. From the **Assumption Browser**, select a product from the **Hierarchy Browser**. Select **Add** icon to open the **Assumption Details** page.
3. Select a pattern from the **Behavior Pattern Selector**. Here, the **Behavior Pattern** drop-down list shows the list of existing Behavior Patterns.

**Figure 18-2 Behavior Pattern Rule**

Behavior Pattern Rule Details

Name

Description

Product and Currency Details

Product

Currency

Behavior Pattern Selector

Behavior Pattern

Apply Cancel

**Note**

Only Non-Maturing Behavior Pattern types are available. For more information, see the User Defined Behavior Patterns.

For more information, see the User Defined Behavior Patterns section. You can select only one Behavior Pattern at a time.

4. Click **Apply**.

# Time Buckets

This module describes the procedure for working with and managing Time Bucket rules.

This chapter covers the following topics:

- [Overview of Time Bucket Rules](#)
- [Creating Time Bucket Rules](#)
- [Defining Time Bucket Rules](#)

## 19.1 Overview of Time Bucket Rules

Time Bucket rules allow users to create the various time bucket definitions used for computing and outputting aggregated cash flows. Time Bucket rules determine the granularity of cash flow output and can be set at any frequency through a combination of daily, monthly, and yearly buckets.

BSP shares the same user interface as ALM, but is limited to monthly time buckets set up using the Income Simulation tab. BSP does not utilize Interest Rate GAP or Liquidity GAP Time Bucket definitions.

Only BSP System Administrators actively use Time Bucket rules. In BSP, all other users (Planning Administrators and Planning Users) do not actively set up any time buckets. Instead, BSP builds its own synthetic time bucketing rules whenever you define a new Forecast Set.

For example, if you define a new Forecast Set that has a duration of 18 months, any planning user who executes cash flows against that Forecast Set will be using an 18-month, monthly time bucket rule.

For BSP, it is recommended that the System Administrator uses a single Time Bucket rule whose duration will be longer than the duration of any Forecast Set you may plan to use.

In general, Time Buckets can be defined for the following type of output:

- Income Simulation
- Interest Rate GAP
- Liquidity GAP

Income Simulation Buckets allow you to specify the periods used for storing and reporting results. These bucket definitions set the modeling horizon for date-related business rule assumptions. When you change the number or frequency of the modeling buckets, existing business rules are affected.

**Note**

Be cautious when changing Time Bucket definitions when known dependencies exist. You can specify any combination of days, months, and years when setting up the buckets. Although all cash flows are generated daily, they are aggregated into defined income simulation buckets when results are stored. Reports access information from the income simulation buckets and let you aggregate buckets. For example, you can define monthly income simulation buckets but generate a quarterly income statement. On the other hand, you cannot generate a weekly balance sheet if all income simulation buckets are monthly.

If you want to use different configurations of income simulation buckets, such as all monthly or all quarterly, you should create a separate Time Bucket rule for each and use an appropriate naming convention to identify these characteristics. All date-related assumption rules should be defined and used in the context of a single set of Income Simulation buckets or a single Time Bucket rule. Income Simulation Bucket definitions are referenced by all bucket-based forecast business rules, including Forecast Rates, Forecast Balances, Pricing Margins, and Maturity Mix rules and also by BSP Deterministic Processes during BSP engine processing.

Interest Rate GAP Buckets allow you to define Interest Rate (repricing) GAP buckets including a catch-all bucket to move reprice gap output for Non-Interest Rate Sensitive products. Interest Rate GAP Buckets are not utilized by BSP. For information on how Interest Rate GAP Buckets are used by OFSAA Cash Flow Engine, see the OFSAA ALM User Guide and the OFSAA Cash Flow Engine Reference Guide.

With this Dynamic Start Date capability, users can also define forward start dates for computing dynamic market valuations. The Dynamic Start Date capability allows you to consider amortization of existing business and any new business assumptions that are applicable between the current as of the date and the future dated – Dynamic Start Date. You must set up Income Simulation Buckets before defining Interest Rate GAP Buckets. Note that Dynamic Start dates are not supported in BSP.

**Note**

Only Interest Rate GAP financial elements are impacted by the Interest Rate GAP bucket definitions. The Interest Rate GAP financial elements range from FE660 to FE700.

Liquidity GAP Buckets are similar to Interest Rate GAP buckets. The only difference is that Liquidity Bucket definitions impact only the Liquidity Runoff financial elements, which range from FE 1660 to 1717. The procedure for working with and managing Time Bucket rules is similar to that of other Balance Sheet Planning business rules. It includes the following steps:

- Searching for Time Bucket rules. For more information, see the [Searching for Rules](#) section.
- Creating Time Bucket Rules. For more information, see the [Creating Rules](#) section.
- Viewing and Editing Time Bucket rules. For more information, see the [Viewing and Editing Rules](#) section.
- Copying Time Bucket rules. For more information, see the [Copying Rules](#) section.
- Deleting Time Bucket rules. For more information, see the [Deleting Rules](#) section.



## 19.2 Creating Time Bucket Rules

You create Time Bucket rules to specify the periods used for storing and reporting BSP results.

To create the Time Bucket Rules, follow these steps:

1. Navigate to the Time Buckets summary page.

**Figure 19-1 Time Buckets Summary Page**

| Name                                         | Creation Date       | Created By | Last Modification Date | Last Modified By |
|----------------------------------------------|---------------------|------------|------------------------|------------------|
| <input checked="" type="checkbox"/> Test_BSP | 06/07/2021 22:47:53 | BSPADMIN   | 06/07/2021 22:47:53    | BSPADMIN         |
| <input type="checkbox"/> 24L_MonthlyBuckets  | 06/04/2021 00:00:00 | BSPADMIN   | 06/04/2021 00:00:00    | BSPADMIN         |

2. Complete standard steps for this procedure. For more information, see [Creating Rules](#) section.

## 19.3 Defining Time Bucket Rules

The definition of a Time Bucket rule is part of the Create or Edit Time Buckets rule process. When you click Save in the Create Time Buckets rule process, the rule is saved and the Time Buckets rule summary page is displayed. However, Time Bucket assumptions may not have been defined at this point. Typically, you would start defining your Time Bucket assumptions before clicking Save.

The prerequisite is performing basic steps for creating or editing a Time Bucket rule.

### 19.3.1 Procedure

From the Time Bucket details screen, you have one tab available for creating Time Bucket definitions.

- Income Simulation Buckets (required)
- Interest Rate GAP Buckets, including Non-Interest Rate Sensitive Bucket (required only if Repricing Gap is selected during processing). For Non-Interest Rate Sensitive Bucket, both Repricing Gap and Include Non-Rate Sensitive Bucket are required selections.)
- Liquidity GAP Buckets (required only if Liquidity Gap is selected during processing)

The first step is to define your Income Simulation buckets.

From the Income Simulation tab, do the following:

1. Click the Add Rows button and input the desired number of rows corresponding to the number of Income Simulation Buckets you would like to create.

Figure 19-2 Income Simulation tab

**Note**

You can select a pre-defined number of rows from the list, For example, 3, 5, or 10, or you can input the exact number of rows you would like to add. The maximum number of buckets you have under any tab is 240.

- 2. Under Frequency, input a numeric value, For example, 1. The Frequency column displays the duration of the multiplier. The frequency in conjunction with the multiplier displays the duration of the buckets. The frequency can be any number from 1 to 999. Under Multiplier, select an appropriate value from the list. The Multiplier column includes Daily, Monthly, or Yearly choices.

**Note**

Limit the definition of Income Simulation buckets to the date range that is relevant to your reporting requirement. It is not necessary to create "catch-all" buckets at the end of the series. When large buckets are created, for instance, 99 Years, this can result in the following error: INSERT Oracle Error: ORA- 01426: numeric overflow Driver Function: drv\_oci::Execute()

- 3. Continue adding frequencies and multipliers as needed.

Table 19-1 Frequencies and Multipliers

| Frequency | Multiplier |
|-----------|------------|
| 1         | Month      |
| 1         | Month      |
| 1         | Month      |
| 1         | Month      |
| 1         | Month..... |

- 4. After you fill in the frequencies and multipliers, the start and end dates are calculated automatically based on the As of Date, defined in your Application Preference settings.

**Figure 19-3 Income Simulation Tab**

Time Buckets  
ALM > Administration > Time Buckets

As of Date: 11/15/2020

Time Bucket Details

Name: Test\_BSP  
Description: Test\_BSP  
Folder: BSP005  
Active: ☐

Access Type: ☐ Read Only ☒ Read/Write

Income Simulation Buckets | Interest Rate Gap Buckets | Liquidity Buckets

Income Simulation Buckets

| Serial Number | Frequency | Multiplier | Start Date | Multiplier | Federal Tax Percentage | State Tax Percentage | Dividend Amount | Dividend Percentage |
|---------------|-----------|------------|------------|------------|------------------------|----------------------|-----------------|---------------------|
| 1             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |
| 2             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |
| 3             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |
| 4             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |
| 5             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |
| 6             | 0         | Months     | 11/15/2020 | 11/15/2020 | 0                      | 0                    | 0               | 0                   |

Apply Save As Save Cancel

**Note**

You may want to utilize the Data Input Helper to copy from a row where you have already defined the time bucket definition or apply a fixed value down the page. The following optional steps describe how to use this feature.

- Select the check box next to the rows that you want to work with or use the " Select ALL" option by selecting the check box on the header row.
- Select the Data Input Helper icon.
- From the Data Input Helper – popup screen, select Method – "Keep Current Values" or some other appropriate method.
- Select the Frequency and/or Multiplier from the left side of the shuttle box.
- Select APPLY to copy assumptions to the selected rows.

**Note**

Steps 5, 6, and 7 are utilized in ALM's auto-balancing function but are not used in BSP.

- After defining time bucket frequencies, move across each row to input the appropriate Federal Tax Percentages and State Tax Percentages.  
Tax percentages are used in BSP when processing with the auto-balancing option selected. Type 35.00 for 35%. The tax rate entered is interpreted as the tax rate for that bucket regardless of the frequency of the bucket. That is, 35% entered for a monthly bucket is applied as a 35% monthly rate to the taxable income forecast for that month.
- Under Dividend Amount, type a value. Dividend amounts are used in HM when processing with the auto-balancing option selected. The values you enter here will be paid out as dividends for all rate scenarios.
- Under Dividend Percentage, type a value. Dividend percentages are used during auto-balancing calculations. The dividend percentage is defined as a percent of the net income after tax that will be paid out as dividends for the period.  
Total Dividends = Dividends Amount + (Dividends Percent x Net Income after Tax)

8. Select SAVE if you are finished.

**Note**

For BSP, no other steps are required. BSP does not support Interest Rate GAP Time Buckets and BSP does not support Liquidity GAP Time Buckets.

Otherwise, navigate to the Interest Rate GAP Buckets tab.

After defining Income Simulation buckets, navigate to the Interest Rate GAP Buckets tab. The Interest Rate GAP bucket detail page provides two important inputs. The first is the ability to define Interest Rate GAP buckets and optionally add a Non-Interest Rate Sensitive bucket for Non-Rate Sensitive products. The second capability allows you to define one or more Dynamic Start Dates. The following steps explain how to complete each of these setup tasks.

**Note**

The Interest Rate GAP bucket can be defined from Bucket count 1 till Bucket count 239 in all dynamic start dates. The last time series time bucket in all dynamic start dates will default to 99 years as a “catch-all” bucket. This is used to verify the total runoff for reporting requirements.

From the Interest Rate GAP Buckets tab, do the following:

9. Click the Add Rows button corresponding to the Default Dynamic Start Date and input the desired number of rows for your Interest Rate GAP Buckets.

**Note**

By default, the first-time bucket in Interest Rate Gap Buckets (bucket count 0) is defined as Non-Interest Rate Sensitive Bucket.  
A new Attribute of the product dimension ‘Interest Rate Sensitivity Category’ is introduced to identify products as Interest Rate sensitive or Non-Interest Rate sensitive. Once a product is mapped as Non-Interest Rate sensitive, the user also needs to enable ‘Include Non-Interest Rate Sensitive Bucket’ in Process Rules (see BSP Processing). This would move to reprice gap output from Non-Interest Rate Sensitive products into Non-Interest Rate Sensitive Bucket.

**Figure 19-4 Interest Rate Gap Buckets Tab**

10. Follow steps 2 — 4 described above under Income Simulation buckets, to complete the setup of your Interest Rate GAP buckets and Non-Interest Rate Sensitive Bucket for the default Dynamic Start Date.
11. If you would like to define additional – forward dated, Dynamic Start Dates, Click the “Add Dynamic Start Date” button to add one or more parent nodes to the bucket hierarchy.

**Figure 19-5 Interest Rate Gap Buckets Tab**

12. For each additional Dynamic Start Date row, input a Frequency and Multiplier to determine future start date(s).
13. Click the Add Rows button corresponding to each new Dynamic Start Date and repeat the Interest Rate GAP Bucket definition steps described above to complete the setup.
14. For a more detailed example on creating additional Dynamic Start Dates. After defining Interest Rate GAP buckets, navigate to the Liquidity Buckets tab. The Liquidity Buckets detail page has the same structure as the Interest Rate GAP details page. It allows you to define the Liquidity GAP Buckets for the default Dynamic Start Date and also allows you to add one or more additional Dynamic Start Dates. The use of Dynamic Start Dates will allow you to forecast your liquidity position as of some future point in time, considering all relevant assumptions, including amortization, prepayments, early withdrawals, and rollovers.

**Note**

By default, the last time series time bucket in all dynamic start dates will default to 99 years as a “catch-all” bucket. This is used to verify the total runoff for reporting requirements.

From the Liquidity Buckets tab, do the following:

15. Click the Add Rows button corresponding to the Default Dynamic Start Date and input the desired number of rows for your Liquidity Buckets.
16. Follow steps 2 – 4 described above under Income Simulation buckets, to complete the setup of your Liquidity Buckets for the default Dynamic Start Date.
17. If you would like to define additional – forward dated, Dynamic Start Dates, Click the “Add Dynamic Start Date” button to add one or more parent nodes to the bucket hierarchy.
18. If needed, input a Frequency and Multiplier for the new Dynamic Start Date to determine the future start date.
19. Click the Add Rows button corresponding to the new Dynamic Start Date and repeat the Liquidity GAP Bucket definition steps described above.
20. For a more detailed example on creating additional Dynamic Start Dates, see Example.
21. Once you have completed the setup for all bucket types, click the SAVE button.

### 19.3.1.1 Excel Import/Export

Excel import/export functionality is used for adding/editing time bucket information.

For more details, see Excel Import/Export.

### 19.3.1.2 Additional Required Steps

All users must have an “Active” Time Bucket Rule at all times. There is a check box at the top of the page, above the Bucket tabs. If you wish to “Activate” a particular Time Bucket Rule, simply check this box and Save the Rule. You will note the Active Time Bucket rule for your user appears on the Title bar in green text.

**Figure 19-6 Time Bucket Details**

Time Buckets  
Home > Time Buckets

As Of Date: 11/15/2020

Time Bucket Details

Name: Test\_BGP  
Description: Test\_BGP  
Index: BSPSS  
Active: ☒

Access Type: ☐ Read Only ☒ Help/Info

Income Simulation Buckets | Interest Rate Gap Buckets | Liquidity Buckets

| Serial Number | Frequency | Multiplier | Start Date | Multiplier | Federal Tax Percentage | State Tax Percentage | Dividend Amount | Dividend Percentage |
|---------------|-----------|------------|------------|------------|------------------------|----------------------|-----------------|---------------------|
| 1             | 6         | Months     | 1/1/2020   | 1          | 0                      | 0                    | 0               | 0                   |
| 2             | 6         | Months     | 7/1/2020   | 1          | 0                      | 0                    | 0               | 0                   |
| 3             | 6         | Months     | 1/1/2021   | 1          | 0                      | 0                    | 0               | 0                   |
| 4             | 6         | Months     | 7/1/2021   | 1          | 0                      | 0                    | 0               | 0                   |
| 5             | 6         | Months     | 1/1/2022   | 1          | 0                      | 0                    | 0               | 0                   |
| 6             | 6         | Months     | 7/1/2022   | 1          | 0                      | 0                    | 0               | 0                   |

Apply Save All Save Cancel

**Note**

Each time you change the As of Date in your Application Preferences screen, all Time Bucket Rule Bucket Start Date and Bucket End Date are updated automatically.

# Default Product Profiles

Product Characteristic setup can be a time-consuming process as there are more than 40 attributes that can be required when defining characteristics for dimension members in the product COA hierarchy. Product Profiles allow you to pre-define and save common product definitions and reference these definitions while defining your Product Characteristic assumptions. Setup time is reduced because product profiles provide common default values for the majority of required fields. The following Product Profiles are seeded during installation:

- Bond – Adjustable Rate
- Bond – Fixed Rate
- Credit Card
- Discount Instrument
- Lease
- Loan – Adjustable Rate
- Loan – Fixed Rate
- Loan – Floating Rate
- Loan – Neg Am
- Savings
- Term Deposit

In addition to the seeded profiles, you can add custom product profiles to your setup by creating completely new profiles or by using the Save As option with one of the existing profiles.

## Note

The seeded Product Profiles are not editable and cannot be deleted.

The procedure for working with and managing Product Profiles is similar to that of other Asset | Liability Management business rules. It includes the following steps:

- [Viewing a Seeded Product Profile](#)
- [Creating Product Profiles](#)
- [Summary of Seeded Product Profiles](#)

## 20.1 Viewing a Seeded Product Profile

You can review any of the twelve seeded Product Profile definitions.

To view the seeded product profiles, follow these steps:

1. Navigate to the Product Profile summary page.



**Figure 20-1 Product Profile Summary**

| Name                                                     | Creation Date       | Created By | Last Modification Date | Last Modified By |
|----------------------------------------------------------|---------------------|------------|------------------------|------------------|
| <input checked="" type="checkbox"/> Bond Adjustable Rate | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Bond Fixed Rate                 | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Credit Card                     | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Discount Instrument             | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Lease                           | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Loan Adjustable Rate            | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Loan Fixed Rate                 | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Loan Floating Rate              | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Loan Negative                   | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Savings                         | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| <input type="checkbox"/> Term Deposit                    | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |

2. Select the check box next to the Product Profile you want to View and select the View Icon.
3. Navigate through the All Business and New Business tabs to review the seeded values.

## 20.2 Creating Product Profiles

You create Product Profiles to assign default attributes for common products and then reference these product profiles within your Product Characteristic assumption rules to reduce setup time. In addition to the seeded Product Profile templates, you can also create new Profiles.

To create the product profiles, follow these steps:

1. Navigate to the Product Profile summary page.
2. Complete standard steps for this procedure.

**Figure 20-2 Product Profiles – All Products**

| Name                                  | Creation Date       | Created By | Last Modification Date | Last Modified By |
|---------------------------------------|---------------------|------------|------------------------|------------------|
| Model with Gross Rate                 | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Option Adjusted Spread                | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Currency Settlement Basis             | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Holiday Calendar                      | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Interest Calculation Logic            | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Interest Credited                     | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Percent Tenor                         | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Pay Equivalent Compounding Convention | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |
| Rolling Convention                    | 06/04/2021 13:15:15 | Oracle     | 06/04/2021 13:15:15    |                  |

3. Enter a Name and Description for the new Profile.
4. Define product attributes for the profile you are creating. For more information on individual attributes, see (Mandatory) Defining Product Characteristics.
5. Click Save to complete the new profile definition.

## 20.3 Summary of Seeded Product Profiles

The following tables summarize the attributes defined for each product profile:

**Table 20-1 Bond Adjustment Rate**

| Location                                                 | Default Value                                                                                                                                                                               | Attribute                             |
|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                           | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                           | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                           | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                           | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                           | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes >          | Non-Amortizing                                                                                                                                                                              | Amortization Type                     |
| New Business > Define Core Product Attributes >          | Other Adjustable                                                                                                                                                                            | Adjustable Type                       |
| New Business > Define Core Product Attributes            | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >               | 6 Months                                                                                                                                                                                    | Payment Frequency                     |
| New Business > Define Payment Attributes >               | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >               | Actual / Actual                                                                                                                                                                             | Accrual Basis                         |
| New Business > Define Payment Attributes >               | Simple                                                                                                                                                                                      | Compounding Basis                     |
| New Business > Define Payment Attributes >               | Floating Net Rate                                                                                                                                                                           | Net Margin Flag                       |
| New Business > Define Adjustable Rate Attributes >       | 6 Months                                                                                                                                                                                    | Repricing Frequency                   |
| New Business > Define Other Mortgage Attributes >        | 700                                                                                                                                                                                         | Customer Credit Score                 |
| New Business > Define Other Mortgage Attributes >        | 80                                                                                                                                                                                          | Original Loan to value                |
| New Business > Define Other Mortgage Attributes >        | FANNIE_MAE                                                                                                                                                                                  | Issuer                                |
| New Business > Define Negative Amortization Attributes > |                                                                                                                                                                                             | <Not Applicable>                      |

**Table 20-1 (Cont.) Bond Adjustment Rate**

| Location                                              | Default Value                        | Attribute                            |
|-------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business>Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business>Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business>Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-2 Bond Fixed Rate**

| Location                                        | Default Value                                                                                                                                                                               | Attribute                             |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                  | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                  | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                  | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                  | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                  | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes > | Non-Amortizing                                                                                                                                                                              | Amortization Type                     |
| New Business > Define Core Product Attributes > | Fixed Rate                                                                                                                                                                                  | Adjustable Type                       |
| New Business > Define Core Product Attributes   | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >      | 6 Months                                                                                                                                                                                    | Payment Frequency                     |
| New Business > Define Payment Attributes >      | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >      | Actual / Actual                                                                                                                                                                             | Accrual Basis                         |
| New Business > Define Payment Attributes >      | Simple                                                                                                                                                                                      | Compounding Basis                     |

**Table 20-2 (Cont.) Bond Fixed Rate**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                      | <Not Applicable>                     |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-3 Credit Cards**

| Location                                        | Default Value                                                                                                                                                                               | Attribute                             |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                  | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                  | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                  | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                  | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                  | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes > | Behavior Pattern                                                                                                                                                                            | Amortization Type                     |

**Table 20-3 (Cont.) Credit Cards**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Core Product Attributes >        | Floating Rate                        | Adjustable Type                      |
| New Business > Define Core Product Attributes          | Unchecked                            | Inflation Indexed Instrument         |
| New Business > Define Payment Attributes >             | 1 Month                              | Payment Frequency                    |
| New Business > Define Payment Attributes >             | Interest In Arrears                  | Interest Type                        |
| New Business > Define Payment Attributes >             | Actual / Actual                      | Accrual Basis                        |
| New Business > Define Payment Attributes >             | Simple                               | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                      | <Not Applicable>                     |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-4 Discount Instruments**

| Location       | Default Value                                 | Attribute                             |
|----------------|-----------------------------------------------|---------------------------------------|
| All Business > | 100                                           | Percent Taxable                       |
| All Business > | Do Not Adjust                                 | Pay Equivalent Compounding Convention |
| All Business > | Blank, that is, holiday calendar not selected | Holiday Calendar                      |

**Table 20-4 (Cont.) Discount Instruments**

| Location                                               | Default Value                                                                                           | Attribute                            |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------|
| All Business >                                         | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.              | Rolling Convention                   |
|                                                        | Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.                   |                                      |
| All Business >                                         | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.                        | Interest Calculation Logic           |
|                                                        | Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. |                                      |
| New Business > Define Core Product Attributes >        | Non-Amortizing                                                                                          | Amortization Type                    |
| New Business > Define Core Product Attributes >        | Fixed Rate                                                                                              | Adjustable Type                      |
| New Business > Define Core Product Attributes >        | 3.0%                                                                                                    | Original Deferred Amortization %     |
| New Business > Define Core Product Attributes          | Unchecked                                                                                               | Inflation Indexed Instrument         |
| New Business > Define Payment Attributes >             | 90 Days                                                                                                 | Payment Frequency                    |
| New Business > Define Payment Attributes >             | Interest In Arrears                                                                                     | Interest Type                        |
| New Business > Define Payment Attributes >             | Actual / 360                                                                                            | Accrual Basis                        |
| New Business > Define Payment Attributes >             | Simple                                                                                                  | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                                                                                       | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                                                                                         | <Not Applicable>                     |
| New Business > Define Other Mortgage Attributes >      | 700                                                                                                     | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                                                                                      | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                                                                                              | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                                                                                         | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                                                                                       | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both                                                                    | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                                                                                                | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-5 Lease**

| Location                                           | Default Value                                                                                                                                                                               | Attribute                             |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                     | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                     | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                     | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                     | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                     | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes >    | Lease                                                                                                                                                                                       | Amortization Type                     |
| New Business > Define Core Product Attributes >    | Fixed Rate                                                                                                                                                                                  | Adjustable Type                       |
| New Business > Define Core Product Attributes      | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >         | 1 Month                                                                                                                                                                                     | Payment Frequency                     |
| New Business > Define Payment Attributes >         | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >         | Actual / 360                                                                                                                                                                                | Accrual Basis                         |
| New Business > Define Payment Attributes >         | Simple                                                                                                                                                                                      | Compounding Basis                     |
| New Business > Define Payment Attributes >         | Floating Net Rate                                                                                                                                                                           | Net Margin Flag                       |
| New Business > Define Adjustable Rate Attributes > |                                                                                                                                                                                             | <Not Applicable>                      |
| New Business > Define Other Mortgage Attributes >  | 700                                                                                                                                                                                         | Customer Credit Score                 |
| New Business > Define Other Mortgage Attributes >  | 80                                                                                                                                                                                          | Original Loan to value                |
| New Business > Define Other Mortgage Attributes >  | FANNIE_MAE                                                                                                                                                                                  | Issuer                                |
| New Business > Define Neg Am Attributes >          |                                                                                                                                                                                             | <Not Applicable>                      |

**Table 20-5 (Cont.) Lease**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-6 Loan Adjustment Rate**

| Location                                        | Default Value                                                                                                                                                                               | Attribute                             |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                  | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                  | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                  | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                  | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                  | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes > | Conventional Adjustable                                                                                                                                                                     | Amortization Type                     |
| New Business > Define Core Product Attributes > | Other Adjustable                                                                                                                                                                            | Adjustable Type                       |
| New Business > Define Core Product Attributes   | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >      | 1 Month                                                                                                                                                                                     | Payment Frequency                     |
| New Business > Define Payment Attributes >      | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >      | Actual / Actual                                                                                                                                                                             | Accrual Basis                         |
| New Business > Define Payment Attributes >      | Simple                                                                                                                                                                                      | Compounding Basis                     |



**Table 20-6 (Cont.) Loan Adjustment Rate**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     | 1 Year                               | Repricing Frequency                  |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-7 Loan Fixed Rate**

| Location                                        | Default Value                                                                                                                                                                               | Attribute                             |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                  | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                  | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                  | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                  | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                  | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes > | Conventional Fixed                                                                                                                                                                          | Amortization Type                     |

**Table 20-7 (Cont.) Loan Fixed Rate**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Core Product Attributes >        | Fixed                                | Adjustable Type                      |
| New Business > Define Core Product Attributes          | Unchecked                            | Inflation Indexed Instrument         |
| New Business > Define Payment Attributes >             | 1 Month                              | Payment Frequency                    |
| New Business > Define Payment Attributes >             | Interest In Arrears                  | Interest Type                        |
| New Business > Define Payment Attributes >             | Actual / Actual                      | Accrual Basis                        |
| New Business > Define Payment Attributes >             | Simple                               | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                      | < Not Applicable >                   |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-8 Loan Floating Rate**

| Location       | Default Value                                 | Attribute                             |
|----------------|-----------------------------------------------|---------------------------------------|
| All Business > | 100                                           | Percent Taxable                       |
| All Business > | Do Not Adjust                                 | Pay Equivalent Compounding Convention |
| All Business > | Blank, that is, holiday calendar not selected | Holiday Calendar                      |

**Table 20-8 (Cont.) Loan Floating Rate**

| Location                                               | Default Value                                                                                           | Attribute                            |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------|
| All Business >                                         | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.              | Rolling Convention                   |
|                                                        | Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.                   |                                      |
| All Business >                                         | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.                        | Interest Calculation Logic           |
|                                                        | Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. |                                      |
| New Business > Define Core Product Attributes >        | Conventional Adjustable                                                                                 | Amortization Type                    |
| New Business > Define Core Product Attributes >        | Floating Rate                                                                                           | Adjustable Type                      |
| New Business > Define Core Product Attributes          | Unchecked                                                                                               | Inflation Indexed Instrument         |
| New Business > Define Payment Attributes >             | 1 Month                                                                                                 | Payment Frequency                    |
| New Business > Define Payment Attributes >             | Interest In Arrears                                                                                     | Interest Type                        |
| New Business > Define Payment Attributes >             | Actual / Actual                                                                                         | Accrual Basis                        |
| New Business > Define Payment Attributes >             | Simple                                                                                                  | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                                                                                       | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                                                                                         | < Not Applicable >                   |
| New Business > Define Other Mortgage Attributes >      | 700                                                                                                     | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                                                                                      | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                                                                                              | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                                                                                         | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                                                                                       | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both                                                                    | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                                                                                                | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-9 Loan Negative Amortization**

| Location                                           | Default Value                                                                                                                                                                               | Attribute                             |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                     | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                     | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                     | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                     | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business >                                     | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes >    | Adjustable Negative Amortization                                                                                                                                                            | Amortization Type                     |
| New Business > Define Core Product Attributes >    | Other Adjustable                                                                                                                                                                            | Adjustable Type                       |
| New Business > Define Core Product Attributes      | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >         | 1 Month                                                                                                                                                                                     | Payment Frequency                     |
| New Business > Define Payment Attributes >         | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >         | Actual / Actual                                                                                                                                                                             | Accrual Basis                         |
| New Business > Define Payment Attributes >         | Simple                                                                                                                                                                                      | Compounding Basis                     |
| New Business > Define Payment Attributes >         | Floating Net Rate                                                                                                                                                                           | Net Margin Flag                       |
| New Business > Define Adjustable Rate Attributes > | 1 Month                                                                                                                                                                                     | Repricing Frequency                   |
| New Business > Define Neg Am Attributes >          | 6 Months                                                                                                                                                                                    | Payment Change Frequency              |
| New Business > Define Neg Am Attributes >          | 3 Months                                                                                                                                                                                    | Equalization Frequency                |
| New Business > Define Other Mortgage Attributes >  | 700                                                                                                                                                                                         | Customer Credit Score                 |
| New Business > Define Other Mortgage Attributes >  | 80                                                                                                                                                                                          | Original Loan to value                |

**Table 20-9 (Cont.) Loan Negative Amortization**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-10 Savings**

| Location                                        | Default Value                                                                                                                                                                               | Attribute                             |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business >                                  | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business >                                  | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business >                                  | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business >                                  | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if holiday calendar is selected in the preceding section              | Rolling Convention                    |
| All Business >                                  | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |
| New Business > Define Core Product Attributes > | Behavior Pattern                                                                                                                                                                            | Amortization Type                     |
| New Business > Define Core Product Attributes > | Floating Rate                                                                                                                                                                               | Adjustable Type                       |
| New Business > Define Core Product Attributes   | Unchecked                                                                                                                                                                                   | Inflation Indexed Instrument          |
| New Business > Define Payment Attributes >      | 1 Month                                                                                                                                                                                     | Payment Frequency                     |
| New Business > Define Payment Attributes >      | Interest In Arrears                                                                                                                                                                         | Interest Type                         |
| New Business > Define Payment Attributes >      | Actual / Actual                                                                                                                                                                             | Accrual Basis                         |

**Table 20-10 (Cont.) Savings**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Payment Attributes >             | Simple                               | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                      | <Not Applicable>                     |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

**Table 20-11 Term Deposits**

| Location       | Default Value                                                                                                                                                                               | Attribute                             |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| All Business > | 100                                                                                                                                                                                         | Percent Taxable                       |
| All Business > | Do Not Adjust                                                                                                                                                                               | Pay Equivalent Compounding Convention |
| All Business > | Blank, that is, holiday calendar not selected                                                                                                                                               | Holiday Calendar                      |
| All Business > | Unadjusted and Disabled, if the holiday calendar is not selected in the preceding section.<br>Unadjusted and Enabled, if the holiday calendar is selected in the preceding section.         | Rolling Convention                    |
| All Business > | Shift Dates Only is selected and Disabled if Rolling Convention is not selected.<br>Shift Dates Only is selected and Enabled if Rolling Convention is selected to be other than Unadjusted. | Interest Calculation Logic            |

**Table 20-11 (Cont.) Term Deposits**

| Location                                               | Default Value                        | Attribute                            |
|--------------------------------------------------------|--------------------------------------|--------------------------------------|
| New Business > Define Core Product Attributes >        | Non-Amortizing                       | Amortization Type                    |
| New Business > Define Core Product Attributes >        | Fixed Rate                           | Adjustable Type                      |
| New Business > Define Core Product Attributes          | Unchecked                            | Inflation Indexed Instrument         |
| New Business > Define Payment Attributes >             | 1 Month                              | Payment Frequency                    |
| New Business > Define Payment Attributes >             | Interest In Arrears                  | Interest Type                        |
| New Business > Define Payment Attributes >             | Actual / Actual                      | Accrual Basis                        |
| New Business > Define Payment Attributes >             | Simple                               | Compounding Basis                    |
| New Business > Define Payment Attributes >             | Floating Net Rate                    | Net Margin Flag                      |
| New Business > Define Adjustable Rate Attributes >     |                                      | <Not Applicable>                     |
| New Business > Define Other Mortgage Attributes >      | 700                                  | Customer Credit Score                |
| New Business > Define Other Mortgage Attributes >      | 80                                   | Original Loan to value               |
| New Business > Define Other Mortgage Attributes >      | FANNIE_MAE                           | Issuer                               |
| New Business > Define Neg Am Attributes >              |                                      | <Not Applicable>                     |
| New Business> Define Inflation Adjustment Attributes > | 0                                    | Index Name                           |
| New Business> Define Inflation Adjustment Attributes > | Principal and Interest payments both | Index Adjustment Type                |
| New Business> Define Inflation Adjustment Attributes > | No Floor                             | No Floor Capital Protection Category |

**Note**

If the user is mapped to ADCo, the Product Profile will always show the "Define Other Mortgages Attributes" tab.

# 21

## Product Characteristics

This module describes the procedure for working with and managing Product Characteristic rules.

This chapter covers the following topics:

- [Creating Product Characteristic Rules](#)
- [Defining Product Characteristic Rules](#)
- [Copying Assumptions across Currencies and Products](#)

### 21.1 Creating Product Characteristic Rules

You create a Product Characteristics rule to assign attributes to your products.

To create Product Characteristic Rules, follow these steps:

1. Navigate to the Product Characteristics summary page.
2. Complete standard steps for this procedure.

**Figure 21-1 Product Characteristics**

The screenshot displays the 'Product Characteristics' configuration interface. At the top, it shows the 'Active Time Bucket' as '240\_MonthlyBuckets' and the 'As Of Date' as '11/15/2020'. The main section is divided into several tabs: 'Product Characteristics Details', 'Select Product Hierarchy', 'Select Currency', 'Assumption Browser', and 'Assumption List'. The 'Product Characteristics Details' tab is active, showing fields for 'Name' (ProductChar), 'Description', 'Fails' (BSP50), 'Home Type' (Read Only), 'Product Hierarchy' (BSP\_CDA), and 'Currency' (US Dollar). Below this, the 'Assumption Browser' tab is active, showing a tree view of the product hierarchy. The tree includes nodes such as 'Total Assets', 'Total Liabilities', 'Total Equity', 'Total Other Assets', and 'Total Other Liabilities'. The 'Status' column for each node indicates 'Defined'.

#### **Note**

In addition to the standard steps for creating rules, the procedure for creating Product Characteristics involves one extra step. After Standard Step 6, you need to select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between the nodes allows the inheritance of methodologies from parent nodes to child nodes.



## 21.2 Defining Product Characteristic Rules

The definition of a Product Characteristics rule is part of the Create or Edit Product Characteristics rule process. When you click Save in the Create Product Characteristics rule process, the rule is saved and the Product Characteristics rule summary page is displayed. However, Product Characteristic assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your Product Characteristic assumptions for product-currency combinations before clicking Save.

### Defining Product Characteristics Using Node Level Assumptions

Node Level Assumptions allow you to define assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining rules. Children of parent nodes on a hierarchy automatically inherit the assumptions defined for the parent nodes. However, assumptions directly defined for a child take precedence over those at the parent level.

The prerequisite is performing basic steps for creating or editing a Product Characteristics rule.

### 21.2.1 Procedure

From the Assumption Browser screen, select the product(s) and the currency for which you want to define Product Characteristics and select the “Add New” button to launch the Product Characteristic Details screen.

To define a Product Characteristics rule, follow these steps:

1. Choose the Currency.

#### Note

To define assumptions for all currencies with the selected product, choose the “Default Currency”.

2. From the Assumption Browser, choose the product or products that you want to define.
3. Select the Add Assumption icon.
4. Type a value for each mandatory field. Mandatory input fields are marked with a red asterisk.

#### Note

You can optionally select one of the seeded Product Profile templates or a user-defined Product Profile to pre-populate the appropriate Product Characteristic fields.

5. From the File menu, select Save.

 **Tip**

Using the default currency to set up assumptions can save data input time. At run time, the calculation engine uses assumptions explicitly defined for a product currency combination. If assumptions are not defined for a currency, the engine uses the assumptions defined for the product and the default currency. If the assumptions are the same across some or all currencies for a specific product, you can input assumptions for the default currency. Be careful using this option on screens where an Interest Rate Code is a required input. In most cases, you will want to use currency-specific interest rate curves for pricing instruments within each specific base currency. The Default Currency option, if used will apply a selected Interest Rate Code across all currencies.

## 21.2.2 Assumption List Tab

The Assumption List Tab is present next to the Assumption Browser in all the screens which have the assumption browser. This tab provides search capability with the help of five fields:


- Dimension Member Code
- Dimension Member Name
- Dimension Member Description
- Dimension Member Status
- Is Leaf

Dimension Member Code, Name, and Description provide filter criteria for search such as Contains, Starts With, Ends With, Exactly Matches.

Dimension Member Status is a drop-down list containing values such as Defined, Not Defined, Inherited, Defined and Inherited, and All.

Is Leaf is a check box that can be toggled.

The Search button initiates a search on the assumption browser based on the filter criteria provided in the above-mentioned fields. Reset restores default search criteria. The search results will flatten the hierarchy and display all of the products that meet the input criteria. Use the pagination widget to display the number of products per page (up to a maximum of 99). You can proceed to edit or create new rules in the assumption list tab.

**Figure 21-2 Assumptions List Tab**


The screenshot displays the 'Product Characteristics' interface, specifically the 'Assumptions List' tab. The top section, 'Product Characteristics Details', includes fields for 'Name' (ProductChar), 'Description' (ProductChar), 'Filter' (BSP500), and 'Assumptions' (Read/Write/Read Only). Below this is the 'Select Product Hierarchy' section with 'Filter' (BSP500) and 'Product Hierarchy' (BSP\_CDA). The 'Select Currency' section shows 'Currency' (US Dollar). The 'Assumption Browser' section is active, featuring a search bar and a table with columns for 'Assumption Name', 'Assumption Description', and 'Assumption Status'. The table contains one row with the value 'Contains'. At the bottom, there are 'Save', 'Save As', and 'Cancel' buttons. The footer shows the user ID 'G30574-04' and the date 'August 6, 2026'.

## 21.2.3 Product Characteristic Details Screen

The details screen has three input tabs.

- All Business
- New Business
- Model Integration

### **Note**

The Model Integration tab will be available only if Moody's structured cash flow library integration is done with BSP.

### 21.2.3.1 All Business Tab

Assumptions made on the All Business tab apply to both current position data and new business balances.

The common Product Characteristic fields listed on the All Business tab are as follows:

**Table 21-1 Common Product Characteristic Fields List for All Business Tab**

| Field                  | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Option Adjusted Spread | <p>The option-adjusted spread is used during stochastic processing only. It is an adjustment to the stochastic discount factor used in calculating market value and value at risk. Valid values for this spread are between -5.000% and 5.000%, but a value less than 2.00% is recommended for best results. For more information about the calculation of discount factors, see the Oracle Financial Services Cash Flow Engine Reference Guide.</p> <div data-bbox="1149 630 1450 743"> <p><b>Note</b></p> <p>BSP does not support stochastic processing.</p> </div>                                                                                                                                                           |
| Model with Gross Rates | <p>If your institution has outsourced loan serving rights for some of your assets (most typically mortgages), the rates paid by customers on those assets (gross rates) will be greater than the rates received by your bank (net rates). For these instruments, both a net and gross rate will be calculated within the cash flow engine and both gross and net rate financial elements will be output. The gross rate is used for prepayment and amortization calculations. The net rate is used for income simulation and the calculation of retained earnings in the auto-balancing process.</p> <div data-bbox="1149 1215 1450 1356"> <p><b>Note</b></p> <p>Modelling with gross rates is not supported in BSP.</p> </div> |
| Interest Credited      | <p>This option allows interest payments to be capitalized as principal on simple/non-amortizing instruments.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

**Table 21-1 (Cont.) Common Product Characteristic Fields List for All Business Tab**

| Field                                 | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Percent Taxable                       | <p>Percent Taxable specifies the percent of income or expense that is subject to the tax rates defined in the active Time Bucket rule. This is used with the Auto-balancing option in the ALM Process rules. Percent taxable should be set up for each product and reporting currency or product and default currency combination.</p> <div data-bbox="1149 573 1443 682"> <p><b>Note</b></p> <p>Percent taxable is not used in BSP.</p> </div>                                                                                                                                                                                     |
| Currency Gain/Loss Basis              | <p>Currency Gain/Loss Basis determines how exchange rate fluctuations are reflected in financial element results for each product and currency combination. The choices are:</p> <ul style="list-style-type: none"> <li>• Temporal</li> <li>• Historical Basis</li> <li>• Current Rate</li> </ul> <p>See the Oracle Financial Services Cash Flow Engine Reference Guide for more information on the cash flow calculations associated with currency gain/loss recognition techniques.</p> <div data-bbox="1149 1150 1448 1316"> <p><b>Note</b></p> <p>Only used in ALM consolidated currency runs; not supported in BSP.</p> </div> |
| Pay Equivalent Compounding Convention | <p>In most cases, interest rates are not adjusted for the differences in pay-basis between the quote basis of the pricing index and the payment frequency of the account to which the index is assigned. Some instruments, notably Canadian Mortgages, follow a convention that the interest rates are adjusted. In this case, the Pay-Equivalent Compounding Convention should be set to Semi-Annual Quoting Convention. For other accounts, the convention should be set to Do Not Adjust.</p>                                                                                                                                    |
| Holiday Calendar                      | <p>The default value is Blank and is Enabled. This drop-down list contains the list of all holiday calendar definitions defined in the Holiday Calendar UI.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

**Table 21-1 (Cont.) Common Product Characteristic Fields List for All Business Tab**

| Field                      | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rolling Convention         | <p>The default value is Unadjusted and is Enabled, only when Holiday Calendar has been selected in the preceding field. This drop-down list contains four values:</p> <p>Unadjusted</p> <p>Following Business Day</p> <p>Modified following business day</p> <p>Previous business day</p> <p>Modified previous business day</p> <p>Actual/Un-adjusted</p> <p>Payment on an actual day, even if it is a non-business day.</p> <p>Following Business Day</p> <p>The payment date is rolled to the next business day.</p> <p>Modified following business day*</p> <p>The payment date is rolled to the next business day unless doing so would cause the payment to be in the next calendar month, in which case the payment date is rolled to the previous business day.</p> <p>Previous business day</p> <p>The payment date is rolled to the previous business day.</p> <p>Modified previous business day*</p> <p>The payment date is rolled to the previous business day unless doing so would cause the payment to be in the previous calendar month, in which case the payment date is rolled to the next business day</p> <p>*Many institutions have month-end accounting procedures that necessitate this.</p> |
| Interest Calculation Logic | <p>There are two options:</p> <ul style="list-style-type: none"> <li>• Shift Dates Only</li> <li>• Recalculate Payment</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

**Note**

The holiday calendar attributes can be applied directly to the instrument records for an existing business. If they are not applied on the records, the engine will use the definition from the all-business tab to apply a holiday calendar for existing and new businesses.

## 21.2.3.2 New Business Tab

Assumptions made on the New Business tab impact forecast business only. These assumptions are used together with the other Forecast Assumption rules including Forecast Balances, Pricing Margins, and Maturity Mix to determine the behavior of your forecast instruments.

**Figure 21-3 New Business Tab**

There are five sub-tabs within the New Business setup including:

- Define Core Product Attributes
- Define Payment Attributes
- Define Adjustable Rate Attributes
- Define Negative Amortization Attributes
- Define Other Mortgage Attributes \*
- Define Inflation Adjustment Attributes \*\*

**Note**

- \* This tab will be displayed only if you are mapped to ADCo LDM functionality and currency is selected as USD.
- \*\* This tab will be displayed, if the Inflation-Indexed Instrument option is selected in Define Core Products Attributes tab for New Business.

### 21.2.3.3 Relationship Triggers

There are dependencies built into the tabular structure of this screen. Based on assumptions made in the first two tabs, the remaining two tabs may not be active.

**Table 21-2 Relationship Triggers Fields, Values, and Behavior**

| Field                  | Value                                    | Behavior                                                      |
|------------------------|------------------------------------------|---------------------------------------------------------------|
| Amortization Type Code | Conv. Fixed, Conv Adjust., Adjst/Ng Amrt | Always interest in arrears, therefore, disables Interest Type |

**Table 21-2 (Cont.) Relationship Triggers Fields, Values, and Behavior**

| Field                  | Value                                                             | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amortization Type Code | Conv. Fixed, Rule-of-78's                                         | No repricing occurs, therefore disables the Define Negative Amortization Attributes and enables the Adjustable Rate Attributes tab. In this case, Rate Change Rounding Type, Rate Change Rounding Factor (when there is Rounding), Rate Floor Life, and Rate Cap Life fields will be enabled in the Adjustable Rate Attributes tab.                                                                                                                                |
| Amortization Type Code | Adjst/Ng Amrt                                                     | Enables Negative Amortization Attributes tab                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Amortization Type Code | Payment Pattern                                                   | Enables the Payment Pattern drop list                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Amortization Type Code | Behavior Pattern                                                  | Enables the Behavior Pattern drop list                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Amortization Type Code | Conv Fixed, Conv Adjust., Level Principal, Non Amortizing         | An inflation-Indexed Instrument check box will be enabled                                                                                                                                                                                                                                                                                                                                                                                                          |
| Adjustable Type Code   | Other Adjustable, Fixed Rate, Floating Rate, or Repricing pattern | Repricing Frequency is not applicable, or it is defined elsewhere, therefore disables Repricing Frequency and Multiplier. Enables the Adjustable Rate Attributes tab<br><br>When the Adjustable Type Code is Fixed, the Adjustable Rate Attributes tab is enabled. In this case, Rate Change Rounding Type, Rate Change Rounding Factor (when there is Rounding), Rate Floor Life, and Rate Cap Life fields will be enabled in the Adjustable Rate Attributes tab. |
| Adjustable Type Code   | Repricing Pattern                                                 | Enables the Repricing Pattern drop list. In addition, several of the repricing attributes are defined elsewhere, therefore they are disabled in this rule. Only periodic increase and decrease, rate change min, and rounding are enabled                                                                                                                                                                                                                          |
| Repricing Frequency    | "0"                                                               | No repricing occurs, therefore disables Adjustable Rate Attributes                                                                                                                                                                                                                                                                                                                                                                                                 |
| Model with Gross Rates | Off                                                               | Net Margin Flag options are only necessary when modeling with different gross rates and net rates, therefore disables Net Margin Flag.<br><br>Note: This is not supported in BSP.                                                                                                                                                                                                                                                                                  |



**Table 21-2 (Cont.) Relationship Triggers Fields, Values, and Behavior**

| Field                     | Value                       | Behavior                                                                                                                                                                                                                                   |
|---------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rate Change Rounding Type | "No Rounding" or "Truncate" | Rounding does not apply, therefore disables Rate Change Rounding Percent                                                                                                                                                                   |
| Currency                  |                             | Allows display of Interest Rate Codes and Transfer Rate Interest Rate Codes for which the selected currency is the reference currency. In Product Characteristics, Default Currency allows all Interest Rate Codes, regardless of currency |

(Required) <Enter introductory text here, including the definition and purpose of the concept.>

### 21.2.3.3.1 New Business Fields

Following is a listing of new business fields used in the Product Characteristics rule > Core Product Attributes tab.

**Figure 21-4 Core Product Attributes Tab**

The screenshot displays the 'Core Product Attributes' tab within the Oracle Product Profiles application. The interface includes a header with 'Active Time Bucket: 240\_MonthlyBuckets', 'Product Profiles', and 'As Of Date: 11/15/2020'. Below the header, there are tabs for 'All Business' and 'New Business', with 'New Business' being the active tab. The 'Define Core Products Attributes' sub-tab is selected, showing a form with various attributes. The 'Amortization Type' is set to 'Conventional Adjustable', 'Adjustable Type' is 'Other Adjustable', 'Lease Residual Value' is '0.0 %', 'Amortization Method' is 'Lined Yield', and 'Inflation Indexed Instrument' is checked. The 'Behavior Pattern Code', 'Payment Pattern Code', and 'Repricing Pattern Code' are all set to 'N'. The 'Interest Rate Code' is '3/625 6/10 8/10', and the 'Original Deferred Amortization Percent' is '0 %'. The 'Save' button is highlighted in blue. At the bottom, there is a 'System ID' field and a 'User Comments' section. The footer shows 'Created By: BPSADN/A', 'Last Modified By: BPSADN/A', 'Creation Date: 08/08/2021 05:08:21', and 'Last Modification Date: 08/08/2021 05:08:21'.

**Table 21-3 Core Product Attributes Tab Fields and Descriptions**

| Field                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amortization Type                                     | Method of amortizing principal and interest. The choices consist of all standard OFSAA codes and all additional user-defined codes created through the Payment Pattern and Behavior Pattern interfaces, as given below: <ul style="list-style-type: none"> <li>• Conventional Fixed</li> <li>• Conventional Adjustable</li> <li>• Balloon Payment</li> <li>• Adjustable Negative Amortization</li> <li>• Non-Amortizing</li> <li>• Rule of 78's</li> <li>• Level Principal</li> <li>• Payment Pattern</li> <li>• Behavior Pattern</li> <li>• Lease</li> </ul> |
| Adjustable Type                                       | Determines the repricing characteristics of the new business record. The choices consist of all standard OFSAA codes plus a Repricing Pattern. The standard OFSAA codes are as follows: <ul style="list-style-type: none"> <li>• Fixed-Rate</li> <li>• Floating Rate</li> <li>• Other Adjustable</li> </ul>                                                                                                                                                                                                                                                   |
| Lease Residual Value                                  | For Lease instruments, this value specifies the residual amount as a percent of the par balance.                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Amortization Method for Premiums, Discounts, and Fees | Determines the method used for amortizing premiums, discounts, or fees. The available codes are: <ul style="list-style-type: none"> <li>• Level Yield</li> <li>• Straight Line</li> </ul>                                                                                                                                                                                                                                                                                                                                                                     |
| Behavior Pattern Code                                 | Lists all user-defined behavior patterns created through the user interface.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Payment Pattern Code                                  | Lists all user-defined payment patterns defined through the user interface.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Repricing Pattern Code                                | Lists all user-defined reprice patterns created through the user interface.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Interest Rate Code                                    | Defines the pricing index to which the instrument interest rate is contractually tied. The interest rate codes appear as a selection option depending on the choice of currency. The interest rate code list is restricted to codes that have the selected currency as the reference currency. If the default currency is chosen, all interest rate codes are available as a selection.                                                                                                                                                                       |
| Original Deferred Amortization Percent                | The initial deferred balance is expressed as a percent of the original par balance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Inflation-Indexed Instrument                          | Check box to model instrument as Inflation-Indexed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

Following is a listing of new business fields used in the Product Characteristics rule > Payment Attributes tab:

**Figure 21-5 Payment Attribute Tab**
**Table 21-4 Payment Attributes Tab Field and Descriptions**

| Field              | Description                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Payment Frequency  | Frequency of payment (P & I), Interest or Principal). For bullet instruments, use zero.                                                                                                                                                                                                                                                                          |
| Interest Type      | <p>Determines whether interest is calculated in arrears or advance or if the rate is set in arrears. There are three interest types:</p> <ul style="list-style-type: none"> <li>Interest in Arrears</li> <li>Interest in Advance</li> <li>Set in Arrears</li> </ul> <p>For conventional amortization products, interest in arrears is the only valid choice.</p> |
| Rolling Convention | Reserved for future use.                                                                                                                                                                                                                                                                                                                                         |
| Accrual Basis      | <p>The basis on which the interest accrual on an account is calculated. The choices are as follows:</p> <ul style="list-style-type: none"> <li>30/360</li> <li>Actual/360</li> <li>Actual/Actual</li> <li>30/365</li> <li>30/Actual</li> <li>Actual/365</li> <li>Business/252 *</li> </ul>                                                                       |
| Compounding Basis  | <p>Determines the number of compounding periods per payment period. The choices are the following:</p> <ul style="list-style-type: none"> <li>Daily</li> <li>Monthly</li> <li>Quarterly</li> <li>Semi-Annual</li> <li>Yearly</li> <li>Continuous</li> <li>Simple</li> <li>At Maturity</li> </ul>                                                                 |

**Table 21-4 (Cont.) Payment Attributes Tab Field and Descriptions**

| Field           | Description                                                                                                                                                                                                                                                                                                                                  |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Net Margin Flag | The setting of the net margin flag affects the calculation of the net rate. The two settings are: <ul style="list-style-type: none"> <li>Floating Net Rate - the net rate reprices in conjunction with the gross rate, at a value net of fees.</li> <li>Fixed Net Rate - the net rate equals a fixed fee equal to the net margin.</li> </ul> |

**Note**

\* A Holiday calendar selection is required if a business/252 accrual basis is selected. Business/252 accrual basis is only applicable to the recalculate option of the holiday calendar rule. If the user selects the shift payment dates, the payment will still be recalculated for the non-holiday/weekend date.

Following is a listing of new business fields used in the Product Characteristics rule > Adjustable Rate Attributes tab:

**Figure 21-6 Adjustable Rate Attributes tab**
**Table 21-5 Adjustable Rate Attributes Tab Fields and Descriptions**

| Field               | Description                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Repricing Frequency | Contractual frequency of rate adjustment                                                                                                                   |
| Tease Period        | The tease period is used to determine the length of the tease period.                                                                                      |
| Tease Discount      | The tease discount is used in conjunction with the original rate to calculate the tease rate. The tease rate is the original rate less the tease discount. |

**Table 21-5 (Cont.) Adjustable Rate Attributes Tab Fields and Descriptions**

| Field                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First Reset Cap             | <p>This indicates the maximum delta between the initial rate and the first reset for mortgage instruments that have a tease period. This rate will be applicable at the tease end period, before the first reset. After this, the periodic and lifetime cap value will be applied. The value of this field will be automatically populated from the Product Profile window if the product is mapped to Product Profile and the value is defined for First Reset Cap.</p> <p>For example:</p> <p>Current Rate = 3.5% (from the instrument record)</p> <p>Margin = 0.3 %</p> <p>First Reset Cap = 0.5% (from the instrument record)</p> <p>First Reset Floor = 0.1% (from the instrument record)</p> <p>Scenario 1: If New Forecasted Rate = 5.1% (Forecast Rates Assumption)</p> <p>Fully indexed rate (after applying minimum rate change, rounding effects) is higher than the (Current Rate + First Reset Cap). So, the new rate assigned will be 3.5% + 0.5% = 4.0%</p> |
| First Reset Floor           | <p>This is the initial minimum value for mortgage instruments that have a tease period. This floor rate will be applicable at the tease end period, before the first reset. After this, the periodic and lifetime floor value will be applied. The value of this field will be automatically populated from the Product Profile window if the product is mapped to Product Profile and value is defined in for First Reset Floor.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Rate Cap Life               | The maximum rate for the life of the instrument.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Rate Set Lag                | Period by which the rate lookup lags the repricing event date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Rate Change Rounding Factor | Percent to which the rate change on an adjustable instrument is rounded.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Rate Change Rounding Type   | The method used for rounding of interest rate codes. The choices are as follows: no rounding, truncate, round up, round down, round nearest.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Rate Increase Period        | The maximum interest rate increase allowed during the cycle on an adjustable-rate instrument.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Rate Decrease Period        | The maximum amount rate can decrease during the repricing period of an adjustable-rate instrument.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Minimum Rate Change         | The minimum required change in rate on a repricing date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Rate Floor Life             | The minimum rate for the life of the instrument.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Rate Increase Life          | Maximum interest rate increase allowed during the life of an adjustable-rate instrument used to calculate rate cap based on forecasted rate scenario. If both rate increase life and rate cap are defined, the process uses the more restrictive rate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Rate Decrease Life          | The maximum amount rate can decrease during the life of an adjustable-rate instrument, used to calculate the rate floor based on the forecasted rate scenario. If both rates decrease the life and rate floor are defined, the process uses the more restrictive rate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

Following is a listing of new business fields used in the Product Characteristics rule > Negative Amortization Attributes tab:

**Figure 21-7 Negative Amortization Attributes Tab**

Active Time Bucket: 240\_Monthly/Buckets  
BSP Maintenance > Product Profiles

Product Profiles

As Of Date: 11/15/2020

Product Profile Details

Name: Test\_BSP  
Description: Test\_BSP

All Business | New Business

Define Core Products Attributes | Define Payment Attributes | Define Adjustable Rate Attributes | Define Inflation Adjustment Attributes

Index Name: Principal and Interest  
Index Adjustment Type: Principal and Interest  
Capital Protection Category: No Floor

Save Cancel

Audit Trail | User Comments

System ID: Created By: BSPADMIN  
Last Modified By: BSPADMIN  
Creation Date: 09/06/2021 09:06:21  
Last Modification Date: 09/06/2021 09:06:21

**Table 21-6 Negative Amortization Attributes Tab Field and Descriptions**

| Field                    | Description                                                                                                                                                                                        |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Payment Change Frequency | The frequency at which the payment amount is recalculated for adjustable negative amortization instruments.                                                                                        |
| Equalization Frequency   | The frequency at which the current payment is necessary to fully amortize the instrument is re-computed.                                                                                           |
| Payment Decrease Life    | Maximum payment decrease allowed during life of a negative amortization instrument.                                                                                                                |
| Payment Decrease Period  | Maximum payment decrease allowed during a payment change cycle of a negative amortization instrument.                                                                                              |
| Equalization Limit       | Maximum negative amortization allowed, as a percent of the original balance. For example, if the principal balance should never exceed 125% of the original balance, this column would equal 125.0 |
| Payment Increase Life    | Maximum payment increase allowed during the life of a negative amortization instrument.                                                                                                            |
| Payment Increase Period  | Maximum payment increase allowed during a payment change cycle on a negative amortization instrument.                                                                                              |

Following is a listing of new business fields used in the Product Characteristics Rules, Define Other Mortgage Attributes tab:

**Table 21-7 Business Fields in Product Characteristics Rules**

| Field                  | Description                                                                                                                                                                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Customer Credit Score  | The default value of this is 700 and it should be in the range of 300-850. The value of this field will be automatically populated from the Product Profile window if the product is mapped to Product Profile and value is defined for Customer Credit Score. |
| Original Loan To Value | The default value of this is 80 and it should be in the range of 1-300. The value of this field will be automatically populated from the Product Profile window if the product is mapped to Product Profile and value is defined for Original Loan To Value.   |
| Issuer                 | Select the name of the Issuer. The default value is FANNIE_MAE.                                                                                                                                                                                                |
| Prepayment Index       | This is the first index value fetched by the UI among the defined ADCo Curves.                                                                                                                                                                                 |

**Note**

This tab will be displayed if ADCo LDM mapping is done, and if the selected currency is USD and the product is of account type “Earning Assets”.

### 21.2.3.4 Model Integration Tab

This tab allows you to define the assumptions based on Moody's structured cashflow library integration for All Business and New business balances.

This tab will be displayed only if you have installed Moody's structured cashflow library. Following are the prerequisites to view the “Model Tuning” tab:

- Moody's structured cashflow library installed on the setup
- Moody's structured cashflow library enabled for the specific user
- Product is securitized products or loans

You can tune the model using the Tune option. Select the model from the Model Selection drop-down list and click Tune. Following modeling options are available in the Model Selection drop-down list:

- None
- Source System Provided
- ADCo

Based on the selected model, the UI parameters vary.

#### Source System Provided

**Table 21-8 Source System Provided Fields and Behaviors**

| Field              | Behavior                                                                                                        |
|--------------------|-----------------------------------------------------------------------------------------------------------------|
| Prepayments        | This is the magnitude of the prepayment rate. The default value of this is 1, and it should be greater than 0.  |
| Default            | This is the magnitude of the default rate. The default value of this is 1, and it should be greater than 0.     |
| Recovery           | This is the magnitude of the recovery rate. The default value of this is 1, and it should be greater than 0.    |
| Recovery Lag       | This is the recovery lag applied to each loan. The default value of this is 0, and the value range is 1 to 100. |
| Servicer Advancing | Select the servicer advancing as None, Interest, or Both. The default value of this is None.                    |
| Draw Rates         | This is the magnitude for mortgage Draw rates. The default value of this is 1, and it should be greater than 0. |

#### ADCo

Enter values in these parameters if you want to use ADCo LDM integration along with Moody's Structured Cash Flow library.

**Table 21-9    ADCo LDM Integration with Moody's Structured Cash Flow Library**

| Field                         | Behavior                                                                                                                                                           |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMM for Failed Loans          | This is the failed loan's SMM in percentage. The default value of this is 0 and it should be in the range of 0-100.                                                |
| MDR for Failed Loans          | This is the failed loan's MDR in percentage. The default value of this is 0 and it should be in the range of 0-100.                                                |
| Recovery for Failed Loans     | This is the failed loan's recovery in percentage. The default value of this is 0 and it should be in the range of 0-100.                                           |
| Subprime FICO Loans           | The loan is considered subprime if FICO is less than this value ( 620 if not provided). The default value of this is 620 and it should be in the range of 300-850. |
| FICO to use(if not available) | FICO to use for loans that do not have this information. The default value of this is 680 and it should be in the range of 300-850.                                |

### 21.2.3.5 Define Inflation Adjustment Attributes Tab

When the Inflation-Indexed Instrument check box is selected, the Define Inflation Adjustment Attributes tab is enabled.

For more information on Inflation-Indexed Instrument calculation, see Oracle Financial Services Cash Flow Engine Reference Guide.

**Figure 21-8    Inflation Adjustment Attributes Tab**

Active Time Bucket: 240\_MonthlyBuckets    Product Profiles    As Of Date: 11/15/2020

BSP Maintenance > Product Profiles

Product Profile Details

Name \* Test\_Bsp

Description Test\_Bsp

All Business    New Business

Define Core Products Attributes    Define Payment Attributes    Define Adjustable Rate Attributes    Define Inflation Adjustment Attributes

Index Name \*

Index Adjustment Type \* Principal and Interest

Capital Protection Category \* No Floor

Save    Cancel

#### **Note**

The Define Inflation Adjustment Attributes tab will be enabled if the Adjustment type is selected as Conventional Adjust, Conventional Fixed, Level principal, or Non-Amortizing.



**Figure 21-9 Define Inflation Adjustment Attributes Tab**

Active Time Bucket: 240\_MonthlyBuckets Product Profiles As Of Date: 11/15/2020

BSP Maintenance > Product Profiles

Product Profile Details

Name \* Test\_Bsp

Description Test\_Bsp

All Business New Business

Define Core Products Attributes Define Payment Attributes Define Adjustable Rate Attributes Define Inflation Adjustment Attributes

Index Name \*

Index Adjustment Type \* Principal and Interest

Capital Protection Category \* No Floor

Save Cancel

**Table 21-10 Tabs, Fields, and Behavior of Inflation Adjustment Attributes**

| Tab                         | Field                       | Behavior                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Index Adjustment Attributes | Index Name                  | Lists all Economic Indicator defined through the user interface.                                                                                                                                                                                                                                                                                                                             |
| Index Adjustment Attributes | Capital Protection Category | Determines Capital protection to be provided to Inflation-indexed instruments. The choices are: <ul style="list-style-type: none"> <li>No Floor: No Floor does not provide any downside protection.</li> <li>The floor of 1: Floor of 1 protects downside movement.</li> <li>Max during Life: Max during life gives maximum advantage using maximum Index factor for calculation.</li> </ul> |
| Index Adjustment Attributes | Index Adjustment Type       | Determines the type of Index adjustment. The choices are following: <ul style="list-style-type: none"> <li>Principal and Interest</li> <li>Principal Only</li> <li>Interest Only</li> </ul>                                                                                                                                                                                                  |

**Note**

For more information on cash flow calculations associated with Inflation-indexed instruments, see Oracle Financial Services Cash Flow Engine Reference Guide.

## 21.3 Copying Assumptions across Currencies and Products

This functionality provides you with the option to copy, in total or selectively, the product assumptions contained within the BSP assumption rules from one currency to another currency or a set of currencies, or from one product to another product or set of products.

Copy of assumptions enhances the usability of Oracle Balance Sheet Planning in a multi-currency environment. For example, if you have 10 currencies enabled in the application, you need to input only one set of assumptions and then copy those assumptions across all enabled currencies, instead of having to input 10 full sets, thereby saving a significant amount of input time.

This functionality also reduces the risk associated with data input errors as you need to audit inputs for just a single set of assumptions before executing the copy procedure. The copy across currencies process requires users to select a replacement yield curve for each target currency. These currency-specific IRC's replace the IRC selection made for each product in the source currency selection set. It is possible to edit the target assumptions after the initial copy processes have been completed.

### Prerequisites

Define BSP rule-related product assumptions. See:

- [Product Characteristics](#)
- [Prepayment Rules](#)
- [Overview of Maturity Mix Rules](#)
- [Overview of Pricing Margin Rules](#)
- [Overview of Pricing Margin Rules](#)
- [Transfer Pricing Rules](#)
- [Adjustment Rules](#)

### Procedure

To copy assumptions across currencies or products, follow these steps:

1. Navigate to the appropriate BSP business rule assumption browser.
2. Define assumptions for the source currency/product set.
3. Save the assumptions.
4. Select the defined product assumptions using the check boxes corresponding to each product (or Node on the hierarchy) that you want to include in the copy process.
5. Click the Copy Across icon.
6. On the Copy Across details page, select the listed currencies either individually using the corresponding check boxes or in total using Select All.
7. Specify an interest rate code for each selected currency. This is necessary because each interest rate code is specific to a single currency. When copying product assumptions across currencies, you must define the interest rate code for each target currency to replace the interest rate code used for the source currency assumptions.

**Note**

- While defining a rule if IRC is required, then Copy Across (currency) UI will have an option to select the IRC. For example, Product Characteristic, Discount Methods, Prepayments, Transfer Pricing Rules, Adjustment Rules UIs, the Copy Across (Currency) UI will have an option for IRC selection.
- While defining a rule if IRC selection is not required, then Copy Across (Currency) will have the IRC selection option disabled. For example, Forecast Balances, Maturity Mix, Pricing Margin UIs, the Copy Across (Currency) UI will not have an option for IRC selection.
- If a rule does not require the IRC selection and RDP selection is required (for, Forecast Balances, Maturity Mix, Pricing Margin), then Copy Across (Currency) will not have an option to select the IRC.

8. Click Apply to initiate the copy process and to return to the Assumption Browser page.

**Note**

You can review the results of the copy process from the Assumption Browser by selecting a different currency and following the usual navigation to view or edit assumptions. The application displays new assumptions for each product included in the original source selection. The copy process replaces pre-existing assumptions for any product-currency combination that is included in the target selection.

9. Click Save on the Assumption Browser page to save the assumptions to the database.

## Forecast Rate Scenarios

Forecast Rate scenario assumptions allow you to define future interest rates, future economic indicators, and future currency exchange rates. Use interest rate forecasts to project cash flows, including pricing new business, repricing existing business, calculating prepayments, and determining discount methods. Use Economic Indicator forecasts to include in behavioral modeling and scenario or stress analysis. Use currency exchange rate forecasts to account for the effects of currency fluctuations on income.

The Forecast Rate assumptions use interest rate, economic indicator, and currency codes defined in Rate Management, including all the Active and Reporting currencies and the primary, or functional, currency at your institution. For information on how to define Interest Rates, Economic Indicators, and Currency Exchange Rates, see the OFSAA Rate Management section.

This module describes how to create a Forecast Rates assumption rule to forecast cash flows and, if you work with multiple currencies, to model relationships between interest rates and exchange rates.

### 22.1 Creating Forecast Rate Rule

1. From the **Forecast Rates Summary** page, click **Add**.
2. Enter a name for the rule.
3. Enter a description for the rule. This is an optional field.
4. Select the **Reporting Currency**.
5. Select a **Folder**.
6. Select the **Access Type** option.
7. Click **Save**.

The **Apply defined method to all IRCs** check box is only supported for flat rates method. Other IRC methods do not support Apply to all.

#### Features of Forecast Rates

The selected reporting currency that you created appears in the Forecast Rates assumption rule window. Each Forecast Rate Scenario you create, up to ninety-nine, will appear under Current Scenarios. Forecast scenarios use the date buckets specified in the active Time Bucket Rule. You can also set minimum rates (or floors) on any rule created for Currency, Economic, or Interest Rate. For example, if you want to run a -200bp rate scenario, with short term rates less than 2%, then set the minimum rate to the floor at 0%, although negative rates are allowed if required.

The following options are available for defining Forecast Rate Scenario:

- Standardized Approach
- Enhanced Approach

**IRRBB Standardized Approach Shocks** allows you to select one of the six Standardized Approach Shocks (SAS) in a forecast rate scenario for certain currency IRCs. The following are the shock scenarios:

- Standardized Approach Shock - Parallel UP
- Standardized Approach Shock - Parallel DOWN
- Standardized Approach Shock - Short UP
- Standardized Approach Shock - Short DOWN
- Standardized Approach Shock - Flattenner
- Standardized Approach Shock - Steppener

These options are available for supported currencies. If an IRC is for a non-supported currency, then these options will not display.

For more information, see the [Cash Flow Engine ReferenceGuide](#).

The Active currencies defined under the **Currencies** section of the **Rate Management** are listed under the **Currency Codes** pane. The selection under **Currency Codes** defaults to the reporting currency when you are not forecasting exchange rates. The list of IRCs under the **Interest Rate Codes** pane is dependent on the selected currency. The IRCs, including a reference IRC for each currency, are loaded from the **Rate Management**. When you select a currency other than the reporting currency, the options under **Currency Forecast Method** pane provide several ways to model relationships between the Exchange Rates and Interest Rates.

The Economic Indicators for all active indices are listed in the **Economic Indicator** section. These indices are not dependent on the currency selected. Use these indicators to set up scenarios around changing the economic conditions that will affect the forecast outcome of another variable. For example, if you forecast a higher GDP, then use a scenario where new business volume is tied to that GDP outcome, which could be different than a lower GDP scenario. The Economic Indicators are created and maintained from the **Rate Management**.

The IRCs for all active currencies (and reporting currencies, a subset of the active currencies) are listed under the Interest Rate Codes. The options under the **Interest Rate Code Forecast method** pane provide several ways to model the effects on portfolio cash flows due to interest rate changes.

You can map your forecast scenario with the Behavior Pattern Rule. For more information, see the Behavior Pattern Rule Mapping section.

## 22.1.1 Features of Forecast Rates

The reporting currency you selected when creating the Forecast Rates assumption rule appears in the title bar. Each forecast scenario you create, up to ninety nine will appear under Current Scenarios. Forecast scenarios use the date buckets specified in the active Time Bucket Rule. You can also set minimum rates (or floors) on any rule created for Currency, Economic, or Interest Rate. For example, if you want to run a -200bp rate scenario, with short-term rates < 2%, you can set the minimum rate to the floor at 0%, although negative rates are allowed if desired.

Here, you have the following options available for defining Forecast Rate Scenario:

- Standardized Approach
- Enhanced Approach

IRRBB Standardized Approach Shocks allows users to select one of the six Standardized Approach Shocks (SAS) in a forecast rates scenario for certain currency IRCs. You can select the following shock scenarios:

- Standardized Approach Shock - Parallel UP
- Standardized Approach Shock - Parallel DOWN
- Standardized Approach Shock - Short UP
- Standardized Approach Shock - Short DOWN
- Standardized Approach Shock - Flattener
- Standardized Approach Shock - Steppener

These options will be available for supported currencies. If an IRC is for a non-supported currency, then these would not display.

For more information, see the Cash Flow Engine Reference Guide.


The active currencies defined under Rate Management > Currencies, are listed under the Currency Codes section. The selection under Currency Codes defaults to the reporting currency when you are not forecasting exchange rates. The list of IRCs under the Interest Rate Codes section is dependent on the selected currency. The IRCs, including a reference IRC for each currency, are loaded from Rate Management. When you select a currency other than the reporting currency, the options under Currency Forecast Method provide several ways to model relationships between exchange rates and interest rates.

The Economic Indicators for all active indices are listed in the Economic Indicator section. These indices are not dependent upon the currency selected. Use these indicators to set up scenarios around changing economic conditions that will affect the forecast outcome of another variable. For example, if you forecast a higher GDP, you may have a scenario where new business volume is tied to that GDP outcome, which could be different than a lower GDP scenario. The Economic Indicators are created and maintained from Rate Management.

The IRCs for all active currencies (and reporting currencies, a subset of the active currencies) are listed under Interest Rate Codes. The options under Interest Rate Code Forecast Method provide several ways to model the effects on portfolio cash flows due to interest rate changes.

You can map your forecast scenario with Behavior Pattern Rule. For more information, see the Behavior Pattern Mapping section.

**Figure 22-1 Forecast Rates Features**



## 22.2 Currency Forecast Methods

The following Currency Forecast methods are available when you select a currency (other than the reporting currency) from the **Currency Codes** list.

**Table 22-1 Currency Forecast Methods**

| Method            | Description                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Flat              | Forecast no change in the exchange rate for all dates beginning with the as-of date.                                                             |
| Structured Change | Forecast exchange rates as an incremental change from the previous period.                                                                       |
| Direct Input      | Type exchange rates to use in forecasting.                                                                                                       |
| Parity *          | Forecast the exchange rate between two currencies based on interest rate forecasts for the reference IRC associated with each of the currencies. |
| No Arbitrage *    | Forecast the exchange rate required to maintain a no-arbitrage condition between two currencies.                                                 |

\* The above methods are available when the selected currency has an associated reference IRC as defined in the Rate Management.

You can map your forecast scenario with Behavior Pattern Rule. For more information, see the Behavior Pattern Rule Mapping section.

### Examples of Currency Forecasting

The following examples use the data to demonstrate currency forecast methods:

- Reporting currency = U. S. dollars (USD is shown in the title bar)
- Local currency = Australian dollars – (converting from Australian dollars (AUD) to USD)
- Exchange rate loaded from Rate Manager = 1.108 AUD to 1 USD (rate in effect on the as-of date, 06/30/09)
- Modeling period = 07/01/2009 to 06/30/2010

For all the examples, start with the following:

1. Create a new Forecast Rates Assumption Rule with USD as the Reporting Currency.
2. In the **Forecast Rates** window, add a scenario:
  - a. Click **Add**.
  - b. Type a **Name** for the scenario.
3. Click **Apply**.

**Flat Method:** Calculate the exchange rate of Australian dollars to \$1 U. S., modeling **NO change** in the exchange rate during the modeling period.

In the **Forecast Rates** window, follow these steps:

1. From **Currency Codes**, select **AUD: Australian Dollar**
2. From **Currency Forecast Method**, click **Flat**.
3. Click **View**.

Under **Rate Value**, see the exchange rate: \$1.108 AUD s equal \$1 USD. This rate is applied uniformly to all date buckets, based on the rate in effect at the As Of Date in the **Application Preferences**.

4. Click **OK**.
5. Click **Save** in **Forecast Rates** window.

**Structured Change:** Model a change in the exchange rate so that the rate increases by a total of 0.5% over four months, levels off for four months, and then drops a total of 0.25% over three months.

In the **Forecast Rates** window, follow these steps:

1. From **Currency Codes**, select **AUD: Australian Dollar**.
2. From **Currency Forecast Method**, select **Structured Change**.
3. Click **Define**.
4. Add rows using **Add** and enter bucket numbers and rate changes.
5. Use the **Excel Import or Export** feature to add the rate changes. For more information, see the Excel Import or Export section.
6. Click **Apply**.
7. Click **View** to see the output table.
8. After viewing the **Currency Codes** in **Currency Codes Structured Change** window, click **OK**.
9. Click **Save** in **Forecast Rates** window.

**Direct Input:** Model a change in the exchange rate so that rates reflect a stronger U. S. dollar during the spring of 2010.

In the **Forecast Rates** window, follow these steps:

1. From **Currency Codes**, select **AUD: Australian Dollar**.
2. From **Currency Forecast Method**, select **Direct Input**.
3. Click **Define**.
4. Click **Apply**.
5. Click **View** to see the output table.
6. Use the **Excel Import or Export** feature to add the rate values. For more information, see the Excel Import or Export section.
7. After viewing the Currency Codes in **Currency Codes Structured Change** window, click **OK**.
8. Click **Save** in **Forecast Rates** window.

**Parity:** Model a period of rising interest rates for the U. S. and Australian dollars. Use the parity method to forecast the exchange rate of Australian dollars to \$1 U. S. Parity is calculated based on the forecast interest rates of the reference IRCs of the Australian dollar and the U. S. dollar.

1. In the **Forecast Rates** window, forecast changes in the U. S. dollar interest rate:
2. From **Currency Codes**, select **USD: US Dollar**
3. From **Interest Rate Codes**, select **Treasury Index**.
4. From **Rate Forecast Method**, click **Direct Input**.



5. Click **Define**. Enter interest rate changes for 02/01/2010 through 04/30/2010 in **Currency Codes Structured Change** window.
6. Click **Apply**.
7. In the **Forecast Rates** window, forecast changes in the Australian dollar reference interest rate.
8. From **Currency Codes**, select **AUD: Australian Dollar**
9. From **Interest Rate Codes**, select **IRC AUD**.
10. From **Rate Forecast Method**, select **Direct Input**
11. Click **Define**. Enter interest rate changes for 02/01/2010 through 04/30/2010 in **Currency Codes Structured Change** window.
12. Click **Apply**.
13. Click **Save** in **Forecast Rates** window.

The **View** option is not available for the parity feature. To view the results, enable the **Forecast Rate** option in the **Audit** block of **ALM process** window for the relevant interest rate codes. Audit results are written to the FSI\_INTEREST\_RATES\_AUDIT table.

**No Arbitrage:** Forecast the exchange rates required to maintain equilibrium between the U. S. and Australian dollars. This forecast is based on the historical interest rates from the reference IRC of each currency. This example assumes that the following reference IRCs are assigned in Rate Management:

- U. S. dollar: Treasury Index
- Australian dollar: IRC AUD

In the **Forecast Rates ID** window, follow these steps:

1. From **Currency Codes**, select **AUD: Australian Dollar**
2. From **Currency Forecast Method**, select **No Arbitrage**.
3. Click **Save**.

The **View** button is not available for the **No Arbitrage** feature. To view the results, enable the **Forecast Rate** option in the **Audit** block of the **ALM Process** window for the relevant Interest Rate Codes. Audit results are written to the FSI\_INTEREST\_RATES\_AUDIT table.

## 22.3 Economic Indicator Forecast Methods

The following Economic Indicator methods are available.

**Table 22-2 Economic Indicator Forecast Methods**

| Method            | Description                                                                           |
|-------------------|---------------------------------------------------------------------------------------|
| Flat              | Forecast no change in the economic index for all dates beginning with the as-of date. |
| Structured Change | Forecast the economic index as an incremental change from the previous period.        |
| Direct Input      | Type-specific economic index rates to use in forecasting.                             |

### Examples of Economic Index Forecasting

**Flat:** Viewing an economic index forecasted for New Residential Sales.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Economic Indicators**, select **New Residential Sales**.
3. From **Economic Indicator Forecast Method**, select **Flat**
4. Click **View**.

The **Economic Indicator View** window displays the rates forecasted for the **New Residential Sales**.

Here, the **Total Rate Change** field will be consistent with the **Value** field of the **Economic Indicator** window.

**Structured Change:** Model a gradual increase for six months in New Residential Sales.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Economic Indicators**, select **New Residential Sales**.
3. From **Economic Indicator Forecast Method**, select **Structured Change**.
4. Click **Define**. Enter the interest rate change.
5. Click **Apply** in the **Economic Indicator View Structured Changes** window
6. Click **View** in the **Forecast Rates** window
7. You can see the incremental increase over the six months (150 = 25 per month \* 6 months)

**Direct Input:** To use the Direct Input method, see the Structured Change section with the following steps:

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Economic Indicators**, select **New Residential Sales**
3. From **Economic Indicator Forecast Method**, select **Direct Input**.
4. Click **Define**. Enter the interest rate change. Enter New Residential Sales data (forecasted values for each bucket rather than forecasted values changes over a period of one or more buckets).

After defining the forecast method for an Economic Indicator, you can undo the definition by selecting the relevant Economic Indicator (green color check-box) and click **Un-Define**. This will bring the Economic Indicator to its original undefined state indicated by the Red Color check box. Use this if you want to delete an Economic Indicator from the Economic Indicator of the Rate Management after defining the forecast method for it.

## 22.4 Interest Rate Forecast Methods

The following Interest Rate Forecast methods are available.

**Table 22-3 Interest Rate Forecast Methods**

| Method | Description                                                                          |
|--------|--------------------------------------------------------------------------------------|
| Flat   | Forecast no change in the interest rate for all dates beginning with the as-of date. |

**Table 22-3 (Cont.) Interest Rate Forecast Methods**

| Method                       | Description                                                                                                                                                                                                                                                              |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Structured Change            | Forecast rate changes in terms of absolute or percent change, for any modeling period or interest rate term, such as:<br>+100 basis points on Day 1<br>-200 basis points over the first 6 months<br>Yield curve rotation (short point decreasing, long point increasing) |
| Direct Input                 | Type interest rates directly for any modeling period or interest rate term.                                                                                                                                                                                              |
| Implied Forward              | Forecast interest rates based on the yield-curve interest rates in effect at the as-of date and consistent with the modeling bucket definitions.                                                                                                                         |
| Change from Base             | Make incremental changes to an existing forecast scenario.                                                                                                                                                                                                               |
| Yield Curve Twist            | Flatten or steepen the yield curve around a specific point on the curve.                                                                                                                                                                                                 |
| Standardized Approach Shocks | Forecast an interest rate shock according to one of the BSCB Standardized Approach shock specifications (Scenario-level specification).                                                                                                                                  |
| Enhanced Approach Shocks     | Forecast an interest rate shock according to user specifications that will flow into IRRBB Table B reporting.                                                                                                                                                            |

The following Interpolation Methods are available.

**Table 22-4 Interpolation Methods**

| Method               | Description                                                                                                                                                                                                                                                                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Linear Interpolation | Linear interpolation uses linear yield curve smoothing. Linear yield curves are continuous but not smooth; at each knot point there is a kink in the yield curve. You may not want to use a linear yield curve with a model that assumes the existence of a continuous forward rate curve, due to the nonlinear and discontinuous knot points of a linear yield curve. |

Table 22-4 (Cont.) Interpolation Methods

| Method                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cubic Spline of Yields | <p>A cubic spline is a series of third-degree polynomials that have the form:</p> $y = a + bx + cx^2 + dx^3$ <p>These polynomials are used to connect the dots formed by observable data. The polynomials are constrained so they fit together smoothly at each knot point (the observable data point.) This means that the slope and the rate of change in the slope with respect to time to maturity have to be equal for each polynomial at the knot point where they join. If this is not true, there is a kink in the yield curve and they are continuous but not differentiable.</p> <p>Two more constraints make the cubic spline curve unique. The first restricts the zero-maturity yield to equal the 1-day interest rate. The second restricts the yield curve at the longest maturity to be either straight (<math>y''=0</math>) or flat (<math>y'=0</math>).</p>             |
| Quartic Spline         | <p>Quartic interpolation requires a minimum of 4 knot points. The quartic interpolation equation can be represented as:</p> $Y = a + b X^1 + CX^2 + d X^3 + e X^4$ <p>The end knot points satisfy equations for one curve and all intermediate points satisfy two curves. Hence in a scenario with a minimum number of knot points, there will be 6 equations. For n number of knot points, the number of equations is <math>2n-2</math>. If n is the number of points to be interpolated, the order of the matrix to be formed is <math>5*(n-1) \times 5*(n-1)</math>. The matrix is formed according to the following logic:</p> <p>The second derivative at the endpoints and the first derivative of the last point is Zero. At the points other than the endpoints, the value of the first derivatives, second derivatives, and the third derivatives of the function are equal.</p> |

In looking up the Forecast Rates, the Cash Flow Engine will (where necessary) perform an interpolation between yield curve term points. For example, in determining a three-month rate from a yield curve that contains only a one-month rate and a six-month rate, the Cash Flow Engine will perform an interpolation to determine the implied three-month rate. The **Interpolation** method used is defined by the selected interpolation method for the Interest Rate Curve.

#### Note

You must supply the input data for all term points of an IRC. This applies to historical rate and direct input forecast method. If data of one or more terms points is not given, then it can lead to errors during calculation.

#### Examples of Interest Rate Forecasting

You can generate the forecast rates for 360 calendar months, Moody's structured cashflow library's integration is done with ALM. The first month corresponds to the first calendar month of As of Date. The subsequent months are full calendar months. For example, if As of Date is

30 APR 2013, then the first month is April 2013. The second month will be May 2013 and so on. ADCo model requires two IRCs for an ARM instrument (First is 2 Yr, 10 Yr IRC and second is the Prepayment Index IRC). For a fixed-rate instrument, 2 Yr, 10 Yr IRC will only be passed.

You can forecast an IRC which has various term points including 2 Year and 10 Year term points. The term points 2 Year (or 24 Months) and 10 Year (or 120 Months) are available. The engine will identify 24 Months term point as 2 Years and 120 Months as 10 Years. If the term point (or points) are unavailable, then the engine will be unable to send the forecast rates for the IRC.

The engine will match the last day of the calendar month with the income simulation bucket (ISB) dates and fetch the rate corresponding to the term point to pass to the ADCo model while converting from ISB to 360 months. While converting from ISB to 360 months, if the total ISB size is less than 360 months, then the last available rate must be extended till the 360th month. For example, if the ISB covers only 240 months, then the 240th month rate will be applied from the 241st to 360th months.

When **Show 360 months Buckets** check box is enabled, 2-year (24 months) and 10-year (240 months) term points will be highlighted in red color.

The **Show 360 months Buckets** check box is displayed only if the Curve Identifier is defined for base IRC.

**Flat:** Viewing U. S. dollar interest rates forecasted for the Treasury Index.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Interest Rate Codes**, select **US Treasury Curve**.
3. From **Rate Forecast Method**, select **Flat**.
4. Select the **Interpolation** method.
5. Click **View**.

After clicking **View**, the **Interest Rate View** window displays the rates forecasted for the Treasury Index in the ISB view. Here, Show Rates for **Show 360 Months Buckets** check box is not selected by default. On selecting this check box, the results will be displayed for the 360 months view. You can not enter the values against buckets for Flat method in 360 months or ISB view. The **Show 360 Months Buckets** check box is available by default if the ADCo LDM, Moody's structured cashflow library, or both functions are mapped to you.

**Structured Change:** Model a gradual increase for six months in U. S. dollar interest rates.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Interest Rate Codes**, select **US Treasury Curve**.
3. From **Rate Forecast Method**, select **Structured Change**.
4. Select the **Interpolation** method.
5. Click **Define** and enter a shock amount to apply to the IRC in absolute or percentage change. You can designate either absolute rate change or percent rate change.
6. Enter the Interest Rate changes.  
Use the **Excel Import or Export** feature to add the interest rate changes. For more information, see the Excel Import or Export section.
7. Click **Apply**.
8. Click **View** in **Forecast Rates** window.

After clicking **View**, the **Interest Rate View** window displays the rates forecasted for the Treasury Index in the ISB view. Here, Show Rates for **Show 360 Months Buckets** check box is not selected by default. On selecting this check box, the results will be displayed for

the 360 months view. You cannot enter the values against buckets for Flat method in 360 months or ISB view. The **Show 360 Months Buckets** check box is available by default if the ADCo LDM, Moody's structured cashflow library, or both functions are mapped to you.

9. The rate increases you entered in step 5 are apportioned equally over six months in this case August to January. Therefore, in monthly buckets 2-7, you will expect to see the following increments added to the Treasury Index Interest Rates.

**Table 22-5 Example of Structured Change**

| 3 month              | 6 month              | 1 year             | 2 year               |
|----------------------|----------------------|--------------------|----------------------|
| 1/6 of 1.00 = 0.1667 | 1/6 of 1.25 = 0.2083 | 1/6 of 1.50 = 0.25 | 1/6 of 1.75 = 0.2917 |

10. The interest rates in buckets 2-7 reflects the increases.

**Direct Input:** To use the Direct Input method, see the Structured Change sections with the following modifications:

1. In step 5, enter Interest Rates (forecasted rates for each bucket rather than forecasted rate changes over a period of one or more buckets).
2. In step 3, select **Direct Input**.
3. During defining the Direct Input, **Show 360 Months Buckets** check box is selected by default if the ADCo LDM, or Moody's structured cashflow library, or both functions are mapped to you. If you enter the forecast rates against 360 months, the UI converts the same across the Income Simulation Buckets.
4. Similarly, you can enter the data for income simulation buckets after unchecking the **Show 360 Months Buckets**. Now, the UI converts the rates from ISB to 360 months view. When you switch from the ISB to 360 months view or vice versa, you will get a message: *Switching the view will erase the existing definition. Do you want to continue?* . Click **YES** to erase the definition.
  - Enter the data across ISB and select the **Show 360 Months Buckets** check box, it overrides that data for a few of the 360 months buckets.
  - Enter the data across 360 months buckets and do not select the **Show 360 Months Buckets** check box, it overrides that data for a few of the ISB.

After defining the rates in 360 Months buckets and clicking **View**, the **Interest Rate View** window displays the result in 360 months view. Here, the **Show 360 Months Buckets** check box is selected by default.

If you have defined the rates in the ISB and click **View**, the **Interest Rate View** window displays the result in the ISB view. Here, the **Show 360 Months Buckets** check box is disabled by default. On selecting this check box, the results will be displayed for the 360 months view. You cannot enter the values against buckets for this method in 360 months or ISB view.

Use the **Excel Import or Export** feature to add the interest rates. For more information, see the Excel Import or Export section.

**Implied Forward:** View U. S. dollar interest rates forecasted from the Treasury Index rates and terms in effect at the as-of date and consistent with the modeling buckets.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Interest Rate Codes**, select **US Treasury Curve**.
3. From **Rate Forecast Method**, click **Implied Forward**.

4. Click **Define** and enter a shock amount to apply to the IRC in absolute or percentage change. You can designate either absolute rate change or percent rate change. If no change is required to the base curve, leave at 0.0, and click **Apply**.  
Use the **Excel Import or Export** feature to add the absolute or percent rate changes. For more information, see the Excel Import or Export section.
5. Click **View** to view the Implied Forward Rates.

After clicking **View**, the **Interest Rate View** window displays the results in the ISB view. Here, **Show Rates** for **Show 360 Months Buckets** check box is disabled by default. On selecting this check box, the results will be displayed for the 360 months view. You cannot enter the values against buckets for this method in 360 months view. The **Show 360 Months Buckets** check box is available by default if the ADCo LDM, or Moody's structured cashflow library, or both functions are mapped to you.

**Change from Base:** Select a Forecast Rate scenario that you have already defined and saved and change it by typing incremental changes to rates. For example, you might want to forecast for a scenario 1 based on incremental changes to the rates in scenario 2.

After clicking **View**, the **Interest Rate View** window displays the results in the ISB view. Here, **Show Rates** for **360 Months Buckets** check box is disabled by default. On selecting this check box, the results will be displayed for the 360 months view. You cannot enter the values against buckets for this method in 360 months view. The **Show 360 Months Buckets** check box is available by default if the ADCo LDM, or Moody's structured cashflow library, or both functions are mapped to you.

**Yield Curve Twist:** Setting up a scenario to steepen or flatten a given yield curve.

1. From **Currency Codes**, select **USD: US Dollar**.
2. From **Interest Rate Codes**, select **US Treasury Curve**.
3. From **Rate Forecast Method**, select **Yield Curve Twist**.
4. Click **Define**.
  5. Enter the interest rate changes (flattening the curve around the three-month term point).
5. Click **Apply**.

After clicking **View**, the **Interest Rate View** window displays the results in the ISB view. Here, **Show Rates** for **Show 360 Months Buckets** check box is disabled by default. On selecting this check box, the results will be displayed for the 360 months view. You cannot enter the values against buckets for this method in 360 months view. The **Show 360 Months Buckets** check box is available by default if the ADCo LDM, or Moody's structured cashflow library, or both functions are mapped to you.

After you have defined the Forecast method for an Interest Rate Code, you can undo the definition by selecting the relevant Interest Rate Code (green color check box) and clicking the **Un-Define** option. This will bring the Interest Rate Code to its original undefined state indicated by **Red Color** check box. This step is necessary if you want to delete an Interest Rate Code from the **Interest Rates** window of the **Rate Management** window after defining the Forecast method for it.

### Standardized Approach Shocks



**Note**

Standardized Approach shocks are different than other Interest Rate Rules as these are applied at the scenario level instead of at the IRC level. When you create a new Forecast Rates rule, the default Scenario 1 is always the base scenario for Standardized Approach purposes and cannot have a **Standardized Approach shock** definition.

1. In **Forecast Rates** window, select the **IRRBB Shocks**. This allows you to define either **Standardized** or **Enhanced Approach** Scenarios, or both for a single Forecast Rates Rule. Once a forecast rates rule is designated as IRRBB Shocks, this check box cannot be unselected unless there are no defined scenarios as either **Standardized** or **Enhanced Approach** scenario type.
2. To apply a **Standardized Approach** scenario, click the **Add Scenario**.
3. In the **Add Forecast Rates Scenario** window, select the **Scenario Type** to apply the scenario.
4. Only one Standardized Approach shock can be applied to a single scenario, and no two SA shocks of the same type may be applied to the same Forecast Rates rule. All qualifying IRCs will inherit this SA shock and cannot be changed except for their interpolation method and minimum rate.
5. Click **Apply** to make scenario as Standardized Approach shock.

**Enhanced Approach Shocks**

Like Standardized Approach shocks, Enhanced Approach shocks are scenario-level rules, and Scenario 1 is always referred to as the Base scenario for reporting purposes. However, unlike Standardized Approach shocks, the Forecast method for each IRC is not pre-established. This means that users must define the Forecast method, interpolation method and minimum rate for all Interest Rates in each scenario. Once defined and processed, the results will flow through into the **Table B** reporting.

1. In the **Forecast Rates** window, select the **IRRBB Shocks**. This allows you to define either **Standardized** or **Enhanced Approach** scenarios, or both for a single Forecast Rate rule. After a Forecast Rate rule is designated as IRRBB Shocks, this check box cannot be unselected unless there are no defined scenarios as either **Standardized** or **Enhanced Approach** Scenario Type.
2. To apply an **Enhanced Approach** scenario, click the **Add Scenario**.
3. Only one Enhanced Approach shock can be applied to a single scenario, and no two EA shocks of the same type can be applied to the same Forecast Rates rule. All IRCs in this scenario remain fully editable for the Forecast method, Interpolation method, and Minimum Rate.
4. Click **Apply** to make the scenario as Enhanced Approach shock.

## 22.5 BSP Volatility Codes

This feature allows you to set a static shock percentage (positive or negative) to be applied to BSP Volatilities in a **Forecast Rates** window.

For more information, see the [Cash Flow Engine ReferenceGuide](#).



This pane displays the list of Interest Rate Codes that are defined as BSP Volatility Surface. To view or edit an BSP Volatility, following are the prerequisites:

- Interest Rate as an BSP Volatility Surface.
- Have a matching currency to the Forecast Rates Reporting Currency

For more information, see the Interest Rates Details section.

Following is an example to define the Shock Percentage for BSP Volatility Surface. These steps can be repeated for each new scenario.

1. From **Currency Codes**, select a **Currency**, for example, **USD: US Dollar**. Only BSP Volatility Surfaces of the same currency will be available.
2. In the **BSP Volatility** block, select a **Vol Surface**.
3. Enter shock percentage for respective BSP Volatility. You can enter positive or negative values here (between -99.9999 and 1,000).
4. Click **Apply**. A confirmation box is displayed.
5. To view the results of the shock, select an **BSP Volatility**, and then click **View**.
6. To remove the shock percentage, click **Un-Define**.

## 22.6 Editing a Forecast Rate

To edit a Forecast rate, follow these steps:

1. From **Currency Codes**, select the **Currency Code** (for example, **IND: INDS**).
2. Here, initially the IRC is in Red color and after selection (that is, Editing of Currency Code) and clicking **Apply**, it turns to Green color.
3. Selecting a different IRC means the addition of an IRC and not the deletion or Deselection of the rest of the IRCs. After reopening the Forecast Rate, the lowest IRC code will be selected by default. If the scenario is defined as a **Standardized Approach** scenario, then this definition can be changed or removed.
4. Select the **Edit** for a **Standardized Approach** scenario.
5. To change the scenario from one SA shock to another SA shock, select the new definition. Do this to change all the qualifying SA IRCs to the new definition.
6. To remove a SA definition to the current scenario, select the **Scenario Type** as **NONE**. This will remove all Forecast Method definitions for all qualified SA IRCs.
7. To change the SA definition to an Enhanced Approach definition, select an available **Enhanced Approach** scenario type. This will remove all Forecast Method definitions for all qualified SA IRCs.
8. Click **Apply**.

If the scenario is defined as an **Enhanced Approach** scenario, this definition can be changed or removed.

1. Select the **Edit** for an **Enhanced Approach** scenario.
2. To change the scenario from one EA shock to another EA shock, select the new definition. Changing from one EA scenario to another EA scenario will not change the IRC Forecast Methods already defined.

3. To remove an Enhanced Approach definition to the current scenario, uncheck the check box **IRBBB Standardized Rate Shocks**. Changing from an **EA Scenario** type to **NONE** will not change the currently defined IRC Forecast Methods.
4. To change an existing Enhanced Approach definition to a Standardized Approach scenario, select a currently available Standardized Approach type in the **Scenario Type** drop-down list. This will change all relevant IRC Forecast Methods definitions.
5. Click **Apply**.

## 22.7 Behavior Pattern Rule Mapping

The **Behavior Pattern Rule Mapping** drop-down list shows the list of existing Behavior Pattern Rule. Select any behavior pattern to map with the current forecast scenario. To map a behavior pattern to all the forecast scenarios, use the **Apply to all scenarios** check box. For more information about the Behavior Pattern Rule, see the Behavior Pattern Rule section.

1. Navigate to the **Behavior Pattern Rule** section. Select Behavior Pattern Rule from **BP Rule To Be Applied To Current Scenario** drop-down list. Enable **Apply to All Scenarios** check box if you want to apply the selected Behavior Pattern Rule to all scenarios.
2. Click **Apply**.

## 22.8 Data Loader Procedure

Stage Forecast Rate Loader procedure loads forecast rates definitions into the OFS ALM Forecast rates tables from the staging tables. Forecast rate parameters for Direct Input and Structured Change methods within a scenario for Exchange Rates, Interest Rates, and Economic Indicators are loaded from staging to the Financial Services Data Model. After loading the forecast rates, you can view the information in the Forecast Rate Summary page.

For more information on how to set up the procedure, see the Stage Forecast Rates Loader section of Oracle Financial Services Analytical Applications Data Model Utilities User Guide.

To execute the **Data Loader** procedure, follow these steps:

1. Navigate to the **Forecast Rates Summary** page.
2. Click **Data Loader Execution**. This will execute all the available Forecast Rates set up in the data loader for Direct Input and Structured Change methods. A warning message is displayed: *Update all available Forecast Rates?*. Click **Yes**.

# 23

## Prepayment Rules

Prepayment Rules allow you to specify methodologies to model the loan prepayment, deposit early redemption behavior of products in your portfolio, and quantify the associated prepayment risk in monetary terms. For more information, see [Define Prepayment Rules](#).

The methodologies contained in the Prepayment rule are referenced by both Transfer Pricing and ALM Processes. These prepayment assumptions are used in combination with cash flow based Transfer Pricing methods to generate the Transfer Pricing results.

The procedure for working with and managing the Prepayment Rule is similar to that of other Oracle Funds Transfer Pricing business rules. It includes the following steps:

- Searching for Prepayment Rules
- Creating Prepayment Rules
- Viewing and Editing Prepayment Rules
- Copying Prepayment Rules
- Deleting Prepayment Rules

As part of creating and updating Prepayment rules, you can also define Prepayment Methodologies for all relevant products and currency combinations. See:

- Defining Prepayment Methodologies
- Defining the Constant Prepayment Method
- Defining the Prepayment Model Method
- Defining the PSA Prepayment Method
- Defining the Arctangent Calculation Method

Oracle Funds Transfer Pricing provides you with the option to copy, in total or selectively, the product assumptions contained within the Prepayment, Transfer Pricing, and Adjustment Rules from one currency to another currency or a set of currencies or from one product to another product or a set of products.

### 23.1 Create Prepayment Rules

You create a Prepayment Rule to define prepayment assumptions for new products.

To create a new Prepayment Rule, follow these steps:

- Navigate to the Prepayment rule summary page.
- Complete standard steps for this procedure.

**Note**

In addition to the standard steps for creating rules, the procedure for creating a Prepayment rule involves one extra step. After Standard Step 6, you can select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between the nodes allows inheritance of methodologies from parent nodes to child nodes.

## 23.2 Defining Prepayment Methodologies

The assignment of prepayment assumptions is part of the Create or Edit Prepayment Rule Process where assumptions about loan prepayments or deposit early redemptions are made for product-currency combinations. When you click Save in the Create Prepayment Rules Process, the Rule is saved and the Prepayment Rule Summary Page is displayed. However, prepayment assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your prepayment assumptions for product-currency combinations before clicking Save.

The Prepayment Rule supports the definition of prepayment assumptions for combinations of two dimensions: Product and Currency.

Once you have created a Prepayment Rule, you can assign prepayment methodologies to product-currency combinations using Node Level Assumption.

- By creating a conditional assumption using conditional logic. For more information, see Associating Conditional Assumptions with Prepayment Rules section.
- Directly on the Prepayment methodology page, as described here.

### 23.2.1 Defining Assumptions with the Default Currency

For cases where you have the same assumption (method and IRC) which is applicable to all currencies or multiple currencies, you can define rules for the combination of Product and Default Currency.

To define assumptions for the Default Currency, select a Product from the Hierarchy and Default Currency from the currency list and proceed with the assumption definition as described above. When processing data, the TP engine will first look for an assumption that exactly matches the product or currency of the instrument record. If not found, the engine will then look for the combination of the product and the Default Currency. This is a useful option to utilize during setup when the same product exists across multiple currencies and shares the same TP assumption and Interest Rate Code.

**Figure 23-1 Transfer Pricing Rules - Definition Mode**

The screenshot displays the 'Transfer Pricing Rules Definition (Edit Mode)' window. It includes the following sections:

- Transfer Pricing Rule:**
  - Name: ravi tp rule of P
  - Description: Ravi Transfer Pricing Rule CF P
  - Factor: PFTSEG
  - Access Type: ☐ Read Only ☒ Read/Write
- Product Hierarchy Selection:**
  - Factor: PFTSEG
  - Product Hierarchy: Test-Hier1
- Currency Selection:**
  - Currency: A dropdown menu showing 'Default Currency', 'Indian Rupee', and 'US Dollar'. 'US Dollar' is currently selected.
- Assumption Browser:**
  - Assumption List: A table with columns 'Product', 'Transfer Pricing Method', 'Conditional Assumption', and 'Status'.
  - Table content:
 

| Product       | Transfer Pricing Method | Conditional Assumption | Status |
|---------------|-------------------------|------------------------|--------|
| FTP           |                         |                        |        |
| FTP2          |                         |                        |        |
| Orphan Branch |                         |                        |        |

At the bottom, there are 'Save', 'Cancel', and 'Save As' buttons.

Default Currency setup example: If you have two Instrument Records of the same Product, each with a different currency, for example, 1 is 'USD' and the other is 'AUD', you have two configuration choices. You can either:

- Define the assumptions individually for each product-currency combination using direct input or copy across.
- You can create one assumption for the combination of Product and “Default Currency”. When you use “Default Currency”, the TP Engine will apply this assumption to ALL currencies (unless a direct assumption is available for the product + currency processed). In the case where users have many individual currencies that utilize the same TP Method and reference IRC rates, this is a useful option because you only have to define the assumption 1 time and it applies to many different Product + Currency combinations.

## 23.2.2 Defining Constant Prepayment Method

Use this procedure to define prepayment assumptions using the Constant Prepayment Method. The Constant Prepayment Method calculates the prepayment amount as a flat percentage of the current balance. You can create your own origination date ranges and assign a particular prepayment rate to all the instruments with origination dates within a particular Origination Date range.

### Prerequisites

Performing basic steps for creating or updating a Prepayment Rule.

### Procedure

Users also have two options for determining the timing of the Constant Prepayment assumption. The options include:

- **Use Payment Dates:** This is the default option. If this option is selected, then Constant Prepayment Runoff will occur on scheduled payment dates only.

- **User Defined Prepayment Tenors:** If this option is selected, users can specify any runoff timing. For example, users might choose to define the prepayment to the Runoff on the first day of the forecast.

The above options will be available only for Asset Instrument types.

To define constant prepayment within the Prepayment Rule, follow the steps given in below sections:

- [Use Payment Dates](#)
- [User Defined Prepayment Tenors](#)

### Use Payment Dates

1. Select the **Use Payment Dates** Option.
2. Select the **Payment Event Type** Option.
3. Select the **Start Origination Date** using the date picker. Alternatively, you can enter the Start Origination Date in the space provided.  
The first cell in the Start Origination Date Column and all the cells in the End Origination Date Column are read-only. This ensures that all possible origination dates must support reference values when Prepayment assumption lookups occur.

Each row in the End Origination Date Column is filled in by the system when you click **Add Row** or save the Rule.

The first Start Origination Date (in row 1) has a default value of January 1, 1900. When you enter a Start Origination Date in the next row, the system inserts a date that is a day before the previous End Origination Date Field.

4. Enter the Annual Prepayment Rate Percent that you want to apply to the instruments having origination dates in a particular Start Origination-End Origination Date range.
5. The **Percent** column represents the actual annualized prepayment percentage that the system uses to generate the principal runoff during the Cash Flow calculations.
6. Click **Add Row** to add additional rows and click the corresponding **Delete** button to delete a row.
7. You can add as many rows as possible in this table using **Add Multiple Row** Option. However, you need to enter relevant parameters for each new row.
8. You can also use the **Download Excel** feature to export the Prepayment rate information that is displayed on screen, modify, and copy-paste it back in the grid.
9. Define Seasonality assumptions if required to model date-specific adjustments to the annual prepayment rate. Inputs act as a multiplier, For Example, an input of 2 will double the prepayment rate in the indicated month.

### User Defined Prepayment Tenors

1. Select the **User Defined Prepayment Tenors** Option. This option allows you to specify the term and multiplier to the Prepayment Date for the row. The term is used to derive Prepayment Dates with reference to As of Date.
2. You can calculate the prepayment rate based on Current/Reducing Balance and Annual/De-annual Prepayment Rate.
3. Select the **Balance Type** as **Current Balance** or **Reducing Balance**.
  - If the Balance Type is selected as Current Balance, then the prepayment amount will be calculated using Principal Balance on As of Date. That is, without reducing the balance by any payment/prepayment that may have occurred between as of the date and prepayment date.

- If the Balance Type is selected as Reducing Balance, then the prepayment amount will be calculated using balance as on Prepayment Date. That is, after reducing the Principal Balance by any payment/prepayment that may have occurred between as of date and prepayment date.
- 4. Select the Prepayment Rate Type as Annual Prepayment Rate or De-annual Prepayment Rate.  
When the Annual Prepayment Rate is selected then the prepayment rate entered in the screen is directly used.  
  
In the other case, the rate entered in the screen is de-annualized before calculating the prepayment amount.
- 5. Enter the **Start Origination Date** and **End Origination Date** ranges, add additional ranges as required using the Add Row button.
- 6. Enter the term to Runoff Tenor and Multiplier for each of the date ranges.
- 7. Enter the **Annual Prepayment Rate Percent** for each of the date ranges.
- 8. Enter 'Repeat' if you want the same prepayment to occur multiple times. By default, it is set to 1.
- 9. Click **Add Row** to add additional runoff % rows and click the corresponding **Delete** button to delete a row.  
You can add as many rows as possible in this table using **Add Multiple Row** Option. However, you need to enter relevant parameters for each new row.
- 10. Define Seasonality assumptions as required to model date specific adjustments to the annual Prepayment Rate. Inputs act as a multiplier, for example, an input of 2 will double the Prepayment Rate in the indicated month.

The manner in which prepayment / redemption tenor is interpreted has changed from ALM 8.0.7 onwards in case of user defined prepayment and user defined early redemption. Earlier runoff occurred on "As of date + Prepayment / early redemption tenor". From ALM 8.0.7 onwards only first runoff occurs on "As of date + Prepayment / early redemption tenor". Subsequent runoff occur on "Previous prepayment / early redemption date + Prepayment / early redemption tenor". Thus customers who are upgrading or migrating to ALM 807 from a previous release must appropriately modify tenors in prepayment rules where user defined prepayment tenor and user defined early redemption tenor have been used.

### 23.2.3 Defining Prepayment Model Method

Use this procedure to define prepayment assumptions using the Prepayment Model Calculation method. The Prepayment Model Method allows you to define more complex prepayment assumptions compared to the other Prepayment Methods. Under this method, prepayment assumptions are assigned using a custom Prepayment Model. You can build a Prepayment model using a combination of up to three Prepayment Drivers and define Prepayment Rates for various values of these drivers. Each driver maps to an attribute of the underlying transaction (age/term or rate) so that the Cash Flow Engine can apply a different Prepayment Rate based on the specific characteristics of the record.

#### ① Note

All Prepayment Rates should be input as annual rate.

#### Prerequisites

- Prepayment Model must be created.



- Performing basic steps for creating or updating a Prepayment Rule.

### Procedure

Users also have two options for determining the timing of the Prepayment Model assumption. The options include:

1. Define the source for the Market Rate by Selecting an Index (Interest Rate Code) from the list of values.
2. Enter the Spread. The spread is added to the rate from the underlying interest rate curve to determine the market rate.
3. Select an **Associated Term**: Remaining Term, Reprice Frequency, or Original Term.
4. Specify the Prepayment Model parameters.
  - Enter the Coefficient (if needed) by which the Prepayment Rate should be multiplied. This multiple is applied to the instruments for which the origination date lies in the range defined in the Start Origination Date-End Origination Date fields.
  - Select the Start Origination Date using the date picker. Alternatively, you can enter the Start Origination Date in the space provided.
  - Select a predefined prepayment model from the Prepayment model Rule list of values. Click the **View Details** icon to preview the selected Prepayment Model.
  - The system uses the prepayment model assumptions to calculate the prepayment amounts for each period. You need to associate a prepayment model for every Start Origination-End Origination Date range.
  - Click **Add Another Row** to add additional rows and click the corresponding **Delete** to delete a row.  
You can add as many rows in this model as you require. However, you need to enter relevant parameters for each new row. You can also use the Excel import/export feature to add the Prepayment rate information.
5. Define Seasonality assumptions as required to model date specific adjustments to the annual prepayment rate. Inputs act as multiplier, for example, an input of 2 will double the prepayment rate in the indicated month

## 23.2.4 Defining PSA Prepayment Method

Use this procedure to define Prepayment Assumptions using the PSA Prepayment Method. The PSA Prepayment method (Public Securities Association Standard Prepayment Model) is a Standardized Prepayment Model that is built on a single dimension, expired term. The PSA Curve is a schedule of prepayments which assumes that prepayments will occur at a rate of 0.2 percent CPR in the first month and will increase an additional 0.2 percent CPR each month until the 30th month and will prepay at a rate of 6 percent CPR thereafter ("100 percent PSA"). PSA Prepayment Speeds are expressed as a multiple of this base scenario. For example, 200 percent PSA assumes Annual Prepayment Rates will be twice as fast in each of these periods - 0.4 percent in the first month, 0.8 percent in the second month, reaching 12 percent in month 30 and remaining at 12 percent after that. A zero percent PSA assumes no prepayments. You can create your own Origination Date ranges and assign a particular PSA Speed to all the instruments with origination dates within a particular Origination Date range. PSA Speed inputs can be between 0 and 1667.

### Prerequisites

Performing basic steps for creating or updating a Prepayment Rule.

### Procedure



Prepayment under this method occurs on Payment Dates only.

1. Select the **Payment Event Type** option.
2. Select the **Start Origination Date** using the date picker. Alternatively, you can enter the Start Origination Date in the space provided.  
The first cell in the **Start Origination Date** Column and all the cells in the **End Origination Date** Column are Read-Only. This ensures that all possible Origination Dates have supporting reference values when Prepayment Assumption Lookups occur. Each row in the End Origination Date Column is filled in by the system when you click Add Row or save the Rule.  
  
The first Start Origination Date (in row 1) has a default value of January 1, 1900. When you enter a Start Origination Date in the next row, the system inserts a date that is a day before the previous End Origination Date Field.
3. Enter the PSA Speed that you want to apply to the instruments having Origination Dates in a particular Start Origination-End Origination Date range. The PSA Method is based on a standard PSA curve. You can view the seeded model by selecting the View Prepayment Model icon.  
The default value is 100 PSA and inputs can range from 0 to 1667.
4. Click **Add Row** to add additional rows and click the corresponding **Delete** Option to delete a row.  
You can add as many rows as possible in this table using Add Multiple Row Option. However, you need to enter relevant parameters for each new row.
5. You can also use the **Download Excel** Feature to export the Prepayment Rate Information that is displayed on screen, modify, and copy-paste it back in the grid.
6. Define Seasonality Assumptions as required to Model Date specific adjustments to the Annual Prepayment Rate. Inputs act as a multiplier, For example, an input of 2 will double the Prepayment Rate in the indicated month.

## 23.2.5 Defining the Arctangent Calculation Method

The Arctangent Calculation Method uses the Arctangent Mathematical Function to describe the relationship between Prepayment Rates and spreads (coupon rate less Market Rate). Use this procedure to define Prepayment Assumptions using the Arctangent Calculation Method.

### Prerequisites

Performing basic steps for creating or updating a Prepayment Rule.

### Procedure

Prepayment under this method occurs on Payment Dates only.

1. Define the source for the Market Rate by Selecting an Index (Interest Rate Code) from the list of values.
2. Enter the Spread.
3. The spread is added to the rate from the underlying interest rate curve to determine the market rate.
4. Select an Associated Term: Original Term, Reprice Frequency, or Remaining Term.
5. Specify the Arctangent Argument table parameters.
6. Select the Start Origination Date using the date picker. Alternatively, you can enter the Start Origination Date in the space provided.

7. Enter the values for the Arctangent parameters (columns K1 through K4) for each Start Origination Date in the table. The valid range for each parameter is -99.9999 to 99.9999.
8. Click Add Another Row.
9. You can add as many rows in this table as you require. However you need to enter relevant parameters for each new row.
10. You can also use the Excel import/export feature to add the Prepayment rate information.
11. Define the Seasonality assumptions as required to model date specific adjustments to the annual prepayment rate. Inputs act as multiplier, For example, an input of 2 will double the prepayment rate in the indicated month.

## 23.2.6 Defining Early Redemption Assumptions

If you are working with deposit products, it is possible to define Early Redemption assumptions within the Prepayment Rule. While defining assumptions, the Prepayment rule will consider whether or not the product is an asset or liability (based on the account type attribute defined in dimension member management). If the product is an asset, then the Prepayments tab will be active in the prepayment assumption detail page. If the product is a liability, then the Early Redemption tab will be active.

### Prerequisites

- Performing basic steps for creating or updating a Prepayment rule.
- To define Early Redemption assumptions, the account type for the selected product must be a Liability.

### Procedure

The procedure for defining Early Redemptions is the same as noted above for prepayments, with two exceptions:

- The list of Calculation Methods is limited to Constant and Prepayment Models
- The range definitions are based on Maturity Date ranges of the instruments rather than Origination Date ranges

Users also have two options for determining the timing of the early redemption assumption. Options include:

- Use Payment Dates: This is the default option. If selected early redemption runoff will occur on scheduled payment dates only.
- User Defined Redemption Tenors: If selected, users can specify any runoff timing. For example, users might choose to define the early redemption to runoff on the first day of the forecast.

To define Early Redemptions within the Prepayment Rule, follow the steps given below:

### Use Payment Dates

1. Select the Use Payment Dates option.
2. Enter the Start Maturity and End Maturity Dates.
3. The first cell in the Start Maturity Date column and all of the cells in the End Maturity Date column are read only. This ensures that all possible Maturity dates have supporting reference values when Prepayment assumption lookups occur. Each row in the End Maturity Date column is filled in by the system when you click Add Row or save the rule. The first Start Maturity Date (in row 1) has a default value of January 1, 1900. When you

enter a Start Maturity Date in the next row, the system inserts a date that is a day prior to the previous End Maturity Date field.

4. Enter the annual prepayment rate percent that you want to apply to the instruments having origination dates in a particular Start Maturity-End Maturity Date range.
5. The Percent column represents the actual annualized prepayment percentage that the system uses to generate the principal runoff during the cash flow calculations.
6. Click Add Row to add additional rows and click the corresponding Delete icon to delete a row.
7. You can add as many rows in this table as you require. However you need to enter relevant parameters for each new row.
8. You can use Data Input Helper feature. For more information, see Data Loader section.
9. You can also use the Excel import/export feature to add the Prepayment rate information. For more details, see Excel Import/Export section.

### User Defined Redemption Tenors

1. Select the User Defined Redemption Tenors option. This option allows you to specify the term to runoff for the particular row.
2. Enter the Start Maturity and End Maturity date ranges, add additional ranges as required using the Add Row button.
3. You can calculate the prepayment rate based on Current/Reducing Balance and Annual/De-annual Prepayment Rate. Select the Balance Type as Current Balance or Reducing Balance.
4. If the Balance Type is selected as Current Balance, then the prepayment amount will be calculated using CUR\_PAR\_BAL on As of Date. That is, without reducing the balance by any payment/prepayment that may have occurred between as of date and prepayment date.
5. If the Balance Type is selected as Reducing Balance, then the prepayment amount will be calculated using balance as on Prepayment Date. That is, after reducing the CUR\_PAR\_BAL by any payment/prepayment that may have occurred between as of date and prepayment date.
6. Select the Prepayment Rate Type as Annual Prepayment Rate Or De-annual Prepayment Rate.
7. When Annual Prepayment Rate is selected then prepayment rate entered in screen is directly used. In the other case, rate entered in screen in de-annualised before calculating prepayment amount.
8. Enter the Start Maturity Date and End Maturity Date ranges, add additional ranges as required using the Add Row button.
9. Enter the term to runoff tenor and multiplier for each of the date ranges.
10. Enter the early redemption runoff percentage for each of the date ranges.
11. Enter 'Repeat' if you want same prepayment to occurs multiple times. By default it is set to 1.
12. Click Add Row Delete.
13. Define Seasonality assumptions as required to model date specific adjustments to the annual prepayment rate or early redemption rate. Inputs act as multiplier, for example an input of 2 will double the runoff rate in the indicated month.

The manner in which prepayment / redemption tenor is interpreted has changed from ALM 8.0.7.0.0 onwards in case of user defined prepayment and user defined early redemption. Earlier runoff occurred on “As of date + Prepayment / early redemption tenor”. From ALM 8.0.7.0.0 onwards only first runoff occurs on “As of date + Prepayment / early redemption tenor”. Subsequent runoff occur on “Previous prepayment / early redemption date + Prepayment / early redemption tenor”. Thus customers who are upgrading or migrating to ALM 8.0.7.0.0 from a previous release must appropriately modify tenors in prepayment rules where user defined prepayment tenor and user defined early redemption tenor have been used.

# Prepayment Models

This module describes the procedure to build Prepayment Models using Prepayment Model Rules. This chapter covers the following topics:

- Overview of Prepayment Models
- [Create Prepayment Models](#)
- [Prepayment Rate Calculation](#)
- [Editing Prepayment Models](#)
- [Editing Prepayment Rates in a Prepayment Model](#)
- [Editing Prepayment Rate Calculation](#)
- [Prepayment Rate Data Loader](#)

The Prepayment Model consists of the Prepayment Dimensions and the Bucket Values for these Dimensions. To define the Prepayment Model Structure, you can select a maximum of three prepayment dimensions. After the dimensions and the number of buckets (tiers) are defined, you need to assign values to the buckets.

The procedure for working with and managing Prepayment Models is similar to that of other assumption rules.

## Overview of Prepayment Models

The Prepayment Model rule allows you to build Custom Prepayment Models. These Prepayment Models can be referenced by a Prepayment Rule to Model Prepayment Behavior of instruments based on a range of instrument level attributes.

The procedure for working with and managing Prepayment Models is similar to that of other Oracle Asset Liability Management business rules. It includes the following steps:

- Searching for Prepayment Models: For more information, see the [Search for Rules](#) section.
- Creating Prepayment Models: For more information, see the [Create Rules](#) section.
- Viewing and Editing Prepayment Models: For more information, see the [View and Edit Rules](#) section.
- Copying Prepayment Models: For more information, see the [Copy Rules](#) section.
- Deleting Prepayment Models: For more information, see the [Delete Rules](#) section.
- Loading Prepayment Models through a staging table: For more information, see the [Prepayment Rate Data Loader](#) section.

## 24.1 Create Prepayment Models

Creating a Prepayment Model comprises the following sub procedures:

- Creating Prepayment Models
- Defining the structure of the Prepayment Model
- Assigning Node Values

- Procedure to create a Prepayment Model

This table describes key terms used for this procedure.

**Table 24-1 Prepayment Model Terms and Descriptions**

| Term                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dimension                   | Influences the prepayment behavior of an instrument. You can build a Prepayment Model using up to three prepayment dimensions. Each dimension maps to an attribute of the underlying transaction (For example, age/term or rate and so on) so the cash flow engine can apply a different Prepayment Rate based on the specific characteristics of the record.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Lookup method               | <p>Used to calculate Prepayment Rates for the Prepayment Dimension Values that do not fall exactly on the defined Prepayment Dimension nodes. Oracle Asset Liability Management offers the following Lookup methods:</p> <ul style="list-style-type: none"> <li>• <b>Interpolation</b> : Under this method, the prepayment rates are determined by calculating an exact value on an axis. This method assumes that prepayment speeds change on a straight-line basis between the two nodes and calculates accordingly.</li> <li>• <b>Range</b> : Under this method, the Prepayment Rates are determined by calculating a range of values on an axis. This method assumes that the Prepayment speed will remain the same for the entire range.</li> </ul> <p>The following example explains the differences between these two Lookup methods. The following lists show the age and corresponding prepayment rates of instruments.</p> <p>Age</p> <ul style="list-style-type: none"> <li>• 12</li> <li>• 24</li> <li>• 36</li> <li>• 60</li> </ul> <p>Prepayment Rates</p> <ul style="list-style-type: none"> <li>• 5</li> <li>• 10</li> <li>• 15</li> <li>• 20</li> </ul> <p>Under the Interpolation Method, the Prepayment speeds increase gradually. In this example, the Interpolated Prepayment Rate of an instrument aged 30 months is 12.5%.</p> <p>This is exactly halfway between the 10% and 15% rates. However, under the Range method, the Prepayment speeds increase in steps. Using the Range Method, the Prepayment Rate is 10%, as this rate percentage would apply to the range from 24 months to 35.9999 months.</p> |
| Nodes                       | Exact points for each dimension where attribute information has been defined.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prepayment Rate Calculation | <p>Select the Manual, Integrated Model, or External Models.</p> <p>For more information, see the <a href="#">Prepayment Rate Calculation</a> section.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

Select prepayment rate calculation, which could either, be a manual, integrated, or external model. To create a Prepayment Model, follow these steps:

1. Navigate to the Prepayment Model Summary Page.
2. Complete standard steps for this procedure. For more information, see the [Create Rules](#) section.

## 24.1.1 Procedure to Define the Structure of the Prepayment Model

The Prepayment Model consists of the Prepayment Dimensions and the Bucket Values for these Dimensions which you select on this page. To define the prepayment model structure, you can select a maximum of three prepayment dimensions. Once the dimensions and the number of buckets (tiers) are defined, you need to assign values to the buckets.

## 24.1.2 Prepayment Rate Calculation

Select Manual, Integrated Model, or external models. For Manual mode, You can choose any Prepayment dimension (max. three), define buckets, bucket values and finally explicitly populate prepayment rate matrix. For Integrated Model, prepayment dimension, used in Model would be auto populated as per the selected model. For external mode, you need to define the equation which would later be used for prepayment rate calculations.

### 24.1.2.1 Manual

Using Manual method, you can select maximum of three prepayment dimension and assign prepayment rates manually to selected dimension.

#### Note

You can use the analogy of a three dimensional table to understand how to deal with the prepayment dimensions. The first dimension you select would resemble the row (X-axis). The second dimension would act as the column (Y-axis). The final third dimension will be the page (Z-axis).

Below are the steps for Manual method

1. Select the first Dimension.
2. Select a lookup method for that Dimension.
3. Enter the number of Buckets for the Dimension
4. This number may vary from dimension to dimension.
5. If required, repeat the previous three steps for up to two additional Dimensions.
6. Click **Apply**.  
The Define Dimensions page is refreshed. You can now assign the bucket values for each dimension. At this point, you can also modify the structure of the table, if required.

Modifying the Table Structure

- To add more buckets to a particular Dimension, update the number of buckets for the Dimension and click **Apply**.
- To delete buckets from a particular Dimension, reduce the number of buckets to the desired value and click **Apply**.

**Note**

There are certain restrictions while defining Dimensions:

You must select the Dimension type for a row and define the values for that dimension.

You cannot define the second (row) dimension until you have defined the first (row) dimension. Similarly, the third dimension cannot be defined until you have defined the first two dimensions.

7. Assign values for each of the buckets.
8. Click **Apply**.  
The Prepayment Model, Prepayment Dimensions, and Buckets are saved.
9. Enter the Prepayment Rates in the Prepayment Model.  
Bucket values for the row and column dimensions are displayed as a table, while the bucket values for the page dimensions (if selected) are shown in the drop down list.

**Figure 24-1 Manual Prepayment Model**

The screenshot shows the 'Matrix Definition' tab in a software interface. It features a table with two columns: 'Original Term (in Months)' and 'Prepayment Percentage'. There are three rows, each starting with a checkbox. The first two rows have values '24' and '36' in the first column, and '20.0000' and '80.0000' in the second column. The third row is empty. Below the table are 'Apply' and 'Cancel' buttons.

|                          | Original Term (in Months) | Prepayment Percentage |
|--------------------------|---------------------------|-----------------------|
| <input type="checkbox"/> | 24                        | 20.0000               |
| <input type="checkbox"/> | 36                        | 80.0000               |
| <input type="checkbox"/> |                           |                       |

Repeat the process for all bucket values of the page driver. To change the bucket value along the page driver, select the required value from the drop-down list.

**Note**

Bucket values will be displayed in the drop-down list only if you selected three drivers.

10. Click **Apply**. The Prepayment Rates are saved and the Prepayment Model Rule summary page is displayed.



## 24.1.2.2 Integrated Model

### Note

This section is not applicable for CFE.

In Integrated Model option, User has the option to select one of the already saved/confirmed Models. For more information on how Model is defined.

Below steps details how Integrated Model can be used.

1. Select Integrated Model name from Model drop-down list. You can click on Model Search to search an Integrated Model based on certain product and currency combination.
2. Click Apply after selecting Model.
3. Model dimensions would be locked out based on the selected model. Still you need to select lookup method and buckets for each dimension.
4. Define the bucket values for each model dimension.
5. In this mode, prepayment rates would be auto calculated based on the selected model and buckets definition for each dimension. As shown in below screen, click 'Apply' to populate prepayment rate matrix. If user would like, one can still edit the values for few cells in prepayment matrix and 'Save'.

### Note

User needs to click on Apply on each page level to save Prepayment rate displayed on that page.

6. In case, model has calculated negative prepayment rate for few cells based on bucket values, you would not be able save the prepayment matrix until all the negative values has been manually updated by the user; as only zero or positive prepayment rates are allowed.
7. A 'Reset' button is given, in case user has changed prepayment rates for few cells. You can still get the model calculated prepayment rates back by pressing 'Reset'.

## 24.1.2.3 External Model

When you select External Model, Define Equation button will get activated to use external prepayment model. This is useful, when you want to do prepayment modelling outside OFSAA and use the model equation to calculate prepayment rates.

1. Define the Dimensions and click Define Equation.

**Figure 24-2 Equation**

| Operator | Coefficient | Dimension     | Power    |
|----------|-------------|---------------|----------|
| +        | 2           | Intercept     | Disabled |
| +        | 1.5         | Original Term | 2        |
| +        | 3           | Rate Diff     | 2        |

Figure 24-3 External Model

Define Equation

Active Time Bucket: BBL\_Time\_Bucket2      Prepayment Models      As Of Date: 04/30/2019

Assumption Specification > Prepayment Models

| Operator | Coefficient | Dimension | Power |
|----------|-------------|-----------|-------|
| +        |             | Intercept |       |

Equation

Equation   Apply   Cancel

- Define the Equation.  
For Example:

Equation becomes:

$$2 + 1.5 * \text{original Term}^2 + 3 * \text{Rate Diff}^2$$

#### Note

Before defining equation, you must select dimensions and accordingly dimensions drop-down will display values along with **Intercept**. For example, if you have already chosen Original term and Rate Difference as dimensions, then Dimension drop-down list would displays the following three values:

- Intercept
- Original Term
- Rate Difference

Following mathematical operators are available: +, -, / and \*. After defining all coefficients, Power, operators, click Equation to get the model equation. A confirmation message is displayed. Click Ok to use the same for prepayment rate calculations.

You can add new row for each term using Add +. Multiple rows can be added using Add Multiple Rows

- Click Apply on Define Equation window. Click Cancel to navigate back to Prepayment Matrix Screen window.
- Once buckets are defined for final prepayment matrix, matrix would be auto populated.
- Click Apply to save the final prepayment rates matrix as per defined buckets.  
Note: User needs to click on Apply on each page level to save Prepayment rates displayed on that page.
- In case, model has calculated negative prepayment rate for few cells based on bucket values, you would not be able save the prepayment matrix until all the negative values has been manually updated by the user; as only zero or positive prepayment rates are allowed.

7. A 'Reset' button is given, in case user changed a few cells. You can still get the model calculated prepayment rates back again by pressing 'Reset'

## 24.1.3 Editing Prepayment Models

As part of editing Prepayment models, you can modify Prepayment rates and the structure of the Prepayment Model. You can also modify the lookup methods (Range or Interpolation), the number of Buckets, and the actual values of the Buckets. However, if you update the dimensions your previously entered prepayment rate data may be lost.\

The prerequisite for editing Prepayment Models is Predefined Prepayment Models

### Procedure

1. Search for the Prepayment Model, which you want to edit. For more information, refer to [Searching for Rules](#) section.
2. Select the check box next to the Prepayment Model and select the **Edit**  
The Prepayment Model opens in Edit mode.

### Procedure to Update Rates

Modify the Prepayment Rates in the table as required. For more information, see [Editing Prepayment Rates in a Prepayment Model](#).

### Procedure to Update Dimensions Values

1. Click Update Dimensions Values.  
The Update Dimensions page is displayed.
2. Update the structure as required.
  - To add more Nodes to a particular Dimension, update the number of Nodes for the Dimension and click Go.
  - To delete Nodes from a particular Dimension, click the delete icon corresponding to the Node.

#### Note

Nodes cannot be deleted by reducing their numbers. Also, all Nodes cannot be deleted and at least one Node must exist in each Dimension.

- To change the method of a particular Dimension, select the required method from the corresponding list.
  - To change the value of a Node, update the value in the corresponding field.
3. Click **Apply**.  
The Prepayment Model summary page is displayed.

## 24.1.4 Editing Prepayment Rates in a Prepayment Model

After the basic structure of the Prepayment Model has been created, Prepayment Rates can be added to, or modified for, each of the bucket values along the chosen dimensions.

To add or edit Annual Prepayment Rates in the Prepayment Model, follow these steps:

1. Search for the Prepayment Model, for which you want to define prepayment rates. For more information, see the [Searching for Rules](#) section.
2. Select the check box next to the Prepayment Model and select the **Edit** icon. The Prepayment rate input page is displayed.
3. Enter the Prepayment Rates in the Prepayment Model for the required dimensions. Node values for the row and column dimension are displayed as a table on the Prepayment rate input, while the node values for page dimension (if selected) are shown in the drop down list.
4. Repeat the process for all node values of the page dimension. To change the node value along the page dimension, select the required node value from the drop-down list.

**Note**

Node values will be displayed in the drop-down list only if you selected three dimensions. If prepayment rates are left blank for any of the dimensions, prepayment rates are assumed to be zero.

5. Click **Apply**.  
The table with updated prepayment rates is saved.
6. Click **Save**.  
All updates to the Prepayment Model are saved and the Prepayment Model summary page is displayed.

## 24.1.5 Editing Prepayment Rate Calculation

As part of editing Prepayment Rate Calculation, you can change the Prepayment Rate Calculation and the structure of the Prepayment Model.

When you change the Prepayment Rate Calculation, a confirmation message is displayed.

To edit the prepayment rate calculation, select the Prepayment Rate Calculation Model from the Prepayment Rate Calculation drop-down list.

- If you select Prepayment Rate Calculation as Manual, you can edit Dimensions, Bucket Definition, and Market Definition.
- If you select Prepayment Rate Calculation as Integrated, follow the instructions mentioned in [Integrated Model](#) section.
- If you select Prepayment Rate Calculation as External, follow the instructions mentioned in the [External Model](#) section.

### Excel Import or Export

Excel Import or Export functionality is used for adding or editing Prepayment Rate information. For more details, refer to Excel Import or Export.

## 24.1.6 Prepayment Rate Data Loader

The Prepayment Rate Loader procedure populates prepayment model rates in OFSAA metadata tables from staging tables. This loader program can be used to update the prepayment model rates on a periodic basis. For more information on setting up the automated process, see [Data Model Utilities User Guide](#).

To execute the Data loader process, click the Data Loader icon on the Prepayment Models rule bar. The process will load all of the data included in the staging tables as defined in the [Data Model Utilities User Guide](#)

## 24.1.7 Prepayment Model Analysis

This module describes the procedure for prepayment models analysis.

The Prepayment Model Analysis module will allow you to develop a model for prepayment rate calculations as per the chosen risk factors.

You can get the latest status of each step by hovering over progress train blocks, a call out will open with stage milestones which will help to confirm if the process is running or failed.

This section covers the following topics:

- [Understanding Prepayment Model Analysis](#)
- [Searching for a Model Rule](#)
- [Defining a Model](#)
- [Editing Prepayment Model Analysis Rule](#)
- [Deleting Prepayment Model Analysis Rule](#)
- [Copying Prepayment Model Analysis Rule](#)
- [Dependency Checking](#)

### Note

Populate the data in table FSI\_M\_PROD\_INST\_TABLE\_MAP as the model searches the processing tables as per the selected products based on mapping in this table.

Note: Prepayment model analysis is supported only for OEL.

For User Roles and Functions related to Prepayment Model Analysis, see the Creating Application Users section in the [OFS Analytical Applications Infrastructure Installation and Configuration Guide](#).

### Understanding Prepayment Model Analysis

In the Oracle Financial Services Analytical Applications Infrastructure Home Screen, select Financial Services Funds Transfer Pricing.

1. To access the Prepayment Model Analysis window, navigate to FTP Assumption Specification , select Prepayment Rules , and then select Prepayment Model Analysis .
2. The definitions based on the search criteria are listed under the List of Prepayment Model Analysis. This is the search section that contains multiple parameters. You can specify one or multiple search criteria in this section. When you click Search, depending upon the search criteria, the corresponding Prepayment Model Analysis Summary would be shown. The Prepayment Model Analysis Summary window displays the following fields.

**Table 24-2 Fields and Descriptions in the Prepayment Model Analysis Summary window**

| Fields and Icons | Description                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Search           | This icon allows you to search the Prepayment Model Analysis definition based on the search criteria specified. Search criteria may include a combination of Name, Folder, Status, and Model Type. The Prepayment Model Analysis rule definitions displayed in the Prepayment Model Analysis Summary table are filtered based on the search criteria specified on clicking this icon.                                              |
| Reset            | This icon allows you to reset the Search section to its default state without any selections. Resetting the Search section displays all the existing Prepayment Model Analysis rule definitions in the Prepayment Model Analysis Summary table.                                                                                                                                                                                    |
| Name             | This field allows you to search the pre-defined Prepayment Model Analysis Rule based on the rule name. Enter the Rule name.                                                                                                                                                                                                                                                                                                        |
| Folder           | This field allows you to search for the pre-defined Prepayment Model Analysis Rule definitions based on the selected folder. This field displays a list of folders that you have access to as a drop-down list. Selecting a folder from the drop-down list displays only those Prepayment Model Analysis rule definitions that are defined within the selected folder/segment in the Prepayment Model Analysis rule summary table. |
| Model Type       | This field allows you to search the pre-defined Prepayment Model Analysis rule based on type. Model Type would only be defined for "Confirmed" models. All models, which are still in draft, would not have any Model type. This drop-down has the following options: <ul style="list-style-type: none"> <li>• Linear</li> <li>• Polynomial</li> </ul>                                                                             |
| Status           | This field allows you to search the pre-defined Prepayment Model Analysis rule based on status. This drop-down list displays the statuses Draft or Completed. Selecting a status from the drop-down list displays only those Prepayment Model Analysis rule definitions that are defined within the selected status in the Prepayment Model Analysis Summary table.                                                                |

The Prepayment Model Analysis Summary page offers several icons that allow you to perform different functions when a Prepayment Model Analysis rule is selected.

**Table 24-3 Prepayment Model Analysis rule – Icons and Descriptions**

| Fields | Description                                                                                                                                                                                                                                                                                                                                                            |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add    | Click Add icon to build a new Prepayment Model Analysis rule. The Add icon is disabled if any row is selected in the table.                                                                                                                                                                                                                                            |
| View   | Select a single row in the table to enable the View icon.<br>Click View to view the contents of a Prepayment Model Analysis rule in read-only format. The View icon is enabled only when a single Prepayment Model Analysis rule is selected in the table.                                                                                                             |
| Edit   | Selecting a single row out of the pane enables the Edit icon.<br>Click the Edit icon to modify a previously saved Prepayment Model Analysis rule. The Edit icon is only enabled when a single Prepayment Model Analysis rule is selected.<br>You can control the number of rows to display on the window by selecting the Pagination Options icon from the action bar. |

**Table 24-3 (Cont.) Prepayment Model Analysis rule – Icons and Descriptions**

| Fields             | Description                                                                                                                                                                                                                                                                            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copy               | Selecting a single row out of the pane enables the Copy icon.<br>Click the Copy icon to create a copy of an existing Prepayment Model Analysis rule. The Copy icon is only enabled when a single Prepayment Model Analysis rule has been selected.                                     |
| Check Dependencies | Select the Prepayment Model Analysis rule.<br>Click the Check Dependencies to generate a report on all rules that utilize your selected Prepayment Model Analysis rule.<br>The Check Dependencies icon is only enabled when a single Prepayment Model Analysis Rule has been selected. |
| Delete             | Select one or more rows in the table to enable the Delete icon.<br>Click Delete to delete the selected Prepayment Model Analysis Rule. Only prepayment models that are not being used, could be deleted.                                                                               |
| Refresh            | Click Refresh to refresh the Prepayment Model Analysis summary page.                                                                                                                                                                                                                   |

To select a Prepayment Model Analysis, select a check box in the first column of the table. More than one Prepayment Model Analysis can be selected at a time, but this disables some of the icons.

**Figure 24-4 Prepayment Model Analysis**

The screenshot displays the 'Prepayment Model Analysis' interface. At the top, there's a breadcrumb trail: 'Assumption Specification > Prepayment Rules > Prepayment Model Analysis'. Below this is a search bar and filters for 'Name', 'Folder' (set to 'ALMSEG'), 'Model Type' (set to 'Linear'), and 'Status' (set to 'Draft'). A section titled 'Prepayment Model Analysis Flow' shows a sequence of four steps: 'Model Definition', 'Exploratory Data Analysis', 'Risk Factor Selection', and 'Model Evaluation'. At the bottom, a table lists the analysis rules. The table has columns for Name, Status, Folder, Created By, Creation Date, Last Modified By, and Last Modification Date. One rule is listed: 'test\_PPMALinear' with a status of 'Draft'.

| Name                                     | Status | Folder | Created By | Creation Date       | Last Modified By | Last Modification Date |
|------------------------------------------|--------|--------|------------|---------------------|------------------|------------------------|
| <input type="checkbox"/> test_PPMALinear | Draft  | ALMSEG | ALMUSER    | 01/05/2021 17:17:46 | ALMUSER          | 01/05/2021 17:17:46    |

You can select or deselect all the Prepayment Model Analysis Rules on the Summary Page by selecting the check box in the upper left-hand corner of the Summary table directly to the left of the Name column header.

The following list provides the Prepayment Model Analysis details based on the search criteria.

- **Name :** Displays the Prepayment Model Analysis Rule's short name.
- **Creation Date :** Displays the Date and Time at which a Prepayment Model Analysis Rule was created.
- **Created By :** Displays the Name of the user who created the Prepayment Model Analysis Rule.
- **Last Modification Date :** Displays the Date and Time when a Prepayment Model Analysis Rule was last modified.



- Last Modified By : Displays the Name of the user who last modified the Prepayment Model Analysis Rule.
- Status : Displays the Status of the Prepayment Model.

### 24.1.7.1 Searching for a Model Rule

Search for a Model to perform any of the following tasks:

- Update, Copy or Delete existing rules.
- Define methodologies for products or define other processing assumptions

To search for a model, follow these steps:

1. Navigate to the **Prepayment Model Analysis** window.
2. Enter the following details:
  - Name
  - Folder
  - Model Type
  - Status
3. Click **Search**.

Only rules that match the search criteria are displayed.

### 24.1.7.2 Defining a Model

To define a model, follow these steps:

1. Navigate to **Prepayment Model Analysis** window. Click **Add**. The Definition window is displayed.

**Figure 24-5 Prepayment Model Analysis**

The screenshot displays the 'Prepayment Model Definition' window. It includes the following sections and fields:

- Prepayment Model Definition:**
  - Name: Test1
  - Description: New Prepayment
  - Folder: ALMSEG
  - Access Type: Read Only (selected), Read/Write
- Prepayment Model Analysis Flow:** A flow diagram showing four steps: Model Definition, Exploratory Data Analysis, Risk Factor Selection, and Model Evaluation.
- Model Definition:**
  - Hierarchy Filter (Folder): ALMSEG
  - Currency: US Dollar
  - Data Filter (Folder): ALMSEG
  - Product Hierarchy: Total\_Rollup
  - Product: (empty field)
  - Data Filter: F1
- Buttons: Apply, Model Summary

2. Enter the following details.



**Table 24-4 Form Fields to define a Model**

| Fields                    | Description                                                                                                                                                                                                                                    |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                      | Enter the name of Prepayment Model Analysis rule                                                                                                                                                                                               |
| Description               | Enter the description of Prepayment Model Analysis rule                                                                                                                                                                                        |
| Folder                    | Select the folder where you want to save Prepayment Model Analysis rule                                                                                                                                                                        |
| Access Type               | Select Access Type as Read-only or Read/Write.                                                                                                                                                                                                 |
| Hierarchy Filter (Folder) | Select the folder of Hierarchy Filter.                                                                                                                                                                                                         |
| Product Hierarchy         | Select the Product Hierarchy.                                                                                                                                                                                                                  |
| Product                   | Based on the selected product hierarchy in model definition UI, Hierarchy Browser will expand the product hierarchy and you can select any parent/leaf node by clicking on the view button next to the product in the model definition screen. |
| Currency                  | Select the currency for the Prepayment Model Analysis rule. Default Currency option is also given, if you want to select the product irrespective of currency in which deal is booked.                                                         |
| Data Filter (Folder)      | Select the folder name of data filter for Prepayment Model Analysis rule                                                                                                                                                                       |
| Data Filter               | Select the data filter to define the portfolio at more granular level than just, product and currency combination.                                                                                                                             |

3. Click **Apply** to navigate to **Exploratory Data Analysis** window.
4. Exploratory Data Analysis window is used to perform EDA calculations.

**Figure 24-6 Exploratory Data Analysis**

Enter the following details in Exploratory Data Analysis window.

**Table 24-5 Form Fields of Exploratory Data Analysis window**

| Fields      | Description                    |
|-------------|--------------------------------|
| Sample Size | Sample size of dataset for EDA |

**Table 24-5 (Cont.) Form Fields of Exploratory Data Analysis window**

| Fields                              | Description                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model Population (As of Date Range) | <p>You can define a date range within which one wants to use data for model creation as model population.</p> <p>By Default, Date range would be populated as below:</p> <p>End Date: Max (As of Date) available in Model input Table</p> <p>Start Date: Max [min (As of Date), End Date – 10 Years]</p>                                                                                                       |
| Do Sampling                         | <p>Select this option to create model based on a data Sample rather than the whole population. By default, Do Sampling is enabled. This would enhance performance due to lesser number of records considered for modelling, without degrading model quality.</p>                                                                                                                                               |
| Sample Size (Multiplier)            | <p>After selecting sample size for EDA, you can select multiplier value. This indicates sample size required for model creation. For example, if 1000, records are selected as sample size for EDA, and multiplier is 6, then a minimum of <math>1000 \times 6 = 6000</math> records would be required for model creation.</p> <p>Note: This checkbox is enabled only if Do Sampling checkbox is selected.</p> |

5. This window gives complete information about all the risk factors along with prepayment rates. It helps you decide what all factors could influence the customer's prepayment behavior and would be best for model building.  
You can hover over any graph and zoom in to enhance the visibility of the graph.  
  
Click Model Summary to navigate back to the Model Summary window after saving all inputs/EDA graphs defined/generated till this point.  
  
Click Re-Calculate if you want to change the sample size and redo the EDA again. change the sample size and click Re-Calculate.  
  
If you have performed EDA multiple times (for example, three versions V1, V2, V3.), then use Versions (EDA) to view them. For example, when you are on the EDA screen and performing the EDA 3rd time, but still want to go with the 2nd EDA version, then select that version and subsequent processing would be based on V2. If you have run the EDA only once, then this drop-down will not be available.  
  
When you hover over Sample size for EDA, it displays Default value (callout) as Default Value is 5000.
6. Click Pair Plot to generate Pair Plot/Grid along with other EDA graphs. Pair Plot/Grid is a detailed graph, that can further slow down the processing. So you can explicitly select the pair plot checkbox and click on calculate to perform the EDA.
7. Click Next. The **Risk Factor Selection** window is displayed. By default, all the risk factors will be disabled.

**Figure 24-7 Risk Factor Selection window**

The screenshot shows the 'Prepayment Model Analysis Flow' window. At the top, a flow diagram shows four steps: 'Model Definition' (Completed), 'Exploratory Data Analysis' (Completed), 'Risk Factor Selection' (Active), and 'Model Evaluation' (Upcoming). Below this, the 'Risk Factor Selector' section is visible. It has two radio buttons: 'Auto' (selected) and 'Manual'. To the right, 'Required Number of Risk Factors' is set to 3. A 'Run Factor Selector' button is present. Below these are three columns of risk factors, each with a checkbox:

| Risk Factor   | Selected                            | Risk Factor       | Selected                            | Risk Factor    | Selected                            |
|---------------|-------------------------------------|-------------------|-------------------------------------|----------------|-------------------------------------|
| Original Term | <input checked="" type="checkbox"/> | Repricing Term    | <input checked="" type="checkbox"/> | Remaining Term | <input checked="" type="checkbox"/> |
| Expired Term  | <input type="checkbox"/>            | Term to Repricing | <input type="checkbox"/>            | Coupon Rate    | <input type="checkbox"/>            |
| Market Rate   | <input type="checkbox"/>            | Rate Difference   | <input type="checkbox"/>            | Rate Ratio     | <input type="checkbox"/>            |

At the bottom, there are 'Model Summary' and 'Reset' buttons.

8. You can change the risk factor selection mode to 'Manual' and all the risk factors would be available for selection; maximum 3 factors can be selected after that all the risk factors would be disabled again.

When you are in Auto Select Mode, System would perform required calculations, co-relation/collinearity analysis in the backend based on the required number of risk factors (Maximum 3), System would auto-select the best representative set of risk factors as per the input data.

If you want to change sample size and re-calculate EDA again, click Exploratory Data Analysis block and perform EDA with updated sample size. Again, the process starts from that step onwards, and updated EDA plots/graphs would be saved for the model.

9. Click Next to navigate to **Model Evaluation** window. A confirmation message is displayed. Click OK.

Figure 24-8 Model Evaluation



10. Click Calculate to view all the evaluation parameters and quality plots.
11. Click Re-Calculate if you are not satisfied with the model quality to change the model parameters and revise the model definition. You can zoom the graph to enhance visibility. If you are changing parameters and generating different versions of the model, then you can see all the versions, generated with different set of model parameters in the Versions (Model) drop-down. If you have run “model evaluation” only once, then this drop-down would not be available. As per the selected version, the Advanced model details window is also updated. The Model Details window helps you to evaluate the model fit. It has the following comparisons:

Predicted Values Vs Risk Factor 1,2,3, as per the number of risk factors considered for model building. This will dynamically adjust as per the number of risk factors selected.

Predicted Values Vs Test Sample.

Sample prepayment matrix as per both the models (Linear and Polynomial).

**Figure 24-9 Sample prepayment matrix**



User would have option to redefine, values for sample matrix by clicking on “Re-define Sample” button. Below pop up would open up if user would like to re-define sample buckets. Again this pop up would dynamically adjust based on number of risk factors selected in the model.

12. Click **Model Summary** to view Model Summary window, after saving all details.
13. Click **Re-Define Sample** if you want to modify risk factor values for sample matrix. This pop up would dynamically adjust to display 1,2 or 3 dimensions as per the chosen model.

**Figure 24-10 Risk factor values**

| <input type="checkbox"/> | ORG TERM(in Months) | REPRICING TERM(in Months) | REMAINING TERM(in Months) |
|--------------------------|---------------------|---------------------------|---------------------------|
| <input type="checkbox"/> | 24                  | 0.032873                  | 24                        |
| <input type="checkbox"/> | 48                  | 0.493097                  | 48                        |
| <input type="checkbox"/> | 72                  | 1                         | 72                        |
| <input type="checkbox"/> | 96                  | 2                         | 96                        |
| <input type="checkbox"/> | 120                 | 3                         | 120                       |
| <input type="checkbox"/> | 144                 | 4                         | 144                       |
| <input type="checkbox"/> | 180                 | 6                         | 180                       |
| <input type="checkbox"/> | 216                 | 12                        | 216                       |
| <input type="checkbox"/> | 240                 | 24                        | 240                       |
| <input type="checkbox"/> | 360                 | 36                        | 360                       |

In case you want to update values on which sample matrix is generated, you can click on 'Re-define Sample'. Below window would open up where you can update the risk factor values:

Add row using **Add +**. You can add multiple rows or delete multiple rows using buttons in panel 1. Default sample matrix is 10\*10, but once you re-define sample, matrix can be truncated to any dimensions.

The redefined matrix will be saved along with model.

Model summary parameters like R2, AIC and BIC.

Both (Linear/Polynomial) models are produced when the system compares model generated R2 against the R2 threshold defined by the user. The final option is given to you to choose any one of these models. Based on infrastructure availability and model complexity, user can choose any one of linear/polynomial model.

Click **Save Model** to save the model. Same model could be referred to populate prepayment rate matrix.


Click Re-Calculate to re-evaluate model based on changed model parameters.

If you want to change sample size and re-calculate EDA again, click Exploratory Data Analysis block and perform EDA with updated sample size. Again, process would start from that step onwards and updated EDA plots/graphs would be saved for the model.

If you want to update selected risk factors, click Risk Factor Selection block and change risk factors. Again, process would start from that step onwards and updated risk factors would be saved for the model.

**Advance Details** – To verify the model quality, all the model statistics are given on a different screen, which would be available with 'Advance Details' button like R2, F value, P – Value, and so on.

Figure 24-11 Advance Details



**Reset** button on each screen would help to delete all the calculations done in subsequent steps. That is, if you have done EDA and selected particular EDA version to do further calculations like 'Risk factor Selection' or 'Model Evaluation'. In case you are not satisfied with model, you can go back to EDA, click 'Reset' to clear out the details/calculations performed in subsequent stages and do recalculate with a different set of parameters.

Following are the default values/usage of Parameters:

Default values/usage of Parameters

| Parameters      | Default Values                                                                                                                                                                                                                                                                                                           |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EDA Sample Size | This would allow you to define a sample size for exploratory data analysis. A bigger sample would increase CPU and memory usage, but it would better represent the model population. You have the option not to use sampling by setting Do_Sampling parameter to false. Procedure for the same is given in next section. |

| Parameters                   | Default Values                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type of scaling              | Many a times, risk factors are not in consistent range, e.g. one of the risk factor's values could be in 1-500 range but another risk factor could be just in 2-3 range. So, risk factor 1 would influence the model more and you would get a biased model. So, to make all the risk factors consistent, scaling is used. There are two types of scaling:<br>Min-Max Scaling = $(X - \min) / (\max - \min)$<br>Standard = $(X - \text{Mean}) / \text{Std. Deviation}$ |
| Threshold R2                 | R-squared values range from 0 to 1 and are commonly stated as percentages from 0% to 100%. An R-squared of 100% means that all movements of prepayment rate (dependent variable) are completely explained by movements in the chosen risk factors (independent variable(s)).                                                                                                                                                                                          |
| Multi-collinearity Threshold | For model creation if two risk factors/variables are highly correlated or correlation > 0.7, they would make model unstable. So based on this value, if variables are highly correlated or above defined threshold, one of them would be dropped while model creation.                                                                                                                                                                                                |
| Outlier Capping              | This would allow user to reject values beyond certain percentile. Sometimes, input data has few extreme values which could distort the model. So you could reject those values and get a stable model.                                                                                                                                                                                                                                                                |

**Exploratory Data Analysis:**

Sample Size (EDA) - 5000

Model Population Range - It would be auto-populated based on the data in risk factor table. Maximum would be 10 years older from latest available date. In case you think, older data is not relevant, as of date range can be updated.

**Model Evaluation:**

Type of scaling – min Max Scaler

Threshold R2 – 0.65

Outlier capping – 1.5 Percentile

Multi-collinearity Threshold – 0.7

### 24.1.7.3 Editing Prepayment Model Analysis Rule

To edit a rule, perform following steps:

1. Navigate to **Prepayment Model Analysis** window.
2. Search for Prepayment Model Analysis rule which you want to edit. For more information, see the [Searching for Rules](#) section.
3. Select the Prepayment Model Analysis rule. Click Edit to open the rule you want to update. You cannot edit more than one Prepayment Model Analysis rule at a time. The Edit Definition window is displayed.



4. Modify the details, only model type can be changed from linear to polynomial or vice versa and click Apply.
5. Click **Save** to navigate back to Prepayment Model Analysis summary window.

#### 24.1.7.4 Deleting Prepayment Model Analysis Rule

You can delete rules that are no longer required.

 **Note**

A rule cannot be retrieved after deletion.

Restrictions on deleting rules are:

- You cannot delete rules if you have only Read privileges. Only users with read/write privilege and rule owners can delete models.
- You cannot delete a rule that has a dependency, that is, model is being used in any of the prepayment matrix to calculate prepayment rates.

To delete a rule, follow these steps:

1. Navigate to the **Prepayment Model Analysis** window.
2. Search for a Prepayment Model Analysis rule. For further information, see the [Searching for Rules](#) section.
3. Select the Prepayment Model Analysis appropriate rule and click **Delete**.

#### 24.1.7.5 Copying Prepayment Model Analysis Rule

You can copy rules to avoid having to enter data multiple times. This saves time and effort and also reduces mistakes.

To copy a rule, follow these steps:

1. Navigate to the **Prepayment Model Analysis** window.
2. Search for a Prepayment Model Analysis Rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate Prepayment Model Analysis rule and click **Copy** to duplicate the rule.
4. Select a folder where you want to save the Prepayment Model Analysis rule copy.
5. Enter a unique name for the new Prepayment Model Analysis rule.
6. (Optional) Enter a brief description of the rule.
7. Select the access type.
8. Click **Save**.

#### 24.1.7.6 Dependency Checking

You can check dependencies for rules to know where a particular rule, dimension, member, attribute, IRC has been used. This also prevents accidental deletion of rules having dependencies.

To check the dependency of a Prepayment Model Analysis rule, follow these steps:

1. Navigate to the **Prepayment Model Analysis** window.
2. Search for a Prepayment Model Analysis rule. For further information, see the [Searching for Rules](#) section.
3. Select the appropriate Prepayment Model Analysis rule or rules and click **Check Dependencies** corresponding to the rule that you want to check for.

**Note**

You can select more than one rule at a time to check dependencies.

The Dependency Information window opens containing the following information: Child Object Name, Child Object Type, Folder, Parent Object Name, Parent Object Type, and Folder.

You cannot delete a child object which has dependencies. You will get a message: *Dependencies found. Cannot delete.*

To delete the child, you must first delete the outermost parent object which uses the child.

## 24.1.8 Prepayment Rate Calculation Process

Prepayment are associated with Assets and Liabilities that have fixed maturities and have experienced a change in scheduled contractual cash flows on a fixed maturity instrument results in a prepaid event and should be captured.

The Prepayment Rate Calculation Process helps you to create data for the subsequent step prepayment modelling by performing following tasks:

- Define the product for which prepayments behavior need to be learnt (Product Selection block).
- Specify the parameters to calculate various risk factors which can influence prepayments, such as, As of Dates reference term, threshold prepaid amount, Market rate calculation parameters.
- Execute or run the Prepayment Rate Calculation process and generate results through Prepayment Rate Calculation Process Summary Page.

### 24.1.8.1 Creating a Prepayment Rate Calculation Process

The Prepayment Rate Calculation Process will compare current period instrument data with prior period based on the ID number to identify prepaid events. When prepayments are detected, the related record's prepayment rate and following risk factors:

- Original Term
- Repricing Term
- Remaining Term
- Expired Term
- Term to Reprice
- Coupon Rate

- Market Rate
- Rate Difference
- Rate Ratio

This is copied to the FSI\_O\_HIST\_PPMT\_RATE\_DETAILS table. Later, this table will be used as source for prepayment rates modelling.

To create a Prepayment Calculation Process, follow these steps:

1. From the LHS menu, select Asset Liability Management, select ALM Processing, and then select Prepayment Rate Calculation Process to display the Prepayment Rate Calculation Process screen.

The following table describes key terms used for this procedure.

**Table 24-6 Fields for creating a Prepayment Rate Calculation Process**

| Term                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder                 | The folder where you can save the definition. You can give other users, read/write or read only privileges.                                                                                                                                                                                                                                                                                                                            |
| Filter                 | Filters allow you to restrict your data selection based on any various account attributes like fixed/floating rate, amortization code etc. You can define filters under Common Object Maintenance and reference your filter within the Product Selection block of your Process. The choice of the data filter would determine the instrument records that should be picked from current and prior As-of-date for comparative analysis. |
| Source                 | Allows you to select one or more source Instrument tables to include in your process. Based on the Instrument Table(s) selected, the instrument records from current and prior As-of-date date would be picked for comparison. Following table are available as source:<br>Loan Contracts<br>Mortgages<br>Term Deposits                                                                                                                |
| Minimum Prepaid Amount | Minimum Prepaid amount applies to both Positive and Negative prepaid amounts. If the user enters minimum prepaid as 50, it means that minimum prepaid amount ranges from -50 to +50. If the Prepaid Amount falls within this range, then the record would not be considered for any calculations.                                                                                                                                      |
| Freeze Process         | The freeze button will help you to confirm if the process is complete and ready to run or further changes are required and it is an incomplete process which can not run.                                                                                                                                                                                                                                                              |

2. Product Selection: This block will help you to define the accounts where prepayments took places and should be considered to learn prepayment behavior.

3. Product Selection Block:

§ Select a Filter (optional) to constrain the data to be included in the process.

§ Select the source table(s) that you want to include in the process.

#### 4. Parameters:

§ Input the Minimum Prepaid Amount as a positive value. The engine applies the absolute value of the amount input ranging from - input amount to + input amount. For example, if the input is 100, then prepaid amounts between -100 and +100 is excluded. This input allows you to filter very small / insignificant prepaid amounts, reducing the amount of data copied into risk factor table for further modelling process.

§ Note there are two approaches for determining the Prior Period Date. You can input the Prior Period Reference Term and based on the current As-of-Date set in application preferences, the Prior Period Date will be calculated, or you can select the "Use Nearest Prior Date" option, and the engine looks back at the historical data to determine the nearest prior As-of-Date and uses this as Prior Period Date.

§ One of the risk factors is customer rate. It is generally picked from CUR\_NET\_RATE, but if user has specifically chosen gross rate from UI by checking 'Model with Gross Rate', CUR\_GROSS\_RATE is picked from the instrument record.

#### 5. Market Rate Calculation Parameters:

You must select an IRC from the list of IRCs defined in Rate Management > Interest Rates. The selected IRC (Index in Parameter screen) provides the base value for the market rate.

Spread can be positive as well as negative values and both are to be added to base market rate. Therefore, if the base market rate is 5 and spread given is 1.2, the final rate is  $5 + (1.2) = 6.2$

Similarly, if spread is -1.2, then final market rate is  $5 + (-1.2) = 3.8$

Additionally, you must specify the reference term you want to use for IRCs that are yield curves.

The following are the options for you to select:

§ Original Term: The calculation retrieves the interest rate from the term point equaling the original term on the instrument.

§ Reprice Frequency: The calculation retrieves the interest rate from the term point equaling the reprice frequency of the instrument. If the instrument is fixed rate and, therefore, does not have a reprice frequency, the calculation retrieves the interest rate associated with the term point equaling the original term on the instrument.

§ Remaining Term: The calculation retrieves the interest rate from the term point equaling the remaining term of the instrument.

#### Effective Date for Market rate Curve:

§ Select the market rate as per the given curve for prior As-of-Date.

§ Select the market rate with some lag say 15 days, 30 days. Lag Term can be defined with a dropdown containing days, months and years.

§ Similarly, market rate can be defined as arithmetic average over historical range of 1 month, 6 months starting prior As-of-Date. Historical term is also given with a drop-down containing days, months and years.

#### 6. Freeze Process:

7. Select Freeze to complete the process.

8. Select Reset to erase all selections made previously within the process definition flow.
9. Select Confirm.

## 24.1.8.2 Editing an Existing Prepayment Rate Calculation Process

This section details the procedures for viewing, editing, copying, and deleting an existing Prepayment Rate Calculation Process.

### 24.1.8.2.1 Viewing Prepayment Rate Calculation Process

To view any of the saved processes, you can select the process using the check box next to each process and click on the view button.

### 24.1.8.2.2 Editing Prepayment Rate Calculation Process

To edit any of the saved processes parameters, you can select the process using the check box next to each process and click on the edit button.

#### Copying Prepayment Rate Calculation Process

To copy any of the saved processes, you can select the process, using the check box next to each process, and click on the Copy button.

The following window opens to confirm the Name, Folder, and Access Type for the copied process:

**Figure 24-12 Editing Prepayment Rate Calculation Process - Details**

✕

 Prepayment Rate Calculation Process Details

\* Name

Description

\* Folder  ▼

\* Access Type ☐ Read Only ☒ Read/Write

Save Close

Enter the details and click Save to save the details.

### 24.1.8.2.3 Deleting Prepayment Rate Calculation Process

To delete any of the saved processes, you can select the process using check box next to each process and click on delete button.

### 24.1.8.3 Executing a Prepayment Rate Calculation Process

You execute a Prepayment Rate Calculation to compare current period and prior period data to identify different prepayment events.

Performing basic steps for creating or editing a Prepayment Rate Calculation Process is the prerequisite for this.

Following two approaches are available to execute the process:

- UI Based Procedure
- Batch Based Procedure

#### 24.1.8.3.1 UI Based Procedure

To execute the process using UI based procedure, follow these steps:

1. Navigate to the Prepayment Rate Calculation Process summary page.
2. Select a Process that you want to execute or run.

#### Note

The status column indicates whether or not a process can be run. The following are the possible status conditions:

- Complete: Indicates the process is fully defined and ready to be run.
  - Incomplete: Indicates the process is partially defined and cannot be run.
  - View Log: Indicates the process has already been run and also indicates a process can be re-run. In this case View Log is a hyperlink that allows you to navigate to the Log Viewer page where you can review any processing errors or alerts related to this process.
3. After executing the preceding process, select the View Log Hyperlink.
  4. Select the Task ID (also known as the unique system identifier) to view a report for any processing errors.  
If significant processing errors exist, you should re-run your process.
  5. The Prepayment Rate Calculation process is complete.

#### 24.1.8.3.2 Batch Based Procedure

Prepayment Rate Calculation Processes can also be executed as batch processes. The following approaches are available:

- Simplified Batch
- ICC Batch

- Run Rule Framework

#### 24.1.8.3.2.1 Simplified Batch

To execute the batch with Simplified Batch, follow these steps:

1. From the LHS menu, select Common Object Maintenance, select Administration, and then select Simplified Batch.
2. Create a New Simplified Batch.
3. Select Task Type as Transform Data.
4. Select Historical Prepayment Batch from the list of seeded process types.
5. Input the following in the Optional Parameters text box: 'Prepaid Detection Process System ID', 'User ID', for example, '200883', 'TPUSER'
6. Save the rule and Execute.

#### 24.1.8.3.2.2 ICC Batch

To execute the batch with ICC Batch, follow these steps:

1. From the LHS menu, select Common Object Maintenance , select Operations, and then select Batch Maintenance.
2. Create a new batch.
3. Select the Batch Name to add the task.
4. Click the Add button under the Task Details section.
5. Define the Task ID and Description.
6. Select Components as Transform Data.
7. Select Historical Prepayment Batch from the list of seeded process types.
8. Input the following required parameters:
  - Prepaid Detection Process System ID
  - User Name

These parameters must be given in the follow format (sys Id, User Id), for example: 101000, TPUSER.
9. Save the rule and Execute.

#### 24.1.8.3.2.3 Run Rule Framework

To execute the batch with Run Rule Framework, follow these steps:

1. From the LHS menu, select Common Object Maintenance, select Manage Runs, and then select Process.
2. Create a new rule.
3. Define the Folder, Code, and Name of rule.
4. Select the Component as Transform Data.
5. Select Historical Prepayment Batch from the list of seeded process types.
6. Input the following required parameters:
  - Prepaid Detection Process System ID

- User Name

These parameters must be given in the follow format (sys Id, User Id), for example:  
101000, TPUSER.

7. Save the rule and Execute.

#### 24.1.8.4 Performance Tuning Prepayment Rate Calculation Processes

Processing time for Prepayment Rate Calculation Processes can be reduced by modifying parallel processing parameters in the FSI\_PARALLEL\_PARAMETERS table.

Parallel execution related parameters for Prepayment Rate Calculation are seeded by the application with a process\_engine\_cd value of "3" in the FSI\_PARALLEL\_PARAMETER table.

The Prepayment Rate Calculation process looks for the value given in parallel\_query field. If the value is given as "ENABLED", the engine uses the PARALLEL\_DEGREE input and sets the degree of parallelism for execution of the queries within the Prepayment Rate Calculation engine.

These values must be set by the user or implementation team, when they want to take advantage of parallel query executions. The optimal value for the PARALLEL\_QUERY input depends on the environment and must be iteratively tested to arrive at the appropriate value.



## Non-Maturity Products Data Creation Process

To understand the end-user behavior and use the funds available from the Non-Maturity Products portfolio more precisely; in-built PYTHON Models are given. These PYTHON Models need to run on Historical Data like Market Rate, Cur Net rate, Cur Par Bal, and Account Origination Date, to create this data, the Non-Maturity Products Data Creation Process can be leveraged.

Non-Maturity Modeling is comprised of three types of models:

- Core/Volatile Balance segregation
- Decay Rate and corresponding Weighted Average Life Calculation
- Beta Factor or Pass-through Rate Calculations
- For these calculations, the following Portfolio Level Attributes are required:

Instruments in Scope are CASA, Credit Cards, and Ledger Instruments.

- Account Origination Date (To Calculate Vintage/account age)
- Deposit Rate or Bank Rate – CUR\_NET\_RATE
- Underlying Index (Market Rate) or Reference Rate
- Number of Accounts per vintage
- Portfolio Balance snapped at regular intervals for a given historical period. (CUR\_PAR\_BAL from each account)

The Data Creation Process allows you to perform the following tasks:

- Defining the Portfolio and the corresponding Historical Period over which data needs to be generated. Select any number of products from the selected Hierarchy and one or multiple currencies to define a portfolio.
- Hierarchy can be defined on any of the product dimensions like Chart of Account, General Ledger accounts, or Product IDs. The system is built in such a way that it can display Hierarchies based on selected Product Dimensions in Application Preferences.
- Process Train is given on each page, so you can keep track of how many stages are defined and how many are yet to be defined.
- Specify the Market Rate Definition and other Process Parameters like Yield Curve Term and Interest Rate Curve Effective Date.
- Review the entered details and all the process parameters.
- Execute the Data Creation Process and generate results.
- Data Generated by Batch UI using following tables:
  - FSI\_AUDIT\_NM\_LOAD\_BATCH;
  - FSI\_O\_HIST\_NM\_MODEL\_DETAILS;
  - FSI\_O\_IRC\_RATE\_NM\_MODEL;
  - FSI\_PROCESS\_RUN\_HISTORY;
- Metadata tables used for NMD Model UI:

- FSI\_M\_NM\_MODEL\_DEFINITION;
- FSI\_M\_NM\_MODEL\_EDA;
- FSI\_M\_NM\_PASS\_THROUGH\_RATE;
- FSI\_M\_NM\_STABLE\_BALANCE;
- FSI\_M\_NM\_DECAY\_RATE;
- FSI\_M\_NM\_REVIEW\_MODEL;

The Data Creation Process summary page allows you to do the following:

- Create a new process.
- Searching for Data Creation processes: For more information, see the [Searching for Rules](#) Section.
- Creating Prepayment Models: For more information, see the [Creating Rules](#) Section.
- Viewing and updating Data Creation processes: For more information, see the [Viewing and Editing Rules](#) Section.
- Copying Data Creation processes: For more information, see the [Copying Rules](#) Section.
- Deleting Data Creation processes: For more information, see the [Deleting Rules](#) Section.
- Execute the process.
- View the Execution Details.

**Figure 25-1 Data Creation Process summary page**

| Name                                | Creation Date       | Created By | Last Run Date       | Last Run By | Access Type | Folder | Status   | Action |
|-------------------------------------|---------------------|------------|---------------------|-------------|-------------|--------|----------|--------|
| PS - Product ID Data Creation NM    | 19/06/2021 07:36:58 | ALMUSER    | 20/06/2021 07:07:45 | almuser     | Read        | ALM5SG | Success  | ...    |
| PS - Product ID Data Creation NM 01 | 19/06/2021 08:01:26 | ALMUSER    | 20/06/2021 10:09:03 | ALMUSER     | Read/Write  | ALM5SG | Success  | ...    |
| Test Dummy                          | 20/06/2021 09:38:54 | ALMUSER    |                     |             | Read/Write  | ALM5SG | Complete | ...    |

The definitions as per the search criteria will be filtered and shown on the summary page. You can specify one or multiple search criteria in this section.

**Figure 25-2 Search Criteria**

The Data Creation Process summary Window displays the following columns:

- **Name:** Displays the Data Creation Process Rule's name.
- **Folder:** Displays the Folder name where the Data Creation Process Rule is saved.
- **Access Type:** Displays the access type of rule. It can be Read-Only or Read/Write.
- **Creation Date:** Displays the Date and Time when Data Creation Process was created.
- **Created By:** Displays the Name of the user who created the Data Creation Process.
- **Last Run By:** Displays the Name of the user who last runs the Data Creation Process.
- **Last Run Date:** Displays the Date and Time when Data Creation Process was Run last.
- **Status:** Displays the status of the Rule.
- **Action:** Displays the list of actions that can be performed on the Data Creation Process Rule. For more information, see the Data Creation Process rule – Icons and Descriptions.

The Action column on the Data Creation Process summary page offers several actions that allow you to perform different functions. The following actions are available for the Data Creation Process Rule.

- **Add:** Click the Add icon from Top right corner to create a new Data Creation Process Rule.
- **Delete:** Click the Delete icon from Top right corner to create a new Data Creation Process Rule.
- **Refresh:** Click the Refresh icon from Top right corner to refresh the Data Creation Process Rule.
- **View/Edit:** Click in the Action column and select View/Edit to view or edit the contents of a Data Creation Process rule in Read/Write Mode.
- **Save As:** Click in the Action column and select Save As to create a copy of an existing Data Creation Process Rule.
- **Delete:** Click in the Action column and select Delete to delete an existing Data Creation Process Rule.
- **Execute:** Click in the Action column and select Execute to execute an existing Data Creation Process rule. For more information, see [Executing Data Creation Process](#) section.

## 25.1 Creating Data Creation Process

To create a new Data Creation process, perform the following steps:

1. Navigate to the **Data Creation Process** summary page.
2. Click **Add**. The Create Data Creation Process page is displayed.

**Figure 25-3 Creating Data Creation Process**

The screenshot shows the 'Non-Maturity Products Data Creation Process' interface. At the top, a progress bar indicates four steps: Process Definition (active), Portfolio Definition, Parameters, and Review Process. The 'Process Definition' section contains the following fields:

- Name:** A text input field with a 'Required' label.
- Description:** A text input field.
- Folder:** A dropdown menu currently showing 'ALMSEB'.
- Access Type:** Radio buttons for 'Read' and 'Read/Write' (selected).

At the bottom of the section are three buttons: 'Apply', 'Return To Summary Page', and 'Reset'. Below the main form are two expandable sections: 'Audit Trail' and 'User Comments'.

3. Enter the following details.
  - **Name:** Enter the name of the Data Creation Process Rule. The Data Creation Process Name should be unique. Any special characters are not applicable.
  - **Description:** Enter the description of the Data Creation Process Rule.
  - **Folder:** Select the Folder where the Data Creation Process needs to be saved.
  - **Access Type:** Select the Access Type as Read-Only or Read/Write.
4. Click **Apply** to navigate to the Product Selection section.

**Figure 25-4 Product Definition section**

The screenshot shows the 'Portfolio Definition' section of the 'Non-Maturity Products Data Creation Process' interface. The progress bar at the top shows 'Portfolio Definition' as the active step. The section contains the following fields:

- Hierarchy Folder:** A dropdown menu currently showing 'ALMSEB'.
- Product Hierarchy:** A dropdown menu currently showing 'Total\_Hierarchy'.
- Product:** A text input field with a search icon and a 'Required' label.
- Currency:** A text input field with a 'Required' label.

At the bottom of the section are three buttons: 'Apply', 'Return To Summary Page', and 'Reset'.

5. Enter the following Portfolio Selection details:
  - **Hierarchy (Folder):** Select the Folder from which you want to pick the Hierarchy.
  - **Product Hierarchy:** You can specify some processing parameters at product-currency combination. Hierarchies in the selected Folder will be listed and you can select one from the available list of Hierarchies.
  - **Product:** Select the product. This field shows the Product list based on any node/leaf or any combination.
  - **Currency:** Select the Currency. The Currency drop-down displays the list of active currencies. You can select multiple currencies as well.
6. Click **Apply** to navigate to the Parameters section.

Figure 25-5 Parameters section

7. Enter the Parameters as shown in the following table:

Table 25-1 List of Parameters details used for Creating Data Creation Process

| Parameter                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| As of Date                  | As of Date and prior period reference term allows you to define the period. By default, As of Date is picked from Application Preferences. Here, you can change this date if required.                                                                                                                                                                                                                                                                                                                                                                                    |
| Prior Period Reference Term | As per the prior period reference term (default value 1 Year), the prior period date is auto calculated.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Prior Period Date           | Displays the Prior Period Date. You cannot edit this field as it is calculated as per the Prior Period Reference Term.                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| As of Date (Frequency)      | The Default value of this field is 1 month. As of Date (Frequency) is provided to select any value in days, months, or years as 1 Day, 3 Months, 1 Year, and so on. So, starting prior period date, data snaps will be taken at defined snap frequency till As of Date.<br><br>For each date, EOD balance (CUR_PAR_BAL) for the account on Data Snap Date, Account Origination Date (which will be required to calculate account age/vintage at each Data Snap Date), and Deposit Rate (CUR_NET_RATE) will be captured, along with market-rate as per the index selected. |
| Use Nearest Prior Date      | If Use Nearest Prior Date checkbox is selected, the system picks the nearest date (current period as of date) as per the last successful Run (default checked). If it is selected, then you cannot edit the prior period reference term field and the Prior Period Date is picked from the last successful Run for the same Data Creation Process.                                                                                                                                                                                                                        |

**Table 25-1 (Cont.) List of Parameters details used for Creating Data Creation Process**

| Parameter              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Market Rate Definition | <p>The Market Rate Definition parameters allow you to define the Market Rate Parameters such as Index, Currency, Term Points, Yield Curve Term, Spread, and IRC Effective Date.</p> <ul style="list-style-type: none"> <li>• <b>Currency:</b> This will list down all the currencies for which the portfolio is defined in portfolio definition UI.</li> <li>• <b>Index:</b> As per the selected currency from the drop-down; all the interest rate curves defined will be given for selection. Users can choose one from which market rate will be picked.</li> <li>• <b>Term Points:</b> Shows the term points.</li> <li>• <b>Yield Curve Term:</b> As per the selected interest rate curve, the user can choose one term point, the rate corresponding to the selected term point will be picked. For intermediate-term points interpolation is done.</li> <li>• <b>Spread:</b> Default value is 0. This field accepts all positive, negative integers/decimals in the range of -100% to +100%, you can enter the spread in a percentage format. Enter the spread in percentage on top of the rate picked from the selected IRC and term point.</li> <li>• <b>IRC Effective Date:</b> Rates will be picked as per the IRC effective date selected on one of the following options: <ul style="list-style-type: none"> <li>– <b>Rate on As of Date:</b> Effective Date is same as As of Date.</li> <li>– <b>Rate on (As of Date- Lag):</b> Effective date is As of Date minus some lag. If you select Rate on (As of Date- Lag), then the Lag Term field will be enabled to enter term and tenor.</li> <li>– <b>Average of Historical Term (As Of Date):</b> Effective date is not just one date, but a period starting As of Date; over which arithmetic average will be taken to smooth out any interest rate fluctuations. If you select <b>Average of Historical Term (As Of Date)</b>, then the <b>Historical Term</b> field will be enabled to enter term and tenor.</li> </ul> </li> </ul> |

8. Click **Apply** and navigate to the Review Process section. Here, you can review all the entered details in the preceding stages and edit them if required.
9. Verify the changes and click **Apply**.

## 25.2 Executing Data Creation Process

The **Execute** option will run the Data Creation Request and create data as for the selected portfolio.

### Prerequisites

Predefined Data Creation Process

### Procedure

Following two approaches are available to execute the process:

- [UI Based Procedure](#)
- [Batch Based Procedure](#)

## 25.2.1 UI Based Procedure

To execute the Data Creation Process, follow these steps:

1. Navigate to the **Data Creation Process** Summary Page.
2. Search for a Data Creation process Rule.
3. Click the **Action** column and select **Execute** to execute an existing Data Creation Process Rule.
4. Click **Run**.
5. The Data Creation Process Run Confirmation Page is displayed. The status of the process is displayed in the Status column.  
After completion of the process, you can navigate to the **Execution Details** Page by selecting the view log option. From the Execution Details, you can access a report that provides details of any processing errors that were encountered while running the data creation process.

## 25.2.2 Batch Based Procedure

Batch Based Procedure To execute the batch with Run Rule Framework, follow these steps:

1. From the LHS menu, select **Common Object Maintenance**, select **Operations**, and then select **Batch Maintenance**.
2. Create a new batch.
3. Select the Batch Name to add the task.
4. Click the **Add** button under the Task Details section.

**Figure 25-6 Task Details section**

Task Definition

Task ID: Task1 Description: null

Components: TRANSFORM DATA

Dynamic Parameters List

| Property                         | Value                    |
|----------------------------------|--------------------------|
| Datastore Type                   | EDW                      |
| Datastore Name                   | ALM812HOME               |
| Primary IP For Runtime Processes | whf00jiq                 |
| Rule Name                        | Non Maturity Model Batch |
| Parameter List                   | 200114, 'ALMUSER'        |

5. Define the Task ID and Description.
6. Select Components as **TRANSFORM DATA**.
7. Input the following required parameters:

- **Datastore Type:** Select appropriate datastore from list
- **Datastore Name :** Select appropriate name from the list
- **Primary IP for Runtime Processes:** Select the IP address from the list
- **Rule Name:** Non Maturity Model Batch
- **Parameter List:** System ID, User Name

Enter the parameters in the following format: 200114, 'ALMUSER'

Here, 200114 is System ID and ALMUSER is User Name

8. Save the rule and **Execute**.



## Non Maturity Products Model Analysis

Non-Maturity Products Modeling helps you to understand the relation between market and bank rate, how much is core out of total available balance for the portfolio, and how long core will remain with the bank based on Decay Rate Profile

The Non-Maturity Products Model Analysis Summary Page allows you to do the following:

- Create a new Non-Maturity Products Model.
- Searching for Non-Maturity Products Model. For more information, see the [Searching for Rules](#) section
- Searching for Non-Maturity Products Model. For more information, see the [Viewing and Editing Rules](#) section.
- Copying Non-Maturity Products Model. For more information, see the [Copying Rules](#) section.
- Deleting Non-Maturity Products Model. For more information, see the [Deleting Rules](#) section.

The definitions based on the search criteria are listed under the List of Non-Maturity Products Model Analysis. This is the search section that contains multiple parameters. You can specify one or multiple search criteria in this section. When you click Search, depending upon the search criteria, it filters and displays the list of Non-Maturity Products Models meeting the search criteria. The Non-Maturity Products Model Analysis Summary Window displays the following columns.

**Table 26-1 Non-Maturity Products Model Analysis Summary Window Columns**

| Column             | Description                                                                                                                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name               | Displays the Non-Maturity Products Model Analysis Rule's short name.                                                                                                                                |
| Currency           | Displays the Currency for which Non-Maturity Products Model Analysis Rule is defined. One rule can be created only on one particular currency.                                                      |
| Folder             | Displays the Folder name where the Non-Maturity Products Model Analysis Rule is saved.                                                                                                              |
| Created By         | Displays the Name of the user who created the Non-Maturity Products Model Analysis Rule.                                                                                                            |
| Creation Date      | Displays the Date and Time when Non-Maturity Products Model Analysis Rule was created.                                                                                                              |
| Last Modified By   | Displays the Name of the user who modified last the Non-Maturity Products Model Analysis Rule.                                                                                                      |
| Last Modified Date | Displays the Date and Time when Non-Maturity Products Model Analysis Rule was modified last.                                                                                                        |
| Status             | Displays the status of the rule. Complete, In Progress, or Failed.                                                                                                                                  |
| Action             | Displays the list of actions that can be performed on the Non-Maturity Products Model Analysis rule. For more information, see Non-Maturity Products Model Analysis Rule- – Icons and Descriptions. |

The Action column on the Non-Maturity Products Model Analysis Summary Page offers several actions that allow you to perform different functions. The following actions are available for the Non-Maturity Products Model Analysis Rule.

**Table 26-2 Table: Non-Maturity Products Model Analysis Rule – Icons and Descriptions**

| Fields           | Description                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Add              | Click <b>Add</b> icon to create a new Non-Maturity Products Model Analysis Rule.                                                              |
| Delete           | Click Delete icon from Top right corner to delete the Data Creation Process Rule.                                                             |
| Refresh          | Click Refresh icon from Top right corner to refresh the Data Creation Process Rule.                                                           |
| View             | Click the <b>Action</b> column and select <b>View</b> to view the contents of a Non-Maturity Products Model Analysis Rule in Read mode.       |
| Edit             | Click the <b>Action</b> column and select <b>Edit</b> to edit the contents of a Non-Maturity Products Model Analysis Rule in Read/Write mode. |
| Save As          | Click the <b>Action</b> column and select <b>Save As</b> to create a copy of an existing Non-Maturity Products Model Analysis Rule.           |
| Delete           | Click the <b>Action</b> column and select <b>Delete</b> to delete an existing Non-Maturity Products Model Analysis Rule.                      |
| Dependency Check | Click the <b>Action</b> column and select Check Dependency to check the dependency of an existing Non-Maturity Products Model Analysis Rule.  |

## 26.1 Searching for a Non-Maturity Products Model Analysis Rule

Search for a Model to perform any of the following tasks:

- Update, Copy or Delete existing rules.
- Define methodologies for products or define other model parameters.

To search for a model, follow these steps:

1. Navigate to the Non-Maturity Products Model Analysis Window.
2. Enter the search criteria, one or all of following details:
  - Name
  - Folder
  - Dimension
  - Currency
  - Status
3. Click Search. Only rules that match the search criteria are displayed.

## 26.2 Creating Non-Maturity Products Model

To create a new Non-Maturity Products Model Analysis Rule, perform the following steps:

1. Navigate to the Non-Maturity Products Model Analysis Summary Page.
2. Click **Add** . The Create Non-Maturity Products Model Analysis Page will be displayed.

**Figure 26-1 Creating Non-Maturity Products Model Analysis Rule**

3. Enter the details shown in the following table.

**Table 26-3 List of process details used for Creating Non-Maturity Products Model Anal**

| Fields             | Description                                                                                                                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model Name         | Enter the name of the Non-Maturity Products Model Analysis Rule. This should be unique name. This field accepts Alpha Numeric value. Special characters are not allowed.                                                                       |
| Description        | Enter the description of the Non-Maturity Products Model Analysis Rule. The maximum limit of this field is 300 characters. You can enter special characters in this field.                                                                     |
| Folder             | Select the folder where you want to save the Non-Maturity Products Model Analysis Rule.                                                                                                                                                        |
| Access Type        | Select Access Type as Read-only or Read/Write.                                                                                                                                                                                                 |
| Hierarchy (Folder) | Select the folder where product is stored on which model need to be build.                                                                                                                                                                     |
| Product Hierarchy  | Select the Product Hierarchy from available list of hierarchies in selected folder.                                                                                                                                                            |
| Product            | Based on the selected product hierarchy in model definition UI, Hierarchy Browser will expand the product hierarchy and you can select any parent/leaf node by clicking on the view button next to the product in the model definition screen. |
| Currency           | Select the currency for the Non-Maturity Products Model Analysis Rule. Only one currency can be selected for a particular model.                                                                                                               |

4. Click **Apply** to navigate to the **Exploratory Data Analysis** section.

**Figure 26-2 Creating Non-Maturity Products Model Analysis Rule - Exploratory Data Analysis section**

The **Exploratory Data Analysis** Window will help you to perform EDA calculations and get a glimpse of data being used for modelling.

5. Enter the following details in the **Exploratory Data Analysis** window.


**Table 26-4 Fields on Exploratory Data Analysis**

| Fields                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model Population (As of Date Range)      | <p>You can select a date range which will define the historical period within which data needs to be picked for Model creation</p> <p>By default, the Date range would be populated as below:</p> <p>End Date: Max (As of Date) available in Model input Table.</p> <p>Start Date: Max [min (As of Date), End Date – 10 Years].</p> <p>Default values are populated from FSI_AUDIT_NM_LOAD_BATCH table.</p> |
| As of Date (Frequency)                   | <p>The default value of this field is one month. As of Date (Frequency) defines on what regular intervals, data needs to be picked from the input table. For example, you can have historical period as last three years, in those three years at what regular interval data needs to be picked up from history table that would be defined by As of Date (Frequency).</p>                                  |
| Moving average period for Bollinger Band | <p>The default value of this field is one month. The Moving Average period defines the historical term over which the moving average needs to be calculated for Bollinger band formation.</p>                                                                                                                                                                                                               |

**Table 26-4 (Cont.) Fields on Exploratory Data Analysis**


| Fields                              | Description                                                                                                                                                                                                                                                                 |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sigma Co-efficient (Bollinger Band) | The default value of this field is 1. Sigma Co-efficient defines the outliers, any number which is (sigma coefficient * standard deviation) away from the mean, will not be considered for calculations. This field accepts Integer and Decimal values in the range 0 – 10. |

- Click **Calculate** to perform Exploratory Data Analysis and get EDA plots. You can refresh the window using the Refresh button to check if the EDA is completed. When you open EDA window first time for a particular model, Version(EDA) field would not appear as there is no previous version to display. Subsequently, when first version is created and you go for second version, version (EDA) tab will start appearing with previous EDA versions. When EDA version is submitted, a message will appear with version number. You get a pop-up in case last run version was failed. If run was successful, latest version would appear on the UI, when you log back in. **Reset** button resets the entered values to their default values.

**Figure 26-3 Exploratory Data Analysis section**


- Click **Next** to navigate to the **Pass-Through Rate Calculations** window.

Figure 26-4 Pass-Through Rate Calculations




8. Click **Calculate** to view all the evaluation parameters and quality plots. Pass-Through Rate calculations are submitted, a message appears with version number. If you come back after some time, you get a pop-up in case last run version was failed. This window shows all the model quality parameters and graphs. At this stage, Pass through rate or beta between market rate and deposit rate is calculated. You can zoom the graph to enhance visibility. Following Advanced Details Window will help you to evaluate the model fit.

Figure 26-5 Advanced Details



The Model parameters like  $R^2$ , AIC, BIC and regression co-efficient will be shown under model summary.(how much change in market rate is passed on to the deposit rate).

Figure 26-6 Model Summary



At any stage if user would like to come out of the model analysis module, one can Click on Model Summary button and go back to Non-Maturity products model summary screen and come out of modelling module.

- Click **Next** to navigate to the Stable Balance Calculation section. This window shows the Projection period. You can set it as required. Projection period can be only be positive

integers which will act as multiplier to As of Date (Freq). E.g. if as of date (Freq) is quarter and projection period is 8 \* As of Date (Freq), it implies projection period is 2 years.

**Figure 26-7 Stable Balance Calculation**

10. To calculate Stable Balance, you can use following methods:

- Draw Down Analysis
- Geometric Brownian Motion

**Draw Down Analysis:** The Draw Down Analysis calculates each period's Run-offs in the historical period and subtracts the maximum Run-off from the most recent total balance to arrive at stable balance.

**Geometric Brownian Motion:** This approach will first calculate the past Run-offs volatility and assuming normal distribution of Run-offs, accept confidence interval as user input, projection period for time adjustment, and outlook scenario factor (volatility multiplier) as input from the user. After clicking calculate, the stable balance would be shown at cohort/account level using both cohort level and account level volatility and saved against version.

The confidence interval slider field has a range of 0 – 100% and by default value as 95% and Outlook scenario factor (Volatility Multiplier) is set at 1 (Default Value).

The range of outlook scenario factor is 0.01 to 1.99.

You can change any of the inputs and generate multiple versions.

A radio button is available for each method. Stable balance can be calculated with multiple methods, so before proceeding to next step, you must select one radio button to confirm one stable balance on which rest of the subsequent processing will take place. When this window is displayed first time, after pressing the Calculate, stable balance is calculated for both methods, Drawdown analysis and Geometric Brownian Motion. In subsequent runs, if any of projection period, confidence interval or Scenario factor is changed, then new



version will be generated only for GBM. When you click **Calculate** button, then a pop up is displayed: "GBM version xyz is submitted". If you come back and version is failed, a pop up is displayed: "GBM version xx is failed" and UI will revert back to last successful version".

11. Click **Next** to navigate to the **Decay Rate Calculations** Section.

**Figure 26-8 Decay Rate Calculations**

The screenshot displays the 'Decay Rate Calculations' interface, which is divided into three main sections: Vintage Analysis, SARIMAX, and Geometric Brownian Motion.

**Vintage Analysis Section:**

- Vintage Required:** Checked.
- Vintage Projection Period:** 4 x (3 Months)
- Run Off Threshold:** 0
- Decay Rate:** 0
- Weighted Average Life:** 15 x (Months)

**SARIMAX Section:**

- SARIMAX Projection Period:** 4 x (3 Months)
- Outlook Scenario Factor:** 1
- Run Off Threshold:** 0
- Version:** 23 (11/10/2021 16:05:55)
- Data Stationarity:** 0
- Weighted Average Life:** 22.545 x (Months)

**Charts and Visualizations:**

- Projected Balance:** A line chart showing projected balance over time.
- Time Series(Decay Rate):** A line chart showing the decay rate over time.
- Balances profile: SARIMAX:** A line chart showing the balance profile for SARIMAX, with a legend indicating different scenarios.

**Geometric Brownian Motion Section:**

- GBM Projection Period:** 4 x (3 Months)
- Outlook Scenario Factor:** 1
- Confidence Interval:** A slider set to 95%.
- Weighted Average Life(Cap):** (Empty field)
- Weighted Average Life(Calc):** 4.546 x (Months)
- Version:** 23 (11/10/2021 16:05:55)

**Charts and Visualizations:**

- Projected Balance:** A line chart showing projected balance over time.
- Time Series(Decay Rate):** A line chart showing the decay rate over time.
- QQ Plot-Normality Check:** A plot showing the results of a normality check.
- Balances profile: GBM:** A line chart showing the balance profile for GBM, with a legend indicating different scenarios.

Buttons for 'Calculate' and 'Advanced Details' are present at the bottom of each section.

For Decay rate calculations, you can choose any one of following three approaches:

- Vintage Analysis
- SARIMAX
- Geometric Brownian Motion

**Vintage Analysis:** This method calculates one decay rate value as per the various vintages and regular intervals over which data is being picked for the defined portfolio. The same decay rate is applicable to the whole projection period. Select Vintage Analysis checkbox if you want to use this in calculation or exclude it from calculations. Vintage analysis needs account-level data for complete historical period, which you may not have initially, so you can avoid this method. For other methods, portfolio/cohort level data is required which is comparatively easier to get. By default, this checkbox is not selected to indicate this model is not included in processing. . You can set the projection period as per your requirement.

**SARIMAX:** This method creates a future balance profile based on historical balances, along with Run-off volatility multiplied by the Outlook scenario factor (default 1). Based on balance Run-offs, a decay profile is created.

**Geometric Brownian Motion:** Based on balance Run-off volatility and accepted user inputs like confidence interval and outlook scenario factor, Decay Rates are calculated for each subsequent period in projection period and decay profile is created.

Based on the Decay Rate Profile, Run-offs would be calculated and finally, a balance profile will be created which will in turn help to calculate WAL.

Based on the Decay Rates profile, the model will do Weighted Average Life (WAL) calculations as well, if WAL is more than defined regulatory WAL (Cap), then the system will let the user define a confidence interval range

**Figure 26-9 Confidence Interval Range**



and steps (Default 5%) in which confidence interval will be increased for each calculation. If the range is 80-95%, then the system generates a Decay Rate Profile at 80%, 85%, 90% and 95% interval; using an iterative process, try to calculate a Decay Rate Profile which will give WAL within regulatory WAL (Cap) defined by the user. If in a given confidence interval range, WAL is still more than regulatory WAL (Cap), a simple linear Decay Rate Profile would be created.

Run-off threshold is a user input, it will define the minimum balance beyond which WAL calculations would not be performed, considering balance become zero at that point.

When this window is launched first time and you press Calculate, Decay Rate is calculated for all three methods, Vintage Analysis, SARIMAX and Geometric Brownian Motion. After first run (when Calculate button does not appear), separate calculate buttons (as shown with SARIMAX and Geometric Brownian Motion) are available for each of Geometric Brownian motion and SRIMAX.

12. Click **Next** to navigate to the **Review Model** Section. This section shows the Model details before confirming the model. Here, you cannot edit any details. If you want to update any details, click Model Summary to go back. Until model is saved, it is always be in *Draft* status. It converts to *Complete* only when you save the model. For more information on editing, see the [Editing Non-Maturity Products Model Analysis Rule](#) section.

**Figure 26-10 Review Model section**

## 26.3 Editing Non-Maturity Products Model Analysis Rule

To view and edit a Non-Maturity Products Model Analysis Rule, follow these steps:

1. Navigate to the Rule Summary Page of the rule you want to update.
2. Search for a Rule. For further information, see the Searching for Rules section.
3. Click in the Action column and select View/Edit to open the rule you want to update.
4. Update the rule details.
  - If model is Confirmed, then only Stable Balance and Decay Rate profile can be updated.
  - If the model is in Draft, then you can edit all the details except Name, Access Type and Folder fields.
5. Click Apply or Save, depending on the Model Status.

## 26.4 Deleting Non-Maturity Products Model Analysis Rule

You can delete rules that are no longer required.

### Note

A rule cannot be retrieved after deletion.

Restrictions on deleting rules are:

- You cannot delete rules if you have only Read privileges. Only users with read/write privilege and rule owners can delete model rules.
- You cannot delete a rule that has a dependency that is model is being used in any of the Behavior Patterns.

To delete a Non-Maturity Products Model Analysis rule, follow these steps:

1. Navigate to the model Rule Summary Page and select the Rule you want to delete.

2. Click in the Action column and select Delete.

## 26.5 Copying Non-Maturity Products Model Analysis Rule

You can copy rules to avoid having to enter data multiple times. This saves time and effort, and also reduces operational errors. To copy a Non-Maturity Products Model Analysis Rule, follow these steps:

1. Navigate to the model Rule Summary Page.
2. Search for a Rule. For more information, see the Searching for Rules section.
3. Click in the Action column and select Save As to duplicate the rule.
4. Select a folder where you want to save the rule copy.
5. Enter a unique name for the new rule. (Optional) Enter a brief description of the rule
6. Select the access type.
7. Click the Save button.

## 26.6 Dependency Checking

You can check dependencies for rules to know where a particular model rule is being used. This also prevents the accidental deletion of rules having dependencies.

To check the dependency of the Non-Maturity Products Model Analysis Rule, follow these steps:

1. Navigate to the Model Rule Summary Page
2. Search for a rule. For further information, see the Searching for Rules section.
3. Click in the Action column and select Dependency Check to the rule that you want to check for.

# Forecast - Pricing Margins

This module describes the procedure for working with and managing Pricing Margin rules.

This chapter covers the following topics:

- [Overview of Maturity Mix Rules](#)
- [Creating Maturity Mix Rules](#)
- [Defining Maturity Mix Rules](#)
- [Defining a Maturity Mix Rule: An Example](#)

## 27.1 Overview of Pricing Margin Rules

In BSP, Pricing Margin rules allow users to define default pricing margins (or spreads) for their products. Pricing margins are defined period by period based on your active Time Bucket definition, for each product and, potentially, each currency. Pricing margins work together with an underlying base interest rate curve to determine note rate pricing for new business volumes defined through BSP's planning user interfaces. New business assumptions are defined based on the combined inputs from the following three forecast related business rules:

- [Product Characteristics](#)
- [Forecast - Pricing Margins](#)
- [Forecast – Maturity Mix](#)

When you require more complex definitions of pricing margins to model unique account pricing details, user-defined repricing patterns can be used. For more information, see User-defined Repricing Patterns.

The procedure for working with and managing Pricing Margin rules is similar to that of other Oracle Balance Sheet Planning business rules. It includes the following steps:

- Searching for Pricing Margin rules. For more information, see the [Searching for Rules](#) section.
- Creating Pricing Margin Rules. For more information, see [Creating Rules](#) section.
- Viewing and Editing Pricing Margin rules. For more information, see the [Viewing and Editing Rules](#) section.
- Copying Pricing Margin rules. For more information, see the [Copying Rules](#) section.
- Deleting Pricing Margin rules. For more information, see Deleting Rules section. As part of creating and editing Pricing Margin rules, you assign Pricing Margins to applicable products. See [Defining Pricing Margin Rules](#).

## 27.2 Creating Pricing Margin Rules

You create Pricing Margin rules to assign pricing margins (or spreads) to be used in pricing new volumes defined through Forecast Balances business rules.

To create the Pricing Margin Rules, follow these steps:

1. Navigate to the Pricing Margins Rule summary page.
2. Complete standard steps for this procedure.

**Figure 27-1 Pricing Margin Rules Summary Page**

The screenshot displays the 'Pricing Margins' configuration page. At the top, it shows 'Active Time Bucket: 240\_MonthlyBuckets' and 'As Of Date: 11/15/2020'. The main section is titled 'Pricing Margins Details' and includes several input fields: 'Name' (BSP\_Mar\_Pro\_Amt), 'Description' (BSP\_2nd\_2nd\_Rule), 'Rule' (BSP100), 'Assume Type' (Assume/Write, Assumed Only), 'Select Product Hierarchy' (Rule: BSP100), 'Select Currency' (USD), and 'Product Hierarchy' (BSP\_CDA). Below these fields are two tables: 'Assumption Browser' and 'Assumption List'. The 'Assumption List' table has columns for 'Product' and 'Status', with rows for 'Assumed' and 'Default'.

#### **Note**

In addition to the standard steps for creating rules, the procedure for creating a Pricing Margins rule involves one extra step. After Standard Step 6, you need to select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between nodes allows the inheritance of methodologies from parent nodes to child nodes. Oracle Balance Sheet Planning provides you with the option to copy, in total or selectively, the product assumptions contained within BSP business rules from one currency to another currency or a set of currencies or from one product to another product or a set of products.

## 27.3 Defining Pricing Margin Rules

The definition of a Pricing Margins rule is part of the Create or Edit Pricing Margins rule process. When you click Save in the Create Pricing Margins rule process, the rule is saved and the Pricing Margins rule summary page is displayed. However, Pricing Margin assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your Pricing Margin assumptions for product-currency combinations before clicking Save.

### 27.3.1 Defining Pricing Margins Using Node Level Assumptions

Node Level Assumptions allow you to define assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining rules. Children of parent nodes on a

hierarchy automatically inherit the assumptions defined for the parent nodes. However, assumptions directly defined for a child take precedence over those at the parent level.

### Prerequisites

Performing basic steps for creating or editing a Pricing Margins rule.

### Procedure

Defining Pricing Margins has two primary steps:

1. Choosing your rate dependency option.
2. Inputting Pricing Margin details for the selected products.

#### ① Note

Using the default currency to set up assumptions can save data input time. At run time, the calculation engine uses assumptions explicitly defined for a product currency combination. If assumptions are not defined for a currency, the engine uses the assumptions defined for the product and the default currency. If the assumptions are the same across some or all currencies for a specific product, you can input assumptions for the default currency. Be careful using this option on screens where an Interest Rate Code is a required input.

## 27.3.2 Rate Dependency Selection Screen

**Figure 27-2 Rate Dependency Selection**

### Rate Dependency Relationships

Rate dependency relationships utilized within ALM but are not supported in BSP. For BSP, you must select No Relationship.

- No Relationship
- Rate Level Dependent

- Rate Spread Dependent
- Economic Indicator Dependent

### Rate Dependency Patterns

If one of the Rate Dependency options, other than No Relationship, is selected, the Rate Dependency Pattern drop list becomes active. The list of available patterns is limited to those which apply to the selected Rate Dependency Relationship type.

## 27.3.3 Pricing Margin Details Screen

In an income simulation scenario, you may want to price new business for an account at a margin above or below a market interest rate code. For example, you can model a premium paid on CDs in relation to a market yield curve by adding a pricing margin to the interest rate code assigned to the product in the Product Characteristics rule. If you want a rate that is 25 bps above the market yield curve, you will type "0.25" as the pricing margin for the appropriate modeling period.

The Pricing Margin rule uses the modeling period defined in the "active" Time Bucket rule. You should always verify that your modeling horizon and related assumptions are consistent with the As of Date and active Time Bucket rule before processing.

### Rate Tiers

Rate Tiers reflect the Rate Dependency Pattern details from the selected Rate Dependency Pattern. You define Pricing Margin assumptions for each rate tier. The application will automatically determine which set of assumptions to apply for a given scenario based on the relationship between the Rate Tier and the related Forecast Rate assumption value.

### Margin Type

This option allows you to enter the Margin as Rate (fixed rate) or Percent (percentage of forecast Rate). By default, it is set to Rate.

- If Margin Type is selected as Rate, provided Margin is used as a fixed spread.
- If Margin Type is selected as Percent, Margin needs to be provided as Percentage of forecast rate. If the margin is 10% of the forecast rate, 10 needs to be provided. Margin is calculated as:  

$$\text{Margin} = \text{Margin \%} * \text{Raw Rate}$$

For more information, see the Cash Flow Reference Guide.

Once you change from Rate to Percent, all unsaved margin data will be deleted.

A warning message is displayed: *All entered values will be lost. Do you want to proceed?*

### Bucket Number

The bucket number input allows you to select a range of buckets over which the pricing margin assumption will apply. Start Date and End Date values are updated automatically based on the Bucket Number input for each row.

### Start Date and End Date

When the Pricing Margins detail page opens, the Start Date (min value) and End Date (max value) columns are automatically populated and are read-only values. The date ranges represent the Income Simulation Date buckets as defined in the "active" Time Bucket rule. See Time Buckets for more information. Any new business that originated within these dates is modeled using the pricing margins defined in the Pricing Margin rule. The new business added



for each date bucket will have the same net and gross margin for its life. The margins for a particular instrument will not change as the instrument ages.

### Gross Margin

The Gross Margin you define is added to the Interest Rate Code specified in the Product Characteristics rule to define the gross rate on new business.

#### Note

BSP supports only Net Margins.

### Net Margin

The Net Rate is affected by setting the Net Margin Flag in the Product Characteristics rule. If Net Margin Flag is set to Floating Net Rate, then Net Rate is equal to the Interest Rate Code plus Net Margin.

If the Net Margin Flag is set to Fixed Net Rate, then Net Rate is equal to Net Margin.

#### Note

If Margin Type is selected as Percent and Net Margin Flag is set to Fixed Net Rate, provided Margin as Percent is treated as Rate.

Apply Defined Buckets to all Rate Tiers.

This option allows you to copy the bucket setup from one page to all other Rate Tiers when using Rate Dependent assumptions.

## 27.4 Defining a Pricing Margin Rule: An Example

Define a Pricing Margin Rule using a Rate Dependency Pattern.

1. From the Assumption Browser, select Currency (US Dollar) and a product from the hierarchy browser.

**Figure 27-3 Pricing Margin Rule – An Example**

The screenshot displays the 'Pricing Margins' configuration window. At the top, it shows 'Active Time Bucket: 240\_MonthlyBuckets' and 'As Of Date: 11/15/2020'. The 'Pricing Margins Details' section includes fields for 'Name' (BSP\_Test\_PM\_Rule) and 'Description' (BSP\_Test\_PM\_Rule). Below this, the 'Product and Currency Details' section shows 'Product' as 'Home Loan (Fixed)' and 'Currency' as 'US Dollar'. The 'Rate Dependency Relationship' section is expanded, showing four radio button options: 'No Relationship' (selected), 'Rate-Level Dependent', 'Rate-Spread Dependent', and 'Economic-Indicator Dependent'. At the bottom right, there are 'Apply' and 'Cancel' buttons.

2. Select the “Add New” icon to enter the Assumption Details page.
3. Select the Rate Level Dependent – Rate Dependency option.

**Figure 27-4 Rate Dependency Option Selection**

4. Select the Rate Level – Rate Dependency Pattern from the drop list.
5. Select Apply to navigate to the Pricing Margin Tab where you can define assumptions for each rate tier.
6. Add bucket ranges to the page as needed. Optionally, select the “Apply Defined Buckets to All Rate Tiers” check box to copy the bucket structure across all rate tier pages.
7. Input Rate Spreads for each bucket range that you define.

**Note**

You may want to utilize the Data Input Helper to copy an assumption from a row where you have already defined a value or apply a fixed amount down the page. The following optional steps describe how to use this feature.

- a. Select the check boxes next to the rows that you want to work with or use the “Select ALL” option by selecting the check box on the header row.
  - b. Select the Data Input Helper icon.
  - c. From the Data Input Helper – popup screen, select Method – “Keep Current Values” or some other appropriate method.
  - d. Select the Frequency and/or Multiplier from the left side of the shuttle box.
  - e. Select APPLY to copy assumptions to the selected rows.
8. You can also use the Excel import/export feature to add the Date Buckets/Margins information in the Pricing Margins tab.
  9. Select Apply to commit your assumptions for each Rate Tier. Repeat the process for each rate tier. After you have defined assumptions for all Rate Tiers, you will return automatically to the Assumption Browser page.

**Note**

You can select more than one product at a time from the Assumption Browser page. When Pricing Margin assumptions are defined for all required product/currency combinations, select SAVE from the Assumption Browser page.

## Forecast – Maturity Mix

This module describes the procedure for working with and managing Maturity Mix rules.

This chapter covers the following topics:

- [Overview of Maturity Mix Rules](#)
- [Creating Maturity Mix Rules](#)
- [Defining Maturity Mix Rules](#)
- [Defining a Maturity Mix Rule: An Example](#)

### 28.1 Overview of Maturity Mix Rules

Maturity Mix rules allow you to define the term distribution of new business added during each forecast period. Maturity Mix assumptions are set at the product and currency levels. For new volumes generated during a simulation run, you will define the maturity and amortization terms applied to the balances originated in each period, as well as specify a maturity distribution for the volumes originated. For example, mortgage originations may be divided into 25% - 5 Year Term / 30 Year Amortization, 25% - 7 Year Term / 30 Year Amortization, and 50% - 30 Year Term / 30 Year Amortization. You attach the set of maturity assumptions to apply to all new volumes within a Dynamic BSP Process by selecting the appropriate Maturity Mix rule.

In BSP, all new business processing occurs within BSP's planning user interfaces. BSP does not directly support Dynamic Deterministic processes. When you process a new business forecast in BSP's planning user interfaces, you operate within the context of a specific Forecast Set. For BSP, Maturity Mix rules are part of the definition of each Forecast Set.

New business assumptions are defined based on the combined inputs from the following 4 forecast related business rules:

- Product Characteristics
- Forecast - Pricing Margins
- Forecast – Maturity Mix

The procedure for working with and managing Maturity Mix rules is similar to that of other Oracle Balance Sheet Planning business rules. It includes the following steps:

- Searching for Maturity Mix rules. For more information, see the [Searching for Rules](#) section.
- Creating Maturity Mix Rules. For more information, see [Creating Rules](#) section.
- Viewing and Editing Maturity Mix rules. For more information, see the [Viewing and Editing Rules](#) section.
- Copying Maturity Mix rules. For more information, see the [Copying Rules](#) section.
- Deleting Maturity Mix rules. For more information, see [Deleting Rules](#) section.

As part of creating and editing Maturity Mix rules, you define Maturity Mix assumptions for applicable products. See: [Defining Maturity Mix Rules](#).

## 28.2 Creating Maturity Mix Rules

You create Maturity Mix rules to define the maturity and amortization term for new business volumes. Maturity Mix rules use the modeling period defined in the active Time Bucket rule to establish the date range over which these assumptions can be defined.

### Procedure

1. Navigate to the Maturity Mix Rule summary page.
2. Complete standard steps for this procedure.

**Figure 28-1 Forecast Maturity Summary Screen**

### Note

In addition to the standard steps for creating rules, the procedure for creating a Maturity Mix rule involves one extra step. After Standard Step 6, you need to select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between nodes allows the inheritance of methodologies from parent nodes to child nodes. Oracle Balance Sheet Planning provides you with the option to copy, in total or selectively, the product assumptions contained within BSP business rules from one currency to another currency or a set of currencies or from one product to another product or a set of products.

## 28.3 Defining Maturity Mix Rules

The definition of a Maturity Mix rule is part of the Create or Edit Maturity Mix rule process. When you click Save in the Create Maturity Mix rule process, the rule is saved and the Maturity Mix rule summary page is displayed. However, Maturity Mix assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your Maturity Mix assumptions for product-currency combinations before clicking Save.

### Defining Maturity Mix Using Node Level Assumptions

Node Level Assumptions allow you to define assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your

chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining rules. Children of parent nodes on a hierarchy automatically inherit the assumptions defined for the parent nodes. However, assumptions directly defined for a child take precedence over those at the parent level.

### Prerequisites

Performing basic steps for creating or editing a Maturity Mix rule.

### Procedure

Defining Maturity Mix assumptions involves three primary steps:

1. Choosing your rate dependency option.
2. Defining Maturity Mix assumption bucket ranges.
3. Inputting Maturity Mix assumption details.

#### Note

Using the default currency to set up assumptions can save data input time. At run time, the calculation engine uses assumptions explicitly defined for a product currency combination. If assumptions are not defined for a currency, the engine uses the assumptions defined for the product and the default currency. If the assumptions are the same across some or all currencies for a specific product, you can input assumptions for the default currency. Be careful using this option on screens where an Interest Rate Code is a required input.

### Rate Dependency Relationships

There are four rate dependency options to choose from:

- No Relationship
- Rate Level Dependent
- Rate Spread Dependent
- Economic Indicator Dependent

### Rate Dependency Patterns

If any one of the Rate Dependency options, other than No Relationship, is selected, the Rate Dependency Pattern drop list becomes active. The list of available patterns is limited to those which apply to the selected Rate Dependency Relationship type.

#### Note

Rate Dependency Patterns are not supported in BSP. For BSP, you must select No Relationship.

### Maturity Mix Date Bucket Selection Screen

Click the Add Row button to select the number of maturity mix date ranges that are required during the forecast period. The Bucket Number column is used to calculate the start and end dates. The Bucket Number column determines which income simulation bucket is used to calculate these dates.

The Maturity Mix rule uses the modeling period defined in the “active” Time Bucket rule. You should always verify that your modeling horizon and related assumptions are consistent with the As of Date and active Time Bucket rule before processing.

**Rate Tiers:** Rate Tiers reflect the Rate Dependency Pattern details from the selected Rate Dependency Pattern. You define Maturity Mix assumptions for each rate tier. The application will automatically determine which set of assumptions to apply for a given scenario based on the relationship between the Rate Tier and the related Forecast Rate assumption value.

**Bucket Number:** The bucket number input allows you to select a range of buckets over which the maturity mix assumptions will apply. Start Date and End Date values are updated automatically based on the Bucket Number input for each row.

**Start Date and End Date:** When the Maturity Mix detail page opens, the Start Date (min value) and End Date (max value) columns are automatically populated and are read-only values. The date ranges represent the Income Simulation Date buckets as defined in the “active” Time Bucket rule. See Time Buckets for more information. Any new business that originated within these dates is modeled using the Maturity Term(s) defined in the Maturity Mix rule.

### Note

The Start Date value in the first row is always set equal to the first modeling date, that is the as of date plus 1 day, and the End Date value in the last row always equals the last day of the modeling horizon as defined in the “active” Time Bucket rule.

## Apply Defined Buckets to all Rate Tiers

This option allows you to copy the bucket setup from one page to all other Rate Tiers when using Rate Dependent assumptions.

## Maturity Mix Details Screen

The Maturity Mix details screen allows you to define the maturity mix details. You can assign one or more maturity terms within the details page, but the sum of the percentage weights must equal 100%.

**Figure 28-2 Maturity Mix Details Screen**

- Maturity: Maturity (= term)
- Multiplier: Maturity multiplier (= days, months, years)
- Amortization: The amortization term will default to the maturity term. The amortization term should always be greater than or equal to the maturity term.
- Multiplier: Amortization multiplier (= days, months, years)
- Percent: The percentage of new business at the specified term and maturity for the associated date bucket.

For each Date Bucket defined, the maturity terms must be specified.

## 28.4 Defining a Maturity Mix Rule: An Example

The following procedure is an example of defining the Maturity Mix Rule.

1. Define a Maturity Mix rule using a Rate Dependency Pattern.
2. From the Assumption Browser, select Currency (US Dollar) and a product from the hierarchy browser.

**Figure 28-3 Creating Maturity Mix Rules**

Active Time Bucket: 240, Monthly Buckets

ESP Assumption Specification > Forecast Assumptions > Maturity Mix

Maturity Mix

As Of Date: 11/15/2020

→ Maturity Mix Details

Name \* ESP\_Test\_Mix\_Rule

Description ESP\_Test\_Mix\_Rule

→ Product and Currency Details

Product \* Home Loans

Currency \* US Dollar

Rate Dependency Relationships: Date Buckets Terms

| → Date Buckets           | Bucket Number | Start Date | End Date   | Definition Status                  |
|--------------------------|---------------|------------|------------|------------------------------------|
| <input type="checkbox"/> | 1             | 11/16/2020 | 11/15/2040 | <span style="color: red;">■</span> |

Define

Save Cancel

3. Select the “Add New” icon to enter the Assumption Details page.
4. Select the Rate Level Dependent – Rate Dependency option.



**Figure 28-4 Creating Maturity Mix Rules – Rate Dependency**

The screenshot displays the 'Maturity Mix' configuration page. At the top, it shows 'Active Time Bucket: 240\_MonthlyBuckets' and 'Maturity Mix'. Below this, the 'Maturity Mix Details' section includes fields for 'Name' (set to 'Rate Dependency Pattern'), 'Description' (set to 'Rate Dependency Pattern'), and 'Rate' (set to 'Rate Dependency Pattern'). The 'Assumption Browser' section shows a tree view of products and assets, with 'Total Assets' selected. The 'Status' column is visible on the right.

5. Select the Rate Level – Rate Dependency Pattern from the drop list.
6. Select Apply to navigate to the Date Buckets tab.
7. Add bucket ranges to the page as needed. Optionally, select the “Apply Defined Buckets to All Rate Tiers” check box to copy the bucket structure across all rate tier pages.
8. Select the check box for the first bucket range and select “Define” to navigate to the Terms tab.
9. Add one or more rows based on the number of maturity terms needed for the selected product.
10. Input Maturity Terms, Amortization Terms, and Percentage Weights for each row and select Apply to save your inputs for the selected bucket range. Notice the status column on the Date Buckets tab turns from Red to Green, indicating that you have successfully defined assumptions for the bucket range.
11. Continue to define Maturity Mix assumptions for each Bucket Range.
12. You can also use the Excel import/export feature to add the maturity information in the Terms tab.
13. Select Apply to commit your assumptions for each Rate Tier. Repeat the process for each rate tier. After you have defined assumptions for all Rate Tiers, you will return automatically to the Assumption Browser page.

**Note**

You can select more than one product at a time from the Assumption Browser page.

14. When Maturity Mix assumptions are defined for all required product/currency combinations, select SAVE from the Assumption Browser page.

# Transfer Pricing Rules

Transfer Pricing Rules allow you to specify methodologies for Transfer Pricing your product portfolio. A Transfer Pricing rule may contain a Transfer Pricing Methodology defined for a particular product or a set of methodologies defined for all products (Dimension Members) in a particular product hierarchy. In addition, it contains certain parameters used in defining option cost methodologies.

The Transfer Pricing rule is a key component of the Transfer Pricing Process. The Transfer Pricing Process uses the Transfer Pricing Methodologies contained in the Transfer Pricing Rules to generate Transfer Rates. Consequently, before processing information for a new period, you need to review and validate the assumptions contained in your Transfer Pricing Rules.

## Note

If Transfer Pricing Assumptions are managed at the Parent / Node level, new product dimension members will automatically inherit TP Method assignments.

If new members are added to the applicable product dimension, you need to update your Transfer Pricing Rules by defining appropriate methodologies for the new products.

The procedure for working with and managing the Transfer Pricing Rule is similar to that of other Oracle Funds Transfer Pricing assumption rules. It includes the following steps:

- Searching for Transfer Pricing Rules
- Creating Transfer Pricing Rules
- Viewing and Editing Transfer Pricing Rules
- Copying Transfer Pricing Rules
- Deleting Transfer Pricing Rules

As part of creating and editing Transfer Pricing Rules, you can also define Transfer Pricing Methodologies. See:

- Defining Transfer Pricing Methodologies
- Defining the Redemption Curve Methodology
- Defining the Unpriced Account Methodology

Oracle Funds Transfer Pricing provides you with the option to copy, in total or selectively, the product assumptions contained within the Transfer Pricing, Prepayment, and Adjustments Rules from one currency to another currency or a set of currencies.

## 29.1 Creating Transfer Pricing Rules

You create a Transfer Pricing Rule to map Transfer Pricing Methodologies for your products.

To create a Transfer Pricing Rule:

1. From the LHS menu, select **Funds Transfer Pricing**, select **FTP Assumption Specification**, and then select **Transfer Pricing Rules**.

**Figure 29-1 Transfer Pricing Rules summary screen**

Transfer Pricing Rules

As of Date: 04/30/2019

Search

Name

Folder: COMMON

Dimension Product

Transfer Pricing Rules

| Name    | Created Date        | Created By | Last Modified Date  | Last Modified By | Access Type | Folder |
|---------|---------------------|------------|---------------------|------------------|-------------|--------|
| test1   | 02/12/2021 15:45:14 | FTPUSER    | 02/12/2021 15:45:17 | FTPUSER          | Read/Write  | COMMON |
| TPRule1 | 02/11/2021 12:42:51 | FTPUSER    | 02/11/2021 12:42:58 | FTPUSER          | Read/Write  | COMMON |
| TPRule2 | 02/11/2021 12:43:39 | FTPUSER    | 02/11/2021 12:43:46 | FTPUSER          | Read/Write  | COMMON |
| TPRule3 | 02/11/2021 15:43:45 | FTPUSER    | 02/11/2021 15:43:56 | FTPUSER          | Read/Write  | COMMON |

2. Complete standard steps for this procedure.

In addition to the standard steps for creating rules, the procedure for creating a Transfer Pricing Rule involves one extra step. After Standard Step 5, you need to select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between the nodes allows the inheritance of methodologies from Parent nodes to Child nodes.

## 29.2 Defining Transfer Pricing Methodologies

The assignment of Transfer Pricing Methodologies is part of the Create or Edit Transfer Pricing Rules process where assumptions about Transfer Pricing Methodologies are made for product-currency combinations.

When you click Save in the Create Transfer Pricing Rules process, the rule is saved and the Transfer Pricing Rule summary page is displayed. However, the Transfer Pricing Methodology has not yet been defined for any of your products at this point. You start defining your methodologies for the product-currency combinations before clicking Save. The Transfer Pricing Rule supports the definition of assumptions for combinations of two dimensions: Product and Currency.

You can define Transfer Pricing Methodologies for your entire product portfolio one currency at a time. Suppose your portfolio is comprised of products denominated in two currencies (US Dollar and Japanese Yen) and that you want to specify different Transfer Pricing assumptions and/or different Transfer Pricing yield curves, for each product group. Using the currency selection drop-down list, you can first define assumptions for the products denominated in US Dollars and then proceed with defining assumptions for the Yen-based products.

After you have created a Transfer Pricing rule, you can assign Transfer Pricing Methodologies to product-currency combinations in either of the following two ways:

- By creating a conditional assumption using conditional logic. For more information, see [Associating Conditional Assumptions with Assumption Rules](#).
- Directly on the Transfer Pricing Methodology page, as described here.

## 29.3 Defining Assumptions with the Default Currency

For cases where you have the same assumption (method and IRC) which is applicable to all currencies or multiple currencies, you can define rules for the combination of Product and Default Currency. To define assumptions for the Default Currency, select a Product from the Hierarchy and Default Currency from the currency list and proceed with the assumption definition. When processing data, the TP engine will first look for an assumption that exactly matches the product or currency of the instrument record. If not found, the engine will then look for the combination of the product and the Default Currency. This is a useful option to utilize during setup when the same product exists across multiple currencies and shares the same TP assumption and Interest Rate Code.

**Figure 29-2 Transfer Pricing Rule Definition (Edit Mode)**

Transfer Pricing Rules  
Assumption Specification > Transfer Pricing Rules Definition (Edit Mode)

**Transfer Pricing Rule**

Name: TestTPRule  
Description: TestTPRule  
Power: RFT5EG  
Access Type: ☐ Read Only ☒ Read/Write

**Product Hierarchy Selection**

Power: RFT5EG  
Product Hierarchy: Test-Misc1

**Currency Selection**

Currency: US Dollar

**Assumption Browser**

| Product                                  | Transfer Pricing Method | Conditional Assumption | Status    |
|------------------------------------------|-------------------------|------------------------|-----------|
| <input type="checkbox"/> FTP             | Straight Term           |                        | Defined   |
| <input checked="" type="checkbox"/> FT92 |                         |                        | Inherited |
| <input type="checkbox"/> Orphan Branch   |                         |                        |           |

Save Cancel Save As

Default Currency setup example: If you have two instrument records of the same product, each with a different currency, for example, 1 is 'USD' and the other is 'AUD', you have two configuration choices. You can either:

- Define the assumptions individually for each product-currency combination using direct input or copy across.
- You can create 1 assumption for the combination of Product and *Default Currency*. When you use *Default Currency*, the TP Engine will apply this assumption to ALL currencies (unless a direct assumption is available for the product + currency processed). In the case where users have many individual currencies that utilize the same TP Method and reference IRC rates, this is a useful option because you only have to define the assumption 1 time and it applies to many different Product + Currency combinations.

For defining assumptions with Default Currency, you must perform the basic steps for creating or updating Transfer Pricing Rules.

**Procedure:**

**Table 29-1 Fields in the Transfer Pricing Rule Definition screen**

| Term                          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Yield Curve Term              | Defines the point on the yield curve that the system references to calculate Transfer Rates.                                                                                                                                                                                                                                                                                                                                                                                                               |
| Historical Term               | Specifies the period over which the average is to be taken for the Moving Averages method.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Lag Term                      | Specifies a yield curve from a date earlier than the Assignment Date for the Spread from Interest Rate Code method.                                                                                                                                                                                                                                                                                                                                                                                        |
| Rate Spread                   | The fixed positive or negative spread from an Interest Rate Code or Note Rate is used to generate transfer rates in the Spread from Interest Rate and Spread from Note Rate methods.                                                                                                                                                                                                                                                                                                                       |
| Model with Gross Rates        | This option becomes available when you select Account tables as the data source and allows you to specify whether modeling should be done using the net or gross interest rate on the instrument. This option is only applicable when the Net Margin Code is also set to one, for example, Fixed. Gross rates are selected while modeling the effect of serviced portfolios where the underlying assets are sold but the organization continues to earn servicing revenue based on the original portfolio. |
| Mid Period                    | This option applies to Adjustable-Rate instruments only. It dictates whether the transfer rate is based on the Last Repricing Date, Current Repricing Period, Prior Repricing Date, or some combination thereof.                                                                                                                                                                                                                                                                                           |
| Audit Trail                   | Select to generate Audit Trail Output for specific product/ currency combination.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Assignment Date               | This is the effective date of the yield curve.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Percentage/Term Points        | The term points that the system uses to compute the Redemption Curve Method results. A percentage determines the weight assigned to each term point when generating results.                                                                                                                                                                                                                                                                                                                               |
| Add Dimension Values          | Allows you to select the products that you want to use as source values when you transfer price using the Unpriced Account Method.                                                                                                                                                                                                                                                                                                                                                                         |
| Across All Organization Units | When this option is enabled, the Transfer Price is calculated as a weighted average across all organization units for the matching product value and currency, and any optional migration dimensions selected in the Transfer Pricing Process Rule. Otherwise, the Transfer Price is calculated from accounts only within a particular Organizational Unit.                                                                                                                                                |
| Holiday Calendar              | Holiday Calendars are defined in the Holiday Calendars UI. In the Holiday Calendar, you can specify weekend days and Holiday Dates as applicable.                                                                                                                                                                                                                                                                                                                                                          |
| Rolling Convention            | Rolling Conventions allow you to specify how dates falling on specified weekends or holidays should be handled.                                                                                                                                                                                                                                                                                                                                                                                            |

**Table 29-1 (Cont.) Fields in the Transfer Pricing Rule Definition screen**

| Term                       | Description                                                                                                                                                                            |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Interest Calculation Logic | The Interest Calculation Logic Assumption allows you to specify whether to simply the date of the computed cash flow or to shift the date and recalculate the interest payment amount. |

To define the assumptions with the default currency:

1. Navigate to the Assumption Browser page.
2. Select a **Product Hierarchy**.
3. Select a **Currency**.  
The list of currencies available for selection is managed within Rate Management and reflects the list of Active currencies.
4. Expand the hierarchy and select one or more members (leaf values and/or node values) from the product hierarchy.
5. Click the **Add** icon to begin mapping Transfer Pricing Methods to the list of selected product dimension members. The system displays a list of all the products (for which you can define assumptions) or currencies (that are active in the system).
6. From the Transfer Pricing Method Selector page, select the appropriate data source: **Account Tables** or **Ledger Table**.
7. Select the Transfer Pricing Method for the selected product member.

 **Note**

The Transfer Pricing Methodologies available depend on the selected data source. See: Transfer Pricing Combinations.

Depending on the Transfer Pricing Method selected, certain required and optional parameter fields are displayed. You can update these fields as required. See Required Parameters for a Transfer Pricing Methodology. See also:

- [Defining the Redemption Curve Methodology](#)
  - [Defining the Unpriced Account Methodology](#)
8. Select **Output Audit Trail** to output the audit data at the time of processing.
  9. Specify the desired **Option Cost** Methodology. This option is available only when the data source is Account Tables. You can specify an Option Cost Methodology as follows:
    - a. Select Run using Monte Carlo Option Cost Method. The Target Balance drop-down list is displayed.
    - b. Select the required balance type. You can select any one of the following as the designated target balance for option cost calculations:
      - Par Balance
      - Book Balance
      - Market Value

**Note**

The Market\_Value\_c column should be populated if you make this selection, either by an Oracle ALM process or via direct load from an external source.

For more information on Transfer Pricing Option Cost, See [OFS Cash Flow Engine Reference Guide](#) and Stochastic Transfer Pricing Process and Option Cost Parameters.

10. Select the **Holiday Calendar**. The screen displays the Holiday Calendar inputs only for Cash Flow TP methods – Duration, Average Life, Weighted Term, Zero Discount Factors. The default assumption is None, meaning Holiday Calendar adjustments are turned off. If a Holiday Calendar is selected, Holiday Calendar adjustments will be enabled and the following two additional inputs will be required:
  - **Rolling Convention**
    - **Following Business Day**: The payment date is rolled to the next business day.
    - **Modified following Business Day**: The payment date is rolled to the next business day unless doing so would cause the payment to be in the next calendar month, in which case the payment date is rolled to the previous business day.
    - **Previous Business Day**: The payment date is rolled to the previous business day.
    - **Modified previous Business Day**: The payment date is rolled to the previous business day unless doing so would cause the payment to be in the previous calendar month, in which case the payment date is rolled to the next business day.
  - **Interest Calculation Logic**
    - **Shift Dates Only**: If a future payment date (as computed by the Cash Flow Engine (CFE)) falls on a designated holiday (including weekends), the CFE will shift the payment date from the holiday as per the rolling convention. No changes will be made to the payment amount or accrual amount; this is simply shifting the date on which the cash flow will post. The subsequent payment dates resume according to the original schedule.
    - **Recalculate Payment**: This option includes the same Holiday Calendar definition as in the Shift Dates Only option, but it also takes one additional step to recalculate the interest payment amount (and interest accruals) based on the actual number of days in the (adjusted) payment period. The instrument records use the payment frequency (term and multiplier) and the Re-Price frequency (term and multiplier) in association with the Next/Last Payment Date and Next/Last Re-Pricing Date to determine when the cash flow will post. The CFE logic is enhanced to acknowledge holiday dates and re-compute the payment/interest amount given the change in days. In addition, the engine gets back on the scheduled track of payment events after a holiday event occurs in one (or many sequential) events.

**Note**

Holiday Calendar adjustments can also be applied to the Tractor TP Method. For this method, the Holiday Calendar assumptions are defined within the Behavior Pattern > Replicating Portfolio UI.

**Figure 29-3 Transfer Pricing Rule Definition (Edit Mode)**

The screenshot displays the 'Transfer Pricing Rule Definition (Edit Mode)' window. It contains several sections for configuring a transfer pricing rule. The 'Economic Value' section is expanded, showing various input fields and checkboxes for defining economic value calculations. Key elements include:
 

- Name:** NameText
- Folder:** F01000
- Description:** (empty field)
- Access Type:** Read Only (selected), Read/Write
- Selected Values:** Selected Product: 1020, Selected Currency: US Dollar
- Transfer Pricing Method Selector:** Date Source: Account Tables, Transfer Pricing Method: Cash Flow Weighted Series
- Transfer Pricing Method Mapping:** Transfer Pricing Method: Cash Flow Weighted Series, Cash Flow Type: Principal and Interest (selected), Interest Rate Code: Please Select IRC
- Assumptions:** Must With Over Rate: (checkbox), Holiday Calendar: None, Rolling Convention: Unadjusted
- Economic Value:** Economic Value inputs to be defined: (checkbox)

 At the bottom, there are 'Apply' and 'Cancel' buttons.

11. Select **Economic Value**. This section displays the inputs required for calculating Economic Value. These assumptions are optional and the section appears only when the “Economic Value inputs to be defined” check box is selected.

The following inputs are required for calculating Economic Value:

- **Cash Flow Interest Type:** Select the interest rate to use for calculating the Interest Cash Flow. This interest amount, together with the principal amount will be discounted and used to arrive at the Economic Value of the instrument Record.
- **Interest Only:** Select this option if you want to exclude the Principal Cash Flow from the Economic Value Calculation.
- **Exclude Accrued Interest:** Select this option if you want to exclude accrued interest, (interest computed from last payment date to As-of-Date) from the Economic Value calculation. This will provide you with a clean price.
- **Interest Rate Code:** Select the Interest Rate code to be used for discounting the cash flows.
- **Interest Rate Spread:** Input any applicable spread to be added on top of the IRC rate.

#### **Note**

Economic value calculations are now supported for account rate tiers as well.

12. Click **Apply**.

At this point, you can:

- Continue defining additional methodologies for other product-currency combinations contained in your selection set, by repeating the above procedure.
- Complete the process by clicking Cancel or by answering NO to the confirmation alert after applying the assumptions for each Product or Currency combination in your selected set.

13. From the Assumption Browser page, click **Save**.

The new assumptions are saved and the Transfer Pricing Rule Selector page is displayed.



**Note**

Oracle Funds Transfer Pricing provides you with the option to copy, in total or selectively, the product assumptions contained within the Transfer Pricing, Prepayment, and Adjustment rules from one currency to another currency or a set of currencies. For more information, see Copying Assumptions Across Currencies.

## 29.3.1 Availability of Transfer Pricing Methodologies

The availability of Transfer Pricing Methodologies depends on the data source that you select: Account Table or Ledger Table. The following table describes the Transfer Pricing Methodologies available for each of these data sources and displays whether that methodology requires the selection of a Transfer Pricing Interest Rate Code.

**Note**

The Interest Rate Code LOV is filtered by the selected Currency.

**Table 29-2 Transfer Pricing Combinations**

| Transfer Pricing Methodology     | Data Source: Account Table | Data Source: Ledger Table | Interest Rate Code | Behavior Pattern | Holiday Calendar |
|----------------------------------|----------------------------|---------------------------|--------------------|------------------|------------------|
| Do Not Calculate                 | Yes                        | Yes                       |                    |                  |                  |
| Cash Flow: Average Life          | Yes                        |                           | Yes                |                  | Yes              |
| Cash Flow: Duration              | Yes                        |                           | Yes                |                  | Yes              |
| Cash Flow: Weighted Term         | Yes                        |                           | Yes                |                  | Yes              |
| Cash Flow: Zero Discount Factors | Yes                        |                           | Yes                |                  | Yes              |
| Moving Averages                  | Yes                        | Yes                       | Yes                |                  |                  |
| Straight Term                    | Yes                        |                           | Yes                |                  |                  |
| Spread from Interest Rate Code   | Yes                        | Yes                       | Yes                |                  |                  |
| Spread from Note Rate            | Yes                        |                           |                    |                  |                  |
| Redemption Curve                 | Yes                        | Yes                       | Yes                |                  |                  |
| Tractor Method                   | Yes                        | Yes                       | Yes                | Yes              | Yes              |
| Caterpillar                      | Yes                        | Yes                       | Yes                | Yes              |                  |
| Weighted Average Perpetual       | Yes                        | Yes                       | Yes                | Yes              |                  |
| Unpriced Account                 |                            | Yes                       |                    |                  |                  |

**Note**

Not specifying assumptions for a node is not the same as selecting the *Do Not Calculate* methodology. Child nodes for which no assumptions are specified automatically inherit the methodology of their closest parent node. Therefore, if neither a Child node nor its immediate Parent has a method assigned, the application searches up the nodes in the hierarchy until it finds a Parent node with a method assigned, and uses that method for the Child node. However, if no Parent node has a method assigned then the application triggers a processing error stating that no assumptions are assigned for the particular product/currency combination. However, if the Parent node has the method *Do Not Calculate* assigned to it then the Child node inherits *Do Not Calculate*, obviating the need for calculation and for a processing error.

## 29.3.2 Required Parameters

You cannot define a Transfer Pricing Methodology successfully unless you specify the required parameters.

The following table displays the parameters associated with each Transfer Pricing Method and specifies whether they are required or optional. The optional parameter fields display default values. However, you may decide to change the values for the optional parameters for certain methodologies, such as the Redemption Curve or the Unpriced Account Methods.

**Table 29-3 Required Parameters for a Transfer Pricing Methodology**

| Transfer Price Method            | Yield Curve Term | Historical Range | Lag Term | Rate Spread | Assignment Date | Mid Period | Term Points | Dimension Values |
|----------------------------------|------------------|------------------|----------|-------------|-----------------|------------|-------------|------------------|
| Cash Flow: Average Life          |                  |                  |          |             |                 |            |             |                  |
| Cash Flow: Weighted Term         |                  |                  |          |             |                 |            |             |                  |
| Cash Flow: Duration              |                  |                  |          |             |                 |            |             |                  |
| Cash Flow: Zero Discount Factors |                  |                  |          |             |                 |            |             |                  |
| Moving Averages                  | Required         | Required         |          |             |                 |            |             |                  |
| Straight Term                    |                  |                  |          |             |                 | Optional   |             |                  |
| Tractor Method                   |                  |                  |          |             |                 |            |             |                  |
| Spread from IRC                  | Required         |                  | Required | Required    | Required        | Optional   |             |                  |

**Table 29-3 (Cont.) Required Parameters for a Transfer Pricing Methodology**

| Transfer Price Method      | Yield Curve Term | Historical Range | Lag Term | Rate Spread | Assignment Date | Mid Period | Term Points | Dimension Values |
|----------------------------|------------------|------------------|----------|-------------|-----------------|------------|-------------|------------------|
| Spread from Note Rate      |                  |                  |          | Required    |                 | Optional   |             |                  |
| Redemption Curve           |                  |                  |          |             | Required        | Optional   | Required    |                  |
| Caterpillar                |                  |                  |          |             |                 |            |             |                  |
| Do not Calculate           |                  |                  |          |             |                 |            |             |                  |
| Weighted Average Perpetual |                  |                  |          |             |                 |            |             |                  |
| Unpriced Account           |                  |                  |          |             |                 |            |             | Required         |
| Tractor Method             |                  |                  |          |             |                 |            |             |                  |

## 29.4 Defining the Redemption Curve Methodology

As part of the process for defining the Redemption Curve Methodology, you must select as many Term Points from your selected Transfer Pricing Yield curve as are needed and allocate the percentage weighting for each of those points. The prerequisite for defining the Redemption Curve Methodology is performing basic steps for creating or updating a Transfer Pricing Rule.

To add the term steps:

1. Click **Add New Term Points** to display the Add New Term Points page.
2. Select the **Transfer Pricing Yield Curve Points** as required.
3. Click **OK**.

The Term Point Selection section is displayed.

4. Update the percentage value for each Term Point.

### **Note**

The sum of all the percentages for all Term Points must add up to 100.

5. To remove a Yield Curve Point from the Percentages/Term Points table, select the term point(s) and click the **Delete** icon.

### 29.4.1 Defining Tractor Methodology

The prerequisites for defining a tractor methodology are:

- Creating a Non-Maturity Behavior Pattern with the Replicating Portfolio option enabled.
- Generating (and maintaining) the Portfolio. Volatile and Core Instrument strips will be created in the FSI\_M\_REP\_PORTFOLIO\_STRIPS table.

To define and use a tractor TP method:

1. Define the Transfer Pricing Rule and select the Tractor Method from the list of available TP Methods for relevant Product dimension members.  
(Optional) <Enter a step example.>
2. Select the appropriate Behavior Pattern.

**Note**

The list will be limited to only those Behavior Patterns that are defined as Replicating Portfolios.

3. Select the Transfer Pricing Interest Rate Code.
4. Define a Transfer Pricing Process and Run using the TP Rule.
  - TP Process transfers price the non-zero portfolio strips using a straight term method.
  - TP Process computes a weighted average TP rate for the portfolio and will update all instruments mapped through the TP rule to this method.

## 29.4.2 Defining the Unpriced Account Methodology

When defining an Unpriced Account Methodology, you need to select the Product dimension members (products) whose weighted average transfer rate will be assigned to the product or currency combination being defined. The prerequisite for defining the Unpriced Account Methodology is performing basic steps for creating or upgrading a Transfer Pricing Rule.

To add the dimension values:

1. Click the **Dimensional Values** icon to display the Hierarchical Add Members page.
2. Search and select the required dimension members. Specify whether the weighted average of Transfer Rates has to be taken across all organizational units or for accounts only within that organizational unit.

**Note**

You must also select the Organization Unit dimension along with any other applicable dimensions under Migration Dimensions on the Migration tab of the TP Process when using this method.

3. Click **Apply**.

The Transfer Pricing Assumption Browser page is displayed.

## 29.5 Copying Assumptions across Currencies

This functionality provides you with the option to copy, in total or selectively, the product assumptions contained within the Transfer Pricing, Prepayment, and Adjustment Rules from one currency to another currency or a set of currencies.

Copy of assumptions across currencies enhances the usability of Oracle Funds Transfer Pricing in a multi-currency environment. For example, if you have 10 currencies enabled in the application, you need to input only one set of assumptions and then copy those assumptions

across all enabled currencies, instead of having to input 10 full sets, thereby saving a significant amount of input time.

This functionality also reduces the risk associated with data input errors, as you need to audit inputs for a single set of assumptions before executing the copy procedure. The copy across the currencies process requires users to select a replacement Transfer Pricing yield curve for each target currency. These currency-specific IRC's replace the IRC selection made for each product in the source currency selection set.

You must define Transfer Pricing, Prepayment, and (or) Adjustment Rules related to product assumptions.

To copy the assumptions across currencies:

1. Navigate to the appropriate (Transfer Pricing, Prepayment, or Adjustment rule) Assumption Browser.
2. Select **Source currency**.
3. Select defined product assumptions individually using the checkboxes corresponding to each product (or Node on the hierarchy).
4. Click the **Copy Across Currencies** icon.
5. On the Copy Across Currencies page, select the listed currencies either individually using the corresponding checkboxes or in total using **Select All**.
6. Specify an interest rate code for each selected currency. This is necessary because each interest rate code is specific to a single currency. When copying product assumptions across currencies, you must define the interest rate code for each target currency to replace the interest rate code used for the source currency assumptions. For Transfer Pricing Rules that use the Redemption Curve Method, users should pay careful attention to the structure of the Interest Rate Codes selected for the Target currencies to ensure they contain all of the Term Points used in the definition of the source assumptions. If the selected target Interest Rate Code structures are missing required Term Points, the UI will display a notification regarding the missing Term Points, and assumptions cannot be copied until the user takes corrective action.
7. Click **Apply** to initiate the copy process and to return to the Assumption Browser page.

#### Note

You can review the results of the copy process from the Assumption Browser by selecting a different currency and following the usual navigation to view or edit assumptions. The application displays new assumptions for each product that was included in the original source selection. The copy process replaces pre-existing assumptions for any product-currency combination that is included in the target selection.

8. Click **Save** on the Assumption Browser page to save the assumptions to the database.

#### Note

Save or Cancel operation on assumption browser page is only applicable to top half of the page. Changes which are already committed on the assumption browser, like method addition/deletion or conditional assumptions are already committed actions which will remain intact regardless of user clicking save/cancel on assumption browser page.

# Adjustment Rules

Adjustment Rules allow you to specify methodologies to calculate Transfer Pricing add-on rates and breakage charges for the relevant products in your portfolio. The Standard Transfer Pricing Process references the methodologies contained in the Adjustments rule.

The procedure for working with and managing Adjustment rules is similar to that of other Oracle Funds Transfer Pricing business rules. It includes the following steps:

- Searching for Adjustment Rules
- Creating Adjustment Rules
- Viewing and Editing Adjustment Rules
- Copying Adjustment Rules
- Deleting Adjustment Rules

As part of creating and editing Adjustment Rules, you define Adjustment Methodologies for applicable products.

- Defining Adjustment Methods
- Availability of Adjustment Methods
- Adjustment Method Parameters
- Procedure to Define the Formula Based Rate Adjustment Method

Oracle Balance Sheet Planning provides you with the option to copy, in total or selectively, the product assumptions contained within the Adjustments, Transfer Pricing, and Prepayment rules from one currency to another currency or a set of currencies or from one product to another product or a set of products.

## 30.1 Create Adjustment Rules

You create an Adjustment Rule to define Adjustment Methodologies for your products.

To create the Adjustment Rule:

1. Navigate to the Adjustments rule summary page..
2. Complete standard steps for this procedure.

**Figure 30-1 Adjustment Type Selection page**
**Note**

In addition to the standard steps for creating rules, the procedure for creating an Adjustments rule involves one extra step. After Standard Step 5, you need to select a product hierarchy. You can define methodologies at any level of the hierarchical product dimension. The hierarchical relationship between the nodes allows the inheritance of methodologies from parent nodes to child nodes

## 30.2 Defining Adjustment Methods

The definition of Adjustment Methods is part of the Create or Edit Adjustments Rule process.

The definition of adjustment methods is part of the Create or Edit Adjustments rule process. When you click Save in the Create Adjustments rule process, the rule is saved and the Adjustments rule summary page is displayed. However, adjustment assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your adjustment assumptions for product-currency combinations before clicking Save.

### Prerequisites

Performing basic steps for creating or editing an Adjustments rule Procedure

This table describes key terms used for this procedure.

**Table 30-1 Fields and Descriptions from the Adjustment Specification screen**

| Term               | Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference Term     | The associated term used for the add-on rate assignment. You can select one of the following types of reference terms: Original Term (the contractual term to the maturity of the account), Repricing Frequency (the frequency at which the account reprices), and Remaining Term (the number of months until the account matures).                                                                                                                                                                                                                                                                                                                                                                        |
| Lookup Method      | Method used to derive an add-on rate for different reference term values.<br>Specify Range as the lookup method if you want the application to apply the rates defined in the Adjustments rule to a range of reference term values, using the terms defined in the rule to specify the lower end of the range. Note that for values less than the lowest term point, the application uses the value associated with the lowest point.<br>Specify Interpolation as the lookup method if you want the application to interpolate add-on rate values for applicable reference terms falling between node points specified in the Adjustments rule, using straight-line interpolation between the term points. |
| Term               | In conjunction with the Multiplier, this field allows you to specify the value for the Reference Term, for a given lookup tier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Multiplier         | The unit of time applied to the Term. The choices are Days, Months, Years.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Rate               | The add-on rate to be applied to instruments where Reference Term is the product of the Term and Multiplier defined for the row. The rate should be in percentage form, for example, 1.25 percent should be input as 1.25.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Assignment Date    | For BSP, the usage of TP Adjustment Rates is limited to assigning rates to new originations only. So, the Origination Date is selected by default.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Interest Rate Code | Used for the rate lookup for the Formula Based Rate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Formula            | The mathematical formula used in the Formula Based Rate adjustment method to determine the Add-on rate: $(\text{Term Point Rate} * \text{Coefficient}) + \text{Rate Spread}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Term Point         | In conjunction with the Multiplier (day, month, or year), it is used in the Formula Based Rate method when looking up the rate for the designated Interest Rate Code.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Coefficient        | Coefficient by which the Term Point rate should be multiplied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Rate Spread        | The spread added to the interest rate read from the selected Interest Rate Code. Rate Spread is used in the Formula Based Rate adjustment method. For the Formula Based Rate method, the spread is added to the result of the $\text{Term Point Rate} * \text{Coefficient}$ . Enter the Rate Spread in percentage form, for example, 1.25 percent should be input as 1.25.                                                                                                                                                                                                                                                                                                                                 |

### 30.2.1 Availability of Adjustment Methods

The list of Adjustment Methods depends on the adjustment type that you select: Add-on Rates (including Liquidity Adjustments, Basis Risk Costs, Pricing Incentives, and Other Adjustments), or Breakage Charges.

The following table describes the Adjustment Methods available for each of the Adjustment Types.



**Figure 30-2 Adjustment Rule Definition - Adjustment Rule Details**
**Table 30-2 Availability of Adjustment Methods**

| Adjustment Method                   | Adjustment Type: Add-On Rates (Liquidity Adjustments, Basis Risk Costs, Pricing Incentives, and Other Adjustments) | Adjustment Type: Breakage Charges |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| Do Not Calculate                    | Yes                                                                                                                | Yes                               |
| Fixed-Rate                          | Yes                                                                                                                |                                   |
| Fixed Amount                        | Yes                                                                                                                | Yes                               |
| Formula Based Rate                  | Yes                                                                                                                |                                   |
| Use TP Method from Selected TP Rule | Yes                                                                                                                |                                   |
| Economic Loss                       |                                                                                                                    | Yes                               |
| Fixed Percentage                    |                                                                                                                    | Yes                               |

**Note**

If you select **Do not calculate** as the calculation method, no adjustment assumptions will be assigned to the particular product-currency combination. This is a particularly useful option when using node-level assumptions because it allows you to exclude a particular Child from inheriting a Parent's assumption.

### 30.2.1.1 Adjustment Method Parameters

To define an Adjustment Calculation Method, you must specify one or more parameters, depending on the method. The parameter fields may display a default value, which you can override.

The following tables display the parameters associated with the Adjustment Methods for different Adjustment Types.

**Table 30-3 Parameters Applicable to the Adjustment Methods for the Add-On Rate Adjustment Types**

| Adjustment Method                   | Reference Term | Lookup Method | Term | Multiplier | Rate | Amount | Assignment Date | Interest Rate Code | Formula |
|-------------------------------------|----------------|---------------|------|------------|------|--------|-----------------|--------------------|---------|
| Do Not Calculate                    |                |               |      |            |      |        |                 |                    |         |
| Fixed-Rate                          | Yes            | Yes           | Yes  | Yes        | Yes  |        |                 |                    |         |
| Fixed Amount                        | Yes            | Yes           | Yes  | Yes        |      | Yes    |                 |                    |         |
| Formula Based Rate                  | Yes            | Yes           | Yes  | Yes        |      |        | Yes             | Yes                | Yes     |
| Use TP Method from Selected TP Rule |                |               | Yes  |            |      |        |                 |                    |         |

**Note**

The Add-On Rate Adjustment Types include Liquidity Adjustments, Basis Risk Costs, Pricing Incentives, and Other Adjustments.

**Table 30-4 Parameters Applicable to the Adjustment Methods for the Breakage Charge Adjustment Type**

| Adjustment Method | Break Funding Amount | Break Funding Rate | Interest Rate Code | Rate Spread | Minimum Charge |
|-------------------|----------------------|--------------------|--------------------|-------------|----------------|
| Do Not Calculate  |                      |                    |                    |             |                |
| Fixed Amount      | Yes                  |                    |                    |             |                |
| Economic Loss     |                      |                    | Yes                | Yes         | Yes            |
| Fixed Percentage  |                      | Yes                |                    |             | Yes            |

To define the adjustment method parameters, follow these steps:

1. Perform the basic steps for creating or editing an Adjustment Rule.  
After you have created an Adjustments Rule, you can assign adjustment methodologies to product-currency combinations in either of the following ways:
  - By creating a conditional assumption using conditional logic.
  - Directly on the Adjustment Methodology page, as described here.
2. To define an Adjustment Method, follow these steps:
  - a. Navigate to the Adjustments Assumption browser page.

**Figure 30-3 Adjustment Rule - Edit Mode**

Adjustment Rule  
Assumption Specification > Adjustment Rule (Edit Mode)

Adjustment Rule

Name: WS\_1

Description:

Folder: PRTSEG

Assumed Type: ☐ Read Only ☒ Read/Write

Product Hierarchy Selection

Folder: PRTSEG

Product Hierarchy: test\_hierarchy

Currency Selection

Currency: US Dollar

Adjustment Type Selection

Adjustment Type: ☐ Basis Risk Costs ☐ Liquidity Adjustment

Folder: PRTSEG

Transfer Pricing Rule: TP\_Union\_27744182

- b. Select an appropriate Adjustment Type: Liquidity Adjustment, Basis Risk Costs, Pricing Incentives, Other Adjustment, or Breakage Charge by opening the Adjustment Type Selector Window. You can enable one or more Adjustment Types within a single Adjustment Rule and apply more than one Adjustment to a single product.

**Note**

The product hierarchy refreshes when you change your Adjustment Type selection, but note that all selections made within the rule are saved. For example, when Liquidity Adjustment is selected, the hierarchy displays the status of Liquidity Adjustment mappings within the hierarchy. If you change your Adjustment Type selection to Basis Risk Cost, the hierarchy will refresh and you will see the status of all Basis Risk Cost mappings, and so on.

- c. Select a **Product Hierarchy**.
- d. Specify a **Currency**.  
Based on the selected hierarchy, the application displays a list of all the products (for which you can define assumptions).
- e. Select the checkbox for one or more products for which you want to define adjustment details.
- f. Select an Adjustment Method and enter the appropriate parameters.

**Figure 30-4 Adjustment Rule Definition Mode - Adjustment Rule Details**

Adjustment Rule  
Adjustment Rules > Adjustment Rule (Definition Mode) > Adjustment Rule Details

Adjustment Type

Adjustment Type Selection

Liquidity Adjustment

Define Adjustment Rule

Selected Product: 1101

Adjustment Method: Formula Based Rate

Reference Term: Original Term

Interest Rate Code:

Assignment Date:

Lookup Method: ☒ Range ☐ Interpolation

Parameters

| Operator | Term | Multiplier | Operator | Term | Multiplier | Formula | Rate Floor | Rate Cap |
|----------|------|------------|----------|------|------------|---------|------------|----------|
| >=       |      | Months     | <=       |      | Months     |         | -99.9999   | 99.9999  |

Apply Cancel

**Note**

The Adjustment Methods available depend on the Selected Adjustment Type. Depending on the Adjustment Type and Adjustment Method combinations selected, certain required and optional parameter fields are displayed. You can update these fields as required.

- g. Click **Apply**. If only one product was selected, the Assumption Browser page is displayed. If more than one product was selected on the Assumption Browser page, then each subsequent product in the select list will appear in the Selected Product drop list and each item should be defined appropriately. After completing the assumption details for each selected product, the assumption browser page is displayed. At this point you can:
- Continue defining assumptions for additional product-currency combinations for the selected Adjustment Type, by repeating the above procedure.
  - Select a new Adjustment Type and continue defining assumption details for the required set of products.
  - Complete the process by clicking **Save**. The new assumptions are saved and the Adjustments Rule summary page is displayed.

**Note**

**Save** or **Cancel** operation on assumption browser page is only applicable to top half of the page. Changes which are already committed on the assumption browser, like method addition/deletion or conditional assumptions are already committed actions which will remain intact regardless of user clicking save/cancel on assumption browser page.

Oracle Balance Sheet Planning provides you with the option to copy, in total or selectively, the product assumptions contained within the Adjustments, Transfer Pricing, and Prepayment Rules from one currency to another currency or a set of currencies or from one product to another product or set of products.

## 30.2.1.2 Procedure to Define the Formula Based Rate Adjustment Method

**Figure 30-5 Formula Based Rate Adjustment Method**

Adjustment Rule Details  
Adjustment Rules > Adjustment Rule (Edit Mode) > Adjustment Rule Details > Formula Based Rate Definition

Interest Rate Code  Term

▼ Assumptions

Term Point  Months  Coefficient

Rate Spread

Defining the Formula Based Rate adjustment method involves the following additional steps:

1. Select Update to define the mathematical formula. The Define Formula for Reference Term page is displayed.

- Specify the Term Point, Coefficient, and Rate Spread parameters on the Define Formula for Reference Term page.

### 30.2.1.3 Procedure to Define the Fixed Rate Adjustment Method

**Figure 30-6 Fixed Rate Adjustment Method**

The screenshot shows the 'Adjustment Rule' configuration page in 'Definition Mode'. The breadcrumb trail is 'Adjustment Rules >> Adjustment Rule (Definition Mode)'. The 'Adjustment Type' section has 'Liquidity Adjustment' selected. The 'Define Adjustment Rule' section shows 'Selected Product' as 'Total\_product', 'Adjustment Method\*' as 'Fixed Rate', and 'Term' as a dropdown. The 'Fixed Rate' section shows 'Reference Term\*' as 'Original Term', 'Holiday Calendar' as 'None', 'Rolling Convention' as 'Unadjusted', 'Lookup Method\*' as 'Range' (selected), and 'Interest Calculation Logic' as 'Shift Dates Only' (selected). The 'Parameters' section shows a table with columns: Operator, Term, Multiplier, Operator, Term, Multiplier, Rate. The first row has values: '>=', a dropdown, '1 Months', '<=', a dropdown, '6 Months', and a dropdown. 'Apply' and 'Cancel' buttons are at the bottom right.

Defining the Fixed Rate adjustment method involves the following additional steps:

- Select Update to define the mathematical formula. The Define Formula for Reference Term page is displayed.
- Specify the Term Point, Coefficient, and Rate Spread parameters on the Define Formula for Reference Term page.

# BSP Processing

When all the required assumptions are defined, BSP Processing generates a result set for the current position forecast based on your account-level detail data. Once a BSP System Administrator has generated a current position result set, that data can be passed into any Forecast Set upon Initialization.

For details on Forecast Sets and Initialization, see the [BSP Planning Administrator and Planning Analyst User Guide](#). The OFSAA Cash Flow Engine can generate four different kinds of process rules to support 4 different types of forecasting.

- **Static Deterministic Process:** Static Deterministic simulation of the current book of business.
- **Dynamic Deterministic Process:** Dynamic Deterministic simulation of the current book of business and a new business forecast.
- **Static Stochastic Process:** Static Stochastic (probabilistic) simulation of the current book of business.
- **Dynamic Stochastic Process:** Dynamic Stochastic (probabilistic) simulation of the current book of business and a new business forecast.

Of these four types, BSP only supports Static Deterministic Processes.

In BSP, dynamic deterministic simulation is provided whenever a Planning Administrator or a Planning User requests cash flow processing of a BSP forecast so there is no UI provided that allows a BSP System Administrator to build a Dynamic Deterministic rule. Stochastic Processes are not included because they are inherently probabilistic.

## Note

All the above four kinds of simulation are included with OFSAA Asset Liability Management.

This chapter covers the following topics:

- [Overview of BSP Processes](#)
- [Creating a BSP Process Rule](#)
- [Executing a BSP Process](#)

## 31.1 Overview of BSP Processes

BSP Processes allow you to perform the following tasks:

- Determine the data that you want to process (Product Hierarchy block). For BSP processing, you must select the Product Hierarchy method and you must use the Product-Instrument Map.
- Submit to the BSP processing engine the financial element results you want to calculate: (Calculation Elements).

- Specify to the BSP processing engine the product characteristics, prepayments, and forecast assumptions to be used in the process (Rule Selection blocks).
- Specify the Forecast Rate Scenario you want to include.

**Note**

BSP does not support Stochastic processing and so does not utilize Rate Index rules.

- Define the output dimension and what additional attributes you want to be updated at the instrument level (Output Preferences block).

**Note**

For BSP, you must select Product/Org/Currency. Also, note that BSP does not support instrument-level outputs.

- Enable the output of detailed cash flows or forecast interest rates for audit purposes (Audit Options block).
- Define the processing parameters for a reprocess on an existing run or an entirely new process (Processing Parameters block).
- Formulate and execute the BSP processing request and generate results (BSP Process Summary Page).

The following icons are available on the Process Summary grid:

- **Add:** Click Add to begin the process of building a new BSP Process Rule. The Add icon is disabled if any rows in the summary table are selected.
- **View:** Select a single row in the summary table to enable the View icon. The View control allows you to view the contents of a Process on a read-only basis. The View control is only enabled when a single Process rule has been selected.
- **Edit:** Select a single row in the summary table that enables the Edit icon. Click Edit to modify an existing Process rule. The Edit icon is only enabled when a single Process rule is selected.
- **Copy:** Select a single row in the summary table to enable the Copy icon. Click Copy to create a copy of an existing Process rule. The Copy icon is only enabled when a single Simplified Batch is selected.
- **Check Dependencies:** Select a Process rule and then click Check Dependencies to generate a report on all rules that utilize your selected interest rate curve. The Check Dependencies icon is only enabled when a process is selected.
- **Delete:** Select one or more rows in the summary table to enable the Delete icon. Click Delete to delete the process rules that are selected.
- **Execute:** Select a single row in the summary table to enable the Execute icon. Click Execute to execute the selected process. The Execute icon is only enabled when a single Process rule is selected.
- **Refresh:** Click Refresh to refresh the Process Rule summary page.

## 31.2 Creating a BSP Process Rule

To define a BSP Process Rule, complete the following steps:

1. Navigate to Balance Sheet Planning > BSP Processing > Static Deterministic Process.
2. From the Summary Page, click the “Add New” icon.
3. The process will take you through a series of required steps to define the flow depending upon what type of process you selected. For each of the blue highlighted boxes in the process flow area, you are required to make a selection.

### Note

The gray boxes are optional but will affect the result set if defined.

### 31.2.1 Creating a Static Deterministic BSP Process Rule

BSP Static Deterministic processes operate on instrument-level data to generate outputs based on a set of user-defined forecast rate scenarios. BSP Static Deterministic processes only generate information about current position instrument data; they do not generate any forecast data related to new business. In BSP, new business forecast outputs are generated within Dynamic Deterministic processes that are executed from BSP's planning user interfaces.

1. Fill in the necessary details in the Process Details block:
  - Name
  - Folder and Reporting Currency from respective drop-down menus
  - Click **Apply**. The process will take you to the Product Hierarchy selection options.

**Figure 31-1 Product Details**

Static Deterministic Process Flow

Process Details

Name: Standard BSP Process

Description: Standard process for BSP Static Deterministic Process to generate current position forecast

Folder: BSPSIS

Reporting Currency: US Dollar

Access Type: Read Only

Apply Return to Summary Page

2. In the product Hierarchy Block:
  - a. Select a Product Hierarchy and select nodes from the hierarchy corresponding to data you want to include in the process.

Or

Select a Product Hierarchy and select nodes from the hierarchy corresponding to data you want to include in the process. For BSP, you generally will want to select the root



or "Total Rollup" of your chosen Product Hierarchy. If you select lower-level nodes within the hierarchy, you will be filtering out some data and so will not be processing 100% of your current position data.

**Note**

You must use the Product Hierarchy method of selection and you must utilize the Product/Instrument Map approach. For BSP, the Source Selection button which allows you to select named instrument tables is not supported.

- b. Select a Filter (optional), to further constrain the data to be included in the process. Filters work as a secondary constraint, applied after the data set is determined based on Product Hierarchy member selection. For BSP, you generally will not want to add any filters to the process.

**Note**

Do not use Default Product Member (value of -1) within a Product Hierarchy, for Processing. For example, if the process is running on Product Hierarchy of Common Chart of Account, do not use the default chart of account member of -1.

There are four types of filters:

- Data Element Filter
- Hierarchy Filter
- Group Filter
- Attribute Filter

**Note**

Before using the product hierarchy approach for selecting data to include in your process, there is a procedure that must be run ("PRODUCT TO INSTRUMENT MAPPING"). This procedure can be executed from the Batch Scheduler – Run - interface.

The purpose of the Product to Instrument mapping procedure is to scan all instrument tables (FSI\_D\_xxx) and populate the mapping table ("FSI\_M\_PROD\_INST\_TABLE\_MAP") with a listing of the product dimension members that exist within each instrument table. When you select Products (parents or children) within an ALM or FTP process definition, the process refers to this mapping table to identify the instrument tables to include in the process.

It is recommended that you establish an internal process whereby this procedure is executed after every data load to ensure that mappings are up to date.

**Related Topics:** For more information on the Product to Instrument mapping procedure, see Oracle Financial Services Analytical Applications Data Model Utilities User Guide.

- c. Select Apply.

**Figure 31-2 Static Deterministic Process Details**

3. Calculation Elements – The boxes in blue with the yellow highlight are required for the definition of the process.
  - a. In the Calculations Elements block, select either the Generated aggregated cash flow results or Stop at the Process cash flows option. By default, the Generated aggregated cash flow option is selected and required for most BSP results processing. The Stop at the Process cash flows option is only used when you do not require the aggregated results and wish to only compute detailed cash flows in the FSI\_O\_PROCESS\_CASH\_FLOWS table. This is used by users who integrate with Liquidity Risk Management and need to create cash detailed flow output for a large number of instrument records. In this case, the aggregate output is not needed. The Stop at process cash flows option does not write to the Result Detail or Result Master tables that BSP requires.

**Figure 31-3 Static Deterministic Process Details**


- b. Choose the optional transfer pricing calculation elements to include in the process run: Transfer Pricing folder and rule plus TP Adjustments folder and rule. Market Value, YTD, Duration, DV01/PV01, Repricing Gap, Liquidity Gap, and Average Life calculations are not supported in BSP. These options should not be selected.
- c. Repricing GAP is not supported in BSP.
- d. Liquidity Gap and Average Life options are not supported in BSP.
- e. Embedded Option Decisioning is not supported in BSP.
- f. The Calculate Option Market Value option is not supported in BSP.

**Note**

For details on the options not supported by BSP, see the OFSAA ALM User Guide.

- g. Click Apply.
  - h. Click the Prepayments/Early Redemptions box and choose the defined prepayment rule (see Prepayment Rules ). This is an optional step.
4. Product Characteristics: From the Product Characteristics bar, select the desired definition and click Apply (see Product Characteristics, for rule definition). The process flow will now take you to Forecast Rate Scenarios.

**Figure 31-4 Static Deterministic Process Details**




5. Forecast Rate Scenarios:
- a. Select the Forecast Rates rule you want to be applied to the process (see Forecast Rate Scenarios for details on setting up rate scenarios).


**Note**

Including prepayments rules and prepayment runoff in your process is optional but is standard for most BSP implementations.


- b. Click Apply. If you have chosen Runoff Components among your Calculation Elements in step (3) above, the flow will now take you to Prepayments/Early Redemptions. If you have not chosen Runoff Components among your Calculation Elements in step (3) above, the flow will take you to step (8): Output Preferences.

**Figure 31-5 Static Deterministic Process Details**

6. Formula Results: Formula Results are not supported in BSP.
7. Prepayments/Early Redemptions:
  - a. Choose a defined prepayment rule (see Prepayment Rules for details). Again, note that prepayments are optional.
  - b. Click Apply.

**Figure 31-6 Static Deterministic Process Details**

8. Output Preferences:
  - a. Select the output dimension from the drop-down list (Options include Product, Product/Currency, Organization/Product, Organization/Product/Currency). For BSP, you must select Organization/Product/Currency.
  - b. You may select to update your instrument data with Macaulay Duration and/or Modified Duration. If you update your instrument data with these calculations, BSP will never utilize them directly.
  - c. BSP does support any of the other Output Preference items.
  - d. Click Apply. The process will take you to the Processing Parameters section or you can optionally click the Audit box. If no audit options are required, skip to step #10, Processing Parameters.

**Figure 31-7 Static Deterministic Process Details****9. Audit Preferences:**

- a. **Detailed Cash Flows:** Check the box to record the cash flows and repricing events occurring for the desired number of records processed. For each record, daily results are written to the FSI\_O\_PROCESS\_CASH\_FLOWS table. The data in this table uses the RESULT\_SYS\_ID, which identifies the Process used. Select from the options below:

If you have selected Detailed Cash Flow outputs, then you must select either 'Number of Records to be Output' or 'All Records'.

In the financial elements tab below, you have the option to select the FE's you want to output in the detail cash flows table. Highlight the items in the available section and move the selection over to the selected section.


- b. **Tiered Balance Cash Flows:** BSP does not support Tiered Balance Cash Flows.
- c. **Forecast Rates:** Select Forecast Rates to write forecast exchange, interest rates, or economic indicator results to the following tables: FSI\_EXCHANGE\_RATES\_AUDIT, FSI\_INTEREST\_RATES\_AUDIT, and/or FSI\_ECONOMIC\_INDICATORS\_AUDIT. For more information on the table structures, see the Oracle Financial Services Analytical Applications Data Model Data Dictionary. Highlight items from the available code section for the desired forecast type (Interest Rate, Exchange Rate, or Economic Indicator) and move selection (or all) to the selected items box.
- d. Click Apply. The process flow will take you to Processing Parameters.

**10. Processing Parameters:**

- a. The processing parameters allow you to run an entire process or re-process a portion of an existing run. For BSP, you will generally want to run the Entire Process. From the drop-down list, select Entire Process or Selective Reprocess.
- b. If Selective Reprocess is selected, you can click the box "Current Position Data" to reprocess that particular data set. With selective reprocessing, you can run a subset of the process to replace invalid products and to add new products. With Selective Reprocess, the Reprocessing components are enabled to selected components for reprocessing. When the Process Rule is executed, the data in the result tables are not immediately deleted. The data for the selected subset is replaced, but the rest of the results remain intact.
- c. Select the desired product Hierarchy Filter from the drop-down list to indicate which products should be re-processed.

- d. Click Apply and the screen will take you to the Freeze Process section.


**Figure 31-8 Static Deterministic Process Details**



**11. Freeze Process:**

- a. Select Freeze to complete the process.
- b. Select Reset to erase all selections made previously within the process definition flow.
- c. Select Confirm.

**Figure 31-9 Static Deterministic Process Details**



## 31.3 Executing a BSP Process

To run a Process ID, follow these steps:

1. Choose Process/Run from the list under the process bar.
2. Click the run icon to execute the process.
3. A popup window will appear including the execution ID. Click OK.
4. When a process is running the status bar will show one of the following three values: success, failure, and processing.

**Note**

The process must be defined completely.

5. When the Status "View Log" appears, the run is complete.

**Note**

Click the refresh grid button to see the change in status.

6. Click the "View Log" status to ensure the Run was complete.
7. To view the error log, click the "Task id" number on the view log page.

## Data Aggregation and Stratification

Data Aggregation and Stratification enables you to summarize large volumes of financial instruments to a manageable scale for processing purposes. The engine that does the aggregation and stratification processing is the Data Stratification Rule. This application enables you to perform mathematically intensive calculations on a relatively small number of instrument pools that are proxies for a much larger number of individual instrument records. Using this feature is a multi-step process, which includes:

- Understanding what you want and how you want to aggregate and stratify data.
- Optionally defining balance or rate tiers to be used for grouping data.
- Configuring the Data Map metadata for the source and target data maps that are to be used on the Stratification Definition page.
- Setting up stratification definitions and rules in the Stratification Rule pages.
- Testing the rules that you create.

### 32.1 Partial Aggregation

An extra filter option is given in the Stratification Definition, which limits the stratification, only for the accounts in the Source Table falling under the filter criteria. If the Filter is not being used, (case for all existing definitions), then the existing behavior remain as is.

For accounts in the Source Table, which does not satisfy the filter condition will not be aggregated and will be moved to the destination table as is. But whether column mappings which are defined in aggregation tab and under defaults will be applicable or not for non-aggregated records, will be dependent on the check-box Apply Column mapping for Non-Aggregated Accounts. If this check-box is selected, then the aggregated records column mappings will be applicable to the non-aggregated records. Else the non-aggregated records will be moved to the destination aggregated table without using the column mappings

### 32.2 Stratification Action Operations

When creating pools of instruments, you need to identify the operation for each of the attributes. You have the following choices in terms of how to populate each attribute in the instrument pool from the instrument data:

- **Discrete:** Directs the Aggregation and Stratification engine to populate the instrument pool with discrete values.  
This option populates the pool with discrete values for an attribute if there is no logical or mathematical way to group instruments with different values, and the attribute is significant for processing purposes. Choosing the discrete action for an attribute ensures that only instruments with matching values are grouped in a pool. The discrete action may be the correct choice for important code fields. Be careful when using the discrete action on the Amount, Date, or Rate Fields. These types of fields tend to have many discrete values. A typical value for a discrete group by is a dimension ID field or a yes or no flag.
- **Group by:** Use for dimensions or other attributes that you want to use to group the detailed data.



This option allows you to select columns that you want to use to group the instrument data. This will be used for dimension columns like Product, Org Unit or Currency, or any other dimensions that are needed for grouping the data.

- **Tier:** If you want to group the data by ranges of values, you can define the ranges using Stratification Tiers.  
Tiers are used for balance and rate fields to assist in grouping similar data into tranches or pools. Tiers should be defined on columns that affect the way assumptions are made, such as prepayments, interest rate margins, or other meaningful assumptions.

## 32.3 Aggregation Action Operations

The following are the default aggregation action operations:

- **Average:** Calculates the average value of an attribute for all instruments in the pool.
- **Weighted Average:** Calculates the average weighted value for an attribute by the current balance.

Examples of attributes for which you may want to calculate the weighted average are interest rate fields: interest rates, cap rates, floor rates, and interest rate margins for floating rates. Other possibilities include the remaining term, original term, loan to value, and so forth.

- **Min, Max (minimum, maximum):** Select one of these operators to populate the pool with the minimum or maximum value of a given attribute for all the instruments that are part of the pool.
- **Median:** Applies the Median Date value for all date values in the pool.
- **Sum** (The sum action calculates the total sum value for a numeric attribute.

The most common attributes that you want to calculate the sum for are the balance and payment amount fields. By calculating the total of the balance and payment amounts, the total of all pool balances should reconcile to and represent the totals of all instruments that are in the portfolio.

- **Default:** Applies a specified default value.

## 32.4 Stratification Tips

Consider this criteria when evaluating how you want to stratify data:

- When identifying attributes that you want to include as part of the instrument pools, keep in mind the primary use of the stratified data you are creating.  
For example, the ALM engine uses only the current balance amount fields for its calculations. As far as the ALM engine is concerned, designing a stratification rule that populates other balance or amount fields is optional.
- You need to identify the stratification criteria for the attributes.  
This step is simplified by the fact that any attributes that you identify as needing to maintain discrete values for, or that are going to be dropped or defaulted by definition, cannot be used as grouping criteria for pools.
- Maximize efficient processing by designing rules to summarize the instruments into as few pools as possible, while at the same time only grouping instruments that generate the same or similar cash flows.

In other words, all instruments that are grouped into a pool should share common and pertinent financial characteristics.

**Note**

Unique Constraint on all Aggregated tables is the same as other instrument tables with ID Number and Identity Code. In order to preserve uniqueness, DEFAULT value should not be used for ID\_NUMBER and IDENTITY\_CODE mappings. MIN/MAX should be used for these fields accordingly.

## 32.5 Setting up Stratification Definitions

This section discusses how to setup stratification configurations.

To set up the Stratification Configurations, select **Common Object Maintenance**, select **Stratification**, and then select **Stratification Definition**. You can define the aggregation process at any level of complexity.

**Note**

When you to edit or Save As an existing stratification definition, all mapped columns will revert to un-mapped. To keep the mapping configurations intact, following file need to be edited:

- Navigate to the deployment path as given the example.  
Ex: scratch\FTP8074Test\tomcat\webapps\ofsa\conf\excludeURLList.cfg
- Configure excludeURLList.cfg file.
- Add the statement below at the end of the file if it is already not present.  
[SQLIA] ./stratification/
- Save the excludeURLList.cfg.

### 32.5.1 Stratification Configuration

To define the aggregation process at any level of detail of complexity, follow these steps:

1. Navigate to **Common Object Maintenance**, select Stratification, select **Stratification Definition** and then select New or Edit.  
This example illustrates the fields and controls on the Stratification Definition page. You can find definitions for the fields and controls later in this section.

**Figure 32-1 Stratification Rule – Definition page**

The screenshot shows the 'Stratification Rules Definition' window with the 'Definition' tab selected. The 'Definition' section contains the following fields and controls:

- Name \***: CS Agg 1
- Description**: CS Agg test 1
- Source Table \***: Loan Contracts (dropdown menu)
- Target Table \***: Loan Contracts Aggregate (dropdown menu)
- Catch All Bucket**: ☐
- Output Rules Table Name**: CS Agg 1\_522995

At the bottom of the form, there are 'Apply', 'Save', and 'Cancel' buttons.

2. Establish how you want the Stratification Engine to process amounts, rates, dates, and integers by assigning a stratification action to each.  
Default input applies a default value into the action settings on the Definition page.
3. Select a source and target instrument table, Default Values, Aggregation Actions, and Stratification Actions to complete the definition for each instrument table that you want to aggregate.

### 32.5.1.1 Setting up Stratification Tier Structures

An alternative to incremental grouping is to group according to tiers. You can use tiers on numbers, amounts, and rate fields. The main difference between using tiers versus other aggregation actions is that you can define the specific tiers that you want to stratify the data into to match business logic, reporting requirements, or both. Tiers also give you more control in terms of limiting the number of strata created for any given attribute to only ranges that are pertinent for processing or reporting purposes. For example, you could define a tier rule that groups the initial balance amounts in increments of 10,000. However, this could result in hundreds of strata if the balance amounts range anywhere from 1 to 100,000,000. A more efficient and logical way to group balance amounts may be to set up tiers so that the first tier contains records with amounts between 1 and 50,000; the second tier contains records with amounts between 50,000 and 1,000,000, and the third tier contains records with amounts between 1,000,000 and 100,000,000. Tiers are ideal for handling balance amounts.

To set up Tier Structure, follow these steps, navigate to **Common Object Maintenance**, select **Stratification**, and then select **Stratification Tier**.

Stratify source data into a finite number of pools that are used by the Stratification Definition under Stratification Action.

Use the Tier Definition page to define stratification criteria for creating a finite number of pools that are used by the Stratification Definition - Group by page.

**Figure 32-2 Stratification Tier – Definition page**

The screenshot shows the 'Stratification Tier' definition page. The 'Name' field is 'CS Cur Book Bal Tiers' and the 'Description' is 'Tier definition for Current Book Balance'. The 'Tier Type' is 'TIER' and the 'Data Type' is 'BALANCE'. Below these are 'Defined Tiers' and 'Defined Ranges' sections. The 'Defined Ranges' table lists three tiers with their lower and upper bounds.

| Lower Bound | Upper Bound |
|-------------|-------------|
| 0.01        | 100000      |
| 100000.01   | 1000000     |
| 1000000.01  | 100000000   |

This example illustrates the fields and controls on the Tier Structures page. You can find definitions for the fields and controls later in this guide.

Input the lower and upper boundary amounts for each tier and then add to the definition. The lower bound range must be greater than the prior upper bound amount. These values cannot

be equal and do not overlap. The initial lower bound and last upper bound should small enough and large enough to capture all possible values.

Note that under **Tier Type**, Discrete is also available to select. This option populates the pool with discrete values for an attribute if there is no logical or mathematical way to group instruments with different values, and the attribute is significant for processing purposes. Choosing the discrete action for an attribute ensures that only instruments with matching values are grouped in a pool. The discrete action may be the correct choice for important code fields. Be careful when using the discrete action on the amount, date, or rate fields. These types of fields tend to have many discrete values. A typical value for a discrete group by is a dimension ID field, code field, or a yes/no flag.

## 32.5.2 Setting up Stratification Definitions

This section discusses how to setup stratification definitions.

**Table 32-1 Pages Used to Setup Stratification Rules**

| Page Name                                        | Navigation                                                                                  | Usage                                                                                   |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Stratification Rules Definition - Definition     | Common Object Maintenance > Data Stratification > Stratification Definition> Definitions    | Specify rule name, description, source data, and target data tables.                    |
| Stratification Rules Definition - Defaults       | Common Object Maintenance > Data Stratification > Stratification Definition> Defaults       | Specify default values for each column type.                                            |
| Stratification Rules Definition - Aggregation    | Common Object Maintenance > Data Stratification > Stratification Definition> Aggregation    | Define aggregation actions (or use the default values) for each column in the data map. |
| Stratification Rules Definition - Stratification | Common Object Maintenance > Data Stratification > Stratification Definition> Stratification | Define how to group or pool the data.                                                   |

## 32.5.3 Defining Stratification Rules

Use the Stratification Rules - Tabs to define Stratification Definition.

To define Stratification Definition, follow these steps:

1. Navigate to **Common Object Maintenance**, select **Stratification**, and then select **Stratification Definition**.  
This example illustrates the fields and controls on the Stratification Rules - Definition page. You can find definitions for the fields and controls later on this page.

**Figure 32-3 Stratification Rules Definition page**

The screenshot shows the 'Stratification Rules Definition' window with the 'Definition' tab selected. The form contains the following fields and values:

- Name:** CS Agg 1
- Description:** CS Agg test 1
- Source Table:** Loan Contracts
- Target Table:** Loan Contracts Aggregate
- Catch All Bucket:** ☐
- Output Rules Table Name:** CS Agg 1\_522995

Buttons at the bottom include 'Apply', 'Save', and 'Cancel'.

2. Enter a unique Name and Description for the Stratification Definition rule.
3. Select a Source Instrument Table. The list of values will include all seeded and properly registered instrument tables that contain account-level data records.
4. Select a Target Aggregate Instrument Table. This table will be populated with the results of the Stratification.
5. Specify whether or not to include a catch-all bucket in the process. This will ensure that all records from the source table are accounted for in the target table.
6. Click **Apply** to save your inputs and navigate to the next tab.  
This example illustrates the fields and controls on the Stratification Rules - Defaults Page.

**Figure 32-4 Stratification Rules Definition – Defaults tab**

The screenshot shows the 'Stratification Rules Definition' window with the 'Defaults' tab selected. The form contains the following fields and values:

- Amount Columns:** AVG
- Date Columns:** MAX
- Alphabetic Columns:** MIN
- Rate Columns:** WeightedAvg
- Integer Columns:** MIN

Buttons at the bottom include 'Apply', 'Save', 'Save As', and 'Cancel'.

To define Stratification Defaults, follow these steps:

1. Select the Amount default. Possible selections are MAX, MIN, SUM, AVG. The recommended selection is SUM.
2. Select the Date default. Possible selections are MAX, MIN, MEDIAN. The recommended selection is MEDIAN.
3. Select the AlphaNumeric default. Possible selections are MAX, MIN. The recommended selection is MAX.
4. Select the Rate default. Possible selections are MAX, MIN, SUM, AVG, and Weighted Average. Recommended selection is Weighted Average. If Weighted Average is selected, then additionally select the balance column to use for weighting.
5. Select the Integer default. Possible selections are MAX, MIN. The recommended selection is MAX.

6. Select Apply to save your inputs and navigate to the next tab.  
This example illustrates the fields and controls on the Stratification Rules - Aggregation Page.

**Figure 32-5 Stratification Rules Definition – Aggregation tab**

To define Stratification Aggregation details, follow these steps:

1. Select the specific row you want to define from the bottom half of the page.  
You have the option to use the default values previously input on the Defaults tab or you can input a different Aggregation Action at the top of the page.
2. Use the pagination selections at the bottom of the page to address/review all columns or type the column name or a portion of the column name to navigate directly to a specific column.
3. Select Apply to save your inputs and navigate to the next page.  
This example illustrates the fields and controls on the Stratification Rules - Stratification Page.

To define Stratification/Group by details, follow these steps:

1. Select the Column(s) and Stratification Action that you want to use for grouping the detailed records into aggregate/pooled records. Typical columns used for grouping will be dimension columns, balance or rate columns, or any other meaningful columns that you want to be unique for each pool record.
2. For each Stratification column, select the Stratification Action. Options are Tier, Discrete, and Group by. Both the Tier and Discrete options require an additional Stratification Tier definition to be selected.
3. Select Apply to save your inputs and remain in the rule or select Save to save your inputs and close the rule.

## 32.5.4 Defining Stratification Tiers

To define stratification tiers, follow these steps:

1. Navigate to Common Object Maintenance, select Stratification, and then select Stratification Tier.

**Figure 32-6 Stratification Tiers - Fields and Controls**

**Stratification Tier Definition**

**Stratification Tier**

Name \* CS Cur Book Bal Tiers Tier Type \* TIER

Description Tier definition for Current Book Balance Data Type \* BALANCE

**Defined Tiers**

Please select a row from Defined Ranges to Edit.

Action Block

Lower Bound \* 0.01

Upper Bound \* 100,000

Add Update Remove

Defined Ranges

| Lower Bound | Upper Bound |
|-------------|-------------|
| 0.01        | 100000      |
| 100000.01   | 1000000     |
| 1000000.01  | 100000000   |

Page 1 of 1 (1-3 of 3 items)

Save Save As Cancel

2. Provide a unique **Name** and **Description** for the Stratification Tier.
  3. Select the **Tier Type**, for example, Tier or Discrete.
  4. Select the **Column Data Type** that this definition will apply to. This selection will limit the columns where this Tier rule will be available for selection in the Stratification Definition Rule.
  5. Define each tier with lower and upper bounds and add as a defined range. Click **Add** to add the tier. Additionally use Update or Remove to manage the individual tier definitions.
  6. After all Tier ranges are defined, select Save to save the assumptions and exit the Tier screen.
- The tier definitions created in this step are mapped to the individual columns in the Stratification Definition rule on the Stratification tab.

## 32.5.5 Executing a Stratification Rule

To execute a stratification rule, follow these steps:

1. Navigate to the **Stratification Rule Summary** page.

**Figure 32-7 Stratification Rules**

**Stratification Rules**

As of Date: 06/25/2014

Search

Name

Stratification Rules

| Name     | Created Date        | Created By | Last Modified       | Modified By | Executed By | Executed On         | Execution Status |
|----------|---------------------|------------|---------------------|-------------|-------------|---------------------|------------------|
| 11       | 10/31/2018 11:34:25 | ALMUSER    | 10/31/2018 11:34:30 | ALMUSER     |             |                     |                  |
| 34534    | 10/15/2018 17:20:36 | ALMUSER    | 11/23/2018 14:45:51 | ALMUSER     |             |                     |                  |
| 3456456  | 10/15/2018 17:15:37 | ALMUSER    | 10/15/2018 17:20:39 | ALMUSER     |             |                     |                  |
| CS Agg 1 | 01/26/2019 22:00:45 | ALMUSER    | 01/26/2019 22:39:51 | ALMUSER     |             |                     |                  |
| test15   | 10/15/2018 17:13:20 | ALMUSER    | 01/26/2019 21:56:46 | ALMUSER     | ALMUSER     | 10/15/2018 17:16:29 | Success          |

2. Select the Stratification Rule you want to process.
3. Select the **Run** icon.
4. Select the **As-of-Date** for the instrument data you want to aggregate.
5. Select **OK** to begin the process.



### 32.5.5.1 Using SQL\* Plus to Execute a Stratification Rule

You can also execute the stratification rule either from SQL\*Plus or from within a PL/SQL block OR from ICC Batch UI within the OFSAAI framework.

To Run the procedure from SQL\*Plus, login to SQL\*Plus as the Schema Owner. The function requires four parameters. Following is the syntax for calling the procedure:

```
declare
result number;
begin
---- Call the function
result := fn_insert_into_data_strat_tab(batch_id => :batch_id,
mis_date => :mis_date,
stratification_id => :stratification_id,
user_name => :user_name);
end;
```

- **batch\_id:** any string to identify the executed batch
- **mis\_date:** in the format YYYYMMDD
- **stratification\_id:** numeric system id of stratification rule
- **user\_name:** OFSAA user id of the user executing the function

Example:

```
declare
result number;
begin
---- Call the function
result := fn_insert_into_data_strat_tab(batch_id => 'abc',
mis_date => '20180601',
stratification_id => 123,
user_name => AUTOUSER);
end;
```

### 32.5.5.2 Using ICC Batch Framework

To execute the procedure from OFSAAI ICC framework, create a new Batch with task as TRANSFORM DATA and specify the following parameters for the task:

- **Datastore Type:** Select appropriate Datastore from the list
- **Datastore Name:** Select appropriate name from the list
- **IP Address:** Select the IP address from the list
- **Rule Name:** Data\_Stratification
- **Parameter List:** stratification\_id, user\_name



**Figure 32-8 Stratification using ICC Batch Framework**

Task Definition

Task ID: Task1

Description: Stratification Rule

Components: TRANSFORM DATA

Dynamic Parameters List

| Property                         | Value               |
|----------------------------------|---------------------|
| Datastore Type                   | EDW                 |
| Datastore Name                   | PM80INFO            |
| Primary IP For Runtime Processes | 10.184.154.4        |
| Rule Name                        | Data_Stratification |
| Parameter List                   | 123, 'AUTOUSER'     |

After the Stratification rule execution is complete, you can compare balances from the source table and target table to ensure all data has been accounted for, such as the sum of current balance from the source table should equal the sum of current balance in the target table.

After the data has been populated and verified in the aggregation tables, it is ready for processing by the ALM and (or) FTP applications. You can select either regular instrument tables or aggregate instrument tables in the ALM and TP Processes under Source Selection. Select only one. Selecting both in the same process will lead to double counting of the balances.

## 32.5.6 Creating New Aggregate Table

The following aggregate tables are seeded with the Application Data Model:

**Table 32-2 Seeded Aggregation Tables with the Application Data Model**

| #  | Logical name                            | Physical table name          |
|----|-----------------------------------------|------------------------------|
| 1  | Annuity Contracts Aggregate             | FSI_D_ANNUITY_CONTRACTS_AGGR |
| 2  | Borrowings Aggregate                    | FSI_D_BORROWINGS_AGGR        |
| 3  | Checking And Savings Accounts Aggregate | FSI_D_CASA_AGGR              |
| 4  | Credit Cards Aggregate                  | FSI_D_CREDIT_CARDS_AGGR      |
| 5  | Credit Lines Aggregate                  | FSI_D_CREDIT_LINES_AGGR      |
| 6  | Guarantees Aggregate                    | FSI_D_GUARANTEES_AGGR        |
| 7  | Investments Aggregate                   | FSI_D_INVESTMENTS_AGGR       |
| 8  | Leases Aggregate                        | FSI_D_LEASES_AGGR            |
| 9  | Loan Contracts Aggregate                | FSI_D_LOAN_CONTRACTS_AGGR    |
| 10 | Money Market Contracts Aggregate        | FSI_D_MM_CONTRACTS_AGGR      |
| 11 | Mortgages Aggregate                     | FSI_D_MORTGAGES_AGGR         |

**Table 32-2 (Cont.) Seeded Aggregation Tables with the Application Data Model**

| #  | Logical name                  | Physical table name            |
|----|-------------------------------|--------------------------------|
| 12 | Retirement Accounts Aggregate | FSI_D_RETIREMENT_ACCOUNTS_AGGR |
| 13 | Term Deposits Aggregate       | FSI_D_TERM_DEPOSITS_AGG<br>R   |

To create a new aggregate table in addition to the basic instrument and leaf columns, the following mappings must be done in the data model:

- Super-type
- INSTRUMENT\_AGGREGATE
- INSTRUMENT\_AGGREGATE\_BASIC
- Table classification
- EPM Aggregation (701)

This may be required when you create a custom instrument table and want to use stratification for it.

# Andrew Davidson and Company (ADCo) Prepayment Method

The Andrew Davidson & Co (ADCo) prepayment method calculates the prepayment amount for a combination of currency equal to US Dollar and Product Account equal to Type Earning Asset. ADCo related UI inputs and the CFE execution are available only for a user who is an ADCo Licensee and where the specific user has the ADCo function mapped to them.

## 33.1 Deployment of ADCo Libraries on OFSAAI

The following are the objectives of deploying ADCo Libraries on OFSAAI:

- Deploy ADCo libraries on OFSAAI
- Enable ADCo prepayment-model functionality in BSP

The following are the objectives of deploying ADCo Libraries on OFSAAI:

- BSP 8.0
- ADCo v1.9 libraries for Loan-Dynamic-Model, for your operating system/version

### Note

ADCo is not available on IBM AIX operating systems.

### Steps

- Preparation:
  1. Log in to the UNIX Profile where the OFSAAI database tier is installed.
  2. Create a folder called “adco”; create 3 sub-folders under “adco”: “io”, “data”, “lib”
  3. Edit the .profile script and set the following environment variables:
    - ADCO\_IO\_DIR: set it to the absolute path of the “io” sub-folder created earlier.
    - DATAFILEDIR: set it to the absolute path of the “data” sub-folder created earlier.
    - LD\_LIBRARY\_PATH: update this environment variable to include the absolute path of the “lib” sub-folder created earlier.
  4. Stop all OFSAAI services.
  5. Log out of the UNIX Session and log back into UNIX. Verify that the 3 environment variables created above are set properly.
  6. Start all OFSAAI Services.
- Deployment:
  1. Download the v1.9 ADCo libraries and place the file “libadppmdl. so” into the “adco/lib” sub-folder.
  2. Place the monthly license-key and historical-rate files into the “adco/data” sub-folder.

3. If you have been provided the following 2 files by ADCo, place both of these files in the “adco/io” sub-folder.
  - ADCO\_DefaultValues\_INACTIVE.txt
  - ADCO\_XMLSettings\_INACTIVE.txt
- Enable ADCo functionality in BSP:
  1. Login to OFSAAI.
  2. Under the OFSAAI Home Page, go to Administration -> Security Management.
  3. Expand System Administrator and click “Function – Role Map”.
  4. Associate the SMS-Function “ADCO Prepayments for BSP” with the required roles.

## 33.2 Procedure For Setting Up ADCo Process

The steps to set up an ADCo process are as follows:

1. Mapping of the ADCo function to BSP Admin user.
2. Set up the 7 Indices to use with ARMs.
3. Set up the 2 years, 10 year rate IRCs.
4. Set up the National HPI.
5. Load the STG\_LOAN\_CONTRACTS table.
6. Run the T2T batch to populate the FSI\_D\_MORTGAGES table.
7. Select the NHPI from Application Preferences.
8. Forecast the 2 years, 10 year rate IRCs.
9. Forecast the 7 indices (only required where indices are mapped to ARMs).
10. Forecast the National HPI (optional).
11. Setup the Prepayment rule mapping the ADCo method to the required Mortgage – USD combinations.
12. Setup the Static Deterministic Process including the rules defined above (Forecast Rates and Prepayments).
13. Select the SMM Rates Output flag (optional).
14. Execute the Process.

The detailed procedure for using the ADCo prepayment method comprises utilizing the above mentioned specific settings in various BSP modules as documented in the following sections.

### 33.2.1 Mapping of the ADCo Function

After acquiring the ADCo license, the user must manually map the ADCo function to the BSP Admin user in the Role Function Mapping screen of Security Management (Home>Administration>Security Management). Only after this mapping, will the user be available to view the ADCo related changes made in the Forecast Rates and Prepayments screens.

This does not apply to the common screens of Rate Management and Application Preferences. For more details on security management, see Oracle Financial Services Analytical Applications Infrastructure User Guide.

### 33.2.1.1 Rate Management

In the Rate Management Interest Rates detail screen, is a drop-down list called the Curve Identifier. This is a drop-down list that contains the list of 4 curve identifier types, that is, par treasury, zero coupon treasury, par LIBOR/swap, and zero coupon LIBOR swap. These curve identifiers can be mapped to the seven indices to be used with the Adjustable Rate Mortgages(ARMs) meant for ADCo purpose, whose reference currency is always US Dollar.

**Figure 33-1 Interest Rates Maintenance Screen**

The seven indices are:

**Table 33-1 Seven Indices to be used with Adjustable Rate Mortgages(ARMs) meant for ADCo purpose**

| Element Name  | Element Description                   |
|---------------|---------------------------------------|
| PAR_TSY_1YR   | 1-Year Par Treasury Monthly Yield (%) |
| PAR_LIBOR_6M  | 6-Month Par LIBOR Monthly Yield (%)   |
| PAR_LIBOR_1YR | 1 Year Par LIBOR Monthly Yield (%)    |
| MTA_12        | 12 Month MTA Monthly Yield (%)        |
| PAR_TSY_3YR   | 3-Year Par Treasury Monthly Yield (%) |
| PAR_TSY_5YR   | 5-Year Par Treasury Monthly Yield (%) |
| COFI_11D      | 11th District COFI Monthly Yield (%)  |

The user has to define the 7 indices for use with the ARMs, with the same name as expected by ADCo. Also, the IRC to supply 2 years and 10 year rates must be defined in this UI. Users need not enter the Term structure parameters if the IRC is to be used only for ADCo purposes.

**Economic Indicators:** In the Economic Indicators detail screen, the historical data for the National Housing Price Index (NHPI) is entered. Setting up the NHPI is an optional step.

Loading the STG\_LOAN\_CONTRACTS table: For ADCo, this step of loading the STG\_LOAN\_CONTRACTS table should be performed. The following are the columns that have been included in this table for ADCo Purpose:

**Table 33-2 Columns included for ADCo Purpose**

| COLUMN_NAME                | DISPLAY NAME                   |
|----------------------------|--------------------------------|
| d_last_delinquent_date     | Last Delinquent Date           |
| f_payment_option_flag      | Payment Option Flag            |
| f_relo_loan_flag           | Relocation Loan Flag           |
| f_sub_prime_flag           | Sub Prime Flag                 |
| n_first_reset_cap          | First Reset Cap                |
| n_first_reset_floor        | First Reset Floor              |
| n_joining_score            | Original Credit Score          |
| n_loan_charge              | Loan Charge                    |
| n_mrtgg_insrn_amount       | Mortgage Insurance Amount      |
| n_mrtgg_insrn_cutoff       | Mortgage Insurance Cutoff      |
| n_mrtgg_insrn_premium      | Mortgage Insurance Premium     |
| n_no_of_interest_only_mths | Number of Interest Only Months |
| n_no_of_prop_units         | Number of Property Units       |
| n_orig_cust_ltv            | Original Customer LTV          |
| n_prepmt_index_term        | Prepayment Index Term          |
| v_loan_doc_status          | Loan Documentation Status      |
| v_prepmt_index_cd          | Prepayment Index Code          |
| v_prepmt_index_term_unit   | Prepayment Index Term Unit     |
| v_prop_loc_state_cd        | Property Location State Code   |
| v_prop_purpose_cd          | Property Purpose Code          |
| v_prop_sub_type_cd         | Property Sub-Type Code         |

Running the T2T Batch to populate the FSI\_D\_MORTGAGES table: To run the T2T Batch to populate the FSI\_D\_MORTGAGES table, perform the following steps:

1. Navigate to Common Object Maintenance > Operations.
2. Set up a batch in the Batch Maintenance UI.
3. Select the above batch set up in step 2 and for a particular information date, execute the batch. This populates the FSI\_D\_MORTGAGES table.

### 33.2.1.2 Application Preferences

In the ADCo Parameter grid, there is an input parameter called National Housing Pricing Index(NHPI).

**National Housing Pricing Index (NHPI):** This is an input parameter for ADCo definition purpose, that the user has to select from the drop-down containing the list of all economic indicators defined from Rate Management. The user is required to set up an NHPI economic index if they desire to override the base Adco NHPI forecast. This is an optional step.

**Figure 33-2 Application Preferences**

Application Preferences

Apply Cancel

Select Preferences For

|                               |                          |  |
|-------------------------------|--------------------------|--|
| Show Preferences For          | ALL USER                 |  |
| Active for Master Maintenance | <input type="checkbox"/> |  |

Parameters - General

| Property Name             | Property Value                      | Is Editable                                              |
|---------------------------|-------------------------------------|----------------------------------------------------------|
| Security Map              | None                                |                                                          |
| As of Date                | 09/30/2017                          | <input checked="" type="checkbox"/>                      |
| Show Execution Parameters | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/>                      |
| Runtime Parameters        | Leaf Description                    |                                                          |
| Legal Entity              | Default Member                      | <input checked="" type="checkbox"/> Disable Legal Entity |

Processing - General

| Property Name                        | Property Value | Is Editable                         |
|--------------------------------------|----------------|-------------------------------------|
| Default Total Error Message Limit    | 250            | <input checked="" type="checkbox"/> |
| Default Error Message Limit Per Item | 25             | <input checked="" type="checkbox"/> |
| Debugging Output Level               | Show All SQL   | <input checked="" type="checkbox"/> |

Processing - Application Specific

| Property Name                                                              | Property Value           | Is Editable                         |
|----------------------------------------------------------------------------|--------------------------|-------------------------------------|
| Maximum Number of Instrument records to include in detail cash flow output | 10                       | <input checked="" type="checkbox"/> |
| Enable Holiday Calendar Adjustments                                        | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Assumption Management Defaults

| Property Name                                         | Property Value                                                              | Is Editable                         |
|-------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------------------|
| Folder Name                                           | BSPSEG                                                                      | <input checked="" type="checkbox"/> |
| Access Type                                           | <input type="radio"/> Read Only <input checked="" type="radio"/> Read/Write | <input checked="" type="checkbox"/> |
| Initial Currency Selection ["Business Rule Currency"] | US Dollar                                                                   | <input checked="" type="checkbox"/> |

Dimensions and Hierarchies

| Property Name                         | Property Value           | Is Editable                         |
|---------------------------------------|--------------------------|-------------------------------------|
| Product Dimension                     | Common Chart of Accounts | <input checked="" type="checkbox"/> |
| Default Product Hierarchy             | BSP_COA                  | <input checked="" type="checkbox"/> |
| Organizational Unit Dimension         | Organizational Unit      | <input checked="" type="checkbox"/> |
| Default Organizational Unit Hierarchy | BSP_ORIG                 | <input checked="" type="checkbox"/> |
| Hierarchy Members Navigation Size     | 100                      | <input checked="" type="checkbox"/> |

**Define Other Mortgage Attributes:** This tab is available only if the user has an ADCo License.

For more information, see Product Characteristics.

### 33.2.1.3 Forecast Rates

**Interest Rate Forecast Methods:** In the case of an ADCo IRC forecast, while defining using Direct Input, the 'Show 360 months Buckets' check box is shown ONLY if the BSP\_ADCO function is mapped to the user.

- By default, the check box is unchecked (or the check box is not shown), and the UI continues to display its existing behavior.
- If the user checks the box, then the UI shows 360 month rows and the date display follows the MMM-YYYY format.

Forecasting the 7 indices is similar to forecasting the 2 years and 10 year rate IRCs having term points as 2 years and 10 years.

**Economic Indicator (EI) Forecast Methods:** The UI has a similar behavior for the EI forecasting method selection of “Direct Input”. But UI checks for the National HPI Selection in Application Preferences. In the BSP Process screen, UI shows the audit options for ADCo, ONLY if the BSP\_ADCO function is mapped to the user. Forecasting the NHPI is an optional step.

### 33.2.1.4 Prepayments

Defining Prepayment Methodologies:

Oracle Balance Sheet Planning provides five prepayment calculation methods: Constant, Prepayment Model, PSA, Arctangent, and ADCo (Andrew Davidson and Co.) Prepayment method. Defining the ADCo Prepayment Method:

Use this procedure to define prepayment assumptions using the ADCo Prepayment method. Prerequisites:

Performing basic steps for creating or updating a Prepayment rule.

1. Select the currency to be US Dollar and Product Account Type as an Earning Asset.
2. Select ADCO Prepayment method from the Prepayment method drop-down list. The UI shows the “ADCO Prepayment” method as an available method in the drop-down list, ONLY if the BSP\_ADCO function is mapped to the user.
3. Select Refinance or Curtailment from the Calculation drop-down list.
4. The ADCO Prepayment container is displayed containing the index drop-down list which contains IRCs defined in Rate Management including the seven indices to be used with the Adjustable Rate Mortgages(ARMs) meant for ADCo purpose, whose reference currency is always US Dollar. Select the required IRC.
5. Click Apply.

### 33.2.1.5 Transaction Strategies

Define Other Mortgage Attributes: This tab is available only if the user has an ADCo License.

### 33.2.1.6 BSP Processing

Creating a Static Deterministic Process rule:

In the Audit block, there is a check box called Output ADCO Prepayment SMM rates. Selecting this check box is an optional step.

Output ADCO Prepayment SMM rates: This check box is enabled only if the user has an ADCo Licensee. Check this box to capture the SMM rates for each scenario, As of Date, instrument, Product Leaf, Remaining Term, and the Process ID. On every rerun of the same process ID, a new set of SMM rates at scenario level is written to the audit table fsi\_o\_smm\_rates\_audit after deleting the existing records for the process ID. On selective reprocessing of the same process ID, the audit table is truncated and the new set of rates is written to the table.

### 33.2.1.7 Error Scenarios

The following are the error scenarios.

- BSP Engine logs error messages into FSI\_PROCESS\_ERRORS if the ADCo method is assigned to a non Mortgage and processes the next record. This validation check is based on the instrument type.



- BSP Engine logs warning messages into FSI\_PROCESS\_ERRORS if the input parameters required are missing from the Mortgages table.
- BSP engine logs error messages into FSI\_PROCESS\_ERRORS if forecast rates scenario definitions are inconsistent or the definition is missing. Say, if the rule has 10 scenarios and the ADCo curves are forecast for only 9 scenarios, then a warning message is logged. No warning messages are written if National HPI is not forecasted.

### 33.2.1.8 CD/MLS Tables Included for ADCo

The following are the CD/MLS tables included for ADCo:

**Table 33-3 CD/MLS tables included for ADCo**

| S.No. | TABLE_NAME                       | DISPLAY_NAME                              | DESCRIPTION                                    |
|-------|----------------------------------|-------------------------------------------|------------------------------------------------|
| 1     | FSI_DELIQUENCY_STATU<br>S_CD     | Delinquency Status Cd                     | Holds Data For Delinquency Status Cd           |
| 2     | FSI_DELIQUEN_STATUS_<br>MLS      | Delinquency Status Mls                    | Holds Data For Delinquency Status Mls          |
| 3     | FSI_DOCUMENTATION_CD             | Documentation Cd                          | Holds Data For Documentation Cd                |
| 4     | FSI_DOCUMENTATION_MLS            | Documentation Mls                         | Holds Data For Documentation Mls               |
| 5     | FSI_GEOGRAPHIC_LOC_ST<br>ATE_CD  | Geographic State Cd                       | Holds Data For Geographic State Cd             |
| 6     | FSI_GEOGRAPHIC_LOC_ST<br>ATE_MLS | Geographic State Mls                      | Holds Data For Geographic State Mls            |
| 7     | FSI_ISSUER_CD                    | Issuer                                    | Holds Data for Issuer Cd                       |
| 8     | FSI_PPMT_MODEL_INDICE<br>S_CD    | Ppmt Model Indices Cd                     | Holds Data For Prepayment Model Indices Cd     |
| 9     | FSI_LOAN_TYPE_CD                 | Loan Type Cd                              | Holds Data For Loan Type Cd                    |
| 10    | FSI_LOAN_TYPE_MLS                | Loan Type Mls                             | Holds Data For Loan Type Mls                   |
| 11    | FSI_O_SMM_RATES_AUDIT            | Single Monthly Mortality Rate Audit Table | Single Monthly Mortality rate audit            |
| 12    | FSI_PPMT_MODEL_INDICE<br>S_MLS   | Ppmt Model Indices Mls                    | Holds Data For Prepayment Model Indices Mls    |
| 13    | FSI_PREV_DELQ_STATUS_<br>CD      | Prev Delq Status Cd                       | Holds Data For Previous Delinquency Status Cd  |
| 14    | FSI_PREV_DELQ_STATUS_<br>MLS     | Prev Delq Status Mls                      | Holds Data For Previous Delinquency Status Mls |
| 15    | FSI_PROPERTY_PURPOSE<br>_CD      | Property Purpose Cd                       | Holds Data For Property Purpose Cd             |
| 16    | FSI_PROPERTY_PURPOSE<br>_MLS     | Property Purpose Mls                      | Holds Data For Property Purpose Mls            |
| 17    | FSI_PROPERTY_SUB_TYPE<br>_CD     | Property Sub Type Cd                      | Holds Data For Property Sub Type Cd            |
| 18    | FSI_PROPERTY_SUB_TYPE<br>_MLS    | Property Sub Type Mls                     | Holds Data For Property Sub Type Mls           |
| 19    | FSI_PURPOSE_CD                   | Purpose Cd                                | Holds Data For Purpose Cd                      |
| 20    | FSI_PURPOSE_MLS                  | Purpose Mls                               | Holds Data for Purpose Mls                     |

## 33.3 ADCo Mapping

The following table lists the Columns Mapped/Used and Input from ADCo.

**Table 33-4 ADCo Mapping**

| S No | Column Mapped/Used        | Input (Adco)               |
|------|---------------------------|----------------------------|
| 1    | CUR_MIN_PMT               | CurMinimumPayment          |
| 2    | LOAN_DOC_STATUS           | Documentation              |
| 3    | FIRST_RESET_AGE           | FirstResetAge              |
| 4    | FIRST_RESET_CAP           | FirstResetCap              |
| 5    | FIRST_RESET_FLOOR         | FirstResetFloor            |
| 6    | PMT_OPTION_FLG            | HasOptionalPayment         |
| 7    | NO_INT_ONLY_MTHS          | IOMonths                   |
| 8    | RELO_LOAN_FLG             | IsRelo                     |
| 9    | SUB_PRIME_FLG             | IsSubprime                 |
| 10   | LIEN_POSITION             | LienPosition               |
| 11   | MORT_INS_CUTOFF           | MI_Cutoff                  |
| 12   | MORT_INS_PREMIUM          | MI_Premium                 |
| 13   | MORT_INS_AMT              | MIAmount                   |
| 14   | NO_LAST_DELQ_MTHS         | MonthsSinceLastDelinquency |
| 15   | NO_PROPERTY_UNITS         | NumUnits                   |
| 16   | ORG_CUST_LTV              | OrigCombinedLTV            |
| 17   | RATE_INCR_CYCLE           | PeriodicCap                |
| 18   | RATE_DECR_CYCLE           | PeriodicFloor              |
| 19   | NO_PREPAY_PENALTY_MTHS    | PPMonths                   |
| 20   | PREV_DELQ_STATUS_CD       | PreviousDelinquency        |
| 21   | GEOGRAPHIC_LOC_STATE_CD   | State                      |
| 22   | CUR_LOAN_TO_VALUE         | Cur_LTV                    |
| 23   | PREPAY_INDEX              | Index                      |
| 24   | JOINING_SCORE             | Credit_Score               |
| 25   | CUR_PAR_BAL               | Cur_Face                   |
| 26   | FICO_SCORE                | CurFICO                    |
| 27   | MARGIN_GROSS              | GrossMargin                |
| 28   | RATE_CAP_LIFE             | LifeCap                    |
| 29   | RATE_FLOOR_LIFE           | LifeFloor                  |
| 30   | PURPOSE_CD                | Loan_Purpose               |
| 31   | NEG_AMRT_LIMIT            | MaxNegAm                   |
| 32   | REPRICE_FREQ              | MonthsBetweenReset         |
| 33   | PROP_PURPOSE_CD           | Occupancy                  |
| 34   | ORG_NET_PAR_BAL_C         | Orig_Face                  |
| 35   | ORG_LOAN_TO_VALUE         | Original_LTV               |
| 36   | ORG_TERM                  | OriginalTerm               |
| 37   | PMT_INCR_CYCLE            | PayCap                     |
| 38   | PROP_SUB_TYPE_CD          | Property_Type              |
| 39   | MATURITY_DATE, AS_OF_DATE | RemainingTerm              |
| 40   | CUR_GROSS_RATE            | StartingWac                |

**Table 33-4 (Cont.) ADco Mapping**

| S No | Column Mapped/Used | Input (Adco)       |
|------|--------------------|--------------------|
| 41   | adjustable_type_cd | WacIsFixed         |
| 42   | PROPERTY_ZIP_CODE  | ZipCode            |
| 43   | NO_BALLOON_MTHS    | BalloonMonths      |
| 44   | FIRST_FORECAST_MTH | FirstForecastMonth |
| 45   | FIRST_FORECAST_YR  | FirstForecastYear  |
| 46   | AGE_ON_BOOK        | Age                |
| 47   | RATE_SET_LAG       | LookBackMonths     |
| 48   | ORG_RATE           | WAC                |

## 33.4 Limitations

Support for Adco when using FTP forecasting methods is not currently supported and will be available when the FTP application supports Adco.

## Moody's WSA Integration

Moody's Analytics has a model - WSA libraries, which generate structured security cash flows. This functionality is required to support the modeling of structured products (ABS/MBS CMO's, and CDO's). In OFSAA BSP, this integration is necessary for modeling structured product cash flows of a given tranche of security. These cash flows cannot be modeled in the OFSAA CFE because of the nature of the rules in the waterfall of cash flows.

For example, a structured security is backed by a pool of loans, and these loans pay principle and interest but the certainty of cash flows is not known because of prepayment and loss activity within a specified loan pool. These monthly cash flows are run through the waterfall rule within the securitization and only then are the individual tranche cash flows derived. The moody's cash flow model will output these specific tranche cash flows under given input assumptions, and OFSAA will uptake these cash flows into the BSP processing. The input assumption information is passed to the Moody's model, so their model will produce cash flows for a given tranche of security (such as interest and principal), and the model results will be imported into our deterministic cash flow results (Detail cash flows, Result Detail, Result Master Cons Detail and Cons Master).

Before using Moody's cashflow libraries in OFSAA BSP, Users must procure a license to the WSA libraries from Moody's Analytics.

### 34.1 Deployment of Moody Libraries on OFSAAI

The following are the prerequisites to deploy Moody libraries on OFSAAI:

- BSP 8.0
- A license for the WSA libraries is required from Moody's

#### 34.1.1 Steps to Deploy Moody Libraries on OFSAAI

To deploy Moody Libraries on OFSAAI, follow these steps:

1. Log in to the UNIX Profile where the OFSAAI database tier is installed.
2. Create a folder called "moody"; create 2 sub-folders under "moody": "data", "lib64".
3. Edit the .profile script and set the following environment variables:
  - MOODYS\_DATA\_PATH: Set it to the absolute path of the "data" sub-folder created above.
  - LD\_LIBRARY\_PATH: Update this environment variable to include the absolute path of the "lib64" sub-folder created above.
  - ADCO\_DATA\_PATH: Set it to the absolute path where ADCo historical-rate files are present.

**Note**

This is only required if you are using Moody's libraries along with the ADco prepayment model. For more information on the Adco LDM prepayment model, see the chapter Andrew Davidson and Company (ADCo) Prepayment Method.

4. Stop all OFSAAI services.
5. Log out of the UNIX Session and log back into UNIX. Verify that the 2 environment variables created above are set properly.
6. Start all OFSAAI Services.
  - a. Deployment:
    - i. Download the Moody libraries and place the files into the “moody/lib64” sub-folder.
    - ii. Place the deal files in the “Moody's Data” folder.
  - b. Enable Moody functionality in BSP
    - i. Login to OFSAAI as the SYSADMN.
    - ii. Under the OFSAAI Home Page, go to Administration -> Security Management.
    - iii. Expand System Administrator and click “Function – Role Map”.
    - iv. Associate the SMS-Function “Moody Integration for BSP” with the required roles to the required user name.

## 34.2 Moody's Integration – Considerations

This section covers the following topics:

- [WSA Engine and Processing of the Records](#)
- [WSA Engine and OFSAA Rate Management](#)
- [WSA Engine and OFSAA Product Characteristic Definition](#)

### 34.2.1 WSA Engine and Processing of the Records

- Moody's WSA Engine requires CUSIP or Deal-Id/Tranche (Bond) Id for processing the instruments. Depending on the Forecast Scenario and the behavior assumptions, the WSA engine will process the records and output the respective cash flows for various scenarios.
- Moody's provides the cash flows only at the tranche balance. Users should populate the balance of their position in the appropriate column, and the cash flows from Moody's would be scaled to the balance provided. This happens within the OFSAA BSP engine.
- If the user has Moody's installed, only securitized products (supported by Moody's) should be populated in the FSI\_D\_ASSET\_BACK\_SEC (or the table classification code for securitized products). Other records if populated in this table would not be processing. For example: If the user populates loans and securitized products in the FSI\_D\_ASSET\_BACK\_SEC table, the loan records would not be processed in the table.
- OFSAA BSP also writes back instrument attributes such as agency\_type, Asset\_type, Original balance of the tranche, current balance of the tranche, coupon, stated maturity, periodicity, and so on for an upstream system to use, if needed.

## 34.2.2 WSA Engine and OFSAA Rate Management

Interest Rate Curves required for Moody's should be set up through the Curve Identifier drop-down list in the Rate Management IRC UI. Moody's requires the following curves to be defined:

- LIBOR (Zero-Coupon LIBOR/Swap)
- TREASURY CURVE (Zero-Coupon Treasury)
- COFI (Cost of Funds Index)
- PRIME (Prime Lending Rate)

It's the user's responsibility to set up the proper curves while using Moody's libraries. Users can define only one treasury curve / one LIBOR curve / one COFI curve and one prime curve per currency.

### Note

A majority of the deals would be based on LIBOR/Treasury Curves.

## 34.2.3 WSA Engine and OFSAA Product Characteristic Definition

A New tab "Model Integration" is introduced for Moody's WSA Integration. This tab is enabled only for the account types "Structured Products - Assets" "Structured Products - Liabilities".

Model Selection, Tuning, and tuning parameters for the selected model can be passed through the Model Integration in Product Characteristic UI.

Users should logically branch the deals (RMBS, CMBS, SLABS, Credit Cards) in their hierarchy for modeling the behavior in the following two ways. Details follow:

- Passing the assumptions from a table: The user can choose to pass the following assumptions (listed in the table below) through the table "FSI\_D\_BEHAVIOR\_ASSUMPTIONS". These would be read from the table and applied to the deal with the matching "INSTRUMENT\_NUM" in the instrument table. In the model selection UI, the user has to select "Source system provided" against the particular node for modeling with the user provided assumptions.

**Table 34-1 Assumption Types/Subtype Details**

| ASSUMPTION TYPE | ASSUMPTION SUBTYPE | DESCRIPTION                                                                                   |
|-----------------|--------------------|-----------------------------------------------------------------------------------------------|
| PREPAYMENT      | PREPAY_CURVE_PSA   | Standard prepayment curve measuring for prepayments in the residential mortgage market.       |
| PREPAYMENT      | PREPAY_CURVE_SMM   | Monthly prepayment or default rate.                                                           |
| PREPAYMENT      | PREPAY_CURVE_CPR   | Constant Prepayment Rate (CPR): Prepayment percentage expressed as an annual compounded rate. |

**Table 34-1 (Cont.) Assumption Types/Subtype Details**

| ASSUMPTION TYPE | ASSUMPTION SUBTYPE                  | DESCRIPTION                                                                                                                                                                                                                                                                               |
|-----------------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PREPAYMENT      | PREPAY_CURVE_HEP                    | Home Equity Prepayment: A measure of prepayments for closed-end, fixed-rate HEL loans. This curve accounts for the faster seasoning ramp for home equity loans.                                                                                                                           |
| PREPAYMENT      | PREPAY_CURVE_ABS                    | Asset-Backed Securities (ABS): It is used in ABS markets, where prepayments differ significantly from standard mortgages. This model defines an increasing sequence of monthly prepayment rates, which correspond to a constant absolute level of loan prepayments in all future periods. |
| DEFAULT         | DEFAULT_CURVE_CDR                   | Constant Default Rate (CDR): Default percentage expressed as an annual compounded rate                                                                                                                                                                                                    |
| DEFAULT         | DEFAULT_CURVE_SDA                   | Standard default curve: Measuring for defaults in the residential mortgage market                                                                                                                                                                                                         |
| DEFAULT         | DEFAULT_CURVE_MDR                   | Monthly Default Rate                                                                                                                                                                                                                                                                      |
| DEFAULT         | DEFAULT_CURVE_SEASONED_CDR          |                                                                                                                                                                                                                                                                                           |
| DEFAULT         | DEFAULT_CURVE_SEASONED_MDR          |                                                                                                                                                                                                                                                                                           |
| DELINQUENCY     | dq30Val                             | A pointer to data for from 30 to 59 day's delinquency                                                                                                                                                                                                                                     |
| DELINQUENCY     | dq60Val                             | A pointer to data for from 60 to 89 day's delinquency                                                                                                                                                                                                                                     |
| DELINQUENCY     | dq90Val                             | A pointer to data for 90 plus day's delinquency                                                                                                                                                                                                                                           |
| RECOVERIES      | RECOVERY                            | Vector of recoveries                                                                                                                                                                                                                                                                      |
| DRAW            | HELOC_DRAW_RATES                    | Vector of annualized draw rates for HELOC                                                                                                                                                                                                                                                 |
| FORBEARANCE     | FORBEARANCE                         | Sets the constant or vectored forbearance rate for SLABS deals                                                                                                                                                                                                                            |
| DEFERMENT       | STUDENT_LOAN_REPAY_TYP E_FULL_DEFER | Capitalize Interest                                                                                                                                                                                                                                                                       |
| DEFERMENT       | STUDENT_LOAN_REPAY_TYP E_PRIN_DEFER | Pay Interest, Balance Flat                                                                                                                                                                                                                                                                |
| CREDIT_CARDS    | CREDIT_CARD_ASSUMP_YIELD            | Portfolio/Annual Yield                                                                                                                                                                                                                                                                    |
| CREDIT_CARDS    | CREDIT_CARD_ASSUMP_REPAYMENT        | Repayment Rate                                                                                                                                                                                                                                                                            |
| CREDIT_CARDS    | CREDIT_CARD_ASSUMP_RECOVERY         | Loss Rate                                                                                                                                                                                                                                                                                 |
| CREDIT_CARDS    | CREDIT_CARD_ASSUMP_PURCHASE         | Purchase Rate                                                                                                                                                                                                                                                                             |

**Table 34-1 (Cont.) Assumption Types/Subtype Details**

| ASSUMPTION TYPE | ASSUMPTION SUBTYPE             | DESCRIPTION  |
|-----------------|--------------------------------|--------------|
| CREDIT_CARDS    | CREDIT_CARD_ASSUMP_DE<br>FAULT | Default Rate |

- When a user is passing assumptions, for example, the Prepayment vector, the subtype values can be in; – PSA, SMM, CPR, HEP, and ABS. Users have to make sure they are passing the correct and acceptable subtype with respect to Moody's. Only one subtype can be applied for prepayment and default per each CUSIP.
- When passing the delinquency assumptions, the dq30val, dq60val, and dq90val mentioned for are not subtypes; rather they are various levels of delinquencies possible. Typically a deal would have all three vectors available.
- ADCo prepayment and default modeling: The user can also choose to model through the ADCo model by selecting “ADCo” in the model selection drop-down list. ADCo can only be used against RMBS deals, as ADCo can only model Mortgage-Backed Securities. Tuning Parameters: Tuning is available to allow the user to customize the assumptions being provided to Moody's WSA engine.
- For Source System Provided:

**Table 34-2 Tuning Parameters**

| Tuning Parameter   | Description                           | Default Value |
|--------------------|---------------------------------------|---------------|
| Prepayment         | The magnitude for prepaying rate      | 1             |
| Default            | The magnitude for the default rate    | 1             |
| Recovery           | The magnitude for the recovery rate   | 1             |
| Recovery Lag       | Recovery lag applied to each loan     | 0             |
| Draw Rates         | The magnitude for mortgage draw rates | 1             |
| Servicer Advancing | NONE/INTEREST/BOTH                    | None          |

- For ADCO: Additionally, the Parameters available are:

**Table 34-3 Tuning Parameters**

| Tuning Parameters         | Description                                                                            | Default |
|---------------------------|----------------------------------------------------------------------------------------|---------|
| ficoToUseIfNotAvailable   | Fico to use for loans that do not have this INFO                                       | 680     |
| ficoSubprimeThreshold     | The loan is considered subprime if FICO is less than this value ( 620 if not provided) | 620     |
| SMM for Failed Loans      | SMM for Failed Loans                                                                   | NA      |
| Recovery for Failed Loans | Recovery for Failed Loans                                                              | NA      |
| MDR for Failed Loans      | MDR for Failed Loans                                                                   | NA      |



## 34.3 Setting up a Moody's Process

To set up a Moody process, follow these steps:

1. Mapping of the Moody's function to the BSP user.
  2. Set up the curves needed for Moody's WSA libraries, with the respective curve identifier.
  3. Load the STG\_INVESTMENTS and STG\_INSTRUMENT\_CONTRACT\_MASTER tables.
  4. Run the T2T batch to populate the FSI\_D\_ASSET\_BACK\_SEC table.
  5. Define the Model Integration rule in the Product Characteristic UI for the leaf nodes in the member hierarchy.
  6. Define the Forecast Rate rules and the discount methods - only required for valuation. (For more details on ADCo 360 Bucket forecasting, see the chapter Forecast Rate Scenarios.)
  7. Setup the Static/dynamic deterministic Process including the rules defined above (Prod Char, Forecast Rates, and Discount methods). (Note: New Business is not supported for Securitized products).
  8. Select the structured product output flag (optional) to update the instrument records.
  9. Execute the Process.
- (Optional) <Enter a step example.>

## 34.4 Limitations

- New business not supported for Dynamic Deterministic processing.
- WSA libraries are only available on Linux Operating Systems (5 &6).

# A

## Process Tuning

This module provides information on configuring the Oracle Financial Services Analytical Application (OFSAA) server-centric software for multiprocessing through the Process Tuning UI.

### Note

This appendix is shared with other OFS applications including Funds Transfer Pricing and Asset Liability Management. OFS Balance Sheet Planning and OFS Asset Liability Management share the same OFSAA server-centric software (cash flow engine) for deterministic processing. Within this appendix, all references to static deterministic multiprocessing for Asset Liability Management processes apply equally to Balance Sheet Planning processes.

### Caution

The Process Tuning UI is available for definition **ONLY** for a User who has a role mapping that of 'Administrator' or 'Auditor'. The 'Auditor' role mapped user has 'READ-ONLY' access to Process Tuning UI.

This appendix covers the following topics:

- [Multiprocessing Model](#)
- [Multiprocessing Options](#)
- [Specifying Multiprocessing Parameters](#)
- [Tuning Multiprocessing](#)
- [Recommendations for Performance Improvement](#)

For more information on OFSAA Process Tuning Options, see the [Doc ID 1307766.1](#).

## A.1 Multiprocessing Model

By default, multiprocessing is disabled for all applications. Multiprocessing is enabled by setting application-specific parameters located under the **Common Object Maintenance > Process Tuning**.

The following applications and features have multiprocessing settings:

- Asset Liability Management – Deterministic and Stochastic Processing
- Balance Sheet Planning – Deterministic Processing
- Funds Transfer Pricing – Standard and Stochastic Processing

**Note**


BSP does not support Stochastic Processing.

OFSA multiprocessing is based on the concept of a unit of work. A unit of work is a set of rows from the database. A single OFSAA process becomes multiple processes by dividing the single process according to distinct sets of rows. Units of work are distributed to worker processes until all processes have been completed. To achieve multiple parallel processes, the following options must be configured:

- Creating a list or lists of units of work
- Defining the number of worker processes to service the units-of-work lists
- Defining how the worker processes service the unit-of-work lists

The specifics of each option are discussed. The following diagram illustrates the basic multiprocessing principles:

**Figure A-1 Main OFSAA Process**



1. The main process makes a list of all units of work that must be processed.
2. The main process spawns worker processes. Each worker process is assigned a unit of work by the main process.
3. When all units of work have been completed, the worker process exits and the main process finishes any clean-up aspects of processing.

4. During processing the following is true:
  - Each worker process must form its own database connection.
  - A unit of work is processed only by a single worker process.
  - Different units of work are processed at the same time by different worker processes.

**Note**

If data is not distributed well across physical devices, I/O contention may offset the advantage of parallelism within OFSAA for I/O bound processing. It is recommended that users choose a dimension or combination of dimensions that produce a relatively equal distribution of data records.

## A.2 Multiprocessing Options

The Multiprocessing Options are the settings and parameters that control how individual ALM or FTP Processes are processed by the Cash Flow engine. The seeded data model includes default settings for all of the multiprocessing options, but you can also customize these settings for your use through the process tuning user interface as described above. This section provides more details for the different Multiprocessing options as further background. These options are:

- [Units of Work](#)
- [Unit-of-Work Servicing](#)
- [Worker Processes](#)

### Units of Work

The OFSAA processing engines determine units of work for any job based upon the Process Data Slicing Code (PROCESS\_DATA\_SLICES\_CD) assignment. The Data Slicing Code includes one or more columns by which data in the (processing) table is segmented. The individual segments are the defined Units of Work.

The Process Tuning user interface enables you to specify different unit-of-work definitions for your processes. You can specify one unit-of-work definition for one set of processes and then specify a different unit-of-work definition for another set of processes.

The OFSAA Processing Engines determine the units of work for a job by executing the following statement (with filtering criteria applied) on every table the process is run against:

```
select distinct<data slice columns> from <table> where <filter condition>;
```

where <data slice columns> is the comma-separated list of columns used for data slicing, <table> is the name of the instrument table being processed, and <filter condition> is the additional filter (if any) for the process. Any numeric column or columns in a portfolio table can be used for data slicing.

### Unit-of-Work Servicing

Unit-of-work servicing identifies how the OFSAA processing engines interact with Oracle Database Table Partitioning.

### What is Partitioning?

Partitioning addresses the key problem of supporting large tables and indexes by enabling you to decompose them into smaller and more manageable pieces called partitions. After partitions

are defined, SQL statements can access and manipulate the partitions rather than entire tables or indexes. Partitions are especially useful in data warehouse applications, which store and analyze large amounts of historical data.

### What Is Unit-of-Work Servicing?

Unit-of-work servicing specifies how individual units of work are processed for a table that is partitioned.

For a partitioned table, an application Rule Type or Rule Step can create multiple unit-of-work lists by executing the following statement (with filtering criteria applied) on every table partition the process is run against:

```
select distinct < data slice columns > from < table_partition_n >;
```

For example,

```
SELECT DISTINCT REV.COLUMN_NAME, MLS.DISPLAY_NAME from REV_TAB_COLUMNS REV,
REV_TAB_COLUMNS_MLS MLS
WHERE REV.TABLE_NAME = MLS.TABLE_NAME AND REV.COLUMN_NAME = MLS.COLUMN_NAME
AND REV.TABLE_NAME = 'PORTFOLIO' AND REV.DATA_TYPE = 'NUMBER'
AND MLS.MLS_CD = 'US' UNION
SELECT 'DATA_SLICE_ID' COLUMN_NAME, 'Data Slice' DISPLAY_NAME
from DUAL UNION
SELECT 'FINANCIAL_ELEM_ID' COLUMN_NAME, 'Financial Element' DISPLAY_NAME
from DUAL
ORDER BY DISPLAY_NAME;
```

where <data slice columns> is the comma-separated list of columns used for data slicing. Any column or columns in a table can be used for data slicing. <table\_partition\_n> are the unique table partitions of a table where n is assumed to be greater than 1.

The different Servicing methodologies provided in OFSAA are listed in the following table. You cannot add any customized Servicing methodologies.

**Table A-1 Partition Type Codes**

| Partition Type Code | Description                                     |
|---------------------|-------------------------------------------------|
| 0                   | Do not use partitions (Single Servicing)        |
| 1                   | Use shared partitions (Cooperative Servicing)   |
| 2                   | Use non-shared partitions (Dedicated Servicing) |

### Single Servicing

Single Servicing indicates that the processing engine fulfills unit-of-work requests regardless of any table partitioning. As each process completes, it requests the next unit-of-work segment, whether that segment belongs in the same Table partition.

Use Single Servicing when you do not have Oracle Table Partitioning in your database.

### Cooperative Servicing

Cooperative Servicing indicates that the processing engine fulfills unit-of-work requests so that each process works against a specific partition unless it is idle. Idle processes then work against the next available unit-of-work segment, whether that segment belongs in the same Table partition.


### Dedicated Servicing

Dedicated Servicing indicates that the processing engine fulfills unit-of-work requests so that each process works against a specific partition.

### Examples of How Worker Processes Service Units of Work

Partition Type code defines how worker processes service the unit-of-work list or lists. Partition Type 'Single' results in a single unit-of-work list. All available worker processes service the list until all units of work are complete. When the Partition Type is Cooperative or Dedicated and the table to be processed is partitioned, multiple units of work lists are created. The following scenarios explain how the worker processes service multiple units-of-work lists

**Figure A-2 How the worker processes service multiple unit-of-work lists**




- The main process makes two lists of all units of work that need to be processed, unit-of-work list A and unit-of-work list B, respectively. The assumption setup is that the Table has two partitions.
- The main process spawns four worker processes. A dedicated worker process is assigned to service each unit-of-work list, Worker Process A1, and Worker Process B1 respectively. (The setup is that the Number of Processes is 4.)
  - If Partition Type is Cooperative, Worker Process 3 and Worker Process 4 assist Worker Process A1. When a unit-of-work list is complete, the available worker processes assist the dedicated worker process on their unit-of-work list.
  - If Partition Type is Dedicated, Worker Process 3 and Worker Process 4 do not assist the dedicated worker processes.

- When all units of work are completed, the worker process exits and the main process finishes any clean-up aspects of processing
- During processing the following is true:
  - Each worker process must form its database connection.
  - A unit of work is processed only by a single worker process.
  - Different units of work are processed at the same time by different worker processes

**Figure A-3 How different units of work are processed at the same time by different worker processes**

**Scenario 2: Number of Worker Processes < Number of Units of Work Lists**



- The main process takes three lists of all units of work that need to be processed: unit-of-work list A, unit-of-work list B, and unit-of-work list C, respectively. (The setup is that the Table has three partitions.)
- The main process spawns two worker processes. A dedicated worker process is assigned to service a units-of-work list, Worker Process A1, and Worker Process B1 respectively. (The setup is that the Number of Processes is 2.)
  - If Partition Type is Cooperative, Worker Process A1, and Worker Process B1 work until all units of work are complete from all three unit-of-work lists.
  - If Partition Type is Dedicated, the first worker process to complete their unit-of-work list services unit-of-work list C. When the other worker process completes their list, the worker process exits.
- When all units of work are completed, the worker process exits and the main process finishes any clean-up aspects of processing.
- During processing the following is true:
  - Each worker process must form its database connection.
  - A unit of work is processed only by a single worker process.
  - Different units of work are processed at the same time by different worker processes.

### Worker Processes

Worker Processes refer to the number of individual processes working simultaneously to complete the job. The Main OFSAA Process launches individual worker processes. OFSAA enables you to specify the number of worker processes for your jobs.

## A.3 Tuning Application Multiprocessing

Tuning for optimal application multiprocessing settings is an exercise similar to tuning a database. It involves experimenting with different settings under different load conditions.

### Database Bound versus Engine Bound Jobs

OFSAA jobs fall into the following two categories:

- Database bound: The jobs that spend more time within databasemanipulations.
- Engine bound: The jobs whose calculations are complex, with the time spent withdatabase operations being small compared to the amount of time doing calculations.

The following table lists jobs by Application and identifies whether the job is usually database bound or Engine bound.

**Table A-2 Lists jobs by Application and identifies**

| Application                  | Job Type                                                | Generic Job Type | Engine / DB Bound | Multiprocessin g Enabled | Comments                                                                    |
|------------------------------|---------------------------------------------------------|------------------|-------------------|--------------------------|-----------------------------------------------------------------------------|
| Funds Transfer Pricing       | Ledger Migration                                        | Bulk             | DB                | Yes                      |                                                                             |
| Funds Transfer Pricing       | Bulk Transfer Pricing                                   | Bulk             | DB                | Yes                      | Bulk methods defined via conditional assumptions will be handled row by row |
| Funds Transfer Pricing       | Non-Cash Flow Transfer Pricing                          | Row by Row       | DB                | Yes                      |                                                                             |
| Funds Transfer Pricing       | Cash Flow Transfer Pricing                              | Row by Row       | Engine            | Yes                      |                                                                             |
| Funds Transfer Pricing       | LEDGER Migration                                        | Row by Row       | DB                | Yes                      |                                                                             |
| Asset   Liability Management | Detail Processing (Current position, Gap, Market Value) | Row by Row       | Engine            | Yes                      | All processing except Formula Results and Auto Balancing                    |
| Asset   Liability Management | Formula Results                                         | Row by Row       | Engine            | No                       |                                                                             |
| Asset   Liability Management | Auto Balancing                                          | Row by Row       | Engine            | No                       |                                                                             |

The scalability of database-bound jobs is largely determined by the size of the database server. The scalability of Engine bound jobs is determined by the size of the application server.

### Tuning OFSAA processes from the Application Layer

Despite the many multiprocessing options, tuning the OFSAA database from the application layer is achieved by the following process:

- Identify the OFSAA job types that are used by yourorganization.
- For each job type, time the runs for a series of Number of Processesettings
- Based on the results, determine the optimal setting per application.



## A.4 Recommendations for Performance Improvement

While configuring an ALM process users can choose to output detailed cash flows (either all or partial). This data is stored in the FSI\_O\_PROCESS\_CASH\_FLOWS table. When a process is re-run either for the same as of the date or for a different date, existing data for that process is first deleted before new calculations begin. When the volume of data is high this can take time thereby impacting overall performance. The following recommendations will help improve this.

1. Create a non-unique index on column RESULT\_SYS\_ID of the table FSI\_O\_PROCESS\_CASH\_FLOWS. The index is expected to make DELETE of existing data faster when a process is re-run.
2. FSI\_O\_PROCESS\_CASH\_FLOWS can be partitioned by RESULT\_SYS\_ID. Automatic List Partitioning can be used so that partitions get added automatically when a new process is defined and executed.
3. Before executing an ALM process, existing data for that process can be removed from FSI\_O\_PROCESS\_CASH\_FLOWS by using the DELETE or TRUNCATE PARTITION function. This will ensure the engine does not spend time doing that activity.

Some other server and database level settings that can improve performance are:

1. REDO Log size of the database can be increased. This will reduce log switch waits and improve overall time for analytical operations.
2. CURSOR\_SHARING parameter of the database can be set to FORCE. By doing this the database will try to convert SQL queries generated by the cash flow engine to use bind variables which will reduce hard parses and can improve performance.

The recommended settings are just for guidance and you must consult with your database administrators and other system personnel to implement the above, taking your specific infrastructure and other requirements into consideration.

# B

## Multi-Language Support

With the introduction of Multi-Locale Support, the user interfaces can be viewed in various languages. The display language is a selection on the login screen.

In addition to the base language (American English, for example, en\_US), the following languages are currently supported for BSP, by installing the associated Language Pack.

### Note

BSP's planning interfaces are currently only available in American English.

**Table B-1 Languages supported by BSP**

| Language Name       | Java Locale |
|---------------------|-------------|
| Arabic              | AR_EG       |
| Portuguese          | PT_BR       |
| French              | FR_FR       |
| German              | DE_DE       |
| Indonesian          | IN_ID       |
| Italian             | IT_IT       |
| Japanese            | JA_JP       |
| Korean              | KO_KR       |
| Russian             | RU_RU       |
| Simplified Chinese  | ZH_CN       |
| Spanish             | ES_ES       |
| Thai                | TH_TH       |
| Traditional Chinese | ZH_TW       |
| Vietnamese          | VI_VN       |
| Turkish             | TR_TR       |
| Hebrew              | iw_IL       |
| French Canada       | fr_CA       |

Depending on the type of the rule, the Name/Description specified during create/edit is either attached to the login locale or is stored independent of the login locale. The selection of the login locale, therefore, governs which assumptions/rules are visible, and which are not visible. The following illustrates the visibility of assumptions and rules, across languages in the 8.0.0.0.0 release. This applies to all Summary screens, embedded selections in subsequent screens, and so on.

| Assumption / Rules               | Visible across all languages | Visible only in the creation language* |
|----------------------------------|------------------------------|----------------------------------------|
| <b>Common Object Maintenance</b> |                              |                                        |
| Process Tuning                   |                              | √                                      |
| Simplified Batch                 | √                            | √                                      |

| Assumption / Rules                   | Visible across all languages                      | Visible only in the creation language* |
|--------------------------------------|---------------------------------------------------|----------------------------------------|
| Holiday Calendar**                   | ✓                                                 |                                        |
| SQL Rules                            | See the OFSAAI User Guide to verify the behavior. |                                        |
| Data Entry Forms and Queries         |                                                   |                                        |
| Dimension Management                 |                                                   |                                        |
| (Attributes,                         |                                                   |                                        |
| Members, and                         |                                                   |                                        |
| Hierarchies)                         |                                                   |                                        |
| Filters                              |                                                   |                                        |
| Expressions                          |                                                   |                                        |
| <b>Common Object Maintenance&gt;</b> |                                                   |                                        |
| <b>Rate Management</b>               |                                                   |                                        |
| Interest Rate Codes **               | ✓                                                 |                                        |
| Currencies **                        | ✓                                                 |                                        |
| Economic Indicators **               | ✓                                                 |                                        |
| <b>BSP Maintenance</b>               |                                                   |                                        |
| Behavior Patterns                    | ✓                                                 |                                        |
| Payment Patterns **                  | ✓                                                 |                                        |
| Repricing Patterns **                | ✓                                                 |                                        |
| Product Profiles**                   | ✓                                                 |                                        |
| Time Buckets **                      | ✓                                                 |                                        |
| <b>BSP Assumption Specification</b>  |                                                   |                                        |
| Product Characteristics              |                                                   | ✓                                      |
| Discount Methods                     |                                                   | ✓                                      |
| Prepayments                          |                                                   | ✓                                      |
| Prepayment Models                    |                                                   | ✓                                      |
| Rate Dependency Patterns             |                                                   | ✓                                      |
| Forecast Rate Scenarios              |                                                   | ✓                                      |
| Forecast Balances                    |                                                   | ✓                                      |
| Transaction Strategies               |                                                   | ✓                                      |
| Maturity Mix                         |                                                   | ✓                                      |
| Pricing Margin                       |                                                   | ✓                                      |
| Transfer Pricing Rules               |                                                   | ✓                                      |
| TP Adjustments                       |                                                   | ✓                                      |
| Stochastic Rate Indexing             |                                                   | ✓                                      |
| <b>BSP Processing</b>                |                                                   |                                        |
| Static Deterministic Process         |                                                   | ✓                                      |
| Static Stochastic Process            |                                                   | ✓                                      |
| Dynamic Deterministic Process        |                                                   | ✓                                      |
| Dynamic Stochastic Process           |                                                   | ✓                                      |
| Cash Flow Edits                      | ✓                                                 |                                        |

\* A future release (TBD) will expand visibility for many of these application object types, to provide visibility regardless of logged-in locale.

\*\* These object types are visible across all languages because the Name and Descriptions are not stored in translation-compatible structures, which is different from the storage format for AAI objects like Dimension Management, Filters, and Expressions.

# C

## Common Utilities and Scripts

This appendix covers the following topic:

### RMIPC.SH Script

The `rmipc.sh` script is a utility script that cleans up shared memory segments and semaphores for a given Unix User ID. This file will be present as part of every OFSAA application build and is available in the `$FIC_HOME/ficdb/bin` folder. Passing the User ID as a command line is optional. When it is not passed as a command line argument, the shell script will default the ID to that of the currently logged-in Unix user. The script will first check for any running OFSAA processes (for example BSP, FTP, PFT) before attempting to remove any shared memory segments or semaphores. If there are any running OFSAA processes, the script will not run.

#### Note

The script will always consider only the first 8 characters of the User ID while determining the list of open semaphores/shared-memory arrays. If you are using AIX platforms, then this script will also kill your AM process since the AM process also creates semaphores in AIX. Any process under the OFSAA Unix ID provided which creates semaphores or shared memory segments may be killed. Also, be careful if OFSAA has been installed using the same Unix user as the installed Oracle database as this script will clean up all semaphores / shared memory arrays used by the Oracle database. The script is not meant to be used in a batch process.

# D

## Standard Navigation Paths

The Oracle Financial Services Balance Sheet Planning navigation paths are shown in this table.

Access all of these pages through the BSP Administrator or BSP Analyst responsibility.

**Table D-1 Standard Navigation Paths**

| Page                                     | Navigation Path                                                                         |
|------------------------------------------|-----------------------------------------------------------------------------------------|
| Application Preferences                  | Balance Sheet Planning > Application Preferences                                        |
| Time Buckets Home                        | Balance Sheet Planning > BSP Maintenance > Time Buckets                                 |
| Time Buckets – Income Simulation Buckets | Balance Sheet Planning > BSP Maintenance > Time Buckets > Income Simulation Buckets     |
| Time Buckets – Repricing Gap Buckets     | Not used by BSP                                                                         |
| Time Buckets – Liquidity Gap Buckets     | Not used by BSP                                                                         |
| Product Profiles Home                    | Balance Sheet Planning > BSP Maintenance > Product Profiles                             |
| Behavior Pattern Home                    | Balance Sheet Planning > BSP Maintenance > Patterns > Behavior Patterns                 |
| Payment Pattern Home                     | Balance Sheet Planning > BSP Maintenance > Patterns > Payment Patterns                  |
| Repricing Pattern Home                   | Balance Sheet Planning > BSP Maintenance > Patterns > Repricing Patterns                |
| Interest Rate Code Home                  | Common Object Maintenance > Rate Management > Interest Rates                            |
| Currency Rates Home                      | Common Object Maintenance > Rate Management > Currency Rates                            |
| Currencies Home                          | Common Object Maintenance > Rate Management > Currencies                                |
| Economic Indicators Home                 | Not used in BSP                                                                         |
| Product Characteristics Home             | Assumption Specification > Product Characteristics                                      |
| Product Characteristics Details          | BSP Assumption Specification > Product Characteristics > Add New                        |
| Prepayment Rule Home                     | BSP Assumption Specification > Prepayments                                              |
| Prepayment Methodology                   | BSP Assumption Specification > Prepayments > Add New > Prepayment Method Selector > Add |
| Prepayment Models Home                   | BSP Assumption Specification > Prepayment Models                                        |
| Prepayment Models Details                | BSP Assumption Specification > Prepayment Models > New                                  |
| Transfer Pricing Rules                   | BSP Assumption Specification > Forecast Assumptions > Transfer Pricing Rules            |
| TP Adjustments                           | BSP Assumption Specification > Forecast Assumptions > TP Adjustments                    |
| Forecast Rates                           | BSP Assumption Specification > Forecast Rates                                           |

**Table D-1 (Cont.) Standard Navigation Paths**

| <b>Page</b>                       | <b>Navigation Path</b>                                                                                     |
|-----------------------------------|------------------------------------------------------------------------------------------------------------|
| Forecast Rates Details            | BSP Assumption Specification > Forecast Rates > New                                                        |
| Maturity Mix Home                 | BSP Assumption Specification > Forecast Assumptions > Maturity Mix                                         |
| Maturity Mix Details              | BSP Assumption Specification > Forecast Assumptions > Maturity Mix > Add New > Assumption Browser > Add    |
| Pricing Margins Home              | BSP Assumption Specification > Forecast Assumptions > Pricing Margins                                      |
| Pricing Margins Details           | BSP Assumption Specification > Forecast Assumptions > Pricing Margins > Add New > Assumption Browser > Add |
| Static Deterministic Process Home | BSP Processing > Static Deterministic Process                                                              |
| Cash Flow Edits Process           | BSP Processing > Cash Flow Edits                                                                           |

# E

## Export of Dimensions and Forecast Set Cash Flow Results

This feature will enable the user to export the dimensions and forecast set cash flow results into the CSV or TSV file. Following are the dimensions that will be exported:

- Forecast set scenario
- Forecast set version
- Legal entity
- Leg type
- Result type
- Financial elements
- Currency
- Planning center
- Planning product

### E.1 Database Tables used for Dimensions

The following table lists the database tables used for dimensions.

**Table E-1 Database Tables Used for Dimensions**

| Dimension         | Table Names                                                                        | Filter Criteria                                                  |
|-------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Forecast Set      | FSI_M_BSP_FCAST_SET<br>FSI_M_OBJECT_DEFINITION_B<br>FSI_M_OBJECT_DEFINITION_T<br>L | Based on Forecast set id                                         |
| Scenario          | FSI_CONSOLIDATION_CD<br>FSI_CONSOLIDATION_MLS                                      |                                                                  |
| Version           | FSI_VERSION_CD<br>FSI_VERSION_MLS                                                  |                                                                  |
| Legal Entity      | DIM_LEGAL_ENTITY_B<br>DIM_LEGAL_ENTITY_TL                                          |                                                                  |
| Leg Type          | FSI_LEG_TYPE_CD<br>FSI_LEG_TYPE_MLS                                                |                                                                  |
| Result Type       | FSI_RESULT_TYPE_CD<br>FSI_RESULT_TYPE_MLS                                          |                                                                  |
| Financial Element | DIM_FINANCIAL_ELEMENTS_B<br>DIM_FINANCIAL_ELEMENTS_T<br>L                          | Financial element ids less than or equal to 650 will be exported |



**Table E-1 (Cont.) Database Tables Used for Dimensions**

| Dimension                   | Table Names                                                                                                                             | Filter Criteria                                                                  |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Currency                    | FSI_CURRENCY_MLS<br>FSI_CURRENCIES                                                                                                      | All the active currencies will be exported                                       |
| Planning Center             | DIM_ORG_UNIT_B<br>DIM_ORG_UNIT_TL                                                                                                       | Based on the application preferences planning center dimension table is selected |
| Planning Product            | DIM_GENERAL_LEDGER_B<br>DIM_GENERAL_LEDGER_TL<br>Or<br>DIM_COMMON_COA_B<br>DIM_COMMON_COA_TL<br>or<br>DIM_PRODUCTS_B<br>DIM_PRODUCTS_TL | Based on the application preferences product dimension table is selected         |
| Forecast Set Master Results | FSI_O_BSP_MASTER_RES_DT<br>L                                                                                                            | Based on Forecast set id                                                         |

## E.2 Configuration File

The configuration file `bsp_forecastset_export.properties` available under `<FIC_DB>/conf` folder. This file will be used for configuring the following details:

**Table E-2 bsp\_forecastset\_export.properties Configuration File**

| Property Name           | Details                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------|
| ExportFormat            | Export files format. The value should be either S or H. S for standard database format and H for Hyperion import format. |
| ExportFileType          | Export files type. The value should be either CSV or TSV.                                                                |
| FilePath                | All the exported files will be placed under this path.                                                                   |
| MasterResDetailFileName | File name of forecast set cash flow results.                                                                             |
| MLS_CD                  | Locale value. Example: US                                                                                                |
| ForecastSet             | If the value is 'Y' then forecast set definitions will be exported                                                       |
| Scenario                | If the value is 'Y' then scenarios will be exported                                                                      |
| Version                 | If the value is 'Y' then versions will be exported                                                                       |
| LegalEntity             | If the value is 'Y' then legal entities will be exported                                                                 |
| LegType                 | If the value is 'Y' then leg types will be exported                                                                      |
| ResultType              | If the value is 'Y' then result types will be exported                                                                   |
| FinancialElement        | If the value is 'Y' then financial elements will be exported                                                             |
| Currency                | If the value is 'Y' then currencies will be exported                                                                     |
| PlanningCenter          | If the value is 'Y' then planning center hierarchies will be exported                                                    |
| PlanningProduct         | If the value is 'Y' then planning product hierarchies will be exported                                                   |

**Table E-2 (Cont.) bsp\_forecastset\_export.properties Configuration File**

| Property Name          | Details                                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| AppendPrefix           | If the value is 'Y' then the prefix will be appended to the code or id fields. This property is used only if ExportFormat is H. |
| ForecastSetPrefix      | Prefix value to be appended for forecast set.                                                                                   |
| ScenarioPrefix         | Prefix value to be appended for the scenario.                                                                                   |
| VersionPrefix          | Prefix value to be appended for version.                                                                                        |
| LegalEntityPrefix      | Prefix value to be appended for the legal entity.                                                                               |
| LegTypePrefix          | Prefix value to be appended for leg type.                                                                                       |
| ResultTypePrefix       | Prefix value to be appended for result type.                                                                                    |
| FinancialElementPrefix | Prefix value to be appended for financial element.                                                                              |
| PlanningCenterPrefix   | Prefix value to be appended for planning center.                                                                                |
| PlanningProductPrefix  | Prefix value to be appended for planning Product.                                                                               |

(Required) <Enter introductory text here, including the definition and purpose of the concept.>

## E.3 Export

The shell script file `bsp_forecastset_export.sh` is available under the `<FIC_DB>/bin` folder. This file can be executed for exporting the dimensions and forecast set cash flow results.

This shell script file can be executed directly from a putty session or creating an ICC batch in the application.

1. Execution from Putty session:  
Navigate to `<fic_db>/bin` folder and execute the following statements:  
`./bsp_forecastset_export.sh <infodom name> <forecast_set_id>`  
Example: `./bsp_forecastset_export.sh OFSBSPINFO 200275`

**Figure E-1 Export Dimensions using Putty Session**

```

BSP_DEV/sjayant@vwhf00lrm
Using username "sjayant".
Last login: Tue Oct 15 07:04:23 2019 from dhcp-10-184-227-39.in.oracle.com

To make changes, please use the "Host & Devices" widget on the Uno (uno.oracleco
rp.com) portal.
Additional hosts may be reserved via the "Request Computing Resources" widget o
n the same site.

User: abhishek.y.verma
Expires: None

Reservation type: iaas

Use:

Host specific info (below) - you can modify contents of /etc/motd_hostinfo as ne
eded to update data:

This is sjayant Setup
/scratch/sjayant>cd /scratch/sjayant/BSP_808/ficdb/bin
/scratch/sjayant/BSP_808/ficdb/bin>./bsp_forecastset_export.sh OFSBSPINFO 200275

```

### Figure E-2 Export Dimensions using Putty Session



## 2. Execution using ICC batch:

Batch Creation:

- a. Navigate to Common Object Maintenance > Operations > Batch Maintenance screen and click on the “Add” link for adding the new batch definition.
- b. Provide the all necessary details in the “Batch Maintenance” popup screen and click on the Save button.
- c. Select the new batch definition in the “Batch Name” grid.
- d. Click on the “Add” link in the “Tasks Details” grid for adding the task details. Provide the following details in the “Task Definition” popup screen and click on the Save button.  
Components: RUN EXECUTABLE

Executable: bsp\_forecastset\_export.sh,<Infodom Name>,<Forecast set id>

Example: `bsp forecastset export.sh,OFSBSPINFO,200275`

Batch Execution:

- a. Navigate to Common Object Maintenance > Operations > Batch Execution screen. Select the new batch definition in the “Batch Details” grid and also provide the date and click on the “Execute Batch” button for executing the batch.

**Note**

The selected date is not used anywhere so it can be any date.

This batch execution will export the dimensions and forecast set cash flow results.

**Note**

<ftpshare>/logs/bsp\_export\_log.log file can be referred for detailed log information's.

## F

# OFS BSP Error Messages

Error Messages in this appendix apply generally to OFS Cash Flow Engine processes. Some errors in this appendix could never be generated by BSP.

**Table F-1 BSP Error Messages**

| Error Message                                                                                  | Error Condition                                                                                                                                                                                                                      | Error Code | Effect of Error on Processing                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <Assumption rule type> in Oracle BSP Process Rule <Assumption rule name> not found in database | The Assumption Rule cannot be found in the database.                                                                                                                                                                                 | 105        | If the rule is critical for processing, the processing is stopped.                                                                                                                                                                                                                                              |
| No Match for IRC                                                                               | Interest Rate Code cannot be found in the active Historical Rates database.                                                                                                                                                          | 110        | When the instrument reprices, it will receive a zero rate.                                                                                                                                                                                                                                                      |
| No Data for IRC                                                                                | Interest Rate Code exists in the active Historical Rates database, but there are no corresponding rate values.                                                                                                                       | 115        | When the instrument reprices, it will receive a zero rate.                                                                                                                                                                                                                                                      |
| Dimension Types mismatch: COL vs. Application Preference for dimension: <dimension number>     | Definition for dimension chosen as product dimension in Application Preferences has changed or no longer exists in the database. Also can relate to the Organizational Unit dimension if two-dimension output processing is defined. | 120        | Processing is stopped.                                                                                                                                                                                                                                                                                          |
| No of Buckets mismatch Time Bucket in <Assumption Rule>                                        | The assumption Rule was created when the active Time Bucket Rule held more/fewer buckets than it has currently; therefore, the Assumption Rule contains more/less bucket information than necessary.                                 | 325        | If the Assumption Rule holds more buckets than what currently exists, only the buckets within the current modeling term will be used. If the Assumption Rule holds fewer buckets than what currently exists, the assumption for the last bucket will be carried forward for the remainder of the modeling term. |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                                                                | Error Condition                                                                                                                                                     | Error Code | Effect of Error on Processing                       |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------|
| Distributed Option in Forecast Balance Assumptions not applicable for buckets with a term of 1 Day. Defaulted to Bucket End. | New Business timing is "Distributed" and bucket end date is the same as bucket start date.                                                                          | 326        | New Business timing is defaulted to the Bucket end. |
| Inconsist. Run: MattStrat FcstBal PrMrgn must be def together                                                                | New business assumption rules (Pricing Margin, Maturity Strategy, Forecast Balance) are incomplete, some but not all have been defined.                             | 330        | Processing is stopped.                              |
| Inconsist. Run: Missing stochastic process assump.                                                                           | Missing stochastic process assumptions.                                                                                                                             | 330        | Processing is stopped.                              |
| Inconsist. Run: Stochastic Rate Index Rule is not defined                                                                    | The Stochastic Rate Rule is not defined in the Process Rule.                                                                                                        | 330        | Processing is stopped.                              |
| Inconsist. Run: No Options Selected for Sel. Reproc.                                                                         | No Options Selected for Selective Reprocessing in the Process Rule.                                                                                                 | 330        | Processing is stopped.                              |
| Inconsist. Run: No Instrument Tables selected                                                                                | There are no Instrument Tables selected in the Process Rule.                                                                                                        | 330        | Processing is stopped.                              |
| Inconsist. Run: Inconsistent Sel. Reproc. buckets                                                                            | The number of modeling buckets in results is not consistent with the number of modeling buckets in the active Time Bucket Rule during a selective reprocessing run. | 330        | Processing is stopped.                              |
| Inconsist. Run: Duplicate AutoBal leaves                                                                                     | Duplicate Auto Balance leaves defined in Application Preferences.                                                                                                   | 330        | Processing is stopped.                              |
| Inconsist. Run: Not all AutoBal leaves defined                                                                               | Not all Auto Balancing leaves are defined.                                                                                                                          | 330        | Processing is stopped.                              |
| Can't hit target for Leaf member:<leaf number> bucket: <bucket number>                                                       | It is impossible to calculate a new add balance that will satisfy the conditions required for new business balances.                                                | 335        | No new business will be added to this bucket.       |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                           | Error Condition                                                                                                               | Error Code | Effect of Error on Processing                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No Product Char. for leaf member: <leaf number>                                         | Payment and repricing data have not been set up in the current Product Characteristics Rule for leaf members being processed. | 340        | Default characteristics will be used: <ul style="list-style-type: none"> <li>• amortization type = 700</li> <li>• payment frequency = original term</li> <li>• percent taxable = 100%</li> <li>• accrual basis = 30/360</li> <li>• repricing frequency = 0</li> </ul> |
| Invalid record: Invalid Amortization Code leaf member: <leaf number>                    | Amortization code is not equal to 100, 200, 400, 500, 600, 700, 710, 820, 830, 840, 850                                       | 345        | Oracle BSP will assume an amortization code of 700                                                                                                                                                                                                                    |
| Invalid record: Maturity Date in the past leaf member: <leaf number>                    | The Maturity Date is less than the As of Date                                                                                 | 345        | The Record is not processed.                                                                                                                                                                                                                                          |
| Invalid record: Remaining number of payments <= 0 leaf member: <leaf number>            | The Remaining number of payments is less than or equal to zero.                                                               | 345        | The Record is not processed.                                                                                                                                                                                                                                          |
| Invalid record: Pmt Freq = 0 leaf member: <leaf number>                                 | Payment frequency is equal to zero on an amortizing instrument.                                                               | 345        | The Record is not processed.                                                                                                                                                                                                                                          |
| Invalid record: AmrtTerm < OrgTerm on amortizing instrument leaf member: <leaf number>  | The Amortization term is less than the original term for amortizing instruments.                                              | 345        | Re-amortization of payment will be affected.                                                                                                                                                                                                                          |
| Invalid record: Next payment date in the past leaf member: <leaf number>                | The next payment date is less than the as of date.                                                                            | 345        | If the next payment date is much less than the as of date, it may cause the system to run out of memory.                                                                                                                                                              |
| Invalid record: Invalid net margin code leaf member: <leaf number>                      | Net margin code <> 0 or 1                                                                                                     | 345        | Oracle BSP will default the net margin code to 0: Floating Net Rate                                                                                                                                                                                                   |
| Invalid record: Current payment = 0 on amortizing instrument leaf member: <leaf number> | Current payment equal to zero and amortization code is other than simple/non-amortizing.                                      | 345        | For amortization codes of 100, 500, and 600, interest will be capitalized as principal. For the amortization code of 820, no principal payments will be made.                                                                                                         |
| Invalid record: Valid rate cap < current rate leaf member: <leaf number>                | Rate Cap is not equal to zero and it is less than the current rate.                                                           | 345        | Rate cap will be imposed on the first repricing date.                                                                                                                                                                                                                 |
| Invalid record: Valid rate floor > current rate leaf member: <leaf number>              | The Rate Floor is not equal to zero and it is greater than the current rate.                                                  | 345        | Rate floor will be imposed on the first repricing date.                                                                                                                                                                                                               |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                                      | Error Condition                                                                                                              | Error Code | Effect of Error on Processing                                                                                                                                          |
|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Invalid record: Next repricing date in the past on repricing instrument leaf member: <leaf number> | Repricing frequency is not equal to zero and the next repricing date is less than the as of date.                            | 345        | If the next repricing date is very far from the past, it may cause the system to run out of memory.                                                                    |
| Invalid record: Invalid interest rate code on repr instrument leaf member: <leaf number>           | Reprice frequency is greater than zero and Interest Rate Code is not found in the active Historical Rates database.          | 345        | The instrument will not reprice.                                                                                                                                       |
| Invalid record: Original term = 0 leaf member: <leaf number>                                       | Original term is equal to zero.                                                                                              | 345        | This will produce erratic results if the instrument is Rule of 78's; amortization term is also zero, or payment frequency is also zero on a non-amortizing instrument. |
| Invalid record: Current net rate <= 0 on amortizing instrument leaf member: <leaf number>          | Amortization code is 100, 500, 600, 820 and current net rate <= 0.                                                           | 345        | Negative income will be generated for positive balances.                                                                                                               |
| Invalid record: Inconsistency of reprice freq and amortization leaf member: <leaf number>          | Amortization code is 500 or 600 and reprice frequency is zero or amortization code is 100 and reprice frequency is non zero. | 345        | Reprice frequency will overwrite characteristics defined by the amortization type code.                                                                                |
| Invalid record: No of Events>16000                                                                 | The number of events is greater than 16,000.                                                                                 | 345        |                                                                                                                                                                        |
| Invalid record: OrgTerm and PmtFreq = 0                                                            | Both original term and payment frequency are equal to zero.                                                                  | 345        | Record is ignored.                                                                                                                                                     |
| Invalid record: Invalid Account Type                                                               | Invalid Account Type                                                                                                         | 345        | Logs an error, continues execution.                                                                                                                                    |
| Invalid record: Deferred calculations do not converge                                              | Deferred calculations do not converge                                                                                        | 345        | Logs an error and recognizes all deferred income at maturity.                                                                                                          |
| Invalid record: YTM Calculations do not converge. leaf: <leaf number>                              | YTM calculation do not converge                                                                                              | 345        | Logs an error and the YTM for the record is assumed to be zero.                                                                                                        |
| Invalid record: EIR Calculations do not converge. leaf: <leaf number>                              | EIR calculation do not converge.                                                                                             | 345        | Logs an error and the EIR for the record is assumed to be zero.                                                                                                        |

Table F-1 (Cont.) BSP Error Messages

| Error Message                                                                                                                                                                                                                  | Error Condition                                                                                                                                                                                  | Error Code | Effect of Error on Processing                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Invalid record: Behavior Type definition is inconsistent between the Behavior Pattern and BEHAVIOR_TYPE_CD. Defaulted to the Behavior Type specified in the Behavior Pattern. leaf: <leaf number>                              | The Behavior type code in the instrument record is not consistent with the behavior type specified in the behavior pattern definition.                                                           | 345        | Logs an error and the Behavior Type specified in the Behavior Pattern is used.                                                                           |
| Invalid record: BEHAVIOR_SUB_TYPE_CD is invalid. Unable to process. leaf: <leaf number>                                                                                                                                        | NPA or D and R behavior pattern is used but the behavior subtype code in the instrument record is invalid.                                                                                       | 345        | Logs an error and the Record is not processed.                                                                                                           |
| Invalid record: Behavior pattern definition does not exist. Unable to process. leaf: <leaf number>                                                                                                                             | Behavior pattern definition doesn't exist.                                                                                                                                                       | 345        | Logs an error and the Record is not processed.                                                                                                           |
| Invalid record: Accrued Interest <= 0 and (Last_payment_date < As_of_date) for Behavior pattern record. Accrued interest may be overstated. leaf: <leaf number>                                                                | Instrument record is using non-maturity behavior pattern and last payment date is less than As of Date and Accrued interest is not 0.                                                            | 345        | Logs an error and the calculated accrued interest may be overstated.                                                                                     |
| Invalid record: Invalid Effective Interest Rate on instrument record; Market value, Yield to Maturity, Duration, Modified Duration, Convexity values have been calculated using 0 Effective Interest Rate. leaf: <leaf number> | Effective Interest Rate in the instrument record is less than 0 or greater than 99 and the discount method is EIR and in the calculation block Market value is selected and EIR is not selected. | 345        | Logs an error and the Market value, Yield to Maturity, Duration, Modified Duration, Convexity values will be calculated using 0 Effective Interest Rate. |
| Invalid record: Invalid Average Life. leaf: <leaf number>                                                                                                                                                                      | The calculated Average life value for the record is 0.                                                                                                                                           | 345        | Logs an error                                                                                                                                            |
| Accrued Interest = 0 and (Last_payment_date < As_of_date) for Multiple Reprice Instrument record. Net interest on first payment event may be understated. Leaf <leaf number>                                                   | Last Payment Date/Last Reprice Date < As of Date and Accrued Interest is not supplied in the instrument                                                                                          | 345        | Logs an error, continues execution.                                                                                                                      |



**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                                                                                                                         | Error Condition                                                                                                                               | Error Code | Effect of Error on Processing       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------|
| Interest in Advance is not supported for multiple reprice instruments. Hence defaulted to Interest in Arrears. Leaf <leaf number>                                                     | Multiple Reprice events with interest paid in advance.                                                                                        | 345        | Logs an error, continues execution. |
| For Multiple Reprice Instruments with repricing patterns, the compounding is defaulted to None. Leaf <leaf number>                                                                    | If it is a multiple reprice instrument with repricing patterns                                                                                | 345        | Logs an error, continues execution. |
| For Floating rate Multiple Reprice instruments, the compounding is defaulted to None. Leaf <leaf number>                                                                              | For floating rate instruments with multiple reprice.                                                                                          | 345        | Logs an error, continues execution. |
| For Multiple reprice instruments where compounding frequency <> repricing frequency. The compounding is defaulted to None. Leaf <leaf number>                                         | Compounding frequency <> Repricing frequency                                                                                                  | 345        | Logs an error, continues execution. |
| Accrued Interest Gross = 0 and (Last_payment_date < As_of_date) for Multiple Reprice Instrument record. Gross interest on first payment event may be understated. Leaf <leaf number>  | Last Payment Date/Last Reprice Date < As of Date and Accrued Interest Gross is not supplied in the instrument                                 | 345        | Logs an error, continues execution. |
| Accrued Interest TRate = 0 and (Last_payment_date < As_of_date) for Multiple Reprice Instrument record. T rate interest on first payment event may be understated. Leaf <leaf number> | Last Payment Date/Last Reprice Date < As of Date and Accrued Interest Rate is not supplied in the instrument                                  | 345        | Logs an error, continues execution. |
| Index Adjustment Type is Not Applicable and Capital Protection Category is filled in. Instrument processed without Inflation adjustment.                                              | When Index Adjustment Type is Not Applicable and Capital Protection Category is filled in. Instrument processed without Inflation adjustment. | 345        | Logs an error, continues execution. |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                                                                                                         | Error Condition                                                                                                                                                                    | Error Code | Effect of Error on Processing       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------|
| Index Adjustment Type is <> Not Applicable, and Base Index Value is not provided. Instrument processed without Inflation adjustment.                                  | When Index Adjustment Type is <> Not Applicable, and Base Index Value is null. Instrument processed without Inflation adjustment.                                                  | 345        | Logs an error, continues execution. |
| No data available in Account Index History table. Hence Instrument processed without Inflation adjustment.                                                            | When Index Name filed is null and no data available in Account Index History table. The instrument is processed without Inflation adjustment.                                      | 345        | Logs an error, continues execution. |
| Index Adjustment Type is <> Not Applicable, and Amortization code is other than 100, 500, 700, 800, 801, 802, 820. Instrument processed without Inflation adjustment. | When Index Adjustment Type is <> Not Applicable, and Amortization code <> 100, 500, 700, 800, 801, 802, 820. Instrument processed without Inflation adjustment.                    | 345        | Logs an error, continues execution. |
| Index value has data type other than 'Numeric' in Rate Management Economic Indicator. Instrument processed without Inflation adjustment.                              | When a record has Index Name filed in and Index value has data type other than 'Numeric' in Rate Management Economic Indicator. Instrument processed without Inflation adjustment. | 345        | Logs an error, continues execution. |
| Capital Protection Category is Max during life, and Maximum Index value not provided. Maximum Index value to be calculated from AS_OF_DATE.                           | Capital Protection Category is Max during life, and Maximum Index value is not provided. Maximum Index value to be calculated from AS_OF_DATE.                                     | 345        | Logs an error, continues execution. |
| Payment date does not have Index value in Account Index History table. Index Factor of 1 will be considered on those payment dates.                                   | When the Index Name field is null and Payment date does not have Index value in Account Index History table. Index Factor of 1 will be considered on those payment dates.          | 345        | Logs an error, continues execution. |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                           | Error Condition                                                                                                                                                                                      | Error Code | Effect of Error on Processing                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bucket Number Mismatch                                                                  | The Assumption Rule was created when the active Time Bucket Rule held more/fewer buckets than it has currently; therefore, the Assumption Rule contains more/less bucket information than necessary. | 350        | If the Assumption Rule holds more buckets than what currently exists, only the buckets within the current modeling term will be used. If the Assumption Rule holds fewer buckets than what currently exists, the assumption for the last bucket will be carried forward for the remainder of the modeling term. |
| No Target for Roll/Auto leaf member: <leaf number> bucket: <bucket number>              | Forecast Balance methods of Target Average or Target End cannot be used for a Leaf member value used as a roll-into leaf or as an auto-balancing leaf member.                                        | 360        | Targeting methods cannot be used for leaves specified as roll-into or auto-balancing. The targeted balances will be ignored.                                                                                                                                                                                    |
| Res_det: Security violation                                                             | The current user does not have the right to create an Oracle BSP results table.                                                                                                                      | 365        | Processing is stopped.                                                                                                                                                                                                                                                                                          |
| Res_det: Truncate fail                                                                  | The results table for the current processing rule could not be cleared of old data.                                                                                                                  | 365        | Processing is stopped.                                                                                                                                                                                                                                                                                          |
| Res_det: Creation fail                                                                  | Results table for new processing Rule could not be created.                                                                                                                                          | 365        | Processing is stopped.                                                                                                                                                                                                                                                                                          |
| Res_det the structure of the result_detail table was invalid for selective reprocessing | The structure of the current Result Detail table does not match the IDT Result Detail Table Template.                                                                                                | 365        | Processing is stopped.                                                                                                                                                                                                                                                                                          |
| Account Type not defined for leaf member (leaf number)                                  | In Dimension Member Set-Up, an account type attribute has not been specified for the current leaf member.                                                                                            | 370        | Account type will default to Earning Assets.                                                                                                                                                                                                                                                                    |
| No. of scen in results > expected leaf member: <leaf number>                            | The number of scenarios in the results set is greater than the number of scenarios expected from querying the current Forecast Rates Assumption Rule while processing Auto-balancing.                | 380        | Auto-balancing will only be processed for the scenarios included in the current Forecast Rates Assumption Rule.                                                                                                                                                                                                 |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                           | Error Condition                                                                                                            | Error Code | Effect of Error on Processing                                                     |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|
| Invalid interest type - defaulted to interest in arrears                                | The interest type code is not equal to 0 or 1.                                                                             | 385        | The instrument is defaulted to "interest in arrears".                             |
| Invalid Pmt pattern: pmt pattern code. <Payment Pattern Code>for new business - abs val | Payment Pattern assigned to new business has a constant payment amount.                                                    | 390        | Error is logged.                                                                  |
| No Amrt Type in Product characteristics for leaf member:<leaf number>                   | No amortization type code has been assigned in Product Characteristics for the current leaf member.                        | 395        | An error message is logged and the instrument is defaulted to simple interest.    |
| No Amrt Type in Trans. Str. for leaf member:<leaf number>                               | No amortization type code has been assigned in Transaction Strategy for the current leaf member.                           | 396        | An error message is logged and the instrument is defaulted to the simple interest |
| Formula Results Error: Mismatch in buckets number                                       | The number of modeling buckets in the result set does not match the number of modeling buckets defined in Formula Results. | 397        | Error is logged.                                                                  |
| Invalid Currency Gain/ Loss Basis. Defaulted to "Temporal"                              | fi                                                                                                                         | 406        | fi                                                                                |
| Pay-Equivalent Compounding Convention. Defaulted to "Do Not Adjust"                     | fi                                                                                                                         | 407        |                                                                                   |
| Negative FullIndexGrs Rate for leaf member: <leaf number>                               | A negative fully indexed gross rate was calculated on a repricing event.                                                   | 505        | The negative rate will be assigned to the instrument.                             |
| Negative FullIndexNet Rate for leaf member: <leaf number>                               | A negative fully indexed net rate was calculated on a repricing event.                                                     | 505        | The negative rate will be assigned to the instrument.                             |
| Negative CurGrsRate Rate for leaf member: <leaf number>                                 | A negative current gross rate was calculated on a repricing event.                                                         | 505        | The negative rate will be assigned to the instrument.                             |
| Negative CurNetRate Rate for leaf member: <leaf number>                                 | A negative current net rate was calculated on a repricing event.                                                           | 505        | The negative rate will be assigned to the instrument.                             |
| Negative CurTrRate Rate for leaf member: <leaf number>                                  | A negative current transfer rate was calculated on a repricing event.                                                      | 505        | The negative rate will be assigned to the instrument.                             |
| Spread rate not found in Pricing Margins Rule                                           | There is no pricing margin defined for the current leaf member.                                                            | 515        | Zero will be defaulted as the pricing margin.                                     |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                      | Error Condition                                                                                                              | Error Code | Effect of Error on Processing                                                                                                                                                                                                 |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rate Not Found                                                     | Forecasted rates do not exist for the interest rate code on the current instrument.                                          | 520        | When the instrument reprices, it will receive a zero rate.                                                                                                                                                                    |
| 1st point used                                                     | Reprice date occurs before forecasting period; forecasted rates do not exist.                                                | 525        | This may occur if the data holds a reprice date that is less than the As of Date. The instrument will reprice to the rate as of the As of Date.                                                                               |
| Last point used                                                    | Reprice date occurs beyond the forecasting period; forecasted rates do not exist.                                            | 530        | This may occur when calculating market values beyond the modeling term or calculating the last reprice/payment event for accruals in the last bucket. The instrument will reprice to the rate as of the last forecasted date. |
| Code found only                                                    | Interest rate code exists in the Forecast Rates Assumption Rule, but no rates have been forecast.                            | 535        | When the instrument reprices, it will receive a zero rate.                                                                                                                                                                    |
| Prepayment tier not selected, zero prepayment rate used.           | Market Rate and Quote Basis have been defined in the Prepayment Rule, but no tiers or prepayment percents have been created. | 540        | No prepayments will occur on this Leaf member.                                                                                                                                                                                |
| Last payment date is before origination date.                      | The last payment date from the instrument record is before the origination date on the instrument record.                    | 545        | Logs error and continues. For Transaction Strategy, the last reprice date is set to the origination date.                                                                                                                     |
| No reprice frequency for adjustable record.                        | The instrument is coded as adjustable, but the repricing frequency is equal to zero.                                         | 550        | The instrument will be treated as a fixed rate.                                                                                                                                                                               |
| No schedule found for record.                                      | No match can be found in the payment schedule table for the current record.                                                  | 555        | Logs error and defaults to simple interest record if payment frequency does not = 0.                                                                                                                                          |
| Pattern data can not be found for AMRT_TYPE:<payment pattern code> | No payment pattern information has been defined for the documented amortization type code.                                   | 560        | Log error and default to simple interest.                                                                                                                                                                                     |

**Table F-1 (Cont.) BSP Error Messages**

| Error Message                                                                                 | Error Condition                                                                                                   | Error Code | Effect of Error on Processing                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No pattern information found for record.                                                      | Documented amortization type code exists in the database, but no supporting details are available.                | 565        | Currently is used to notify users about invalid adjustable type code. Record defaults to fixed.                                                                                                                               |
| Maturity date from record does not match schedule data.                                       | The maturity date on the instrument record does not exist in the payment schedule table for the current record.   | 570        | Logs error. Uses maturity date for schedule.                                                                                                                                                                                  |
| Conv amrt with interest in advance defaulted to arrears.                                      | The conventionally amortizing instrument is classified as interest in advance. This combination is not supported. | 575        | The instrument will be defaulted to interest in arrears.                                                                                                                                                                      |
| Invalid Amrt. Type detected. Defaulted to Simple Int.                                         | An unknown Amortization Type Code was used.                                                                       | 585        | The instrument will be defaulted to simple interest.                                                                                                                                                                          |
| No Repricing Pattern found for record.                                                        | An unknown Adjustable Type Code was used.                                                                         | 600        | The instrument will be defaulted to Other Adjustable.                                                                                                                                                                         |
| Invalid Event_Det_Seq (Adj_Type_CD:<Adjustable type code>); Evnt_dtl_seq should start from 0. | For an Event Sequence, the Event Detail Sequence has started from a non-zero value.                               | 635        | The repricing pattern is ignored and will produce erratic results if this repricing pattern is used.                                                                                                                          |
| 1st point used.                                                                               | Reprice date occurs before forecasting period; forecasted rates do not exist.                                     | 725        | This may occur if the data holds a reprice date that is less than the As of Date. The instrument will reprice to the rate as of the As of Date.                                                                               |
| Last point used.                                                                              | Reprice date occurs beyond the forecasting period; forecasted rates do not exist.                                 | 730        | This may occur when calculating market values beyond the modeling term or calculating the last reprice/payment event for accruals in the last bucket. The instrument will reprice to the rate as of the last forecasted date. |
| Negative Transfer Rate.                                                                       |                                                                                                                   | 740        |                                                                                                                                                                                                                               |
| Invalid duration generated for this row.                                                      | 810                                                                                                               | 795        |                                                                                                                                                                                                                               |
| Divide by zero                                                                                |                                                                                                                   |            |                                                                                                                                                                                                                               |

Table F-1 (Cont.) BSP Error Messages

| Error Message                                                                                                                                                                                                           | Error Condition                                                                                                                                                                                                                                                                  | Error Code | Effect of Error on Processing |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------|
| Invalid record: Engine calculated Market Value (MARKET_VALUE_C) is more than its allowed size (9999.999999) hence resetting it as Market Value Clean (MARKET_VALUE_CLEAN_C). Leaf member:<<PLACEHOLDER>>.               | If the value of column MARKET_VALUE_C is beyond specified precision, then MARKET_VALUE_CLEAN_C value is considered for calculation (less than 9999.999999). If the value of MARKET_VALUE_CLEAN_C is also beyond specified precision, then Engine will default this value to 100. | 345        |                               |
| Invalid record: Engine calculated Market Value Clean (MARKET_VALUE_CLEAN_C) is more than its allowed size (9999.999999) hence resetting it as Market Value (MARKET_VALUE_C). Leaf member:<<PLACEHOLDER>>.               | If the value of column MARKET_VALUE_CLEAN_C is beyond specified precision, then the MARKET_VALUE_C value is considered for calculation (less than 9999.999999). If the value of MARKET_VALUE_C is also beyond specified precision, then Engine will default this value to 100.   | 345        |                               |
| Invalid record: Both Engine calculated Market Value Clean (MARKET_VALUE_CLEAN_C) & Market Value (MARKET_VALUE_C) are more than its allowed size (9999.999999) hence updating value as 100. Leaf member:<<PLACEHOLDER>>. | If the value of columns MARKET_VALUE_C and MARKET_VALUE_CLEAN_C are beyond specified precision, Engine will default these values to 100.                                                                                                                                         | 345        |                               |

# G

## Integrate OFS BSP 8.1.0.0.0 and Hyperion EPBCS

Integrating PFS BSP with Hyperion Enterprise Planning and Budgeting Cloud Service (EPBCS) involves the following procedures:


- [Creating an Application](#)
- [Creating Dimensions](#)
- [Exporting the Dimensions and Forecast Set Cash Flow Results](#)
- [Importing Dimensions](#)
- [Refresh the Database](#)
- [Importing the Data](#)

### G.1 Creating an Application

To create an application, follow these steps:

1. Click **Select** under Planning.


**Figure G-1 Enterprise Planning and Budgeting Cloud Service Landing Page**



2. Click **Start** to create a new Planning Application.



Figure G-2 Create Application



3. Enter an application name, description, select Application Type as **Custom**, and then click **Next**.

Figure G-3 Create Application – General Details

**Create Application: General**

Back Cancel

General Dimensions Mapping Details Customize Review Next

\* Name

\* Description

\* Application Type

4. Select the value of the following options in Create Application: Details Wizard as specified below and click **Next**:
  - a. **Planning Frequency**: Monthly.
  - b. **Start and End Year**: Make sure to include the year that contains the historic actuals required for planning and analysis.
  - c. **First Month of Fiscal Year**: January.
  - d. **Weekly Distribution**: Even Distribution.
  - e. **Main Currency**: Reporting Currency in OFSAA.
  - f. **Multicurrency**: uncheck.
  - g. **Name of the input cube**: user-defined.
  - h. **Name of the reporting cube**: user-defined.

Figure G-4 Create Application Details

## Create Application: Details

Back Cancel

General Dimensions Mapping **Details** Customize Review Next

Planning Frequency

☒ Monthly  
☐ Weekly  
☐ Quarterly  
☐ Custom

Start and End year 2000 to 2030

First Month of Fiscal Year January

Weekly Distribution Even Distribution

Rolling Forecast ☐ Enable 1 Period Duration

---

Other Details

Main Currency USD United States of America Dollar

Multicurrency ☐ No

\* Name of Input Cube  
 example SalesPin BSP1

\* Name of Reporting Cube  
 example SalesPin BSP

Sandboxes ☐

- In the Metadata and Custom Dimensions tab change the Dimension Name of Entity to Planning Center and click **Next**.

Figure G-5 Create Application - Customize

## Create Application: Customize

Back Cancel

General Dimensions Mapping Details **Customize** Review Next

Metadata and Custom Dimensions + Add Custom Dimension

| Dimension Type | Dimension Name | Member Names       | Metadata File                              | # of Records |
|----------------|----------------|--------------------|--------------------------------------------|--------------|
| Time Period    | Period         | Jan, Feb, Mar, Apr |                                            | 12           |
| Account        | Account        |                    | <a href="#">Choose File</a> No file chosen | 0            |
| Year           | Years          | FY00               |                                            | 1            |
| Scenario       | Scenario       |                    | <a href="#">Choose File</a> No file chosen | 0            |
| Version        | Version        |                    | <a href="#">Choose File</a> No file chosen | 0            |
| Entity         | PlanningCenter |                    | <a href="#">Choose File</a> No file chosen | 0            |

- Review all the details and click **Create**.

**Figure G-6 Create Application - Review****Create Application: Review**

Back Cancel

General Dimensions Mapping Details Customize Review Create

BSP - Standard Balance Sheet P...

Planning Frequency : Monthly

|                            |                       |
|----------------------------|-----------------------|
| Start and End Period       | 2000-2030 (31 Years ) |
| First Month of Fiscal Year | January               |
| Weekly Distribution        | Even Distribution     |

Other Details

|               |     |
|---------------|-----|
| Currency      | USD |
| Multicurrency | No  |

**Cubes**

■ Input Cube : BSP (6) ■ Reporting Cube : BSP (3)

33% 67%

## G.2 Creating Dimensions

To create the dimensions, follow these steps:

1. Click **Application**, click **Overview**, and then click **Dimensions**.
2. Select **Input Cube** from the Cube Dropdown.
3. Click **Create**.
4. Create the following additional dimension in the Input Cube:
  - a. Currency
  - b. LegalEntity
  - c. LegType
  - d. PlanningProduct
  - e. ResultType
  - f. ForecastSet

### Note

All the dimensions must be created with the following mentioned specifications:

- Alias Table: Default
- Data Storage: Never Share
- Input Cube Selection Enabled

Figure G-7 Create Dimensions

| Cube | Enabled                             |
|------|-------------------------------------|
| BSP1 | <input checked="" type="checkbox"/> |
| BSP  | <input type="checkbox"/>            |

## G.3 Exporting the Dimensions and Forecast Set Cash Flow Results

Run the Export utility From OFS BSP.

For information on running the Export Utility, see Appendix E: [Export of Dimensions and Forecast Set Cash Flow Results](#) section.

As part of this step, an import file for all the dimensions (CSV or TSV) and forecast set cash flow results(.txt) will be created. Move all the files from the server to the local system.

## G.4 Importing Dimensions

To import the dimensions, follow these steps:

1. Click **Application**, and then click **Overview**.
2. Click **Dimensions**, and then click **Import**.
3. On the Import Metadata page, click **Create**.
4. Select the location of the import file or files as  
 Local: Loads the import file or files from a location on your computer. For Import File, click Choose File to select the import file on your computer for the artifact you're importing.  
 Following are the files that must be used to load respective dimensions (file format can be CSV or TSV):
  - **Currency**: Currency.csv
  - **ForecastSet**: ForecastSet.csv
  - **LegalEntity**: LegalEntity.csv
  - **LegType**: LegType.csv
  - **PlanningProduct**: PlanningProduct.csv
  - **PlanningCenter**: PlanningCenter.csv
  - **ResultType**: ResultType.csv
  - **Scenario**: Scenario.csv
  - **Version**: Version.csv

- **Account:** FinancialElement.csv
- For **File Type**, select **Comma delimited** or **Tab delimited** as per the format selected while exporting at Step 3.
  - Click **Import** to run the import Operation.

**Figure G-8 Import Metadata**

| Dimension                           | Import File                                               | File Type                                 | Clear Members            | Last Validate/Import     |
|-------------------------------------|-----------------------------------------------------------|-------------------------------------------|--------------------------|--------------------------|
| <b>Account</b><br>0 Members         | FinancialElement.csv                                      | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>Period</b><br>10 Members         | <input type="button" value="Choose File"/> No file chosen | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>Years</b><br>31 Members          | <input type="button" value="Choose File"/> No file chosen | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>Scenario</b><br>0 Members        | Scenario.csv                                              | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>Version</b><br>4 Members         | Version.csv                                               | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>PlanningCenter</b><br>0 Members  | PlanningCenter.csv                                        | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>PlanningProduct</b><br>0 Members | PlanningProduct.csv                                       | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>LegType</b><br>0 Members         | LegType.csv                                               | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>Currency</b><br>0 Members        | Currency.csv                                              | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |
| <b>LegalEntity</b><br>0 Members     | LegalEntity.csv                                           | * Comma delimited   Tab delimited   Other | <input type="checkbox"/> | No details are available |

- Go to **Application**, and select **Jobs** and check the status of all the dimensions are successfully imported or not.

## G.5 Refresh the Database

To refresh the database, follow these steps:

- Click **Application**, and then click **Overview**.
- Click **Actions**, and then **Refresh Database**.
- On the Refresh Database page, click **Create**.
- To refresh the database now, click **Refresh Database**.

## G.6 Importing Data

To import the data, follow these steps:

- Click **Application**, and then click **Overview**.
- Click **Actions**, and then click **Import Data**.
- Click **Create**.
- Select the location of the data import file as **Local**.
- Select the Source Type of the data import file as **Essbase**.
- Select Cube as **Input Cube**.
- Click **Choose File** and navigate to the import file MasterResultDetails.txt and select it.
- Click **Import**.

9. Go to **Application** and select Jobs and check the status of data is imported successfully or not.

## G.7 Recurring Steps at different stages

The following table lists the recurring steps in the procedure for integrating OFS BSP 8.1.0.0.0 and Hyperion EPBCS:

**Table G-1 Recurring Steps for Integrating OFS BSP 8.1.0.0.0 and Hyperion EPBCS**

| Stage                                  | Steps need to be performed                                                                                                                                                                                                  |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ForecastSet Finalization               | <ul style="list-style-type: none"><li>• <a href="#">Exporting the Dimensions and Forecast Set Cash Flow Results</a></li><li>• <a href="#">Importing Dimensions</a></li><li>• <a href="#">Refresh the Database</a></li></ul> |
| Introduction of a new hierarchy member | <ul style="list-style-type: none"><li>• <a href="#">Exporting the Dimensions and Forecast Set Cash Flow Results</a></li><li>• <a href="#">Importing Dimensions</a></li><li>• <a href="#">Refresh the Database</a></li></ul> |
| After every ForeCastSet export         | <ul style="list-style-type: none"><li>• <a href="#">Importing Data</a></li></ul>                                                                                                                                            |

# Glossary

# Index