

Oracle® Financial Services

Know Your Customer Service Guide



Release 8.1.2.12.0

G57939-01

July 2026

ORACLE®

Copyright © 1994, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Contents

1	About This Guide	
1.1	Who Should Use This Guide	1
1.2	How this Guide is Organized	1
1.3	Where to Find More Information	1
1.4	Conventions Used in This Guide	1
2	AccountProfitAndLoss Datamap	
3	KYC Onboarding Service	
3.1	Onboarding Process Flow	1
3.1.1	Input Preparation/Using the Individual Services/Output Capture	3
3.1.2	Deciding on Sub Process to Call	4
3.2	Invoking the KYC Onboarding Service	4
3.3	Configuring/Modifying the PMF Flow for the Onboarding Service	7
A	Appendix A: Sample JSONs for Onboarding Services	
B	Appendix B: Configuring the Service Parameters through the User Interface	
B.1	Configuring the Onboarding Service Parameters	B-1
B.1.1	Modifying the Web Service Parameter Details	B-2
B.2	Configuring the Common Gateway Service Parameters	B-3
B.2.1	Modifying the Web Service Parameter Details	B-3
B.3	Adding New Field in KYC Onboarding JSON Request	B-4
C	OFSA Support	

D Send Us Your Comments

Document Control

Table Document Control

Revision Number	Revision Date	Change Log
8.1.2.12.0	July 2026	There are no updates to this document in this release.
8.1.2.11.0	February 2026	There are no updates to this document in this release.
8.1.2.10.0	August 2025	There are no updates to this document in this release.
8.1.2.9.0	February 2025	There are no updates to this document in this release.
8.1.2.8.0	August 2024	There are no updates to this document in this release.
8.1.2.7.0	February 2024	There are no updates to this document in this release.
8.1.2.6.0	October 2023	There are no updates to this document in this release.
8.1.2.5.0	June 2023	There are no updates to this document in this release.
8.1.2.4.0	March 2023	There are no updates to this document in this release.
8.1.2.3.0	December 2022	There are no updates to this document in this release.
8.1.2.2.0	September 2022	There are no updates to this document in this release.
8.1.2.1.0	June 2022	A new version has been created for the 8.1.2.1.0 release.
8.1.2.0.0	March 2022	A new version has been created for the 8.1.2.0.0 release.
1.0	July 2021	Created the document.

1

About This Guide

The Oracle Financial Services Know Your Customer (OFS KYC) Service Guide provides the details of the Onboarding service of the KYC application. The guide also contains the details of different processes used during the KYC Onboarding process.

Topics:

- [Who Should Use This Guide](#)
- [How this Guide is Organized](#)
- [Where to Find More Information](#)
- [Conventions Used in This Guide](#)

1.1 Who Should Use This Guide

This guide is intended for the Oracle client's technical staff, database programmers, and system administrators.

1.2 How this Guide is Organized

The OFS KYC Service Guide includes the following chapters:

1.3 Where to Find More Information

For more information about Oracle Financial Services KYC, see [Know Your Customer \(KYC\) Guides](#).

To find additional information about how OFS solves real business problems, see our website at [Financial Services Home](#).

1.4 Conventions Used in This Guide

Table 1-1 Conventions Used

Conventions	Meaning
Italics	Names of books as references Emphasis Substitute input values
Bold	Menu names, field names, options, button names Commands typed at a prompt User input

Table 1-1 (Cont.) Conventions Used

Conventions	Meaning
Monospace	Directories and subdirectories File names and extensions Code sample, including keywords and variables within the text and as separate paragraphs, and user-defined program elements within the text
Hyperlink	Hyperlink type indicates the links to external websites and internal document links to sections.
Asterisk (*)	Mandatory fields in User Interface
<Variable>	Substitute input value

2

AccountProfitAndLoss Datamap

Follow these steps to run the AccountProfitAndLoss Datamaps.

1. Stg_Account_Balances cannot have Multiple Legal Entity entries and not supported by the current version of the product.
2. You must populate the data for the following metadata tables:
 - DIM_BALANCE_TYPE
 - STG_BALANCE_TYPE_MASTER
3. Insert Scripts for metadata tables:

```
insert into Stg_Balance_Type_Master (FIC_MIS_DATE, V_BALANCE_TYPE,
V_BALANCE_TYPE_DESC, V_BALANCE_TYPE_NAME, V_DATA_ORIGIN)
values (<to be provided by client>, 'TOTAL_PL_BASE_AM', 'Change in the
total market value of all security positions held by the account expressed
in base currency.', 'Total Profit Loss - Base', <client to populate source
system name>)
/
insert into Stg_Balance_Type_Master (FIC_MIS_DATE, V_BALANCE_TYPE,
V_BALANCE_TYPE_DESC, V_BALANCE_TYPE_NAME, V_DATA_ORIGIN)
values (<to be provided by client>, 'OPTION_PL_BASE_AM', 'Change in the
total market value of all option security positions held by the account
expressed in base currency.', 'Option Profit Loss - Base', <client to
populate source system name>)
/
insert into Dim_Balance_Type (N_BALANCE_TYPE_CD, V_BALANCE_TYPE,
V_DESCRIPTION, V_CREATED_BY, V_LAST_MODIFIED_BY, D_LAST_MODIFIED_DATE,
D_CREATED_DATE, FIC_MIS_DATE, F_LATEST_RECORD_INDICATOR,
D_RECORD_START_DATE, D_RECORD_END_DATE, V_BALANCE_TYPE_NAME, V_DATA_ORIGIN)
values (1, 'TOTAL_PL_BASE_AM', 'Change in the total market value of all
security positions held by the account expressed in base currency.', null,
null, null, null, null, null, null, null, null, 'Total Profit Loss - Base',
<client to populate source system name>)
/
insert into Dim_Balance_Type (N_BALANCE_TYPE_CD, V_BALANCE_TYPE,
V_DESCRIPTION, V_CREATED_BY, V_LAST_MODIFIED_BY, D_LAST_MODIFIED_DATE,
D_CREATED_DATE, FIC_MIS_DATE, F_LATEST_RECORD_INDICATOR,
D_RECORD_START_DATE, D_RECORD_END_DATE, V_BALANCE_TYPE_NAME, V_DATA_ORIGIN)
values (2, 'OPTION_PL_BASE_AM', 'Change in the total market value of all
option security positions held by the account expressed in base
currency.', null, null, null, null, null, null, null, null, null, 'Option Profit
Loss - Base', <client to populate source system name>)
/
```

3

KYC Onboarding Service

This chapter provides information on the Onboarding process and the web service names used in Know Your Customer (KYC) Onboarding.

Topics:

- [Onboarding Process Flow](#)
- [#unique_21](#)
- [Configuring/Modifying the PMF Flow for the Onboarding Service](#)

3.1 Onboarding Process Flow

Topics:


- [Input Preparation/Using the Individual Services/Output Capture](#)
- [Deciding on Sub Process to Call](#)

Before you begin the Onboarding process, ensure that Oracle Financial Services Analytical Applications (OFSAA) and Behavior Detection (BD) version 8.0.7.0.0 are installed and configured for KYC.

Even though the global requirements for KYC indicate what processes must be performed during Onboarding, the process flow for Onboarding differs from bank to bank. OFS KYC comes with a predefined Onboarding process covering all the major aspects of KYC compliance regulations. It also allows the flexibility to easily configure the workflow according to their requirements. The pre-defined Onboarding process has multiple ready-to-use sub-processes, which all banks can reuse by providing the details of the external verification systems.

KYC Onboarding has defined the Application Programming Interface (API) request data elements by considering the different processes to be conducted during onboarding. KYC supports both synchronous and asynchronous API for Real-time Risk Assessment from version 8.1.2.0.0 onwards. A new JSON attribute, SyncAPIFlag, has been added to the request data elements. For synchronous calls, pass the value as **Y** else **N**.

Figure 3-1 Onboarding Process Flow



The Onboarding process includes the following steps:

1. **Workflow Access:** The ready-to-use workflow is available on the Process Modeller page in the Common Tasks menu. To access the workflow, see the *Getting Started* chapter in the [Oracle Financial Service Know Your Customer Administration Guide](#). The service URLs must be provided in the following format:

- For the scoring service:

`http://#deployedserver#:#port#/RA0R/service/json/score`

- For the Customer screening service (individual):

`http://#deployedserver#:#port#/edq/restws/
CustomerScreening:IndividualScreen`

- For the Customer screening service (non-individual):

`http://#deployedserver#:#port#/edq/restws/CustomerScreening:EntityScreen`

- For the create case service:

`http://#deployedserver#:#port#/#CONTEXTNAME#/rest-api/CMRestService/
RealTime CaseCreationService/saveEventsAndPromoteToCase`

2. **Resolve Customer:** Every party of an application must be verified and screened against the watch list. The decision to Onboard a prospect depends not only on the prospect's details but also on the details of the related parties of the prospect. The Onboarding system can divide every related party into sub-processes and do the processing of each sub-process.
3. **Watch list Screening:** The prospect and related parties must be screened against different watch lists to verify whether they belong to the watch list or not. This is a key criterion to decide the Onboarding process. OFS KYC is pre-integrated with Oracle Financial Services Customer Screening (OFS CS) and internal watch lists to perform this

process. To enable or disable a screening process, see step 2, Invoking the KYC Onboarding Service.

4. **Identity Verification:** The integration process of Identity Verification is similar to the integration process of Customer Screening for RESTful API services. For other types of service integration, contact [My Oracle Support \(MOS\)](#).
5. **Customer Scoring:** OFS KYC comes with a ready-to-use scoring model for the Onboarding service, which can be used to score a Customer with the available risk factors or score a Customer by adding more risk factors. The scoring service is the last service that must be called, as this service uses the outputs of each of the above processes to arrive at the Customer's risk profile. The ready-to-use Onboarding process converts the outputs of all individual services, such as screening and identity verification into a risk factor.
6. **Risk assessment creation:** This is an internal process that creates the risk assessments for a request for audit purposes and, if required, for investigation. The users can also manually promote the risk assessments to cases from the user interface.
7. **Case creation service:** This service creates cases for enhanced due diligence. The ready-to-use case criteria are defined as a decision rule in the Process Modelling Framework (PMF) workflow. Every range of risk category has a user review flag and an Onboard flag. The Onboarding system currently only assigns a user review flag for a risk category range. In the ready-to-use configuration, the case criteria are converted to a risk factor. In this way, the decision to create a case is determined by this configuration. A case is then created in Enterprise Case Management (ECM).
8. **Case ID creation:** After the case is created in ECM, the Onboarding system generates a task with a unique case ID against the risk assessment created.

3.1.1 Input Preparation/Using the Individual Services/Output Capture

The JSON inputs required for verification differ based on Customer type, jurisdiction, data sources, and external vendors. The JSON input preparation for each service is made configurable, transparent, and flexible by the Table to JSON Utility. The output differs based on the above attributes. The KYC system uses the output for risk scoring and is used for audit purposes. The *JSON to Table Utility* allows you to transform the JSON output into a table structure.

For information on configuring the utility, see [Oracle Financial Services Know Your Customer Utilities Guide](#).

The PMF workflow can be used to include the input, execution, and output-related sub-tasks in one process, which can be configured using the PMF User Interface. In PMF, these are termed as Pre Rule, Execution Rule, and Post Rule.

The Pre Rule is used to define what data to pick for the input of each individual sub-process. The Pre Rule is a URL of the Table to JSON utility for a specific mapping created to generate the JSON.

For information on the Pre Rule mapping IDs, see [Oracle Financial Services Know Your Customer Utilities Guide](#).

The Execution Rule contains a placeholder for the Pre Rule URL to perform the task. For example, in Customer Screening, the Execution Rule is the URL of the OFS CS real-time screening URL.

For information on the URL formats used to invoke the service, see [#unique_21](#).

The Post Rule defines where the output data must be captured in the OFS KYC system. This is the JSON to Table URL for a specific mapping created to copy the output data into the KYC tables.

3.1.2 Deciding on Sub Process to Call

In most of the service integrations, the invoking process differs based on the attributes of the input and the output preparation. The Onboarding process is designed to select the service that must be used. In PMF, this is called a Decision Rule. OFS KYC has leveraged this capability by defining filter conditions when a decision must be made.

For example: OFS CS Individual tasks and OFS CS Non-Individual tasks use the decision rules that check the Customer type value of the JSON.

3.2 Invoking the KYC Onboarding Service

This section provides information on invoking the service and what happens after the service is invoked. The Request Details, Response Details, and Response Status Details for the Onboarding service are shown in Table 3, Table 4, Table 5, Table 6, and Table 7.

Table 3-1 Request Details

Parameter Name	Parameter Value
Service URL	#HTTP_PROTOCOL#://#SERVER_NAME#:# SERVER_PORT#/InitiateOnboardingService/OB /Initiate
Method Type	POST
Authorization	Basic Auth
Content-Type	application/json

Table 4: Response Details

Table 3-2 Response Details

Parameter Name	Parameter Value	Comments
Response Content-Type	application/json	Sample Response: { "RequestID": 1001, "applicationId": "CIF-200050799" }

Table 5 shows the response status details as follows.

Table 5: Response Status Details

Table 3-3 Response Status Details

Response Status Codes	Status Description	Comments
Status 200	Request taken up for processing	Sample Response: { "RequestID": 1001, "applicationId": "CIF-200050799" }
Status 401	Request Unauthorized	Sample Response: { "ERROR - ": "Authentication failed in Initiate Onboarding" }
Status 400	The incorrect input JSON structure	Sample Response: { "ERROR - ": "JSON input provided is blank/incorrect" }
Status 400	Mandatory elements are not provided in the Input JSON	Sample Response: { "ERROR - ": "Either request user id or application Id are not provided. Please provide the same and retry" }
Status 400	Invalid attributes in the Input JSON.	Sample Response: [#/properties/OnboardingCustomer/ properties/PrimaryCustomer : abcd does not match the allowed regex pattern (^[Y]\$).]
Status 500	Mis-match in data lengths	Sample Response: { "ERROR: ": "SQL Error Occurred While Saving Data In FCC_OB_REQUEST:java.sql.SQLExce ption: ORA-12899: value too large for column \"UT_ATOM\".\"FCC_OB_REQUEST\ \".\"APPLICATION_ID\" (actual: 1008, maximum: 255)\n" }

If any errors are generated, the error message is sent back as a response with the error details mentioned. The errors must be corrected, and the input JSON must be resubmitted with the required corrections made to the Onboarding service.

Note

Every submission is considered a new request by the system.

Following the successful invocation of the Onboarding service, the request is acknowledged with a unique request ID and the application ID. The Request ID can be used as a reference to:

- Track the process on the Process Monitor page. For more information, see Monitoring the Process in the Process Modelling Framework (PMF).
- Get the overall response from the Onboarding service once the Onboarding process is completed.
- Perform the due diligence in KYC and ECM.

The Onboarding Callback service, as part of its response, provides the details of the specific Request ID in JSON format. The details of the Onboarding Callback service and the JSON elements are in Table 6. To get the overall response from the Onboarding service for a request, you must configure a new Task in PMF at the end of the KYC_ONBOARDING workflow to call your service, which accepts a JSON as input and in the format generated by the Onboarding calls back service.

To configure a task in PMF, follow these steps:

1. Create a new service task at the end of the KYC_ONBOARDING workflow.
2. Configure the Onboarding call back service as a Pre Rule.
3. Configure your service as an Execution Rule and pass the output of the Pre Rule to this Execution Rule. This ensures that the overall Onboarding response is updated in the source/invoking system at the end of the process

Table 6: Onboarding Call Back Service Request Details

Table 3-4 Onboarding Call Back Service Request Details

Parameter Name	Parameter Value	Comments
Service URL	#HTTP_PROTOCOL#:// #SERVER_NAME#:# SERVER_PORT#/TabletoJSONService/ TableToJson/ createtabletojson? mappingId=KYCOB_R ESP_1&requestId=#REQUEST_ID#	#HTTP_PROTOCOL#:// #SERVER_NAME#:#SE RVER_PORT are implementation- specific and these are set during the installation process. #REQUEST_ID# must be replaced with RequestID received as part of the Onboarding Service Response.
Method Type	POST	NA
Authorization	• No Auth (Default) • Basic Auth • Bearer Token	• No Auth is the default authorization. • If authorization is required, enable the flag in Manage KYC Installation Parameters for KYC Feedback Service. • Authorization can be either Basic Auth or Bearer Token. • A valid KYC Administrator User ID and Password must be used.

Table 3-5 Onboarding Call Back Service Response Details

Parameter Name	Parameter Value	Comments
Response Content-Type	application/JSON	To view a sample response JSON, see KYC Onboarding Response JSON .

4. Monitor the Process in the Process Modelling Framework (PMF). Use the PMF page to view all processes triggered for a particular request ID. To access the Process Monitor page, follow these steps.

- Log in as the KYC Administrator.
- Click the Process Modelling Framework icon and then select Process Monitor.
- On the Process Monitor page, click the request ID link for which you want to view the triggered processes.
- A completed sub-process is marked with the icon .

Configuring/Modifying the PMF Flow for the Onboarding Service

- If an error is displayed in the Process Monitor page against any task, check the server logs for further details on the error:
- For a Tomcat server, the path is

```
tomcat -/scratch/ofsaapp/apache-tomcat-8.0.30/webapps/BD807KYC/ logs
```

- For a Weblogic server, the path is

```
/scratch/ofsaebas/Oracle/Middleware/Oracle_Home/user_projects/ domains/  
KYC8071510/applications/KYC8071510.ear/KYC8071510.war/logs
```

3.3 Configuring/Modifying the PMF Flow for the Onboarding Service

When you configure the ready-to-use PMF flow, you must perform the following tasks:

- **Create the new PMF flow:** Take a copy of the ready-to-use PMF flow and modify it as required. This ensures that all ready-to-use features are available in the new flow diagram.
- **Add an Identity Verification (IDV) Process:** You can configure the IDV process with an external vendor if the vendor is offering a rest-based service. Use the Table to JSON utility to configure the process. For more information, see [Oracle Financial Services Know Your Customer Utilities Guide](#).
The information required by most of the vendors for IDV differs on specific attributes. To do the necessary configurations, perform the same tasks defined for the ready-to-use OFS CS. You must also define the Pre Rule, Execution Rule, and Post Rule as per OFS CS.
- **Enable OFS CS:** Depending on the watch list used, the configurations and data loading must be done, OFS CS watch list must be configured.

Note

This is applicable only if you have integrated KYC with Customer Screening. For information on configuring the watch lists used by the KYC system, see [Oracle Financial Services Customer Screening Administration and Configuration Guide](#).

- **Add a different RESTful screening process:** If the client has a different RESTful screening process, then you can perform the same steps defined for OFS CS.
- **Call Back Service:** The callback service is used to get the overall response for the Onboarding service. For more information, see Invoking the KYC Onboarding Service.

Note

The Scoring Service, Risk Assessment creation, Case creation, and Update Case ID related tasks do not require any modifications unless a new data field must be added to the case management system.

A

Appendix A: Sample JSONs for Onboarding Services

Note

Do not make any changes to the JSON structure.

This appendix contains a sample input and response JSON for the Real-time Account Onboarding (RAOR) and Onboarding services. Both the input and response JSONs have the complete list of data elements available in the product.

For information on each data element, the accepted values for each data element, and their usage, see [Oracle Financial Services Know Your Customer API Data Elements Guide](#).

The input JSON is the expected input for the Onboarding service. Depending on the data elements that you require, you can configure the JSON structure. As a part of this exercise, ensure that the JSON structure is valid. The sample JSONs provided in [My Oracle Support](#) contain all data elements defined by the product.

The system generates the response JSON after the Onboarding process is completed. This has the complete data elements of each sub-process. Depending on the requirement, the required data elements for a response can be configured using the Table to JSON utility.

For more information, see [Oracle Financial Services Know Your Customer Utilities Guide](#).

B

Appendix B: Configuring the Service Parameters through the User Interface

The following UIs are used to configure the service parameters of the KYC Onboarding services. This must be done so that the Onboarding system knows the service parameter values used during the Onboarding process.

Topics:

- [#unique_28](#)
- [Configuring the Common Gateway Service Parameters](#)
- [Adding New Field in KYC Onboarding JSON Request](#)

B.1 Configuring the Onboarding Service Parameters

Use the Configure Service Parameters UI to configure the service URL, service user name, and service password for all services. The service URLs are pre-populated during the installation process with content from the *InstallConfig.xml* file.

If the deployment URL is not mentioned during installation, or if the deployment URL has changed after installation, you must provide the new service URL. The service user name and password must be updated for all services except the AAI Authorization Service.


Note

Ensure that all service user names and service passwords provided are of valid OFSAA KYC Administrator users.

For the Enterprise Case Management (ECM) Case Creation URL service, the service user name and service password provided must be of a valid OFSAA ECM Administrator user.

To view the UI, follow these steps:

1. Log in to the KYC application as the KYC Administrator. For more information, see the *Getting Started* chapter in the [Oracle Financial Services Know Your Customer Administrator Guide](#).
2. From the **Behavior Detection** menu, select **KYC**, select **Manage KYC OB Configuration**, and then select **Configure Service Parameters**.

Figure B-1 Navigation


The Configure Service Parameters UI appears. You can select one of the following services:

Configuring the Common Gateway Service Parameters

- AAI Authorization Service
- Initiate OB URL
- Process Modeling Framework Service
- Table to JSON Mapping Utility
- ECM Case Creation URL
- Generate Case Input URL
- Common Gateway Service URL

B.1.1 Modifying the Web Service Parameter Details

This section shows how to modify the web service parameter details.

Figure B-2 Onboarding Service Parameters

1. In the **Service Name** field, select the web service for which you want to edit the service parameters.
2. Update the service URL if the deployment URL is not mentioned during installation or if the deployment URL has changed after installation.
3. Update the **Service User Name** and **Service Password**.
4. Click **Save** to save the details.


B.2 Configuring the Common Gateway Service Parameters

Use the Common Gateway Service Parameters UI to edit the service parameters related to the common gateway service.

To view the UI, follow these steps:

1. Log in to the KYC application as the KYC Administrator.
2. From the Behavior Detection menu, select **KYC**, select **Manage KYC OB Configuration**, and then select **Configure Common Gateway Service Parameters**.

Figure B-3 Navigation



The Configure Common Gateway Service Parameters User Interface (UI) appears. You can select one of the following services:

- AAI Authorization Service
- Process Modeling Framework

B.2.1 Modifying the Web Service Parameter Details

This section shows how to modify the web service parameter details. To modify the web service parameters, follow these steps:

Figure B-4 Common Gateway Service Parameters

▼ Search

* Service Name

▼ Edit Service Details

Service Name : * Service URL :

Service User Name : Service Password :

1. In the **Service Name** field, select the web service for which you want to edit the service parameters.
2. Update the service URL if the deployment URL is not mentioned during installation or if the deployment URL has changed after installation.
3. Update the service user name and password except for the Analytical Application Infrastructure (AAI) Authorization Service.
4. Click **Save** to save the details

Note

After making the above changes, restart the web server.

B.3 Adding New Field in KYC Onboarding JSON Request

To add a new field in KYC OB Request JSON, follow these steps:

1. Open the KYC0BrequestJsonSchema.json file in the \$FIC_HOME/Onboarding/InitiateOnboardingService/WEB-INF/classes path.

Replace the {new_field_business_name} placeholder value in the following script under the properties tag.

```
{
  "{new_field_business_name}": {
    "$id": "#/properties/OnboardingCustomer/properties/
    {new_field_business_name}",
    "type": "string",
    "title": "The {new_field_business_name} Schema",
    "default": "",
    "examples": [
      ""
    ],
    "maxLength": 1
  }
}
```

2. Create a column in the FCC_OB_CUST table.

Example: CUSTOM_FLAG_COLUMN_NAME

Note

Make sure to take a backup of FCC_OB_CUST table when any official patch is getting applied.

3. Replace the {CUSTOM_FLAG_COLUMN_NAME} and {new_field_business_name} placeholder values in the following script and execute it in the Atomic schema.

```
MERGE INTO FCC_OB_PHY_BUS_COL_NM_MAP T USING (
SELECT 'FCC_OB_CUST' TABLE_NAME, '{CUSTOM_FLAG_COLUMN_NAME}'
COLUMN_NAME, '{new_field_business_name}' BUSINESS_NAME, 'STRING'
COLUMN_TYPE, ' ' COLUMN_LENGTH FROM DUAL) S
ON ( T.TABLE_NAME = S.TABLE_NAME AND T.COLUMN_NAME = S.COLUMN_NAME )
WHEN MATCHED THEN UPDATE SET T.BUSINESS_NAME = S.BUSINESS_NAME,
T.COLUMN_TYPE = S.COLUMN_TYPE, T.COLUMN_LENGTH = S.COLUMN_LENGTH
WHEN NOT MATCHED THEN INSERT
(TABLE_NAME, COLUMN_NAME, BUSINESS_NAME, COLUMN_TYPE, COLUMN_LENGTH)
VALUES
(S.TABLE_NAME, S.COLUMN_NAME, S.BUSINESS_NAME, S.COLUMN_TYPE, S.COLUMN_LENGTH)
```

4. Execute the ant.sh file in the \$FIC_HOME/Onboarding path.
5. Stop the OFSAA Services.
6. Create the InitiateOnboardingService EAR/WAR file and redeploy this new war on the web application server. See the [Behavior Detection Installation Guide](#) for the steps related to deployment.
7. Restart the OFSAA services.

C

OFSA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\) https://support.oracle.com/](https://support.oracle.com/) for queries related to the OFSAA applications.

D

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support. Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site which has all the revised/recently released document