Oracle Financial Services Behavior Pattern Rules





Oracle Financial Services Behavior Pattern Rules, Release 22,12,01

F76466-01

Copyright © 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

| Ge | t Help | |
|-----|--|--------------------------|
| 1.1 | Get Help in the Applications | 1-1 |
| 1.2 | Learn About Accessibility | 1-1 |
| 1.3 | Get Support | 1-1 |
| 1.4 | Get Training | 1-1 |
| 1.5 | Join Our Community | 1-2 |
| 1.6 | Share Your Feedback | 1-2 |
| 1.7 | Before You Begin | 1-2 |
| 2.1 | | |
| 2.2 | Behavior Pattern Rule Summary Page | 2-1 |
| | Behavior Pattern Rule Summary Page Search for Behavior Pattern Rules | 2-1 2-3 |
| 2.3 | | |
| | Search for Behavior Pattern Rules | 2-3 |
| | Search for Behavior Pattern Rules Create Behavior Pattern Rules | 2-3 2-3 |
| | Search for Behavior Pattern Rules Create Behavior Pattern Rules 2.3.1 Defining Behavior Pattern Rule | 2-3 2-3 2-4 |
| | Search for Behavior Pattern Rules Create Behavior Pattern Rules 2.3.1 Defining Behavior Pattern Rule 2.3.1.1 Defining Behavior Pattern Rule Using Node Level Assumptions | 2-3 2-3 2-4 2-5 |



1

Get Help

Topics:

- · Get Help in the Applications
- Learn About Accessibility
- Get Support
- Get Training
- Join Our Community
- Share Your Feedback

Before You Begin

1.1 Get Help in the Applications

Use Help icons to access help in the application.

Note that not all pages have Help icons. You can also access the Oracle Help Center to find guides and videos.

Additional Resources

- Community: Use Oracle Cloud Customer Connect to get information from experts at Oracle, the Partner Community, and other users.
- Training: Take courses on Oracle Cloud from Oracle University.

1.2 Learn About Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program. Videos included in this guide are provided as a media alternative for text-based topics also available in this guide.

1.3 Get Support

You can get support at My Oracle Support.

For accessible support, visit Oracle Accessibility Learning and Support.

1.4 Get Training

Increase your knowledge of Oracle Cloud by taking courses at Oracle University.

1.5 Join Our Community

Use Cloud Customer Connect to get information from industry experts at Oracle and in the Partner Community. You can join forums to connect with other customers, post questions, and watch events.

1.6 Share Your Feedback

We welcome your feedback about Oracle Applications User Assistance. If you need clarification, find an error, or just want to tell us what you found helpful, we did like to hear from you.

You can email your feedback to My Oracle Support.

Thanks for helping us improve our User Assistance!

1.7 Before You Begin

Refer to following Documents:

See What's New



Behavior Pattern Rule

The Behavior Pattern (BP) functionality works similarly to amortization types. The Behavior Pattern code is assigned at the detail instrument level, and these designations are evaluated by the cash flow engine (CFE) for calculations. However, Behavior Patterns are portfolio level property rather than instrument level. Generally, a bank processes aggregated data for non-maturing products. In this case, the Behavior Pattern is assigned effectively at the portfolio level. If you are using CFE with any other service, then data is required at the instrument level and BP is also assigned accordingly.

In this case, you must track the changes to Behavior Patterns and assign appropriate codes to affected instruments. Due to this, only one BP can be used by the CFE in the CFE processes for current business. If you want to model multiple types of BP under varying scenarios, then you can use a Behavior Pattern Rule.

The Behavior Pattern Rule UI allows you to group Behavior Pattern codes (behavioral assumptions) together in a set at the Product/Currency level which then can be rotated to select a value on a combination. You can select which behavior assumption pattern to use and the underlying Behavior Pattern in that set will affect the data on processing

This chapter describes the procedure for working with and managing the Behavior Pattern rules.

Topics

- Behavior Pattern Rule Summary Page
- Search Behavior Pattern Rule
- Create Behavior Pattern Rule
- View and Edit Behavior Pattern Rule
- Copy Behavior Pattern Rule
- Delete Behavior Pattern Rule

2.1 Behavior Pattern Rule Summary Page

This page is the gateway to all Behavior Pattern Rules and related functionality. You can navigate to other pages relating to Behavior Pattern Rules from this point.

The Behavior Pattern Rule Page displays the following columns.

Table 2-1 Behavior Pattern Rule - Fields and Descriptions

| Column | Description |
|-----------|--|
| Name | Displays the Behavior Pattern Rule's Short Name. Mouse over the Name field to view the Code and Description details. |
| Dimension | Displays the Dimension used to define the Behavior Pattern Rule |



Table 2-1 (Cont.) Behavior Pattern Rule – Fields and Descriptions

| Column | Description |
|--------------------|--|
| Hierarchy | Displays the Hierarchy used to define the Behavior Pattern Rule |
| Folder | Displays the Folder name where the Behavior Pattern Rule is saved. |
| Last Modified By | Displays the Name of the user who last modified the Behavior Pattern Rule. |
| Last Modified Date | Displays the Date and Time when Behavior Pattern Rule was modified last. |
| Action | Displays the list of actions that can be performed on the Behavior Pattern Rule. For more information, see Behavior Pattern Rule – Icons and Descriptions. |

Figure 2-1 Figure 1: Behavior Pattern Rule Summary Page



The Action column on the Behavior Pattern Rule Summary Page offers several actions that allow you to perform different functions. The following actions are available for the Behavior Pattern Rule.

Table 2-2 Behavior Pattern Rule – Icons and Descriptions

| Fields | Description |
|-----------------|--|
| Add | Click Add icon at the top right of the Summary Page to build a new Behavior Pattern Rule. |
| Multiple Delete | Select one or more rules in the table and then click the Delete icon at the top right of the Summary Page to delete more than one rule at the same time. |
| View/Edit | Click on the Action icon against the Behavior Pattern Rule Name and select View/Edit to view or edit the contents of a Behavior Pattern Rule in Read/Write format. Depending on User Privileges the rule will open in either View or Edit Mode. |
| Save As | Click on the Action icon against the Behavior Pattern Rule Name and select Save As to create a copy of an existing Behavior Pattern Rule. |



Table 2-2 (Cont.) Behavior Pattern Rule – Icons and Descriptions

| Fields | Description |
|------------------|--|
| Delete | Click on the Action icon against the Behavior Pattern Rule Name and select Delete to delete an existing Behavior Pattern Rule. |
| Dependency Check | Click on the Action icon against the Behavior Pattern Rule Name and select Dependency Check to view objects where selected Behavior Pattern Rule is used. |

2.2 Search for Behavior Pattern Rules

Search for a Behavior Pattern Rule to perform any of the following tasks:

- View
- Edit
- Copy
- Delete
- · Check Dependencies

Prerequisites

Predefined Behavior Pattern Rules

Procedure

To search for Behavior Pattern Rules, do the following:

- 1. Navigate to the **Behavior Pattern Rule Summary** page.
- 2. Enter the Code, Name, Description, Dimension, Hierarchy, or Folder of the rule in Search Criteria.
- 3. Click the Search icon.


Only rules that match the search criteria are displayed.

2.3 Create Behavior Pattern Rules

You create behavior pattern rules to capture the principal run-off behavior of product types that do not have contractual maturities.



Figure 2-2 Behavior Pattern Rule Page



To create a Behavior Pattern rule, follow these steps:

- 1. Click Add icon from the top of the Behavior Pattern Rule Summary Page.
- Enter the following Details.Table: Create Behavior Pattern Rule

| Fields | Description |
|-------------|--|
| Name | Enter the name of the Behavior Pattern Rule. |
| Description | Enter the description of the Behavior Pattern Rule. This is an optional field. |
| Folder | Select the Folder where the Behavior Pattern Rule needs to be saved. |
| Access Type | Select the Access Type as Read-Only or Read/Write. |

- Select a Product Folder.
- 4. Select a Product Hierarchy. You can define methodologies at any level of the Hierarchical Product Dimension. The Hierarchical Relationship between the nodes allows the inheritance of methodologies from Parent nodes to Child nodes.
- 5. Select a Currency.
- 6. Select **Product(s)** from Assumption Browser.
- 7. Click Add from Assumption Browser Section.

2.3.1 Defining Behavior Pattern Rule

The definition of a Behavior Pattern rule is part of the Create or Edit Behavior Pattern rule process. When you click **Save** in the Create Behavior Pattern Rule process, the rule is saved and the **Behavior Pattern Rule Summary** page is displayed.

However, Behavior Pattern assumptions have not yet been defined for any of your products at this point. Typically, you would start defining your Behavior Pattern assumptions for product-currency combinations before clicking Save.



2.3.1.1 Defining Behavior Pattern Rule Using Node Level Assumptions

Node Level Assumptions allow you to define assumptions at any level of the Product dimension Hierarchy. The Product dimension supports a hierarchical representation of your chart of accounts, so you can take advantage of the parent-child relationships defined for the various nodes of your product hierarchies while defining rules. Children of parent nodes on a hierarchy automatically inherit the assumptions defined for the parent nodes. However, assumptions explicitly defined for a child take precedence over those at the parent level.



Using the default currency to setup assumptions can save data input time. At run time, the calculation engine uses assumptions explicitly defined for a product currency combination. If assumptions are not defined for a currency, the engine uses the assumptions defined for the product and the default currency. If the assumptions are the same across some or all currencies for a specific product, you can input assumptions for the default currency. Be careful using this option on screens where an Interest Rate.

Prerequisites

Performing basic steps for creating or editing a Behavior Pattern rule.

Procedure

To define Behavior Pattern Rule using Node Level Assumptions, follow these steps:

1. Navigate to the Behavior Pattern Rule Assumption Details Page after selecting a Currency and one or more products from the hierarchy.

Figure 2-3 Behavior Pattern Rule Assumption Details



- 2. Select a Product.
- Select the Behavior Pattern from Behavior Pattern drop-down list. Here, the Behavior Pattern drop-down list shows the list of existing Behavior Patterns. Click below icon to view the details of selected Behavior Pattern.

Figure 2-4 View Behavior Pattern





You can select only one Behavior Pattern at a time.

4. Click Apply.

The Assumption Browser Definition Page is displayed.

At this point you can:

- Continue selecting BP for other product-currency combinations by repeating the above procedure.
- Complete the process by clicking Save.

When you click Save, the Behavior Pattern Rule assumptions are saved and the Behavior Pattern Rule Summary Page is displayed.

2.4 View and Edit Behavior Pattern Rule

You can view existing Behavior Pattern Rule, and you can edit existing Behavior Pattern Rules, provided you have read/write privileges.

To view and edit a Behavior Pattern Rule, follow these steps:

- 1. Navigate to the **Assumption** and select **Behavior Pattern Rule**.
- 2. Search for a Rule.
 For further information, see the Searching for Rules section.
- 3. Click on the **Action** icon against the Behavior Pattern Rule Name and select **View/ Edit** to open the Rule you want to update.
- 4. Update the Rule details.
- 5. Click **Apply** or **Save**, depending on the Rule type.

2.5 Copy Behavior Pattern Rule

You can copy Behavior Pattern Rules to avoid having to enter data multiple times. This saves time and effort and reduces mistakes.

To copy a Behavior Pattern Rule, follow these steps:

- 1. Navigate to the **Assumption** and select **Behavior Pattern Rule**.
- Search for a Rule.For more information, see the Searching for Rules section.
- Click on the Action icon against the Behavior Pattern Rule Name and select Save As to duplicate the Rule.
- 4. Select a folder where you want to save the Rule copy.
- 5. Enter a unique name for the new Rule.
- Enter a brief description of the Rule.
- 7. Click Save.

2.6 Delete Behavior Pattern Rule

You can delete Behavior Pattern Rules that are no longer required.



Note:

A Behavior Pattern Rule cannot be retrieved after deletion.

Restrictions on deleting Behavior Pattern Rules are:

You cannot delete Behavior Pattern Rules if you have only Read privileges. Only users with Read/Write privileges and Behavior Pattern Rule owners can delete Behavior Pattern Rules.

You cannot delete a Behavior Pattern Rule that has a dependency.

To delete a Behavior Pattern Rule, follow these steps:

- 1. Navigate to the **Assumption** and select **Behavior Pattern Rule**.
- Search for a Rule.For more information, see the Searching for Rules section.
- 3. Click on the **Action** icon against the Behavior Pattern Rule Name and select **Delete**.

