Oracle® Financial Services Climate Change Analytics Cloud Service Getting Started Guide





Oracle Financial Services Climate Change Analytics Cloud Service Getting Started Guide, Release 25D

G37833-06

Copyright © 2024, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

About This Content	
Welcome to Oracle Cloud	
About Oracle Cloud	1
Supported Web Browsers	1
Order Oracle Cloud Applications	1
Getting Started with your Cloud Service	
Create and Activate New Cloud Account	1
Add to an Existing Oracle Cloud Account	2
Accessing the Cloud Account	2
Subscribing to a Disaster Recovery Infrastructure Region	3
Create an Environment	3
Access Oracle Identity and Access Management	4
Activate Application User Account	5
Managing Application Users	
User Summary- Application Users	1
Creating New Application Users	1
Creating a New User Group	2
Assign Groups to Users	3
Bulk Import Application Users	3
Managing User Groups	
Map Application with the User Groups	1
Map Users to Groups	1
Map Roles to User Group	2
Unmap User from Groups	3

6 User Management

Application Users	1
User Roles and Privileges	1
Role Based Access Control	1
User Roles and Activities	2
User Groups and Activities	2
User Group and User Role Mapping	3
Configuring Session Timeout	

How to configure Session Lifetime Timeout?

2

About This Content

This guide provides information on the newly released Oracle Financial Services Climate Change Analytics Cloud Service (OFS CCA CS).

Audience

This document is intended for users of the Oracle Financial Services Climate Change Analytics Cloud Service (OFS CCA CS) application.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Related Resources

See these Oracle resource on the Oracle Help Page:

- Getting Started with Oracle Cloud
- Admin Console User Guide
- OFS Climate Change Analytics Cloud Service User Guide

Conventions

The following text conventions are used in this document.

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Welcome to Oracle Cloud

Oracle Cloud is the industry's broadest and most integrated cloud provider, with deployment options ranging from the public cloud to your data center. Oracle Cloud offers best-in-class services across Software as a Service (SaaS), Platform as a Service (PaaS), and Infrastructure as a Service (laaS).

About Oracle Cloud

Oracle Cloud is one of the few cloud providers that can offer a complete set of cloud services to meet all your enterprise computing needs.

Use the Oracle Infrastructure as a Service (laaS) offering to quickly set up the virtual machines, storage, and networking capabilities you need to run just about any kind of workload. Your infrastructure is managed, hosted, and supported by Oracle.

Use the Oracle Platform as a Service (PaaS) offering to provision ready-to-use environments for your enterprise IT and development teams, so they can build and deploy applications, based on proven Oracle databases and application servers.

Use the Oracle Software as a Service (SaaS) offering to run your business from the Cloud. Oracle offers cloud-based solutions for Human Capital Management, Enterprise Resource Planning, Supply Chain Management, and many other applications, all managed, hosted, and supported by Oracle.

Supported Web Browsers

Oracle Financial Services Cloud Services support the latest version of Google Chrome, Microsoft Edge and Mozilla Firefox.

For more details, see Oracle Software Web Browser Support Policy.

Order Oracle Cloud Applications

You can order Oracle Cloud Applications (Software as a Service) offerings by contacting Oracle Sales. After your order is processed, you can then activate your services.

To order a subscription to Oracle Cloud Applications:

- Go to .
- 2. Scroll down and select the Cloud Service that you are subscribed to.
- Review the features and capabilities of the service and read the Datasheet.
- 4. When you are ready to order, scroll up and click **Request a Demo**.
- You can either write an email or click Request Now to receive a call from Sales.
- 6. Enter your **Business email**, select the confirmation check box, and click **Continue**.
- 7. Provide a description and click **Request Now**.



After your interaction with the Oracle Sales team to order the Oracle Cloud Application best suited to your requirements, you will receive an email with a link to <u>activate the service</u> you have ordered.

Getting Started with your Cloud Service

To get started, you must activate the subscribed Cloud Service.

After activating the cloud service, you can log in as an administrator and perform the following tasks.

- Create and Activate New Cloud Account
- Access the Cloud Account
- Access Oracle Identity and Access Management (IAM) Console
- Onboard new application users for the subscribed cloud services.

After the administrator successfully adds an application user, they can log in and <u>activate their cloud account</u> and use the subscribed cloud services provisioned by the administrator.


Create and Activate New Cloud Account

After you subscribe to the cloud service, you will receive a **Welcome to Oracle Cloud** email with details to create and activate your cloud account.

To create and activate a new cloud account:

- Click Create New Cloud Account in the email.
- Complete the New Cloud Account Information to sign up.

Figure 3-1 New Cloud Account Information page





- Enter the following details:
 - First Name and the Last Name of the person who will be the cloud administrator.
 - Email address of the person who will be the cloud administrator. Instructions to log into the new Oracle Cloud Account will be sent to this email address.
 - Password to access the new cloud account.
 - **Tenancy Name**: New **Tenancy Name** to be associated with the cloud account.

Note

You cannot modify the tenancy name after it is created. Hence, ensure to provide a valid tenancy name, based on your organization's requirements and naming conventions.

Home Region: Select the Home Region, where the account is located. Check the service availability before selecting the home region. For assistance regarding home region selection, contact Oracle support. Existing customers have to ensure that the identity resources are located in the home region.

(i) Note

You can subscribe to additional regions but you cannot modify the home region, after provisioning your tenancy.

Click Create Tenancy to access the New Cloud Creation Confirmation page.

After successful activation, the cloud account administrator will receive a Get Started Now with Oracle Cloud email.

Add to an Existing Oracle Cloud Account

If you already have a cloud account associated with your administrator user name, you can add the newly subscribed cloud service to that account.

To add an existing Cloud account:

- In the welcome email, click Add to add an existing cloud account.
- Perform the steps as mentioned in the Access the Oracle Cloud Infrastructure Identity and Access Management (IAM) console.

Accessing the Cloud Account

An Administrator can access the Cloud Account activated and associated with their email address.

After your new cloud account is created and activated, you will receive a Get Started Now with Oracle Cloud email, to the email address provided while creating the account.

To access your Cloud account:

- In the Get Started Now with Oracle Cloud email, click Sign In.
- Enter the **Tenancy** name and click **Continue**.
- Enter the Username and Password to log in to the OCI Console.



Use the same **Username** and the **Password** that you provided during activation setup.

4. After successful login, proceed with the <u>multi-factor authentication</u>. Select the configured authentication mode and enter the OTP generated using the <u>Oracle Mobile Authenticator application</u>.

Once the MFA is successfully completed, you can access the **Environment Page**.

Subscribing to a Disaster Recovery Infrastructure Region

In Oracle Cloud Infrastructure (OCI), a Disaster Recovery (DR) region is a secondary, geographically separate region that helps ensure service continuity.

To maintain high availability, you must subscribe to a DR region as part of your disaster recovery strategy.

For information on how to subscribe to a DR Infrastructure region, see <u>Subscribing to an Infrastructure Region</u>.

Create an Environment

After logging into the Oracle Cloud Infrastructure Console, an Administrator can create one or multiple environments/instances for different user groups.

To create an environment/instance:

1. Log in to Oracle Cloud Infrastructure Console (OCI).

You can view the list of all the environments (instances) provisioned for the one or multiple cloud applications, with the following details:

- Name: The cloud application's instance name.
- **Type**: The instance type.
- Life cycle status: The instance status.
- Region: The region from where the specific instance is active.
- Application URL: The URL to access the instance.
- From My Applications, click the application in which you want to create an environment. Example: Oracle Financial Services Crime and Compliance Management Anti Money Laundering.
- 3. On the **Overview** page, click **Environments**.
- **4.** From the **Compartments** drop-down list, select the compartment in which you want to create an environment.
- 5. Click **Create**, to access the list of cloud services to which the customer has subscribed and the region from where these services are operated.
- (Optional). Select the Region to host the OCI environment/instance, from the drop-down list.

If you are not sure about the region, contact My Oracle Support (MoS).



You can select the region only for the first environment/subscription and for the additionally added instances, the region cannot be modified.



- Enter the following **Environment Details**, and click **Create**.
 - Name: The name of the new environment or instance.

Note

You cannot modify the environment name after the environment is created. Hence, ensure to provide a valid environment name, based on your organization's requirements and naming conventions.

- **Instance type**: Select one of the following instances:
 - **Production**: If the environment is used for Production activities.
 - Non-production: If the environment is used for testing and development purposes. For example, a sandbox environment.
- Admin email: The administrator email ID used to log in to the Cloud Console. You can also enter a different email ID that needs to be part of the cloud tenancy. For more details, see Managing Users.
- Admin first name and Admin last name: The first and last names of the Administrator.

The environment details are added to the Oracle Cloud Infrastructure Classic Console under the **Environments** tab (LHS menu). It may take a few hours for the status to change to Active. If there are any issues, you can raise a service ticket with My Oracle Support (MoS).

After the environment is set to **Active**, click the environment name to view the **Environment** details. Click the Service console URL under Environment Information to create users and groups.

Access Oracle Identity and Access Management

Oracle Cloud Infrastructure Identity and Access Management (IAM) provides identity and access management features such as authentication, single sign-on (SSO), and identity life cycle management for Oracle Cloud as well as Oracle and non-Oracle applications, whether SaaS, cloud-hosted, or on-premises. Employees, business partners, and customers can access applications at any time, from anywhere, and on any device in a secure manner.

IAM integrates with existing identity stores, external identity providers, and applications across cloud and on-premises to facilitate easy access for end users. It provides the security platform for Oracle Cloud, which allows users to securely and easily access, develop, and deploy business applications such as Oracle Human Capital Management (HCM) and Oracle Sales Cloud, and platform services such as Oracle Java Cloud Service, Oracle Business Intelligence (BI) Cloud Service, and others.

Administrators and users can use IAM to help them effectively and securely create, manage, and use a cloud-based identity management environment without worrying about setting up any infrastructure or platform details.

To add users to your Cloud Services, navigate to the Oracle Identity and Access Management (IAM) Console.

To access the IAM Console:

1. Log in to Cloud.Oracle.com, to view all the details pertaining to your cloud order. Access the service link from the console to start using your subscriber cloud service.



- Enter the Cloud Account Name and click Next to access the IAM Console.
- Click **Change tenancy** option if you want to use a different tenancy.
- Ensure that the displayed identity domain matches the expected value.

(i) Note

Cloud environments are created under the **Default** identity domain. If you need to assign your environment to a different identity domain, raise a Service Request.

5. Log in with your **Username** and **Password**.

As an Administrator, you can create and manage users with different access rights to the Cloud

For example, the IAM Administrator has superuser privileges for an Oracle Identity and Access Management Domain. This administrator can create users, groups, group memberships, and so on.

Activate Application User Account

A user provisioned by their administrator can use the specific cloud services they have subscribed to.

When an administrator completes provisioning an application user, the user receives an account activation email from Oracle.

To log in and activate your application user account:

- Open the email received from Oracle and review the information about your service in the email.
- Click **Activate Your Account**. You will be prompted to change your password on the initial log in.
- 3. Enter your new credentials in the Reset Password window to activate your account. After the password is successfully reset, a **Congratulations** message is displayed.
- Access the Application URL shared by the administrator.
- Enter your credentials to sign in to your account and access the **Welcome Page**.

Managing Application Users

An application user can access the subscribed cloud services, based on the roles and groups assigned to them

An administrator can create application users using IAM. They can also <u>batch import several</u> <u>users</u> using a .CSV file.

After users are created, they are synced from IAM to the Cloud Service.

You can map the application users to existing groups based on the roles that they require and their access levels. The access level provided to an application user is based on the following:

- Groups: Groups are seeded (available out-of-the-box) by your cloud service.
 Administrators can also create new groups in IAM. After groups are created, they are synced from IAM to the cloud service. You can map the groups to roles using the subscribed cloud service.
- **Roles**: Roles are seeded by the cloud service. Administrators can also create new roles using the cloud service and assign existing functions to these new roles.
- **Functions**: Functions are seeded by the cloud Service. Administrators cannot create new functions; however, they can use the existing functions.

User Summary- Application Users

View the list of existing application users in the User Summary.

You can view the details of a user and map the user to one or more user groups.

- To view the User ID and Username of the selected User Select the Username in the User Summary page and select Details.
- To search for a specific User, type the first few letters of the required Username in the Search box and click Search.
- Using the navigation buttons at the bottom of the summary page, you can browse to the
 different pages. Also, you can enter the number of entries to be listed on a single page in
 the Records box or use the buttons to increase or decrease the number of entries.
- Enter the page number in the View Bar Control and jump to the required page.

Creating New Application Users

After you log in to the IAM console, the first task is to create additional user accounts.

You should assign specific user groups to the user accounts that you are creating. There are seeded user groups available with the respective services, users must be mapped to one or more of the user groups, depending on the role that they perform.

For example, you can create a user for each member of your team. Each member can then sign into the account with their credentials. You can also assign each user to specific user groups and apply specific security policies or roles to each group.



You can create the users and map the users to groups for your service. After creating the users, the users will receive a Welcome email. The users must activate their accounts and enter a new password to access the services.

To create users in the IAM Console:

- 1. In the IAM Console, select **Domains** (Identity domain) to view the list existing domains.
- 2. Click the required **Domain Name**, to access the **Domain Details** page.
- 3. In the left pane, click **Users** and select **Create user**, to proceed with the user creation.
- 4. Enter the following details:
 - First Name, Last Name and a valid Username and the Email ID.

(i) Note

- The username should be alphanumeric and cannot exceed 20 characters.
 You can enter only hyphen (-) and underscore () as special characters.
- Uncheck the Use the email address as the username check box, as you can only set the username as the login ID and currently setting the email address as the login ID is not supported.
- Select the user groups according to your user-specific groups or access, in the Groups (Optional).

Note

After a user logs in to a specific cloud service, the user to user-group mapping created in the **IAM Console** will onboard into the master and mapping tables. Later, if you deselect (remove) a user from a group in **Assign User to Groups** after provisioning, ensure that you also unmap the user from the corresponding user-group in the **Admin Console**. This is a mandatory step to complete the unmapping process.

6. After entering the required information, click **Create** to create and add the new user to the <u>User Summary</u>.

You can also batch import several users using a .CSV file.

Creating a New User Group

Create groups to manage user access to applications and resources.

To create a user group:

- 1. In the IAM Console, click **Profile** and select **Identity Domain**.
- 2. In the Identity Domain left pane, click **Groups** and select **Create group**.
- 3. Enter the **Group Name** and the **Group Description**.
- 4. Select **User can request access**, to allow users to request access to this group.
- 5. Check the check box adjacent to each user to add that user to the group.
- 6. Click **Create** to create the new user group with the selected users.



After creating the user group, you must assign various permissions to the group, using one of the following methods:

- Write at least one policy to give group permission to either the tenancy or a compartment.
 While writing the policy, specify the group using the unique group name or the group's OCID.
- Assign the group to an application.

Assign Groups to Users

Assign a specific group to a user, based on the roles required for the user.

Ensure to create a group, before assigning users to the group.

To map a user to a group using the IAM Console :

- In the IAM Console, select **Domains** (Identity domain) to view the list existing domains.
- 2. Click the required **Domain Name**, to access the **Domain Details** page.
- Click a specific User name to view the user details and assign a group to that particular user.
- 4. In the left pane, click **Groups** to access the list of groups associated with a user.
- 5. In the **Groups** pane, click **Assign User to Groups** to view the list of available groups.
- 6. Check the check box adjacent to each group, to assign the user to that group.
- 7. After selecting all the required Groups, click Assign user.

The user is assigned to the selected groups. You can access the list of groups associated with a user, in the respective **User Details** page.

To dissociate an user from a group, select the group and click **Remove User from the Group**.

Bulk Import Application Users

As an administrator, you can batch import user accounts using a .CSV file.



Before importing the user accounts, create a .CSV file that is properly formatted for the import.

To import user accounts:

- In the IAM Console left pane, click Users and select More Actions and select Import Users.
- Click Browse to locate and select the .csv file containing the user accounts to import.

Note

Click **Download sample file** in the dialog box to download a sample file and perform the accounts upload.



Verify that the path and name of the selected .CSV is updated in the **Select a file to** import, and click Import.

Note

Oracle IAM cannot import a user account if a mandatory value such as user's first name, last name, or username, is missing. In such cases, Oracle IAM will skip the incomplete account and proceed to the next account in the .csv file.

When Oracle IAM evaluates and imports the user accounts, the imported accounts are updated in the **Jobs**. You can also get information related to the successful/incomplete imports if the import was not completed due to system errors.

Managing User Groups

User groups are seeded (available out-of-the-box) by the cloud service. Groups are mapped to roles using the cloud service by the same user that was created using IAM.

Administrators can also create new groups in IAM. After groups are created, they are synced from IAM to the cloud service. You can map the groups to roles using the subscribed cloud service.

Map Application with the User Groups

After creating a group, you can map the required applications with the group.

To map the application to a user group, log in to IAM and follow these steps:

- Go to the Navigation menu in the enter the **Domains** in the Search bar to view the **Domains** list.
- Select the **Default Domain** and then from the LHS menu, select **Oracle Cloud Services**, to view the list of Cloud Services.
- Select the Cloud Services you are subscribed to (Syntax: <Cloud_service_name>xxxxprd and <Cloud_service_name>xxxx-nprd, where Description is mentioned as your registered cloud service).
- 4. From the LHS menu, select Users and click Assign Users.
- Select the user and click Assign.

Map Users to Groups

Log in to IAM as an administrator, and map users to user groups.

To map a user to a user group:

- 1. Select the **User Name** in the **Users Summary**.
- 2. Select Mapped Groups.
- 3. Select the User Group Name.

(i) Note

To select a user group, select the check-box corresponding to the user group. To select all user groups displayed on the page, select the check-box marked **Select All**.

Click New Mapping to map the user to the selected user group.

Or

Click **Unmap** to remove the user group-role mapping.

If you need to authorize an unmap request, refer to **Unmap User from Group**.



① Note

User-group mapping changes from IAM will take some time to sync with your Cloud Service. If these changes are made during the active user session, then it will be reflected on the next login.

After a user signs into the cloud service, the user to user-group mapping created in the IAM Console will onboard into the master and mapping tables. If you unmap a user from a group in the Admin Console, navigate to the associated console and open **Assign User to Groups**. Deselect the user corresponding to the user group and click **Finish**. This is a mandatory step to complete the unmapping process.

For more information, refer to **Unmap User from Group**.

After you click **New Mapping**, the list of user groups you can map the user to appears in the **Available Groups Summary**.

Select a User Group.

① Note

If the logged-in user has both administration and authorization entitlements, an authorization view toggle button is available. Enable this button to complete the authorization.

6. Click Map.

(i) Note

If the logged-in user has both administration and authorization entitlements, an authorization view toggle button is available. Enable this button to complete the authorization.

Map Roles to User Group

You can map roles to a user group using Admin Console.

To map roles to the user group:

Before mapping the roles to an user group, ensure that the <u>roles are created in the Admin</u> console.

- 1. From the **Identity Management** tab, Click **Groups** to access the **Groups Management** page.
- 2. Search for the specific group.
- Click the User Group and click New Mapping under the Mapped Roles tab.
- Search for required role names created in Roles Management and click New Mapping to map each role.
- Log in as a user with the authorization role and authorize the mapped roles in the Authorization View.

A user group is created in the IAM Portal and is mapped to a role created in the Admin Console.



Unmap User from Groups

Unmap a user from a specific group to revoke the associated functions.

Log in to IAM as an administrator to authorize and unmap a user from a specific user group.

To authorize the unmapping of a user from a user group:

- 1. Click Unmapped Groups.
- 2. Click the **User Group Name** to select the User Group.
- 3. Click Authorize or Reject to approve or reject an unmapping request.

User Management

During implementation, you prepare your Oracle Application's Cloud Service for the Service Users. The decisions made during this phase determine how you manage users by default. Most of these decisions can be overridden. However, for efficient User Management, Oracle recommends that you configure your environment to reflect both enterprise policy and support most or all users.

For more information, see the View List of Application Users and User Roles and Privileges.

Application Users

During implementation, you can use the Create User task to create Test Service Users. By default, this task creates a minimal person record and a user account. After implementation, you should use the Hire an Employee Task to create Service Users. The Create User Task is not recommended after the implementation is complete.

For more information, see **Create Application Users**.

User Roles and Privileges

Oracle Financial Services Climate Change Analytics Cloud Service (OFS CCA CS) Users are assigned roles through which they gain access to functions and data. Users can have any number of roles.

The following table shows the User Personas and the tasks they can perform:

Table 6-1 User Roles and Privileges

IAM Administrator	Identity Administrator	Identity Authorizer	Application Users
Create User	Map Users to OOB User Groups		Manage OFS CCA CS
Map Users to OOB User Groups	Create User Groups and Roles		Set up Dimensions, Rules, Assumptions, and Processes
Create User Groups	Map Users to User Groups		Execute Processes
	Map Roles to User Group		Generate Reports
	Map Functions to Roles		Review and Analysis Reports

Role Based Access Control

Role-based security in Oracle Financial Services Climate Change Analytics Cloud Service Controls who can do what and to which data.

The following table provides examples of role-based access.



Table 6-2 Examples of Role Based Access

Role Assigned to a User	Functions which Users with this Role can Perform	Set of Data which Users with the Role can Access when performing the Function
Application Administrators	Perform Application Administrator activities	User Group with Administration Roles across all Service Features
Business Users	Access to the Application to perform tasks	User Group with Business Tasks' Roles across all Service Features

User Roles and Activities

The following User Roles are seeded in the Oracle Financial Services Climate Change Analytics Cloud Service to facilitate the activities expected from the users mapped to the seeded User Groups:

- CCA Administrator User Group
- CCA Analyst User Group
- CCA Auditor User Group
- CCA Approver User Group
- CCA Climate Scorecard Administrator Group
- CCA Climate Scorecard Analyst Group
- CCA Climate Scorecard Auditor Group

In addition to this, Custom User Roles can be created and managed as per requirement.

The user roles CCA Admin, CCA Analyst, CCA Auditor, and CCA Approver User Group are required to access the main application for view, edit and other purposes, based on the User Persona accessing the same. An Analyst User Persona can view all OFS CCA CS Screens and Edit-specific Screens. Similarly, an Admin Persona can view and edit all OFS CCA CS Screens. These different Persona tasks are facilitated by the User Roles. Thus, these three User Roles facilitate the accesses and activities for the corresponding User Groups that are mentioned in the User Groups and Activities table.



It is mandatory to map the CCA Climate Scorecard Administrator Group, CCA Climate Scorecard Analyst Group, and the CCA Climate Scorecard Auditor Group to the respective CCA Climate Scorecard User Roles to view the Counterparty Reports. See the User Group and User Role Mapping chapter.

User Groups and Activities

The following table provides the information on the User Groups and related activities.



Table 6-3 User Groups and Activities

User Groups	Activities
Identity Administrator Group	 View Object Storage View OAuth Credentials Perform Identity and Access Management Operations
IAM Administrator	Create UsersMap Users to the Instance
CCA Analyst User Group	 Data Management: Metadata and Data Loaders Schedule Batch Processes
CCA Auditor User Group	 View privileges for all application-specific modules: Review/Analyze Results Review Process Logs View Reports
CCA Administrator User Group	 Set User and Application Preferences Set Setup Parameters Currency and Rate Management Dimension Management
CCA Approver User Group	 Emissions Calculator Data Model Interface Data Model Extension Data Quality Framework
CCA Climate Scorecard Administrator Group CCA Climate Scorecard Analyst Group	 Set User and Application Preferences Data Management: Metadata and Data Loaders Create definition Schedule Batch Processes Execute Process
CCA Climate Scorecard Auditor Group	View privileges for Climate ScorecardReview/Analyze ResultsReview Process Logs

In addition to this, Custom User Groups can be created and managed as per requirement.

User Group and User Role Mapping

The following table lists the seeded mapping of User Groups to the User Roles.

Table 6-4 User Group and User Role Mapping

User Group	Mapped User Role
CCA Administrator User Group	CCA Admin
CCA Analyst User Group	CCA Analyst
CCA Auditor User Group	CCA Auditor
CCA Approver User Group	CCA Approver
CCA Climate Scorecard Administrator Group	CCA Climate Scorecard Admin
CCA Climate Scorecard Analyst Group	CCA Climate Scorecard Analyst



Table 6-4 (Cont.) User Group and User Role Mapping

User Group	Mapped User Role
CCA Climate Scorecard Auditor Group	CCA Climate Scorecard Auditor

Configuring Session Timeout

Session timeout automatically signs you out of a logged in session after a set time period, for various reasons such as inactive session for a specific time frame.

After you complete your tasks, you can sign out of your application. However, sometimes you might get automatically signed out due to session timeouts.

When you sign in using your credentials, you are authenticated to use the application, and a session is established. But, for security purposes, your session is configured to be active for a predefined duration, which is called the session timeout period. Your sessions can expire due to various reasons, such as an inactive session for a specific time period. In such cases, you are automatically signed out of the application. Your timeout periods may vary on certain pages. For example, you may observe a longer timeout period on pages that automatically refresh or user portal/tabs that open in separate windows or tabs.

The various session timeouts and the configuration details are as follows:

Ti me out Ty pe	Description	C o n fi g u r a b l e	Timeout Duration
Ses sio n Life tim e Tim eou t	After authenticating to the application, your current session remains active for a predefined duration, referred to as the session lifetime timeout period. Your session ends after this period, even if you're using the application.	Y e s	8 Hours (Default value)
Ina ctiv e Ses sio n Tim eou t	After authenticating to the application, if your session is idle or inactive for a specific time, the System automatically terminates the session, and you are signed out of the session.	N 0	60 Minutes



Ti me out Ty pe	Description	C o n fi g u r a b I e	Timeout Duration
Bro wse r Ina ctivi ty Tim eou t	a specific time, the System automatically terminates the session, and you are signed out of the session.	N o	60 Minutes

How to configure Session Lifetime Timeout?

You can configure the Session Lifetime Timeout using your Identity Domain Settings in OCI Console.

Ensure that you have the Security Administrator Role mapped to access and modify the settings.

To configure the session timeout:

- 1. Log in with your Security Administrator Account.
- 2. Navigate to the Domain page. Click **Settings** and select **Session Settings**.
- 3. Specify the **Session Duration** under **Session Limits**. Enter the required value. By default, this is set to 480 Minutes.

Figure 7-1 Session Settings

