

Oracle® Financial Services

Release Notes 8.1.3.2.0



Release 8.1.3.2.0
G63006-01
October 2026

ORACLE®

Copyright © 1995, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	i
Related Documents	i
Documentation Accessibility	i
Diversity and Inclusion	i
Conventions	ii
Comments and Suggestions	ii

1 Introduction

1.1 Capabilities Offered by Compliance Studio	1
1.2 New Features in This Release	3
1.3 Installing the Release	11
1.4 Known Issues and Limitations	11

2 Hardware and Software Tech Stack Details

3 Licensing Information

Document Control

The following table lists document control of this guide.

Table Document Control

Version Number	Revision Date	Change Log
8.1.3.2	October 2026	Updated the following sections: • New Features in This Release • Known Issues and Limitations
8.1.3.1.0	April 2026	Updated the following sections: • New Features in This Release • Known Issues and Limitations
8.1.3.0.0	September 2025	Updated the following sections: • New Features in This Release • Known Issues and Limitations

Preface

This section provides information on the Oracle Financial Services (OFS) Compliance Studio Release Notes.

- [Audience](#)
- [Related Documents](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Comments and Suggestions](#)

Audience

This document is intended for users of OFS Compliance Studio, Release 8.1.3.0.0.

Related Documents

This section identifies additional resources to the OFS Compliance Studio. You can access additional documents from the [Oracle Help Center](#).

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which user supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that user enter.

Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send an e-mail to: <https://support.oracle.com/portal/>.

1

Introduction

OFS Compliance Studio is an advanced analytics application that supercharges anti-financial crime programs for better customer due diligence, transaction monitoring, and investigations by leveraging the latest innovations in artificial intelligence, open-source technologies, and data management. It combines Oracle's Parallel Graph Analytics (PGX), Machine Learning for AML, Entity Resolution, Model Management and Governance, notebook-based code development and enables Contextual Investigations in one platform with complete and robust Model Management and Governance functionality.

- [Capabilities Offered by Compliance Studio](#)
Compliance Studio has inbuilt advanced analytics for fighting financial crime on a robust platform that also allows for management and governance of user defined models and close integration with the Oracle Financial Services Crime and Compliance Management suite of applications.
- [New Features in This Release](#)
- [Installing the Release](#)
- [Known Issues and Limitations](#)

1.1 Capabilities Offered by Compliance Studio

Compliance Studio has inbuilt advanced analytics for fighting financial crime on a robust platform that also allows for management and governance of user defined models and close integration with the Oracle Financial Services Crime and Compliance Management suite of applications.

- **Specific Use Cases for Financial Crime**
 - Behavioral ML models and Custom rules-based scenario frameworks for identifying suspicious patterns of behaviour and generating alerts for review
 - Sanctions and AML Event Scoring for false positive prediction and disposition
 - Automated Scenario Calibration and Scenario Conversion Utility for Oracle AML Scenarios
 - Customer Risk Scoring
 - Customer Segmentation and Anomaly Detection
 - Typology Detection
 - Pre-engineered features and transformations to address each use case
 - Simplified APIs for each stage of the modeling lifecycle
 - Leverage the power of Graph, Supervised ML, and Unsupervised ML to build typology detection models, detect anomalies, and risk score customers or events
 - Ongoing Monitoring of Model Performance and Concept Drift
 - **AMLES–ECM integration:** Added the configuration set **AutEscalate** and **AutClosecutoffs** for ECM.
 - **ASC Statistical Analysis Enhancements**

- * **Automatic threshold set selection by country:** ASC now automatically selects all applicable threshold sets when you choose a country, reducing manual configuration.
- * **Overlay analysis notebook:** Added an Overlay Analysis notebook to support guided analysis and review.
- * **Automatic ATL/BTL partitioning:** Data generated from floor threshold sets is now automatically split into ATL and BTL for easier downstream analysis.
- * **Staggered tuning for lower-level parameters:** Enhanced parameter tuning with a staggered tuning approach to improve usability and tuning efficiency.
- * **Manual threshold copying:** Removed the need to manually copy threshold sets within ASC.
- * **Multi-workspace SCU support:** Added support for Scenario Conversion Utility across multiple workspaces.
- **The following specific use cases are supported by the ML Foundation for Financial Crimes**
 - Integrated with Oracle Financial Crime Application Data and readily usable across the enterprise financial crime data lake
- **Entity Resolution for Detection and Investigations**
 - Entity Resolution to enhance monitoring effectiveness and provide a single customer view
 - Linking and Resolution across internal and external data to improve single entity detection and enhance investigations
 - Allows for Scenario/Model detection across internal data
 - Multi-attribute enabled with ML boosts for Name/Address models
 - Prebuilt Integrations and easily configurable for Data Sources like ICIJ, Safari, etc
- **Graphs**
 - Graph Pipeline feature allows you to view the data relationships in a graphical format.
 - Graph Analytics will give Financial Institutions the ability to monitor the data financial institutions effectively. The data is organized as nodes, relationships, and properties (property data is stored on the nodes or relationships). The results of analytics algorithms are stored as transient properties of nodes and edges in the Graph.
- **Model Management and Governance**
 - End-to-end management from model creation to model deployment
 - * Data Ingestion (Oracle DB, Graph, Hive)
 - * Model Development
 - * Supports virtually all open source packages, interpreters, etc.
 - * Process in Database or Big Data
 - * Model Training
 - * Model Performance Evaluation
 - * Model Explainability
 - * Model Tracking and Audit
 - * Approval Mechanisms

- * Model Deployment
- * Scheduling
- * Ongoing Monitoring
- * Analytics of Choice
- * Choose from our proprietary models or bring your own
- * Fully embedded Graph Analytics Engine and Financial Crime Model
- * Embedded with a highly scalable in-memory Graph Analytics Engine (PGX)
- * Industry's most intuitive Graph Query Language to gain rapid insights
- **Analytics of Choice**
 - Choose from our proprietary models or bring your own
 - Fully embedded Graph Analytics Engine and Financial Crime Model
 - Embedded with a highly scalable in-memory Graph Analytics Engine (PGX)
 - Industry's most intuitive Graph Query Language to gain rapid insights
- **Integrated with Oracle Financial Crime and Compliance Applications**
 - Fully defined and sourced Financial Crime Graph Model supporting detection and investigation
 - Integration with ECM and Investigation Toolkit to provide meaningful guidance to investigators for rules-based and ML-generated alerts
 - Enterprise-ready and compatible with the underlying OFSAA framework
 - Works with earlier 8.0.x releases of Oracle Financial Crime and Compliance Management Anti Money Laundering (AML), Enterprise Case Management, and Fraud applications

1.2 New Features in This Release

The following new features are incorporated in this release CS 8.1.3.2.0.

The application now has the following features and capabilities:

AML Event Scoring Enhancements

Flexible AML Event Scoring Models

Compliance Studio supports AML Event Scoring models at the scenario, entity, and segment levels. Users can configure separate models for individual scenario–segment combinations or consolidate segments into a single scenario-level model.

Business Impact: Provides greater flexibility in model development, allowing financial institutions to tailor event scoring to different customer populations while balancing model accuracy, data availability, and maintenance requirements.

Standalone AML Event Scoring

AML Event Scoring can operate independently of Behavioral Model transactional feature extraction. Users can develop scoring models using event-level data alone or enrich them with transactional features when required.

Business Impact: Simplifies model development and reduces data preparation dependencies, enabling financial institutions to implement AML Event Scoring without requiring additional transactional feature processing.

Multiple Transactional Feature Sources

AML Event Scoring supports combining transactional features from multiple Behavioral Model groups into a unified modeling dataset.

Business Impact: Enables more comprehensive event risk assessment by incorporating behavioral information across multiple customer segments and transactional datasets.

AML Event Scoring Data Management

Introduced additional data management configuration for AML Event Scoring, including supporting FCC_DM tables, database packages, and the importAMLESDMSQL.sh utility for importing metadata mappings into AMLES workspaces.

Business Impact: Supports consistent data management configuration across sandbox and production environments, improving the reliability of AML Event Scoring deployment and operation.

AML Event Scoring Scheduler Updates

Added the AMLES_Scheduler_8.1.3.2.0 scheduler configuration for AML Event Scoring workflows.

Business Impact: Supports execution of AML Event Scoring processes using the updated release-specific batch framework.

Customer Segmentation and Anomaly Detection Enhancements

Multiple Behavioral Model Data Sources

Customer Segmentation and Anomaly Detection supports combining behavioral features from multiple Behavioral Model groups into a unified modeling dataset. Source configurations are retained for subsequent production scoring.

Business Impact: Enables customer segmentation across multiple behavioral datasets while maintaining consistency between model training and production scoring.

Custom Feature Transformations

Customer Segmentation and Anomaly Detection supports configurable feature transformations that can be applied consistently during model training and production scoring.

Business Impact: Provides greater flexibility in preparing customer behavioral data while reducing inconsistencies between model development and deployment.

Enhanced Anomaly and Deviation Scoring

Customer Segmentation and Anomaly Detection provides configurable anomaly and deviation scoring, including scoring thresholds, methods, output persistence, and optional feature contribution calculations.

Business Impact: Improves flexibility in identifying customers whose behavior differs from their assigned segments or peer groups and supports more targeted investigation.

New Entity Prediction

Customer Segmentation and Anomaly Detection supports assigning previously unclustered entities to existing clusters and peer groups during scoring.

Business Impact: Enables financial institutions to incorporate new customers into established segmentation models without requiring a complete model retraining cycle.

Customer Segmentation Batch Framework

Updated the Customer Segmentation and Anomaly Detection batch framework to use Behavioral Model aggregate base features and the CSAD Scoring Batch, including support for multiple physical model groups.

Business Impact: Supports more flexible data preparation and scoring execution across different customer populations.

Model Training and Scoring Execution Controls

Introduced notebook execution tags to distinguish training activities from production scoring activities. Shared processing steps can be configured to execute in both workflows.

Business Impact: Improves consistency between model development and production execution while reducing the risk of running inappropriate processing steps.

Entity Resolution Enhancements

Real-time matching now supports Oracle Text and can create new global ids in real-time.

Business Impact: Customers using Oracle Text can use the real-time matching apis to determine if there are any existing global parties which match a new record and if not can create a new global party record without need to run the batch entity resolution process.

Graph Pipeline Enhancements

Performance Improvements

Performance Improvements have been made to the out of the box graph pipeline which now uses materialized views rather than data movement to create the graph schema. Please note the configurable user interface does not yet support this, so if the out of the box graph needs to be configured and volumes are low the existing pipeline is still recommended.

Business Impact: For processing high volumes of data for the out of the box global graph the performance times have greatly reduced.

Support for Oracle Text

The matching used to create links in the global graph now support Oracle Text, rather than needing Open Search.

Business Impact: Reduced infrastructure – Open Search clusters are no longer required.

Consolidated Health and Performance Monitoring

The legacy Environment Health tab has been replaced with a Prometheus-backed Consolidated Health Service. This introduces Current and History modes with detailed views into JVM metrics, JDBC connections, and Database Tablespaces, delivering continuous, real-time telemetry and addressing previous data accuracy gaps.

Business Impact: Establishes a single source of truth for environment health, enabling faster root-cause analysis, proactive resource management, and accurate historical trend analysis to help prevent application downtime.

Real-Time Pipeline Resource Monitoring

The Model Pipeline Execution Summary now supports optional, high-granularity live tracking of CPU utilization, memory consumption, active threads, and Process IDs (PIDs) per session. Users can manually refresh telemetry or close sessions directly from the summary view.

Business Impact: Provides immediate operational oversight to detect and terminate resource-heavy processes, prevent pipeline bottlenecks, and optimize compute costs.

Data and Pipeline Management

Cross-Tenancy Data Porting and Enhanced Discovery

Enhancement: Supports seamless data movement between Production and Sandbox tenancies. Key improvements:

- Expanded schema and table discovery — no longer limited to mapped schemas only.
- Selective data loading for granular control over what data is ported.
- Wider 75% viewport drawer with improved filtering, sorting, and clearer status messaging.

Business Impact: Reduces time and effort to prepare test environments, improves accuracy navigating complex schema lists, and accelerates development cycles.

Service Interruption Handling

Enhancement: The model pipeline now auto-tracks service disruptions. If a restart occurs during an active run, execution status automatically transitions to Interrupted — eliminating stale In-Progress states.

Business Impact: Improves operational transparency and data integrity, enabling teams to quickly identify and re-trigger interrupted processes to maintain project timelines.

Scheduling and Automation

Dynamic Scheduler Input Configuration

Enhancement: The Scheduler UI now supports dynamic, model-aware execution inputs. Parameter Sets display by default, available parameters auto-refresh on model change, and a standardized selection priority (Parameter Sets -> Optional Params -> Execution Params) ensures consistent, backward-compatible behavior.

Business Impact: Eliminates manual parameter entry, reduces configuration errors, and ensures consistent model behavior across environments with automated priority logic.

Infrastructure and Integrations

Multi-Platform Git Integration and Validation

Enhancement: The Git integration framework now supports GitHub, GitLab, and Bitbucket — removing the previous restriction to internal repositories. Includes automated repository URL validation and mandatory connection testing before any remote operations.

Business Impact: Enables teams to use preferred version control providers; proactive URL validation minimizes failed deployments and broken syncs, saving developer time.

Kafka Topic and Cluster Management

Enhancement: The Kafka management interface adopts a drawer-based interaction model for creating, editing, and viewing topics. Key updates:

- Conda environment values can now be stored directly within topic records.
- Support for comma-separated host:port bootstrap server lists, enabling multiple cluster nodes per topic.

Business Impact: Drawer-based flows improve administrative productivity; multi-node bootstrap server support introduces high availability and fault tolerance, eliminating single points of failure in real-time data streaming.

Workspace-Aware Notification Management

Enhancement: The Data Population notification framework is now a globally managed, workspace-aware system. It automatically seeds the default mapped user group per workspace, supports dynamic recipient resolution via a searchable list, and enforces workspace-scoped governance on all alerts.

Business Impact: A set-and-forget approach that ensures critical alerts reach the correct stakeholders automatically — eliminating manual routing and improving organizational governance.

ML Platform and Model Management

AutoML Training Observability and Catalog Integration

The Model Catalog now features a dedicated Training Details drawer for AutoML models, providing:

- Real-time progress tracking — current stage and overall completion.
- Feature engineering insights — all features processed and evaluated.
- Hyperparameter transparency — detailed logs of hyperparameters used.
- Failure diagnostics — immediate access to status reports and error logs.

Business Impact: Removes the black-box nature of AutoML, enabling faster debugging, informed model selection, and audit-ready explainability for production deployment.

Enhanced Conda Environment Management

Enhancement: End-to-end visibility into asynchronous Conda environment lifecycles. New capabilities:

- Unified Create status for new and imported environments.
- YAML Preview button to inspect configuration files and execution logs in-UI.
- Detailed failure logs and one-click Retry for failed operations without leaving the screen.
- Validation warnings for imported YAMLS missing an explicit Python version.

Business Impact: Transforms a black-box process into a transparent, self-service workflow — reducing downtime, eliminating backend intervention, and preventing silent execution failures.

User Provisioning and Identity Diagnostics

User provisioning and identity handling now include improved SAML validation, error handling, and diagnostics; stronger user-provisioning and identity-mapping validation; and safer fallback behavior with clearer responses when user or group data is missing or invalid.

Business Impact: Provides clearer validation and diagnostic information for troubleshooting SAML, user-provisioning, and identity-mapping issues.

HTTP Strict Transport Security

HTTP Strict Transport Security (HSTS) has been added to response headers to enforce HTTPS browser behavior.

Business Impact: Enforces HTTPS browser communication through the HSTS response header.

Data Sourcing and Model Upload Diagnostics

Workspace Data Sourcing and model upload processing have been enhanced with clearer object-level execution status and failure visibility, better progress tracking and failure isolation for large uploads and batches, dependency-aware handling and reporting for database objects, improved troubleshooting for partitioned database objects, and separate AAI-DMM service logs.

Business Impact: Provides more granular status and failure information for diagnosing Data Sourcing and model upload operations.

Optional Synonym Creation

Workspace Data Sourcing now supports optional synonym creation.

Business Impact: Allows users to avoid synonym creation when it is not required, supporting the stated objective of reducing storage costs.

Dataset Transformation and DateTime Engineering

The dataset management interface now supports full transformation lifecycle management — add, edit, delete, revalidate, and reorder — without switching context. Includes:

- In-view application and preview of transformation logic against live dataset records.
- Automated DateTime normalization across diverse formats for pipeline consistency.
- Dedicated Encode Datetime functionality for ML-ready temporal feature engineering.

Business Impact: Accelerates data preparation by enabling iterative transformations with direct data visibility, eliminating manual overhead and reducing error rates in time-series data cleaning.

Dataset Feature Restriction Removed

The Dataset screen no longer restricts datasets to 100 features.

Business Impact: Allows users to work with datasets containing more than 100 features on the Dataset screen.

Independent Custom SQL Queries

During Step 3 of dataset creation, users can provide complex custom SQL queries independently against a single datastore.

Business Impact: Provides flexibility to define dataset logic with independent custom SQL queries on a single datastore.

Model Pipelines

Open Session Monitoring and Management

Model Pipelines now supports monitoring and managing open sessions.

Business Impact: Provides visibility and management controls for open sessions

Model Monitoring Metadata Management and Persistence

Model Monitoring metadata can be managed and persisted.

Business Impact: Retains Model Monitoring metadata for continued management and use.

Model Monitoring Pipeline View

A Pipeline View is available for Model Monitoring

Business Impact: Provides a pipeline-oriented view of Model Monitoring information.

Model and AI Risk Management (MARM)

MARM introduces a structured, validator-led model validation workflow to standardize risk assessment across the organization. Features include:

- Governed end-to-end workflow: Data Profiling & Drift Analysis, Outcome Analysis & Backtesting, Conceptual Soundness, Tiering, Findings, and Final Review.
- Draft saving, comprehensive validation history tracking, and detailed execution reports.
- Portfolio-level oversight via Dashboard, Model Inventory, Model 360 view, and Validation Calendar.
- Step-level commentary and formal validation decisioning within a strictly governed lifecycle.

Business Impact: Digitizes the model lifecycle to ensure all AI, ML, and Statistical models meet regulatory and internal standards — providing audit-ready executive visibility and mitigating risk associated with model failure.

Model Dashboard

The MARM Model Dashboard has been enhanced with more meaningful charts, improved interactive behavior, and a Critical Validation Backlog view. These enhancements give Risk Managers and the RMBC a clearer, more actionable view of the model inventory and its validation priorities.

- Clickable KPIs with drill-down into filtered Model Inventory
- Risk-prioritized Critical Validation Backlog for timely attention to validation demand
- Model-risk distribution by business domain and production-model validation status
- Model lifecycle-stage and production-model vintage distribution

Business Impact: Improves oversight of model risk and validation demand by bringing the most relevant inventory, risk, and backlog indicators into a single decision-oriented view.

Model Registration in MARM

Model registration in MARM has been streamlined through two guided paths.

For models already available in MMG, MARM performs a readiness check to confirm that the selected model is ready to enter evaluation or validation.

For external models, a dedicated registration path enables models from external environments to be registered through a streamlined process within MARM.

Business Impact: Provides a clearer, faster path to bring both MMG and external models into the MARM validation lifecycle, while establishing readiness before validation begins.

Model Tiering

Model Tiering now includes automatic tier score calculation, configuration-driven standard tiering criteria, an improved tiering-criteria layout, display of the previous tier, and controlled manual override.

Business Impact: Reduces manual calculation through automatic tier scoring while retaining controlled override and visibility into the previous tier.

Backtesting

Backtesting now supports an As-of Date, allowing validators to select the date as of which date a model is to be validated. Backtesting has also been expanded to probability of default (PD), classification, multiclass, and traditional models.

Business Impact: Enables validation against the relevant historical point in time, helping validator persona capture the real business value of the backtesting process.

Audit Logging

MARM now records validation-related activities as part of the original pipeline audit logs.

Business Impact: Improves traceability by providing a consolidated audit record of validation activity alongside the underlying pipeline history.

Role-Based Access Controls

MARM now supports role-based access controls through three seeded personas: Model Owner, Model Validator, and Lead Validator / Validation Approver. Access is organized through the MMG/OFSA User-to-User Group-to-Role-to-Function model, with granular view, validation-execution, and approval functions.

Business Impact: Strengthens governance through clear accountability and segregation of duties: Model Owners receive read-only access, Model Validators perform validation work, and Lead Validators / Validation Approvers review and finalize outcomes.

Findings and Observation Tracking

MARM now provides a flow to track findings and observations identified in a validation. Open findings can be carried forward into subsequent validations, enabling validators to continue tracking them until closure.

Business Impact: Provides continuous visibility of unresolved validation matters and supports disciplined follow-through across validation cycles.

Admin and Installation

Infrastructure Observability

Build-monitor components now include configurations for Prometheus, Node Exporter, and Oracle Exporter. Prometheus remains optional, giving teams the flexibility to enable advanced health monitoring based on operational needs.

Proactive Pre-Install Checks

Automated validation added for DTP placeholders, schema connectivity, service ports (DTP, UI, Jobs), and TLS-related configurations — ensuring full environment readiness before deployment.

Security and Hardening

TLS 1.3 implemented with comprehensive CVE remediation. Users can manually configure their TLS version to align with internal security policies.

Authentication and Tech Stack Modernization

Introduced LDAP-based authentication (AuthN) and upgraded to Data Studio 26.1. Java 25 is now supported, with maintained backward compatibility for Java 17 and 21.

Business Impact: Pre-install checks reduce setup time and troubleshooting overhead. TLS 1.3, LDAP support, and Java 25 keep the platform secure and compliant with modern enterprise standards, while optional Prometheus integration enables cost-effective monitoring scalability.

Performance Improvements

Technology Stack

The Product now carries updated versions of the following:

- Data Studio version 26.1.2
- Oracle Database 26.ai support in addition to existing ones
- Java version 17, 21, 25
- RAPID version 20
- OJet version 19.1

All 3rd party libraries upgraded to latest stable versions for improved performance and security.

1.3 Installing the Release

For detailed instructions on installing the release, see the [OFS Compliance Studio Installation Guide](#).

1.4 Known Issues and Limitations

The following tables lists the Known Issues and Limitations in this release.

Table 1-1 Graph

S.No	Bug ID	Known Issues and Limitations	Workaround
1	35564509	ECM Graph - When a graph pipeline task fails and user "restarts" the run, the failed tasks throw "invalid table name" error.	User needs to schedule a new batch with all the failed tasks and re-execute
2	36381673	Event Pipeline fails when the same EVENT_CD comes from different DATA_ORIGIN.	NA
3	36779972	Customer to External Entity similarity edges are not visible in graph. Approve action from Manual Decision UI does not work.	NA

Table 1-1 (Cont.) Graph

S.No	Bug ID	Known Issues and Limitations	Workaround
4	36977898	Unable to create edges between widgets inside Graph Definition UI.	Drag and drop the widget towards the right hand side of the UI and then create the edge
5	39239765	Graph Manual Decision : Reject button missing and Approve button misaligned in Pending Approval tab for approver users	NA

Table 1-2 Entity Resolution

S.No	Bug ID	Known Issues and Limitations	Workaround
5	36336726	Transliteration does not work for Chinese and Korean languages.	NA

Table 1-3 ML4AML Use Case

S.No	Bug ID	Known Issues and Limitations	Workaround
6	35872579	Scenario execution fails because the default python environment is attached to the notebook.	To avoid this issue, follow these steps: 1. User has to navigate to the newly imported AML scenario notebook. 2. Attach the proper Python Runtime environment with the session. The recommended value for the Python Runtime environment is default_<version>. For more information, see Trigger Scenario Execution section in the OFS Compliance Studio Use Case Guide.

Table 1-3 (Cont.) ML4AML Use Case

S.No	Bug ID	Known Issues and Limitations	Workaround
7	36373103	Failure in model fit for a model when parameters "feature_include", and "feature_must_include" are not None and control parameter "find_linear_combos = True".	To work, set parameter "find_linear_combos" = False.
8	37808107	Anomaly Scoring with PCAREC Technique is failing for KM, AGNES, and DBSCAN.	NA
9	37814999	Unsupervised Model - Getting an error while executing the DBSCAN deviation scoring logic with LDCAF and CBLOF technique.	NA
10	38174062	SM - Annual Model Monitoring: BTL Conversion Rate plot is displayed even when there are no valid records.	NA
11	38173989	SM - Annual Model Monitoring: Monthly Scenario Alert Summary is not being displayed.	NA
12	38173417	SM - Monthly Model Monitoring: Margin Density Paragraph's dataframe is None.	NA
13	40113502	ISSUE WITH "CREATE AMLES MODELING DATASET / JOIN AMLES TRAIN DATASET WITH TRANSACTIONAL FEATURES" PARAGRAPH	

Table 1-4 User Activity

S.No	Bug ID	Known Issues and Limitations	Workaround
13	35953842	Data studio's dynamic forms "Drop down" gives error.	Invalidate the session and execute the notebook again.
14	37008227	Schema Creation Fails - Cannot Reuse the Same Name.	Create workspace with new name

Table 1-4 (Cont.) User Activity

S.No	Bug ID	Known Issues and Limitations	Workaround
15	36997284	Meta Service is failing after restarting the Compliance Studio.	To resolve this issue, follow these steps: 1. Navigate to <OFS_COMPLIANCE_STUDIO_INSTALLATION_PATH>/deployed/ficdb/Utilities/LiquibaseCleanup directory. 2. In Studio Schema, execute the metaservice_database.hangelog_cleanup.sql script. 3. Restart Compliance Studio

Table 1-4 (Cont.) User Activity

S.No	Bug ID	Known Issues and Limitations	Workaround
16	38171370	The authZType parameter is not being replaced in the application.yml file, and direct login to Data Studio is also not working.	To resolve this issue, follow these steps: 1. Navigate to the <COMPLIANCE_STUDIO_INSTALLATION_PATH>/deployed/mmg-home/mmg-studio/conf directory. 2. Open the application.yml file. 3. Under the saml configuration section, add the following line. authZType: "<SAML/AAI>" Note: • If Data Studio retrieve mapped groups from AAI, set authZType to AAI. • If Data Studio retrieve mapped groups from IDCS, set authZType to SAML. 4. Navigate to the <COMPLIANCE_STUDIO_INSTALLATION_PATH>/mmg-home/mmg-studio/conf directory 5. Open the application.yml file and repeat the same change made in the Step 3.
17	37387861	The user will not be able to log in to DataStudio directly if the AuthZ flag is enabled.	NA

Table 1-4 (Cont.) User Activity

S.No	Bug ID	Known Issues and Limitations	Workaround
18	38345192	An undefined error is displayed when creating a new workspace and attaching a Conda environment from the Compliance Studio UI.	To create the workspace: 1. In the workspace, click Details. 2. In the workspace schema, click Edit and attach the Conda environment.
19	38403218	The Compliance Studio UI is not displaying FCC UI contents, and a blank page is observed.	NA
20	39944496	THRESHOLD SET NOT LOADED IN ATL OVERLAY	NA
21	40025819	THRESHOLD CREATION AND SCENARIO EXECUTION ERROR	NA
22	39160456	COMPLIANCE STUDIO 8131 - DTP CONF DEPLOYMENT FAILS WITH ERROR "VALUE TOO LARGE FOR COLUMN AAICL_SS_BATCH_URL	Manually update the column length of V_URL of the AAICL_SS_BATCH_URL table if the URL exceeds more than 100 characters.
23	40146409 - CS81320	INSTALLER/LDAP - LDAP_AUTH_PASSWORD PARAM IS NOT EXPORTED AS PART OF MMG-HOME/BIN/INITIALIZE-SECRETS.SH SCRIPT	NA
24	40146962	GRAPH MATCH RULE EXECUTION FAILS FOR PARALLEL_LEVEL=8 WITH ERROR "PARALLEL QUERY SERVER DIED UNEXPECTEDLY	NA

Table 1-5 Scenario Conversion Utility

S.No	Bug ID	Known Issues and Limitations	Workaround
20	35943957	Scenario Conversion Utility - The Events are not getting generated for these(ML/AC) Networks of Accounts, Entities, and Customers, (ML/AC) Escalation in Inactive Account scenarios.	NA

2

Hardware and Software Tech Stack Details

For more details on the Hardware and Software combinations, see *Oracle Financial Services Analytical Applications Technology Matrix* available in the [OHC Tech Stack](#).

3

Licensing Information

Licensing Information for details on the third-party software tool used, see the *OFSAALicensing Information User Manual Release* available in the [Licensing Information User Manual](#).