

Oracle FCCM Cloud Service Customer Screening

User Roles and Privileges



Release 25.05.01
G34912-01
May 2025

ORACLE®

Copyright © 2024, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	iv
Help	iv
Related Resources	iv
Diversity and Inclusion	iv
Documentation Accessibility	iv
Conventions	v
Comments and Suggestions	v

1 Overview of Securing Oracle FCCM Cloud Service

2 Application User Setup

3 User Roles and Privileges

3.1	Role-Based Access Control	3-1
3.2	User Group and User Role Mapping	3-2
3.3	User Roles and Activities in Customer Screening	3-9

4 Using Customer Screening Documentation

Preface

User Roles and Privileges explains how to enable user access to Oracle Financial Services Crime and Compliance Management Customer Screening Cloud Service functions and data.

Audience

This document is intended for users who are responsible for provisioning and activating Oracle Customer Screening Cloud services or for adding other users who would manage the services, or for users who want to develop Oracle Cloud applications.

Help

Use Help Icon  to access help in the application. If you don't see any help icons on your page, click your user image or name in the global header and select Show Help Icons. Not all pages have help icons. You can also access the <https://docs.oracle.com/en/> to find guides and videos.

Related Resources

For more information, see these Oracle resources:

- Oracle Public Cloud: <http://cloud.oracle.com>
- Community: Use <https://community.oracle.com/customerconnect/> to get information from experts at Oracle, the partner community, and other users.
- Training: Take courses on Oracle Cloud from <https://education.oracle.com/oracle-cloud-learning-subscriptions>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send an e-mail to: <https://support.oracle.com/portal/>.

1

Overview of Securing Oracle FCCM Cloud Service

Oracle Financial Services Crime and Compliance Management Cloud Service is secure as delivered. This guide explains how to enable user access to Oracle Financial Services Crime and Compliance Management Cloud Service functions and data. You perform some of the tasks in this guide either only or mainly during implementation. Most, however, can also be performed later and as requirements emerge. This topic summarizes the scope of this guide and identifies the contents of each chapter.

The Oracle Financial Services Crime and Compliance Management Cloud Service is a platform for hosting software as a service (SaaS) applications and this platform provides a secure consistent environment for the deployment and operation of SaaS applications. It also provides unified security features to all services deployed on the platform in the areas of user identity management and the management of access entitlements provisioned to users.

2

Application User Setup

During implementation, you prepare your Oracle Applications Cloud service for application users. Decisions made during this phase determine how you manage users by default. Most of these decisions can be overridden. However, for efficient user management, you're recommended to configure your environment to both reflect enterprise policy and support most or all users. For more information, see the [User Summary Page](#) and [User Roles and Privileges](#).

During implementation, you can use the Create User task to create test application users. By default, this task creates a minimal person record and a user account. After implementation, you should use the Hire an Employee task to create application users. The Create User task isn't recommended after implementation is complete. This topic describes how to create a test user using the Create User task. For more information, see the [Creating the Application Users](#).

3

User Roles and Privileges

In Oracle Financial Services Crime and Compliance Management Customer Screening Cloud Service, users have roles through which they gain access to functions and data. Users can have any number of roles.

The following figure shows the User Persona Details:

Figure 3-1 User Persona Details



Note:

- User-Group mapping changes from IDCS will take five minutes to sync with the application. If these changes are made during the active user session then it will be reflected on the next login.
- You can create and manage Application users as per your requirements. For example, you can map Pipeline Admin group and CM Admin group to one user.

3.1 Role-Based Access Control

Role-based security in Oracle FCCM Customer Screening Cloud Service controls who can do what on which data.

The following table summarizes role-based access.

Table 3-1 Role-based Access

Component	Description
Who	The role assigned to a user.
What	The functions which users with the role can perform.

Table 3-1 (Cont.) Role-based Access

Component	Description
Which Data	The set of data which users with the role can access when performing the function.

The following table provides examples of role-based access.

Table 3-2 Examples of role-based access.

Who	What	Which Data
Data Administrators	Prepare and ingest data	Business data
Case Analysts	View, analyze, and act on cases	Business data and Operational data

**Note:**

The new user should have the following roles to access Home page of the Cloud application.

- Function read role
- Group read role
- User read role
- Role read role

3.2 User Group and User Role Mapping

Provides the User Group and User Role mapping.

Table 3-3 User Group and User Role Mapping

User Groups	User Roles	Activities
Identity Administrator	Identity Administrator	• View the reports • View the object storage • View the OAuth credentials • Perform the Identity and access management operations
Identity Authorizer	Identity Authorizer	Authorize the Identity and access management operations
Pipeline Administrator Group	Pipeline Administrator	• Configure pipelines • Common Pipelines access • Configure threshold sets
CS Admin	Pipeline Admin Role	• AML access code • FCC Common Function • Pipeline Access • PIPELINE Common Function

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	Common Pipelines access	• Data API Pipeline Access • Data Loading Pipeline Access • Data Pipeline Pipeline Access
CS Admin	Realtime Screening pipelines access role	Realtime Screening Pipeline Access
CS Admin	WATCHLIST pipelines access role	Watchlist Pipeline Access
CS Admin	CS Admin Role	• Action Status Mapping • Admin Audit access • Application Security Mapping • Business Domain • Case Rules • Case Type • CM Admin Config Migration • CM Admin Export Config Migration • CM Admin Import Config Migration • CS Admin Access • Enable CS Cases Report • Jurisdiction • OFS_CSCS • System Parameters
CS Admin	Batch Screening pipelines access role	Batch Screening Pipeline Access
CS Admin	Batch Advance Role	• Batch Add Function • Batch Copy Function • Batch Delete Function • Batch Execute Function • Batch Modify Function • Batch Purge Function • Batch Schedule Function • Batch Summary Function • Batch View Function • Function Summary
CS Admin	Batch Authorization Role	• Batch Authorize Function • Batch Summary Function • Batch View Function • Function Summary
CS Admin	Batch Maintenance Role	• Batch Modify Function • Batch Summary Function • Batch View Function • Function Summary
CS Admin	Batch Read Role	• Batch Summary Function • Batch View Function • Function Summary

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	Batch Write Role	• Batch Add Function • Batch Copy Function • Batch Modify Function • Batch Summary Function • Batch View Function • Function Summary

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	CS Admin Role	- Action Mapping Save Button - Action Reason Mapping Add Button - Action Reason Mapping Edit Button - Action Reason Mapping Remove Button - Action Status Mapping - Admin Audit access - AML access code - Application Security Mapping - Business Domain - Business Domain Add Button - Business Domain Edit Button - Case Actions Add Button - Case Actions Edit Button - Case Priority Add Button - Case Priority Edit Button - Case Priority Remove Button - Case Rule Add Button - Case Rule Edit Button - Case Rule Remove Button - Case Rules - Case Status Add Button - Case Status Edit Button - Case System Parameter Edit Button - Case Type - Case Type Add Button - Case Type Edit Button - Cm access role - CM Admin Access - CM Admin Config Migration - CM Admin Export Config Migration - CM Admin Import Config Migration - FCC Common Function - Group Summary - Jurisdiction - Jurisdiction Add Button - Jurisdiction Edit Button - Security Mapping Save Button - System Parameters - Workflow CRUD API Access - Workflow Execute API Access - Workflow Read API Access

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	Master data Admin Role	• Account Opening • Account Type • Address Purpose • Application System Parameters • Citizenship Status • Countries • Customer Data Slice • Employment • Gender • Generic Master Data • KYC System Parameters • Legal Structure • Marital Status • Markets Served • NAICS Code • Occupation • Phone Purpose • Product Offered • Public or Private • Relationship Type • Source of Wealth • Watchlist Category • Watchlist Subtype Watchlist Type

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	• Data Designer Form creation Role • Data Designer Template creation Role • Data Designer View creation Role • Data Desinger Auth • Data Desinger Delete • Data Desinger Read • Data Desinger Reject • Data Desinger Write • Data Entry Authz • Data Entry Read • Data Entry Reject Data Entry Write	• Enable DMI Designer Components for creating Form • Enable DMI Designer Components creating Template • Enable DMI Designer Components for creating View • Enable DMI Designer Components for Authz • Enable DMI Designer Components for Delete • Enable DMI Designer Components • Enable DMI Designer Components for Reject • Enable DMI Designer Components for Write Operation • Enable DMI Data Entry Components for Authz • Enable DMI Data Entry Components • Enable DMI View Components • Enable DMI Data Entry Components for Reject • Enable DMI Data Entry Components Write Operation
CS Admin	Data Model Extension Admin Role	• Data Model Extension Access • FCC Common Function • PIPELINE Common Function
CS Admin	• Function Read Role • Group Read Role • Role Read Role User Read Role	• Function Summary • Function View • Group Summary • Group View • Role Summary • Role View • User Summary User View
CS Admin	Canned Report Access	Enable Canned Report

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
CS Admin	- Workflow Access - Workflow Read - Workflow Write	- Link Access to Workflow and Process Definitions - Summary Access to Workflow and Process Definitions - Service Summary - Summary Access to Workflow and Process Definitions - View Workflow and Process Definitions - Workspace Summary - Add Workflow and Process Definitions - Delete Workflow and Process Definitions - Edit Workflow and Process Definitions - Service Summary - Workspace Summary
Job Administrator Group	Job Administrator	Manage jobs
Scheduler Administrator Group	Scheduler Administrator	Manage batches
Watchlist Administrator Group	Watchlist Administrator	- Manage private watch lists - Manage synonyms & stop words - Manage Index Management
CS Analyst Group	CS Analyst	Perform real-time screening
CM Analyst Group	CM Analyst	- Search for cases - Investigate cases - Set a case due date - Close Cases - Recommend case closure
CM Supervisor Group	CM Supervisor	- Search for cases - Investigate cases - Set a case due date - Approve or reject recommendations to close cases - Close cases
CM Administrator Group	CM Administrator	- Configure Jurisdictions and business domains - Configure case statuses - Configure case actions - Configure case types - Configure case priority - Configure security mapping - Configure case system parameters - Configure and monitor PMF Workflows

Table 3-3 (Cont.) User Group and User Role Mapping

User Groups	User Roles	Activities
MasterData Admin Group	MasterData Admin Role	Configure master data fields

3.3 User Roles and Activities in Customer Screening

Information about privileges in customer screening.

Table 3-4 User Roles and Activities

Privileges	CS Analyst	Watchlist Administrator	CS Administrator	CM Analyst	CM Supervisor	CM Administrator
Manage private watchlists		X				
Manage synonyms & stop words		X				
Manage Index Management UI		X				
Map jurisdictions to pipelines			X			
Search for cases				X	X	
Investigate cases				X	X	
Set a case due date				X	X	
Recommend case closure				X		
Perform real-time screening						
Approve or reject recommendations to close cases					X	
Close cases				X	X	
Configure jurisdictions and business domains						X
Configure case statuses, actions, types, and priority						X
Configure security mappings						X
Configure case system parameters						X
Configure & monitor PMF workflows						X

4

Using Customer Screening Documentation

Provides insight into the workflow of CS and related documents.

Table 4-1 Workflow for CS

Sequence	Document Reference	Description
1	Subscription	Activate Subscription
2	User Authentication	- Create users - User group and role mapping
3	Configure Master Data	Configure master data through the data load service, and they are used in the onboarding JSON
4	Data Loading	Upload required data files to Object Store
5	Mapping Jurisdiction to Pipeline	Map Jurisdiction and Entity Type to Pipeline
6	Configure Pipeline	- Import the ready-to-use pipelines - Create a copy of the imported pipelines - Create new pipelines and configure - Execute the batch
7	Application Security Mapping	- Create security attributes - Map Security Attributes to users
8	Watch List Management	- Manage Private Watch List - Manage Synonym Words
9	Configure Case Management	- Configure Status and Actions - Configure Case Types - Map of Case Action to Status, Case Type, user role - Configure PMF - Implement PMF using Case Types UI
10	Batch Group Execution	- Define a Batch - Define a Task - Schedule a Batch - Execute a Batch - Monitor a Batch
11	Investigating Cases	- Search Case - Analyze the case - Perform Real-Time Screening - Close the case