Oracle Financial Crime and Compliance Management Customer Screening Cloud Service Performing Real-Time Screening





Oracle Financial Crime and Compliance Management Customer Screening Cloud Service Performing Real-Time Screening, Release 25.05.01

G34910-02

Copyright © 2024, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

P	r	Δ	fa	\mathbf{c}	Δ
	ı٠	\Box	ια	u	C

Audience		iv
Help		iv
Related R	esources	iv
Diversity a	and Inclusion	iv
Documen	tation Accessibility	iv
Convention	ons	V
Comment	s and Suggestions	V
Real-Ti	me Screening of Customer Records	1-1
Real-Ti	me Screening of Customer Records	1-1 1-1
Real-Ti	me Screening of Customer Records	
Real-Ti 1.1 Sea 1.1.1 1.1.2	me Screening of Customer Records urch Fields Individual Search Type	1-1
Real-Ti 1.1 Sea 1.1.1 1.1.2	me Screening of Customer Records arch Fields Individual Search Type Entity Search Type	1-1 1-6
1.1 Sea 1.1.1 1.1.2 1.2 Sea	me Screening of Customer Records urch Fields Individual Search Type Entity Search Type urch Results	1-1 1-6 1-9



Preface

Performing Real-Time Screening introduces information sources that can help you use the Oracle Financial Services Customer Screening Cloud Service application Real-time screening.

Audience

This document is intended for users who are responsible for provisioning and activating Oracle Customer Screening Cloud services or for adding other users who would manage the services, or for users who want to develop Oracle Cloud applications.

Help

Use Help Icon to access help in the application. If you don't see any help icons on your page, click your user image or name in the global header and select Show Help Icons. Not all pages have help icons. You can also access the https://docs.oracle.com/en/ to find guides and videos.

Related Resources

For more information, see these Oracle resources:

- Oracle Public Cloud: http://cloud.oracle.com
- Community: Use https://community.oracle.com/customerconnect/ to get information from experts at Oracle, the partner community, and other users.
- Training: Take courses on Oracle Cloud from https://education.oracle.com/oracle-cloud-learning-subscriptions.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility



For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Conventions

The following text conventions are used in this document:

Convention	Meaning				
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.				
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.				
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.				

Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send an e-mail to: https://support.oracle.com/portal/.



1

Real-Time Screening of Customer Records

Use the Real-time Screening feature to screen individual and entity records. Enter or select the applicable values in the search fields and click Scan. When you screen data in real-time, you can see the details of the screened records. After screening is completed, any alerts generated are shown in the results pane and a case is created in ihub Case Management if applicable.

Topics:

- Search Fields
- Search Results

1.1 Search Fields

Displays the search fields for Real-time screening of customer records.

You must provide values in the search fields to get search results.

Topics:

- Individual Search Type
- Entity Search Type

1.1.1 Individual Search Type

When you select **Individual** as the search type, the Jurisdiction, Business Domain, First Name, and Last Name field specific to the individual candidate appear by default. You can perform the Real-Time Screening with and without creating a case by selecting the **Search with case creation** toggle button.

Note:

- You must provide values in all mandatory search fields to get search results. The mandatory fields are marked with an asterisk (*).
- For Search without case creation, First Name and Last Name are mandatory fields.
- For Search with case creation, the Jurisdiction, Business Domain, First Name, and Last Name are mandatory fields.
- Dedicated match rules are available based on the search fields.

To perform the Advanced Search, follow the subsequent steps:

- 1. Click **Advanced Search** (). The Advanced Search Parameter left pane is displayed.
- 2. Enter the values in the search fields and click **Apply Filter**. For more information on advanced search fields, see Table 1. Click **Clear** to reset the entries.

When the mandatory and advanced search parameters are applied, the parameter entries appear in the Additional Search parameters field in the **Real-Time Screening** window. For the **First Name** and **Last Name** fields, the entries are combined and added to the **Full Name** in the **Additional Search Parameter** field. You can edit the **Full Name** field.



All three field values (Full Name, First Name, and Last Name) are sent for matching.

If you want to remove any parameter, click the close button against the parameter in the Additional Search parameters field.



The **First Name** and **Last Name** entries are deleted when you delete the Full Name parameter from the **Additional Search Parameters** field. You must add the full name via Advanced Search to add the Full Name parameter.

- 3. Click **Search** to view the search results.
- Click Reset to clear the search fields.



For the following search fields, **Data Type** and **Character Length** information can be found in the Field Specification Guide on the MOS page.

Table 1-1 Search Fields for Individual Records

Record Name	Description	Mandatory Field	Matching Attribute	Accepted Values
Source Request ID	Enter the unique ID for the individual.	-	-	-
	Note: The Source Request ID is used suppress the Batch alert for a customer who has a Real-time Screening alert.			
Applicant ID	Enter the individual's applicant ID number. You can provide alphanumeric characters.	-	-	-



Table 1-1 (Cont.) Search Fields for Individual Records

Record Name	Description	Mandatory Field	Matching Attribute	Accepted Values
Jurisdiction *	Select the individual's jurisdiction.	Yes	-	The list of jurisdictions configured in the Oracle Financial Services Customer Screening Cloud application. For example: AMEA APAC MEX
Business Domain *	Select the individual's business domain.	Yes	-	-
First Name *	Enter the individual's first name.	Yes	Yes	-
Middle Name	Enter the individual's middle name.	-	-	-
Last Name *	Enter the individual's last name.	Yes	Yes	-
Title	Enter the honorific used to address the individual.	-	-	-
Full Name	Enter the individual's full name.	Yes Note: This field is mandatory only if the First name and Last name fields are not filled.	Yes	-
Alias	Enter the alias used by the individual.	-	Yes	You can add multiple Alias values.
Date Of Birth	Enter or select the individual's date of birth.	-	Yes	Only one value of DOB is accepted.
	To enter the date, click inside the field. The date must be in the format MM/DD/YY. To select the date, click Calender () and select the date from the date picker.			



Table 1-1 (Cont.) Search Fields for Individual Records

Record Name	Description	Mandatory Field	Matching Attribute	Accepted Values
SSN/TIN	Enter the individual's Social Security Number (SSN) or Tax Identification Number (TIN).	-	-	-
Gender	Select the drop- down list and then select the individual's gender.	-	-	The list of genders configured in the Oracle Financial Services Customer Screening Cloud application are accepted.
Primary Citizenship	Select the drop- down list and then select the country where the individual has primary citizenship. Primary citizenship is typically related to the individual's country of birth.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Secondary Citizenship	Select the drop- down list and then select the country where the individual is a naturalized citizen or has legal citizenship, if applicable.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Country Of Birth	Select the drop- down list and select the country where the individual was born.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Country Of Residence	Select the drop- down list and then select the country where the individual resides.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.



Table 1-1 (Cont.) Search Fields for Individual Records

Record Name	Description	Mandatory Field	Matching Attribute	Accepted Values
Existing Internal ID	Select the individual's internal ID. This is a unique identification number used by the individual.	-	-	-
Address pane	Select Expand	-	-	You can add
	() to expand the Address pane and view the fields.			multiple Addresses.
Street Line 1	Enter the individual's residential address.	-	-	-
City	Enter the city in which the individual resides.	-	Yes	-
State	Enter the state in which the individual resides.	-	-	-
Country	Select the drop- down list and then select the country where the individual resides.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Postal Code	Enter the postal code of the city where the individual resides.	-	-	-
Identification	Select Expand	-	-	You can add
Document pane	() to expand the Identification Document pane to view the fields.			multiple Identification Document values.
Document Type	Enter the document provided to verify the individual's identity.	-	-	-
Document Number	Enter the document number of the document type provided by the individual.	-	-	-



Table 1-1 (Cont.) Search Fields for Individual Records

		Matching Attribute	Accepted Values
Select the drop- down list and select the country where the document used to verify the ndividual's identity is issued.	-	-	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Enter the year of birth in the format (YYY). When the Date of Birth is provided, he Year of Birth is automatically populated. In that case, the Year of Birth field is not editable. When the Year of Birth is provided without providing the date of birth, then the	-	-	YYYY
	own list and elect the country where the ocument used to erify the ndividual's identity is issued. Inter the year of irth in the format ryyy. When the Date of irth is provided, ne Year of Birth is utomatically opulated. In that ase, the Year of ith field is not ditable. When the rear of Birth is rovided without roviding the date	own list and elect the country where the ocument used to erify the ndividual's identity is issued. Inter the year of irth in the format ryyy. When the Date of irth is provided, he year of Birth is utomatically opulated. In that asse, the Year of irth is not ditable. When the ear of Birth is rovided without roviding the date of birth, then the ear of Birth field	own list and elect the country where the ocument used to erify the ndividual's identity is issued. Inter the year of irth in the format ryyy. When the Date of sirth is provided, the Year of Birth is utomatically opulated. In that asse, the Year of sirth is not ditable. When the ear of Birth is rovided without roviding the date of birth, then the fear of Birth field

1.1.2 Entity Search Type

When you select Entity as the search type, the Jurisdiction, Business Domain, and Organization Name fields specific to the Entity appear by default. You can perform the Real-Time Screening with and without creating a case by selecting the Search with case creation toggle button.

Note:

- You must provide values in all mandatory search fields to get search results. The mandatory fields are marked with an asterisk (*).
- For Search without case creation, Organization Name is a mandatory field.
- For Search with case creation, the Jurisdiction, Business Domain, and Organization Name are mandatory fields.

To perform the Advanced Search, follow the subsequent steps:

- 1. Click **Advanced Search** (). The Advanced Search Parameter left pane is displayed.
- 2. Enter the values in the search fields and click **Apply Filter**. For more information on advanced search fields, see Table 1. Click **Clear** to reset the entries.



- 3. Click **Search** to view the search results.
- 4. Click **Reset** to clear the search fields.



For the following search fields, **Data Type** and **Character Length** information can be found in the Field Specification Guide on the MOS page.

Table 1-2 Search Fields for Entity Records

Record Name	Description	Mandatory Field	Matching attribute	Accepted Values
Source Request ID	Enter the unique ID for the entity. Note: The Source Request ID is used suppress the Batch alert for a customer who has a Real-time Screening alert.	-	-	-
Applicant ID	Enter the entity's applicant ID number. You can provide alphanumeric characters.	-	-	-
Jurisdiction *	Select the entity's jurisdiction.	Yes	-	The list of jurisdictions configured in the Oracle Financial Services Customer Screening Cloud application. For example: • AMEA • APAC • MEX
Business Domain	Select the entity's business domain.	Yes	-	-
Organization Name *	Enter the entity's name.	Yes	Yes	-
SSN/TIN	Enter the entity's Social Security Number (SSN) or Tax Identification Number (TIN).	-	-	-



Table 1-2 (Cont.) Search Fields for Entity Records

Record Name	Description	Mandatory Field	Matching attribute	Accepted Values
Country Of Incorporation	Select the drop- down list and then select the country in which the entity is registered.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Country Of Taxation	Select the drop- down list and select the country where the entity is located.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Existing Internal ID	Select the entity's internal ID. This is a unique identification number used by the entity.	-	-	-
Address pane	Select Expand () to expand the Address pane and view the fields.	-	-	You can add multiple Addresses.
Street Line 1	Enter the entity's residential address.	-	-	-
City	Enter the city in which the entity's resides.	-	Yes	*-
State	Enter the state in which the entity resides.	-	-	-
Country	Select the drop- down list and then select the country where the entity resides.	-	Yes	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.
Postal Code	Enter the postal code of the city where the entity resides.	-	-	-



Table 1-2 (Cont.) Search Fields for Entity Records

Record Name	Description	Mandatory Field	Matching attribute	Accepted Values
Identification Document pane	Select Expand () to expand the Identification Document pane to view the fields.	-	-	You can add multiple Identification Document values.
Document Type	Enter the document provided to verify the entity identity.	-	-	-
Document Number	Enter the document number of the document type provided by the entity.	-	-	-
Issuing Country	Select the drop- down list and select the country where the document used to verify the entity identity is issued.	-	-	ISO2 country codes configured in the master data in the Oracle Financial Services Customer Screening Cloud application are accepted.

1.2 Search Results

Displays the search results for Real-time screening of customer records.

Topics:

- Search Result for Individual Search Type
- Search Result for Entity Search Type

1.2.1 Search Result for Individual Search Type

After you click Search, if the name matches one or more watchlist records then an event is generated. The following information are displayed in the search result:

- Matching Summary Table
- Match Results Table



Real-Time screening cannot be done for the 314a watchlist type.

The following results are displayed in the Matching Summary table when data for an Individual is scanned:

Type: The Watchlist types



- Highest Matched Score: The highest matching score of each watchlist type
- Total Number of Matches: Total number of matches available for each watchlist type

The following results are displayed in the Match Results table when data for an individual is scanned:

- Watchlist Type
- Watchlist Skey
- Event Score
- Match Description
- Matched Column
- Matched Value
- Match Score

Click on the export icon to export the Matching Summary and Match Results in PDF format. For Additional Watchlist details, click on the Watchlist Skey ID. A pop up with additional details for the watchlist is displayed. Click **Export** icon on the Watchlist Details page to export the watchlist details in PDF format.

Match results are paginated if multiple watchlist types are available. Click **Case Internal ID** to navigate to the Case Investigation page, where you can find the Case Information details. For more information about the Case Investigation, see Using Oracle FCCM Investigation Hub Cloud Service.

You can apply filter to the Match Results. To filter the match results, follow the subsequent steps:

- Click Add Filters. Add filter pop-up is displayed.
- 2. Enter the values for the match result parameters.
- Click Apply Filter to filter the match result.
- 4. Click **Reset** to reset the filters.

For the default Match Result view click Clear Filers.



If you apply multiple filter parameter values, the results are displayed to satisfy all the selected parameters.

1.2.2 Search Result for Entity Search Type

After you click **Search**, if the name matches one or more watchlist records then an event is generated. The following information are displayed in the search result:

- Matching Summary Table
- Match Results Table

The following results are displayed in the Matching Summary table when data for an Individual is scanned:

Type: The Watchlist types



- Highest Matched Score: The highest matching score of each watchlist type
- Total Number of Matches: Total number of matches available for each watchlist type

The following results are displayed in the Match Results table when data for an individual is scanned:

- Watchlist Type
- Watchlist Skey
- Event Score
- Match Description
- Matched Column
- Matched Value
- Match Score

Click on the export icon to export the Matching Summary and Match Results in PDF format. For Additional Watchlist details, click on the Watchlist Skey ID. A pop up with additional details for the watchlist is displayed. Click **Export** icon on the Watchlist Details page to export the watchlist details in PDF format.

Match results are paginated if multiple watchlist types are available. Click **Case Internal ID** to navigate to the Case Investigation page, where you can find the Case Information details. For more information about the Case Investigation, see Using Oracle FCCM Investigation Hub Cloud Service.

You can apply filter to the Match Results. To filter the match results, follow the subsequent steps:

- 1. Click Add Filters. Add filter pop-up is displayed.
- Enter the values for the match result parameters.
- Click Apply Filter to filter the match result.
- Click Reset to reset the filters.

For the default Match Result view click Clear Filers.



If you apply multiple filter parameter values, the results are displayed to satisfy all the selected parameters.

