

Oracle Financial Services

Balance Reconciliation



Release 23.03.01
F78506-02
March 2023

ORACLE®

Copyright © 2022, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Get Help

1.1	Get Help in the Applications	1-1
1.1.1	Additional Resources	1-1
1.2	Learn About Accessibility	1-1
1.3	Get Support	1-1
1.4	Get Training	1-1
1.5	Join Our Community	1-2
1.6	Share Your Feedback	1-2
1.7	Before You Begin	1-2

2 Balance Reconciliation

2.1	Reconciliation Definition	2-2
2.1.1	Adding a New Reconciliation Definition	2-2
2.1.2	Reconciliation Balance	2-3
2.1.3	Actions Performed on Reconciliation Definition	2-4
2.2	Duplicate Runs for Same As-of-Date	2-7
2.3	Historical Difference Report	2-7
2.4	Default Attributes	2-8
2.4.1	Creating a New Product-Currency Combination and Default Attributes	2-9
2.5	Reconciliation using Batch Process	2-12

1

Get Help

Topics:

- [Get Help in the Applications](#)
- [Learn About Accessibility](#)
- [Get Support](#)
- [Get Training](#)
- [Join Our Community](#)
- [Share Your Feedback](#)
- [Before You Begin](#)

1.1 Get Help in the Applications

Use help icons to access help in the application.

Note that not all pages have help icons. You can also access the [Oracle Help Center](#) to find guides and videos.

1.1.1 Additional Resources

- Community: Use [Oracle Cloud Customer Connect](#) to get information from experts at Oracle, the partner community, and other users.
- Training: Take courses on Oracle Cloud from [Oracle University](#).

1.2 Learn About Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle Accessibility Program](#). Videos included in this guide are provided as a media alternative for text-based topics, and are also available in this guide.

1.3 Get Support

You can get support at [My Oracle Support](#).

For accessibility support, visit Oracle Accessibility Learning and Support.

1.4 Get Training

Increase your knowledge of Oracle Cloud by taking courses at [Oracle University](#).

1.5 Join Our Community

Use [Cloud Customer Connect](#) to get information from industry experts at Oracle and in the partner community. You can join forums to connect with other customers, post questions, and watch events.

1.6 Share Your Feedback

We welcome your feedback about Oracle Applications user assistance. If you need clarification, find an error, or just want to tell us what you found helpful, we would like to hear from you.

You can email your feedback to [My Oracle Support](#).

Thanks for helping us improve our user assistance!

1.7 Before You Begin

See the following Document:

- See [What's New](#)

2

Balance Reconciliation

The Profitability and Balance Sheet Management Cloud Services's Balance Reconciliation module helps you to Reconcile the selected processing/instrument/account balances against the Management Ledger. If any differences are found, you will have the flexibility to choose significant differences and create plug entries for those in the Ledger_Instruments table.



Note:

All General Ledger Accounts must mandatorily have a Reconciliation product mapped to them.

You can define the dummy attributes for the Product-Currency combinations, whichever General Ledger Account is used for Reconciliation. Default dummy attributes are auto populated based on the linked product ID and currency selected in Reconciliation dimensions.

Reconciliation is a three-step process.


- Reconciliation Definition and Default Attributes setup
- Reconciliation Report verification
- Plug entry creation and writing the Reconciliation differences back to Ledger Instruments table

To access the Balance Reconciliation module, from the LHS Menu, navigate to Analytics, and select Balance Reconciliation.

The Balance Reconciliation landing screen displays the following two cards:

- Reconciliation Definition
- Default Attributes

Figure 2-1 Reconciliation Landing Screen



2.1 Reconciliation Definition

The Reconciliation Definition summary screen allows you to search for any definitions from the displayed list.

The Reconciliation Definition summary screen is as follows:

Figure 2-2 Reconciliation Definition Summary Screen

The screenshot displays the Oracle PFSM Ledger Reconciliation Summary Report interface. At the top, there is a navigation bar with 'ORACLE PFSM Ledger Reconciliation', 'Job Status', and 'Help' links. Below this is a 'Reconciliation Home' link and a 'Summary Report' title. A search bar is present, followed by filters for 'Name', 'Recon Dimension', 'Source Tables', and 'Folder'. The main content area shows a table of reconciliation definitions.

☐ Reconciliation Definition Name	Reconciliation Dimensions	Source Tables	Creation Date	Created By
☐ CPBAL_TEST123	Common COA, Currency, GL Account	Assets, Management Ledger	12/29/2022	FTP_ADMIN ...
☐ FUNCT	Currency, GL Account	Assets, Management Ledger	12/27/2022	FTP_ADMIN ...

This screen displays the following definition attributes for easy identification:

- Reconciliation Definition Name
- Reconciliation Dimensions across which reconciliation is performed
- Source Tables against which reconciliation is performed
- Creation Date
- Created By

2.1.1 Adding a New Reconciliation Definition

The Create Reconciliation screen allows you to define a new Reconciliation Definition.

Figure 2-3 Create Reconciliation Definition Screen

Create Reconciliation Definition [X]

Name [] Required

Description []

Folder: COMMON [v]

Access Type: Read [v]

Reconcile Against: Entered Balance [v] Required

Ledger Balance: Average Balance [v] Required

Instrument Balance: Average Book Balance [v] Required

Source Tables: Assets, Liabilities, Ledger Instruments [v] Required

Reconciliation Dimensions

☒ Common COA ☒ Currency ☒ GL Account

☒ Legal Entity ☒ Org Unit ☒ Product

Audit Panel

Id: F16EA4EC70FA6D0FE0531513000AE0D8

To add a new Reconciliation Definition, click the **Add** button, and populate all the required fields as follows:

Reconciliation Definition set up allows you to choose for which Instrument Table, across which Dimensions and on which Balance Type (Cur Book Bal or Cur Par Bal); you would like to perform reconciliation. For example, you can choose to reconcile against just GL Account ID and Currency or do reconciliation at much granular level by selecting the Org Unit, Legal Entity along with GL Account ID and Currency.

2.1.2 Reconciliation Balance

Management Ledger stores balance using Financial Elements, while corresponding Cur/Avg Balance can be picked directly from the dedicated columns in the Instrument Tables. So, you have an option to choose if you want to reconcile against 100 (ending balance)/140 (average balance). In the Management Ledger for FE 100, you can further select between CUR_BOOK_BAL/CUR_PAR_BAL from Instrument table. By Default, CUR_PAR_BAL would remain selected. You are allowed to create plug entries only when comparison is done against ending balance. For Average balance, you can only see the difference report but would not be allowed to create plug entries.

You can choose to reconcile in functional or local currency as per the selection made under 'Reconcile Against'; Functional or Entered Currency.

You can do the comparison only for Asset, Liability, or can include Ledger Instrument table also. At run time, the As-of-Date can be passed for which Balance Reconciliation will be performed.

2.1.3 Actions Performed on Reconciliation Definition

To delete one or multiple Reconciliation Definitions, you can select the checkboxes against each one of them and press the **Delete** button.


A confirmation message will let you confirm and delete selected definitions.

You can also perform search based on following fields:

- Name
- Reconciliation Dimensions
- Source tables against which reconciliation is performed
- Folder where the reconciliation definition is stored

The following screen display the Actions menu from which the different actions that you can perform on existing Reconciliation Definitions.

Figure 2-4 Actions Icon and Different Actions




The following are the actions:

- **View:** Click this action button and view the definition in read only format.
- **Edit:** Click this action button and edit the definition.
- **Copy:** Click this action button and copy the definition to create another definition with similar parameters.
- **Execute:** Click this action button and perform the reconciliation as per the selected parameters.

As-of-Date is a run time parameter, you can choose for which date reconciliation needs to be performed. After clicking **Process**, the Reconciliation Difference Report will be generated as follows:

Figure 2-5 Reconciliation Report




The Reconciliation Report form displays the following fields and controls:

- Name:** FUNCT
- As Of Date:** 01/31/2021
- Description:** (empty)
- Folder:** COMMON
- Access Type:** Read
- Reconcile Against:** Functional Balance
- Ledger Balance:** Ending Balance
- Instrument Balance:** Current Par Balance
- Source Tables:** Assets
- Reconciliation Dimensions:**
 - ☐ Common COA
 - ☒ Currency
 - ☒ GL Account
- Buttons:** Cancel, Process

Report starts with the summary across Balance Sheet categories and difference buckets pie charts, which can help you to get an idea about the reconciliation difference in a quick glimpse.

Figure 2-6 Reconciliation Difference Report



The detailed report is displayed as follows, where you can filter out insignificant difference using 'Threshold Percentage', also threshold can be applied at each row level or for whole Balance Sheet category level. If threshold is applied at Balance Sheet category level, all the rows that belong to the Balance Sheet category which is less than given percentage will be hidden from the Reconciliation Difference Report. A download button allows you to download the Reconciliation Report.

You can see difference in both percentage and absolute format.

Figure 2-7 Differences in Percentage and Absolute Formats

As of Date: 31 January 2021

Threshold Filter at Category Level ☐

Category	% Diff (Against Ledger Balance)	% Diff (Against Account Balance)
ASSET	72.0538	260.3900

row(s) 1 - 1 of 1

☒	Category	GL Account	Currency	Ledger Balance (Thousands)	Account Balance (Thousands)	Reconciliation Difference (Thousands)	% Diff (Against Ledger Balance)	% Diff (Against Account Balance)
☒	ASSET	Assets Ledger - 891	USD	33,672.98	37,754.61	-4,081.63	12.1214	10.8110
☒	ASSET	Assets Ledger - 891	SGD	0.00	19,156.41	-19,156.41		100.0000
☒	ASSET	Liability Ledger - 892	SGD	1,564.06	626.68	937.38	59.9324	149.5790

As a next step to create the plug entries for filtered rows, you can click the **Apply** button in extreme right corner. Following a grid appears, along with default attributes fetched from default product attributes: if you like, you can update any of these attributes before plug entries are created for the selected difference records. You can use the **Edit** and **Save** button to edit the default product attributes like Amortization Type, Interest Rate Code, and so on. You cannot edit any Code (CD) or VARCHAR attributes. Only attributes like Number, Rates, Dates, Term can be edited. All types of balances like Org balance, Current/Average balance are same as the reconciliation difference.

After you are convinced with the entered values for all the account attributes, you can click Apply. A job will be submitted and plug entries will be created in the FSI D Ledger Instruments table. To differentiate the plug entries from the customer real accounts, Data source CD will be used, with value 3, which signifies the 'Difference balance entries due to reconciliation performed between account and ledger'.

Figure 2-8 Differences in Percentage and Absolute Formats

As of Date: 31 January 2021

Apply

Q Search: All Text Columns Go Edit Save

Reset

				Core Product Attributes					
☐	☐	% Difference (Against Ledger Balance)	% Difference (Against Account Balance)	Comments	Amortization Type *	Adjustable Type *	Interest Rate Code	Net Rate	Original T
☐	☐	12.1214	10.8110		700	50	USD Curve	222.00	
☐	☐		100.0000		820	50	AUD Curve	99.00	
☐	☐	59.9324	149.5790		820	50	AUD Curve	99.00	

- **Execution Details:** You can click this action button and view all the runs for a selected definition, along with the user information who has triggered the execution.

Figure 2-9 Execution Details

Execution Details						
Reconciliation Definition FOCC2C97784B2942E0535613000A65BA						
Workspace Id	Object Id	Execution Mode	As Of Date	Execution Status	Executed By	Executed Date
d604b2a3-9cbb-4b5d-9dfb-350a3fb3258c	FOCC2C97784B2942E0535613000A65BA		01/31/2021		FTP_ADMIN	12/30/2022
d604b2a3-9cbb-4b5d-9dfb-350a3fb3258c	FOCC2C97784B2942E0535613000A65BA		01/31/2021		FTP_ADMIN	01/03/2023
d604b2a3-9cbb-4b5d-9dfb-350a3fb3258c	FOCC2C97784B2942E0535613000A65BA		01/31/2021		FTP_ADMIN	01/03/2023

2.2 Duplicate Runs for Same As-of-Date

If for a particular As-of-Date plug entries are already created, you have an option to cancel the latest run and exit without creating any plug entries.

You can append to existing entries for same As-of-Date. This case is possible if different reconciliation definitions are being executed for different instrument tables.

You can delete all the existing plug entries for concerned As-of-Date and create all fresh entries. This case is possible if the intermediate day runs took place locally and finally at night a global run took place.

Figure 2-10 Confirm Plug Entry Creation

Confirm Plug Entry Creation

Duplicate Plug Entry

Reconciliation has already been performed for selected as of date, would you like to delete existing plug entries before creating as per latest run?

- Yes - Truncate existing and create fresh
- No - Keep existing and insert new
- Cancel - Abort the operation

YesNoCancel

2.3 Historical Difference Report

You can open the Reconciliation Definition in **View** mode and get the Historical Difference Report using the **View Report** button.

Figure 2-11 View Reconciliation Report

View Reconciliation Definition

Name
FUNCT

Description

Folder
FOLDER-1

Access Type
Read

Reconcile Against
Functional Balance

Ledger Balance
Ending Balance

Instrument Balance
Current Par Balance

Source Tables
Assets

Reconciliation Dimensions

☐ Common COA ☒ Currency ☒ GL Account

Cancel View Report

Here you can give a historical period by selecting the **From Date**, **To Date** and fetch all the reconciliation difference records along with the user comments to get the justification for plug entries creation.

Figure 2-12 Historical Differences Report for FUNCT

Historical Differences Report for FUNCT

Reconcile Against: Functional Balance | Ledger Balance: Ending Balance | Instrument Balance: Cur Par Bal | Source Tables: Assets, Management Ledger | Reconciliation Dimension: Currency, GL Account

From Date: 01/20/2021 | To Date: 04/08/2022


Search: All Text Columns | Go | Actions | Reset

Product	Total Ledger Balance	Total Account Par Balance	Total Account Book Balance	Reconciliation Diff	% Diff Against Ledger Balance	% Diff Against Account Balance	Comments
-1	33,672,978.21	37,754,609.04	37,754,609.04	-4,081,630.83	12.1214	10.8110	
-1	0.00	38,312,827.30	38,312,827.30	-38,312,827...		100.0000	
-1	3,128,112.08	1,253,357.98	1,253,357.98	1,874,754.10	59.9324	149.5790	

2.4 Default Attributes

The following is the Default Attribute Summary screen, where you can find all the default attributes defined for various Product-Currency combinations.

You can select one or multiple Product-Currency combinations and delete at once, by clicking the **Delete** button.

Figure 2-13 Default Attributes Summary


↑ Reconciliation Home


Default Attributes Summary

Search...

	Product Name	Product ID	Currency	Status
☐	Default Member	-1	SGD	...
☐	Default Member	-1	000	...

row(s) 1 - 2 of 2

You can view/edit/copy an existing default attribute using respective button in the Actions icon as follows.

Figure 2-14 Default Attributes Summary – Actions Column


↑ Reconciliation Home

Default Attributes Summary

Search...

	Product Name	Product ID	Currency	Status
☒	Default Member	-1	SGD	...
☐	Default Member	-1	000	...

row(s) 1 - 2 of 2

View
Edit
Copy

2.4.1 Creating a New Product-Currency Combination and Default Attributes

To create a new Product-Currency combination and default attributes for that. You can click the Add button, and a slide in pop-up will appear with three tabs:

Core Product Attributes Tab: Here you can select one or multiple products and one or multiple currencies and start defining core product attributes as follows:

- Amortization Type
- Adjustable Type
- Interest Rate Code
- Net Interest Rate
- Original Term
- Original Term Type

Figure 2-15 Core Product Attributes

Default Attribute Details

Product: Asset - 100 (Required)

Currency Code: US Dollar - USD (Required)

Core Product Attributes | Payment Attributes | Adjustable-Rate Attributes

Core Product Attributes [Apply]

Amortization Type: Conventional (Required)

Adjustable Type: Fixed Rate (Required)

Interest Rate Code

Net Rate

Original Term: 1

Original Term Type: Date

[Reset] [Close] [Save]

Click **Apply** and move to the Payment Attributes tab.

Payment Attributes Tab: To Define payment attributes, you can select this tab and start filling the following details:

- Payment Frequency
- Payment Frequency Type
- Accrual Basis
- Interest Type
- Compounding Basis
- Payment Amount
- Remaining Number of Payments

Figure 2-16 Payment Attributes

Default Attribute Details

Core Product Attributes **Payment Attributes** Adjustable-Rate Attributes

Payment Attributes Apply

Payment Frequency Required

Payment Frequency Type Required

Accrual Basis Required

Interest Type Required

Compounding Basis Required

Payment Amount

Remaining Number of Payments

Click **Apply** and move to the Adjustable-Rate Attributes tab, which is applicable only for adjustable rate instruments:

Adjustable-Rate Attributes Tab: Here you can define following attributes:

- Repricing Frequency
- Repricing Frequency Type
- Rate Change Rounding Type
- Net Margin

Click **Apply** and then click **Save**. The Default Product Attribute for the selected Product-Currency combination is saved.

Figure 2-17 Adjustable-Rate Attributes

The screenshot shows a web application window titled "Default Attribute Details" with a close button (X) in the top right corner. At the top, there are two required fields: "Product" (with a dropdown menu showing "Asset - 100") and "Currency Code" (with a dropdown menu showing "US Dollar - USD"). Below these are three tabs: "Core Product Attributes", "Payment Attributes", and "Adjustable-Rate Attributes" (which is selected and highlighted with a blue border). Under the "Adjustable-Rate Attributes" tab, there is a section titled "Adjustable-Rate Attributes" with an "Apply" button on the right. This section contains four input fields: "Repricing Frequency", "Repricing Frequency Type" (a dropdown menu), "Rate Change Rounding Type" (a dropdown menu), and "Net Margin".

2.5 Reconciliation using Batch Process

You can do Reconciliation using the Scheduler Services.

To run the Reconciliation using Batch Process, follow these steps:

1. With the Define Batch feature, it is possible to create new batches and review existing ones.
2. Click **+** to create a new batch.
3. In the **Create Batch** screen, enter the following values:
 - a. Code (spaces are not allowed in the code section).
 - b. Batch Name
 - c. Select the Service URL name as **RUN_CMD_SERVICE**.
 - d. Click **Save**.
4. In the **Define Task** screen, you can define the tasks related to a specific batch.
 - a. Navigate to Define Task.
 - b. Select the name of the batch that has been created for this task.
5. Click **+** to create a new task.
6. In the **Create Task** screen, enter the following values:
 - a. Task Code (Spaces are not allowed in the code section).
 - b. Task Name.
 - c. Select the task type as **REST**.
 - d. Select the component as **RUNCMD**.
 - e. Select Batch Service URL as **RUN_CMD_SERVICE**.
 - f. Click **Save**.

7. In the **Task Parameter** section, enter the following values:
 - a. Select the Code as **RUN CMD RECONCILIATION**.
 - b. Select the Execution Venue as **NATIVE**.
 - c. Select the Optional Parameter as **THRESHOLD_OBJECTCODE_OPTION** format.
 - d. Select the IP as **localhost**.

The allowed values for the Option are either 0 or 1.

- **0**: Truncate all existing data for concerned AS_OF_DATE/MIS_DATE for which reconciliation batch is getting executed and insert new data.
- **1**: Append data on top of existing data for concerned AS_OF_DATE/MIS_DATE to ledger instrument and reconciliation difference Audit table (Table to retain comments for each plug entry).

Threshold values must be greater than or equal to zero (0), negative values are not supported. Threshold values should be expressed as "threshold >= 0" The threshold will accommodate null values, allowing all data to be inserted into the ledger instrument and reconciliation difference audit tables.

When a threshold is applied, plug entries will be created only for filtered data into the ledger instrument and reconciliation difference audit tables.

 Note:

Select the appropriate object code/reconciliation definition to avoid errors in the batch process.

The optional values should be passed in the following format:
"THRESHOLD_OBJECTCODE_OPTION"

Example 1: "_F405734331FD795BE053D71A000AD329_0"

(Threshold is null, and object code is: F405734331FD795BE053D71A000AD329, option value is 0)

Example1: "12_F405734331FD795BE053D71A000AD329_1"

(Threshold is 12, and object code is: F405734331FD795BE053D71A000AD329, option value is 1)

8. Schedule the batch using the **Schedule Batch** screen.
Select the **Name** of the batch that has been created.

You can use the **Edit Parameters** option to review the batch parameters and make any necessary changes to initializing the batch process.
9. The following tasks should be performed in a manner similar to what was outlined in point number 7.
 - a. The **MIS Date** is used as the **As of Date** in the Reconciliation UI. Select the appropriate **MIS Date**.
 - b. The values in point 6 are the default values for a specific environment.
 - c. After completing the changes, click **Execute** or **Save**.
 - i. By clicking **Save**, the definition of the batch will be saved, however, the batch will not be executed.

- ii. By clicking **Execute**, the batch will be executed.

After the batch is executed, an **Execute Status** dialog is displayed, providing information about the executed batch.

After the batch is executed, the information about the executed batch will be available in the **Monitor Batch** screen. Select the following options and check the Batch Status.

Sometimes, a batch may fail. The reason for the batch failure could be as follows:

- Entering an incorrect object code.
- Entering an incorrect option value. Only values of 0 or 1 are supported.
- Entering an incorrect threshold value. Only null or a value ≥ 0 are supported.



Note:

Following roles mapping to the SKU User group should be present to enable RUNCMD listing and execution.

- RCMDREAD
- RCMDADVND

For detailed instructions for defining, executing, and monitoring a Batch, see the [Scheduler Service](#) documentation.