Enterprise Risk and Finance- Platform Services

Data Security Management Guide





Enterprise Risk and Finance- Platform Services Data Security Management Guide, Release 24C

G17619-03

Copyright © 2023, 2024, Oracle and/or its affiliates.

Primary Author:

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Target Audience	
Security Enhancement Features	
Creating Your Own Vaults and Keys (Bring Your Own Key)	
Prerequisites for Generating Your Own Vault and Key	
Create and Activate New Cloud Account	
Add to an Existing Oracle Cloud Account	
Accessing the Cloud Account	
Create an Environment	
Access Oracle Identity and Access Management	
Creating New Vaults	
Creating New Keys	
Managing Access Requests (Break Glass)	
Approving/Rejecting Access Requests	



1

About Data Security Management Guide

Data Security Management Guide helps a customer to enable and access the enhanced security features in the Platform Serrvices of Enterprise Risk Platform.

With these enhanced security features, the customer can now restrict the access to Database and also provide their own Encryption key to access their database during an emergency.

For more information about new Security Features, refer Security Enhancement Features.

Target Audience

The Target audience for this guide are the customers who are provisioning Financial Services SaaS Applications. In addition, customers having subscription for Break Glass and BYOK for data refreshes can use those services.

This prevents unnecessary and unplanned data access even by the authorized Oracle support team.

Security Enhancement Features

The Security features helps to enhance the security of your environments.

The supported security features are:

- Break Glass Support for Environments Provide access to authorized Oracle Support to access your resources, for troubleshooting any technical issues. This access is valid for a specific time period and also can be given only to specific users with assigned roles and privileges
- Customer-Managed Keys for Oracle Break Glass Provide your own Encryption Key to secure the databases utilized by SaaS applications.



These features are enabled based on subscription. To subscribe to these features, contact Oracle Sales team.

2

Creating Your Own Vaults and Keys (Bring Your Own Key)

The customer-managed vaults and keys helps you to restrict the access to your data even by authorized support. You can provide the vault and key and approve access to your data, only when you have to resolve a technical issue.



This feature is enabled based on subscription. To subscribe to this feature, contact Oracle Sales team.

The process flow for creating customer managed vaults and keys is as follows.

- Checking the prerequisites
- Creating and activating a New Cloud account or accessing an existing Cloud account.
- · Creating a new Environment
- Accessing Oracle Identity Cloud Service Console
- Creating New Vaults
- Creating New Keys

Prerequisites for Generating Your Own Vault and Key

Before proceed with the environment creation, ensure to add the required policy to the tenancy.

Add the following policy to the tenancy.

```
define tenancy SAAS as ocid1.tenancy.oc1..aaaaaaaaa6u6nllkls2lt7bht6rtkn6wr7ya7qaigactc7d5pmubpqdixskb q define dynamic-group SAASDB as ocid1.dynamicgroup.oc1..aaaaaaaaarbd43m3gpz2doxhdcol5kkslkdqvefhhccj4i3a4dqjid7 amzydq define dynamic-group SAASKA as ocid1.dynamicgroup.oc1..aaaaaaaaa6gqppen3vfojuyt6mfbgzcatvvkqiux5qx3cogluuajgyt ulat6q admit dynamic-group SAASDB of tenancy SAAS to read vaults in compartment FSGBU_ERF admit dynamic-group SAASDB of tenancy SAAS to use keys in compartment FSGBU_ERF admit dynamic-group SAASDB of tenancy SAAS to read vaults in compartment FSGBU_ERF
```

admit dynamic-group SAASKA of tenancy SAAS to read keys in compartment ${\tt FSGBU_ERF}$

For more information about policies, refer to creating a policy using IAM console.


Create and Activate New Cloud Account

After you subscribe to the cloud service, you will receive a **Welcome to Oracle Cloud** email with details to create and activate your cloud account.

To create and activate a new cloud account:

- Click Create New Cloud Account in the email.
- Complete the New Cloud Account Information to sign up.

Figure 2-1 New Cloud Account Information page



- Enter the following details:
 - First Name and the Last Name of the person who will be the cloud administrator.
 - **Email** address of the person who will be the cloud administrator. Instructions to log into the new Oracle Cloud Account will be sent to this email address.
 - Password to access the new cloud account.
 - Tenancy Name: New Tenancy Name to be associated with the cloud account.



You cannot modify the tenancy name after it is created. Hence, ensure to provide a valid tenancy name, based on your organization's requirements and naming conventions.

 Home Region: Select the Home Region, where the account is located. Check the service availability before selecting the home region.
 For assistance regarding home region selection, contact Oracle support. Existing customers have to ensure that the identity resources are located in the home region.



You can subscribe to additional regions but you cannot modify the home region, after provisioning your tenancy.

4. Click Create Tenancy to access the New Cloud Creation Confirmation page.

After successful activation, the cloud account administrator will receive a **Get Started Now** with Oracle Cloud email.

Add to an Existing Oracle Cloud Account

If you already have a cloud account associated with your administrator user name, you can add the newly subscribed cloud service to that account.

To add an existing Cloud account:

- 1. In the welcome email, click **Add** to add an existing cloud account.
- 2. Perform the steps as mentioned in the Access the Oracle Cloud Infrastructure Identity and Access Management (IAM) console.

Accessing the Cloud Account

An Administrator can access the Cloud Account activated and associated with their email address.

After your new cloud account is created and activated, you will receive a **Get Started Now** with **Oracle Cloud** email, to the email address provided while creating the account.

To access your Cloud account:

- In the Get Started Now with Oracle Cloud email, click Sign In.
- 2. Enter the **Tenancy** name and click **Continue**.
- Enter the Username and Password to log in to the OCI Console.

Use the same **Username** and the **Password** that you provided during activation setup.

 After successful login, proceed with the multi-factor authentication. Select the configured authentication mode and enter the OTP generated using the Oracle Mobile Authenticator application.

Once the MFA is successfully completed, you can access the **Environment Page**.

Create an Environment

After logging into the Oracle Cloud Infrastructure Console, an Administrator can create one or multiple environments/instances for different user groups.

To create an environment/instance:

Log in to Oracle Cloud Infrastructure Console (OCI).

You can view the list of all the environments (instances) provisioned for the one or multiple cloud applications, with the following details:

- Name: The cloud application's instance name.
- Type: The instance type.
- Life cycle status: The instance status.
- Region: The region from where the specific instance is active.
- Application URL: The URL to access the instance.
- From My Applications, click the application in which you want to create an environment. Example: Oracle Financial Services Crime and Compliance Management Anti Money Laundering.
- 3. On the Overview page, click Environments.
- From the Compartments drop-down list, select the compartment in which you want to create an environment.
- Click Create, to access the list of cloud services to which the customer has subscribed and the region from where these services are operated.
- 6. (Optional). Select the **Region** to host the OCI environment/instance, from the drop-down list

If you are not sure about the region, contact My Oracle Support (MoS).



You can select the region only for the first environment/subscription and for the additionally added instances, the region cannot be modified.

- Enter the following Environment Details, and click Create.
 - Name: The name of the new environment or instance.

Note:

You cannot modify the environment name after the environment is created. Hence, ensure to provide a valid environment name, based on your organization's requirements and naming conventions.

- **Instance type**: Select one of the following instances:
 - Production: If the environment is used for Production activities.
 - Non-production: If the environment is used for testing and development purposes. For example, a sandbox environment.
- Admin email: The administrator email ID used to log in to the Cloud Console. You can also enter a different email ID that needs to be part of the cloud tenancy. For more details, see Managing Users.
- Admin first name and Admin last name: The first and last names of the Administrator.

The environment details are added to the Oracle Cloud Infrastructure Classic Console under the **Environments** tab (LHS menu). It may take a few hours for the status to change



to Active. If there are any issues, you can raise a service ticket with My Oracle Support (MoS).

After the environment is set to **Active**, click the environment name to view the **Environment details**. Click the Service console URL under **Environment Information** to create users and groups.

Access Oracle Identity and Access Management

Oracle Cloud Infrastructure Identity and Access Management (IAM) provides identity and access management features such as authentication, single sign-on (SSO), and identity life cycle management for Oracle Cloud as well as Oracle and non-Oracle applications, whether SaaS, cloud-hosted, or on-premises. Employees, business partners, and customers can access applications at any time, from anywhere, and on any device in a secure manner.

IAM integrates with existing identity stores, external identity providers, and applications across cloud and on-premises to facilitate easy access for end users. It provides the security platform for Oracle Cloud, which allows users to securely and easily access, develop, and deploy business applications such as Oracle Human Capital Management (HCM) and Oracle Sales Cloud, and platform services such as Oracle Java Cloud Service, Oracle Business Intelligence (BI) Cloud Service, and others.

Administrators and users can use IAM to help them effectively and securely create, manage, and use a cloud-based identity management environment without worrying about setting up any infrastructure or platform details.

To add users to your Cloud Services, navigate to the **Oracle Identity and Access Management (IAM)** Console.

To access the IAM Console:

- Log in to Cloud.Oracle.com, to view all the details pertaining to your cloud order.
 Access the service link from the console to start using your subscriber cloud service.
- 2. Enter the Cloud Account Name and click Next to access the IAM Console.
- Click Change tenancy option if you want to use a different tenancy.
- 4. Ensure that the displayed identity domain matches the expected value.



Cloud environments are created under the **Default** identity domain. If you need to assign your environment to a different identity domain, raise a Service Request.

5. Log in with your **Username** and **Password**.

As an Administrator, you can create and manage users with different access rights to the Cloud Service.

For example, the IAM Administrator has superuser privileges for an Oracle Identity and Access Management Domain. This administrator can create users, groups, group memberships, and so on.

Creating New Vaults

Vaults help to protect data in SaaS databases from unauthorized access.



Keys are created in these vaults and shared during / after environment creation as master encryption keys on the database.

- Best practices for setting up and managing vaults and keys
- Managing vaults
- Creating new vaults

Creating New Keys

Oracle key vault securely stores the encryption keys, wallets and other secure data.

(Optional). You can add a key (Key ID) to an environment, while you create an environment. You can create vaults using OCI Console or OCI APIs and SDK.



You can apply a new key to an environment only once in 15 days.

- Best practices for setting up and managing vaults and keys
- Managing keys



3

Managing Access Requests (Break Glass)

When the Oracle Support wants to access your Data for resolving technical issues, they will raise an access request.



This feature is enabled based on subscription. To subscribe to this feature, contact Oracle Sales team.

Authorized Oracle support members can create access requests for temporary access to cloud resources. Access requests are valid for a specific time period. Approvers can approve or reject the access requests, based on the assigned roles and privileges, within the given time.

Approving/Rejecting Access Requests

When the Oracle Support team creates a temporary access request to access your database, approvers can approve/reject the request within the time period.

The approver is identified based on the assigned approval templates.

After proper approval by the Oracle support team, will receive a email from Oracle Support (Managed Access), with the Service Request (SR) number, access level, access duration and the Expiration time. To approve the request:

- Click the link in the e-mail to log in to the OCI Console.
 Make sure to log in with required roles and privileges required for request approval.
- 2. Click Managed Access, to view the list of Access requests.
- 3. Click the **Request name** to view the Access request details.
- 4. Click One of the following options:
 - a. **Approve** Approve the access request with proper validation.
 - **b. Reject** Decline the access request with reason.