Oracle® Insurance Loss Modeller Unique Keystrokes and Access Keys Guidelines Document





Oracle Insurance Loss Modeller Unique Keystrokes and Access Keys Guidelines Document, Release 8.1.2.0.0

F89490-01

Copyright © 2021, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

| How this Guide is Organized | 1 |
|---|-----|
| User Roles and Groups | |
| Map the Application Users to User Group | 2 |
| Common Keyboard Shortcuts with Control References | |
| Login Page | 3 |
| Landing Page | 3 |
| Header | 3 |
| Tiles | 3 |
| | |
| Translation Tools | |
| Object Administration | 4 |
| Object Security | 4 |
| Metadata Segment Mapping | 4 |
| Batch Execution Rights | 4 |
| Object to Application Mapping | 4 |
| Metadata Browser | 4 |
| Object Migration | 4-2 |
| Export Objects | 4-1 |
| Import Objects | 4-: |
| Utilities | 4- |
| Metadata Difference | 4- |
| Metadata Authorization | 4- |
| Save Metadata | 4- |
| | 4- |
| Write Protected Batch | 4 |
| Write Protected Batch Component Registration | 4-1 |



Patch Information 4-21

5 Common Object Maintenance

| Data Model Maintenance | 5-1 |
|------------------------------|------|
| Data Management | 5-3 |
| Data Management Tools | 5-3 |
| Data Management Tools | 5-3 |
| Data Quality Framework | 5-11 |
| Data Entry Forms and Queries | 5-17 |
| Data Entry Forms and Queries | 5-40 |
| Unified Analytical Metadata | 5-53 |
| Alias | 5-53 |
| Alias Summary | 5-53 |
| Dimension Management | 5-54 |
| Attribute | 5-54 |
| Member | 5-57 |
| Business Hierarchy | 5-60 |
| Dataset | 5-65 |
| Measure | 5-67 |
| Business Processor | 5-68 |
| Map Maintenance | 5-69 |
| Operations | 5-70 |
| Batch Maintenance | 5-71 |
| Details | 5-73 |
| Batch Execution | 5-75 |
| Batch Monitor | 5-78 |
| Batch Scheduler | 5-80 |
| Batch Cancellation | 5-84 |
| Object Administration | 5-85 |
| Object Security | 5-85 |
| Metadata Segment Mapping | 5-85 |
| Batch Execution Rights | 5-86 |
| Object Migration | 5-87 |
| Export Objects | 5-87 |
| Metadata Browser | 5-89 |
| Utilities | 5-96 |
| Metadata Difference | 5-96 |
| Metadata Authorization | 5-97 |
| Save Metadata | 5-97 |
| Write Protected Batch | 5-98 |



| Component Registration | 5-99 |
|--|-------|
| Patch Information | 5-101 |
| Oracle Insurance Loss Modeller | |
| Dashboards | 6-1 |
| Project | 6-5 |
| Triangles | 6-8 |
| Methods | 6-14 |
| Appendix A: HTML5 Controls | |
| HTML Breadcrumbs (html5-breadcrumbs) | A-1 |
| HTML Button (html5-button) | A-1 |
| HTML Calendar (html5-calendar) | A-1 |
| HTML Checkbox (html5-checkbox) | A-2 |
| HTML Container Expand Collapse (html5-container-expand-collapse) | A-2 |
| HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser) | A-3 |
| HTML Date (html5-date) | A-3 |
| HTML Dialog Launcher (html5-dialog-launcher) | A-3 |
| HTML Expression Browser Type BP (html5-expression-browser-type-bp) | A-4 |
| HTML File Picker (html5-filepicker) | A-4 |
| HTML Grid (html5-grid) | A-4 |
| HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser) | A-4 |
| HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle) | A-5 |
| HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4) | A-5 |
| HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox) | A-6 |
| HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle) | A-6 |
| HTML Messages (html5-messages) | A-6 |
| HTML Metadata Tree Browser (html5-metadata-tree-browser) | A-7 |
| HTML Metadata Tree Control (html5-metadata-tree-control) | A-7 |
| HTML Multiselect List (html5-multiselect-list) | A-7 |
| HTML Navigation Tree (html5-navigation-tree) | A-7 |
| HTML New Expression Builder (html5-new-expression-builder) | A-8 |
| HTML Pagination Panel (html5-pagination) | A-8 |
| HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page) | A-9 |
| HTML Radio button (html5-radio button) | A-9 |
| HTML Records per Page (html5-records-per-page) | A-10 |
| HTML Records per Page Drop-down (html5-records-per-page) | A-10 |
| HTML Rules Menu (html5-rulesmenu) | A-10 |
| HTML Select (html5-select-one) | A-11 |



| | HIML TABS (NTMI5-TAB) | A-11 |
|---|---|------|
| | HTML Textarea (html5-textarea) | A-11 |
| | HTML Textbox (html5-textbox) | A-11 |
| | HTML Tree (html5-tree) | A-12 |
| В | Appendix B: OJET Controls | |
| | OJET Accordion (oj-accordion) | B-1 |
| | OJET Button (oj-button) | B-1 |
| | OJET Buttonset One (oj-buttonset-one) | B-2 |
| | OJET Canvas (oj-canvas) | B-2 |
| | OJET Canvas Diagram (oj-canvas-diagram) | B-2 |
| | OJET Chart (oj-chart) | B-3 |
| | OJET Checkbox (oj-checkbox) | B-4 |
| | OJET Context Menus (oj-menu) | B-5 |
| | OJET Control Specific Help (oj-control-specific-help) | B-5 |
| | OJET Date or DateTime (oj-datetime / oj-calendar) | B-6 |
| | OJET Dialog (oj-dialog) | B-7 |
| | OJET Expand/Collapse (oj-collapse) | B-7 |
| | OJET Expression Builder (oj-expression-builder) | B-8 |
| | OJET Expression Builder Launcher (oj-expression-builder-launcher) | B-8 |
| | OJET Foldable Layout (oj-foldable-layout) | B-8 |
| | OJET Grid (oj-grid) | B-9 |
| | OJET Hcy Br Tree (oj-tree) | B-14 |
| | OJET Hierarchy Browser Map (oj-hierarchy-browser-map) | B-15 |
| | OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle) | B-15 |
| | OJET Input Number (oj-input-number) | B-15 |
| | OJET Legend (oj-legend) | B-16 |
| | OJET List View (oj-listview) | B-16 |
| | OJET Messages (oj-messages) | B-18 |
| | OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs) | B-19 |
| | OJET Navigation List (oj-navigation-list) | B-19 |
| | OJET Object Migration Canvas (oj-object-migration-canvas) | B-24 |
| | OJET Object Node (object-node) | B-24 |
| | OJET Password (oj-password) | B-25 |
| | OJET Popup (oj-popup) | B-25 |
| | OJET Radio (oj-radio) | B-25 |
| | OJET Search Box (oj-input-search) | B-26 |
| | OJET Select Many (oj-select-many) | B-26 |
| | OJET Select Single (oj-select-single) | B-27 |
| | OJET Switch (oj-switch) | B-27 |
| | | |



| OJET Table (oj-table) | B-27 |
|--|------------|
| OJET Tabs (oj-tabs) | B-31 |
| OJET Textarea (oj-textarea) | B-32 |
| OJET Textbox (oj-input-text) | B-32 |
| OJET Tree (oj-tree-view) | B-33 |
| OJET Tree View (oj-tree-view) | B-34 |
| LUX Controls | |
| LUX Breadcrumbs (oj-lux-breadcrumb) | C-1 |
| LUX Grid (oj-lux-grid) | C-1 |
| Keyboard shortcuts for navigation in and out of the grid | C-1 |
| Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of and Rows) | Cells C-2 |
| Adjusting the Row and Cell Selection | C-4 |
| Editing Cells | C-7 |
| Keyboard shortcuts for Grouped Rows and Tree Grid | C-9 |
| Keyboard shortcuts for triggering cell actions in other types of cells | C-9 |
| Keyboard shortcuts for sorting on columns | C-10 |
| Keyboard Shortcuts for Menus | C-10 |
| Miscellaneous | C-11 |
| OJET CCA Controls | |
| OJET CCA Breadcrumb (oj-cca-breadcrumb) | D-1 |
| OJET CCA List View (oj-cca-list-view) | D-1 |
| OJET CCA Pagination (oj-cca-pagination) | D-1 |
| OJET CCA Records per Page (oj-cca-records) | D-2 |
| OJET CCA Summary Search (oj-cca-summary-search) | D-2 |
| | |
| HTML Documents on OHC and Help Pages | |
| HTML Documents on OHC and Help Pages Keyboard Shortcuts for OFSAA Documentation | E-1 |
| <u> </u> | E-1 E-1 |



1

Introduction

This is the Unique Keystrokes and Access Keys Guidelines document for the Oracle Insurance Loss Modeller (OILM) Application Pack.

This document provides accessibility information (Voluntary Product Accessibility Template - VPAT) about the OILM Application User Interface (UI) according to the OAG 3.0 Standards. The Keystrokes reference details for each UI control on each screen of the OILM Application and the information about the Access Keys required to access each UI control are explained. All the UI controls present in each UI screen of the OILM Application are listed.

How this Guide is Organized

This section provides information about the structure of this document.

- Users, Roles and Groups: This section provides information about the OILM Users, mapping of the OFS LLFP Users to each User Group, and the functionalities that a specific User has access to and can perform.
- Common Keyboard Shortcuts with Control References: This section provides information about the common keyboard controls.
- Administration and Configuration: This section provides information about the keystrokes reference details of the Administration Modules.
- OILM Application Modules: This section provides information about the keystrokes reference details of the modules in the OILM Application User Interface.
- \cdot Appendix A: HTML5 Controls: This section provides information about the set of unique keystrokes for the HTML5 controls.
- · Appendix B: OJET Controls: This section provides information about the set of unique keystrokes for the OJET controls.
- \cdot Appendix C: LUX Controls: This section provides information about the set of unique keystrokes for the LUX controls.
- \cdot Appendix D: OJET CCA Controls: This section provides information about the set of unique keystrokes for the OJET CCA controls.
- · Appendix E: HTML Documents on OHC and Help Pages: This section provides information about the set of unique keystrokes for the OFSAA documents on the Oracle help center (OHC) and Online Help pages.



User Roles and Groups

This chapter includes information about the users mapped to each user group, and the functionalities that a specific user has access to and can perform.

Map the Application Users to User Group

UserGroup Map facilitates you to map user(s) to a specific user group which in turn is mapped to a specific Information Domain and role. Every user group mapped to the Information Domain needs to be authorized. Otherwise, it cannot be mapped to users.

UserGroup Map Screen displays details such as User ID, Name, and the corresponding Mapped Groups. You can view and modify the existing mappings within the UserGroup Maintenance Screen.

Starting with the OFSAA 8.1 Release, with the installation of the OILM Application Pack, preconfigured Application user groups are seeded. These user groups are unique to every OFSAA Application Pack and have application roles pre-configured.

You can access the UserGroup Map by expanding the Identity Management Section within the tree structure of the LHS menu.

Table 2-1 Seeded User Groups

| Name | Description |
|-------------------|--|
| OILM Admin | A user mapped to this group will have access to all the menu items for the entire OILM Application. The exclusive menus which are available only to this group of users are Application Preference and Global Preference under Settings Menu. |
| OILM Data Modeler | A user mapped to this group will have access only to Data Model Management and Metadata Browser Menus. |
| OILM Analyst | A user mapped to this group will have access to Data Management Framework, Dimension Management, and Metadata Browser Menus. |

OILM Admin

This user has access to the following module:

Settings

OILM Data Modeler

This user has access to the following modules:

- Data Model Maintenance
- Metadata Browser



OILM Analyst

This user has access to the following modules:

- Data Management Framework
- Dimension Management
- Metadata Browser



3

Common Keyboard Shortcuts with Control References

This chapter provides more information about the common keyboard controls.



- When you click a hyperlink and reach a page, if you want to get back to the page where the hyperlink was clicked, click Alt + Left Arrow.
- For OILM Application screens, press the Tab key on your keyboard to tab through all the controls within the browser window. Press Shift + Tab to navigate in the reverse direction.
- Disabled option items receive no highlight and are not selectable.

Login Page

The following table lists all the elements of the OFSAAI Login Page and the associated keystroke combinations to access them.

Table 3-1 Keystroke References for the Controls in Login Page




Table 3-1 (Cont.) Keystroke References for the Controls in Login Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|-----------------------------------|---|
| html5- button | | Login Button | HTML Button |
| | Login | | |

Landing Page

This section describes all the elements of the OFSAAI Login Page and the keystroke combinations to access them.

Header

The following table describes all the elements of the header and the keystroke combinations to access them.

Table 3-2 Keystroke References for the Controls in Landing Page - Header

| UI Control | How Does the UI Control Look | List of UI Controld on the Screen | |
|------------|---------------------------------|-----------------------------------|-------------|
| oj-button | | Application Navigation | OJET Button |
| | \equiv | | |
| oj-button | | Connected To | OJET Button |
| | & | | |
| oj-button | | Last Login Details | OJET Button |
| oj battori | | Last Logiii Details | COLT Button |
| | 0 | | |



Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header

UI Control How Does the UI List of UI Controld Control Look on the Screen oj-navigation-list Navigation drawer **OJET Navigation** Home < Common Object Mai... Data Model Maintenance **Data Management Tools Data Entry Forms and Queries** > Unified Analytical Metadata > **Dimension Management** > Operations Object Administration > > **Utilities**







Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header



Tiles

The following table lists all the elements of the Tiles Section and the associated keystroke combinations to access them.


Table 3-3 Keystroke References for the Controls in Administration Page - Tiles

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------|--------------------------------------|---|
| oj-select-single | | Information domain | OJET Select |
| | Information Domain | OFSINFO ▼ | |
| | | Select Infodom | |
| | | OFSINFO | |



Table 3-3 (Cont.) Keystroke References for the Controls in Administration Page - Tiles

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-menu | | Tile | OJET Context Menu |





Administration and Configuration

This chapter includes the keystroke reference details for the Administration related modules.

Translation Tools

This section includes the keystroke reference details for the Translation Tools Module. It includes the following screens:

Topics

- Config Schema Download
- · Config Schema Upload

Figure 4-1 Config Schema Download Module





Figure 4-2 Config Schema Upload Module



Config Schema Download

The following table describes all the elements of the Config Schema Download Section and the keystroke combinations to access them.

Table 4-1 Keystroke References for the Config Schema Download Section

| UI Control | How Does the UI Co Look | ontrol List of UI Controls on the Screen | e Keystrokes to Access This UI Control |
|------------------|----------------------------|---|---|
| html5-select-one | | Information DomainUser Segment | HTML Select |
| | Select the table | AAI_ACTION_SUB_TYPE_TL | ~ |
| html5-button | Download | Help | HTML Select (html5-select-one) |
| html5-textrea | Figure 4-3 Text | Filter (Where clause) | HTML Textarea (html5-textarea) |
| | Filter (Where clause) | | |

Config Schema Upload

The following table describes all the elements of the Config Schema Upload Section and the keystroke combinations to access them.

Table 4-2 Keystroke References for the Config Schema Upload Section

| How Does the UI C Look | ontrol List of UI Controls on th Screen | e Keystrokes to Access This UI Control |
|---------------------------|--|---|
| | Select the table | HTML Select |
| Select the table | AAI_ACTION_SUB_TYPE_TL | ~ |
| | Look | Select the table |



Table 4-2 (Cont.) Keystroke References for the Config Schema Upload Section


| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------------|-----------------------------------|---|
| html5-button | | | HTML Select (html5-select-one) |
| | Figure 4-4 Upload | | |
| | Upload | | |
| html5-textbox | | Source Date Format | HTML Textbox (html5-textbox) |
| | Figure 4-5 Source Date Format Text | | |
| | Source Date Format | | |
| html5-filepicker | | Select the file to Upload | HTML File Picker (html5-filepicker) |
| | Figure 4-6 Select the file to Upload | | |
| | Select the File to Uploa | d: Choose File No file | e chosen |
| | Select the she | et | ĺ |
| | | | |



Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 4-7 Object Administration Module



Object Security

This section includes the keystroke reference details for the Object Security section.

Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 4-3 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page






Table 4-3 (Cont.) Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

| UI Control How Does the UI Control List of U Look Screen | | List of UI Controls on the Screen | e Keystrokes to Access This UI Control | |
|---|--|-----------------------------------|---|--|
| html5-map-matadata- hierarchy-shuttle | And and table. From the State of State | Map Metadata Hierarchy Shuttle | HTML Grid | |
| html5-button | ? | Help | HTML Select (html5-select-one) | |
| html5-button | Save | Save | HTML Select (html5-selectone) | |
| html5-button | Show Details | Show Details | HTML Select (html5-select-one) | |
| html5-button | Hide Details | Hide Details | HTML Select (html5-selectone) | |

Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.

Batch Execution Map

(Required) <Enter a short description here.>

Table 4-4 Batch Execution Map

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | ? | Help | HTML Select (html5-select-one) |



Table 4-4 (Cont.) Batch Execution Map

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|--|---|
| html5-select-one | Information Domain LRSINFDON | Information DomainUser Group | HTML Select |
| html5-radiobutton | ■ Batch Maintenance | Batch Maintenance Modeli Finter Rijse Modeling rk Run Rules Framework ALL | HTML Radio Button O ALL |
| oj-collapse | Take Greg - Earls Insystem May Link State Mark State Mark CONTROLL MARK STATE ST | User Group - Batch Execution Map | OJET Expand/Collapse |
| html5-grid | The second secon | Batch NameBatch DescriptionBatch Map | OJET Context Menus (oj- menu) |
| html5-checkbox | Batch Map | Batch Map | HTML Checkbox |
| html5-button | Check All | Check AllUncheck AllSaveCancelSearchReset | OJET Button |

Object to Application Mapping

This section includes the keystroke reference details for the Object to Application Mapping Module. See Metadata Browser section for details.

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 4-5 Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-tabs | | Tabs | OJET Tabs (oj-tabs) |



Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control | |
|------------|---------------------------------|---|---|--|
| oj-tabs | | Dashboard Search Catalog of objects Applications | OJET Tabs (oj-tabs) | |
| oj-button | | Filter | OJET Button | |
| oj-button | S | Reload | OJET Button | |
| oj-button | Publish | Publish | OJET Button | |
| oj-button | B | Мар | OJET Button | |

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module




Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module






Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|--|-----------------------------------|--|
| oj-button | >> | Select All | OJET Button |
| oj-button | (| Deselect | OJET Button |
| oj-button | « « | Deselect All | OJET Button |
| oj-button | Cancel | Cancel | OJET Button |
| oj-button | Save | Save | OJET Button |
| oj-input-search | Q Search | Search | OJET Button |
| oj-list-view | Common account Q. common account influence Q. common account | List View | OJET List View |
| oj-foldable-layout | User Croup Hierarchy (State Properties (2) User Croup Hierarchy (State Property (State Proper | Foldable Layout | OJET Foldable Layout (oj foldable-layout) |

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---|--|---|
| oj-button | rer | Export to PDF | OJET Button |
| oj-button | More | More | OJET Button |
| oj-button | Details | Details | OJET Button |
| oj-tree-view | Process Tree (33) ▼ A T2T which populates da ▶ T2T_STG_OPTIONS_C ▶ A T2T which populates da | AS | OJET Tree View |
| oj-dialog | DE_GROUP - Dependency and Usage Used in I Hararchy, Educatet Copied Name 12 Onest Type 12 One Group Hearthy DE_GROUP DS Drisset | Dialog | OJET Dialog |
| oj-dialog | FSDF Common Account Su Load Process 10 day(s) ago by SYSADMN FSDF Common Account Summary Data Load Pr Process Tree (33) | | OJET Dialog |
| oj-table | Used in 1 PMF Task Object Name 11 Object Type 11 FSDF Common Account Summary Data Load Process PAUF Task | Used inDepends on | OJET Tabs (oj-tabs) |

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | Control How Does the UI Control List of UI Controls on th Look Screen | | | |
|---|--|--|--|--|
| oj-tabs | 8 | Tabs | OJET Tabs (oj-tabs) | |
| metadata-browser- breadcrumbs | FSDF Common Account S FSDF Common Account S | Breadcrumbs | Metadata Browser Breadcrumbs | |
| object-node | PAST Task PAST Task | Object Node | Object Node | |
| object-node | Consideration Const. Second Service Const. Second Service Const. Second Service Const. Second Service Const. Second Second Const. | Object Node | Object Node | |
| oj-menu | FSDF Common Accomany Detail PMF P Expo | ls – | OJET Context Menu | |
| oj-list-view and oj-foldable-layout | Base Metadata There are about the times There are a bout the times Basiness Processor Co. (200,0) | List View and Foldable Layout | OJET List View and OJET Foldable Layout | |
| oj-messages | FSDF Transaction Sur Process Job_1566208224090 FSDF Transaction Summary Data Loa This PMF Task was created by SYSAD Task was modified by SYSADMN on 2 | d Process MN on 2021-06-29 00:00:00 . This PMF 2021-06-29 00:00:00 . | OJET Messages | |

Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.

Table 4-6 Export Objects

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|-----------------------------------|--------------------------------------|
| html5-button | | Search | HTML Select (html5- select-one) |
| | Q Search | | , |
| html5-button | = | Add | HTML Select (html5-select-one) |
| html5-select-one | | Sort By | HTML Select |
| | Sort By Select any one option | v | |
| html5-button | îii | Delete | HTML Select (html5-select-one) |
| html5-pagination | Page 1 of 1 (1 · 7 of 7 items) K 〈 〉 ⋊ | Pagination | HTML Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |

Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.

Table 4-7 Outline Definition

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|-----------------------------------|---|
| html5-radiobutton | | Select | HTML Radio Button |
| | Select Outline Snapshot | | |



Table 4-7 (Cont.) Outline Definition

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | | Keystrokes to Access This UI Control |
|---------------|---------------------------------|-----------------------------------|--------------|---|
| html5-textbox | | Outline Name | Outline Name | HTML Textbox |
| | * Outline Name | • | File Name | |
| html5-button | | • | Apply | HTML Select (html5-select- |
| | | • | Close | one) |
| | ✓ Apply | | | |

Import Definition

This section includes the keystroke reference details for the Import Definition section.

Table 4-8 Import Definition


| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|---|---|
| html5-radiobutton | Select Outline Snapshot | Select | HTML Radio Button |
| html5-textbox | * Outline Name | Outline Name | HTML Textbox |
| html5-select-one | Dump File | Dump File Folder Import All Fail on Error OverWrite Retain Ids | HTML Select |
| html5-button | ✓ Apply | Apply Close | HTML Select (html5-selectone) |

Import Objects

This section includes the keystroke reference details for the Import Objects Module.

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI |
|------------|---------------------------------|-----------------------------------|---------------------------------|
| | | | Control |





Utilities

This section includes the keystroke reference details for the Utilities Module.

Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.

Table 4-9 Keystroke References for the Utilities – Metadata Difference Section

| html5-metadata-treecontrol Select Metadata HTML Me | |
|--|--------------|
| | etadata Tree |
| Select Metadata Control | 6 |



Table 4-9 (Cont.) Keystroke References for the Utilities – Metadata Difference Section

| How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------------------------|-----------------------------------|---|
| | Metadata Tree | Metadata Tree Browser |
| Metadata Tree | | |
| Metadata Tree | е | |
| ⊕ 🗇 UMM | | |
| | | |
| | Search | HTML Select (html5-selectone) |
| Q Search | | |
| 'D | Reset | HTML Select (html5-select-one) |
| _ | Help | HTML Select (html5-select-one) |
| | Metadata Tree Metadata Tree UMM | Metadata Tree Metadata Tree Metadata Tree Metadata Tree Metadata Tree Metadata Tree Search Search Reset |

Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 4-10 Keystroke References for the Metadata Authorization Section

| UI Control | How Does to Look | he UI Control | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---|---|--------------------------------------|---|
| html5-tab | | | Business Metadata | HTML Tab |
| | | | | |
| | Busine | ss Metad | ata | |
| html5-grid | Busine | ss Metad | Business Metadata Grid | HTML Grid |
| html5-grid | | | Business Metadata Grid | HTML Grid |
| html5-grid | Metadata Type' No Of Metadati | ess Metad | Business Metadata Grid | HTML Grid |
| html5-grid | Metadata Type No Of Metadata Aliases (D) Forms t | ı Eligible for Authorization / Rejection ↑ | Business Metadata Grid | HTML Grid |
| html5-grid | Metadata Type No Of Metadata Aliases (DI Forms t Datasets (DI Forms C | n Eligible for Authorization / Rejection ↑ o be Authorized | Business Metadata Grid | HTML Grid |



Table 4-10 (Cont.) Keystroke References for the Metadata Authorization Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | ? | Help | HTML Select (html5-select-one) |

Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.

Table 4-11 Keystroke References for the Save Metadata Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------------------|---|-----------------------------------|---|
| html5-radiobutton | Hierarchy O Derived Enti | Hierarchy Derived Entity | HTML Radio button (html5-radio button) |
| html5-dataset-hierarchy- browse | Accident from The management of the management | Available Metadata | HTML Dataset Hierarchy Browser |
| html5-button | Save | Save | HTML Select (html5-select-one) |
| html5-button | Reset | Reset | HTML Select (html5-select-one) |
| html5-button | ? | Help | HTML Select (html5-select-one) |



Write Protected Batch

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

Table 4-12 Keystroke References for the Utilities – Metadata Difference Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|--|--|---|
| html5-grid | Brite Norse ** Author Danie Quality Seem the Authorises Authorise Danie Quality Seem the Authorises CAMPORT Danie Quality Seem Control Seem Contr | Batch NameBatch DescriptionWrite-Protected Batch | HTML Grid |
| html5-checkbox | Write-Protected Bar | Write-Protected Batch | HTML Checkbox (html5-checkbox) |
| html5-button | Check All | Check All | HTML Checkbox (html5-checkbox) |
| html5-button | Uncheck All | Uncheck All | HTML Button (html5-button) |
| ntml5-button | Save | Save | HTML Button (html5-button) |
| html5-button | Cancel | Cancel | HTML Button (html5-button) |
| html5-button | ? | Help | HTML Button (html5-button) |

Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

 Table 4-13
 Keystroke References for the Component Registration Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|---|--------------------------------------|
| html5-button | + New | New | HTML Button (html5-button) |
| html5-button | ☑ Edit | Edit | HTML Button (html5-button) |
| html5-button | Remove | Remove | HTML Button (html5-button) |
| html5-tab | Component Registration | Component Registration | HTML Tab |
| oj-tree | Available Components Components Data Extraction Ru Load Data Rules-Li Transformation Ru Base Rules-RL Processes-PT Essbase Cubes-CU Executable-RNEXE Data Quality-DQD Run-RN | D les-TD BE C | OJET Tree |
| html5-textbox | Component ID* LD | Component IDClass PathImage NameTree Order | HTML Textbox |
| html5-select-one | Parent ID | Parent IDICC Component ID | HTML Select |
| html5-button | Save | Save | HTML Button (html5-button) |




Table 4-13 (Cont.) Keystroke References for the Component Registration Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---|---|--------------------------------------|
| html5-button | Cancel | Cancel | HTML Button (html5-button) |
| html5-button | ? | | HTML Button (html5-button) |
| oj-textbox | ✓ Audit Trail Created by 3054/bNeV Creation bias 60/11/2011 00:54:24 List Modified by << NA >> Modified Creation Code Code << NA >> Code << NA << NA >> Code << NA << NA >> Code << | Created ByCreation DateLast Modified ByModification Date | OJET Textbox |

Transfer Document Ownership

The following table describes all the elements of the Transfer Document Ownership Section and the keystroke combinations to access them.





Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 4-14 Keystroke References for the Patch Information Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|-------------------------------------|--|---|
| html5-tab | Patch Information | Patch Information | HTML Tab |
| html5-textbox | ✓ Search Patch or Application Name | TextboxPatch or ApplicationNameInformation Domain | HTML Textbox |
| html5-icon | 2 | Help | HTML Button (html5-button) |
| html5-button | Q Search | Search | HTML Button (html5-button) |



Table 4-14 (Cont.) Keystroke References for the Patch Information Section


| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|--|---|---|
| html5-button | Ċ | Reset | HTML Button (html5-button) |
| html5-pagination | Page <u>1</u> of 1 (1 - 7 of 7 items) K < > >I | PageRecords per page | HTML Pagination |
| html5-records-per-page | 10 | Records per page | HTML Records per Page Dropdown |
| html5-grid | A Wer-sendorment agentine Indicational Sendorm Spectrum Spectrum Schmidtlicher 10.00 m. communication Organization Organi | Patch or Application Name Applied Date Information Domain Application ID Segment Map ID Segment Code Additional Information | HTML Grid |



Common Object Maintenance

This chapter includes the keystroke reference details for the following modules in the OILM User Interface.

Figure 5-1 COM



Data Model Maintenance

The following table describes all the elements of the Business Model Upload Summary section and the keystroke combinations to access them.

Table 5-1 Keystroke References for the Business Model Upload Summary section




Table 5-1 (Cont.) Keystroke References for the Business Model Upload Summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|---|--------------------------------------|
| html5-select-one | Type 🔻 | Туре | HTML Select |
| html5-button | | Add | HTML Button |
| | → Add | | |
| ntml5-button | | Search | HTML Button |
| | Q Search | | |
| html5-button | | Reset | HTML Button |
| | "D Reset | | |
| ntml5-button | | Help | HTML Button |
| | ? | | |
| html5-grid | Fine to best book to get the total state. | Model Upload grid | HTML Grid |
| ntml5-pagination | Page 1 of 1 (1 · 7 of 7 items) K 〈 > > | PageNumber of Rows | HTML Pagination |



Data Management

This section includes the keystroke reference details for the Data Management Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Sources

The following table describes all the elements of the Data Management Tools section and the keystroke combinations to access them.

Table 5-2 Keystroke References for the Data Management Tools section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|---|---|
| oj-lux-Breadcrumbs | Home > Data Sources | Breadcrumbs | LUX Breadcrumbs |
| oj-textbox | Code | CodeNameSearch | OJET Textbox |
| oj-select-single | Source Type Select | Source TypeRecord Status | OJET Select |
| oj-button | | Search | OJET Button |
| | Q Search | | |



Table 5-2 (Cont.) Keystroke References for the Data Management Tools section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-button | | Reset | OJET Button |
| | "D Reset | | |
| oj-button | | Help | OJET Button |
| | ? | | |
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | | View | OJET Button |
| | View | | |
| oj-button | | Edit | OJET Button |
| | ☑ Edit | | |
| oj-button | | Delete | OJET Button |
| | ⊞ Delete | | |
| oj-button | | Сору | OJET Button |
| | Сору | | |
| | | | |



Table 5-2 (Cont.) Keystroke References for the Data Management Tools section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|---|--------------------------------------|
| oj-button | | Authorize | OJET Button |
| | Authorize | | |
| | | | |
| oj-button | | Make Latest | OJET Button |
| | Make Latest | | |
| oj-button | | Purge | OJET Button |
| | ™ Purge | | |
| oj-lux-grid | | Code Name Source Type Upload Type Created By Created Date Version Active | LUX Grid |
| oj-checkbox | AAI_CONFIG_SRC | Checkbox | OJET Checkbox |
| oj-cca-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > | Pagination: • Page | OJET CCA Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | OJET CCA Records pe Page |

Data Mapping

This section includes the key stroke combinations for the Data Mapping Summary and Details Screens.

Summary

Table 5-3 Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|---|---|
| oj-lux-Breadcrumbs | Home > Data Mappings | Breadcrumbs | LUX Breadcrumbs |
| oj-textbox | Code | CodeNameSearch | OJET Textbox |
| oj-select-single | TypeSelect | TypeSourceRecord Status | OJET Select |
| oj-button | Q Search | Search | OJET Button |
| oj-button | 'D Reset | Reset | OJET Button |
| oj-button | ? | Help | OJET Button |



Table 5-3 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | | View | OJET Button |
| | View | | |
| oj-button | | Edit | OJET Button |
| | Edit | | |
| oj-button | | Delete | OJET Button |
| | ⊞ Delete | | |
| oj-button | | Сору | OJET Button |
| | Сору | | |
| oj-button | | Authorize | OJET Button |
| | Authorize | | |
| oj-button | | Make Latest | OJET Button |
| | Make Latest | | |
| oj-button | | Purge | OJET Button |
| | ™ Purge | | |
| | | | |



Table 5-3 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|---|---|
| oj-lux-grid | The second sec | Code Name Source Type Upload Type Created By Created Date Version Active | LUX Grid |
| oj-checkbox | ☐ MKT_RISK_REPORTING_POP_I | Checkbox | OJET Checkbox |
| oj-cca-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > > → | Pagination • Page | OJET CCA Pagination |
| oj-cca-records | Records Per Page 10 | Records per PageRecords | OJET CCA Records per Page |

Post Load Changes

This section includes the keystroke combinations for the Post Load Changes Summary and Details Screen.

Summary

Table 5-4 Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|-----------------------------------|--|
| oj-lux-Breadcrumbs | | Breadcrumbs | LUX Breadcrumbs |
| | Home > Post Load C | hanges | |



Table 5-4 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This U Control |
|------------------|---------------------------------|--|---|
| oj-textbox | | CodeName | OJET Textbox |
| | Code | NameSearch | |
| | | | |
| oj-select-single | | TypeRecord Status | OJET Select |
| | TypeSelect | Record Status | ٧ |
| oj-button | | Search | OJET Button |
| oj-buttori | | Gealen | OSET Button |
| | Q Search | | |
| | | | |
| oj-button | | Reset | OJET Button |
| | 'D Reset | | |
| oj-button | | Help | OJET Button |
| oj buttori | | Поф | OOL! Button |
| | ? | | |
| oj-button | | Add | OJET Button |
| | + Add | | |
| | ■ Add | | |
| oj-button | | View | OJET Button |
| | ⁴ View | | |



Table 5-4 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This U Control |
|-------------|---------------------------------|--|---|
| oj-button | | Edit | OJET Button |
| | ☑ Edit | | |
| oj-button | | Delete | OJET Button |
| | ⊞ Delete | | |
| oj-button | | Сору | OJET Button |
| | Сору | | |
| oj-button | | Authorize | OJET Button |
| | Authorize | | |
| oj-button | | Make Latest | OJET Button |
| | Make Latest | | |
| oj-button | | Purge | OJET Button |
| | ™ Purge | | |
| oj-lux-grid | | CodeName | LUX Grid |
| | Telephone | TypeCreated ByCreated Date | |
| | | VersionActive | |
| oj-checkbox | | Checkbox | OJET Checkbo |
| | ☑ AAI_CONFIG_SRC | | |



Table 5-4 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|--------------------------------------|--|
| oj-cca-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > ⋊ | Pagination: • Page | OJET CCA Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page area | OJET CCA Records per Page |

Data Quality Framework

This section includes the keystroke combinations for the following screens in the Data Quality Framework Module.

Data Quality Rules

This section includes the keystroke combinations for the Data Quality Rules Summary and Details Screen.

Table 5-5 Keystroke References for the Data Quality Rules

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|--|---|
| oj-lux-Breadcrumbs | | Breadcrumbs | LUX Breadcrumbs |
| | Data Quality Grou | ps | |
| oj-textbox | | NameDescription | OJET Textbox |
| | Name | | |
| oj-select-single | | FolderOn Source | OJET Select |
| | Folder | • Source | |
| | | | |



Table 5-5 (Cont.) Keystroke References for the Data Quality Rules

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|--------------------------------------|
| oj-button | | Search | OJET Button |
| | Q Search | | |
| ij-button | | Reset | OJET Button |
| | 'D Reset | | |
| oj-button | | Help | OJET Button |
| | ? | | |
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | | View | OJET Button |
| | * View | | |
| oj-button | | Edit | OJET Button |
| | Edit | | |
| oj-button | | Delete | OJET Button |
| | <u> </u> | | |



Table 5-5 (Cont.) Keystroke References for the Data Quality Rules

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|---|--------------------------------------|
| oj-button | | Approve | OJET Button |
| | Approve | | |
| oj-button | | Reject | OJET Button |
| | Reject | | |
| oj-button | | Make Latest | OJET Button |
| | Make Latest | | |
| oj-button | | Resave | OJET Button |
| | d Resave | | |
| oj-lux-grid | Managements | NameTableAccess TypeCheck Type | LUX Grid |
| | Personal P | FolderCreation DateCreated By | |
| | | Last Modification DateStatusIs Grouped | |
| | | Is ExecutedVersionActive | |
| oj-cca-pagination | Page $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | Pagination: • Page | OJET Checkbox |
| oj-cca-records | | Records per Page | OJET CCA Pagination |
| | Records Per Page 10 | | |



Data Quality Groups

This section includes the keystroke combinations for the Data Quality Groups – Summary and Details Screen.

Summary

The following table describes all the elements of the Data Quality Groups - Summary Section and the keystroke combinations to access them.

Table 5-6 Keystroke References for the Summary Section

| How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------------------------|--|--|
| | Breadcrumbs | LUX Breadcrumbs |
| Data Quality Rule | s | |
| | Name | OJET Textbox |
| Name | | |
| | FolderCheck Type | OJET Select |
| Folder | Record StatusOn SourceSourceTable | |
| | Search | OJET Button |
| Q Search | | |
| | Reset | OJET Button |
| 'D Reset | | |
| | Data Quality Rule | Polder Folder Folder Paurice Polder Polde |



Table 5-6 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-button | | Help | OJET Button |
| | ? | | |
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | | View | OJET Button |
| | View | | |
| oj-button | | Edit | OJET Button |
| | Edit | | |
| oj-button | | Delete | OJET Button |
| | ☐ Delete | | |
| oj-button | | Сору | OJET Button |
| | Сору | | |
| oj-button | | Run | OJET Button |
| | ⅓ Run | | |
| | | | |



Table 5-6 (Cont.) Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---|---|---|
| oj-button | | Refresh | OJET Button |
| | ₹Refresh | | |
| oj-lux-grid | The content of the | Name Folder Creation Date Created By Created Date Last Modification Date Last Modified By Last Run Date Last Run Status | LUX Grid |
| oj-cca-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > | Pagination • Page | OJET CCA Pagination |
| oj-cca-records | Records Per Page 10 | Records per PageRecords | OJET CCA Records per Page |
| oj-button | ≡ View Log | View Log | OJET Button |
| oj-button | | View Reports | OJET Button |
| | ■ View Reports | | |
| oj-button | | Refresh | OJET Button |
| | Refresh | | |



Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

Excel Upload for Atomic

This section includes keystroke elements for the Excel Upload Menu options.

Table 5-7 Keystroke References for the Data Quality Rules

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|--|--|---|
| oj-lux-Breadcrumbs | | Breadcrumbs | LUX Breadcrumbs |
| | Excel-Entity M | 1appings | |
| oj-button | | Help | OJET Button |
| | ② | | |
| oj-lux-grid | Management Man | Mapping IDMapping NameCreated ByCreated OnDownload Excel | LUX Grid |
| oj-button | + | Add | OJET Button |
| oj-button | * [| View | OJET Button |
| oj-button | | Edit | OJET Button |
| | | | |



Table 5-7 (Cont.) Keystroke References for the Data Quality Rules

| How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------------|-----------------------------------|---|
| | Delete | OJET Button |
| | | |
| | Look | Delete |

Excel Upload

Table 5-8 Keystroke References for the Excel Upload

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|-----------------------------------|---|
| oj-lux-Breadcrumbs | | Breadcrumb | LUX Breadcrumbs |
| | Excel Upload | | |
| oj-button | Choose File N | Choosen File | OJET Button |
| oj-button | | Help | OJET Button |
| | ? | | |
| oj-button | | Upload | OJET Button |
| | Upload | | |



Table 5-8 (Cont.) Keystroke References for the Excel Upload

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|------------------------------|---|--------------------------------------|
| oj-button | View Log | View Log | OJET Button |
| oj-select-single | Sheet : | FolderOn SourceSource | OJET Select |

Forms Designer

This section includes keystroke combinations for all the screens in the Forms designer Module.

Screen 1

Table 5-9 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|--|---|
| oj-button | | Create a New FormAlter Existing Forms | OJET Button |
| | Create a New | Fo Copy Forms Delete Forms | |
| | | Assign RightsMessage Type | |
| | | Maintenance | |
| html5-select-one | | Available Applications | HTML Select |
| | Available Applications New Application Name | | |
| | | | |



Table 5-9 (Cont.) Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|--|---|
| html5-icon | | Help | HTML Select |
| | ② | | |
| html5-textbox | New Application Name | New Application NameNew Form Name | HTML Textbox |
| html5-button | Next | Next | HTML Button (html5-button) |
| html5-button | | Reset | HTML Button (html5-button) |
| | Reset | | |

Table 5-10 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| html5-icon | ? | Help | HTML Button |
| | | | |



Table 5-10 (Cont.) Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | | Grid | HTML Button |
| | | | |
| | Grid | | |
| | | | |
| html5-button | | Single Record | HTML Button |
| | | | |
| | Single Record | | |
| | | | |
| html5-button | | Edit/View | HTML Button |
| | • | | |
| | Edit/View | | |
| html5-button | | Multi Column | HTML Button |
| | | | |
| | Multi Column | | |
| | Maia Colaini | | |
| html5-button | | Wrapping Row | HTML Button |
| | | | |
| | Wrapping Row | | |
| | | | |

Table 5-10 (Cont.) Keystroke References for the Forms Designer Section

| How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------------|-----------------------------------|---|
| | Tree View | HTML Button |
| Tree View | | |
| | Next | HTML Button |
| Next | | |
| | Reset | HTML Button |
| Reset | | |
| | Tree View Next | Look Screen Tree View Next Reset |

Table 5-11 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------------------|--|-----------------------------------|---|
| html5-dataset-hierarchy- browser | | List of Available Tables | HTML Dataset Hierarchy Browser |
| | List of Available Ta | bles | |
| | ACCOUNT_POOL_MAPPING APP_FILTER_DIM_MAP ATTRIBUTION_DEFINITION ATTRIBUTION_EXECUTION_M COM_ENTITY_GROUP_MAP COM_ENTITY_PROCESS_DETA COM_VALUECODE_MAPPING DIM_ACCOUNT DIM_ACCOUNT_CLASSIFICAT DIM_ACCOUNT_IDENTIFIER_T | ION | |
| html5-button | 2 | Help | HTML Button |
| html5-button | | Next | HTML Button |
| html5-button | Back | Back | HTML Button |

Table 5-12 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------------------|---|--|---|
| html5-dataset-hierarchy- browser | Audion 16th Temporary, printing, securities, gain, say, part Temporary, printing, securities, gain, say, part Temporary, printing, securities, gain, say, part Temporary, printing, securities, securities, gain, | Available FieldsFields to Display | HTML Dataset Hierarchy Browser |
| html5-button | ? | Help | HTML Button |
| html5-button | Next | Next | HTML Button |
| html5-button | Back | Back | HTML Button |

Table 5-13 Keystroke References for the Forms Designer Section

| How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--|--|--|
| Available from: From the control of | Available FieldsChosen Fields | HTML Dataset Hierarchy Browser |
| | Sort by descendingExcel map | HTML Checkbox |
| □ Sort by des | cending | |
| | Help | HTML Button |
| ? | | |
| | Next | HTML Button |
| Next | | |
| | Back | HTML Button |
| Back | | |
| | Sort by des | Available Fields Chosen Fields Sort by descending Excel map Sort by descending Excel map Next Next Next Next Back |



Table 5-14 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|---------------------------------|---|---|
| ntml5-grid | | List of Available Tables | HTML Grid |
| | Federate | | |
| html5-checkbox | | Batch Commit checkbox | HTML Checkbox |
| | ☐ Batch Com | mit | |
| html5-button | | Help | HTML Button |
| | ? | | |
| html5-tabs | Message Details | Message DetailsForm FilterData Versioning | HTML Tabs |
| | | | |
| html5-button | | Form Filter Dialog Launcher | HTML Dialog Launcher |
| | Form | Filter | |
| html5-button | | Data Versioning | HTML Button |
| | Data Versioning | | |
| html5-button | | Back | HTML Button |
| | Back | | |
| | | | |



Table 5-14 (Cont.) Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|--------------------------------------|
| html5-button | | Save | HTML Button |
| | Save | | |
| | | | |
| html5-button | | Save with Authorization | HTML Button |

Message Details

Table 5-15 Keystroke References for the Forms Designer - Message Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------------------|---|---|---|
| html5-checkbox | ☐ Messaging | Messaging Required Specific Messages Required | HTML Checkbox |
| html5-dataset-hierarchy- browser | Available Message Types Cnocled Request for Creation Canceled Request for Modification Created and Authorized Created and Put-On-Hold Created and Rejected Created and Rejected | Available Message TypesChosen Message Types | HTML Dataset Hierarchy Browser |
| html5-select-one | Message Type | Sort by descendingExcel map | HTML Checkbox |
| html5-button | Save | Save | HTML Button |



Table 5-15 (Cont.) Keystroke References for the Forms Designer - Message Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|--|---|
| html5-button | Cancel | Cancel | HTML Button |
| html5-button | > | Available Fields For Subject Available Fields For Content Available Recipients | HTML Button |
| html5-button | < | Mapped Fields For Subject Mapped Fields For Content Mapped Recipients | HTML Button |

Form Filter

Table 5-16 Keystroke References for the Forms Designer - Form Filter Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------------|--|-----------------------------------|---|
| html5-expression-builder | Specifying Expressions for Form Level Filter Condition Fields: Operations: Incidence: ATTREATION_CHINATION_C Add | Expression Builder | HTML Expression Builder |

Data Versioning

Table 5-17 Keystroke References for the Forms Designer - Data Versioning Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------|---|---|
| html5-checkbox | ☐ Enable | Enable Data Versioning Checkbox Data Versio | HTML Dataset Hierarchy Browser |
| html5-select-one | Table | Table CCOUNErsion-Identifies IN | HTML Select |
| html5-button | ОК | OK | HTML Button |
| html5-button | Figure 5-2 Close | Close | HTML Button |

Table 5-18 Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|---------------------------------|--|---|
| html5-checkbox | □ View | View Add Edit Delete All Above Show Data Created by Current User only | HTML Checkbox |



Table 5-18 (Cont.) Keystroke References for the Forms Designer Section



Table 5-18 (Cont.) Keystroke References for the Forms Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|--------------------------------------|
| html5-button | | Help | HTML Button (html5- button) |
| | 2 | | |

Message Details

The following table describes all the elements of the Forms Designer Screen 7 - Message Details Tab and the keystroke combinations to access them.

Table 5-19 Keystroke References for the Forms Designer Screen 7 - Message Details Tab

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|--|---|---|
| html5-checkbox | | Messaging required | HTML Checkbox |
| | Messaging | Required | |
| html5-multiselect-list | Available Me | Form Specific Messaging Details ssage Types | HTML Multiselect List |
| | Canceled Request f Canceled Request f Created and Author Created and Put-Or Created and Rejected | or Modification rized n-Hold | |
| html5-select-one | Message Type | Message Type | HTML Select |
| html5-checkbox | Specific Mes | Specific Messages Required Ssages Required | HTML Checkbox |
| html5-textbox | Message Subject | Message SubjectMessage Content | HTML Textbox |



Table 5-19 (Cont.) Keystroke References for the Forms Designer Screen 7 - Message Details Tab

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | | Save | HTML Button |
| | Figure 5-3 Save | | |
| | | | |
| | Savo | | |

Form Filter

Table 5-20 Keystroke References for the Form Filter Tab

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|--|--|---|
| html5-multiselect-list | Fields: Operators: Functions: BEHAVOR_INFO_D_RECORD_E - (| Specifying Expressions for Form-Level Filter Condition | HTML Multiselect List |
| html5-textarea | Expression Visioner : | Expression Viewer | HTML Textarea |
| html5-button | ОК | Ok | OJET Button (oj-button) |
| html5-button | Clear | Clear | OJET Button (oj-button) |
| html5-button | Close | Close | OJET Button (oj-button) |



Data Versioning

The following table describes all the elements of the Data Versioning Tab and the keystroke combinations to access them.

Table 5-21 Keystroke References for the Data Versioning Tab

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------|--|---|
| html5-checkbox | ☐ Enable [| Enable Data Versioning Data Versionin | HTML Checkbox |
| html5-select-one | Table ACCC | Table OUNT_Version_IdentifierG | HTML Select |
| html5-button | ОК | Ok | HTML Button (html5-button) |
| html5-button | Close | Close | HTML Button (html5-button) |

Screen 8

Table 5-22 Keystroke References for the Form Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------|--|--|---|
| html5-checkbox | □ View | View Add Edit Delete All Above Show Data Created by Current User only | HTML Checkbox |
| html5-hierarchy-browser | Australia Committee Ordina - Ordina Ord | TableVersion Identifier | HTML Dataset Hierarchy Browser |

Table 5-22 (Cont.) Keystroke References for the Form Designer Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|--------------------------------------|
| html5-button | Save Access | Save Access Rights Rights | HTML Button (html5-button) |
| html5-button | Close | Close | HTML Button (html5-button) |
| html5-button | Back to Forr | ns Designer | HTML Button (html5-button) |
| html5-button | User-Value N | User Value Map ∕lap | HTML Button (html5-button) |
| html5-button | ? | Help | HTML Button (html5-button) |


Table 5-23 Keystroke References for the Form Designer Section

| APP_FILTER_DIM_MA | P.V_HIER_ ^ | HTML Textarea |
|-------------------------------------|--|----------------------------|
| APP_FILTER_DIM_MA APP_FILTER_DIM_MA | P.V_HIER_ ^ | |
| APP_FILTER_DIM_MA | | |
| | | |
| ADD CUITCD DILL | | |
| APP_FILTER_DIM_MA | P.N_DISPI | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Ψ. | |
| | Global Data Filter | HTML Radio Button |
| Clobal Da | Custom Data Filter | |
| Global Da | ta Fifter | |
| | Save | HTML Button (html5- |
| | | button) |
| Save | | |
| | | |
| | | |
| | Close | HTML Button (html5-button) |
| Close | | |
| | | |
| | Delete Filter | HTML Button (html5- |
| | 25.000 1 1101 | button) |
| D. L | | |
| Delete Filter | | |
| | | |
| _ | © Global Da | Close Delete Filter |

Forms Authorization

The following table describes all the elements of the Form Authorization Section and the keystroke combinations to access them.

Table 5-24 Keystroke References for the Forms Authorization Section



Data Entry



Table 5-25 Keystroke References for the Data Entry Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | Single Record | Single Record | HTML Button (html5-button) |
| html5-button | Editable View | Editable View | HTML Button (html5-button) |
| html5-button | Grid | Grid | HTML Button (html5-button) |
| html5-button | Multi Column | Multi-Column | HTML Button (html5-button) |
| html5-button | Wrapping Row | Wrapping Row | HTML Button (html5-button) |
| html5-icon | | Help | HTML Button (html5-button) |

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|---------------------------------|--|---|
| html5-tree | | Data Entry Forms and Query Forms-DeFi Tree | HTML Tree |
| | = app | Data Entry Forms and (app Form1 (VAED) | |
| html5-grid | | Form1 | HTML Grid |
| html5-button | Ø Vi ew | View Edit Add Delete Authorize Export Search Copy | HTML Button (html5-button) |
| ntml5-textbox | Display 5 R | Rows OWS | HTML Textbox |
| html5-checkbox | Select | Select | HTML Checkbox |
| html5-textbox | Attribution Analysis Id* | Attribution Analysis ID textbox | HTML Button (html5-button) |
| html5-button | << Previous | Previous Page Page | HTML Button (html5-button) |

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | Back | Back | HTML Button (html5-button) |
| html5-button | Reset | Reset | HTML Button (html5-button) |
| html5-button | Roll Back | Roll Back | HTML Button (html5-button) |
| html5-button | Next | Next | HTML Button (html5-button) |
| html5-button | Next Page>> | Next Page | HTML Button (html5-button) |
| html5-button | Reautho | Reauthorize Records | HTML Button (html5-button) |
| html5-button | Reauthor Deleted I | Reauthorize Deleted Records | HTML Button (html5-button) |

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | Authorize All | Authorize All | HTML Button (html5-button) |
| html5-button | Reject All | Reject All | HTML Button (html5-button) |

Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

- Excel Upload (Atomic)
- Forms Designer
- Forms Authorization
- Data Entry

Excel Upload (Atomic)

This section includes keystroke elements for the Excel Upload Menu options.

Excel Utility for Excel Entity Mappings

The following table describes all the elements of the Excel Entity Mappings Section and the keystroke combinations to access them.

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|-----------------------------------|---|
| html5-Breadcrumbs | | Excel-Entity Mappings | HTML Breadcrumbs (html5-breadcrumbs) |
| | Excel-Entity Mapp | ings | |
| html5-select-one | | Available Applications | HTML Select (html5-select-one) |
| | Available Applications | New Application Name | ~ |



| html5-icon | | Help | HTML Button (html5-button) |
|--------------|----------------|----------------|----------------------------|
| | ② | | |
| html5-button | 3 | Download Excel | HTML Button (html5-button) |
| html5-button | + | Add | HTML Button (html5-button) |
| html5-button | * | View | HTML Button (html5-button) |
| html5-button | B [*] | Edit | HTML Button (html5-button) |
| html5-button | Û | Delete | HTML Button (html5-button) |


Add

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---|--|---|
| html5-Breadcrumbs | | Excel-Entity Mapping Definition (Add Mode) | HTML Breadcrumbs (html5-breadcrumbs) |
| | Freed Casin-Managers & Corel Casin-Manager Definition/Add Made) | | |



| html5-grid | | Select Mapping | HTML Grid (html5-grid) |
|------------------|---|--|----------------------------|
| | Select Mapping | | |
| html5-filepicker | Exect File * Octoor file Bugs Coord obs | Excel File Selector | HTML Button (html5-button) |
| html5-button | | Add | HTML Button (html5-button) |
| html5-checkbox | | Destination Date Format: mm-dd-yyyy First Row in the Header Bulk Authorization Save with Authorization Apply to All Dates | HTML Button (html5-button) |
| html5-button | Auto Map | Auto Map | HTML Button (html5-button) |
| html5-button | Мар | Мар | HTML Button (html5-button) |
| html5-button | Save Mapping | Save Mapping | HTML Button (html5-button) |
| html5-button | Cancel | Cancel | HTML Button (html5-button) |





Excel Utility for Excel Upload

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---|-----------------------------------|---|
| html5-Breadcrumbs | | Excel Upload | HTML Breadcrumbs (html5-breadcrumbs) |
| | Excel Upload | | |
| | | | |
| html5-filepicker | | Choose File | HTML File Picker (html5-filepicker) |
| | Excel File * Chooses file Rugs Closed.dox | | |
| html5-select-one | | Sheet | HTML Select (html5- |
| | | | select-one) |
| | Sheet : | ~ | |
| | | | |
| | | Upload | HTML Button (html5-button) |
| | Upload | | |
| | | | |




| html5-button | | View | HTML Button (html5-button) |
|--------------|-------------------------------------|--|----------------------------|
| | * | | |
| html5-button | | View | HTML Button (html5-button) |
| | View Log | | |
| html5-icon | | Help | HTML Button (html5-button) |
| | ? | | |
| html5-button | | BrowsePrevious Excel File | HTML Button (html5-button) |
| | | Previous Excel File | buttory |
| html5-grid | | Mapping Information | HTML Grid (html5-grid) |
| | Private Cost Till West 2 + 2 fm | ! | |

Forms Designer

Screen 1

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|-----------------------------------|---|
| html5-radiobutton | | · Create a New Form | HTML Button (html5- |
| | | · Alter Existing Forms | button) |
| | Create a New Fo | rm. Copy Forms | |
| | | · Delete Forms | |
| | | · Assign Rights | |
| | | · Message Type | |
| | | Maintenance | |





Screen 2

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-icon | | Help | HTML Button (html5-button) |
| | ? | | |
| html5-button | | Grid | HTML Button (html5- |
| | | | button) |
| | Grid | | |
| | | | |



html5-button Single Record HTML Button (html5button) Single Record html5-button Edit/View HTML Button (html5button) Multi Column html5-button HTML Button (html5button) Multi Column Wrapping Row html5-button HTML Button (html5button) Wrapping Row html5-button Tree View HTML Button (html5button) Tree View html5-button Next HTML Button (html5button) Next HTML Button (html5html5-button Reset button) Reset

Screen 3



UI Control How Does the UI List of UI Controls on Keystrokes to Access This UI Control Control Look the Screen html5-dataset-hierarchy-List of Available Tables **HTML Dataset** browser Hierarchy Browser (html5-dataset-Figure 5-4 Dataset hierarchy-browser) List of Available Tables ACCOUNT_POOL_MAPPING APP_FILTER_DIM_MAP ATTRIBUTION_DEFINITION ATTRIBUTION_EXECUTION_MASTER COM_ENTITY_GROUP_MAP COM_ENTITY_PROCESS_DETAILS COM_VALUECODE_MAPPING DIM_ACCOUNT DIM_ACCOUNT_CLASSIFICATION DIM_ACCOUNT_IDENTIFIER_TYPE html5-button HTML Button (html5-Help button) html5-button HTML Button (html5-Next button) Next html5-button Reset HTML Button (html5button) Back

Screen 4

| UI Control | How Does the UI | List of UI Controls on | Keystrokes to Access |
|------------|-----------------|------------------------|----------------------|
| | Control Look | the Screen | This UI Control |



html5-dataset-hierarchy-browser

List of Available Tables

HTML Dataset Hierarchy Browser (html5-datasethierarchy-browser)

Figure 5-5 Dataset

List of Available Tables

ACCOUNT_POOL_MAPPING
APP_FILTER_DIM_MAP
ATTRIBUTION_DEFINITION
ATTRIBUTION_EXECUTION_MASTER
COM_ENTITY_GROUP_MAP
COM_ENTITY_PROCESS_DETAILS
COM_VALUECODE_MAPPING
DIM_ACCOUNT
DIM_ACCOUNT_CLASSIFICATION
DIM_ACCOUNT_IDENTIFIER_TYPE

html5-button Help HTML Button (html5-button)


Next HTML Button (html5-button)

Next HTML Button (html5-button)

Next HTML Button (html5-button)

Reset HTML Button (html5-button)

Forms Authorization





| html5-icon | 0 | Help | HTML Button (html5-button) |
|--------------|---------------------------------------|-----------|----------------------------|
| html5-button | Authorize | Authorize | HTML Button (html5-button) |
| html5-button | Reject | Reject | HTML Button (html5-button) |
| html5-button | Close | Close | HTML Button (html5-button) |
| html5-grid | 10 10 10 10 10 10 10 10 | Forms | HTML Button (html5-button) |

Data Entry

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | | Single Record | HTML Button (html5-button) |
| | Single Record | | |
| html5-button | | Editable View | HTML Button (html5-button) |
| | Editable View | | |

html5-button Grid HTML Button (html5button) html5-button Multi-Column HTML Button (html5button) Multi-Column html5-button Wrapping Row HTML Button (html5button) Wrapping Row html5-icon Help HTML Button (html5button) html5-tree Data Entry Forms and HTML Button (html5-Query Forms-DeFi Tree button) Data Entry Forms and (🖹 🍵 app Form1 (VAED) html5-grid HTML Button (html5-Form1 button) html5-button · View HTML Button (html5button) · Edit · Add · Delete · Authorize Export · Search · Copy



| html5-textbox | | Rows | HTML Button (html5-button) |
|----------------|---|-------------------------|----------------------------|
| html5-checkbox | Display 5 Rows | Select | HTML Button (html5-button) |
| html5-textbox | Attribution Analysis Sa* | Attribution Analysis ID | HTML Button (html5-button) |
| html5-button | << Previous Page | Previous Page | HTML Button (html5-button) |
| html5-button | <back< td=""><td>Back</td><td>HTML Button (html5-button)</td></back<> | Back | HTML Button (html5-button) |
| html5-button | Reset | Back | HTML Button (html5-button) |
| html5-button | Reset | Back | HTML Button (html5-button) |
| html5-button | Roll Back | Roll Back | HTML Button (html5-button) |

html5-button Next HTML Button (html5-button)

Next>

Next>

html5-button Next Page HTML Button (html5-button)

Next Page>>

html5-button Reauthorize Records HTML Button (html5-

button)

Reauthorize Records

html5-button Reauthorize Deleted HTML Button (html5-Records button)

Reauthorize
Deleted Records

html5-button Authorize All HTML Button (html5-

button)

Authorize All

html5-button Reject All HTML Button (html5-

button)


Reject All



Unified Analytical Metadata

This section includes the keystroke reference details for the Unified Analytical Metadata Module.

Figure 5-6 Unified Analytical Metadata Module



Alias

This section includes the keystroke reference details for the Alias Summary page.

Alias Summary

The following table lists all the elements of the Alias Summary page.

Table 5-26 Keystroke References for the Controls in the Alias Summary Page






Table 5-26 (Cont.) Keystroke References for the Controls in the Alias Summary Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|--|-----------------------------------|---|
| html5-checkbox | Authorized | Authorized | HTML Checkbox |
| html5-button | + Add | Add | HTML Button (html5-button) |
| html5-button | View | View | HTML Button (html5-button) |
| html5-button | ⊞ Delete | Delete | HTML Button (html5-button) |
| html5-button | | Save Preferences | HTML Button (html5-button) |
| html5-button | 3 | Clear Preferences | HTML Button (html5-button) |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K ⟨ > > | | HTML Pagination |
| html5-records-per-page | Records Per Page 10 | Records per Page | HTML Records per Page |

Dimension Management

This section includes the keystroke combinations for the following Dimension Management Screens.

Attribute

This section includes the keystroke combinations for the Attribute Summary and Details Screens.

Summary

Table 5-27 Keystroke References for the Attribute - Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|------------------------------------|---|---|
| html5-textbox | | Numeric Code | HTML Textbox |
| | Numeric Code | | |
| html5-select-one | Dimension Common Chart of Accounts | DimensionData Type | HTML Select |
| html5-select-one | | Name | HTML Textbox |
| | Name | | |
| html5-button | + Add | Add | HTML Button (html5-button) |
| html5-button | ⁴ View | View | HTML Button (html5-button) |
| ntml5-button | ☑ Edit | Edit | HTML Button (html5-button) |
| ntml5-button | Сору | Сору | HTML Button (html5-button) |
| ntml5-button | | Check Dependencies | HTML Button (html5-button) |
| | ☐ ☐ Check Deper | ndencies | |
| html5-button | ⊕ Delete | Delete | HTML Button (html5-button) |



Table 5-27 (Cont.) Keystroke References for the Attribute - Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|---|---|
| html5-button | | Search | HTML Button (html5-button) |
| | Q Search | | , |
| html5-button | 'D Reset | Reset | HTML Button (html5-button) |
| html5-button | ? | Help | HTML Button (html5-button) |
| html5-grid | ☐ Numeric Code Name | Attributes grid Data Type Required | HTML Grid Seeded |
| html5-checkbox | □ Numeric Code | Numeric Code | HTML Checkbox |
| html5-pagination | Page $\boxed{1}$ of 1 (1 - 7 of 7 items) $\mathbb{K} \iff \mathbb{K}$ | PageRecords Per Page | HTML Pagination |

Details

Table 5-28 Keystroke References for the Attribute - Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--------------------------------------|---|---|
| html5-textbox | Name | Name Description | HTML Textbox |
| html5-select-one | Dimension Common Chart of Accounts 💌 | DimensionData Type | HTML Select |



Table 5-28 (Cont.) Keystroke References for the Attribute - Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|-----------------------------------|---|
| html5-button | Save | Save | HTML Button |
| html5-button | Cancel | Cancel | HTML Button |
| html5-button | | Generate Code | HTML Button |
| html5-calendar | Default value | Default Value | HTML Calendar |
| html5-radiobutton | Required Attribute • Yes • No | Required Attribute | HTML Radio Button |

Member

This section includes the keystroke combinations for the Member Summary and Details Screens.

Summary

Table 5-29 Keystroke References for the Member - Summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|---|---|
| html5-textbox | Alphanumeric Code | Alphanumeric Code Numeric Code Name Description Attribute Value | HTML Textbox |



Table 5-29 (Cont.) Keystroke References for the Member - Summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------|-----------------------------------|--------------------------------------|
| html5-select-one | Dimension Account | Dimension Attribute Name | HTML Select |
| | Account | Туре | |
| html5-button | | Add | HTML Button (html5-button) |
| | + Add | | |
| html5-button | View | View | HTML Button (html5-button) |
| html5-button | ☑ Edit | Edit | HTML Button (html5-button) |
| html5-button | Сору | Сору | HTML Button (html5-button) |
| html5-button | | Check Dependencies | HTML Button (html5-button) |
| | □□ Check Deper | ndencies | |
| html5-button | ⊞ Delete | Delete | HTML Button (html5-button) |
| html5-button | | Search | HTML Button (html5-button) |
| | Q Search | | , |
| html5-button | | Reset | HTML Button (html5-button) |
| | 'D Reset | | |
| html5-button | | Help | HTML Button (html5-button) |
| | • | | |

Table 5-29 (Cont.) Keystroke References for the Member - Summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|-----------------------------------|--------------------------------------|
| html5-grid | □ Numer Code Numer Did-Spe Reserved Sealed | Members grid | HTML Grid |
| html5-checkbox | | Numeric Code | HTML Checkbox |
| | Figure 5-7 Alphanum eric check box | | |
| | ☐ Alphanumeric Coo | le | |
| html5-radiobutton | | Enabled | HTML Radio button |
| | Enabled O Ye | es O No | |
| html5-pagination | | Page Page | HTML Pagination |
| | Figure 5-8 Pagination | Records per Page | |
| | | | |

Details

Table 5-30 Keystroke References for the Member - Details Section

| | Name | |
|-----------|------------------------------------|--------------|
| | Name | HTML Textbox |
| Name | | |
| Dimension | Dimension | HTML Select |
| | Dimension Common Chart of Accounts | Dimension |



Table 5-30 (Cont.) Keystroke References for the Member - Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---|-----------------------------------|---|
| html5-button | Save | Save | HTML Button (html5-button) |
| html5-button | Cancel | Cancel | HTML Button (html5-button) |
| html5-button | | Generate Code | HTML Button (html5-button) |
| html5-button | 2 | Help | HTML Button (html5-button) |
| html5-grid | ○ Numer Code Name Stall Sign Mesoned Seeble | Member Attributes Grid | HTML Grid |
| html5-radiobutton | Enabled O y | Enabled es No | HTML Radio button |

Business Hierarchy

This section includes the keystroke combinations for the Hierarchy Maintenance Summary and Details Screens.

Summary

Table 5-31 Keystroke References for the Hierarchy Maintenance - Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---------------------------------------|--|---|
| ntml5-button | | Search | OJET Button (oj-button) |
| | Q Search | | |
| ntml5-button | 'D Reset | Reset | OJET Button (oj-button) |
| | | | |
| html5-textbox | Code | CodeShort Description | HTML Textbox |
| ntml5-select-one | Hierarchy Type | Hierarchy TypeHierarchy Subtype | HTML Select |
| ntml5-checkbox | Authorized 🗸 | Authorized | HTML Checkbox |
| html5-button | | Add | OJET Button (oj-button) |
| | + Add | | |
| html5-button | View | View | OJET Button (oj-button) |
| ntml5-button | ☑ Edit | Edit | OJET Button (oj-button) |
| html5-button | Сору | Сору | OJET Button (oj-button) |
| html5-button | □ Delete | Delete | OJET Button (oj-button) |
| html5-grid | 10 10 10 10 10 10 10 10 | Grid | HTML Grid |



Table 5-31 (Cont.) Keystroke References for the Hierarchy Maintenance - Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|-----------------------------------|---|
| html5-pagination | Page $\boxed{1}$ of 1 (1 - 7 of 7 items) $\mathbb{K} \iff \mathbb{K}$ | Pagination | HTML Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |

Details

The following table describes all the elements of the Hierarchy Maintenance - Details Section and the keystroke combinations to access them.

Table 5-32 Keystroke References for the Hierarchy Maintenance - Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|------------------------------------|---|---|
| html5-textbox | Figure 5-9 Name | NameDescription | HTML Textbox |
| html5-select-one | Dimension Common Chart of Accounts | DimensionFolderShow Member CodeInitial Display Level | HTML Select |
| html5-button | Save | SaveCancelGenerate Code | OJET Button |
| html5-button | Cancel | Cancel | OJET Button |
| html5-button | + | Add Folder | OJET Button |



Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section


| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | | Search | OJET Button |
| | Q Search | | |
| oj-button | t <u>Ţ</u> 1 | Sort with Path | OJET Button |
| oj-button | tĢţ | Sort Hierarchy (Top to Bottom) | OJET Button |
| oj-button | tal. | Sort to Level (High to Low) | OJET Button |
| oj-button | + | Expand All | OJET Button |
| oj-button | | Collapse All | OJET Button |
| oj-button | •h_ | Expand Branch | OJET Button |
| oj-button | | Collapse Branch | OJET Button |

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|---|---|
| oj-button | 出 | Focus | OJET Button |
| oj-button | 2 | Unfocus | OJET Button |
| oj-button | ■ 1 | Show Numeric Code Values (Right) | OJET Button |
| oj-button | ■ A 9 | Show Alphanumeric Code Values (Right) | OJET Button |
| oj-button | 'D Reset | Reset | OJET Button |
| html5-calendar | Default value | Default Value | HTML Calendar |
| html5-radiobutton | Automatic Inheri | Automatic Inheritance Access Type Display Signage Orphan Branch | |
| html5-tab | Show Hierarchy | Show Hierarchy Show Results Show Results | HTML Tabs |



Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section



Dataset

This section includes the keystroke reference details for the Dataset Summary screen.

Table 5-33 Keystroke References for the Dataset summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|-----------------------------------|---|
| html5-textbox | | Code | HTML Textbox |
| | Code | | |
| html5-button | | Authorized | OJET Button |
| | Authorized | | |



Table 5-33 (Cont.) Keystroke References for the Dataset summary section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|---|--------------------------------------|
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | ☑ Edit | Edit | OJET Button |
| oj-button | View | View | OJET Button |
| oj-button | <u> </u> | Delete | OJET Button |
| oj-button | Сору | Сору | OJET Button |
| ntml5-grid | | Member Attributes Grid | HTML Grid |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > > → | PageRecords Per Page | HTML Pagination |
| oj-button | | Search | OJET Button |
| | Q Search | | |
| oj-button | | Reset | OJET Button |
| | 'D Reset | | |
| html5-button | | Save Preferences | OJET Button |
| html5-button | | Clear Preferences | OJET Button |



Measure

This section includes the keystroke reference details for the Measure section:

Table 5-34 Keystroke References for the Measure section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|---|---|
| html5-textbox | | Code | HTML Textbox |
| | Code | | |
| html5-button | | Authorized | OJET Button |
| | Authorized | | |
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | | Edit | OJET Button |
| | ☑ Edit | | |
| oj-button | | View | OJET Button |
| | View | | |
| oj-button | i Delete | Delete | OJET Button |
| oj-button | _ | Сору | OJET Button |
| | Сору | | |
| html5-grid | Temperature | Member Attributes Grid | HTML Grid |
| | In In In In In In In In | | |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > | PageRecords Per Page | HTML Pagination |
| oj-button | | Search | OJET Button |
| -, | 0 | | 22. 20001 |
| | Q Search | | |
| | | | |



Table 5-34 (Cont.) Keystroke References for the Measure section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| oj-button | 'D Reset | Reset | OJET Button |
| html5-button | | Save Preferences | OJET Button |
| html5-button | ÷ | Clear Preferences | OJET Button |

Business Processor

This section includes the keystroke reference details for the Business Processor section.

Table 5-35 Keystroke References for the Business Processor section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|-----------------------------------|---|
| html5-textbox | | Code | HTML Textbox |
| | Code | | |
| html5-button | Authorized 🗹 | Authorized | OJET Button |
| oj-button | | Add | OJET Button |
| | + Add | | |
| oj-button | ☑ Edit | Edit | OJET Button |
| oj-button | * View | View | OJET Button |



Table 5-35 (Cont.) Keystroke References for the Business Processor section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|---|---|
| oj-button | ☐ Delete | Delete | OJET Button |
| oj-button | Сору | Сору | OJET Button |
| html5-grid | The second content of the second content o | Member Attributes Grid | HTML Grid |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > | PageRecords Per Page | HTML Pagination |
| oj-button | Q Search | Search | OJET Button |
| oj-button | 'D Reset | Reset | OJET Button |

Map Maintenance

This section includes the keystroke reference details for the Map Maintenance section.

Table 5-36 Keystroke References for the Map Maintenance section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|--------------------------------------|--------------------------------------|
| html5-select | | Segment | HTML Select |
| | Segment LRS8122SEG | ~ | |
| oj-button | | Add | OJET Button |
| | + Add | | |



Table 5-36 (Cont.) Keystroke References for the Map Maintenance section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|---|---|---|
| oj-button | ☑ Edit | Edit | OJET Button |
| oj-button | View | View | OJET Button |
| oj-button | ⊞ Delete | Delete | OJET Button |
| oj-button | Сору | Сору | OJET Button |
| oj-button | Mapper Maintenance | Mapper Maintenance | OJET Button |
| oj-button | 🏖 Default Security Map | Default Security Map | OJET Button |
| html5-grid | The content of the | Member Attributes Grid | HTML Grid |
| html5-pagination | Page $\boxed{1}$ of 1 (1 - 7 of 7 items) $\mathbb{K} \Longleftrightarrow \mathbb{K}$ | PageRecords Per Page | HTML Pagination |
| html5-records-per-page | Records Per Page 10 | Records per Page | HTML Records per Page |

Operations

This section includes the keystroke reference details for the Operations Module. This module includes the following screens.

Figure 5-10 Operations Module





Batch Maintenance

This section includes the keystroke reference details for the Operations - Batch Maintenance Module.

Summary

The following table lists all the elements of the Operations - Batch Maintenance Page with summary and the associated keystroke combinations to access them.

Table 5-37 Keystroke References for the Controls in the Operations - Batch Maintenance Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|--|---|
| html5-textbox | Batch ID Like OFSOILMINFO_ | Batch ID Like<infodom_name></infodom_name>Batch Description LikeSTART | HTML Textbox |
| html5-button | 2 | Help | HTML Button (html5-button) |
| oj-button | + Add | Add | OJET Button |
| oj-button | ☑ Edit | Edit | OJET Button |
| oj-button | View | View | OJET Button |
| oj-button | ⊕ Delete | Delete | OJET Button |
| oj-button | ОК | Ok | OJET Button |
| oj-button | Close | Close | OJET Button |



Table 5-37 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|--|---|---|
| html5-grid | Continued Cont | Member Attributes Grid | HTML Grid |
| oj-button | | Search | OJET Button |
| | Q Search | | |
| oj-button | | Reset | OJET Button |
| | 'D Reset | | |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K ⟨ > > | PageRecords Per Page | HTML Pagination |
| html5-records-per-page | Records Per Page 10 | Records per Page | HTML Records per Page |
| html5-textbox | Batch ID Like OFSOILMINFO_ | Batch ID Like <infodom_name></infodom_name> Batch Description Like START | HTML Textbox |
| html5-select-one | Module | Module | HTML Select |
| html5-calendar | Between | Between And | HTML Calendar |
| html5-checkbox | Batch ID ≜ | Batch ID Task ID | HTML Checkbox |
| html5-button | ā | Precedence | OJET Button |



Table 5-37 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------------------|--|---|---|
| html5-Breadcrumbs | Batch Maintenance > Task | Task Precedence Mapping Precedence Mapping | HTML Breadcrumbs |
| html5-hierarchy-browser- shuttle | Find the field. Comparing approximation of the field o | Hierarchy Browser Shuttle | HTML Grid |

Details

The following table lists all the elements of the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable, and the associated keystroke combinations to access them.

Table 5-38 Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | ? | Help | HTML Button |
| html5-button | Save | Save | HTML Button |
| html5-button | Cancel | Cancel | HTML Button |
| html5-button | Close | Close | HTML Button |



Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|---|--------------------------------------|
| html5-button | ОК | Ok | HTML Button |
| html5-button | Reset | Reset | HTML Button |
| html5-textbox | Batch Name | Batch Name Batch Description Created By Created Date Creation Date Last Modified by Last Modification Date Task ID Description Optional Parameters Default Value Data File Name Rejection Threshold Additional Parameters Executable Parameter List | HTML Textbox |



Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable



Batch Execution

This section includes the keystroke reference details for the Operations - Batch Execution Module. The following table lists all the elements of the Operations - Batch Execution Page with summary and the associated keystroke combinations to access them.

Table 5-39 Keystroke References for the Controls in the Operations - Batch Execution Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|--------------------------------------|---|
| html5-button | | Help | HTML Select (html5-select one) |
| | ? | | one) |
| oj-button | | Search | OJET Button |
| | Q Search | | |
| html5-button | | Reset | HTML Button |
| | 'D Reset | | |
| html5-button | _ | Schedule Batch | HTML Button |
| | Schedule B | atch | |
| html5-button | | Exclude/Include | HTML Button |
| | Exclude/Incl | lude | |
| html5-button | _ | Hold and Release | HTML Button |
| | Hold/Releas | e | |
| html5-button | ОК | Ok | HTML Button |
| html5-button | Close | Close | HTML Button |
| html5-button | Execute Batch | Execute Batch | HTML Button |



Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------------------------|--|---|---|
| html5-radiobutton | Figure 5-11 Mode | RunRestartRerun | HTML Radio Button |
| | Mode ⊚ Run ○ Resta | irt ○ Rerun | |
| html5-textbox | | Batch ID Like <infodom_name></infodom_name> | HTML Textbox |
| | Figure 5-12 Batch ID Like | Batch Description Like | |
| | Batch ID Like OFSOILMINFO_ | | |
| html5-select-one | | Module | HTML Select |
| | Module | Information DateBatch Run ID | |
| html5-calendar | | Between Data | HTML Calendar |
| | Between | | |
| html5-grid | -test districts set or c , see designer. | Batch Name Task Details | HTML Grid |
| html5-checkbox | ☑ Batch ID ≜ | Batch ID Task ID | HTML Checkbox |
| | Batch ID = | • | |
| html5-Breadcrumbs | Batch Execution > Excl | Exclude/Include ude/IHold/Release | HTML Breadcrumbs |
| html5-hierarchy-browser- shuttle | Fundam Natio. Immigration (Asserting Asserting Could Ass. Each Immigration (Asserting Asserting Could Ass. Each Immigration (Asserting Asserting Could Asserting Assertin | Hierarchy Browser Shuttle | HTML Grid |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > >I | PageRecords Per Page | HTML Pagination |



Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|---------------------------------|-----------------------------------|---|
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |
| html5-messages | [6841] Are yo | Message | HTML Messages |
| | delete | OK Cancel | |

Batch Monitor

This section includes the keystroke reference details for the Operations – Batch Monitor Module The following table lists all the elements of the Operations – Batch Monitor Page with summary and the associated keystroke combinations to access them.

Table 5-40 Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | ? | Help | HTML Select (html5-select-one) |
| html5-button | Q Search | Search | HTML Select (html5-selectone) |
| html5-button | 'D Reset | Reset | HTML Select (html5-select-one) |
| html5-button | Start Monito | Start Monitoring | HTML Select (html5-select-one) |



Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|---|---|
| html5-button | | Stop Monitoring | HTML Select (html5-select-one) |
| | 🚱 Stop Monito | oring | one |
| html5-button | View Log | View Log | HTML Select (html5-select-one) |
| html5-button | | Export | HTML Select (html5-select-one) |
| html5-textbox | Batch ID Like OFSOILMINFO_ | Batch ID Like <infodom_name></infodom_name> Batch Description Like Monitor Refresh Rate (seconds) | HTML Textbox |
| html5-select-one | Module | ModuleStatusInformation DateBatch Run ID | HTML Select |
| html5-calendar | Start Date | Start Date | HTML Calendar |
| html5-grid | The companies The companie | Batch DetailsBatch StatusTask DetailsEvent Log | HTML Grid |
| html5-checkbox | Batch ID 4 | Batch ID Task ID | HTML Checkbox |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > > → | Pagination | HTML Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |



Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------|---|-----------------------------------|---|
| oj-datetime | | MIS Date | OJET DateTime |
| | * MIS Date 11/30/10 | | |
| oj-textbox | | Wildcard | OJET Textbox |
| | Wildcard Search Code | | |
| oj-collapse | | View Logger | OJET Expand/Collapse |
| | ✓ View Logg | ger | |
| oj-button | | Reset | OJET Button |
| | Reset | | |
| oj-button | | View Log | OJET Button |
| | View Log | | |
| oj-button | | Download | OJET Button |
| oj-buttori | | Download | OJET BUILDIT |
| | Download | | |
| oj-textarea | (See Sept. 20 of algoropological population (See algorithm See algorithm) | Log File Contents | OJET Textarea |
| | (10-6) THE THE AND AN AND AND AND AND AND AND AND AND | SS 900 or observation | |

Batch Scheduler

This section includes the keystroke reference details for the Operations - Batch Scheduler Module. The following table lists all the elements of the Operations - Batch

Scheduler Page with summary and the associated keystroke combinations to access them.

Table 5-41 Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | ? | Help | HTML Select (html5-selectone) |
| html5-button | Q Search | Search | HTML Select (html5-selectone) |
| html5-button | 'D Reset | Reset | HTML Select (html5-selectone) |
| html5-button | ₹Refresh | Refresh | HTML Select (html5-selectone) |
| html5-button | Save | Save | HTML Select (html5-selectone) |
| html5-button | Cancel | Cancel | HTML Select (html5-select-one) |
| html5-button | + | Add | HTML Select (html5-select-one) |
| html5-button | | Delete | HTML Select (html5-select-one) |
| html5-button | * (| View | HTML Select (html5-select-one) |



Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---|---|---|
| html5-button | | Edit | HTML Select (html5-select-one) |
| html5-button | û | Delete | HTML Select (html5-select-one) |
| html5-button | 'D | Refresh | HTML Select (html5-selectone) |
| html5-button | ≔ View Log | View Task Logs | HTML Select (html5-select-one) |
| html5-button | *** | View All Logs | HTML Select (html5-select-one) |
| html5-radiobutton | Schedule New Schedule Existing Schedule | New Schedule Existing Schedule Once Daily Weekly Monthly Adhoc Interval Random Dates Occurrence | HTML Radio Button |
| html5-calendar | Between | BetweenStart DateEnd DateInformation DateRun Date | HTML Calendar |



Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|--|---|
| html5-grid | electrical Matter Ma | Batch ID Like <infodom_name></infodom_name> Batch Description Like Current Server Time Domain Batch Schedule Name Runtime <count_of> Hours</count_of> Run Time <count_of> Minutes</count_of> Lag <number_of> Days</number_of> Every <number_of> Days</number_of> Every <number_of> Months of the month (comma delimited)</number_of> Run Time Batch Scheduler Task Logs | HTML Textbox |
| html5-select-one | Module | Module Occurrence of the weekday Schedule Name | HTML Select |
| html5-checkbox | ✓ Batch ID | Batch ID Task ID | HTML Checkbox |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > | Pagination | HTML Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |



Batch Cancellation


This section includes the keystroke reference details for the Operations – Batch Cancellation Module. The following table lists all the elements of the Operations – Batch Cancellation Page with summary and the associated keystroke combinations to access them.

Table 5-42 Keystroke References for the Controls in the Operations – Batch Cancellation Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---------------|---------------------------------|-----------------------------------|---|
| html5-button | 2 | Help | HTML Select (html5-select-one) |
| html5-button | 'D Reset | Reset | HTML Select (html5-selectone) |
| html5-button | Fetch Task D | Fetch Task Details | HTML Button |
| html5-button | Cancel Batc | Cancel Batch | HTML Button |
| html5-button | Abort Batch | Abort Batch | HTML Button |
| html5-button | ancel Task | Cancel Task | HTML Button |
| html5-textbox | Refresh Rate (se | Refresh Rate (seconds) | HTML Textbox |
| html5-grid | - foot Smith. 600 Ft | Batch Details | HTML Grid |




Table 5-42 (Cont.) Keystroke References for the Controls in the Operations – Batch Cancellation Page



Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 5-13 Object Administration Module



Object Security

This section includes the keystroke reference details for the Object Security section.

Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 5-43 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--|--|--|---|
| html5-select-one | User Segment FSDFS | Information DomainUser Segment | HTML Select |
| html5-radiobutton | ■ Measure ○ Hierarchy ○ Cube ○ Attribute ○ Mag | MeasureHierarchyCubeAttributeMap | HTML Radio Button |
| html5-map-matadata- hierarchy-shuttle | Audion from Commission processing control and an action Commission processing control and action Commission processing control action Commission | Map Metadata Hierarchy Shuttle | HTML Grid |
| html5-button | ? | Help | HTML Select (html5-select-one) |
| html5-button | Save | Save | HTML Select (html5-select-one) |
| html5-button | Show Details | Show Details | HTML Select (html5-select-one) |
| html5-button | Hide Details | Hide Details | HTML Select (html5-selectone) |

Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.

Batch Execution Map

(Required) <Enter a short description here.>

Table 5-44 Batch Execution Map

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|--|---|---|
| html5-button | ? | Help | HTML Select (html5-select-one) |
| html5-select-one | Information Domain LRSINFDOI | Information DomainUser Group | HTML Select |
| html5-radiobutton | Batch Maintenance | Batch Maintenance Modeli Finter Rijse Modeling rk Run Rules Framework ALL | HTML Radio Button |
| oj-collapse | Liver Grage - Earth Invasion Mag. Earth Services Earth Servi | User Group - Batch Execution Map | OJET Expand/Collapse |
| html5-grid | Management (Control of Control of | Batch NameBatch DescriptionBatch Map | OJET Context Menus (oj- menu) |
| html5-checkbox | Batch Map | Batch Map | HTML Checkbox |
| html5-button | Check All | Check All Uncheck All Save Cancel Search Reset | OJET Button |

Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.

Table 5-45 Export Objects

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|--|-----------------------------------|--|
| html5-button | Q Search | Search | HTML Select (html5- select-one) |
| html5-button | 羃 | Add | HTML Select (html5-select-one) |
| html5-select-one | | Sort By | HTML Select |
| | Sort By Select any one option | ¥ | |
| html5-button | û | Delete | HTML Select (html5- select-one) |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > > X | Pagination | HTML Pagination |
| oj-cca-records | Records Per Page 10 | Records per Page | HTML Records per Page |

Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.

Table 5-46 Outline Definition

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|--|--------------------------------------|
| html5-radiobutton | Select Outline Snapshot | Select | HTML Radio Button |
| html5-textbox | * Outline Name | Outline NameFile Name | HTML Textbox |



Table 5-46 (Cont.) Outline Definition

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|--------------------------------------|---|
| html5-button | | • Apply | HTML Select (html5-select- |
| | | • Close | one) |
| | ✓ Apply | | |

Import Definition

This section includes the keystroke reference details for the Import Definition section.

Table 5-47 Import Definition

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|-------------------|---------------------------------|---|---|
| html5-radiobutton | Select Outline Snapshot | Select | HTML Radio Button |
| html5-textbox | * Outline Name | Outline Name | HTML Textbox |
| html5-select-one | Dump File | Dump File Folder Import All Fail on Error OverWrite Retain Ids | HTML Select |
| html5-button | ✓ Apply | Apply Close | HTML Select (html5-selectone) |

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 5-48 Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|-----------------------------------|---|
| oj-tabs | Δ Home - Dashboard | Tabs | OJET Tabs (oj-tabs) |



Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|---------------------------------|---|---|
| oj-tabs | | Dashboard Search Catalog of objects Applications | OJET Tabs (oj-tabs) |
| oj-button | V | Filter | OJET Button |
| oj-button | S | Reload | OJET Button |
| oj-button | Publish | Publish | OJET Button |
| oj-button | G | Мар | OJET Button |

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module






Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module






Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|--|-----------------------------------|--|
| oj-button | >> | Select All | OJET Button |
| oj-button | (| Deselect | OJET Button |
| oj-button | « « | Deselect All | OJET Button |
| oj-button | Cancel | Cancel | OJET Button |
| oj-button | Save | Save | OJET Button |
| oj-input-search | Q Search | Search | OJET Button |
| oj-list-view | Common account Q. common account influence Q. common account | List View | OJET List View |
| oj-foldable-layout | Hierarchy Properties (3) Iterarchy Type 8 But Make dissenses Property But Sequend User Group Hierarchy Very War Sequend User Group Hierarchy User Group Hierarchy User G | Foldable Layout | OJET Foldable Layout (oj foldable-layout) |

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---|--|---|
| oj-button | Lea. | Export to PDF | OJET Button |
| oj-button | More | More | OJET Button |
| oj-button | Details | Details | OJET Button |
| oj-tree-view | Process Tree (33) ▼ A T2T which populates da ▶ T2T_STG_OPTIONS_C ▶ A T2T which populates da | AS | OJET Tree View |
| oj-dialog | DE_GROUP - Dependency and Usage Used in 1 Herardby, 1 Dataset Object Type - Tal User Oncy Herardby DE_GROUP 06 Detaset | Dialog | OJET Dialog |
| oj-dialog | FSDF Common Account Su Load Process 10 day(s) ago by SYSADMN FSDF Common Account Summary Data Load Pn Process Tree (33) | | OJET Dialog |
| oj-table | Used in 1 PMF Task Object Name 11 Object Type 11 FSDF Common Account Summary Data Load Process PMF Task | Used inDepends on | OJET Tabs (oj-tabs) |

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|---|--|--|--|
| oj-tabs | 8 | Tabs | OJET Tabs (oj-tabs) |
| metadata-browser- breadcrumbs | FSDF Common Account S FSDF Common Account S | Breadcrumbs | Metadata Browser Breadcrumbs |
| object-node | FAST task FAST Task | Object Node | Object Node |
| object-node | Figure Fermi Serv. Served Fermi Serv. Figure Fermi Serv. Figure Serv. Figure Fermi Serv. | Object Node | Object Node |
| oj-menu | FSDF Common Accomany Detain | ls – | OJET Context Menu |
| oj-list-view and oj-foldable-layout | East Metadas Committed circle) das Committed Circle) Committed Circle) Committed Circle) Committed Circle) Committed Circle) Committed Circle) | List View and Foldable Layout | OJET List View and OJET Foldable Layout |
| oj-messages | FSDF Transaction Sur Process Job_1566208224090 FSDF Transaction Summary Data Loa This PMF Task was created by SYSAD Task was modified by SYSADMN on 3 | d Process MN on 2021-06-29 00:00:00 . This PMF 2021-06-29 00:00:00 . | OJET Messages |

Utilities

This section includes the keystroke reference details for the Utilities Module.

Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.

Table 5-49 Keystroke References for the Utilities – Metadata Difference Section


| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------------------|---|-----------------------------------|---|
| html5-metadata-treecontrol | | Select Metadata | HTML Metadata Tree Control |
| | Select Metadata | | Control |
| html5-metadata- | | Metadata Tree | Metadata Tree Browser |
| treebrowser | Metadata Tree | | |
| | ■ Metadata Tred■ UMM | е | |
| | | | |
| html5-button | Q Search | Search | HTML Select (html5-selectone) |
| | | | |
| html5-button | C | Reset | HTML Select (html5-selectone) |
| html5-button | 0 | Help | HTML Select (html5-select-one) |



Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 5-50 Keystroke References for the Metadata Authorization Section



Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.

Table 5-51 Keystroke References for the Save Metadata Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------------------|--|-----------------------------------|---|
| html5-radiobutton | Hierarchy Oerived Enti | Hierarchy Derived Entity | HTML Radio button (html5-radio button) |
| html5-dataset-hierarchy- browse | Audio Min. Grand Control Cont | Available Metadata | HTML Dataset Hierarchy Browser |
| html5-button | Save | Save | HTML Select (html5-selectone) |



Table 5-51 (Cont.) Keystroke References for the Save Metadata Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | Reset | Reset | HTML Select (html5-select-one) |
| html5-button | ? | Help | HTML Select (html5-select-one) |

Write Protected Batch

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

Table 5-52 Keystroke References for the Utilities - Metadata Difference Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|--|--|---|
| html5-grid | Bitto hane * Des Quality such P Act Nature ALM Des Quality such P Act Nature CAMPONION Common And Nature CAMPONION COMMON COM | Batch NameBatch DescriptionWrite-Protected Batch | HTML Grid |
| html5-checkbox | Write-Protected Bar | Write-Protected Batch | HTML Checkbox (html5-checkbox) |
| html5-button | Check All | Check All | HTML Checkbox (html5-checkbox) |
| html5-button | Uncheck All | Uncheck All | HTML Button (html5-button) |
| html5-button | Save | Save | HTML Button (html5-button) |

Table 5-52 (Cont.) Keystroke References for the Utilities – Metadata Difference Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|-----------------------------------|---|
| html5-button | Cancel | Cancel | HTML Button (html5-button) |
| html5-button | ? | Help | HTML Button (html5-button) |

Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

Table 5-53 Keystroke References for the Component Registration Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------|---------------------------------|--------------------------------------|---|
| html5-button | + New | New | HTML Button (html5-button) |
| html5-button | ♂ Edit | Edit | HTML Button (html5-button) |
| html5-button | Remove | Remove | HTML Button (html5-button) |
| html5-tab | Component Registration | Component Registration | HTML Tab |



Table 5-53 (Cont.) Keystroke References for the Component Registration Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------|---|---------------------------------------|--------------------------------------|
| oj-tree | | Available Components | OJET Tree |
| | Available Components | | |
| | Components | | |
| | Data Extraction Ru | | |
| | Load Data Rules-Li | | |
| | Transformation Rul | les-TD | |
| | Base Rules-RL | | |
| | Processes-PT | | |
| | Essbase Cubes-CU | | |
| | Executable-RNEXE | | |
| | Data Quality-DQD | C | |
| | Run-RN | | |
| html5-textbox | | Component ID | HTML Textbox |
| | | Class Path | |
| | Component ID* LD | Image Name | |
| | | Tree Order | |
| html5-select-one | | Parent ID | HTML Select |
| | Parent ID | ICC Component ID | |
| | | | |
| html5-button | | Save | HTML Button (html5- |
| | Save | | button) |
| html5-button | | Cancel | HTML Button (html5- |
| | Cancel | | button) |
| | Caricei | | |
| | | | |
| html5-button | | | HTML Button (html5- |
| | | | button) |
| | • | | |
| oj-textbox | _ | Created By | OJET Textbox |
| | ✓ Audit Trail Created By SYSADMN Creation Date 05/11/2021 06:54:24 Lact | | |
| | Lact Last Modified By << NA >> Modification << NA >> Date | Last Modified By | |
| | | Modification Date | |

Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 5-54 Keystroke References for the Patch Information Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------------------|---|--|---|
| html5-tab | Patch Information | Patch Information | HTML Tab |
| html5-textbox | ✓ Search Patch or Application Name | TextboxPatch or ApplicationNameInformation Domain | HTML Textbox |
| html5-icon | 2 | Help | HTML Button (html5-button) |
| html5-button | Q Search | Search | HTML Button (html5-button) |
| html5-button | Ľ) | Reset | HTML Button (html5-button) |
| html5-pagination | Page 1 of 1 (1 - 7 of 7 items) K < > >I | PageRecords per page | HTML Pagination |
| html5-records-per-page | 10 | Records per page | HTML Records per Page Dropdown |



Table 5-54 (Cont.) Keystroke References for the Patch Information Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|------------|--|---|---|
| html5-grid | A MACA SPACE FOR A MACAGINE MACAGINE SPACE OF SP | Patch or Application Name Applied Date Information Domain Application ID Segment Map ID Segment Code Additional Information | HTML Grid |




6

Oracle Insurance Loss Modeller

This section includes the keystroke reference details for the Oracle Insurance Loss Modeller Module. This module includes the following screens:

- Dashboard
- Project
- Triangles
- Methods

Figure 6-1 The Dashboards Page



Dashboards

This section includes the keystroke reference details for the Dashboards Module.

Summary

The following table lists all the elements of the Dashboards Page with summary and the associated keystroke combinations to access them.

Table 6-1 Keystroke References for the Summary Section

| Keystrokes to Access This UI Control |
|---|

Table 6-1 (Cont.) Keystroke References for the Summary Section




Table 6-1 (Cont.) Keystroke References for the Summary Section







Table 6-1 (Cont.) Keystroke References for the Summary Section




Project

This section includes the keystroke reference details for the Dashboards- Projects Module.

Summary


The following table lists all the elements of the Dashboards- Projects Page with summary and the associated keystroke combinations to access them.





| oj-button | | List View | OJET Button (oj-button) |
|-----------------------|---|----------------|---------------------------------------|
| | | | |
| oj-button | | Table View | OJET Button (oj-button) |
| | = | | |
| oj-button | | Add | OJET Button (oj-button) |
| | + Add | | |
| oj-button | | Help | OJET Button (oj-button) |
| | ? | | |
| oj-button | | Dashboard | OJET Button (oj-button) |
| | DashBoard | | |
| oj-list-view | Off is bound in the second of | List View | OJET List View (oj- listview) |
| | 20000 Reject CAMES 11,02,007 1,2227 CHAMER 11,02,007 1,23,27 CHAMER | | |
| oj-cca-summary-search | ٩ | Summary Search | OJET Select Many (oj- select-many) |
| | Nove Description Fiddle State See Nove Nove Nove Nove Nove Nove Nove No | | |





Details

The following table lists all the elements of the Dashboards- Projects Page with details and the associated keystroke combinations to access them.

Table 6-2 Keystroke References for the Details Section






Table 6-2 (Cont.) Keystroke References for the Details Section



Triangles

This section includes the keystroke reference details for the Dashboards- Triangles Summary Module.

Summary

The following table lists all the elements of the Dashboards- Triangles Summary Page with the associated keystroke combinations to access them.

Table 6-3 Keystroke References for the Summary Section






Table 6-3 (Cont.) Keystroke References for the Summary Section







Table 6-3 (Cont.) Keystroke References for the Summary Section



Details

Table 6-4 Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|--------------------|---------------------------------|-----------------------------------|---|
| oj-lux-breadcrumbs | | Breadcrumbs | OJET List View (oj- listview) |
| | Dashboard > Pro | jects Summary > 1 | Triangle Summary |



Table 6-4 (Cont.) Keystroke References for the Summary Section




Table 6-4 (Cont.) Keystroke References for the Summary Section





Table 6-4 (Cont.) Keystroke References for the Summary Section

OJET Button (oj-Reset button) Reset Help OJET Button (ojbutton) oj-button **Project Summary** OJET Button (ojbutton) **Projects Summary** oj-list-view List View OJET List View (ojlistview) **Triangle Summary** oj-button Refresh OJET Button (ojbutton) Refresh oj-button Back OJET Button (ojbutton) Back OJET Button (ojoj-button Next button) Next

Table 6-4 (Cont.) Keystroke References for the Summary Section



Methods

This section includes the keystroke reference details for the Dashboards- Methods Module.

Summary

The following table lists all the elements of the Dashboards- Methods Page with summary and the associated keystroke combinations to access them.

Table 6-5 Keystroke References for the Summary Section

| UI Control | How Does the UI Control Look | List of UI Controls on the Screen | Keystrokes to Access This UI Control |
|----------------|---|-----------------------------------|---|
| oj-select-many | Subtouri Flors: Logal Entity: Commercial Insurance Overlopment Half Year) | Dashboard Filters | OJET Select Many (oj- select-many) |



OJET Select Many (oj-**Dashboard Filters** oj-select-many select-many) **x** Folder: OILMSEG **X** Description: Filters: X Name: **Object Types** OJET Select Many (ojoj-select-single select-many) Sort By: Project Id oj-button Ascending OJET Button (ojbutton) oj-button Descending OJET Button (ojbutton) oj-button List View OJET Button (ojbutton) oj-button Table View OJET Button (ojbutton) ▦ Add oj-button OJET Button (oj-


Table 6-5 (Cont.) Keystroke References for the Summary Section

+ Add



button)

Table 6-5 (Cont.) Keystroke References for the Summary Section



Details

Table 6-6 Keystroke References for the Summary Section

| UI Control | How Does the UI | List of UI Controls on | Keystrokes to Access |
|------------|-----------------|------------------------|----------------------|
| | Control Look | the Screen | This UI Control |



Table 6-6 (Cont.) Keystroke References for the Summary Section




Table 6-6 (Cont.) Keystroke References for the Summary Section




Table 6-6 (Cont.) Keystroke References for the Summary Section





Table 6-6 (Cont.) Keystroke References for the Summary Section





A

Appendix A: HTML5 Controls

Every component on the page with a definable focus is accessible by using the tab traversal (by using Tab and Shift+Tab).



Disabled items do not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

HTML Breadcrumbs (html5-breadcrumbs)

This section contains information on the Breadcrumbs Component.

Table A-1 Breadcrumb Component

| Target | Key | Action |
|------------|--------|--|
| Breadcrumb | Tab In | Set focus to breadcrumb |
| | Enter | Activates the Breadcrumb, if the link is available |

HTML Button (html5-button)

This section contains information on the button component.

Table A-2 Button Component

| Target | Key | Action |
|--------|-------|------------------------|
| Button | Tab | Set focus to the input |
| | Enter | Activates the control |

HTML Calendar (html5-calendar)

This section contains information on the Date component.

Table A-3 Date Component

| Target | Key | Action |
|--------|-------|--|
| Button | Tab | Set focus to the input. |
| | Enter | Activates the control and opens Calendar |

This section contains information on the Calendar popup component.

Table A-4 Calendar Component

| Target | Key | Action |
|--|----------------------|--|
| Popup | Tab | Set focus to the Calendar Popup. |
| Single Select (Month, Year) | Tab | Set focus to the input. |
| Single Select (Month, Year) Drop-down | Enter | Activates the Select control. Open |
| | UpArrow or DownArrow | Highlight the option item in the direction of the arrow. |
| | Esc | Collapse the drop-down list. If the drop-down is already closed, do nothing. |
| | Enter | Switch to selected Month/Year. Reloads the Calendar Popup |
| Left Arrow Button (Month, Year) | Enter | Switch to Previous Month/ Year. Reloads the Calendar Popup |
| Right Arrow Button (Month, Year) | Enter | Switch to Next Month/Year. Reloads the Calendar Popup |
| Calendar Picker | Tab | Set focus to the day cells |
| | Enter | Select the currently focused day |
| Close Link | Enter | Closes the Calendar Popup |

HTML Checkbox (html5-checkbox)

This section contains information on the checkbox component.

Table A-5 Checkbox Component

| Target | Key | Action |
|-------------|-----|--|
| Checkboxset | Tab | Set focus on the first item in the checkbox set. |

HTML Container Expand Collapse (html5-container-expand-collapse)

Using the Tab button on the Expand or Collapse button of the Container Header is disabled in most cases. Depending on availability, the following keys can be used.

Table A-6 Container Expand Collapse Component

| Target | Key | Action |
|--------|-------|-------------------------|
| Button | Tab | Set focus to the input. |
| Button | Enter | Activates the control. |



HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

(Required) <Enter a short description here.>

This section contains information on the Dataset Hierarchy Browser.

Table A-7 Dataset Hierarchy Browser Component

| Target | Key | Action |
|--------------------------|----------|--|
| Hcy Br LHS Shuttle Panel | Tab | Set focus to the checkbox input. |
| Hcy Br LHS Shuttle Panel | Spacebar | Selects the Node. |
| Hcy Br RHS Shuttle Panel | Tab | Set focus to the selected Node |
| Hcy Br RHS Shuttle Panel | Enter | Selects the Node. |
| Move Buttons | Tab | Set focus to the Move Buttons |
| Move Buttons | Enter | Activates the control. Moves selected items to LHS or RHS |
| Search Button | Enter | Activates the control. Moves focus to the nearest searched item. |

HTML Date (html5-date)

This section contains information on the date component.

Table A-8 Date Component

| Target | Key | Action |
|----------------|-------|-------------------------|
| Calendar Popup | Tab | Calendar grid. |
| | Enter | Activates the selection |

HTML Dialog Launcher (html5-dialog-launcher)

This section contains information on the Dialog Launcher component.

Table A-9 Dialog Launcher Component

| Target | Key | Action |
|----------------|-------|--|
| Launch Button | Tab | Set focus to the Launch Button. |
| | Enter | Activates the control and opens the Popup Window |
| Menu Drop-down | Tab | Set focus to the Menu Item |
| | Enter | Activates the selected Menu Item and refreshes the Grid with the updated state |



HTML Expression Browser Type BP (html5-expression-browser-type-bp)

This section contains information on the Expression Browser Type BP Component.

Table A-10 Expression Browser Type BP Component

| Target | Key | Action |
|-------------------------|--------|--|
| Expression Browser Tree | Tab In | Set focus to tree Nodes |
| | Enter | Activates the tree Nodes and makes an entry in the expression Textarea Input |
| Reset Button | Enter | Resets the Expression Textarea Input |

HTML File Picker (html5-filepicker)

This section contains information on the filepicker component.

Table:

Table A-11 Filepicker Component

| Target | Key | Action |
|------------|-------|-------------------------|
| Filepicker | Tab | Set focus to the input. |
| | Enter | Activates the control |

HTML Grid (html5-grid)

This section contains information on the grid component.

Table A-12 Grid Component

| Target | Key | Action |
|------------------|-------|-------------------------|
| Checkbox in Grid | Tab | Set focus to the input. |
| Links in Grid | Tab | Set focus on the link. |
| Sort | Tab | Set focus to the input. |
| Sort | Enter | Activates the control. |

HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)

This section contains information on the JSP version of the Hierarchy Browser and is a flat list.



Table A-13 JSP Version of the Hierarchy Browser (Flat List) Component

| Target | Key | Action |
|-----------------------------|-------------|--|
| Left Hand Side (LHS) Panel | Tab | Set focus to the Tree Nodes. |
| Right Hand Side (RHS) Panel | Tab | Set focus to the Tree Nodes. |
| Right Hand Side (RHS) Panel | Enter | Highlights the Tree Node, to move to Left Hand Side (LHS) or Right Hand Side (RHS) Panel |
| Map Button | Enter | Activates the control |
| Map All Button | Enter | Activates the control |
| UnMap Button | Enter | Activates the control |
| UnMap All Button | Enter | Activates the control |
| UnMap All Button | Right Arrow | Moves Focus from LHS Panel to Map Button |
| UnMap All Button | Left Arrow | Moves Focus from RHS Panel to UnMap Button |

HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)

This section contains information on the Hierarchy Browser Shuttle component.

Table A-14 Hierarchy Browser Shuttle Component

| Target | Key | Action |
|---|----------|--|
| LHS Shuttle | Tab | Set focus to the List |
| Check box | Spacebar | Selects the List Node |
| Move Buttons (Select, Select All, Deselect, Deselect All) | Tab | Set focus to the Move Buttons |
| RHS Shuttle | Enter | Highlights the selected List Node |
| Search Button | Enter | Highlights the Nodes with the nearest search results |

HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)

This section contains information on the Hierarchy Browser Type 4 component.

Table A-15 Hierarchy Browser Type 4 Component

| Target | Key | Action |
|-----------------------|-------|--|
| RHS/ LHS Tree Shuttle | Tab | Set focus to the Tree Nodes |
| | Enter | Moves highlighted Tree Nodes from LHS to RHS, and from RHS to LHS. |



HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)

This section contains information on the Hierarchy Browser Type checkbox component.

Table A-16 Hierarchy Browser Type check box Component

| Target | Key | Action |
|------------------------|---|-----------------------|
| Hierarchy Browser Tree | Tab | Set focus to the Tree |
| Tree | See Hcy Br Tree (oj-tree) for the keystrokes. | |
| Tabs | See Tabs(oj-tabs) for the Keystrokes. | |

HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)

This section contains information on the Map Metadata Hierarchy Shuttle component. Table:

Table A-17 Map Metadata Hierarchy Shuttle Component

| Target | Kev | Action |
|--|-------------|--|
| Target | Key | Action |
| LHS/RHS Shuttle | Tab | Set focus to the List |
| | Enter | Selects the List Node |
| | Right Arrow | Moves focus to the Move Buttons on Highlight of LHS Shuttle Node |
| | Left Arrow | Moves focus to the Move Buttons on Highlight of RHS Shuttle Node |
| Move Buttons (Map, Map All, Unmap, Unmap All) | Tab | Set focus to the Move Buttons |
| | Enter | Highlights the selected List Node |

HTML Messages (html5-messages)

This section contains information on the Messages Component.

Table A-18 Messages Component

| Target | Key | Action |
|---------|-----|------------------------------|
| Message | Tab | Set to focus to the message. |



HTML Metadata Tree Browser (html5-metadata-tree-browser)

This section contains information on the Metadata Tree Browser component.

Table A-19 Metadata Tree Browser Component

| Target | Key | Action |
|----------------------|-------|---------------------------------------|
| Tree Expand Collapse | Tab | Set focus to the Expand/ Collapse. |
| | Enter | Expands the selected Tree Node |
| Tree Node | Tab | Set focus to the Tree Leaf Node |
| | Enter | Selects the Tree Node |
| Ok Button | Enter | The selected Tree Node is persisted |

HTML Metadata Tree Control (html5-metadata-tree-control)

This section contains information on the Metadata Tree Control component.

Table A-20 Metadata Tree Control Component

| Target | Key | Action |
|-----------------------|-------|-------------------------------------|
| Metadata Tree Control | Tab | Set focus to the input. |
| | Enter | Launch the Metadata Tree Browser |

HTML Multiselect List (html5-multiselect-list)

This section contains information on the Multiselect List component.

Table A-21 Multi-select List Component

| Target | Key | Action |
|-----------|------------------------|--|
| Select | Tab | Set focus to the input. |
| Drop down | Up Arrow or Down Arrow | Highlight the option item in the direction of the arrow. |

HTML Navigation Tree (html5-navigation-tree)

This section contains information on the Navigation Tree component.

Table A-22 Navigation Tree Component

| Target | Key | Action |
|----------------------|-----|--|
| Tree Expand/Collapse | Tab | Set focus to the Tree Expand/ Collapse. |



Table A-22 (Cont.) Navigation Tree Component

| Target | Key | Action |
|-----------|-------|--------------------------------------|
| | Enter | Activates the control and opens Tree |
| Tree Node | Tab | Set focus to the Tree Node |
| | Enter | Activates the Tree Node |

HTML New Expression Builder (html5-new-expression-builder)

This section contains information on the New Expression Builder Component.

Table A-23 New Expression Builder Component

| Target | Key | Action |
|--|---|---|
| Expression Builder Component | Tab In | Set focus to different Controls in the Expression Builder Component |
| Expression Builder Component | Enter | Activates the control |
| The statement in the Expression Builder may contain several Input controls | See Textbox (html5-textbox) section, for details on Input Text. | |
| such as Input Text, Select, Multiselect, and so on. | See Select (html5-select-one) section, for details on Select. | |
| | See Select-Many (oj-select-many) section, for details on Select Many. | |

HTML Pagination Panel (html5-pagination)

This section contains information on the pagination panel component.

Table A-24 Pagination Panel Component

| Target | Key | Action |
|------------------|-------|--|
| Button | Tab | Set focus to the input. |
| Button | Enter | Activates the control. |
| Page Input | Tab | Setting focus outside the input activates the control. |
| Records Per Page | Tab | Setting focus outside the input activates the control. |



HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)

This section contains information on the Pagination with Jump to Page component.

Table A-25 Pagination with Jump to Page Component

| Target | Kev | Action |
|--------------------|-------|--|
| | | |
| Pagination Buttons | Tab | Set focus to the pagination buttons |
| | Enter | Activates the control and refreshes the Grid with the updated state of the Grid Rows |
| Jump To Page | Tab | Set focus to the Input field. |
| | Enter | Activates the control and refreshes the Grid with the updated state of the Grid Rows |

HTML Radio button (html5-radio button)

This section contains information on the radio button component.

Table A-26 Radio button Component

| Target | Key | Action |
|-----------|-----------|---|
| Radio set | Tab | Set focus to the checked radio input. |
| Input | UpArrow | Select the previous input in the group. |
| | DownArrow | Select the next input in the group. |
| | Enter | Activates the radioset |



When running the screen reader, at times the radio set is not activated. Pressing Enter activates the radio set and enables further Keystrokes like Up Arrow and Down Arrow.



HTML Records per Page (html5-records-per-page)

This section contains information on the Records Per Page component.

Table A-27 Records Per Page Component

| Target | Key | Action |
|------------------------|-------|--|
| Records Per Page Input | Tab | Set focus to the Input field. |
| | Enter | Activates the control and refreshes the Grid with the New Grid Row Count |

HTML Records per Page Drop-down (html5-records-per-page)

This section contains information on the Records Per Page Drop-down component.

| Target | Key | Action |
|----------------|-------|--|
| Button Menu | Tab | Set focus to the Input field. |
| | | Activates the control and opens the Drop-down |
| Menu Drop-down | Tab | Moves to the next item |
| | Enter | Activates the selected row/ checkbox |
| Go Button | Enter | Closes the Drop-down and refreshes the Grid/List with the New Grid Row Count |

HTML Rules Menu (html5-rulesmenu)

This section contains information on the Rules Menu component.

Table A-28 Rules Menu Component

| Target | Kev | Action |
|----------------|---------|--|
| Grid Header | Tab | Set focus to the Grid Header |
| | Enter | Activates the control and opens the Drop-down |
| Menu Drop-down | Tab | Set focus to the Menu Item |
| | Enter | Activates the selected Menu Item and refreshes the Grid with the updated state |



HTML Select (html5-select-one)

This section contains information on the select component.

Table A-29 Select Component

| Target | Key | Action |
|-----------|----------------------|--|
| Select | Tab | Set focus to the input. |
| | Enter | Activates the control. |
| Drop down | UpArrow or DownArrow | Highlight the option item in the direction of the arrow. |
| Drop down | Esc | Collapse the drop-down list. If the drop-down is already closed, do nothing. |

HTML Tabs (html5-tab)

This section contains information on the Tabs panel component.

Table A-30 Tabs Panel Component

| Target | Key | Action |
|--------|-------|----------------------------|
| Tabs | Tab | Set focus to the input. |
| | Enter | Activates the selected Tab |

HTML Textarea (html5-textarea)

This section contains information on the textarea component.

Table A-31 Textarea Component

| Target | Key | Action |
|--------|-----|-------------------------|
| Input | Tab | Set focus to the input. |

HTML Textbox (html5-textbox)

This section contains information on the textbox component.

Table A-32 Textbox Component

| Target | Key | Action |
|--------|-----|-------------------------|
| Input | Tab | Set focus to the input. |

HTML Tree (html5-tree)

This section contains information on the HTML Tree Component.

Table A-33 HTML Tree Component

| Target | Key | Action |
|-----------|--------|--------------------------|
| HTML Tree | Tab In | Set focus to tree Nodes |
| | Enter | Activates the tree Nodes |



B

Appendix B: OJET Controls

This section describes the set of unique keystrokes for LUX and OJET controls:



Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

OJET Accordion (oj-accordion)

This section contains information on the accordion keystrokes.

Table B-1 Accordion Keystrokes

| Target | Key | Action |
|--------------------|---|---|
| Collapsible header | Space or Enter | Toggle disclosure state. |
| Collapsible header | Tab | Navigate to the next collapsible header and if none then the next element on-page. |
| Collapsible header | Shift+Tab | Navigate to the previous collapsible header and if none then the previous element onpage. |
| Collapsible header | Up Arrow or Left Arrow (Right Arrow in RTL) | Move focus to the previous collapsible header with wrap around. |
| Collapsible header | Down Arrow or Right Arrow (Left Arrow in RTL) | Move focus to the next collapsible header with wrap around. |
| Collapsible header | Home | Move focus to the first collapsible header. |
| Collapsible header | End | Move focus to the last collapsible header. |

OJET Button (oj-button)

This section contains information on the Button Keystroke.

Table B-2 Button Keystroke

| Target | Key | Action |
|---------------|-----------------|--------------------|
| Push Button | Enter or Space* | Push the button. |
| Toggle Button | Enter or Space | Toggle the button. |

Table B-2 (Cont.) Button Keystroke

| Target | Key | Action |
|-------------|------------------------------|-----------------|
| Menu Button | Enter, Space*, or Down Arrow | Open the menu. |
| | Esc | Close the menu. |



Some types of Push and Menu buttons support the use of the Enter key and not the Space key.

OJET Buttonset One (oj-buttonset-one)

This section contains information on the Buttonset One Keystroke.

Table B-3 Button set One Keystroke

| Target | Key | Action |
|------------|-------------|--|
| Button set | Left Arrow | Navigate to the previous enabled button on the left, wrapping around at the end. |
| | Right Arrow | Navigate to the next enabled button on the right, wrapping around at the end. |

OJET Canvas (oj-canvas)

This section contains information on the OJET Canvas keystrokes.

Table B-4 OJET Canvas Keystrokes

| Key |
|---------------------------------------|
| See OJET Context Menu for Keystrokes. |
| See Canvas Diagram for Keystrokes. |
| See OJET Context Menu for Keystrokes. |
| See Canvas Diagram for Keystrokes. |
| |

OJET Canvas Diagram (oj-canvas-diagram)

This section contains information on the Canvas Diagram component.

Table B-5 Canvas Diagram Keystrokes

| Key | Action |
|-----|-----------------------------|
| Tab | Move focus to next element. |



Table B-5 (Cont.) Canvas Diagram Keystrokes

| Key | Action |
|---|---|
| | |
| Shift + Tab | Move focus to previous element. |
| + | Zoom in one level. |
| - | Zoom out one level. |
| 0 (zero) | Zoom to fit. |
| Ctrl + Alt + 0 (zero) | Zoom and center. |
| Page Up or Page Down | Pan up / down. |
| Shift + Page Up or Page Down | Pan left/right (RTL: Pan right/left). |
| Left Arrow or Right Arrow | When focus is on a node, move focus and selection to nearest node left/right. |
| Up Arrow or Down Arrow | When focus is on a node, move focus and selection to nearest node up/down. |
| Ctrl + Shift + Space | Open/Close an active container node |
| [| Move focus and selection to nearest node down in the container hierarchy |
| 1 | Move focus and selection to nearest node up in the container hierarchy |
| Alt + < or Alt + > | Move focus from the node to a link. |
| Up Arrow or Down Arrow | When focus is on a link, navigate between links clockwise or counter clockwise. |
| Left Arrow or Right Arrow | When focus is on a link, move focus from a link to a start or end node. |
| Ctrl + Space | Select focused node / link. |
| Ctrl + Space | Multi-select node / link with focus. |
| Shift + <node link="" navigation="" or="" shortcut=""></node> | Move focus and multi-select a node or a link. |
| Ctrl + <node link="" navigation="" or="" shortcut=""></node> | Move focus to a node or a link but do not select. |

OJET Chart (oj-chart)

This section contains information on the Chart Component keystrokes.

Table B-6 Chart Component Keystrokes

| Key | Action |
|--------------------|---|
| Tab | Move focus to next element. |
| Shift + Tab | Move focus to previous element. |
| Up Arrow | Move focus and selection to previous data item. |
| Down Arrow | Move focus and selection to next data item. |
| Left Arrow | Move focus and selection to previous data item (on left). |
| Right Arrow | Move focus and selection to next data item (on right). |
| Shift + Up Arrow | Move focus and multi-select previous data item. |
| Shift + Down Arrow | Move focus and multi-select next data item. |



Table B-6 (Cont.) Chart Component Keystrokes

| Key | Action |
|---------------------|--|
| Shift + Left Arrow | Move focus and multi-select previous data item (on left). |
| Shift + Right Arrow | Move focus and multi-select next data item (on right). |
| Ctrl + Up Arrow | Move focus to previous data item, without changing the current selection. |
| Ctrl + Down Arrow | Move focus to next data item, without changing the current selection. |
| Ctrl + Left Arrow | Move focus to previous data item (on left), without changing the current selection. |
| Ctrl + Right Arrow | Move focus to next data item (on right), without changing the current selection. |
| Ctrl + Spacebar | Multi-select data item with focus. |
| = or + | Zoom in one level if zooming is enabled. |
| - or _ | Zoom out one level if zooming is enabled. |
| Page Up | Pan up if scrolling is enabled. |
| Page Down | Pan down if scrolling is enabled. |
| Shift + Page Up | Pan left in left-to-right locales. Pan right in right-to-left locales. |
| Shift + Page Down | Pan right in left-to-right locales. Pan left in right-to-left locales. |
| Enter | Drill on data item, categorical axis label, or legend item when drilling is enabled. |

OJET Checkbox (oj-checkbox)

This section contains information on the Checkbox keystroke.

Table B-7 Checkbox Keystroke

| Target | Key | Action |
|-------------|--------|---|
| Checkboxset | Tab In | Set focus to the first focusable check box in the check box set. Disabled check boxes are not focusable. If hints, help Instruction or messages exist in a note window, pop up the note window. |
| Check box | Space | Toggles the check box; If the checkbox is unselected, it will select it and vice versa. |



Table B-7 (Cont.) Checkbox Keystroke

| Target | Key | Action |
|-----------|-----------|--|
| Check box | Tab | Sets focus to the next focusable checkbox in the checkbox set. Disabled checkboxes are not focusable If the target is the last focusable checkbox in the checkbox set, focus goes to the next focusable item after the oj-checkboxset. |
| Check box | Shift+Tab | Sets focus to the previous focusable check box in the check box set. Disabled checkboxes are not focusable If the target is the first focusable check box in the check box set, focus goes to the previous focusable item before the oj-checkboxset. |

OJET Context Menus (oj-menu)

The Menus keystroke is used for all button menus. For example, the user menu on the landing page, tile menu in applications, and so on.

Table B-8 Menus Keystrokes

| Target | Key | Action |
|---|----------------|---|
| Menu Item | Enter or Space | Invoke the focused menu item's action. |
| | Up Arrow | Move focus to the previous menu item, wrapping around at the top. |
| | Down Arrow | Move focus to the next menu item, wrapping around at the bottom. |
| | Home | Move focus to the first menu item. |
| | End | Move focus to the last menu item. |
| Menu Item in Top-level Menu | Esc | Close the menu and move focus to the launcher. |
| JET Component or HTML Element having a JET Context Menu | Shift + F10 | Open the context menu. |

OJET Control Specific Help (oj-control-specific-help)

This section contains information on the Control Specific Help component.

Table B-9 Control Specific Help Component

| Target | Key | Action |
|-----------------------|-----|---|
| Control Specific Help | Tab | Set focus to the Help button and reads the context Help text. |

OJET Date or DateTime (oj-datetime / oj-calendar)

This section contains information on the date or DateTime keystroke.

Table B-10 Date or Date Time Keystroke

| Target | Key | Action |
|---------------|------------------------|---|
| Input element | Down Arrow or Up Arrow | Shows the calendar grid and moves the focus into the expanded grid. |
| Input element | Esc | Close the grid. |
| Input element | Tab In | Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window. |
| Picker | Enter | Select the currently focused day |
| Picker | Up Arrow | Move up in the grid. |
| Picker | Down Arrow | Move down in the grid. |
| Picker | Right Arrow | Move right in the grid. |
| Picker | Left Arrow | Move left in the grid. |
| Picker | Esc | Close the grid. |
| Picker | Home | Move focus to first day of the month. |
| Picker | End | Move focus to last day of the month. |
| Picker | Page Up | Switch to previous month. |
| Picker | Page Down | Switch to next month. |
| Picker | Alt + Page Up | Switch to previous year. |
| Picker | Alt + Page Down | Switch to next year. |
| Picker | Ctrl + Alt + Page Up | Switch to previous by stepBigMonths. |
| Picker | Ctrl + Alt + Page Down | Switch to next by stepBigMonths. |
| Picker | Ctrl + Alt + T | Places focus on the Today button if it exists. |



Table B-11 Date Time Keystrokes

| Target | Key | Action |
|---------------|--------------------------------|--|
| Input element | Down Arrow or Up Arrow | When not in Inline Mode, shows the calendar grid and moves the focus into the expanded grid. When in Inline Mode, shows the time picker and moves the focus into the expanded time picker. |
| Input element | Shift + Down Arrow or Up Arrow | Shows the time picker and moves the focus into the expanded time picker. |
| Input element | Esc | Close the grid. |
| Input Element | Tab In | Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window. |
| Picker | Enter | Select the currently focused day. |
| Picker | Up Arrow | Move up in the grid. |
| Picker | Down Arrow | Move down in the grid. |
| Picker | Right Arrow | Move right in the grid. |
| Picker | Left Arrow | Move left in the grid. |
| Picker | Esc | Close the grid. |
| Picker | Home | Move focus to the first day of the month. |
| Picker | End | Move focus to the last day of the month. |
| Picker | Page Up | Switch to the previous month. |
| Picker | Page Down | Switch to next month. |
| Picker | Alt + Page Up | Switch to the previous year. |
| Picker | Alt + Page Down | Switch to next year. |
| Picker | Ctrl + Alt + Page Up | Switch to previous by stepBigMonths. |
| Picker | Ctrl + Alt + Page Down | Switch to next by stepBigMonths. |
| Picker | Ctrl + Alt + T | Places focus on the Today button if it exists. |

OJET Dialog (oj-dialog)

This section contains information on the dialog keystrokes.

Table B-12 Dialog Keystrokes

| Target | Key | Action |
|-------------------|----------------|-------------------|
| Dialog | Esc | Close the dialog. |
| Dialog Close Icon | Enter or Space | Close the dialog. |

OJET Expand/Collapse (oj-collapse)

This section contains information on the Expand Collapse component.



Table B-13 Expand Collapse Component

| Target | Key | Action |
|--------|----------------|--------------------------|
| Header | Space or Enter | Toggle disclosure state. |

OJET Expression Builder (oj-expression-builder)

This section contains information on the Expression Builder component.

Table B-14 Expression Builder Component

| Target | Key | Action |
|-------------------------|---|----------------------------|
| Expression Shuttle Tree | Tab | Set focus to the Tree |
| Tree | See Hcy Br Tree(oj-tree) for the Keystrokes | |
| Expression Text box | Tab | Set focus to the Text Area |

OJET Expression Builder Launcher (oj-expression-builderlauncher)

This section contains information on the OJET Expression Builder Launcher component.

Table B-15 OJET Expression Builder Launcher Component

| Target | Key | Action |
|----------------|-------|--|
| Launch Button | Tab | Set focus to the Launch Button |
| Launch Button | Enter | Activates the control and opens the Pop up Window |
| Menu Drop-down | Tab | Set focus to the Menu Item |
| Menu Drop-down | Enter | Activates the selected Menu Item and refreshes the Grid with the updated state |

OJET Foldable Layout (oj-foldable-layout)

This section contains information on the Foldable Layout keystrokes.

Table B-16 Foldable Layout Keystrokes

| Target | Key | Action |
|-----------------|-------------|---|
| Foldable layout | Left Arrow | Moves to previous panel |
| Foldable layout | Right Arrow | Moves to next panel |
| Foldable layout | F2 | To navigate between focusable elements inside the panel |



OJET Grid (oj-grid)

This section contains information on the grid keystroke.

Table B-17 Grid Keystroke

| Target | Key | Action |
|--------|-------------|---|
| Cell | Tab | The first Tab into the DataGrid moves focus to the first cell of the first row. The second Tab moves focus to the next focusable element outside of the DataGrid. |
| | Shift + Tab | The first Shift + Tab into the DataGrid moves focus to the first cell of the first row. The second Shift + Tab moves focus to the previous focusable element outside of the DataGrid. |
| | Left Arrow | Moves focus to the cell of the previous column within the current row. There is no wrapping at the beginning or end of the columns. If a row header is present, then the row header next to the first column of the current row will gain focus. |
| | Right Arrow | Moves focus to the cell of the next column within the current row. There is no wrapping at the beginning or end of the columns. |
| | Up Arrow | Moves focus to the cell of the previous row within the current column. There is no wrapping at the beginning or end of the rows. If a column header is present, then the column header above the first row of the current column will gain focus. |
| | Down Arrow | Moves focus to the cell of the next row within the current column. There is no wrapping at the beginning or end of the rows. |
| | Home | Moves focus to the first (available) cell of the current row. |
| | End | Moves focus to the last (available) cell of the current row. |
| | Page Up | Moves focus to the first (available) cell in the current column. |
| | Page Down | Moves focus to the last (available) cell in the current column. |



Table B-17 (Cont.) Grid Keystroke

| Target | Key | Action |
|--------------------|----------------|--|
| - argot | Ctrl + Space | Selects all the cells of the current column. This is only available if multiple cell selection modes are enabled. |
| | Shift + Space | Selects all the cells of the current row. This is only available if multiple cell selection modes are enabled. |
| | Shift + Arrow | Extends the current selection. |
| | Ctrl + Arrow | Move focus to level 0 of the active index of the header in the arrow direction if it exists. |
| | Shift + F8 | Freezes the current selection, therefore allowing the user to move focus to another location to add additional cells to the current selection. This is used to accomplish non-contiguous selection. Use the Esc key or press Shift+F8 again to exit this mode. |
| | Shift + F10 | Brings up the context menu. |
| | Ctrl + X | Marks the current row to move if dnd is enabled and the data source supports move operation. |
| | Ctrl + V | Move the row that is marked to directly under the current row. If the row with the focused cell is the last, then it is a move to the row above the current row. |
| | Ctrl + A | If multiple selections are enabled, perform a select all on the Datagrid. |
| | Ctrl + Alt + 5 | Read the context and content of the current cell to the screen reader. |
| | F2 | Makes the content of the cell actionable, such as a link. |
| | Enter | Makes the content of the cell actionable and acts on the content, such as going to a link. |
| | Alt + Enter | Makes the content of the cell actionable, such as a link. |
| | Esc | If the cell is actionable, it exits the actionable mode. |
| Column Header Cell | Left Arrow | Moves focus to the previous column header. There is no wrapping at the beginning or end of the column headers. |



Table B-17 (Cont.) Grid Keystroke

| Target | Key | Action |
|--------|---------------------|---|
| | Right Arrow | Moves focus to the next column header. There is no wrapping at the beginning or end of the column headers. |
| | Down Arrow | Moves focus to the cell of the first row directly below the column header. If using nested headers moves to focus up a level. |
| | Up Arrow | If using nested headers moves the focus down a level. |
| | Ctrl + Up Arrow | If in the column end header, move focus to level 0 of the active index in the column header if it exists. |
| | Ctrl + Down Arrow | If in the column header, move focus to level 0 of the active index in the column end header if it exists. |
| | Enter | Toggle the sort order of the column if the column is sortable. |
| | Shift + F10 | Brings up the context menu. |
| | Space | If multiple selections are enabled and not in the selection Mode row, the column(s) underneath the header will be selected. |
| | Shift + Right Arrow | If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right by the number of columns covered by the header to the right of the current selection frontier header. |
| | Shift + Left Arrow | If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right-left the number of columns covered by the header to the left of the current selection frontier header. |



Table B-17 (Cont.) Grid Keystroke

| Target | Key | Action |
|-----------------|--------------------|---|
| | Shift + Up Arrow | If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a parent nested header, the column selection extends to cover the columns beneath the parent header. |
| | | Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections are based on the parent header. If we are already at the highest level, nothing happens. |
| | Shift + Down Arrow | If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a child nested header, the column selection extends to cover the columns beneath the child header. |
| | | Extending the selection with arrow keys will use the child level. If the child header is directly below the anchor header the anchor shifts to the child header and future selections are based on the child header. |
| | | If we are already at the lowest level, it moves into the data body and select the first cell underneath the header. |
| Row Header Cell | Up Arrow | Moves focus to the previous row header. There is no wrapping at the beginning or end of the row headers. |
| | Down Arrow | Moves focus to the next row header. There is no wrapping at the beginning or end of the row headers. |
| | Right Arrow | Moves focus to the cell of the first column directly next to the row header. If using nested headers moves to focus up a level. |
| | Left Arrow | Moves focus to the cell of the first column directly next to the row header in the RTL direction. If using nested headers moves the focus down a level. |



Table B-17 (Cont.) Grid Keystroke

| Target | Key | Action |
|--------|--------------------|--|
| | Ctrl + Left Arrow | If in the row end header, move focus to level 0 of the active index in the row header if it exists. |
| | Ctrl + Right Arrow | If in the row header, move focus to level 0 of the active index in the row end header if it exists. |
| | Shift + F10 | Brings up the context menu. |
| | Space | If multiple selections are enabled, the row(s) underneath the header are selected. |
| | Shift + Up Arrow | If multiple selections are enabled, the row selection extends up by the number of rows covered by the header above the current selection frontier header. |
| | Shift + Down Arrow | If multiple selections are enabled, the row selection extends down by the number of rows covered by the header below the current selection frontier header. |
| | Shift + Left Arrow | If multiple selections are enabled and the current selection frontied header has a parent nested header, the row selection extends to cover the rows beneath the parent header. |
| | | Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections is based on the parent header. If we are already at the highest level, nothing happens. |



Table B-17 (Cont.) Grid Keystroke

| Target | Key | Action |
|--------|---------------------|---|
| | Shift + Right Arrow | If multiple selections are enabled and the current selection frontier header has a child nested header, the row selection extends to cover the rows beneath the child header. |
| | | Extending the selection with arrow keys uses the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header. |
| | | If we are already at the lowest level, it simply moves into the data body and select the first cell underneath the header. |

OJET Hcy Br Tree (oj-tree)

This section contains information on the OJET Tree keystrokes.

Table B-18 Hcy Br Tree Keystrokes

| Key | Action |
|---------------------|---|
| Up Arrow/Down Arrow | Moves between visible nodes. |
| Left Arrow | On an expanded node, collapses the node. On a collapsed or leaf node, moves focus to the node's parent. |
| Right Arrow | On a collapsed node, expands the node. On an expanded node, moves to the first child of the node. On an end node, does nothing. |
| Space bar | Toggles the selected status of the node. |
| Home | Moves to the top node of the tree. |
| End | Moves to the last visible node of the tree. |
| Shift + Up Arrow | Extends selection up one node (assuming multiple selection has been defined). |
| Shift + Down Arrow | Extends selection down one node (assuming multiple selection has been defined). |
| Shift + Home | Extends selection up to the top-most node. |
| Shift + Page Down | Extends selection to the last node. |
| Ctrl + Space bar | Toggles the selection state of the current node (assuming multiple selection has been defined). |
| Shift + Space bar | Extends selection to the current node (assuming multiple selection has been defined). |



Table B-18 (Cont.) Hcy Br Tree Keystrokes

| Key | Action |
|--------------|---|
| Shift + F10 | Invoke Context Menu (if defined) on current node. |
| * (asterisk) | Expands all nodes. |

OJET Hierarchy Browser Map (oj-hierarchy-browser-map)

This section contains information on the Hierarchy Browser Map component.

Table B-19 Hierarchy Browser Map Component

| Target | Key | Action |
|---|---|---------------------------|
| Hierarchy Browser Map | Tab | Set focus to the elements |
| Select | See Select-single (oj-single- select) for the keystrokes | |
| Tabs | See Tabs(oj-tabs) for the Keystrokes. | |
| Tree | See Hcy Br Tree (oj-tree) for the keystrokes. | |
| Buttons (Map, Auto-map, Unmap, Unmap, All, Transform Map) | Tab | Set focus to the Buttons |
| | Enter | Activates the Buttons |

OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)

This section contains information on the OJET Hierarchy Browser Shuttle component.

Table B-20 OJET Hierarchy Browser Shuttle Component

| Target | Key | Action |
|----------------------|---|---------------------------------------|
| Hcy Browser controls | Tab | Set focus to the Hcy Browser controls |
| | Enter | Activates the controls |
| Tree | See Hcy Br Tree(oj-tree) for the Keystrokes. | |
| Tabs | See Tabs(oj-Tabs) for the Keystrokes. | |
| Button Menu | See Context Menu(oj-menu) for the Keystrokes. | |

OJET Input Number (oj-input-number)

This section contains information on the number keystroke.



Table B-21 Number Keystroke

| Target | Key | Action |
|--------|--------------|--|
| Input | Enter or Tab | Submit the value you typed in the input field. |
| Input | Tab In | Set focus to input. If hints, help, instruction, or messages exist in a note window, pop up the note window. |
| Input | Up Arrow | Increment the number. |
| Input | Down Arrow | Decrement the number. |

OJET Legend (oj-legend)

This section contains information on the Legend Component keystrokes.

Table B-22 Legend Component Keystrokes

| Target | Key |
|-------------|---|
| Tab | Move focus to next element. |
| Shift + Tab | Move focus to previous element. |
| Up Arrow | Move focus to previous item. |
| Down Arrow | Move focus to next item. |
| Left Arrow | Move focus to previous item (on left). |
| Right Arrow | Move focus to next item (on right). |
| Enter | Hides or unhides the data associated with the current item. |

OJET List View (oj-listview)

This section contains information on the list view keystroke.

Table B-23 List View Keystroke

| Target | Key | Action |
|-----------|-----|--|
| List Item | F2 | Enters Actionable Mode. This enables keyboard action on elements inside the item, including navigating between focusable elements inside the item. |
| | Esc | Exits Actionable Mode. |



Table B-23 (Cont.) List View Keystroke

| Target | Key | Action |
|--------|-------------------|---|
| | Tab | When in Actionable Mode, navigates to the next focusable element within the item. If the last focusable element is reached, shift focus back to the first focusable element. When not in Actionable Mode, navigates to the next focusable element on the page (outside ListView). |
| | Shift+Tab | When in Actionable Mode, navigates to the previous focusable element within the item. If the first focusable element is reached, shift focus back to the last focusable element. When not in Actionable Mode, navigates to the previous focusable element on the page (outside ListView). |
| | Down Arrow | Move focus to the item below. |
| | Up Arrow | Move focus to the item above. |
| | Left Arrow | When display in card layout, move focus to the item on the left. |
| | Right Arrow | When display in card layout, move focus to the item on the right. |
| | Shift+Down Arrow | Extend the selection to the item below. |
| | Shift+Up Arrow | Extend the selection to the item above. |
| | Shift+Left Arrow | When display in card layout, extend the selection to the item on the left. |
| | Shift+Right Arrow | When display in card layout, extend the selection to the item on the right. |
| | Shift+F10 | Launch the context menu if there is one associated with the current item. |
| | Enter | Selects the current item. Not applicable if the item is already selected. |
| | Space | Toggles to select and deselect the current item. If previous items have been selected, deselects them and selects the current item. |



Table B-23 (Cont.) List View Keystroke

| Target | Key | Action |
|------------|-------------|---|
| | Shift+Space | Selects contiguous items from the last selected item to the current item. |
| | Ctrl+Space | Toggles to select and deselect the current item while maintaining previously selected items. |
| | Ctrl+X | Marks the selected items to move if dnd.reorder is enabled. |
| | Ctrl+C | Marks the selected items to copy if dnd.reorder is enabled. |
| | Ctrl+V | Paste the items that are marked directly before the current item (or as the last item if the current item is a folder). |
| Group Item | Left Arrow | Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing. |
| | Right Arrow | Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing. |

OJET Messages (oj-messages)

This section contains information on the messages keystrokes.

Table B-24 Messages Keystrokes

| Target | Key | Action |
|------------------------|--------------------|---|
| Focus within Messages | Tab or Shift + Tab | Navigate the content of the messages region. |
| | F6 | Moves focus back to the last focused element outside the messages region. |
| | Esc | Moves focus back to the last focused element outside the messages region. |
| Focus outside Messages | F6 | Move focus to the first message within the more recently disclosed messages region. |



OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)

This section contains information on the Metadata Browser Breadcrumb keystrokes.

| Target | Key | Action |
|-------------|-------------|--|
| Object Node | Enter | Expands dependencies and usage relationships for the selected item |
| Object Node | Shift + F10 | Opens context menu |
| Object Node | F2 | To navigate between focusable elements inside the panel |


OJET Navigation List (oj-navigation-list)

The OFSAA landing page uses the Navigation menu for the Left-Hand-Side (LHS) menu. The application selection menu is used to select an Application, Reports, Admin menu, and so on.

| Target | Key | Action |
|------------|--|---|
| List Item | Enter or Space | Selects list item. |
| List Item | Up Arrow | Moves focus to the previous visible list item. |
| List Item | Down Arrow | Moves focus to the next visible list item. |
| List Item | Right Arrow (Left Arrow in RTL) | For the horizontal navigation list, the focus is moved to the next visible item. |
| List Item | Left Arrow (Right Arrow in right to left (RTL) | For the horizontal navigation list, the focus is moved to the previous visible item. |
| List Item | Home | Moves focus to the first visible list item. |
| List Item | End | Moves focus to the last visible list item. |
| List Item | F2 | If the focus is on a list item, pressing F2 makes its contents accessible using TAB. |
| List Item | Esc | When F2 mode is enabled, press Esc to exit F2 mode. |
| List Item | Shift+Tab | Move focus to the hierarchical menu button. Only applicable for sliding navigation list and when the hierarchical menu button is enabled. |
| Group Item | Right Arrow (Left Arrow in RTL) | If the focus is on the collapsed node, expand the sublist. |
| Group Item | Left Arrow (Right Arrow in RTL) | If the focus is on the expanded node, collapses the sublist. |




| Target | Key | Action |
|--------------------------|-------|--|
| List Item in the sublist | Esc | Applicable only for sliding navigation list. If focus is in a sublist, closes the sublist and moves focus to the parent list item. |
| Hierarchical Menu button | Enter | |





| Target | Key | Action |
|--------------------------|-----|---------------------------------------|
| Hierarchical Menu button | Tab | Moves focus to the current list item. |




Hierarchical Menu button

Shift + Tab

Moves focus to the Previous Icon. Note: This target is visible only for the Sliding Navigation List.



| Target | Key | Action |
|----------------------|----------------|--------|
| Overflow Menu button | Enter or Space | |






| Target | Key | Action |
|------------------------------|-------|---|
| Previous Icon or List Header | Enter | Collapses the sub-list and slides to the parent list. |





| Target | Key | Action |
|------------------------------|-----|-----------------------------|
| Previous Icon or List Header | Tab | Moves focus to Hierarchical |
| | | Menu button. |



OJET Object Migration Canvas (oj-object-migration-canvas)

This section contains information on the Object Migration Canvas keystrokes.

Table B-25 Object Migration Canvas Keystrokes

| Target | Key |
|----------------|------------------------------------|
| Canvas Diagram | See Canvas Diagram for Keystrokes. |

OJET Object Node (object-node)

This section contains information on the Object Node keystrokes.

Table B-26 Object Node Keystrokes

| Target | Key | Action |
|-------------|-------------|--|
| Object Node | Enter | Expands dependencies and usage relationships for the selected item |
| Object Node | Shift + F10 | Opens context menu |



Table B-26 (Cont.) Object Node Keystrokes

| Target | Key | Action |
|-------------|-----|---|
| Object Node | F2 | To navigate between focusable elements inside the panel |

OJET Password (oj-password)

This section contains information on the Password keystroke.

Table B-27 Password Keystroke

| Target | Key | Action |
|---------------|--------|--|
| Input element | Tab In | Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window. |

OJET Popup (oj-popup)

This section contains information on the popup keystrokes.

Table B-28 Popup Keystrokes

| Target | Key | Action |
|---------------------|--------------------|---|
| Focus within Pop-up | Tab or Shift + Tab | Navigate the content of the pop- up. Close the open pop-up if there are no tab stops in the pop- up. |
| | F6 | Move focus to the launcher for a pop-up with modeless modality. Close the open pop-up if the modality is modal. |
| | Esc | Close the open pop-up. |
| Pop-up Launcher | F6 | Move focus to the first tab stop within the open pop-up. If there is not a tab stop within the content, the focus is established on the pop-up. |

OJET Radio (oj-radio)

This section contains information on the Radio keystroke.

Table B-29 Radio Keystroke

| Target | Key | Action |
|----------|------------|---|
| Input | Up Arrow | Select the previous input in the group. |
| Input | Down Arrow | Select the next input in the group. |
| Radioset | Tab In | Set focus to the checked radio input. If hints, titles, or messages exist in a note window, pop up the note window. |

OJET Search Box (oj-input-search)

This section contains information on the Search Box component.

Table B-30 Search Box Component

| Target | Key | Action |
|-------------|------------------------|--|
| Input field | Enter | Set the input text as the value. |
| Input field | Up Arrow or Down Arrow | If the drop down is not open, expand the drop down list. |
| Input field | Esc | Collapse the drop down list. If the drop down is already closed, do nothing. |
| Input field | Tab In | Set focus to the Input Search. |

OJET Select Many (oj-select-many)

This section contains information on the Multiselect keystroke.

Table B-31 Multi-select Keystroke

| Target | Key | Action |
|----------------------------------|---------------------------|---|
| Option item | Enter | Select the highlighted choice from the drop-down list. |
| Drop down | Up Arrow or Down Arrow | Highlight the option item in the direction of the arrow. If the drop-down is not open, expand the drop-down list. |
| Select box | Left Arrow or Right Arrow | Move focus to the previous or next selected item. |
| A selected item with remove icon | Backspace or Delete | Remove the selected item having focus. |
| Drop down | Esc | Collapse the drop-down list. If the drop-down is already closed, do nothing. |



Table B-31 (Cont.) Multi-select Keystroke

| Target | Key | Action |
|--------------------------|------------------------------------|--|
| Select box or search box | Any characters for the search term | Filter down the results with the search term. |
| Select | Tab In | Set focus to the select. If hints, titles, or messages exist in a note window, pop up the note window. |

OJET Select Single (oj-select-single)

This section contains information on the Select keystroke.

Table B-32 Select Keystroke

| Target | Key | Action |
|-------------|------------------------|---|
| Option item | Enter | Select the highlighted choice from the drop down. |
| Input field | Enter | Set the input text as the value. |
| Drop down | Up Arrow or Down Arrow | Highlight the option item on the drop-down list in the direction of the arrow. If the drop down is not open, expand the drop-down list. |
| Drop down | Esc | Collapse the drop-down list. If the drop down is already closed, do nothing. |
| Select | Tab In | Set focus to the Select. If hints, title or messages exist in a note window, pop up the note window. |

OJET Switch (oj-switch)

This section contains information on the switch keystroke.

Table B-33 Switch Keystroke

| Target | Key | Action |
|--------------|----------------|---|
| Switch Thumb | Enter or Space | Toggle switch value |
| | Tab In | Set focus to the thumb. If hints, titles, or messages exist in a note window, pop up the note window. |

OJET Table (oj-table)

This section contains information on the Table Component keystrokes.

Table B-34 Table Component Keystrokes

| Target | Key | Action |
|--------|------------------|---|
| Cell | Tab | The first Tab into the Table moves focus to the first column header. The second Tab moves focus to the next focusable element outside of the Table. |
| | | If focus is on a row and the row is actionable then Tab moves focus to the next focusable element within the row. If focus is already on the last focusable element then focus will wrap to the first focusable element in the row. If edit Mode is row Edit, see the section 'Cell in Editable Row'. |
| Cell | Shift+Tab | The first Shift+Tab into the Table moves focus to the first column header. The second Shift+Tab moves focus to the previous focusable element outside of the Table. |
| | | If focus is on a row and the row is actionable then Shift+Tab moves focus to the previous focusable element within the row. If focus is already on the first focusable element then focus will wrap to the last focusable element in the row. |
| | | If Edit Mode is row Edit, see the Cell in Editable Row section. |
| Cell | Down Arrow | Move focus to the next row. |
| Cell | Shift+Down Arrow | Select and move focus to the next row. |
| Cell | Up Arrow | Move focus to the previous row. If at the first row then move to the column header. |
| Cell | Shift+Up Arrow | Select and move focus to the previous row. |
| Cell | Left Arrow | Do nothing. |
| Cell | Right Arrow | Do nothing. |
| Cell | Home | Move focus to first row. |
| Cell | End | Move focus to last row. |
| Cell | Space | Select row. |



Table B-34 (Cont.) Table Component Keystrokes

| Target | Key | Action |
|----------------------|-----------|--|
| Cell | Enter | If the table edit Mode is row Edit then make the current row editable. |
| | | If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row. |
| Cell | F2 | If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row. |
| | | If the table edit Mode is row Edit then toggle the current row between editable and read-only. |
| Cell in Editable Row | Tab | Move focus to next editable cell or focusable element in the row. |
| | | If focus is on the last editable cell or focusable element in the row, make the next row editable and move focus to the first editable cell or focusable element in the next row. |
| | | If focus is on the last editable cell or focusable element in the last row, move focus to next focusable element on the page (outside table). |
| Cell in Editable Row | Shift+Tab | Move focus to previous editable cell or focusable element in the row. |
| | | If focus is on the first editable cell or focusable element in the row, make the previous row editable and move focus to the last editable cell or focusable element in the previous row. |
| | | If focus is on the first editable cell or focusable element in the first row, move focus to previous focusable element on the page (outside table). |



Table B-34 (Cont.) Table Component Keystrokes

| Townst | | A satisfies |
|----------------------|-------------------|---|
| Target | Key | Action |
| Cell in Editable Row | Down Arrow | Handled in the editable cell. |
| Cell in Editable Row | Shift+Down Arrow | Handled in the editable cell. |
| Cell in Editable Row | Up Arrow | Handled in the editable cell. |
| Cell in Editable Row | Shift+Up Arrow | Handled in the editable cell. |
| Cell in Editable Row | Left Arrow | Handled in the editable cell. |
| Cell in Editable Row | Right Arrow | Handled by the editable cell. |
| Cell in Editable Row | Home - : | Handled in the editable cell. |
| Cell in Editable Row | End | Handled in the editable cell. |
| Cell in Editable Row | Space | Handled in the editable cell. |
| Cell in Editable Row | Enter | Make the next row editable and move focus to the editable cell in current column in the next row. |
| | | If last row is editable then make it read-only. |
| Cell in Editable Row | Shift+Enter | Make the previous row editable and move focus to the editable cell in current column in the previous row. |
| | | If first row is editable then make it read-only. |
| Cell in Editable Row | F2 | Toggle the current row between editable and readonly. |
| Cell in Editable Row | Esc | Make the current row read- only. |
| Column Header | Tab | Navigate to next focusable element on page (outside table). |
| Column Header | Shift+Tab | Navigate to previous focusable element on page (outside table). |
| Column Header | Down Arrow | Move focus to the first row. |
| Column Header | Up Arrow | Do nothing. |
| Column Header | Left Arrow | Move focus to previous column header. |
| Column Header | Shift+Left Arrow | Select and move focus to previous column header. |
| Column Header | Right Arrow | Move focus to next column header. |
| Column Header | Shift+Right Arrow | Select and move focus to next column header. |
| Column Header | Home | Move focus to first column header. |
| Column Header | End | Move focus to last column header. |
| Column Header | Space | Select column. |



OJET Tabs (oj-tabs)

This section contains information on the tabs keystrokes.


Table B-35 Tabs Keystrokes

| Target | Key | Action |
|-----------|---------------------------------|--|
| List Item | Enter or Space | Selects list item. |
| | Up Arrow | Moves focus to the previous visible list item. |
| | Down Arrow | Moves focus to the next visible list item |
| | Right Arrow (Left Arrow in RTL) | For the horizontal tab bar, the focus is moved to the next visible item. |
| | Left Arrow (Right Arrow in RTL) | For the horizontal tab bar, the focus is moved to the previous visible item. |
| | Home | Moves focus to the first visible list item. |
| | End | Moves focus to the last visible list item. |
| | F2 | If the focus is on a list item, pressing F2 makes its contents accessible using TAB. |
| | Esc | When F2 mode is enabled, press Esc to exit F2 mode. |
| | Ctrl+X | Marks the current item to move if reorderable is enabled. |
| | Ctrl+V | Paste the item that is marked directly before the current item. |
| | DELETE | Delete the current item. |



Table B-35 (Cont.) Tabs Keystrokes

| Target | Key | Action |
|----------------------|----------------|------------|
| Overflow Menu button | Enter or Space | Open menu. |



OJET Textarea (oj-textarea)

This section contains information on the text area keystroke.

Table B-36 Textarea Keystroke

| Target | Key | Action |
|----------|--------|--|
| TextArea | Tab In | Set focus to the text area. If hints, help, instruction, or messages exist in a note window, pop up the note window. |

OJET Textbox (oj-input-text)

This section contains information on the text-box keystroke.

Table B-37 Textbox Keystroke

| Target | Key | Action |
|--------|--------|--|
| Input | Tab In | Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window. |

OJET Tree (oj-tree-view)

This section contains information on the OJET tree view keystrokes.

Table B-38 Tree Keystrokes

| Target | Key | Action |
|--------|------------------|---|
| Item | Tab | Navigates to the next focusable element on-page. |
| | Shift+Tab | Navigates to the previous focusable element on-page. |
| | Down Arrow | Moves focus on the item below. |
| | Up Arrow | Moves focus on the item above. |
| | Left Arrow | On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with Right Arrow in RTL locales. |
| | Right Arrow | On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with Left Arrow in RTL locales. |
| | Shift+Down Arrow | Extends the selection to the item below. Only applicable if multiple selections are enabled. |
| | Shift+Up Arrow | Extends the selection to the item above. Only applicable if multiple selections are enabled. |
| | Space | Toggles the selection of the current item and deselects the other items. |
| | Enter | Selects the current item and deselects the other items. No-op if the current item is already selected. |
| | Ctrl+Space/Enter | Toggles the selection of the current item while maintaining previously selected items. Only applicable if multiple selections are enabled. |



Table B-38 (Cont.) Tree Keystrokes

| Target | Key | Action |
|--------|-------------------|--|
| | Shift+Space/Enter | Selects contiguous items from the last selected item to the current item. Only applicable if multiple selections are enabled. |

OJET Tree View (oj-tree-view)

This section contains information on the OJET Tree View keystrokes.

Table B-39 OJET Tree View Keystrokes

| Target | Key | Action |
|--------|---------------------------------------|--|
| Item | Tab | Navigates to next focusable element on page. |
| Item | Shift+Tab | Navigates to previous focusable element on page. |
| Item | DownArrow | Moves focus to the item below. |
| Item | UpArrow | Moves focus to the item above. |
| Item | LeftArrow | On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with RightArrow in RTL locales. |
| Item | RightArrow | On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with LeftArrow in RTL locales. |
| Item | Shift+DownArrow | Extends the selection to the item below. Only applicable if the multiple selection is enabled. |
| Item | Shift+UpArrow | Extends the selection to the item above. Only applicable if the multiple selection is enabled. |
| Item | Space | Toggles the selection of the current item and deselects the other items. |
| Item | Enter | Selects the current item and deselects the other items. No op if the current item is already selected. |
| Item | Ctrl+Space/Enter / CMD+Space/Enter | Toggles the selection of the current item while maintaining previously selected items. Only applicable if the multiple selection is enabled. |



Table B-39 (Cont.) OJET Tree View Keystrokes

| Target | Key | Action |
|------------------------|--|---|
| Item Ctrl+A / CMD+A | Shift+Space/Enter If selection Mode is multiple, will select all selectable nodes. | Selects contiguous items from the last selected item to the current item. Only applicable if the multiple selection is enabled. |



C

LUX Controls

This chapter includes the keystroke controls for Lightweight User Interface Extensions (LUX).

LUX Breadcrumbs (oj-lux-breadcrumb)

This section contains information on the breadcrumbs keystroke for LUX and OJET controls.

| Target | Key | Action |
|----------------|------------|--|
| Link Button | Tab | Set focus to the Link. |
| | Enter | Activates the control. |
| Menu Drop Down | Tab | Set focus to the Down Arrow. |
| | Up Arrow | Moves focus to the previous visible list item. |
| | Down Arrow | Moves focus to the next visible list item. |
| | Esc | Collapse the drop-down list. If the drop-down is already closed, do nothing. |

LUX Grid (oj-lux-grid)

This section contains information on the grid (LUX) keystrokes.

Keyboard shortcuts for navigation in and out of the grid

This section contains information on the keyboard shortcuts for navigating in and out of the grid.

Table C-1 Keyboard Shortcuts for Navigating in and out of the Grid

| Action for keyboard | Key(s) | Notes |
|--|--|---|
| Move focus from the previous focusable element on the page | (All) Tab | Initially, the first cell in the first data row is focused and selected |
| (outside of the grid) to the grid | | Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus. |
| Enter the grid for navigation and editing | (LUX) Any key besides Tab and Shift+Tab | (LUX) Focus must be on the grid (LUX) Most keys other than the Enter key will enter the grid and also perform their normal action |

Table C-1 (Cont.) Keyboard Shortcuts for Navigating in and out of the Grid

| Action for keyboard | Key(s) | Notes |
|--|-----------------|---|
| Move focus from the grid to the next focusable element on the page (outside of the grid) | (All) Tab | (LUX) The grid must be in the "escape mode" state |
| Move focus from the next focusable element on the page (outside of the grid) to the grid | (All) Shift+Tab | Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus. |
| Move focus from the grid to the previous focusable element on the page (outside of the grid) | (All) Shift+Tab | (LUX) The grid must be in the "escape mode" state |
| Toggle the "escape mode" state of the grid | (LUX) Escape | (LUX) The selected cell must be in Navigation Mode |

Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)

This section contains information on the Keyboard shortcuts for navigation within the grid (includes a basic selection of cells and rows).



Table C-2 Keyboard Shortcuts For Navigation within the Grid

| Action for keyboard | Key(s) | Notes for keyboard |
|---|------------------|--|
| Move focus one row up (and update cell and row selection) | (All) Up Arrow | (LUX) The newly focused cell also becomes selected, and any other selected cells are deselected |
| | | (LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected. |
| | | There is no wrap at the first or last rows |
| | | (LUX) If the currently focused cell is in the first data row, the Up Arrow moves the focus to the column heading cell immediately above the currently focused cell (see Keyboard shortcuts for sorting on columns, below.) |
| | | The first data row is no longer focused or selected, but the column heading row does not get selected or focused. Also, any previously selected cells are no longer selected, but the column heading cell does not get selected. Nevertheless, if the Down Arrow is then pressed, the first data row gets focused and selected, focused is moved to the cell immediately below the focused column heading cell, and the newly focused cell becomes selected. |
| Move focus one row down (and update cell and row selection) | (All) Down Arrow | (LUX) The newly focused cell also becomes selected, and any other selected cells are deselected |
| | | (LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected |
| | | There is no wrap at the first or last rows |
| | | (LUX) See Up Arrow for behavior in column heading row. |



Table C-2 (Cont.) Keyboard Shortcuts For Navigation within the Grid

| Action for keyboard | Key(s) | Notes for keyboard |
|---|---------------------------------------|---|
| Move focus one column to the left (and update cell and row selection) | (All) Left Arrow -or- (LUX) Shift+Tab | (LUX) If the grid is in the "escape mode" state, Shift+Tab moves focus to the previous focusable element in the page (outside of the grid) instead of taking any action within the grid |
| | | (LUX) Wrap at the first or last column is controlled by the LUX Grid wrapSelection option. The default is to wrap. Wrapping is generally only within data rows, not column headers. |
| | | (LUX) If wrapSelection is true: |
| | | If the currently focused cell is the first cell in the header row, then Shift+Tab causes the grid to enter the "escape mode" state |
| | | If the currently focused cell is the first cell in the first data row, then Shift+Tab moves focus one row up, to the first cell of the header row, similar to Up Arrow |
| | | (LUX) If the currently focused cell is in editable mode, Shift+Tab causes the cell to exit editable mode and return to navigation mode |
| | | If the editOnTab option is true, the newly focused cell enters editable mode |

Adjusting the Row and Cell Selection

This section contains information on adjusting the row and cell selection.



Table C-3 Adjusting the Row and Cell Selection

| Action for keyboard | Key(s) | Notes for keyboard |
|--|------------------------|--|
| Adjust the range of selected cells and rows one row up | (All) Shift+Up Arrow | (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Up Arrow without Shift |
| | | (LUX) Moves cell focus one row up; the newly focused cell also becomes selected |
| | | (LUX) The row containing the newly focused cell becomes focused and selected |
| | | (LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly focused cell |
| | | If the focused cell and focused row are moved without changing the selection. For example, with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row above it |
| Adjust the range of selected cells and rows one row down | (All) Shift+Down Arrow | (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Down Arrow without Shift |
| | | (LUX) Moves cell focus one row down; the newly focused cell also becomes selected |
| | | (LUX) The row containing the newly focused cell becomes focused and selected |
| | | (LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly selected cell |
| | | If the focused cell and focused row are moved without updating the selection, e.g., with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row below it |



Table C-3 (Cont.) Adjusting the Row and Cell Selection

| Action for keyboard | Key(s) | Notes for keyboard |
|--|---|---|
| Move focus one column to the left (and update cell selection) | (LUX) Shift+Left Arrow | (LUX) Moves cell focus and selection(s) one column to the left (selection can be multiple cells if multiple rows are currently selected) |
| | | (LUX) If the currently focused cell is the first cell of the row, then behaves the same as Left Arrow without Shift |
| Move focus one column to the right (and update cell selection) | (LUX) Shift+Right Arrow | (LUX) Moves cell focus and selection(s) one column to the right (selection can be multiple cells if multiple rows are currently selected) |
| | | (LUX) If the currently focused cell is the last cell of the row, then behaves the same as Right Arrow without Shift |
| Move focus one row up (no change to selection) | (All) Control+Up Arrow | (LUX) The row containing the newly focused cell becomes focused |
| | | (LUX) Note: Enables selection of non-contiguous rows with Control+Space |
| | | (LUX) There is no wrap at the first or last rows |
| | | (LUX) If the currently focused row is the first data row, this has the same behavior as Up Arrow without Shift |
| Move focus one row down (no change to selection) | (All) Control+Down Arrow | (LUX) The row containing the newly focused cell becomes focused |
| | | (LUX) Note: Enables selection of non-contiguous rows with Control+Space |
| | | (LUX) There is no wrap at the first or last rows |
| Select the current row | (WAI-ARIA) Shift+Space (LUX) Control+Space | (LUX) Toggles selection of currently focused row |
| | (LEX) Comon opace | (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Space without Control |
| Select the current column | (WAI-ARIA) Control+Space | (LUX) Not supported |



Note:

WAI-ARIA defines selection within grids solely in terms of cells; a row is just a set of cells, each of which may or may not be selected. The LUX Grid keyboard shortcuts for selection assume the multiSelect option is set to 'true'. In the LUX Grid:

- If a cell is selected, the cell's row is selected.
- Only one cell in a row may be selected at any given time.
- If multiple rows are selected, their selected cells are always in the same column.

Editing Cells

This section contains information on editing cells.

Table C-4 Editing Cells

| Cell mode before action | Action | Key(s) | Cell mode after action | Notes |
|-------------------------|---|---|------------------------|---|
| Navigation | Edit focused cell (enter Actionable mode) | (All) Enter -or- F2 -or- (LUX) Shift+Enter -or- (WAI-ARIA (optional), LUX) Any alphanumeric character | Editable | (LUX) In a Text Column or Text Area Column cell, typing an alphanumeric character will also replace the current cell value with the character just typed (LUX) In a Number/Cost/ Percent column cell, typing an alphanumeric character will also select the current cell value, if any; the character just typed is not entered in the cell |
| Editable | Cancel changes and exit Actionable mode | (All) Escape | Navigation | (WAI-ARIA) Does not mention canceling changes, just exiting Actionable mode |



Table C-4 (Cont.) Editing Cells

| Cell mode before action | Action | Key(s) | Cell mode after action | Notes |
|-------------------------|---|---|--|---|
| Editable | Commit changes and exit Actionable mode | (WAI-ARIA (optional), LUX) Enter -or- (LUX) Shift+Enter | Navigation | (LUX) If the currently focused cell is not in the last data row of the Grid, Enter or Shift+Enter will also move focus to the cell immediately below the focused cell (note that Shift+Enter moves focus down such as Enter, not up) (LUX) In a Text Area Column cell, Enter does not exit the editor; it just adds a newline character to the text value at the current insertion point. Shift+Enter behaves such as a normal Enter or Shift+Enter, as if the cell were not a Text Area Column cell (LUX) In a Date Column or Select Multi Column cell, Enter and Shift+Enter do nothing |
| Editable | Move focus to next actionable (tabbable) item | (All) Tab | Old cell: Navigation; New cell: Editable | (LUX) Next actionable item is usually in next cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode |
| Editable | Move focus to previous actionable (tabbable) item | (All) Shift+Tab | Old cell: Navigation; New cell: Editable | (LUX) Previous actionable item is usually in previous cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode |



Table C-4 (Cont.) Editing Cells

| Cell mode before action | Action | Key(s) | Cell mode after action | Notes |
|-------------------------|--|---|---|--|
| Editable | Move to next row | Enter | Old row: Navigation; New row: Editable | (LUX) See LUX comments for "Commit changes |
| Editable | Select date in Date Column | (LUX) See the OJET Input Date and Time Keyboard End User Information. | See the OJET Input Date and Time Keyboard End User Information. | and exit Actionable mode" |
| Editable | Increment Spinner Number Column cell | Up Arrow | Editable | |
| Editable | Decrement Spinner Number Column cell | Down Arrow | Editable | |
| Navigation | Toggle checked state of check-box | Space | Navigation | |
| Navigation | Clear data from the focused cell | (LUX) Delete | Navigation | Delete key clears the values in select and check column cells as well |

Keyboard shortcuts for Grouped Rows and Tree Grid

This section contains information on Grouped Rows and Tree Grid.

Table C-5 Grouped Rows and Tree Grid

| Action | Key(s) | Notes |
|--------------|---------------------|--|
| Expand [+] | Control+Right Arrow | Focus must be in the cell with the disclosure icon |
| Collapse [-] | Control+Left Arrow | Focus must be in the cell with the disclosure icon |

Keyboard shortcuts for triggering cell actions in other types of cells

This section contains information on keyboard shortcuts for triggering cell actions in other types of cells.

Table C-6 Keyboard shortcuts for triggering cell actions in other types of cells

| Action | Key(s) | Notes |
|--------------------------------------|--------|--|
| Trigger cell action in selected cell | Space | If the cell has an <a> with a valid href attribute, Space will follow the link |



Keyboard shortcuts for sorting on columns

This section contains information on sorting on columns.

| Action | Key(s) | Notes |
|---|---------------|--|
| Cycle the sort of the focused column in the following sequence: | Space | The selected cell must be the column header cell |
| Cycle the sort of the focused column, subject to any other column sorts that are already defined, in the sequence above | Control+Space | The selected cell must be the column header cell |

Keyboard Shortcuts for Menus

This section contains information on keyboard shortcuts for menus.

Table C-7 Keyboard Shortcuts for Menus

| Action | Key | Notes |
|--|---|---|
| Open the menu | (WAI-ARIA, LUX) Enter -or- Space -or- Shift+F10 -or- (WAI-ARIA) Up/Down Arrow (in a menu bar) | (LUX) Context Menu uses Space or Shift+F10; Column Menu uses Space; Select Column Menu uses Up/Down Arrow (space (or character) opens the menu item search/ filter field); Select Multi- Column Menu uses Enter |
| | | (LUX) In Select Column Menu, Enter causes the cell to enter Actionable mode, but does not open the drop-down menu; the menu opens when Up/Down Arrow keys are used |
| | | (LUX) In the Select Multi- Column Menu, after the cell enters Actionable mode, the first Control+Down Arrow enters the menu at the (first) currently selected option (or before the first option if no option is currently selected) |
| Move focus to the next menu item in the menu | (All) Down Arrow | (LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the bottom; Context menus do not |



Table C-7 (Cont.) Keyboard Shortcuts for Menus

| Action | Key | Notes |
|--|---|---|
| Move focus to the previous menu item in the menu | (All) Up Arrow | (LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the top; Context menus do not |
| Open a sub-menu (if the focused menu item has a sub-menu) | (WAI-ARIA, LUX) Right Arrow -or- (WAI-ARIA, LUX) Enter -or- | (LUX) Does not apply to Select Column menus and Select Multi-Column menus |
| | Space | (LUX) Context Menu uses Right Arrow; Column Menu uses Right Arrow, Enter, or Space. |
| Close a submenu and return focus to the parent menu item | (WAI-ARIA, LUX) Left Arrow -or- (WAI-ARIA) Escape | (LUX) Does not apply to Select Column menus and Select Multi-Column menus |
| | (WAITAINIA) Escape | (LUX) Escape closes the top- level menu and any sub- menus |
| Select a menu item (or invoke the menu action) and close the | (All) Enter -or- Space | (LUX) Does not apply to the Select Multi-Column menu |
| menu | | (LUX) Select Column does not support Space, only Enter; space (or character) opens the menu item search/filter field |
| Toggle selection of a menu item in the menu | (LUX) Enter -or- Space | (LUX) Select Multi-Column menu only |
| Close the menu (commit selections) | (LUX) Tab -or- Shift-Tab | (LUX) Select Multi Column menu only |
| | | (LUX) Also moves focused cell one column to the right (Tab) or left (Shift+Tab) |
| Close the menu (no action or selection) | (LUX) Escape | (LUX) Escape closes the top- level menu and any sub- menus |

Miscellaneous

This section contains information on the miscellaneous keystrokes.

Table C-8 Miscellaneous Keystrokes

| Action | Key | Notes |
|---|------------------|--|
| Insert a new row above the selected row | (LUX) Insert Key | A new row is added just above the selected row |



D

OJET CCA Controls

This chapter includes the keystroke controls for OJET CCA Controls.

OJET CCA Breadcrumb (oj-cca-breadcrumb)

This section contains information on the CCA Breadcrumb Keystroke.

| Target | Key |
|------------|--|
| breadcrumb | See Buttonset One (Oj-buttonset-one) section, for details on breadcrumb. |

OJET CCA List View (oj-cca-list-view)

This section contains information on the CCA List View.



The Table Control is a toggle and can either be a List View Control, or a Table View Control. This is configured by the application owner.

| Action | Key |
|---------------|--|
| List Control | See List View(oj-list-view) section, for details on List View. |
| Table Control | See Table(oj-table-view) section, for details on Table View. |

OJET CCA Pagination (oj-cca-pagination)

This section contains information on the pagination panel component.

Table D-2 Pagination Panel Component

| Target | Key | Action |
|------------------------------|-------|---|
| Button (First Page, Previous | Tab | Set focus to the Button |
| Page, Next Page, Last Page) | Enter | Activates the control. |
| Page Input | Tab | Set focus to the input. |
| | Tab | Setting focus outside the input activates the control and updates the List View |

OJET CCA Records per Page (oj-cca-records)

This section contains information on the CCA Records Per Page Control.

Table D-3 CCA Records Per Page Control

| Action | Key |
|---|---|
| The Records Per Page, makes use of the number control | See Input Number(oj-input-number) section, for details on Number Control. |

OJET CCA Summary Search (oj-cca-summary-search)

This section contains information on the CCA Summary Search Control.

Table D-4 CCA Search Control

| Target | Key | Action | |
|--|---|------------------------------|--|
| Search Control | Tab In | Set focus to Search Control. | |
| Search Drop-down Panel | Enter | Activates the control and | |
| The drop-down may contain several Input controls such as input Text, Select, Multi-select, and so on | See TextBox section, for details on Input Text. | opens the Drop-down. | |
| | See Select Single section, for details on Select. | | |
| | See Select-Many(oj-select-many) section, for details on Multi-select. | | |



Е

HTML Documents on OHC and Help Pages

This section describes the set of unique keystrokes for the OFSAA documents on Oracle help center (OHC) and Online Help pages.



Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

Keyboard Shortcuts for OFSAA Documentation

Table E-1 HTML Pages Keystroke

| Command | Description |
|---------|---|
| Alt+Z | Bypass Key to move focus from LHS to RHS |
| Alt+X | Bypass Key to move from "Click here to see this page in full context" in the display ribbon to the TOC. |

OFSAA Support

Raise a Service Request (SR) in My Oracle Support (MOS) for queries related to OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released documents.

Glossary



Index

