

Oracle® Insurance Loss Modeller

Unique Keystrokes and Access Keys

Guidelines Document



Release 8.1.2.0.0

G48839-01

June 2024

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2021, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	Introduction	
	How this Guide is Organized	1
2	User Roles and Groups	
	Map the Application Users to User Group	1
3	Common Keyboard Shortcuts with Control References	
	Login Page	1
	Landing Page	2
	Header	2
	Tiles	4
4	Administration and Configuration	
	Translation Tools	1
	Object Administration	3
	Object Security	3
	Metadata Segment Mapping	4
	Batch Execution Rights	4
	Object to Application Mapping	5
	Metadata Browser	5
	Object Migration	11
	Export Objects	11
	Import Objects	13
	Utilities	14
	Metadata Difference	14
	Metadata Authorization	15
	Save Metadata	15
	Write Protected Batch	16
	Component Registration	17
	Transfer Document Ownership	18

5 Common Object Maintenance

Data Model Maintenance	1
Data Management	3
Data Management Tools	3
Data Management Tools	3
Data Quality Framework	11
Data Entry Forms and Queries	16
Data Entry Forms and Queries	38
Unified Analytical Metadata	51
Alias	51
Alias Summary	51
Dimension Management	52
Attribute	52
Member	55
Business Hierarchy	58
Dataset	62
Measure	64
Business Processor	65
Map Maintenance	66
Operations	67
Batch Maintenance	67
Details	70
Batch Execution	72
Batch Monitor	74
Batch Scheduler	76
Batch Cancellation	79
Object Administration	80
Object Security	80
Metadata Segment Mapping	80
Batch Execution Rights	81
Object Migration	82
Export Objects	82
Metadata Browser	84
Utilities	89
Metadata Difference	90
Metadata Authorization	90
Save Metadata	91
Write Protected Batch	92
Component Registration	92

6 Oracle Insurance Loss Modeller

Dashboards	1
Project	5
Triangles	8
Methods	14

A Appendix A: HTML5 Controls

HTML Breadcrumbs (html5-breadcrumbs)	A-1
HTML Button (html5-button)	A-1
HTML Calendar (html5-calendar)	A-1
HTML Checkbox (html5-checkbox)	A-2
HTML Container Expand Collapse (html5-container-expand-collapse)	A-2
HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)	A-3
HTML Date (html5-date)	A-3
HTML Dialog Launcher (html5-dialog-launcher)	A-3
HTML Expression Browser Type BP (html5-expression-browser-type-bp)	A-4
HTML File Picker (html5-filepicker)	A-4
HTML Grid (html5-grid)	A-4
HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)	A-4
HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)	A-5
HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)	A-5
HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)	A-6
HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)	A-6
HTML Messages (html5-messages)	A-6
HTML Metadata Tree Browser (html5-metadata-tree-browser)	A-7
HTML Metadata Tree Control (html5-metadata-tree-control)	A-7
HTML Multiselect List (html5-multiselect-list)	A-7
HTML Navigation Tree (html5-navigation-tree)	A-7
HTML New Expression Builder (html5-new-expression-builder)	A-8
HTML Pagination Panel (html5-pagination)	A-8
HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)	A-9
HTML Radio button (html5-radio button)	A-9
HTML Records per Page (html5-records-per-page)	A-9
HTML Records per Page Drop-down (html5-records-per-page)	A-10
HTML Rules Menu (html5-rulesmenu)	A-10
HTML Select (html5-select-one)	A-10
HTML Tabs (html5-tab)	A-11
HTML Textarea (html5-textarea)	A-11

HTML Textbox (html5-textbox)	A-11
HTML Tree (html5-tree)	A-11

B Appendix B: OJET Controls

OJET Accordion (oj-accordion)	B-1
OJET Button (oj-button)	B-1
OJET Buttonset One (oj-buttonset-one)	B-2
OJET Canvas (oj-canvas)	B-2
OJET Canvas Diagram (oj-canvas-diagram)	B-2
OJET Chart (oj-chart)	B-3
OJET Checkbox (oj-checkbox)	B-4
OJET Context Menus (oj-menu)	B-4
OJET Control Specific Help (oj-control-specific-help)	B-5
OJET Date or DateTime (oj-datetime / oj-calendar)	B-5
OJET Dialog (oj-dialog)	B-7
OJET Expand/Collapse (oj-collapse)	B-7
OJET Expression Builder (oj-expression-builder)	B-7
OJET Expression Builder Launcher (oj-expression-builder-launcher)	B-7
OJET Foldable Layout (oj-foldable-layout)	B-8
OJET Grid (oj-grid)	B-8
OJET Hcy Br Tree (oj-tree)	B-13
OJET Hierarchy Browser Map (oj-hierarchy-browser-map)	B-14
OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)	B-14
OJET Input Number (oj-input-number)	B-14
OJET Legend (oj-legend)	B-15
OJET List View (oj-listview)	B-15
OJET Messages (oj-messages)	B-17
OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)	B-17
OJET Navigation List (oj-navigation-list)	B-17
OJET Object Migration Canvas (oj-object-migration-canvas)	B-20
OJET Object Node (object-node)	B-21
OJET Password (oj-password)	B-21
OJET Popup (oj-popup)	B-21
OJET Radio (oj-radio)	B-22
OJET Search Box (oj-input-search)	B-22
OJET Select Many (oj-select-many)	B-22
OJET Select Single (oj-select-single)	B-23
OJET Switch (oj-switch)	B-23
OJET Table (oj-table)	B-23
OJET Tabs (oj-tabs)	B-26
OJET Textarea (oj-textarea)	B-27

OJET Textbox (oj-input-text)	B-28
OJET Tree (oj-tree-view)	B-28
OJET Tree View (oj-tree-view)	B-29

C LUX Controls

LUX Breadcrumbs (oj-lux-breadcrumb)	C-1
LUX Grid (oj-lux-grid)	C-1
Keyboard shortcuts for navigation in and out of the grid	C-1
Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)	C-2
Adjusting the Row and Cell Selection	C-4
Editing Cells	C-7
Keyboard shortcuts for Grouped Rows and Tree Grid	C-9
Keyboard shortcuts for triggering cell actions in other types of cells	C-9
Keyboard shortcuts for sorting on columns	C-10
Keyboard Shortcuts for Menus	C-10
Miscellaneous	C-11

D OJET CCA Controls

OJET CCA Breadcrumb (oj-cca-breadcrumb)	D-1
OJET CCA List View (oj-cca-list-view)	D-1
OJET CCA Pagination (oj-cca-pagination)	D-1
OJET CCA Records per Page (oj-cca-records)	D-2
OJET CCA Summary Search (oj-cca-summary-search)	D-2

E HTML Documents on OHC and Help Pages

Keyboard Shortcuts for OFSAA Documentation	E-1
OFSAA Support	E-1
Send Us Your Comments	E-1

Index

1

Introduction

This is the Unique Keystrokes and Access Keys Guidelines document for the Oracle Insurance Loss Modeller (OILM) Application Pack.

This document provides accessibility information (Voluntary Product Accessibility Template - VPAT) about the OILM Application User Interface (UI) according to the OAG 3.0 Standards. The Keystrokes reference details for each UI control on each screen of the OILM Application and the information about the Access Keys required to access each UI control are explained. All the UI controls present in each UI screen of the OILM Application are listed.

How this Guide is Organized

This section provides information about the structure of this document.

- [Users, Roles and Groups](#): This section provides information about the OILM Users, mapping of the OFS LLFP Users to each User Group, and the functionalities that a specific User has access to and can perform.
- [Common Keyboard Shortcuts with Control References](#): This section provides information about the common keyboard controls.
- [Administration and Configuration](#): This section provides information about the keystrokes reference details of the Administration Modules.
- [OILM Application Modules](#): This section provides information about the keystrokes reference details of the modules in the OILM Application User Interface.
- [Appendix A: HTML5 Controls](#): This section provides information about the set of unique keystrokes for the HTML5 controls.
- [Appendix B: OJET Controls](#): This section provides information about the set of unique keystrokes for the OJET controls.
- [Appendix C: LUX Controls](#): This section provides information about the set of unique keystrokes for the LUX controls.
- [Appendix D: OJET CCA Controls](#): This section provides information about the set of unique keystrokes for the OJET CCA controls.
- [Appendix E: HTML Documents on OHC and Help Pages](#): This section provides information about the set of unique keystrokes for the OFSAA documents on the Oracle help center (OHC) and Online Help pages.

2

User Roles and Groups

This chapter includes information about the users mapped to each user group, and the functionalities that a specific user has access to and can perform.

Map the Application Users to User Group

UserGroup Map facilitates you to map user(s) to a specific user group which in turn is mapped to a specific Information Domain and role. Every user group mapped to the Information Domain needs to be authorized. Otherwise, it cannot be mapped to users.

UserGroup Map Screen displays details such as User ID, Name, and the corresponding Mapped Groups. You can view and modify the existing mappings within the UserGroup Maintenance Screen.

Starting with the OFSAA 8.1 Release, with the installation of the OILM Application Pack, pre-configured Application user groups are seeded. These user groups are unique to every OFSAA Application Pack and have application roles pre-configured.

You can access the UserGroup Map by expanding the Identity Management Section within the tree structure of the LHS menu.

Table 2-1 Seeded User Groups

Name	Description
OILM Admin	A user mapped to this group will have access to all the menu items for the entire OILM Application. The exclusive menus which are available only to this group of users are Application Preference and Global Preference under Settings Menu.
OILM Data Modeler	A user mapped to this group will have access only to Data Model Management and Metadata Browser Menus.
OILM Analyst	A user mapped to this group will have access to Data Management Framework, Dimension Management, and Metadata Browser Menus.

OILM Admin

This user has access to the following module:

- Settings

OILM Data Modeler

This user has access to the following modules:

- Data Model Maintenance
- Metadata Browser

OILM Analyst

This user has access to the following modules:

- Data Management Framework
- Dimension Management
- Metadata Browser

3

Common Keyboard Shortcuts with Control References

This chapter provides more information about the common keyboard controls.

Note

- When you click a hyperlink and reach a page, if you want to get back to the page where the hyperlink was clicked, click Alt + Left Arrow.
- For OILM Application screens, press the Tab key on your keyboard to tab through all the controls within the browser window. Press Shift + Tab to navigate in the reverse direction.
- Disabled option items receive no highlight and are not selectable.

Login Page

The following table lists all the elements of the OFSAAI Login Page and the associated keystroke combinations to access them.

Table 3-1 Keystroke References for the Controls in Login Page




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Language Selection	HTML Select
html5-textbox		User ID, Password	HTML Textbox

Table 3-1 (Cont.) Keystroke References for the Controls in Login Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5- button		Login Button	HTML Button

Landing Page

This section describes all the elements of the OFSAAI Login Page and the keystroke combinations to access them.

Header

The following table describes all the elements of the header and the keystroke combinations to access them.

Table 3-2 Keystroke References for the Controls in Landing Page - Header




UI Control	How Does the UI Control Look	List of UI Control on the Screen	Keystrokes to Access This UI Control
oj-button		Application Navigation	OJET Button
oj-button		Connected To	OJET Button
oj-button		Last Login Details	OJET Button

Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header





UI Control	How Does the UI Control Look	List of UI Control on the Screen	
oj-navigation-list		Navigation drawer	OJET Navigation
oj-navigation-list		Main Navigation	OJET Navigation List (oj-navigation-list)
oj-select-single		Language	OJET Select

Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header

UI Control	How Does the UI Control Look	List of UI Control on the Screen
		User Preferences OJET Context Menu
		

Tiles

The following table lists all the elements of the Tiles Section and the associated keystroke combinations to access them.

Table 3-3 Keystroke References for the Controls in Administration Page - Tiles



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select-single		Information domain	OJET Select
			

Table 3-3 (Cont.) Keystroke References for the Controls in Administration Page - Tiles

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu		Tile	OJET Context Menu



4

Administration and Configuration

This chapter includes the keystroke reference details for the Administration related modules.

Translation Tools

This section includes the keystroke reference details for the Translation Tools Module. It includes the following screens:

Topics

- Config Schema Download
- Config Schema Upload

Figure 4-1 Config Schema Download Module

The screenshot shows the 'Download Screen' interface. At the top right, there is a 'Download' button. Below the title, there is a 'Download' section with a dropdown arrow. The form contains three fields: 'Select the table' with a dropdown menu showing 'AAI_ACTION_SUB_TYPE_TL', 'Format to download' with a dropdown menu showing 'Microsoft Excel 2003', and 'Filter (Where clause)' with an empty text input box.

Figure 4-2 Config Schema Upload Module

The screenshot shows the 'Upload Screen' interface. At the top right, there are 'Upload' and 'View Log' buttons. Below the title, there is an 'Upload' section with a dropdown arrow. The form contains five fields: 'Select the table' with a dropdown menu showing 'AAI_ACTION_SUB_TYPE_TL', 'Select the File to Upload:' with a 'Choose File' button and 'No file chosen' text, 'Select the sheet' with an empty text input box and a small icon to the right, 'Upload Type' with radio buttons for 'Incremental' (selected) and 'Complete', and 'Source Date Format' with an empty text input box.

Config Schema Download

The following table describes all the elements of the Config Schema Download Section and the keystroke combinations to access them.

Table 4-1 Keystroke References for the Config Schema Download Section



html5-select-one	<ul style="list-style-type: none"> Information Domain User Segment 	HTML Select
		
html5-button	Help	HTML Select (html5-select-one)
		
html5-textarea	Filter (Where clause)	HTML Textarea (html5-textarea)

Figure 4-3 Text area



Config Schema Upload

The following table describes all the elements of the Config Schema Upload Section and the keystroke combinations to access them.

Table 4-2 Keystroke References for the Config Schema Upload Section


html5-select-one	Select the table	HTML Select
		
html5-button		HTML Select (html5-select-one)

Figure 4-4 Upload







Table 4-2 (Cont.) Keystroke References for the Config Schema Upload Section

html5-textbox	Source Date Format	HTML Textbox (html5-textbox)
<p>Figure 4-5 Source Date Format Text</p> 		
html5-filepicker	Select the file to Upload	HTML File Picker (html5-filepicker)
<p>Figure 4-6 Select the file to Upload</p> 		

Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 4-7 Object Administration Module










Object Security

This section includes the keystroke reference details for the Object Security section.

Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 4-3 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

html5-select-one		<ul style="list-style-type: none"> Information Domain User Segment 	HTML Select
html5-radiobutton		<ul style="list-style-type: none"> Measure Hierarchy Cube Attribute Map 	HTML Radio Button
html5-map-matadata-hierarchy-shuttle		Map Metadata Hierarchy Shuttle	HTML Grid
html5-button		Help	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Show Details	HTML Select (html5-select-one)
html5-button		Hide Details	HTML Select (html5-select-one)








Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.

Batch Execution Map

(Required) <Enter a short description here.>

Table 4-4 Batch Execution Map

html5-button		Help	HTML Select (html5-select-one)
html5-select-one		<ul style="list-style-type: none"> Information Domain User Group 	HTML Select
html5-radiobutton		<ul style="list-style-type: none"> Batch Maintenance Enterprise Modeling Run Rules Framework ALL 	HTML Radio Button
oj-collapse		User Group - Batch Execution Map	OJET Expand/Collapse
html5-grid		<ul style="list-style-type: none"> Batch Name Batch Description Batch Map 	OJET Context Menus (oj-menu)
html5-checkbox		Batch Map	HTML Checkbox
html5-button		<ul style="list-style-type: none"> Check All Uncheck All Save Cancel Search Reset 	OJET Button

Object to Application Mapping

This section includes the keystroke reference details for the Object to Application Mapping Module. See [Metadata Browser](#) section for details.

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 4-5 Keystroke References for the Controls in the Metadata Browser Module







oj-tabs		Tabs	OJET Tabs (oj-tabs)
oj-tabs		<ul style="list-style-type: none"> • Dashboard • Search • Catalog of objects • Applications 	OJET Tabs (oj-tabs)
oj-button		Filter	OJET Button
oj-button		Reload	OJET Button
oj-button		Publish	OJET Button
oj-button		Map	OJET Button

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module







oj-chart		Chart	OJET Chart
oj-legend		Legend	OJET Legend
oj-chart		Chart	OJET Chart
oj-button		Apply	OJET Button
oj-checkbox		<ul style="list-style-type: none"> Show common objects only Data Foundation 	OJET Checkbox

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

available-objects-list

List View


[OJET List View](#)



selected-objects-list

List View

[OJET List View](#)



oj-button

Select

[OJET Button](#)



oj-button

Select All

[OJET Button](#)



Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module









oj-button		Deselect	OJET Button
oj-button		Deselect All	OJET Button
oj-button		Cancel	OJET Button
oj-button		Save	OJET Button
oj-input-search		Search	OJET Button
oj-list-view		List View	OJET List View
oj-foldable-layout		Foldable Layout	OJET Foldable Layout (oj-foldable-layout)
oj-button		Export to PDF	OJET Button

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module








oj-button		More	OJET Button
oj-button		Details	OJET Button
oj-tree-view		Tree	OJET Tree View
oj-dialog		Dialog	OJET Dialog
oj-dialog		Dialog	OJET Dialog
oj-table		<ul style="list-style-type: none"> • Used in • Depends on 	OJET Tabs (oj-tabs)
oj-tabs		Tabs	OJET Tabs (oj-tabs)

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

metadata-browser-breadcrumbs		Breadcrumbs	Metadata Browser Breadcrumbs
object-node		Object Node	Object Node
object-node		Object Node	Object Node
oj-menu		Menu	OJET Context Menu
oj-list-view and oj-foldable-layout		List View and Foldable Layout	OJET List View and OJET Foldable Layout
oj-messages		Messages	OJET Messages







Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.




Table 4-6 Export Objects

html5-button		Search	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-select-one		Sort By	HTML Select
html5-button		Delete	HTML Select (html5-select-one)
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.





Table 4-7 Outline Definition

html5-radiobutton		Select	HTML Radio Button
html5-textbox		<ul style="list-style-type: none"> Outline Name File Name 	HTML Textbox
html5-button		<ul style="list-style-type: none"> Apply Close 	HTML Select (html5-select-one)

Import Definition




This section includes the keystroke reference details for the Import Definition section.

Table 4-8 Import Definition

html5-radiobutton		Select	HTML Radio Button
html5-textbox		Outline Name	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Dump File • Folder • Import All • Fail on Error • OverWrite • Retain Ids 	HTML Select
html5-button		<ul style="list-style-type: none"> • Apply • Close 	HTML Select (html5-select-one)

Import Objects

This section includes the keystroke reference details for the Import Objects Module.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-cca-summary-search		Summary Search	OJET Search Box (oj-input-search)
oj-button		Add	OJET Button (oj-button)
oj-button		Home	OJET Button (oj-button)
oj-cca-pagination		Page	OJET Button (oj-button)

Page 1 of 0 (1-0 of 0 items) » < > «

oj-cca-records

Records

[OJET Button \(oj-button\)](#)

Records ▼ ▲






Utilities

This section includes the keystroke reference details for the Utilities Module.

Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.




Table 4-9 Keystroke References for the Utilities – Metadata Difference Section

html5-metadata-treecontrol	Select Metadata	HTML Metadata Tree Control
		
html5-metadata-treebrowser	Metadata Tree	Metadata Tree Browser
		
html5-button	Search	HTML Select (html5-select-one)
		
html5-button	Reset	HTML Select (html5-select-one)
		
html5-button	Help	HTML Select (html5-select-one)
		

Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 4-10 Keystroke References for the Metadata Authorization Section

html5-tab		Business Metadata	HTML Tab
html5-grid		Business Metadata Grid	HTML Grid
html5-button		Help	HTML Select (html5-select-one)

Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.

Table 4-11 Keystroke References for the Save Metadata Section






html5-radiobutton		<ul style="list-style-type: none"> • Hierarchy • Derived Entity 	HTML Radio button (html5-radio button)
html5-dataset-hierarchy-browse		Available Metadata	HTML Dataset Hierarchy Browser
html5-button		Save	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)








Table 4-11 (Cont.) Keystroke References for the Save Metadata Section

html5-button		Help	HTML Select (html5-select-one)
--------------	---	------	--

Write Protected Batch

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

Table 4-12 Keystroke References for the Utilities – Metadata Difference Section

html5-grid		<ul style="list-style-type: none"> Batch Name Batch Description Write-Protected Batch 	HTML Grid
html5-checkbox		Write-Protected Batch	HTML Checkbox (html5-checkbox)
html5-button		Check All	HTML Checkbox (html5-checkbox)
html5-button		Uncheck All	HTML Button (html5-button)
html5-button		Save	HTML Button (html5-button)
html5-button		Cancel	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)

Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

Table 4-13 Keystroke References for the Component Registration Section















html5-button		New	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Remove	HTML Button (html5-button)
html5-tab		Component Registration	HTML Tab
oj-tree		Available Components	OJET Tree
html5-textbox		<ul style="list-style-type: none"> • Component ID • Class Path • Image Name • Tree Order 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Parent ID • ICC Component ID 	HTML Select

Table 4-13 (Cont.) Keystroke References for the Component Registration Section

html5-button		Save	HTML Button (html5-button)
html5-button		Cancel	HTML Button (html5-button)
html5-button			HTML Button (html5-button)
oj-textbox		<ul style="list-style-type: none"> • Created By • Creation Date • Last Modified By • Modification Date 	OJET Textbox

Transfer Document Ownership

The following table describes all the elements of the Transfer Document Ownership Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		<ul style="list-style-type: none"> • Users • User Groups 	HTML Button (html5-button)
html5-select-one		<ul style="list-style-type: none"> • User • Destination User 	HTML Select (html5-select-one)
html5-dataset-hierarchy-browser		<ul style="list-style-type: none"> • Available Documents • Selected Documents 	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

html5-button



Save

[HTML Button \(html5-button\)](#)

html5-button



Reset

[HTML Button \(html5-button\)](#)

html5-icon



Help

[HTML Button \(html5-button\)](#)




Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 4-14 Keystroke References for the Patch Information Section

html5-tab		Patch Information	HTML Tab
html5-textbox	<ul style="list-style-type: none"> Search Patch or Application Name 	<ul style="list-style-type: none"> Textbox Patch or Application Name Information Domain 	HTML Textbox
html5-icon		Help	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Table 4-14 (Cont.) Keystroke References for the Patch Information Section


html5-pagination		<ul style="list-style-type: none"> • Page • Records per page 	HTML Pagination
html5-records-per-page		Records per page	HTML Records per Page Dropdown
html5-grid		<ul style="list-style-type: none"> • Patch or Application Name • Applied Date • Information Domain • Application ID • Segment Map ID • Segment Code • Additional Information 	HTML Grid

5

Common Object Maintenance

This chapter includes the keystroke reference details for the following modules in the OILM User Interface.

Figure 5-1 COM



Data Model Maintenance

The following table describes all the elements of the Business Model Upload Summary section and the keystroke combinations to access them.

Table 5-1 Keystroke References for the Business Model Upload Summary section









UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox

Table 5-1 (Cont.) Keystroke References for the Business Model Upload Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Type	HTML Select
html5-button		Add	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Help	HTML Button
html5-grid		Model Upload grid	HTML Grid
html5-pagination		<ul style="list-style-type: none"> Page Number of Rows 	HTML Pagination

Data Management

This section includes the keystroke reference details for the Data Management Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Sources

The following table describes all the elements of the Data Management Tools section and the keystroke combinations to access them.

Table 5-2 Keystroke References for the Data Management Tools section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
oj-textbox		<ul style="list-style-type: none"> • Code • Name • Search 	OJET Textbox
oj-select-single		<ul style="list-style-type: none"> • Source Type • Record Status 	OJET Select
oj-button		Search	OJET Button

Table 5-2 (Cont.) Keystroke References for the Data Management Tools section












UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button

Table 5-2 (Cont.) Keystroke References for the Data Management Tools section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button
oj-lux-grid		<ul style="list-style-type: none"> • Code • Name • Source Type • Upload Type • Created By • Created Date • Version • Active 	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox
oj-cca-pagination		Pagination: <ul style="list-style-type: none"> • Page 	OJET CCA Pagination
oj-cca-records		Records per Page	OJET CCA Records per Page

Data Mapping

This section includes the key stroke combinations for the Data Mapping Summary and Details Screens.

Summary

The following table describes all the elements of the Summary Section and the keystroke combinations to access them.

Table 5-3 Keystroke References for the Summary Section







UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
oj-textbox		<ul style="list-style-type: none"> Code Name Search 	OJET Textbox
oj-select-single		<ul style="list-style-type: none"> Type Source Record Status 	OJET Select
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button

Table 5-3 (Cont.) Keystroke References for the Summary Section













UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button

Table 5-3 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-grid		<ul style="list-style-type: none"> • Code • Name • Source Type • Upload Type • Created By • Created Date • Version • Active 	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox
oj-cca-pagination		Pagination <ul style="list-style-type: none"> • Page 	OJET CCA Pagination
oj-cca-records		<ul style="list-style-type: none"> • Records per Page • Records 	OJET CCA Records per Page

Post Load Changes

This section includes the keystroke combinations for the Post Load Changes Summary and Details Screen.

Summary

The following table describes all the elements of the Summary Section and the keystroke combinations to access them.

Table 5-4 Keystroke References for the Summary Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs

Table 5-4 (Cont.) Keystroke References for the Summary Section








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-textbox		<ul style="list-style-type: none"> Code Name Search 	OJET Textbox
oj-select-single		<ul style="list-style-type: none"> Type Record Status 	OJET Select
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button

Table 5-4 (Cont.) Keystroke References for the Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button
oj-lux-grid		<ul style="list-style-type: none"> • Code • Name • Type • Created By • Created Date • Version • Active 	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox

Table 5-4 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-cca-pagination		<ul style="list-style-type: none"> • Page 	OJET CCA Pagination
oj-cca-records		Records per Page area	OJET CCA Records per Page

Data Quality Framework

This section includes the keystroke combinations for the following screens in the Data Quality Framework Module.

Data Quality Rules

This section includes the keystroke combinations for the Data Quality Rules Summary and Details Screen.

Table 5-5 Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs

Data Quality Groups



oj-textbox		<ul style="list-style-type: none"> • Name • Description 	OJET Textbox
oj-select-single		<ul style="list-style-type: none"> • Folder • On Source • Source 	OJET Select

Table 5-5 (Cont.) Keystroke References for the Data Quality Rules















UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button

Table 5-5 (Cont.) Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Approve	OJET Button
oj-button		Reject	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Resave	OJET Button
oj-lux-grid		<ul style="list-style-type: none"> Name Table Access Type Check Type Folder Creation Date Created By Last Modification Date Status Is Grouped Is Executed Version Active 	LUX Grid
oj-cca-pagination		Pagination: <ul style="list-style-type: none"> Page 	OJET Checkbox
oj-cca-records		Records per Page	OJET CCA Pagination

Data Quality Groups

This section includes the keystroke combinations for the Data Quality Groups – Summary and Details Screen.

Summary

The following table describes all the elements of the Data Quality Groups - Summary Section and the keystroke combinations to access them.

Table 5-6 Keystroke References for the Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
Data Quality Rules			
oj-textbox		Name	OJET Textbox
oj-select-single		<ul style="list-style-type: none"> • Folder • Check Type • Record Status • On Source • Source • Table 	OJET Select
oj-button		Search	OJET Button
oj-button		Reset	OJET Button

Table 5-6 (Cont.) Keystroke References for the Summary Section









UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Run	OJET Button
oj-button		Refresh	OJET Button

Table 5-6 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-grid		<ul style="list-style-type: none"> Name Folder Creation Date Created By Created Date Last Modification Date Last Modified By Last Run Date Last Run Status 	LUX Grid
oj-cca-pagination		Pagination <ul style="list-style-type: none"> Page 	OJET CCA Pagination
oj-cca-records		<ul style="list-style-type: none"> Records per Page Records 	OJET CCA Records per Page
oj-button		View Log	OJET Button
oj-button		View Reports	OJET Button
oj-button		Refresh	OJET Button







Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

Excel Upload for Atomic

This section includes keystroke elements for the Excel Upload Menu options.







Table 5-7 Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
<h2>Excel-Entity Mappings</h2>			
oj-button		Help	OJET Button
oj-lux-grid		<ul style="list-style-type: none"> • Mapping ID • Mapping Name • Created By • Created On • Download Excel 	LUX Grid
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button

Excel Upload

The following table describes all the elements of the Excel Upload section and the keystroke combinations to access them.

Table 5-8 Keystroke References for the Excel Upload

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumb	LUX Breadcrumbs
oj-button		Chosen File	OJET Button
oj-button		Help	OJET Button
oj-button		Upload	OJET Button
oj-button		View Log	OJET Button
oj-select-single	Sheet : 	<ul style="list-style-type: none"> • Folder • On Source • Source 	OJET Select




Forms Designer

This section includes keystroke combinations for all the screens in the Forms designer Module.

Screen 1

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-9 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		<ul style="list-style-type: none"> • Create a New Form • Alter Existing Forms • Copy Forms • Delete Forms • Assign Rights • Message Type Maintenance 	OJET Button
html5-select-one		Available Applications	HTML Select
html5-icon		Help	HTML Select
html5-textbox		<ul style="list-style-type: none"> • New Application Name • New Form Name 	HTML Textbox
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Screen 2

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-10 Keystroke References for the Forms Designer Section










UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-icon		Help	HTML Button
html5-button	 Grid	Grid	HTML Button
html5-button	 Single Record	Single Record	HTML Button
html5-button	 Edit/View	Edit/View	HTML Button
html5-button	 Multi Column	Multi Column	HTML Button





Table 5-10 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button	 Wrapping Row	Wrapping Row	HTML Button
html5-button	 Tree View	Tree View	HTML Button
html5-button	 Next	Next	HTML Button
html5-button	 Reset	Reset	HTML Button

Screen 3

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.





Table 5-11 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		List of Available Tables	HTML Dataset Hierarchy Browser
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 4

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.






Table 5-12 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		<ul style="list-style-type: none"> • Available Fields • Fields to Display 	HTML Dataset Hierarchy Browser
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 5

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-13 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		<ul style="list-style-type: none"> • Available Fields • Chosen Fields 	HTML Dataset Hierarchy Browser
html5-checkbox		<ul style="list-style-type: none"> • Sort by descending • Excel map 	HTML Checkbox
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 6

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-14 Keystroke References for the Forms Designer Section










UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		List of Available Tables	HTML Grid
html5-checkbox		Batch Commit checkbox	HTML Checkbox
html5-button		Help	HTML Button
html5-tabs		<ul style="list-style-type: none"> • Message Details • Form Filter • Data Versioning 	HTML Tabs
html5-button		Form Filter Dialog Launcher	HTML Dialog Launcher
html5-button		Data Versioning	HTML Button
html5-button		Back	HTML Button

Table 5-14 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button
html5-button		Save with Authorization	HTML Button

Message Details

The following table describes all the elements of the Forms Designer – Message Details Section and the keystroke combinations to access them.

Table 5-15 Keystroke References for the Forms Designer - Message Details Section








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		<ul style="list-style-type: none"> • Messaging Required • Specific Messages Required 	HTML Checkbox
html5-dataset-hierarchy-browser		<ul style="list-style-type: none"> • Available Message Types • Chosen Message Types 	HTML Dataset Hierarchy Browser
html5-select-one		<ul style="list-style-type: none"> • Sort by descending • Excel map 	HTML Checkbox
html5-button		Save	HTML Button


Table 5-15 (Cont.) Keystroke References for the Forms Designer - Message Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button
html5-button		<ul style="list-style-type: none"> • Available Fields For Subject • Available Fields For Content • Available Recipients 	HTML Button
html5-button		<ul style="list-style-type: none"> • Mapped Fields For Subject • Mapped Fields For Content • Mapped Recipients 	HTML Button

Form Filter

The following table describes all the elements of the Forms Designer - Filter Section and the keystroke combinations to access them.

Table 5-16 Keystroke References for the Forms Designer - Form Filter Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-expression-builder		Expression Builder	HTML Expression Builder

Data Versioning

The following table describes all the elements of the Forms Designer - Data Versioning Section and the keystroke combinations to access them.

Table 5-17 Keystroke References for the Forms Designer - Data Versioning Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		Enable Data Versioning Checkbox	HTML Dataset Hierarchy Browser
html5-select-one	Table 	• Table • Version Identifier	HTML Select
html5-button		OK	HTML Button
html5-button		Close	HTML Button

Figure 5-2 Close



Screen 7

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-18 Keystroke References for the Forms Designer Section


 View	<ul style="list-style-type: none"> • View • Add • Edit • Delete • All Above • Show Data Created by Current User only
--	--

Table 5-18 (Cont.) Keystroke References for the Forms Designer Section




html5-multiselect-list		<ul style="list-style-type: none"> • Table • Version Identifier 	HTML Multiselect List
	Save Access Rights	HTML Button (html5-button)	
	Close	HTML Button (html5-button)	
	Back to Forms Designer	HTML Button (html5-button)	
	User Value Map	HTML Button (html5-button)	

Table 5-18 (Cont.) Keystroke References for the Forms Designer Section

Help	HTML Button (html5-button)
	

Message Details

The following table describes all the elements of the Forms Designer Screen 7 - Message Details Tab and the keystroke combinations to access them.

Table 5-19 Keystroke References for the Forms Designer Screen 7 - Message Details Tab


Messaging required	HTML Checkbox
<input type="checkbox"/> Messaging Required	
html5-multiselect-list	Form Specific Messaging Details HTML Multiselect List
	
html5-select-one	Message Type HTML Select
Message Type <input type="text"/>	
Specific Messages Required	HTML Checkbox
<input type="checkbox"/> Specific Messages Required	
html5-textbox	<ul style="list-style-type: none"> • Message Subject • Message Content HTML Textbox
Message Subject <input type="text"/>	

Table 5-19 (Cont.) Keystroke References for the Forms Designer Screen 7 - Message Details Tab

html5-button	Save	HTML Button
--------------	------	-----------------------------

Figure 5-3 Save



Form Filter

The following table describes all the elements of the Form Filter Tab and the keystroke combinations to access them.

Table 5-20 Keystroke References for the Form Filter Tab

html5-multiselect-list		Specifying Expressions for Form-Level Filter Condition	HTML Multiselect List
------------------------	--	--	---------------------------------------

html5-textarea		Expression Viewer	HTML Textarea
----------------	--	-------------------	-------------------------------

html5-button		Ok	OJET Button (oj-button)
--------------	--	----	---



html5-button		Clear	OJET Button (oj-button)
--------------	--	-------	---

html5-button		Close	OJET Button (oj-button)
--------------	--	-------	---

Data Versioning

The following table describes all the elements of the Data Versioning Tab and the keystroke combinations to access them.

Table 5-21 Keystroke References for the Data Versioning Tab

html5-checkbox	Enable Data Versioning		
	<input type="checkbox"/> Enable Data Versioning		
html5-select-one	Table	<ul style="list-style-type: none"> • Table • Version Identifier 	HTML Select
		ACCOUNT_POOL_MAPPING	
html5-button		Ok	HTML Button (html5-button)
			
html5-button		Close	HTML Button (html5-button)
			

Screen 8

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-22 Keystroke References for the Form Designer Section







<input type="checkbox"/> View	<ul style="list-style-type: none"> • View • Add • Edit • Delete • All Above • Show Data Created by Current User only 	
html5-hierarchy-browser	<ul style="list-style-type: none"> • Table • Version Identifier 	HTML Dataset Hierarchy Browser
		
	Save Access Rights	HTML Button (html5-button)
		






Table 5-22 (Cont.) Keystroke References for the Form Designer Section

	Close	HTML Button (html5-button)
	Back to Forms Designer	HTML Button (html5-button)
	User Value Map	HTML Button (html5-button)
	Help	HTML Button (html5-button)

Screen 9

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.







Table 5-23 Keystroke References for the Form Designer Section

html5-textarea	<p style="text-align: center;">Fields to Display</p> 	Fields to Display	HTML Textarea
html5-radiobutton	 <p>Global Data Filter</p>	<ul style="list-style-type: none"> • Global Data Filter • Custom Data Filter 	HTML Radio Button
html5-button		Save	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)
html5-button		Delete Filter	HTML Button (html5-button)

Forms Authorization

The following table describes all the elements of the Form Authorization Section and the keystroke combinations to access them.

Table 5-24 Keystroke References for the Forms Authorization Section

html5-select-one	User ID	HTML Select
		
html5-icon	Help	HTML Button (html5-button)
		
html5-button	Authorize	HTML Button (html5-button)
		
html5-button	Reject	HTML Button (html5-button)
		
html5-button	Close	HTML Button (html5-button)
		
html5-grid	Forms	HTML Grid
		

Data Entry

The following table describes all the elements of the Data Entry section and the keystroke combinations to access them.

Table 5-25 Keystroke References for the Data Entry Section










html5-button	 Single Record	Single Record	HTML Button (html5-button)
html5-button	 Editable View	Editable View	HTML Button (html5-button)
html5-button	 Grid	Grid	HTML Button (html5-button)
html5-button	 Multi Column	Multi-Column	HTML Button (html5-button)
html5-button	 Wrapping Row	Wrapping Row	HTML Button (html5-button)
html5-icon		Help	HTML Button (html5-button)
html5-tree		Data Entry Forms and Query Forms-DeFi Tree	HTML Tree

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

html5-grid		Form1	HTML Grid
html5-button		<ul style="list-style-type: none"> • View • Edit • Add • Delete • Authorize • Export • Search • Copy 	HTML Button (html5-button)
html5-textbox		Rows	HTML Textbox
html5-checkbox		Select	
html5-textbox		Attribution Analysis ID textbox	HTML Button (html5-button)
html5-button		Previous Page	HTML Button (html5-button)
html5-button		Back	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

html5-button		Roll Back	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Next Page	HTML Button (html5-button)
html5-button		Reauthorize Records	HTML Button (html5-button)
html5-button		Reauthorize Deleted Records	HTML Button (html5-button)
html5-button		Authorize All	HTML Button (html5-button)
html5-button		Reject All	HTML Button (html5-button)

Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

- Excel Upload (Atomic)
- Forms Designer
- Forms Authorization
- Data Entry

Excel Upload (Atomic)

This section includes keystroke elements for the Excel Upload Menu options.

Excel Utility for Excel Entity Mappings

The following table describes all the elements of the Excel Entity Mappings Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel-Entity Mappings	HTML Breadcrumbs (html5-breadcrumbs)

Excel-Entity Mappings

html5-select-one		Available Applications	HTML Select (html5-select-one)
------------------	--	------------------------	--

Available Applications ▼

html5-icon		Help	HTML Button (html5-button)
------------	--	------	--



html5-button		Download Excel	HTML Button (html5-button)
--------------	--	----------------	--



html5-button		Add	HTML Button (html5-button)
--------------	--	-----	--



html5-button		View	HTML Button (html5-button)
--------------	--	------	--



html5-button		Edit	HTML Button (html5-button)
--------------	--	------	--



html5-button

Delete

[HTML Button \(html5-button\)](#)




Add

The following table describes all the elements of the Excel Entity Mappings section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel-Entity Mapping Definition (Add Mode)	HTML Breadcrumbs (html5-breadcrumbs)
html5-grid		Select Mapping	HTML Grid (html5-grid)
html5-filepicker		Excel File Selector	HTML Button (html5-button)
html5-button		Add	HTML Button (html5-button)
html5-checkbox		<ul style="list-style-type: none"> · Destination Date Format: mm-dd-yyyy · First Row in the Header · Bulk Authorization · Save with Authorization · Apply to All Dates 	HTML Button (html5-button)
html5-button		Auto Map	HTML Button (html5-button)

html5-button



Map

[HTML Button \(html5-button\)](#)


html5-button



Save Mapping

[HTML Button \(html5-button\)](#)


html5-button



Cancel

[HTML Button \(html5-button\)](#)

html5-dataset-hierarchy-browser



- Select Excel Columns
- Select Entities

[HTML Dataset Hierarchy Browser \(html5-dataset-hierarchy-browser\)](#)

html5-grid



Mapping Information

[HTML Grid \(html5-grid\)](#)

html5-select-one



Sheet

[HTML Select \(html5-select-one\)](#)

Excel Utility for Excel Upload

The following table describes all the elements of the Excel Upload section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel Upload	HTML Breadcrumbs (html5-breadcrumbs)

Excel Upload

html5-filepicker

Choose File

[HTML File Picker \(html5-filepicker\)](#)



html5-select-one


Sheet

[HTML Select \(html5-select-one\)](#)



Upload

[HTML Button \(html5-button\)](#)



html5-button

View


[HTML Button \(html5-button\)](#)



html5-button

View

[HTML Button \(html5-button\)](#)



html5-icon

Help

[HTML Button \(html5-button\)](#)



html5-button

- Browse
- Previous Excel File

[HTML Button \(html5-button\)](#)



html5-grid

Mapping Information







[HTML Grid \(html5-grid\)](#)



Forms Designer

Screen 1

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		<ul style="list-style-type: none"> · Create a New Form · Alter Existing Forms · Copy Forms · Delete Forms · Assign Rights · Message Type Maintenance 	HTML Button (html5-button)
html5-select-one	<p>Available Applications</p> 	Available Applications	HTML Select (html5-select-one)
html5-icon		Help	HTML Button (html5-button)
html5-textbox	<p>New Application Name</p> 	<ul style="list-style-type: none"> · New Application Name · New Form Name 	HTML Textbox (html5-textbox)
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Screen 2

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

html5-icon		Help	HTML Button (html5-button)
html5-button	 Grid	Grid	HTML Button (html5-button)
html5-button	 Single Record	Single Record	HTML Button (html5-button)
html5-button	 Edit/View	Edit/View	HTML Button (html5-button)
html5-button	 Multi Column	Multi Column	HTML Button (html5-button)
html5-button	 Wrapping Row	Wrapping Row	HTML Button (html5-button)
html5-button	 Tree View	Tree View	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)

html5-button

Reset

[HTML Button \(html5-button\)](#)




Screen 3

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		List of Available Tables	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

Figure 5-4 Dataset



html5-button

Help


[HTML Button \(html5-button\)](#)



html5-button

Next


[HTML Button \(html5-button\)](#)



html5-button

Reset

[HTML Button \(html5-button\)](#)







Screen 4

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		List of Available Tables	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

Figure 5-5 Dataset









html5-button		Help	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Forms Authorization


The following table describes all the elements of the Form Authorization Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

html5-select-one	User ID		HTML Select (html5-select-one)
html5-icon	Help		HTML Button (html5-button)
html5-button	Authorize		HTML Button (html5-button)
html5-button	Reject		HTML Button (html5-button)
html5-button	Close		HTML Button (html5-button)
html5-grid	Forms		HTML Button (html5-button)

Data Entry

The following table describes all the elements of the Data Entry section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Single Record	HTML Button (html5-button)

html5-button



Editable View

[HTML Button \(html5-button\)](#)

html5-button



Grid

[HTML Button \(html5-button\)](#)


html5-button



Multi-Column

[HTML Button \(html5-button\)](#)

html5-button



Wrapping Row

[HTML Button \(html5-button\)](#)


html5-icon



Help

[HTML Button \(html5-button\)](#)


html5-tree



Data Entry Forms and Query Forms-DeFi Tree

[HTML Button \(html5-button\)](#)

html5-grid



Form1

[HTML Button \(html5-button\)](#)

html5-button



- View
- Edit
- Add
- Delete
- Authorize
- Export
- Search
- Copy

[HTML Button \(html5-button\)](#)


html5-textbox



Rows

[HTML Button \(html5-button\)](#)


html5-checkbox



Select

[HTML Button \(html5-button\)](#)

html5-textbox



Attribution Analysis ID

[HTML Button \(html5-button\)](#)


html5-button



Previous Page

[HTML Button \(html5-button\)](#)

html5-button



Back

[HTML Button \(html5-button\)](#)

html5-button



Back







[HTML Button \(html5-button\)](#)

html5-button



Back


[HTML Button \(html5-button\)](#)

html5-button		Roll Back	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Next Page	HTML Button (html5-button)
html5-button		Reauthorize Records	HTML Button (html5-button)
html5-button		Reauthorize Deleted Records	HTML Button (html5-button)
html5-button		Authorize All	HTML Button (html5-button)
html5-button		Reject All	HTML Button (html5-button)

Unified Analytical Metadata

This section includes the keystroke reference details for the Unified Analytical Metadata Module.

Figure 5-6 Unified Analytical Metadata Module



Alias

This section includes the keystroke reference details for the Alias Summary page.

Alias Summary

The following table lists all the elements of the Alias Summary page.

Table 5-26 Keystroke References for the Controls in the Alias Summary Page












html5-button		Help	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-select-one		<ul style="list-style-type: none"> Hierarchy Type Hierarchy Subtype 	HTML Select

Table 5-26 (Cont.) Keystroke References for the Controls in the Alias Summary Page

html5-checkbox		Authorized	HTML Checkbox
html5-button		Add	HTML Button (html5-button)
html5-button		View	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)
html5-button		Save Preferences	HTML Button (html5-button)
html5-button		Clear Preferences	HTML Button (html5-button)
html5-pagination			HTML Pagination
html5-records-per-page		Records per Page	HTML Records per Page

Dimension Management

This section includes the keystroke combinations for the following Dimension Management Screens.

Attribute

This section includes the keystroke combinations for the Attribute Summary and Details Screens.

Summary

The following table describes all the elements of the Attributes - Summary Section and the keystroke combinations to access them.

Table 5-27 Keystroke References for the Attribute - Summary Section













html5-textbox	Numeric Code	HTML Textbox
	Numeric Code <input type="text"/>	
html5-select-one	<ul style="list-style-type: none"> Dimension Data Type 	HTML Select
	Dimension <input type="text" value="Common Chart of Accounts"/>	
html5-select-one	Name	HTML Textbox
	Name <input type="text"/>	
html5-button	Add	HTML Button (html5-button)
	 Add	
html5-button	View	HTML Button (html5-button)
	 View	
html5-button	Edit	HTML Button (html5-button)
	 Edit	
html5-button	Copy	HTML Button (html5-button)
	 Copy	
html5-button	Check Dependencies	HTML Button (html5-button)
	 Check Dependencies	
html5-button	Delete	HTML Button (html5-button)
	 Delete	

Table 5-27 (Cont.) Keystroke References for the Attribute - Summary Section

html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)
html5-grid		Attributes grid	HTML Grid
html5-checkbox		Numeric Code	HTML Checkbox
html5-pagination		<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination

Details

The following table describes all the elements of the Attributes - Details Section and the keystroke combinations to access them.

Table 5-28 Keystroke References for the Attribute - Details Section








html5-textbox		<ul style="list-style-type: none"> • Name • Description 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Dimension • Data Type 	HTML Select
html5-button		Save	HTML Button

Table 5-28 (Cont.) Keystroke References for the Attribute - Details Section

html5-button		Cancel	HTML Button
html5-button		Generate Code	HTML Button
html5-calendar		Default Value	HTML Calendar
html5-radiobutton		Required Attribute	HTML Radio Button

Member

This section includes the keystroke combinations for the Member Summary and Details Screens.

Summary

The following table describes all the elements of the Member - Summary Section and the keystroke combinations to access them.

Table 5-29 Keystroke References for the Member - Summary section




html5-textbox		<ul style="list-style-type: none"> Alphanumeric Code Numeric Code Name Description Attribute Value 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> Dimension Attribute Name 	HTML Select
html5-button		Add	HTML Button (html5-button)

Table 5-29 (Cont.) Keystroke References for the Member - Summary section











html5-button		View	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Copy	HTML Button (html5-button)
html5-button		Check Dependencies	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)
html5-grid		Members grid	HTML Grid
html5-checkbox		Numeric Code	HTML Checkbox

Figure 5-7 Alphanumeric check box






Table 5-29 (Cont.) Keystroke References for the Member - Summary section

html5-radiobutton	Enabled		Enabled	HTML Radio button
html5-pagination			<ul style="list-style-type: none"> • Page • Records per Page 	HTML Pagination

Details

The following table describes all the elements of the Member - Details Section and the keystroke combinations to access them.

Table 5-30 Keystroke References for the Member - Details Section









html5-textbox	Name		Name	HTML Textbox
html5-select-one	Dimension		Dimension	HTML Select
html5-button	Save		Save	HTML Button (html5-button)
html5-button	Cancel		Cancel	HTML Button (html5-button)
html5-button	Generate Code		Generate Code	HTML Button (html5-button)
html5-button	Help		Help	HTML Button (html5-button)

Table 5-30 (Cont.) Keystroke References for the Member - Details Section

html5-grid		Member Attributes Grid	HTML Grid
html5-radiobutton		Enabled	HTML Radio button

Business Hierarchy

This section includes the keystroke combinations for the Hierarchy Maintenance Summary and Details Screens.

Summary

The following table describes all the elements of the Business Hierarchy - Summary Section and the keystroke combinations to access them.

Table 5-31 Keystroke References for the Hierarchy Maintenance - Summary Section












html5-button		Search	OJET Button (oj-button)
html5-button		Reset	OJET Button (oj-button)
html5-textbox		<ul style="list-style-type: none"> Code Short Description 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> Hierarchy Type Hierarchy Subtype 	HTML Select
html5-checkbox		Authorized	HTML Checkbox
html5-button		Add	OJET Button (oj-button)

Table 5-31 (Cont.) Keystroke References for the Hierarchy Maintenance - Summary Section

html5-button		View	OJET Button (oj-button)
html5-button		Edit	OJET Button (oj-button)
html5-button		Copy	OJET Button (oj-button)
html5-button		Delete	OJET Button (oj-button)
html5-grid		Grid	HTML Grid
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) K < > X	Pagination	HTML Pagination
oj-cca-records	Records Per Page 10	Records per Page	HTML Records per Page

Details

The following table describes all the elements of the Hierarchy Maintenance - Details Section and the keystroke combinations to access them.

Table 5-32 Keystroke References for the Hierarchy Maintenance - Details Section


html5-textbox		<ul style="list-style-type: none"> Name Description 	HTML Textbox
<p>Figure 5-9 Name</p> 			
html5-select-one	Dimension Common Chart of Accounts	<ul style="list-style-type: none"> Dimension Folder Show Member Code Initial Display Level 	HTML Select

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section










html5-button		<ul style="list-style-type: none"> • Save • Cancel • Generate Code 	OJET Button
html5-button		Cancel	OJET Button
html5-button		Add Folder	OJET Button
html5-button		Search	OJET Button
oj-button		Sort with Path	OJET Button
oj-button		Sort Hierarchy (Top to Bottom)	OJET Button
oj-button		Sort to Level (High to Low)	OJET Button
oj-button		Expand All	OJET Button
oj-button		Collapse All	OJET Button

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section












oj-button		Expand Branch	OJET Button
oj-button		Collapse Branch	OJET Button
oj-button		Focus	OJET Button
oj-button		Unfocus	OJET Button
oj-button		Show Numeric Code Values (Right)	OJET Button
oj-button		Show Alphanumeric Code Values (Right)	OJET Button
oj-button		Reset	OJET Button
html5-calendar		Default Value	HTML Calendar
html5-radiobutton		<ul style="list-style-type: none"> • Automatic Inheritance • Access Type • Display Signage • Orphan Branch 	HTML Radio button

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section

html5-tab		<ul style="list-style-type: none"> Show Hierarchy Show Results 	HTML Tabs
html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Hierarchy Browser Shuttle

Dataset

This section includes the keystroke reference details for the Dataset Summary screen.

Table 5-33 Keystroke References for the Dataset summary section













html5-textbox		Code	HTML Textbox
html5-button		Authorized	OJET Button

Table 5-33 (Cont.) Keystroke References for the Dataset summary section

oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) K < > X	<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
html5-button		Save Preferences	OJET Button
html5-button		Clear Preferences	OJET Button

Measure

This section includes the keystroke reference details for the Measure section:

Table 5-34 Keystroke References for the Measure section














html5-textbox		Code	HTML Textbox
html5-button		Authorized	OJET Button
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page <input type="text" value="1"/> of 1 (1 - 7 of 7 items) 	<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
oj-button		Search	OJET Button

Table 5-34 (Cont.) Keystroke References for the Measure section

oj-button		Reset	OJET Button
html5-button		Save Preferences	OJET Button
html5-button		Clear Preferences	OJET Button

Business Processor

This section includes the keystroke reference details for the Business Processor section.

Table 5-35 Keystroke References for the Business Processor section










html5-textbox		Code	HTML Textbox
html5-button	<input checked="" type="checkbox"/> Authorized	Authorized	OJET Button
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button

Table 5-35 (Cont.) Keystroke References for the Business Processor section

html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page <input type="text" value="1"/> of 1 (1 - 7 of 7 items) K < > X	<ul style="list-style-type: none"> Page Records Per Page 	HTML Pagination
oj-button		Search	OJET Button
oj-button		Reset	OJET Button

Map Maintenance

This section includes the keystroke reference details for the Map Maintenance section.

Table 5-36 Keystroke References for the Map Maintenance section










html5-select	Segment <input type="text" value="LRS8122SEG"/> <input type="button" value="v"/>	Segment	HTML Select
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button


Table 5-36 (Cont.) Keystroke References for the Map Maintenance section

oj-button		Mapper Maintenance	OJET Button
oj-button		Default Security Map	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page <input type="text" value="1"/> of 1 (1 - 7 of 7 items) 	<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
html5-records-per-page	Records Per Page <input type="text" value="10"/>	Records per Page	HTML Records per Page

Operations

This section includes the keystroke reference details for the Operations Module. This module includes the following screens.

Figure 5-10 Operations Module



Batch Maintenance

This section includes the keystroke reference details for the Operations - Batch Maintenance Module.






Summary

The following table lists all the elements of the Operations - Batch Maintenance Page with summary and the associated keystroke combinations to access them.

Table 5-37 Keystroke References for the Controls in the Operations - Batch Maintenance Page

html5-textbox		<ul style="list-style-type: none"> • Batch ID Like <infodom_name> • Batch Description Like • START 	HTML Textbox
html5-button		Help	HTML Button (html5-button)
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Ok	OJET Button
oj-button		Close	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
oj-button		Search	OJET Button

Table 5-37 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page

oj-button		Reset	OJET Button
html5-pagination	Page <input type="text" value="1"/> of 1 (1 - 7 of 7 items) ⌂ < > ⌂	<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
html5-records-per-page	Records Per Page <input type="text" value="10"/>	Records per Page	HTML Records per Page
html5-textbox	Batch ID Like <input type="text" value="OFSOILMINFO_"/>	<ul style="list-style-type: none"> • Batch ID Like <infodom_name> • Batch Description Like • START 	HTML Textbox
html5-select-one	Module <input type="text" value=""/>	Module	HTML Select
html5-calendar	Between <input type="text" value=""/> 	<ul style="list-style-type: none"> • Between • And 	HTML Calendar
html5-checkbox	<input checked="" type="checkbox"/> Batch ID 	<ul style="list-style-type: none"> • Batch ID • Task ID 	HTML Checkbox
html5-button		Precedence	OJET Button
html5-Breadcrumbs	Batch Maintenance > Task Precedence Mapping	Task Precedence Mapping	HTML Breadcrumbs
html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Grid

Details

The following table lists all the elements of the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable, and the associated keystroke combinations to access them.

Table 5-38 Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable







html5-button		Help	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button
html5-button		Close	HTML Button
html5-button		Ok	HTML Button
html5-button		Reset	HTML Button

Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

html5-textbox	Batch Name		<ul style="list-style-type: none"> • Batch Name • Batch Description • Created By • Created Date • Creation Date • Last Modified by • Last Modification • Date • Task ID • Description • Optional Parameters • Default Value • Data File Name • Rejection Threshold • Additional Parameters • Executable • Parameter List • Object ID 	HTML Textbox
html5-select-one	Batch ID		<ul style="list-style-type: none"> • Batch ID • Components • Datastore Type • Datastore Name • Primary IP For Runtime Processes • Load Mode • Cube Parameter • Operation • Source Name • Extract Name • File name • Process Code • Sub Process Code • Build Flag • Rule Description • DQ Group Name • Fail If Threshold Breaches • Wait • Batch Parameter • Folder • SQL Rule Name • Rule Name • Workflow 	HTML Select (html5-select-one)
html5-messages			Message	HTML Messages

Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

html5-pagination		<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
------------------	---	--	---------------------------------

Batch Execution

This section includes the keystroke reference details for the Operations - Batch Execution Module. The following table lists all the elements of the Operations - Batch Execution Page with summary and the associated keystroke combinations to access them.

Table 5-39 Keystroke References for the Controls in the Operations - Batch Execution Page








html5-button		Help	HTML Select (html5-select-one)
oj-button		Search	OJET Button
html5-button		Reset	HTML Button
html5-button		Schedule Batch	HTML Button
html5-button		Exclude/Include	HTML Button
html5-button		Hold and Release	HTML Button
html5-button		Ok	HTML Button

Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page














html5-button		Close	HTML Button
html5-button		Execute Batch	HTML Button
html5-radiobutton	<p>Figure 5-11 Mode</p> 	<ul style="list-style-type: none"> • Run • Restart • Rerun 	HTML Radio Button
html5-textbox	<p>Figure 5-12 Batch ID Like</p> 	<ul style="list-style-type: none"> • Batch ID Like <infodom_name> • Batch Description Like 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Module • Information Date • Batch Run ID 	HTML Select
html5-calendar		<ul style="list-style-type: none"> • Between • Data 	HTML Calendar
html5-grid		<ul style="list-style-type: none"> • Batch Name • Task Details 	HTML Grid
html5-checkbox		<ul style="list-style-type: none"> • Batch ID • Task ID 	HTML Checkbox
html5-Breadcrumbs		<ul style="list-style-type: none"> • Exclude/Include • Hold/Release 	HTML Breadcrumbs

Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page

html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Grid
html5-pagination		<ul style="list-style-type: none"> • Page • Records Per Page 	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page
html5-messages		Message	HTML Messages

Batch Monitor

This section includes the keystroke reference details for the Operations – Batch Monitor Module. The following table lists all the elements of the Operations – Batch Monitor Page with summary and the associated keystroke combinations to access them.

Table 5-40 Keystroke References for the Controls in the Operations – Batch Monitor Page





html5-button		Help	HTML Select (html5-select-one)
html5-button		Search	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Start Monitoring	HTML Select (html5-select-one)

Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page


















html5-button		Stop Monitoring	HTML Select (html5-select-one)
html5-button		View Log	HTML Select (html5-select-one)
html5-button		Export	HTML Select (html5-select-one)
html5-textbox		<ul style="list-style-type: none"> • Batch ID Like <infodom_name> • Batch Description Like • Monitor Refresh Rate (seconds) 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Module • Status • Information Date • Batch Run ID 	HTML Select
html5-calendar		Start Date	HTML Calendar
html5-grid		<ul style="list-style-type: none"> • Batch Details • Batch Status • Task Details • Event Log 	HTML Grid
html5-checkbox		<ul style="list-style-type: none"> • Batch ID • Task ID 	HTML Checkbox
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page
oj-datetime		MIS Date	OJET DateTime

Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

oj-textbox		Wildcard	OJET Textbox
oj-collapse		View Logger	OJET Expand/Collapse
oj-button		Reset	OJET Button
oj-button		View Log	OJET Button
oj-button		Download	OJET Button
oj-textarea		Log File Contents	OJET Textarea

Batch Scheduler

This section includes the keystroke reference details for the Operations - Batch Scheduler Module. The following table lists all the elements of the Operations - Batch Scheduler Page with summary and the associated keystroke combinations to access them.

Table 5-41 Keystroke References for the Controls in the Operations – Batch Monitor Page



html5-button		Help	HTML Select (html5-select-one)
html5-button		Search	HTML Select (html5-select-one)

Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page













html5-button		Reset	HTML Select (html5-select-one)
html5-button		Refresh	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Cancel	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-button		Delete	HTML Select (html5-select-one)
html5-button		View	HTML Select (html5-select-one)
html5-button		Edit	HTML Select (html5-select-one)
html5-button		Delete	HTML Select (html5-select-one)
html5-button		Refresh	HTML Select (html5-select-one)
html5-button		View Task Logs	HTML Select (html5-select-one)

Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

html5-button		View All Logs	HTML Select (html5-select-one)
html5-radiobutton	Schedule <input type="radio"/> New Schedule <input type="radio"/> Existing Schedule	<ul style="list-style-type: none"> • New Schedule • Existing Schedule • Once • Daily • Weekly • Monthly • Adhoc • Interval • Random • Dates • Occurrence 	HTML Radio Button
html5-calendar		<ul style="list-style-type: none"> • Between • Start Date • End Date • Information Date • Run Date 	HTML Calendar
html5-grid		<ul style="list-style-type: none"> • Batch ID Like <infodom_name> • Batch Description Like • Current Server Time • Domain • Batch • Schedule Name • Runtime <count_of> Hours • Run Time <count_of> Minutes • Lag <number_of> Days • Every <number_of> Days • Every <number_of> Months of the month (comma delimited) • Run Time • Batch Scheduler • Task Logs 	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Module • Occurrence of the weekday • Schedule Name 	HTML Select
html5-checkbox		<ul style="list-style-type: none"> • Batch ID • Task ID 	HTML Checkbox

Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Batch Cancellation

This section includes the keystroke reference details for the Operations – Batch Cancellation Module. The following table lists all the elements of the Operations – Batch Cancellation Page with summary and the associated keystroke combinations to access them.

Table 5-42 Keystroke References for the Controls in the Operations – Batch Cancellation Page










html5-button		Help	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Fetch Task Details	HTML Button
html5-button		Cancel Batch	HTML Button
html5-button		Abort Batch	HTML Button
html5-button		Cancel Task	HTML Button
html5-textbox		Refresh Rate (seconds)	HTML Textbox


Table 5-42 (Cont.) Keystroke References for the Controls in the Operations – Batch Cancellation Page

html5-grid		Batch Details	HTML Grid
html5-checkbox		Batch Run ID	HTML Checkbox

Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 5-13 Object Administration Module










Object Security

This section includes the keystroke reference details for the Object Security section.

Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 5-43 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

html5-select-one		<ul style="list-style-type: none"> • Information Domain • User Segment 	HTML Select
html5-radiobutton		<ul style="list-style-type: none"> • Measure • Hierarchy • Cube • Attribute • Map 	HTML Radio Button
html5-map-metadata-hierarchy-shuttle		Map Metadata Hierarchy Shuttle	HTML Grid
html5-button		Help	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Show Details	HTML Select (html5-select-one)
html5-button		Hide Details	HTML Select (html5-select-one)








Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.

Batch Execution Map

(Required) <Enter a short description here.>

Table 5-44 Batch Execution Map

html5-button		Help	HTML Select (html5-select-one)
html5-select-one		<ul style="list-style-type: none"> Information Domain User Group 	HTML Select
html5-radiobutton		<ul style="list-style-type: none"> Batch Maintenance Enterprise Modeling Run Rules Framework ALL 	HTML Radio Button
oj-collapse		User Group - Batch Execution Map	OJET Expand/Collapse
html5-grid		<ul style="list-style-type: none"> Batch Name Batch Description Batch Map 	OJET Context Menus (oj-menu)
html5-checkbox		Batch Map	HTML Checkbox
html5-button		<ul style="list-style-type: none"> Check All Uncheck All Save Cancel Search Reset 	OJET Button







Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.




Table 5-45 Export Objects

html5-button		Search	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-select-one		Sort By	HTML Select
			
html5-button		Delete	HTML Select (html5-select-one)
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.





Table 5-46 Outline Definition

html5-radiobutton		Select	HTML Radio Button
html5-textbox		<ul style="list-style-type: none"> Outline Name File Name 	HTML Textbox
html5-button		<ul style="list-style-type: none"> Apply Close 	HTML Select (html5-select-one)

Import Definition

This section includes the keystroke reference details for the Import Definition section.

Table 5-47 Import Definition

html5-radiobutton		Select	HTML Radio Button
html5-textbox		Outline Name	HTML Textbox
html5-select-one		<ul style="list-style-type: none"> • Dump File • Folder • Import All • Fail on Error • OverWrite • Retain Ids 	HTML Select
html5-button		<ul style="list-style-type: none"> • Apply • Close 	HTML Select (html5-select-one)

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 5-48 Keystroke References for the Controls in the Metadata Browser Module




oj-tabs		Tabs	OJET Tabs (oj-tabs)
oj-tabs		<ul style="list-style-type: none"> • Dashboard • Search • Catalog of objects • Applications 	OJET Tabs (oj-tabs)
oj-button		Filter	OJET Button

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module








oj-button		Reload	OJET Button
oj-button		Publish	OJET Button
oj-button		Map	OJET Button
oj-chart		Chart	OJET Chart
oj-legend		Legend	OJET Legend
oj-chart		Chart	OJET Chart
oj-button		Apply	OJET Button

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

oj-checkbox

Show common objects only

- Show common objects only
- Data Foundation

[OJET Checkbox](#)

available-objects-list

List View [OJET List View](#)

The screenshot shows a search filter box with the text "Show common objects only" and a search icon. Below the filter is a list of object types: Measure, Dimension, Hierarchy, Dataset, Cube, and Derived Entity. The "Dataset" item is highlighted. At the bottom of the list is a search bar with the text "Search" and a search icon.

selected-objects-list

List View [OJET List View](#)

The screenshot shows a message box with the text "No items to display." and a search bar at the bottom with the text "Search" and a search icon. There are "Cancel" and "Save" buttons at the top right of the message box.

oj-button

Select [OJET Button](#)

The screenshot shows a button with a right-pointing arrow (>) and a small red square at the bottom right corner.

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module









oj-button		Select All	OJET Button
oj-button		Deselect	OJET Button
oj-button		Deselect All	OJET Button
oj-button		Cancel	OJET Button
oj-button		Save	OJET Button
oj-input-search		Search	OJET Button
oj-list-view		List View	OJET List View
oj-foldable-layout		Foldable Layout	OJET Foldable Layout (oj-foldable-layout)

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module















oj-button		Export to PDF	OJET Button
oj-button		More	OJET Button
oj-button		Details	OJET Button
oj-tree-view		Tree	OJET Tree View
oj-dialog		Dialog	OJET Dialog
oj-dialog		Dialog	OJET Dialog
oj-table		<ul style="list-style-type: none"> • Used in • Depends on 	OJET Tabs (oj-tabs)

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

oj-tabs		Tabs	OJET Tabs (oj-tabs)
metadata-browser-breadcrumbs		Breadcrumbs	Metadata Browser Breadcrumbs
object-node		Object Node	Object Node
object-node		Object Node	Object Node
oj-menu		Menu	OJET Context Menu
oj-list-view and oj-foldable-layout		List View and Foldable Layout	OJET List View and OJET Foldable Layout
oj-messages		Messages	OJET Messages






Utilities

This section includes the keystroke reference details for the Utilities Module.

Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.

Table 5-49 Keystroke References for the Utilities – Metadata Difference Section

html5-metadata-treecontrol	Select Metadata	HTML Metadata Tree Control
		
html5-metadata-treebrowser	Metadata Tree	Metadata Tree Browser
		
html5-button	Search	HTML Select (html5-select-one)
		
html5-button	Reset	HTML Select (html5-select-one)
		
html5-button	Help	HTML Select (html5-select-one)
		



Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 5-50 Keystroke References for the Metadata Authorization Section

html5-tab	Business Metadata	HTML Tab
		






Table 5-50 (Cont.) Keystroke References for the Metadata Authorization Section

html5-grid		Business Metadata Grid	HTML Grid
html5-button		Help	HTML Select (html5-select-one)

Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.








Table 5-51 Keystroke References for the Save Metadata Section

html5-radiobutton		<ul style="list-style-type: none"> Hierarchy Derived Entity 	HTML Radio button (html5-radio button)
html5-dataset-hierarchy-browse		Available Metadata	HTML Dataset Hierarchy Browser
html5-button		Save	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Help	HTML Select (html5-select-one)

Write Protected Batch

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

Table 5-52 Keystroke References for the Utilities – Metadata Difference Section

html5-grid		<ul style="list-style-type: none"> • Batch Name HTML Grid • Batch Description • Write-Protected Batch
html5-checkbox		Write-Protected Batch HTML Checkbox (html5-checkbox)
html5-button		Check All HTML Checkbox (html5-checkbox)
html5-button		Uncheck All HTML Button (html5-button)
html5-button		Save HTML Button (html5-button)
html5-button		Cancel HTML Button (html5-button)
html5-button		Help HTML Button (html5-button)

Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

Table 5-53 Keystroke References for the Component Registration Section





html5-button		New	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Remove	HTML Button (html5-button)
html5-tab	Component Registration	Component Registration	HTML Tab
oj-tree	<p>Available Components</p> <ul style="list-style-type: none"> Components <ul style="list-style-type: none"> Data Extraction Rules-ED Load Data Rules-LD Transformation Rules-TD Base Rules-RL Processes-PT Essbase Cubes-CUBE Executable-RNEXEC Data Quality-DQDC Run-RN 	Available Components	OJET Tree
html5-textbox	<p>Component ID* <input type="text" value="LD"/></p>	<ul style="list-style-type: none"> • Component ID • Class Path • Image Name • Tree Order 	HTML Textbox
html5-select-one	<p>Parent ID <input type="text"/></p>	<ul style="list-style-type: none"> • Parent ID • ICC Component ID 	HTML Select
html5-button		Save	HTML Button (html5-button)

Table 5-53 (Cont.) Keystroke References for the Component Registration Section

html5-button		Cancel	HTML Button (html5-button)
html5-button			HTML Button (html5-button)
oj-textbox	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.8em;"> <p>~ Audit Trail</p> <p>Created By: SYSADMIN Creation Date: 05/11/2021 06:54:24</p> <p>Last Modified By: << NA >> Last Modification Date: << NA >></p> </div>	<ul style="list-style-type: none"> • Created By • Creation Date • Last Modified By • Modification Date 	OJET Textbox

Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 5-54 Keystroke References for the Patch Information Section






html5-tab	Patch Information	Patch Information	HTML Tab
html5-textbox	<div style="border: 1px solid #ccc; padding: 5px;"> <p>▼ Search</p> <p>Patch or Application Name <input type="text"/></p> </div>	<ul style="list-style-type: none"> • Textbox • Patch or Application Name • Information Domain <input type="text"/> 	HTML Textbox
html5-icon		Help	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-pagination	Page <input type="text" value="1"/> of 1 (1 - 7 of 7 items) < > >>	<ul style="list-style-type: none"> • Page • Records per page 	HTML Pagination

Table 5-54 (Cont.) Keystroke References for the Patch Information Section

html5-records-per-page		Records per page	HTML Records per Page Dropdown
html5-grid		<ul style="list-style-type: none"> • Patch or Application Name • Applied Date • Information Domain • Application ID • Segment Map ID • Segment Code • Additional Information 	HTML Grid


6

Oracle Insurance Loss Modeller

This section includes the keystroke reference details for the Oracle Insurance Loss Modeller Module. This module includes the following screens:

- [Dashboard](#)
- [Project](#)
- [Triangles](#)
- [Methods](#)

Figure 6-1 The Dashboards Page



Dashboards

This section includes the keystroke reference details for the Dashboards Module.

Summary

The following table lists all the elements of the Dashboards Page with summary and the associated keystroke combinations to access them.

Table 6-1 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

Table 6-1 (Cont.) Keystroke References for the Summary Section







oj-select-single		<ul style="list-style-type: none"> • Legal Entity • Commercial Insurance • Motor Insurance Ltd • Healthcare Ltd • FamilyHealthIns • Development • Half Yearly • Yearly • Monthly • Quarterly • Claim Status • All • Open • Closed 	OJET Select Many (oj-select-many)
oj-textbox		<ul style="list-style-type: none"> • Top 10 Accounts • Top 10 Losses 	OJET Textbox (oj-input-text)
oj-button		Help	OJET Button (oj-button)
oj-button		Apply	OJET Button (oj-button)
oj-button		Reset	OJET Button (oj-button)
oj-button		Project Summary	OJET Button (oj-button)

Table 6-1 (Cont.) Keystroke References for the Summary Section

oj-list-view

List View

[OJET List View \(oj-listview\)](#)

Policy Number	Line of Business	Name of Account	Premium
P00340	Engineering	Acko	22,453,625.00
P00279	Engineering	Liberty Videocon	22,048,354.41
P00218	Engineering	Bharti AXA	20,731,250.00

oj-chart

Chart

[OJET Chart \(oj-chart\)](#)




Table 6-1 (Cont.) Keystroke References for the Summary Section


oj-chart	Chart	OJET Chart (oj-chart)																																												
<table border="1"> <caption>Chart Data (Estimated)</caption> <thead> <tr> <th>Period</th> <th>Sum Of Premium (M)</th> <th>Sum Of Losses (M)</th> <th>Average Of Loss Ratio (%)</th> </tr> </thead> <tbody> <tr> <td>2014,02</td> <td>65</td> <td>12</td> <td>18</td> </tr> <tr> <td>2015,01</td> <td>80</td> <td>20</td> <td>25</td> </tr> <tr> <td>2015,02</td> <td>22</td> <td>2</td> <td>10</td> </tr> <tr> <td>2016,01</td> <td>2</td> <td>5</td> <td>100</td> </tr> <tr> <td>2016,02</td> <td>3</td> <td>1</td> <td>10</td> </tr> <tr> <td>2017,01</td> <td>1</td> <td>3</td> <td>100</td> </tr> <tr> <td>2017,02</td> <td>17</td> <td>6</td> <td>35</td> </tr> <tr> <td>2018,01</td> <td>12</td> <td>13</td> <td>100</td> </tr> <tr> <td>2018,02</td> <td>22</td> <td>12</td> <td>55</td> </tr> <tr> <td>2019,01</td> <td>7</td> <td>5</td> <td>75</td> </tr> </tbody> </table>			Period	Sum Of Premium (M)	Sum Of Losses (M)	Average Of Loss Ratio (%)	2014,02	65	12	18	2015,01	80	20	25	2015,02	22	2	10	2016,01	2	5	100	2016,02	3	1	10	2017,01	1	3	100	2017,02	17	6	35	2018,01	12	13	100	2018,02	22	12	55	2019,01	7	5	75
Period	Sum Of Premium (M)	Sum Of Losses (M)	Average Of Loss Ratio (%)																																											
2014,02	65	12	18																																											
2015,01	80	20	25																																											
2015,02	22	2	10																																											
2016,01	2	5	100																																											
2016,02	3	1	10																																											
2017,01	1	3	100																																											
2017,02	17	6	35																																											
2018,01	12	13	100																																											
2018,02	22	12	55																																											
2019,01	7	5	75																																											
oj-button	Link	OJET Button (oj-button)																																												
oj-legend	Legend	OJET Legend (oj-legend)																																												
oj-button	Manage Filters	OJET Button (oj-button)																																												

Project

This section includes the keystroke reference details for the Dashboards- Projects Module.

Summary

The following table lists all the elements of the Dashboards- Projects Page with summary and the associated keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-breadcrumbs		Breadcrumbs	OJET List View (oj-listview)
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
oj-select-single		Object Types	OJET Select Many (oj-select-many)
oj-button		Ascending	OJET Button (oj-button)
oj-button		Descending	OJET Button (oj-button)

oj-button

List View

[OJET Button \(oj-button\)](#)



oj-button

Table View

[OJET Button \(oj-button\)](#)



oj-button

Add

[OJET Button \(oj-button\)](#)



oj-button

Help

[OJET Button \(oj-button\)](#)



oj-button

Dashboard

[OJET Button \(oj-button\)](#)



oj-list-view

List View


[OJET List View \(oj-listview\)](#)



oj-cca-summary-search

Summary Search

[OJET Select Many \(oj-select-many\)](#)



oj-input-search

Search

[OJET Select Many \(oj-select-many\)](#)



oj-cca-pagination

Page

[OJET CCA Pagination \(oj-cca-pagination\)](#)



Details

The following table lists all the elements of the Dashboards- Projects Page with details and the associated keystroke combinations to access them.

Table 6-2 Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-textbox		<ul style="list-style-type: none"> Name Description 	OJET Textbox
oj-button			OJET Button
oj-button			OJET Button

Table 6-2 (Cont.) Keystroke References for the Details Section

oj-select-single	OILMSEG	OJET Select
------------------	---------	-----------------------------



Triangles

This section includes the keystroke reference details for the Dashboards- Triangles Summary Module.

Summary

The following table lists all the elements of the Dashboards- Triangles Summary Page with the associated keystroke combinations to access them.

Table 6-3 Keystroke References for the Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-breadcrumbs		Breadcrumbs	OJET List View (oj-listview)
			
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
			
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
			
oj-select-single		Object Types	OJET Select Many (oj-select-many)
			

Table 6-3 (Cont.) Keystroke References for the Summary Section












oj-button		Ascending	OJET Button (oj-button)
oj-button		Descending	OJET Button (oj-button)
oj-button		List View	OJET Button (oj-button)
oj-button		Table View	OJET Button (oj-button)
oj-button		Add	OJET Button (oj-button)
oj-button		Help	OJET Button (oj-button)
oj-button		Dashboard	OJET Button (oj-button)

Table 6-3 (Cont.) Keystroke References for the Summary Section

oj-list-view	List View	OJET List View (oj-listview)
		
oj-cca-summary-search	Summary Search	OJET Select Many (oj-select-many)
		
oj-input-search	Search	OJET Select Many (oj-select-many)
		
oj-cca-pagination	Page	OJET CCA Pagination (oj-cca-pagination)
		

Details

Table 6-4 Keystroke References for the Summary Section



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-breadcrumbs		Breadcrumbs	OJET List View (oj-listview)
			
oj-select-one		<ul style="list-style-type: none"> • Business Unit • Line of Business • Products • Sub Product • Coverage • Region or Cluster • Zone • Development • Producing country • Legal Entity 	OJET Select Many (oj-select-many)

Table 6-4 (Cont.) Keystroke References for the Summary Section







oj-select-many	Manage Filters	OJET Select Many (oj-select-many)
		
oj-textbox	<ul style="list-style-type: none"> • Name • Description 	OJET Textbox (oj-input-text)
		
oj-tabs	Tabs	OJET Select Many (oj-select-many)
		
oj-switch	All	OJET Select Many (oj-select-many)
		
oj-select-single	<ul style="list-style-type: none"> • Data Element • Losses • Loss Type 	OJET Select Many (oj-select-many)
		
oj-button	Ascending	OJET Button (oj-button)
		
oj-button	Descending	OJET Button (oj-button)
		

Table 6-4 (Cont.) Keystroke References for the Summary Section








oj-button		List View	OJET Button (oj-button)
oj-button		Table View	OJET Button (oj-button)
oj-button		Add	OJET Button (oj-button)
oj-button		Table View	OJET Button (oj-button)
oj-button		Apply	OJET Button (oj-button)
		Reset	OJET Button (oj-button)
		Help	OJET Button (oj-button)

Table 6-4 (Cont.) Keystroke References for the Summary Section










oj-button		Project Summary	OJET Button (oj-button)
oj-list-view		List View	OJET List View (oj-listview)
oj-button		Refresh	OJET Button (oj-button)
oj-button		Back	OJET Button (oj-button)
oj-button		Next	OJET Button (oj-button)
oj-button		Save	OJET Button (oj-button)
oj-button		Submit	OJET Button (oj-button)

Table 6-4 (Cont.) Keystroke References for the Summary Section

oj-button	Approve	OJET Button (oj-button)
		
oj-button	Reject	OJET Button (oj-button)
		

Methods

This section includes the keystroke reference details for the Dashboards- Methods Module.

Summary

The following table lists all the elements of the Dashboards- Methods Page with summary and the associated keystroke combinations to access them.

Table 6-5 Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
			
oj-select-many		Dashboard Filters	OJET Select Many (oj-select-many)
			
oj-select-single		Object Types	OJET Select Many (oj-select-many)
			

Table 6-5 (Cont.) Keystroke References for the Summary Section












oj-button		Ascending	OJET Button (oj-button)
oj-button		Descending	OJET Button (oj-button)
oj-button		List View	OJET Button (oj-button)
oj-button		Table View	OJET Button (oj-button)
oj-button		Add	OJET Button (oj-button)
oj-button		Help	OJET Button (oj-button)
oj-button		Dashboard	OJET Button (oj-button)

Table 6-5 (Cont.) Keystroke References for the Summary Section

oj-list-view	List View	OJET List View (oj-listview)
		
oj-cca-summary-search	Summary Search	OJET Select Many (oj-select-many)
		
oj-input-search	Search	OJET Select Many (oj-select-many)
		
oj-cca-pagination	Page	OJET CCA Pagination (oj-cca-pagination)
		

Details

Table 6-6 Keystroke References for the Summary Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select-one		<ul style="list-style-type: none"> • Business Unit • Line of Business • Products • Sub Product • Coverage • Region or Cluster • Zone • Development • Producing country • Legal Entity 	OJET Select Many (oj-select-many)

Table 6-6 (Cont.) Keystroke References for the Summary Section








oj-select-many		Manage Filters	OJET Select Many (oj-select-many)
oj-select-single		<ul style="list-style-type: none"> • Data Element • Losses • Loss Type 	OJET Select Many (oj-select-many)
oj-button		Ascending	OJET Button (oj-button)
oj-button		Descending	OJET Button (oj-button)
oj-button		List View	OJET Button (oj-button)
oj-button		Table View	OJET Button (oj-button)
oj-button		Add	OJET Button (oj-button)

Table 6-6 (Cont.) Keystroke References for the Summary Section














oj-button		Table View	OJET Button (oj-button)
oj-button		Apply	OJET Button (oj-button)
oj-button		Reset	OJET Button (oj-button)
oj-button		Help	OJET Button (oj-button)
oj-button		Project Summary	OJET Button (oj-button)
oj-list-view		List View	OJET List View (oj-listview)
oj-button		Refresh	OJET Button (oj-button)

Table 6-6 (Cont.) Keystroke References for the Summary Section

oj-button		Back	OJET Button (oj-button)
			
oj-button		Next	OJET Button (oj-button)
			
oj-button		Save	OJET Button (oj-button)
			
oj-button		Submit	OJET Button (oj-button)
			
oj-button		Approve	OJET Button (oj-button)
			
oj-button		Reject	OJET Button (oj-button)
			

A

Appendix A: HTML5 Controls

Every component on the page with a definable focus is accessible by using the tab traversal (by using Tab and Shift+Tab).

Note

Disabled items do not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

HTML Breadcrumbs (html5-breadcrumbs)

This section contains information on the Breadcrumbs Component.

Table A-1 Breadcrumb Component

Target	Key	Action
Breadcrumb	Tab In	Set focus to breadcrumb
	Enter	Activates the Breadcrumb, if the link is available

HTML Button (html5-button)

This section contains information on the button component.

Table A-2 Button Component

Target	Key	Action
Button	Tab	Set focus to the input
	Enter	Activates the control

HTML Calendar (html5-calendar)

This section contains information on the Date component.

Table A-3 Date Component

Target	Key	Action
Button	Tab	Set focus to the input.
	Enter	Activates the control and opens Calendar

This section contains information on the Calendar popup component.

Table A-4 Calendar Component

Target	Key	Action
Popup	Tab	Set focus to the Calendar Popup.
Single Select (Month, Year)	Tab	Set focus to the input.
Single Select (Month, Year) Drop-down	Enter	Activates the Select control. Open
	UpArrow or DownArrow	Highlight the option item in the direction of the arrow.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.
	Enter	Switch to selected Month/Year. Reloads the Calendar Popup
Left Arrow Button (Month, Year)	Enter	Switch to Previous Month/Year. Reloads the Calendar Popup
Right Arrow Button (Month, Year)	Enter	Switch to Next Month/Year. Reloads the Calendar Popup
Calendar Picker	Tab	Set focus to the day cells
	Enter	Select the currently focused day
Close Link	Enter	Closes the Calendar Popup

HTML Checkbox (html5-checkbox)

This section contains information on the checkbox component.

Table A-5 Checkbox Component

Target	Key	Action
Checkboxset	Tab	Set focus on the first item in the checkbox set.

HTML Container Expand Collapse (html5-container-expand-collapse)

Using the Tab button on the Expand or Collapse button of the Container Header is disabled in most cases. Depending on availability, the following keys can be used.

Table A-6 Container Expand Collapse Component

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.

HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

(Required) <Enter a short description here.>

This section contains information on the Dataset Hierarchy Browser.

Table A-7 Dataset Hierarchy Browser Component

Target	Key	Action
Hcy Br LHS Shuttle Panel	Tab	Set focus to the checkbox input.
Hcy Br LHS Shuttle Panel	Spacebar	Selects the Node.
Hcy Br RHS Shuttle Panel	Tab	Set focus to the selected Node
Hcy Br RHS Shuttle Panel	Enter	Selects the Node.
Move Buttons	Tab	Set focus to the Move Buttons
Move Buttons	Enter	Activates the control. Moves selected items to LHS or RHS
Search Button	Enter	Activates the control. Moves focus to the nearest searched item.

HTML Date (html5-date)

This section contains information on the date component.

Table A-8 Date Component

Target	Key	Action
Calendar Popup	Tab	Calendar grid.
	Enter	Activates the selection

HTML Dialog Launcher (html5-dialog-launcher)

This section contains information on the Dialog Launcher component.

Table A-9 Dialog Launcher Component

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button.
	Enter	Activates the control and opens the Popup Window
Menu Drop-down	Tab	Set focus to the Menu Item
	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

HTML Expression Browser Type BP (html5-expression-browser-type-bp)

This section contains information on the Expression Browser Type BP Component.

Table A-10 Expression Browser Type BP Component

Target	Key	Action
Expression Browser Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes and makes an entry in the expression Textarea Input
Reset Button	Enter	Resets the Expression Textarea Input

HTML File Picker (html5-filepicker)

This section contains information on the filepicker component.

Table:

Table A-11 Filepicker Component

Target	Key	Action
Filepicker	Tab	Set focus to the input.
	Enter	Activates the control

HTML Grid (html5-grid)

This section contains information on the grid component.

Table A-12 Grid Component

Target	Key	Action
Checkbox in Grid	Tab	Set focus to the input.
Links in Grid	Tab	Set focus on the link.
Sort	Tab	Set focus to the input.
Sort	Enter	Activates the control.

HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)

This section contains information on the JSP version of the Hierarchy Browser and is a flat list.

Table A-13 JSP Version of the Hierarchy Browser (Flat List) Component

Target	Key	Action
Left Hand Side (LHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Enter	Highlights the Tree Node, to move to Left Hand Side (LHS) or Right Hand Side (RHS) Panel
Map Button	Enter	Activates the control
Map All Button	Enter	Activates the control
UnMap Button	Enter	Activates the control
UnMap All Button	Enter	Activates the control
UnMap All Button	Right Arrow	Moves Focus from LHS Panel to Map Button
UnMap All Button	Left Arrow	Moves Focus from RHS Panel to UnMap Button

HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)

This section contains information on the Hierarchy Browser Shuttle component.

Table A-14 Hierarchy Browser Shuttle Component

Target	Key	Action
LHS Shuttle	Tab	Set focus to the List
Check box	Spacebar	Selects the List Node
Move Buttons (Select, Select All, Deselect, Deselect All)	Tab	Set focus to the Move Buttons
RHS Shuttle	Enter	Highlights the selected List Node
Search Button	Enter	Highlights the Nodes with the nearest search results

HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)

This section contains information on the Hierarchy Browser Type 4 component.

Table A-15 Hierarchy Browser Type 4 Component

Target	Key	Action
RHS/ LHS Tree Shuttle	Tab	Set focus to the Tree Nodes
	Enter	Moves highlighted Tree Nodes from LHS to RHS, and from RHS to LHS.

HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)

This section contains information on the Hierarchy Browser Type checkbox component.

Table A-16 Hierarchy Browser Type check box Component

Target	Key	Action
Hierarchy Browser Tree	Tab	Set focus to the Tree
Tree	See Hcy Br Tree (oj-tree) for the keystrokes.	
Tabs	See Tabs(oj-tabs) for the Keystrokes.	

HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)

This section contains information on the Map Metadata Hierarchy Shuttle component.

Table:

Table A-17 Map Metadata Hierarchy Shuttle Component

Target	Key	Action
LHS/RHS Shuttle	Tab	Set focus to the List
	Enter	Selects the List Node
	Right Arrow	Moves focus to the Move Buttons on Highlight of LHS Shuttle Node
	Left Arrow	Moves focus to the Move Buttons on Highlight of RHS Shuttle Node
Move Buttons (Map, Map All, Unmap, Unmap All)	Tab	Set focus to the Move Buttons
	Enter	Highlights the selected List Node

HTML Messages (html5-messages)

This section contains information on the Messages Component.

Table A-18 Messages Component

Target	Key	Action
Message	Tab	Set to focus to the message.

HTML Metadata Tree Browser (html5-metadata-tree-browser)

This section contains information on the Metadata Tree Browser component.

Table A-19 Metadata Tree Browser Component

Target	Key	Action
Tree Expand Collapse	Tab	Set focus to the Expand/Collapse.
	Enter	Expands the selected Tree Node
Tree Node	Tab	Set focus to the Tree Leaf Node
	Enter	Selects the Tree Node
Ok Button	Enter	The selected Tree Node is persisted

HTML Metadata Tree Control (html5-metadata-tree-control)

This section contains information on the Metadata Tree Control component.

Table A-20 Metadata Tree Control Component

Target	Key	Action
Metadata Tree Control	Tab	Set focus to the input.
	Enter	Launch the Metadata Tree Browser

HTML Multiselect List (html5-multiselect-list)

This section contains information on the Multiselect List component.

Table A-21 Multi-select List Component

Target	Key	Action
Select	Tab	Set focus to the input.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow.

HTML Navigation Tree (html5-navigation-tree)

This section contains information on the Navigation Tree component.

Table A-22 Navigation Tree Component

Target	Key	Action
Tree Expand/Collapse	Tab	Set focus to the Tree Expand/Collapse.
	Enter	Activates the control and opens Tree

Table A-22 (Cont.) Navigation Tree Component

Target	Key	Action
Tree Node	Tab	Set focus to the Tree Node
	Enter	Activates the Tree Node

HTML New Expression Builder (html5-new-expression-builder)

This section contains information on the New Expression Builder Component.

Table A-23 New Expression Builder Component

Target	Key	Action
Expression Builder Component	Tab In	Set focus to different Controls in the Expression Builder Component
Expression Builder Component	Enter	Activates the control
The statement in the Expression Builder may contain several Input controls such as Input Text, Select, Multiselect, and so on.	See Textbox (html5-textbox) section, for details on Input Text. See Select (html5-select-one) section, for details on Select. See Select-Many (oj-select-many) section, for details on Select Many.	

HTML Pagination Panel (html5-pagination)

This section contains information on the pagination panel component.

Table A-24 Pagination Panel Component

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.
Page Input	Tab	Setting focus outside the input activates the control.
Records Per Page	Tab	Setting focus outside the input activates the control.

HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)

This section contains information on the Pagination with Jump to Page component.

Table A-25 Pagination with Jump to Page Component

Target	Key	Action
Pagination Buttons	Tab	Set focus to the pagination buttons
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows
Jump To Page	Tab	Set focus to the Input field.
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows

HTML Radio button (html5-radio button)

This section contains information on the radio button component.

Table A-26 Radio button Component

Target	Key	Action
Radio set	Tab	Set focus to the checked radio input.
Input	UpArrow	Select the previous input in the group.
	DownArrow	Select the next input in the group.
	Enter	Activates the radioset

Note

When running the screen reader, at times the radio set is not activated. Pressing Enter activates the radio set and enables further Keystrokes like Up Arrow and Down Arrow.

HTML Records per Page (html5-records-per-page)

This section contains information on the Records Per Page component.

Table A-27 Records Per Page Component

Target	Key	Action
Records Per Page Input	Tab	Set focus to the Input field.

Table A-27 (Cont.) Records Per Page Component

Target	Key	Action
	Enter	Activates the control and refreshes the Grid with the New Grid Row Count

HTML Records per Page Drop-down (html5-records-per-page)

This section contains information on the Records Per Page Drop-down component.

Target	Key	Action
Button Menu	Tab	Set focus to the Input field. Activates the control and opens the Drop-down
Menu Drop-down	Tab Enter	Moves to the next item Activates the selected row/ checkbox
Go Button	Enter	Closes the Drop-down and refreshes the Grid/List with the New Grid Row Count

HTML Rules Menu (html5-rulesmenu)

This section contains information on the Rules Menu component.

Table A-28 Rules Menu Component

Target	Key	Action
Grid Header	Tab Enter	Set focus to the Grid Header Activates the control and opens the Drop-down
Menu Drop-down	Tab Enter	Set focus to the Menu Item Activates the selected Menu Item and refreshes the Grid with the updated state

HTML Select (html5-select-one)

This section contains information on the select component.

Table A-29 Select Component

Target	Key	Action
Select	Tab Enter	Set focus to the input. Activates the control.
Drop down	UpArrow or DownArrow	Highlight the option item in the direction of the arrow.

Table A-29 (Cont.) Select Component

Target	Key	Action
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

HTML Tabs (html5-tab)

This section contains information on the Tabs panel component.

Table A-30 Tabs Panel Component

Target	Key	Action
Tabs	Tab	Set focus to the input.
	Enter	Activates the selected Tab

HTML Textarea (html5-textarea)

This section contains information on the textarea component.

Table A-31 Textarea Component

Target	Key	Action
Input	Tab	Set focus to the input.

HTML Textbox (html5-textbox)

This section contains information on the textbox component.

Table A-32 Textbox Component

Target	Key	Action
Input	Tab	Set focus to the input.

HTML Tree (html5-tree)

This section contains information on the HTML Tree Component.

Table A-33 HTML Tree Component

Target	Key	Action
HTML Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes

B

Appendix B: OJET Controls

This section describes the set of unique keystrokes for LUX and OJET controls:

Note

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

OJET Accordion (oj-accordion)

This section contains information on the accordion keystrokes.

Table B-1 Accordion Keystrokes

Target	Key	Action
Collapsible header	Space or Enter	Toggle disclosure state.
Collapsible header	Tab	Navigate to the next collapsible header and if none then the next element on-page.
Collapsible header	Shift+Tab	Navigate to the previous collapsible header and if none then the previous element on-page.
Collapsible header	Up Arrow or Left Arrow (Right Arrow in RTL)	Move focus to the previous collapsible header with wrap around.
Collapsible header	Down Arrow or Right Arrow (Left Arrow in RTL)	Move focus to the next collapsible header with wrap around.
Collapsible header	Home	Move focus to the first collapsible header.
Collapsible header	End	Move focus to the last collapsible header.

OJET Button (oj-button)

This section contains information on the Button Keystroke.

Table B-2 Button Keystroke

Target	Key	Action
Push Button	Enter or Space*	Push the button.
Toggle Button	Enter or Space	Toggle the button.
Menu Button	Enter, Space*, or Down Arrow	Open the menu.
	Esc	Close the menu.

Note

Some types of Push and Menu buttons support the use of the Enter key and not the Space key.

OJET Buttonset One (oj-buttonset-one)

This section contains information on the Buttonset One Keystroke.

Table B-3 Button set One Keystroke

Target	Key	Action
Button set	Left Arrow	Navigate to the previous enabled button on the left, wrapping around at the end.
	Right Arrow	Navigate to the next enabled button on the right, wrapping around at the end.

OJET Canvas (oj-canvas)

This section contains information on the OJET Canvas keystrokes.

Table B-4 OJET Canvas Keystrokes

Target	Key
LHS Activity List	See OJET Context Menu for Keystrokes.
	See Canvas Diagram for Keystrokes.
RHS Canvas Diagram	See OJET Context Menu for Keystrokes.
	See Canvas Diagram for Keystrokes.

OJET Canvas Diagram (oj-canvas-diagram)

This section contains information on the Canvas Diagram component.

Table B-5 Canvas Diagram Keystrokes

Key	Action
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
+	Zoom in one level.
-	Zoom out one level.
0 (zero)	Zoom to fit.
Ctrl + Alt + 0 (zero)	Zoom and center.
Page Up or Page Down	Pan up / down.
Shift + Page Up or Page Down	Pan left/right (RTL: Pan right/left).
Left Arrow or Right Arrow	When focus is on a node, move focus and selection to nearest node left/right.

Table B-5 (Cont.) Canvas Diagram Keystrokes

Key	Action
Up Arrow or Down Arrow	When focus is on a node, move focus and selection to nearest node up/down.
Ctrl + Shift + Space	Open/Close an active container node
[Move focus and selection to nearest node down in the container hierarchy
]	Move focus and selection to nearest node up in the container hierarchy
Alt + < or Alt + >	Move focus from the node to a link.
Up Arrow or Down Arrow	When focus is on a link, navigate between links clockwise or counter clockwise.
Left Arrow or Right Arrow	When focus is on a link, move focus from a link to a start or end node.
Ctrl + Space	Select focused node / link.
Ctrl + Space	Multi-select node / link with focus.
Shift + <node or link navigation shortcut>	Move focus and multi-select a node or a link.
Ctrl + <node or link navigation shortcut>	Move focus to a node or a link but do not select.

OJET Chart (oj-chart)

This section contains information on the Chart Component keystrokes.

Table B-6 Chart Component Keystrokes

Key	Action
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus and selection to previous data item.
Down Arrow	Move focus and selection to next data item.
Left Arrow	Move focus and selection to previous data item (on left).
Right Arrow	Move focus and selection to next data item (on right).
Shift + Up Arrow	Move focus and multi-select previous data item.
Shift + Down Arrow	Move focus and multi-select next data item.
Shift + Left Arrow	Move focus and multi-select previous data item (on left).
Shift + Right Arrow	Move focus and multi-select next data item (on right).
Ctrl + Up Arrow	Move focus to previous data item, without changing the current selection.
Ctrl + Down Arrow	Move focus to next data item, without changing the current selection.
Ctrl + Left Arrow	Move focus to previous data item (on left), without changing the current selection.
Ctrl + Right Arrow	Move focus to next data item (on right), without changing the current selection.
Ctrl + Spacebar	Multi-select data item with focus.

Table B-6 (Cont.) Chart Component Keystrokes

Key	Action
= or +	Zoom in one level if zooming is enabled.
- or _	Zoom out one level if zooming is enabled.
Page Up	Pan up if scrolling is enabled.
Page Down	Pan down if scrolling is enabled.
Shift + Page Up	Pan left in left-to-right locales. Pan right in right-to-left locales.
Shift + Page Down	Pan right in left-to-right locales. Pan left in right-to-left locales.
Enter	Drill on data item, categorical axis label, or legend item when drilling is enabled.

OJET Checkbox (oj-checkbox)

This section contains information on the Checkbox keystroke.

Table B-7 Checkbox Keystroke

Target	Key	Action
Checkboxset	Tab In	Set focus to the first focusable check box in the check box set. Disabled check boxes are not focusable. If hints, help Instruction or messages exist in a note window, pop up the note window.
Check box	Space	Toggles the check box; If the checkbox is unselected, it will select it and vice versa.
Check box	Tab	Sets focus to the next focusable checkbox in the checkbox set. Disabled checkboxes are not focusable. If the target is the last focusable checkbox in the checkbox set, focus goes to the next focusable item after the oj-checkboxset.
Check box	Shift+Tab	Sets focus to the previous focusable check box in the check box set. Disabled checkboxes are not focusable. If the target is the first focusable check box in the check box set, focus goes to the previous focusable item before the oj-checkboxset.

OJET Context Menus (oj-menu)

The Menus keystroke is used for all button menus. For example, the user menu on the landing page, tile menu in applications, and so on.

Table B-8 Menus Keystrokes

Target	Key	Action
Menu Item	Enter or Space	Invoke the focused menu item's action.
	Up Arrow	Move focus to the previous menu item, wrapping around at the top.
	Down Arrow	Move focus to the next menu item, wrapping around at the bottom.
	Home	Move focus to the first menu item.
	End	Move focus to the last menu item.
Menu Item in Top-level Menu	Esc	Close the menu and move focus to the launcher.
JET Component or HTML Element having a JET Context Menu	Shift + F10	Open the context menu.

OJET Control Specific Help (oj-control-specific-help)

This section contains information on the Control Specific Help component.

Table B-9 Control Specific Help Component

Target	Key	Action
Control Specific Help	Tab	Set focus to the Help button and reads the context Help text.

OJET Date or DateTime (oj-datetime / oj-calendar)

This section contains information on the date or DateTime keystroke.

Table B-10 Date or Date Time Keystroke

Target	Key	Action
Input element	Down Arrow or Up Arrow	Shows the calendar grid and moves the focus into the expanded grid.
Input element	Esc	Close the grid.
Input element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.
Picker	Esc	Close the grid.

Table B-10 (Cont.) Date or Date Time Keystroke

Target	Key	Action
Picker	Home	Move focus to first day of the month.
Picker	End	Move focus to last day of the month.
Picker	Page Up	Switch to previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

Table B-11 Date Time Keystrokes

Target	Key	Action
Input element	Down Arrow or Up Arrow	When not in Inline Mode, shows the calendar grid and moves the focus into the expanded grid. When in Inline Mode, shows the time picker and moves the focus into the expanded time picker.
Input element	Shift + Down Arrow or Up Arrow	Shows the time picker and moves the focus into the expanded time picker.
Input element	Esc	Close the grid.
Input Element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day.
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.
Picker	Esc	Close the grid.
Picker	Home	Move focus to the first day of the month.
Picker	End	Move focus to the last day of the month.
Picker	Page Up	Switch to the previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to the previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.

Table B-11 (Cont.) Date Time Keystrokes

Target	Key	Action
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

OJET Dialog (oj-dialog)

This section contains information on the dialog keystrokes.

Table B-12 Dialog Keystrokes

Target	Key	Action
Dialog	Esc	Close the dialog.
Dialog Close Icon	Enter or Space	Close the dialog.

OJET Expand/Collapse (oj-collapse)

This section contains information on the Expand Collapse component.

Table B-13 Expand Collapse Component

Target	Key	Action
Header	Space or Enter	Toggle disclosure state.

OJET Expression Builder (oj-expression-builder)

This section contains information on the Expression Builder component.

Table B-14 Expression Builder Component

Target	Key	Action
Expression Shuttle Tree	Tab	Set focus to the Tree
Tree	See Hcy Br Tree(oj-tree) for the Keystrokes	
Expression Text box	Tab	Set focus to the Text Area

OJET Expression Builder Launcher (oj-expression-builder-launcher)

This section contains information on the OJET Expression Builder Launcher component.

Table B-15 OJET Expression Builder Launcher Component

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button
Launch Button	Enter	Activates the control and opens the Pop up Window
Menu Drop-down	Tab	Set focus to the Menu Item
Menu Drop-down	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

OJET Foldable Layout (oj-foldable-layout)

This section contains information on the Foldable Layout keystrokes.

Table B-16 Foldable Layout Keystrokes

Target	Key	Action
Foldable layout	Left Arrow	Moves to previous panel
Foldable layout	Right Arrow	Moves to next panel
Foldable layout	F2	To navigate between focusable elements inside the panel

OJET Grid (oj-grid)

This section contains information on the grid keystroke.

Table B-17 Grid Keystroke

Target	Key	Action
Cell	Tab	The first Tab into the DataGrid moves focus to the first cell of the first row. The second Tab moves focus to the next focusable element outside of the DataGrid.
	Shift + Tab	The first Shift + Tab into the DataGrid moves focus to the first cell of the first row. The second Shift + Tab moves focus to the previous focusable element outside of the DataGrid.
	Left Arrow	Moves focus to the cell of the previous column within the current row. There is no wrapping at the beginning or end of the columns. If a row header is present, then the row header next to the first column of the current row will gain focus.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Right Arrow	Moves focus to the cell of the next column within the current row. There is no wrapping at the beginning or end of the columns.
	Up Arrow	Moves focus to the cell of the previous row within the current column. There is no wrapping at the beginning or end of the rows. If a column header is present, then the column header above the first row of the current column will gain focus.
	Down Arrow	Moves focus to the cell of the next row within the current column. There is no wrapping at the beginning or end of the rows.
	Home	Moves focus to the first (available) cell of the current row.
	End	Moves focus to the last (available) cell of the current row.
	Page Up	Moves focus to the first (available) cell in the current column.
	Page Down	Moves focus to the last (available) cell in the current column.
	Ctrl + Space	Selects all the cells of the current column. This is only available if multiple cell selection modes are enabled.
	Shift + Space	Selects all the cells of the current row. This is only available if multiple cell selection modes are enabled.
	Shift + Arrow	Extends the current selection.
	Ctrl + Arrow	Move focus to level 0 of the active index of the header in the arrow direction if it exists.
	Shift + F8	Freezes the current selection, therefore allowing the user to move focus to another location to add additional cells to the current selection. This is used to accomplish non-contiguous selection. Use the Esc key or press Shift+F8 again to exit this mode.
	Shift + F10	Brings up the context menu.
	Ctrl + X	Marks the current row to move if dnd is enabled and the data source supports move operation.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Ctrl + V	Move the row that is marked to directly under the current row. If the row with the focused cell is the last, then it is a move to the row above the current row.
	Ctrl + A	If multiple selections are enabled, perform a select all on the Datagrid.
	Ctrl + Alt + 5	Read the context and content of the current cell to the screen reader.
	F2	Makes the content of the cell actionable, such as a link.
	Enter	Makes the content of the cell actionable and acts on the content, such as going to a link.
	Alt + Enter	Makes the content of the cell actionable, such as a link.
	Esc	If the cell is actionable, it exits the actionable mode.
Column Header Cell	Left Arrow	Moves focus to the previous column header. There is no wrapping at the beginning or end of the column headers.
	Right Arrow	Moves focus to the next column header. There is no wrapping at the beginning or end of the column headers.
	Down Arrow	Moves focus to the cell of the first row directly below the column header. If using nested headers moves to focus up a level.
	Up Arrow	If using nested headers moves the focus down a level.
	Ctrl + Up Arrow	If in the column end header, move focus to level 0 of the active index in the column header if it exists.
	Ctrl + Down Arrow	If in the column header, move focus to level 0 of the active index in the column end header if it exists.
	Enter	Toggle the sort order of the column if the column is sortable.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled and not in the selection Mode row, the column(s) underneath the header will be selected.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Shift + Right Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right by the number of columns covered by the header to the right of the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right-left the number of columns covered by the header to the left of the current selection frontier header.
	Shift + Up Arrow	If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a parent nested header, the column selection extends to cover the columns beneath the parent header. Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections are based on the parent header. If we are already at the highest level, nothing happens.
	Shift + Down Arrow	If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a child nested header, the column selection extends to cover the columns beneath the child header. Extending the selection with arrow keys will use the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header. If we are already at the lowest level, it moves into the data body and select the first cell underneath the header.
Row Header Cell	Up Arrow	Moves focus to the previous row header. There is no wrapping at the beginning or end of the row headers.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Down Arrow	Moves focus to the next row header. There is no wrapping at the beginning or end of the row headers.
	Right Arrow	Moves focus to the cell of the first column directly next to the row header. If using nested headers moves to focus up a level.
	Left Arrow	Moves focus to the cell of the first column directly next to the row header in the RTL direction. If using nested headers moves the focus down a level.
	Ctrl + Left Arrow	If in the row end header, move focus to level 0 of the active index in the row header if it exists.
	Ctrl + Right Arrow	If in the row header, move focus to level 0 of the active index in the row end header if it exists.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled, the row(s) underneath the header are selected.
	Shift + Up Arrow	If multiple selections are enabled, the row selection extends up by the number of rows covered by the header above the current selection frontier header.
	Shift + Down Arrow	If multiple selections are enabled, the row selection extends down by the number of rows covered by the header below the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and the current selection frontier header has a parent nested header, the row selection extends to cover the rows beneath the parent header. Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections is based on the parent header. If we are already at the highest level, nothing happens.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Shift + Right Arrow	<p>If multiple selections are enabled and the current selection frontier header has a child nested header, the row selection extends to cover the rows beneath the child header.</p> <p>Extending the selection with arrow keys uses the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header.</p> <p>If we are already at the lowest level, it simply moves into the data body and select the first cell underneath the header.</p>

OJET Hcy Br Tree (oj-tree)

This section contains information on the OJET Tree keystrokes.

Table B-18 Hcy Br Tree Keystrokes

Key	Action
Up Arrow/Down Arrow	Moves between visible nodes.
Left Arrow	On an expanded node, collapses the node. On a collapsed or leaf node, moves focus to the node's parent.
Right Arrow	On a collapsed node, expands the node. On an expanded node, moves to the first child of the node. On an end node, does nothing.
Space bar	Toggles the selected status of the node.
Home	Moves to the top node of the tree.
End	Moves to the last visible node of the tree.
Shift + Up Arrow	Extends selection up one node (assuming multiple selection has been defined).
Shift + Down Arrow	Extends selection down one node (assuming multiple selection has been defined).
Shift + Home	Extends selection up to the top-most node.
Shift + Page Down	Extends selection to the last node.
Ctrl + Space bar	Toggles the selection state of the current node (assuming multiple selection has been defined).
Shift + Space bar	Extends selection to the current node (assuming multiple selection has been defined).
Shift + F10	Invoke Context Menu (if defined) on current node.
* (asterisk)	Expands all nodes.

OJET Hierarchy Browser Map (oj-hierarchy-browser-map)

This section contains information on the Hierarchy Browser Map component.

Table B-19 Hierarchy Browser Map Component

Target	Key	Action
Hierarchy Browser Map	Tab	Set focus to the elements
Select	See Select-single (oj-single-select) for the keystrokes	
Tabs	See Tabs(oj-tabs) for the Keystrokes.	
Tree	See Hcy Br Tree (oj-tree) for the keystrokes.	
Buttons (Map, Auto-map, Unmap, Unmap All, Transform Map)	Tab	Set focus to the Buttons
	Enter	Activates the Buttons

OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)

This section contains information on the OJET Hierarchy Browser Shuttle component.

Table B-20 OJET Hierarchy Browser Shuttle Component

Target	Key	Action
Hcy Browser controls	Tab	Set focus to the Hcy Browser controls
	Enter	Activates the controls
Tree	See Hcy Br Tree(oj-tree) for the Keystrokes.	
Tabs	See Tabs(oj-Tabs) for the Keystrokes.	
Button Menu	See Context Menu(oj-menu) for the Keystrokes.	

OJET Input Number (oj-input-number)

This section contains information on the number keystroke.

Table B-21 Number Keystroke

Target	Key	Action
Input	Enter or Tab	Submit the value you typed in the input field.
Input	Tab In	Set focus to input. If hints, help, instruction, or messages exist in a note window, pop up the note window.
Input	Up Arrow	Increment the number.

Table B-21 (Cont.) Number Keystroke

Target	Key	Action
Input	Down Arrow	Decrement the number.

OJET Legend (oj-legend)

This section contains information on the Legend Component keystrokes.

Table B-22 Legend Component Keystrokes

Target	Key
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus to previous item.
Down Arrow	Move focus to next item.
Left Arrow	Move focus to previous item (on left).
Right Arrow	Move focus to next item (on right).
Enter	Hides or unhides the data associated with the current item.

OJET List View (oj-listview)

This section contains information on the list view keystroke.

Table B-23 List View Keystroke

Target	Key	Action
List Item	F2	Enters Actionable Mode. This enables keyboard action on elements inside the item, including navigating between focusable elements inside the item.
	Esc	Exits Actionable Mode.
	Tab	When in Actionable Mode, navigates to the next focusable element within the item. If the last focusable element is reached, shift focus back to the first focusable element. When not in Actionable Mode, navigates to the next focusable element on the page (outside ListView).

Table B-23 (Cont.) List View Keystroke

Target	Key	Action
	Shift+Tab	When in Actionable Mode, navigates to the previous focusable element within the item. If the first focusable element is reached, shift focus back to the last focusable element. When not in Actionable Mode, navigates to the previous focusable element on the page (outside ListView).
	Down Arrow	Move focus to the item below.
	Up Arrow	Move focus to the item above.
	Left Arrow	When display in card layout, move focus to the item on the left.
	Right Arrow	When display in card layout, move focus to the item on the right.
	Shift+Down Arrow	Extend the selection to the item below.
	Shift+Up Arrow	Extend the selection to the item above.
	Shift+Left Arrow	When display in card layout, extend the selection to the item on the left.
	Shift+Right Arrow	When display in card layout, extend the selection to the item on the right.
	Shift+F10	Launch the context menu if there is one associated with the current item.
	Enter	Selects the current item. Not applicable if the item is already selected.
	Space	Toggles to select and deselect the current item. If previous items have been selected, deselects them and selects the current item.
	Shift+Space	Selects contiguous items from the last selected item to the current item.
	Ctrl+Space	Toggles to select and deselect the current item while maintaining previously selected items.
	Ctrl+X	Marks the selected items to move if dnd.reorder is enabled.
	Ctrl+C	Marks the selected items to copy if dnd.reorder is enabled.
	Ctrl+V	Paste the items that are marked directly before the current item (or as the last item if the current item is a folder).

Table B-23 (Cont.) List View Keystroke

Target	Key	Action
Group Item	Left Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.
	Right Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.

OJET Messages (oj-messages)

This section contains information on the messages keystrokes.

Table B-24 Messages Keystrokes

Target	Key	Action
Focus within Messages	Tab or Shift + Tab	Navigate the content of the messages region.
	F6	Moves focus back to the last focused element outside the messages region.
	Esc	Moves focus back to the last focused element outside the messages region.
Focus outside Messages	F6	Move focus to the first message within the more recently disclosed messages region.

OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)

This section contains information on the Metadata Browser Breadcrumb keystrokes.

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu
Object Node	F2	To navigate between focusable elements inside the panel

OJET Navigation List (oj-navigation-list)

The OFSAA landing page uses the Navigation menu for the Left-Hand-Side (LHS) menu. The application selection menu is used to select an Application, Reports, Admin menu, and so on.

Target	Key	Action
List Item	Enter or Space	Selects list item.
List Item	Up Arrow	Moves focus to the previous visible list item.
List Item	Down Arrow	Moves focus to the next visible list item.
List Item	Right Arrow (Left Arrow in RTL)	For the horizontal navigation list, the focus is moved to the next visible item.
List Item	Left Arrow (Right Arrow in right to left (RTL))	For the horizontal navigation list, the focus is moved to the previous visible item.
List Item	Home	Moves focus to the first visible list item.
List Item	End	Moves focus to the last visible list item.
List Item	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
List Item	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
List Item	Shift+Tab	Move focus to the hierarchical menu button. Only applicable for sliding navigation list and when the hierarchical menu button is enabled.
Group Item	Right Arrow (Left Arrow in RTL)	If the focus is on the collapsed node, expand the sublist.
Group Item	Left Arrow (Right Arrow in RTL)	If the focus is on the expanded node, collapses the sublist.
List Item in the sublist	Esc	Applicable only for sliding navigation list. If focus is in a sublist, closes the sublist and moves focus to the parent list item.
Hierarchical Menu button	Enter	

i **Not
e**

This target is visible only for the Sliding Navigation List.

Target	Key	Action
Hierarchical Menu button	Tab	Moves focus to the current list item.
Hierarchical Menu button	Shift + Tab	Moves focus to the Previous Icon. Note: This target is visible only for the Sliding Navigation List.
Overflow Menu button	Enter or Space	

Note

This target is visible only for the Sliding Navigation List.

Note

This is applicable only for the Horizontal Navigation List when overflow is set to pop-up.

Target	Key	Action
Previous Icon or List Header	Enter	Collapses the sub-list and slides to the parent list.

i **Not e**

This target is visible only for the Sliding Navigation List.

Previous Icon or List Header	Tab	Moves focus to Hierarchical Menu button.
------------------------------	-----	--

i **Not e**

This target is visible only for the Sliding Navigation List.

OJET Object Migration Canvas (oj-object-migration-canvas)

This section contains information on the Object Migration Canvas keystrokes.

Table B-25 Object Migration Canvas Keystrokes

Target	Key
Canvas Diagram	See Canvas Diagram for Keystrokes.

OJET Object Node (object-node)

This section contains information on the Object Node keystrokes.

Table B-26 Object Node Keystrokes

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu
Object Node	F2	To navigate between focusable elements inside the panel

OJET Password (oj-password)

This section contains information on the Password keystroke.

Table B-27 Password Keystroke

Target	Key	Action
Input element	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Popup (oj-popup)

This section contains information on the popup keystrokes.

Table B-28 Popup Keystrokes

Target	Key	Action
Focus within Pop-up	Tab or Shift + Tab	Navigate the content of the pop-up. Close the open pop-up if there are no tab stops in the pop-up.
	F6	Move focus to the launcher for a pop-up with modeless modality. Close the open pop-up if the modality is modal.
Pop-up Launcher	Esc	Close the open pop-up.
	F6	Move focus to the first tab stop within the open pop-up. If there is not a tab stop within the content, the focus is established on the pop-up.

OJET Radio (oj-radio)

This section contains information on the Radio keystroke.

Table B-29 Radio Keystroke

Target	Key	Action
Input	Up Arrow	Select the previous input in the group.
Input	Down Arrow	Select the next input in the group.
Radioset	Tab In	Set focus to the checked radio input. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Search Box (oj-input-search)

This section contains information on the Search Box component.

Table B-30 Search Box Component

Target	Key	Action
Input field	Enter	Set the input text as the value.
Input field	Up Arrow or Down Arrow	If the drop down is not open, expand the drop down list.
Input field	Esc	Collapse the drop down list. If the drop down is already closed, do nothing.
Input field	Tab In	Set focus to the Input Search.

OJET Select Many (oj-select-many)

This section contains information on the Multiselect keystroke.

Table B-31 Multi-select Keystroke

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop-down list.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow. If the drop-down is not open, expand the drop-down list.
Select box	Left Arrow or Right Arrow	Move focus to the previous or next selected item.
A selected item with remove icon	Backspace or Delete	Remove the selected item having focus.
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

Table B-31 (Cont.) Multi-select Keystroke

Target	Key	Action
Select box or search box	Any characters for the search term	Filter down the results with the search term.
Select	Tab In	Set focus to the select. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Select Single (oj-select-single)

This section contains information on the Select keystroke.

Table B-32 Select Keystroke

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop down.
Input field	Enter	Set the input text as the value.
Drop down	Up Arrow or Down Arrow	Highlight the option item on the drop-down list in the direction of the arrow. If the drop down is not open, expand the drop-down list.
Drop down	Esc	Collapse the drop-down list. If the drop down is already closed, do nothing.
Select	Tab In	Set focus to the Select. If hints, title or messages exist in a note window, pop up the note window.

OJET Switch (oj-switch)

This section contains information on the switch keystroke.

Table B-33 Switch Keystroke

Target	Key	Action
Switch Thumb	Enter or Space Tab In	Toggle switch value Set focus to the thumb. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Table (oj-table)

This section contains information on the Table Component keystrokes.

Table B-34 Table Component Keystrokes

Target	Key	Action
Cell	Tab	<p>The first Tab into the Table moves focus to the first column header. The second Tab moves focus to the next focusable element outside of the Table.</p> <p>If focus is on a row and the row is actionable then Tab moves focus to the next focusable element within the row. If focus is already on the last focusable element then focus will wrap to the first focusable element in the row.</p> <p>If edit Mode is row Edit, see the section 'Cell in Editable Row'.</p>
Cell	Shift+Tab	<p>The first Shift+Tab into the Table moves focus to the first column header. The second Shift+Tab moves focus to the previous focusable element outside of the Table.</p> <p>If focus is on a row and the row is actionable then Shift+Tab moves focus to the previous focusable element within the row. If focus is already on the first focusable element then focus will wrap to the last focusable element in the row.</p> <p>If Edit Mode is row Edit, see the Cell in Editable Row section.</p>
Cell	Down Arrow	Move focus to the next row.
Cell	Shift+Down Arrow	Select and move focus to the next row.
Cell	Up Arrow	Move focus to the previous row. If at the first row then move to the column header.
Cell	Shift+Up Arrow	Select and move focus to the previous row.
Cell	Left Arrow	Do nothing.
Cell	Right Arrow	Do nothing.
Cell	Home	Move focus to first row.
Cell	End	Move focus to last row.
Cell	Space	Select row.

Table B-34 (Cont.) Table Component Keystrokes

Target	Key	Action
Cell	Enter	<p>If the table edit Mode is row Edit then make the current row editable.</p> <p>If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row.</p>
Cell	F2	<p>If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row.</p> <p>If the table edit Mode is row Edit then toggle the current row between editable and read-only.</p>
Cell in Editable Row	Tab	<p>Move focus to next editable cell or focusable element in the row.</p> <p>If focus is on the last editable cell or focusable element in the row, make the next row editable and move focus to the first editable cell or focusable element in the next row.</p> <p>If focus is on the last editable cell or focusable element in the last row, move focus to next focusable element on the page (outside table).</p>
Cell in Editable Row	Shift+Tab	<p>Move focus to previous editable cell or focusable element in the row.</p> <p>If focus is on the first editable cell or focusable element in the row, make the previous row editable and move focus to the last editable cell or focusable element in the previous row.</p> <p>If focus is on the first editable cell or focusable element in the first row, move focus to previous focusable element on the page (outside table).</p>
Cell in Editable Row	Down Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Down Arrow	Handled in the editable cell.
Cell in Editable Row	Up Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Up Arrow	Handled in the editable cell.
Cell in Editable Row	Left Arrow	Handled in the editable cell.

Table B-34 (Cont.) Table Component Keystrokes

Target	Key	Action
Cell in Editable Row	Right Arrow	Handled by the editable cell.
Cell in Editable Row	Home	Handled in the editable cell.
Cell in Editable Row	End	Handled in the editable cell.
Cell in Editable Row	Space	Handled in the editable cell.
Cell in Editable Row	Enter	Make the next row editable and move focus to the editable cell in current column in the next row. If last row is editable then make it read-only.
Cell in Editable Row	Shift+Enter	Make the previous row editable and move focus to the editable cell in current column in the previous row. If first row is editable then make it read-only.
Cell in Editable Row	F2	Toggle the current row between editable and read-only.
Cell in Editable Row	Esc	Make the current row read-only.
Column Header	Tab	Navigate to next focusable element on page (outside table).
Column Header	Shift+Tab	Navigate to previous focusable element on page (outside table).
Column Header	Down Arrow	Move focus to the first row.
Column Header	Up Arrow	Do nothing.
Column Header	Left Arrow	Move focus to previous column header.
Column Header	Shift+Left Arrow	Select and move focus to previous column header.
Column Header	Right Arrow	Move focus to next column header.
Column Header	Shift+Right Arrow	Select and move focus to next column header.
Column Header	Home	Move focus to first column header.
Column Header	End	Move focus to last column header.
Column Header	Space	Select column.

OJET Tabs (oj-tabs)

This section contains information on the tabs keystrokes.

Table B-35 Tabs Keystrokes

Target	Key	Action
List Item	Enter or Space	Selects list item.

Table B-35 (Cont.) Tabs Keystrokes

Target	Key	Action
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item.
	Right Arrow (Left Arrow in RTL)	For the horizontal tab bar, the focus is moved to the next visible item.
	Left Arrow (Right Arrow in RTL)	For the horizontal tab bar, the focus is moved to the previous visible item.
	Home	Moves focus to the first visible list item.
	End	Moves focus to the last visible list item.
	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
	Ctrl+X	Marks the current item to move if reorderable is enabled.
	Ctrl+V	Paste the item that is marked directly before the current item.
	DELETE	Delete the current item.
Overflow Menu button	Enter or Space	Open menu.

Note

This is applicable only for Horizontal Tab Bar when overflow is set to pop-up.

OJET Textarea (oj-textarea)

This section contains information on the text area keystroke.

Table B-36 Textarea Keystroke

Target	Key	Action
TextArea	Tab In	Set focus to the text area. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Textbox (oj-input-text)

This section contains information on the text-box keystroke.

Table B-37 Textbox Keystroke

Target	Key	Action
Input	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Tree (oj-tree-view)

This section contains information on the OJET tree view keystrokes.

Table B-38 Tree Keystrokes

Target	Key	Action
Item	Tab	Navigates to the next focusable element on-page.
	Shift+Tab	Navigates to the previous focusable element on-page.
	Down Arrow	Moves focus on the item below.
	Up Arrow	Moves focus on the item above.
	Left Arrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with Right Arrow in RTL locales.
	Right Arrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with Left Arrow in RTL locales.
	Shift+Down Arrow	Extends the selection to the item below. Only applicable if multiple selections are enabled.
	Shift+Up Arrow	Extends the selection to the item above. Only applicable if multiple selections are enabled.

Table B-38 (Cont.) Tree Keystrokes

Target	Key	Action
	Space	Toggles the selection of the current item and deselects the other items.
	Enter	Selects the current item and deselects the other items. No-op if the current item is already selected.
	Ctrl+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if multiple selections are enabled.
	Shift+Space/Enter	Selects contiguous items from the last selected item to the current item. Only applicable if multiple selections are enabled.

OJET Tree View (oj-tree-view)

This section contains information on the OJET Tree View keystrokes.

Table B-39 OJET Tree View Keystrokes

Target	Key	Action
Item	Tab	Navigates to next focusable element on page.
Item	Shift+Tab	Navigates to previous focusable element on page.
Item	DownArrow	Moves focus to the item below.
Item	UpArrow	Moves focus to the item above.
Item	LeftArrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with RightArrow in RTL locales.
Item	RightArrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with LeftArrow in RTL locales.
Item	Shift+DownArrow	Extends the selection to the item below. Only applicable if the multiple selection is enabled.
Item	Shift+UpArrow	Extends the selection to the item above. Only applicable if the multiple selection is enabled.
Item	Space	Toggles the selection of the current item and deselects the other items.

Table B-39 (Cont.) OJET Tree View Keystrokes

Target	Key	Action
Item	Enter	Selects the current item and deselects the other items. No op if the current item is already selected.
Item	Ctrl+Space/Enter / CMD+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if the multiple selection is enabled.
Item Ctrl+A / CMD+A	Shift+Space/Enter If selection Mode is multiple, will select all selectable nodes.	Selects contiguous items from the last selected item to the current item. Only applicable if the multiple selection is enabled.

C

LUX Controls

This chapter includes the keystroke controls for Lightweight User Interface Extensions (LUX).

LUX Breadcrumbs (oj-lux-breadcrumb)

This section contains information on the breadcrumbs keystroke for LUX and OJET controls.

Target	Key	Action
Link Button	Tab	Set focus to the Link.
	Enter	Activates the control.
Menu Drop Down	Tab	Set focus to the Down Arrow.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

LUX Grid (oj-lux-grid)

This section contains information on the grid (LUX) keystrokes.

Keyboard shortcuts for navigation in and out of the grid

This section contains information on the keyboard shortcuts for navigating in and out of the grid.

Table C-1 Keyboard Shortcuts for Navigating in and out of the Grid

Action for keyboard	Key(s)	Notes
Move focus from the previous focusable element on the page (outside of the grid) to the grid	(All) Tab	Initially, the first cell in the first data row is focused and selected Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Enter the grid for navigation and editing	(LUX) Any key besides Tab and Shift+Tab	(LUX) Focus must be on the grid (LUX) Most keys other than the Enter key will enter the grid and also perform their normal action
Move focus from the grid to the next focusable element on the page (outside of the grid)	(All) Tab	(LUX) The grid must be in the "escape mode" state

Table C-1 (Cont.) Keyboard Shortcuts for Navigating in and out of the Grid

Action for keyboard	Key(s)	Notes
Move focus from the next focusable element on the page (outside of the grid) to the grid	(All) Shift+Tab	Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Move focus from the grid to the previous focusable element on the page (outside of the grid)	(All) Shift+Tab	(LUX) The grid must be in the "escape mode" state
Toggle the "escape mode" state of the grid	(LUX) Escape	(LUX) The selected cell must be in Navigation Mode

Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)

This section contains information on the Keyboard shortcuts for navigation within the grid (includes a basic selection of cells and rows).

Table C-2 Keyboard Shortcuts For Navigation within the Grid

Action for keyboard	Key(s)	Notes for keyboard
Move focus one row up (and update cell and row selection)	(All) Up Arrow	<p>(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected</p> <p>(LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected.</p> <p>There is no wrap at the first or last rows</p> <p>(LUX) If the currently focused cell is in the first data row, the Up Arrow moves the focus to the column heading cell immediately above the currently focused cell (see Keyboard shortcuts for sorting on columns, below.)</p> <p>The first data row is no longer focused or selected, but the column heading row does not get selected or focused. Also, any previously selected cells are no longer selected, but the column heading cell does not get selected. Nevertheless, if the Down Arrow is then pressed, the first data row gets focused and selected, focused is moved to the cell immediately below the focused column heading cell, and the newly focused cell becomes selected.</p>
Move focus one row down (and update cell and row selection)	(All) Down Arrow	<p>(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected</p> <p>(LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected</p> <p>There is no wrap at the first or last rows</p> <p>(LUX) See Up Arrow for behavior in column heading row.</p>

Table C-2 (Cont.) Keyboard Shortcuts For Navigation within the Grid

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the left (and update cell and row selection)	(All) Left Arrow -or- (LUX) Shift+Tab	<p>(LUX) If the grid is in the "escape mode" state, Shift+Tab moves focus to the previous focusable element in the page (outside of the grid) instead of taking any action within the grid</p> <p>(LUX) Wrap at the first or last column is controlled by the LUX Grid wrapSelection option. The default is to wrap. Wrapping is generally only within data rows, not column headers.</p> <p>(LUX) If wrapSelection is true: If the currently focused cell is the first cell in the header row, then Shift+Tab causes the grid to enter the "escape mode" state</p> <p>If the currently focused cell is the first cell in the first data row, then Shift+Tab moves focus one row up, to the first cell of the header row, similar to Up Arrow</p> <p>(LUX) If the currently focused cell is in editable mode, Shift+Tab causes the cell to exit editable mode and return to navigation mode</p> <p>If the editOnTab option is true, the newly focused cell enters editable mode</p>

Adjusting the Row and Cell Selection

This section contains information on adjusting the row and cell selection.

Table C-3 Adjusting the Row and Cell Selection

Action for keyboard	Key(s)	Notes for keyboard
Adjust the range of selected cells and rows one row up	(All) Shift+Up Arrow	<p>(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Up Arrow without Shift</p> <p>(LUX) Moves cell focus one row up; the newly focused cell also becomes selected</p> <p>(LUX) The row containing the newly focused cell becomes focused and selected</p> <p>(LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly focused cell</p> <p>If the focused cell and focused row are moved without changing the selection. For example, with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row above it</p>
Adjust the range of selected cells and rows one row down	(All) Shift+Down Arrow	<p>(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Down Arrow without Shift</p> <p>(LUX) Moves cell focus one row down; the newly focused cell also becomes selected</p> <p>(LUX) The row containing the newly focused cell becomes focused and selected</p> <p>(LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly selected cell</p> <p>If the focused cell and focused row are moved without updating the selection, e.g., with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row below it</p>
Move focus one column to the left (and update cell selection)	(LUX) Shift+Left Arrow	<p>(LUX) Moves cell focus and selection(s) one column to the left (selection can be multiple cells if multiple rows are currently selected)</p> <p>(LUX) If the currently focused cell is the first cell of the row, then behaves the same as Left Arrow without Shift</p>

Table C-3 (Cont.) Adjusting the Row and Cell Selection

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the right (and update cell selection)	(LUX) Shift+Right Arrow	(LUX) Moves cell focus and selection(s) one column to the right (selection can be multiple cells if multiple rows are currently selected) (LUX) If the currently focused cell is the last cell of the row, then behaves the same as Right Arrow without Shift
Move focus one row up (no change to selection)	(All) Control+Up Arrow	(LUX) The row containing the newly focused cell becomes focused (LUX) Note: Enables selection of non-contiguous rows with Control+Space (LUX) There is no wrap at the first or last rows (LUX) If the currently focused row is the first data row, this has the same behavior as Up Arrow without Shift
Move focus one row down (no change to selection)	(All) Control+Down Arrow	(LUX) The row containing the newly focused cell becomes focused (LUX) Note: Enables selection of non-contiguous rows with Control+Space (LUX) There is no wrap at the first or last rows
Select the current row	(WAI-ARIA) Shift+Space (LUX) Control+Space	(LUX) Toggles selection of currently focused row (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Space without Control
Select the current column	(WAI-ARIA) Control+Space	(LUX) Not supported

Note

WAI-ARIA defines selection within grids solely in terms of cells; a row is just a set of cells, each of which may or may not be selected. The LUX Grid keyboard shortcuts for selection assume the multiSelect option is set to 'true'. In the LUX Grid:

- If a cell is selected, the cell's row is selected.
- Only one cell in a row may be selected at any given time.
- If multiple rows are selected, their selected cells are always in the same column.

Editing Cells

This section contains information on editing cells.

Table C-4 Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Navigation	Edit focused cell (enter Actionable mode)	(All) Enter -or- F2 -or- (LUX) Shift+Enter -or- (WAI-ARIA (optional), LUX) Any alphanumeric character	Editable	(LUX) In a Text Column or Text Area Column cell, typing an alphanumeric character will also replace the current cell value with the character just typed (LUX) In a Number/ Cost/Percent column cell, typing an alphanumeric character will also select the current cell value, if any; the character just typed is not entered in the cell
Editable	Cancel changes and exit Actionable mode	(All) Escape	Navigation	(WAI-ARIA) Does not mention canceling changes, just exiting Actionable mode

Table C-4 (Cont.) Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Commit changes and exit Actionable mode	(WAI-ARIA (optional), LUX) Enter -or- (LUX) Shift+Enter	Navigation	(LUX) If the currently focused cell is not in the last data row of the Grid, Enter or Shift+Enter will also move focus to the cell immediately below the focused cell (note that Shift+Enter moves focus down such as Enter, not up) (LUX) In a Text Area Column cell, Enter does not exit the editor; it just adds a newline character to the text value at the current insertion point. Shift+Enter behaves such as a normal Enter or Shift+Enter, as if the cell were not a Text Area Column cell (LUX) In a Date Column or Select Multi Column cell, Enter and Shift+Enter do nothing
Editable	Move focus to next actionable (tabbable) item	(All) Tab	Old cell: Navigation; New cell: Editable	(LUX) Next actionable item is usually in next cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode
Editable	Move focus to previous actionable (tabbable) item	(All) Shift+Tab	Old cell: Navigation; New cell: Editable	(LUX) Previous actionable item is usually in previous cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode

Table C-4 (Cont.) Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Move to next row	Enter	Old row: Navigation; New row: Editable	(LUX) See LUX comments for "Commit changes and exit Actionable mode"
Editable	Select date in Date Column	(LUX) See the OJET Input Date and Time Keyboard End User Information.	See the OJET Input Date and Time Keyboard End User Information.	
Editable	Increment Spinner Number Column cell	Up Arrow	Editable	
Editable	Decrement Spinner Number Column cell	Down Arrow	Editable	
Navigation	Toggle checked state of check-box	Space	Navigation	
Navigation	Clear data from the focused cell	(LUX) Delete	Navigation	Delete key clears the values in select and check column cells as well

Keyboard shortcuts for Grouped Rows and Tree Grid

This section contains information on Grouped Rows and Tree Grid.

Table C-5 Grouped Rows and Tree Grid

Action	Key(s)	Notes
Expand [+]	Control+Right Arrow	Focus must be in the cell with the disclosure icon
Collapse [-]	Control+Left Arrow	Focus must be in the cell with the disclosure icon

Keyboard shortcuts for triggering cell actions in other types of cells

This section contains information on keyboard shortcuts for triggering cell actions in other types of cells.

Table C-6 Keyboard shortcuts for triggering cell actions in other types of cells

Action	Key(s)	Notes
Trigger cell action in selected cell	Space	If the cell has an <a> with a valid href attribute, Space will follow the link

Keyboard shortcuts for sorting on columns

This section contains information on sorting on columns.

Action	Key(s)	Notes
Cycle the sort of the focused column in the following sequence: <ul style="list-style-type: none"> Ascending Descending Not sorted (default order) 	Space	The selected cell must be the column header cell
Cycle the sort of the focused column, subject to any other column sorts that are already defined, in the sequence above	Control+Space	The selected cell must be the column header cell

Keyboard Shortcuts for Menus

This section contains information on keyboard shortcuts for menus.

Table C-7 Keyboard Shortcuts for Menus

Action	Key	Notes
Open the menu	(WAI-ARIA, LUX) Enter -or- Space -or- Shift+F10 -or- (WAI-ARIA) Up/Down Arrow (in a menu bar)	(LUX) Context Menu uses Space or Shift+F10; Column Menu uses Space; Select Column Menu uses Up/Down Arrow (space (or character) opens the menu item search/filter field); Select Multi-Column Menu uses Enter (LUX) In Select Column Menu, Enter causes the cell to enter Actionable mode, but does not open the drop-down menu; the menu opens when Up/Down Arrow keys are used (LUX) In the Select Multi-Column Menu, after the cell enters Actionable mode, the first Control+Down Arrow enters the menu at the (first) currently selected option (or before the first option if no option is currently selected)
Move focus to the next menu item in the menu	(All) Down Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the bottom; Context menus do not
Move focus to the previous menu item in the menu	(All) Up Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the top; Context menus do not

Table C-7 (Cont.) Keyboard Shortcuts for Menus

Action	Key	Notes
Open a sub-menu (if the focused menu item has a sub-menu)	(WAI-ARIA, LUX) Right Arrow -or- (WAI-ARIA, LUX) Enter -or- Space	(LUX) Does not apply to Select Column menus and Select Multi-Column menus (LUX) Context Menu uses Right Arrow; Column Menu uses Right Arrow, Enter, or Space.
Close a submenu and return focus to the parent menu item	(WAI-ARIA, LUX) Left Arrow -or- (WAI-ARIA) Escape	(LUX) Does not apply to Select Column menus and Select Multi-Column menus (LUX) Escape closes the top-level menu and any sub-menus
Select a menu item (or invoke the menu action) and close the menu	(All) Enter -or- Space	(LUX) Does not apply to the Select Multi-Column menu (LUX) Select Column does not support Space, only Enter; space (or character) opens the menu item search/filter field
Toggle selection of a menu item in the menu	(LUX) Enter -or- Space	(LUX) Select Multi-Column menu only
Close the menu (commit selections)	(LUX) Tab -or- Shift-Tab	(LUX) Select Multi Column menu only (LUX) Also moves focused cell one column to the right (Tab) or left (Shift+Tab)
Close the menu (no action or selection)	(LUX) Escape	(LUX) Escape closes the top-level menu and any sub-menus

Miscellaneous

This section contains information on the miscellaneous keystrokes.

Table C-8 Miscellaneous Keystrokes

Action	Key	Notes
Insert a new row above the selected row	(LUX) Insert Key	A new row is added just above the selected row

D

OJET CCA Controls

This chapter includes the keystroke controls for OJET CCA Controls.

OJET CCA Breadcrumb (oj-cca-breadcrumb)

This section contains information on the CCA Breadcrumb Keystroke.

Table D-1 CCA Breadcrumb Control

Target	Key
breadcrumb	See Buttonset One (Oj-buttonset-one) section, for details on breadcrumb.

OJET CCA List View (oj-cca-list-view)

This section contains information on the CCA List View.

Note

The Table Control is a toggle and can either be a List View Control, or a Table View Control. This is configured by the application owner.

Action	Key
List Control	See List View(oj-list-view) section, for details on List View.
Table Control	See Table(oj-table-view) section, for details on Table View.

OJET CCA Pagination (oj-cca-pagination)

This section contains information on the pagination panel component.

Table D-2 Pagination Panel Component

Target	Key	Action
Button (First Page, Previous Page, Next Page, Last Page)	Tab	Set focus to the Button
	Enter	Activates the control.
Page Input	Tab	Set focus to the input.
	Tab	Setting focus outside the input activates the control and updates the List View

OJET CCA Records per Page (oj-cca-records)

This section contains information on the CCA Records Per Page Control.

Table D-3 CCA Records Per Page Control

Action	Key
The Records Per Page, makes use of the number control	See Input Number(oj-input-number) section, for details on Number Control.

OJET CCA Summary Search (oj-cca-summary-search)

This section contains information on the CCA Summary Search Control.

Table D-4 CCA Search Control

Target	Key	Action
Search Control	Tab In	Set focus to Search Control.
Search Drop-down Panel	Enter	Activates the control and opens the Drop-down.
The drop-down may contain several Input controls such as input Text, Select, Multi-select, and so on	See TextBox section, for details on Input Text. See Select Single section, for details on Select. See Select-Many(oj-select-many) section, for details on Multi-select.	

E

HTML Documents on OHC and Help Pages

This section describes the set of unique keystrokes for the OFSAA documents on Oracle help center (OHC) and Online Help pages.

Note

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

Keyboard Shortcuts for OFSAA Documentation

Table E-1 HTML Pages Keystroke

Command	Description
Alt+Z	Bypass Key to move focus from LHS to RHS
Alt+X	Bypass Key to move from "Click here to see this page in full context" in the display ribbon to the TOC.

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released documents.

Glossary

Index