

Oracle® Financial Services Loan Loss Forecasting and Provisioning Unique Keystrokes and Access Keys Guidelines Document



Release 8.1.2.0.0
F88929-01
November 2023

ORACLE®

F88929-01

Copyright © 2023, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1	Introduction	
	How this Guide is Organized	1-1
2	User Roles and Groups	
	Map the Application Users to User Group	2-1
3	Common Keyboard Shortcuts with Control References	
	Login Page	3-1
	Landing Page	3-2
	Header	3-2
	Tiles	3-4
4	Administration and Configuration	
	Translation Tools	4-1
	Object Administration	4-4
	Object Security	4-4
	Metadata Segment Mapping	4-4
	Batch Execution Rights	4-5
	Object to Application Mapping	4-6
	Metadata Browser	4-6
	Object Migration	4-12
	Export Objects	4-13
	Import Objects	4-14
	Utilities	4-15
	Metadata Difference	4-15
	Metadata Authorization	4-16
	Save Metadata	4-17
	Write Protected Batch	4-18
	Component Registration	4-18
	Transfer Document Ownership	4-20

5 Common Object Maintenance

Data Model Maintenance	5-1
Data Management	5-3
Data Management Tools	5-3
Data Management Tools	5-3
Data Quality Framework	5-11
Data Entry Forms and Queries	5-17
Data Entry Forms and Queries	5-40
Unified Analytical Metadata	5-53
Alias	5-53
Alias Summary	5-53
Dimension Management	5-54
Attribute	5-54
Member	5-57
Business Hierarchy	5-60
Dataset	5-65
Measure	5-67
Business Processor	5-68
Map Maintenance	5-69
Operations	5-70
Batch Maintenance	5-71
Details	5-73
Batch Execution	5-75
Batch Monitor	5-78
Batch Scheduler	5-80
Batch Cancellation	5-84
Object Administration	5-85
Object Security	5-85
Metadata Segment Mapping	5-85
Batch Execution Rights	5-86
Object Migration	5-87
Export Objects	5-87
Metadata Browser	5-89
Utilities	5-96
Metadata Difference	5-96
Metadata Authorization	5-97
Save Metadata	5-97
Write Protected Batch	5-98

Component Registration	5-99
Patch Information	5-101

6 Loan Loss Forecasting and Provisioning

LLFP Maintenance	6-1
Run Management	6-5
Maker Stage and Classification Reassignment	6-9
Subledger Manual Adjustment	6-10
Subledger Attributes	6-12
Subledger	6-14
Reserve Factor Definition	6-16
Advanced Analytical Infrastructure	6-19
LGD Model	6-30
Vintage Model	6-33
PD Modelling	6-36
Checker Stage and Classification Reassignment	6-48

A Appendix A: HTML5 Controls

HTML Breadcrumbs (html5-breadcrumbs)	A-1
HTML Button (html5-button)	A-1
HTML Calendar (html5-calendar)	A-1
HTML Checkbox (html5-checkbox)	A-2
HTML Container Expand Collapse (html5-container-expand-collapse)	A-2
HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)	A-3
HTML Date (html5-date)	A-3
HTML Dialog Launcher (html5-dialog-launcher)	A-3
HTML Expression Browser Type BP (html5-expression-browser-type-bp)	A-4
HTML File Picker (html5-filepicker)	A-4
HTML Grid (html5-grid)	A-4
HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)	A-4
HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)	A-5
HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)	A-5
HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)	A-6
HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)	A-6
HTML Messages (html5-messages)	A-6
HTML Metadata Tree Browser (html5-metadata-tree-browser)	A-7
HTML Metadata Tree Control (html5-metadata-tree-control)	A-7
HTML Multiselect List (html5-multiselect-list)	A-7
HTML Navigation Tree (html5-navigation-tree)	A-7

HTML New Expression Builder (html5-new-expression-builder)	A-8
HTML Pagination Panel (html5-pagination)	A-8
HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)	A-9
HTML Radio button (html5-radio button)	A-9
HTML Records per Page (html5-records-per-page)	A-10
HTML Records per Page Drop-down (html5-records-per-page)	A-10
HTML Rules Menu (html5-rulesmenu)	A-10
HTML Select (html5-select-one)	A-11
HTML Tabs (html5-tab)	A-11
HTML Textarea (html5-textarea)	A-11
HTML Textbox (html5-textbox)	A-11
HTML Tree (html5-tree)	A-12

B Appendix B: OJET Controls

OJET Accordion (oj-accordion)	B-1
OJET Button (oj-button)	B-1
OJET Buttonset One (oj-buttonset-one)	B-2
OJET Canvas (oj-canvas)	B-2
OJET Canvas Diagram (oj-canvas-diagram)	B-2
OJET Chart (oj-chart)	B-3
OJET Checkbox (oj-checkbox)	B-4
OJET Context Menus (oj-menu)	B-5
OJET Control Specific Help (oj-control-specific-help)	B-5
OJET Date or DateTime (oj-datetime / oj-calendar)	B-6
OJET Dialog (oj-dialog)	B-7
OJET Expand/Collapse (oj-collapse)	B-7
OJET Expression Builder (oj-expression-builder)	B-8
OJET Expression Builder Launcher (oj-expression-builder-launcher)	B-8
OJET Foldable Layout (oj-foldable-layout)	B-8
OJET Grid (oj-grid)	B-9
OJET Hcy Br Tree (oj-tree)	B-14
OJET Hierarchy Browser Map (oj-hierarchy-browser-map)	B-15
OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)	B-15
OJET Input Number (oj-input-number)	B-15
OJET Legend (oj-legend)	B-16
OJET List View (oj-listview)	B-16
OJET Messages (oj-messages)	B-18
OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)	B-19
OJET Navigation List (oj-navigation-list)	B-19
OJET Object Migration Canvas (oj-object-migration-canvas)	B-24

OJET Object Node (object-node)	B-24
OJET Password (oj-password)	B-25
OJET Popup (oj-popup)	B-25
OJET Radio (oj-radio)	B-25
OJET Search Box (oj-input-search)	B-26
OJET Select Many (oj-select-many)	B-26
OJET Select Single (oj-select-single)	B-27
OJET Switch (oj-switch)	B-27
OJET Table (oj-table)	B-27
OJET Tabs (oj-tabs)	B-31
OJET Textarea (oj-textarea)	B-32
OJET Textbox (oj-input-text)	B-32
OJET Tree (oj-tree-view)	B-33
OJET Tree View (oj-tree-view)	B-34

C LUX Controls

LUX Breadcrumbs (oj-lux-breadcrumb)	C-1
LUX Grid (oj-lux-grid)	C-1
Keyboard shortcuts for navigation in and out of the grid	C-1
Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)	C-2
Adjusting the Row and Cell Selection	C-4
Editing Cells	C-7
Keyboard shortcuts for Grouped Rows and Tree Grid	C-9
Keyboard shortcuts for triggering cell actions in other types of cells	C-9
Keyboard shortcuts for sorting on columns	C-10
Keyboard Shortcuts for Menus	C-10
Miscellaneous	C-11

D OJET CCA Controls

OJET CCA Breadcrumb (oj-cca-breadcrumb)	D-1
OJET CCA List View (oj-cca-list-view)	D-1
OJET CCA Pagination (oj-cca-pagination)	D-1
OJET CCA Records per Page (oj-cca-records)	D-2
OJET CCA Summary Search (oj-cca-summary-search)	D-2

E HTML Documents on OHC and Help Pages

Keyboard Shortcuts for OFSAA Documentation	E-1
OFSAA Support	E-1

1

Introduction

This is the Unique Keystrokes and Access Keys Guidelines document for the Oracle Financial Services Loan Loss Forecasting and Provisioning (OFS LLFP) Application Pack.

This document provides accessibility information (Voluntary Product Accessibility Template - VPAT) about the LLFP Application User Interface (UI) according to the OAG 3.0 Standards. The Keystrokes reference details for each UI control on each screen of the LLFP Application and the information about the Access Keys required to access each UI control are explained. All the UI controls present in each UI screen of the LLFP Application are listed.

How this Guide is Organized

This section provides information about the structure of this document.

- [Users, Roles and Groups](#): This section provides information about the OFS LLFP Users, mapping of the OFS LLFP Users to each User Group, and the functionalities that a specific User has access to and can perform.
- [Common Keyboard Shortcuts with Control References](#): This section provides information about the common keyboard controls.
- [Administration and Configuration](#): This section provides information about the keystrokes reference details of the Administration Modules.
- [OFS LLFP Application Modules](#): This section provides information about the keystrokes reference details of the modules in the OFS LLFP Application User Interface.
- [Appendix A: HTML5 Controls](#): This section provides information about the set of unique keystrokes for the HTML5 controls.
- [Appendix B: OJET Controls](#): This section provides information about the set of unique keystrokes for the OJET controls.
- [Appendix C: LUX Controls](#): This section provides information about the set of unique keystrokes for the LUX controls.
- [Appendix D: OJET CCA Controls](#): This section provides information about the set of unique keystrokes for the OJET CCA controls.
- [Appendix E: HTML Documents on OHC and Help Pages](#): This section provides information about the set of unique keystrokes for the OFSAA documents on the Oracle help center (OHC) and Online Help pages.

2

User Roles and Groups

This chapter includes information about the users mapped to each user group, and the functionalities that a specific user has access to and can perform.

Map the Application Users to User Group

UserGroup Map facilitates you to map user(s) to a specific user group which in turn is mapped to a specific Information Domain and role. Every user group mapped to the Information Domain needs to be authorized. Otherwise, it cannot be mapped to users.

UserGroup Map Screen displays details such as User ID, Name, and the corresponding Mapped Groups. You can view and modify the existing mappings within the UserGroup Maintenance Screen.

Starting with the OFSAA 8.1 Release, with the installation of the LLFP Application Pack, pre-configured Application user groups are seeded. These user groups are unique to every OFSAA Application Pack and have application roles pre-configured.

You can access the UserGroup Map by expanding the Identity Management Section within the tree structure of the LHS menu.

Table 2-1 Seeded User Groups

Name	Description
OFS LLFP Admin	A user mapped to this group will have access to all the menu items for the entire OFS LLFP Application. The exclusive menus which are available only to this group of users are Application Preference and Global Preference under Settings Menu.
OFS LLFP Data Modeler	A user mapped to this group will have access only to Data Model Management and Metadata Browser Menus.
OFS LLFP Analyst	A user mapped to this group will have access to Data Management Framework, Dimension Management, and Metadata Browser Menus.

OFS LLFP Admin

This user has access to the following module:

- Settings

OFS LLFP Data Modeler

This user has access to the following modules:

- Data Model Maintenance
- Metadata Browser

OFS LLFP Analyst

This user has access to the following modules:

- Data Management Framework
- Dimension Management
- Metadata Browser

3

Common Keyboard Shortcuts with Control References

This chapter provides more information about the common keyboard controls.



Note:

- When you click a hyperlink and reach a page, if you want to get back to the page where the hyperlink was clicked, click Alt + Left Arrow.
- For OFS LLFP Application screens, press the Tab key on your keyboard to tab through all the controls within the browser window. Press Shift + Tab to navigate in the reverse direction.
- Disabled option items receive no highlight and are not selectable.

Login Page

The following table lists all the elements of the OFSAAI Login Page and the associated keystroke combinations to access them.

Table 3-1 Keystroke References for the Controls in Login Page


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Language Selection	HTML Select
html5-textbox		User ID, Password	HTML Textbox

Table 3-1 (Cont.) Keystroke References for the Controls in Login Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5- button		Login Button	HTML Button

Landing Page

This section describes all the elements of the OFSAAI Login Page and the keystroke combinations to access them.

Header

The following table describes all the elements of the header and the keystroke combinations to access them.

Table 3-2 Keystroke References for the Controls in Landing Page - Header

UI Control	How Does the UI Control Look	List of UI Control on the Screen	
oj-button		Application Navigation	OJET Button
oj-button		Connected To	OJET Button
oj-button		Last Login Details	OJET Button

Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header



UI Control	How Does the UI Control Look	List of UI Control on the Screen	
oj-navigation-list		Navigation drawer	OJET Navigation
oj-navigation-list		Main Navigation	OJET Navigation List (oj-navigation-list)
oj-select-single		Language	OJET Select

Table 3-2 (Cont.) Keystroke References for the Controls in Landing Page - Header

UI Control	How Does the UI Control Look	List of UI Control on the Screen
		User Preferences OJET Context Menu
		

Tiles

The following table lists all the elements of the Tiles Section and the associated keystroke combinations to access them.

Table 3-3 Keystroke References for the Controls in Administration Page - Tiles



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select-single		Information domain	OJET Select
			

Table 3-3 (Cont.) Keystroke References for the Controls in Administration Page - Tiles

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu		Tile	OJET Context Menu



4

Administration and Configuration

This chapter includes the keystroke reference details for the Administration related modules.

Translation Tools

This section includes the keystroke reference details for the Translation Tools Module. It includes the following screens:

Topics

- Config Schema Download
- Config Schema Upload

Figure 4-1 Config Schema Download Module

The screenshot shows the 'Download Screen' for the Config Schema Download Module. It features a 'Download' button in the top right corner. Below the title, there is a 'Select the table' dropdown menu with 'AAL_ACTION_SUB_TYPE_TL' selected. Next to it is a 'Format to download' dropdown menu with 'Microsoft Excel 2003' selected. At the bottom, there is a 'Filter (Where clause)' text input field.

Figure 4-2 Config Schema Upload Module

The screenshot shows the 'Upload Screen' for the Config Schema Upload Module. It features 'Upload' and 'View Log' buttons in the top right corner. Below the title, there is a 'Select the table' dropdown menu with 'AAL_ACTION_SUB_TYPE_TL' selected. Below that is a 'Select the File to Upload:' section with a 'Choose File' button and the text 'No file chosen'. Next to it is a 'Select the sheet' text input field with a small icon to its right. Below that is an 'Upload Type' section with two radio buttons: 'Incremental' (selected) and 'Complete'. At the bottom, there is a 'Source Date Format' text input field.

Config Schema Download

The following table describes all the elements of the Config Schema Download Section and the keystroke combinations to access them.

Table 4-1 Keystroke References for the Config Schema Download Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Information Domain - User Segment	HTML Select
html5-button		Help	HTML Select (html5-select-one)
html5-textarea		Filter (Where clause)	HTML Textarea (html5-textarea)

Figure 4-3 Text area



Config Schema Upload

The following table describes all the elements of the Config Schema Upload Section and the keystroke combinations to access them.

Table 4-2 Keystroke References for the Config Schema Upload Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Select the table	HTML Select


Table 4-2 (Cont.) Keystroke References for the Config Schema Upload Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button	Figure 4-4 Upload 		HTML Select (html5-select-one)
html5-textbox	Figure 4-5 Source Date Format Text 	Source Date Format	HTML Textbox (html5-textbox)
html5-filepicker	Figure 4-6 Select the file to Upload 	Select the file to Upload	HTML File Picker (html5-filepicker)

Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 4-7 Object Administration Module



Object Security

This section includes the keystroke reference details for the Object Security section.



Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 4-3 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Information Domain - User Segment	HTML Select
html5-radiobutton		- Measure - Hierarchy - Cube - Attribute - Map	HTML Radio Button

Table 4-3 (Cont.) Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-map-metadata-hierarchy-shuttle		Map Metadata Hierarchy Shuttle	HTML Grid
html5-button		Help	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Show Details	HTML Select (html5-select-one)
html5-button		Hide Details	HTML Select (html5-select-one)

Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.







Batch Execution Map

(Required) <Enter a short description here.>

Table 4-4 Batch Execution Map

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)

Table 4-4 (Cont.) Batch Execution Map

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Information Domain - User Group	HTML Select
html5-radiobutton		- Batch Maintenance - Enterprise Modeling - Run Rules Framework - ALL	HTML Radio Button
oj-collapse		User Group - Batch Execution Map	OJET Expand/Collapse
html5-grid		- Batch Name - Batch Description - Batch Map	OJET Context Menus (oj-menu)
html5-checkbox		Batch Map	HTML Checkbox
html5-button		- Check All - Uncheck All - Save - Cancel - Search - Reset	OJET Button

Object to Application Mapping

This section includes the keystroke reference details for the Object to Application Mapping Module. See [Metadata Browser](#) section for details.

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 4-5 Keystroke References for the Controls in the Metadata Browser Module

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		Tabs	OJET Tabs (oj-tabs)

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		• Dashboard • Search • Catalog of objects • Applications	OJET Tabs (oj-tabs)
oj-button		Filter	OJET Button
oj-button		Reload	OJET Button
oj-button		Publish	OJET Button
oj-button		Map	OJET Button

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-chart		Chart	OJET Chart
oj-legend		Legend	OJET Legend
oj-chart		Chart	OJET Chart
oj-button		Apply	OJET Button
oj-checkbox		Show common objects only	OJET Checkbox

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
available-objects-list		List View	OJET List View
selected-objects-list		List View	OJET List View
oj-button		Select	OJET Button

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Select All	OJET Button
oj-button		Deselect	OJET Button
oj-button		Deselect All	OJET Button
oj-button		Cancel	OJET Button
oj-button		Save	OJET Button
oj-input-search		Search	OJET Button
oj-list-view		List View	OJET List View
oj-foldable-layout		Foldable Layout	OJET Foldable Layout (oj-foldable-layout)

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Export to PDF	OJET Button
oj-button		More	OJET Button
oj-button		Details	OJET Button
oj-tree-view		Tree	OJET Tree View
oj-dialog		Dialog	OJET Dialog
oj-dialog		Dialog	OJET Dialog
oj-table		- Used in - Depends on	OJET Tabs (oj-tabs)

Table 4-5 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		Tabs	OJET Tabs (oj-tabs)
metadata-browser-breadcrumbs		Breadcrumbs	Metadata Browser Breadcrumbs
object-node		Object Node	Object Node
object-node		Object Node	Object Node
oj-menu		Menu	OJET Context Menu
oj-list-view and oj-foldable-layout		List View and Foldable Layout	OJET List View and OJET Foldable Layout
oj-messages		Messages	OJET Messages





Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.

Table 4-6 Export Objects

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-select-one		Sort By	HTML Select
html5-button		Delete	HTML Select (html5-select-one)
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page


Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.

Table 4-7 Outline Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		Select	HTML Radio Button



Table 4-7 (Cont.) Outline Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		• Outline Name • File Name	HTML Textbox
html5-button		• Apply • Close	HTML Select (html5-select-one)

Import Definition

This section includes the keystroke reference details for the Import Definition section.


Table 4-8 Import Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		Select	HTML Radio Button
html5-textbox		Outline Name	HTML Textbox
html5-select-one		• Dump File • Folder • Import All • Fail on Error • OverWrite • Retain Ids	HTML Select
html5-button		• Apply • Close	HTML Select (html5-select-one)

Import Objects

This section includes the keystroke reference details for the Import Objects Module.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

oj-cca-summary-search		Summary Search	OJET Search Box (oj-input-search)
oj-button		Add	OJET Button (oj-button)
oj-button		Home	OJET Button (oj-button)
oj-cca-pagination		Page	OJET Button (oj-button)
oj-cca-records		Records	OJET Button (oj-button)

Utilities

This section includes the keystroke reference details for the Utilities Module.



Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.

Table 4-9 Keystroke References for the Utilities – Metadata Difference Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-metadata-treecontrol		Select Metadata	HTML Metadata Tree Control 

Table 4-9 (Cont.) Keystroke References for the Utilities – Metadata Difference Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-metadata-treebrowser		Metadata Tree	Metadata Tree Browser
html5-button		Search	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Help	HTML Select (html5-select-one)

Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 4-10 Keystroke References for the Metadata Authorization Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-tab		Business Metadata	HTML Tab
html5-grid		Business Metadata Grid	HTML Grid



Table 4-10 (Cont.) Keystroke References for the Metadata Authorization Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)

Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.






Table 4-11 Keystroke References for the Save Metadata Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton	☒ Hierarchy ☐ Derived Entity	- Hierarchy - Derived Entity	HTML Radio button (html5-radio button)
html5-dataset-hierarchy-browse		Available Metadata	HTML Dataset Hierarchy Browser
html5-button		Save	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Help	HTML Select (html5-select-one)

Write Protected Batch

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

Table 4-12 Keystroke References for the Utilities – Metadata Difference Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		- Batch Name - Batch Description - Write-Protected Batch	HTML Grid
html5-checkbox		Write-Protected Batch	HTML Checkbox (html5-checkbox)
html5-button		Check All	HTML Checkbox (html5-checkbox)
html5-button		Uncheck All	HTML Button (html5-button)
html5-button		Save	HTML Button (html5-button)
html5-button		Cancel	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)

Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

Table 4-13 Keystroke References for the Component Registration Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		New	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Remove	HTML Button (html5-button)
html5-tab	Component Registration	Component Registration	HTML Tab
oj-tree	Available Components 	Available Components	OJET Tree
html5-textbox	Component ID* LD	• Component ID • Class Path • Image Name • Tree Order	HTML Textbox
html5-select-one	Parent ID	• Parent ID • ICC Component ID	HTML Select
html5-button		Save	HTML Button (html5-button)

Table 4-13 (Cont.) Keystroke References for the Component Registration Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button (html5-button)
html5-button			HTML Button (html5-button)
oj-textbox		- Created By - Creation Date - Last Modified By - Modification Date	OJET Textbox

Transfer Document Ownership

The following table describes all the elements of the Transfer Document Ownership Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		Users User Groups	HTML Button (html5-button)
html5-select-one		- User - Destination User	HTML Select (html5-select-one)
html5-dataset-hierarchy-browser		- Available Documents - Selected Documents	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

html5-button

Save

[HTML Button \(html5-button\)](#)

html5-button

Reset

[HTML Button \(html5-button\)](#)

html5-icon

Help

[HTML Button \(html5-button\)](#)



Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 4-14 Keystroke References for the Patch Information Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-tab	Patch Information	Patch Information	HTML Tab
html5-textbox	Search Patch or Application Name	• Textbox • Patch or Application Name • Information Domain	HTML Textbox
html5-icon		Help	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)

Table 4-14 (Cont.) Keystroke References for the Patch Information Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Reset	HTML Button (html5-button)
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) ⌂ < > ⌕	• Page • Records per page	HTML Pagination
html5-records-per-page		Records per page	HTML Records per Page Dropdown
html5-grid		• Patch or Application Name • Applied Date • Information Domain • Application ID • Segment Map ID • Segment Code • Additional Information	HTML Grid

5

Common Object Maintenance

This chapter includes the keystroke reference details for the following modules in the OILM User Interface.

Figure 5-1 COM






Data Model Maintenance

The following table describes all the elements of the Business Model Upload Summary section and the keystroke combinations to access them.

Table 5-1 Keystroke References for the Business Model Upload Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
	Name		

Table 5-1 (Cont.) Keystroke References for the Business Model Upload Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Type	HTML Select
html5-button		Add	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Help	HTML Button
html5-grid		Model Upload grid	HTML Grid
html5-pagination		- Page - Number of Rows	HTML Pagination

Data Management

This section includes the keystroke reference details for the Data Management Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Management Tools

This section includes the keystroke reference details for the Data Management Tools Module.

Data Sources

The following table describes all the elements of the Data Management Tools section and the keystroke combinations to access them.

Table 5-2 Keystroke References for the Data Management Tools section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
oj-textbox		• Code • Name • Search	OJET Textbox
oj-select-single		• Source Type • Record Status	OJET Select
oj-button		Search	OJET Button

Table 5-2 (Cont.) Keystroke References for the Data Management Tools section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button

Table 5-2 (Cont.) Keystroke References for the Data Management Tools section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button
oj-lux-grid		• Code • Name • Source Type • Upload Type • Created By • Created Date • Version • Active	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox
oj-cca-pagination		Pagination: • Page	OJET CCA Pagination
oj-cca-records		Records per Page	OJET CCA Records per Page

Data Mapping

This section includes the key stroke combinations for the Data Mapping Summary and Details Screens.

Summary

The following table describes all the elements of the Summary Section and the keystroke combinations to access them.

Table 5-3 Keystroke References for the Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
oj-textbox		• Code • Name • Search	OJET Textbox
oj-select-single		• Type • Source • Record Status ▾	OJET Select
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button

Table 5-3 (Cont.) Keystroke References for the Summary Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button

Table 5-3 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-grid		• Code • Name • Source Type • Upload Type • Created By • Created Date • Version • Active	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox
oj-cca-pagination		Pagination • Page	OJET CCA Pagination
oj-cca-records		• Records per Page • Records	OJET CCA Records per Page

Post Load Changes

This section includes the keystroke combinations for the Post Load Changes Summary and Details Screen.

Summary

The following table describes all the elements of the Summary Section and the keystroke combinations to access them.

Table 5-4 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
			

Table 5-4 (Cont.) Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-textbox		• Code • Name • Search	OJET Textbox
oj-select-single		• Type • Record Status	OJET Select
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button

Table 5-4 (Cont.) Keystroke References for the Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Authorize	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Purge	OJET Button
oj-lux-grid		• Code • Name • Type • Created By • Created Date • Version • Active	LUX Grid
oj-checkbox		Checkbox	OJET Checkbox

Table 5-4 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-cca-pagination		Pagination: Page	OJET CCA Pagination
oj-cca-records		Records per Page area	OJET CCA Records per Page

Data Quality Framework

This section includes the keystroke combinations for the following screens in the Data Quality Framework Module.

Data Quality Rules

This section includes the keystroke combinations for the Data Quality Rules Summary and Details Screen.

Table 5-5 Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs

Data Quality Groups

oj-textbox		- Name - Description	OJET Textbox
oj-select-single		- Folder - On Source - Source	OJET Select

Table 5-5 (Cont.) Keystroke References for the Data Quality Rules






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button

Table 5-5 (Cont.) Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Approve	OJET Button
oj-button		Reject	OJET Button
oj-button		Make Latest	OJET Button
oj-button		Resave	OJET Button
oj-lux-grid		- Name - Table - Access Type - Check Type - Folder - Creation Date - Created By - Last Modification Date - Status - Is Grouped - Is Executed - Version - Active	LUX Grid
oj-cca-pagination		Pagination: Page	OJET Checkbox
oj-cca-records		Records per Page	OJET CCA Pagination

Data Quality Groups

This section includes the keystroke combinations for the Data Quality Groups – Summary and Details Screen.

Summary


The following table describes all the elements of the Data Quality Groups - Summary Section and the keystroke combinations to access them.

Table 5-6 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs

Data Quality Rules


oj-textbox	Name	OJET Textbox
------------	------	------------------------------

A screenshot of a text input field with the label 'Name' to its left. The field is empty and has a light gray border.

oj-select-single	• Folder • Check Type • Record Status • On Source • Source • Table	OJET Select
------------------	--	-----------------------------

A screenshot of a select dropdown menu with the label 'Folder' to its left. The dropdown is open, showing a list of options: 'Folder', 'Check Type', 'Record Status', 'On Source', 'Source', and 'Table'. The 'Record Status' option is currently selected.

oj-button	Search	OJET Button
-----------	--------	-----------------------------



oj-button	Reset	OJET Button
-----------	-------	-----------------------------



Table 5-6 (Cont.) Keystroke References for the Summary Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Help	OJET Button
oj-button		Add	OJET Button
oj-button		View	OJET Button
oj-button		Edit	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Run	OJET Button

Table 5-6 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Refresh	OJET Button
oj-lux-grid		- Name - Folder - Creation Date - Created By - Created Date - Last Modification Date - Last Modified By - Last Run Date - Last Run Status	LUX Grid
oj-cca-pagination		Pagination Page	OJET CCA Pagination
oj-cca-records		- Records per Page - Records	OJET CCA Records per Page
oj-button		View Log	OJET Button
oj-button		View Reports	OJET Button
oj-button		Refresh	OJET Button

Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

Excel Upload for Atomic

This section includes keystroke elements for the Excel Upload Menu options.

Table 5-7 Keystroke References for the Data Quality Rules


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumbs	LUX Breadcrumbs
Excel-Entity Mappings			
oj-button		Help	OJET Button
			
oj-lux-grid		- Mapping ID - Mapping Name - Created By - Created On - Download Excel	LUX Grid
			
oj-button		Add	OJET Button
			
oj-button		View	OJET Button
			
oj-button		Edit	OJET Button
			

Table 5-7 (Cont.) Keystroke References for the Data Quality Rules

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Delete	OJET Button

Excel Upload

The following table describes all the elements of the Excel Upload section and the keystroke combinations to access them.

Table 5-8 Keystroke References for the Excel Upload




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-lux-Breadcrumbs		Breadcrumb	LUX Breadcrumbs
oj-button		Chooosen File	OJET Button
oj-button		Help	OJET Button
oj-button		Upload	OJET Button

Table 5-8 (Cont.) Keystroke References for the Excel Upload

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		View Log	OJET Button
oj-select-single		• Folder • On Source • Source	OJET Select

Forms Designer

This section includes keystroke combinations for all the screens in the Forms designer Module.

Screen 1

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-9 Keystroke References for the Forms Designer Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		• Create a New Form • Alter Existing Forms • Copy Forms • Delete Forms • Assign Rights • Message Type Maintenance	OJET Button
html5-select-one		Available Applications	HTML Select

Table 5-9 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-icon		Help	HTML Select
html5-textbox		- New Application Name - New Form Name	HTML Textbox
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Screen 2

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-10 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-icon		Help	HTML Button

Table 5-10 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button	 Grid	Grid	HTML Button
html5-button	 Single Record	Single Record	HTML Button
html5-button	 Edit/View	Edit/View	HTML Button
html5-button	 Multi Column	Multi Column	HTML Button
html5-button	 Wrapping Row	Wrapping Row	HTML Button



Table 5-10 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Tree View	HTML Button
html5-button		Next	HTML Button
html5-button		Reset	HTML Button

Screen 3

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.


Table 5-11 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		List of Available Tables	HTML Dataset Hierarchy Browser
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 4

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.



Table 5-12 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		- Available Fields - Fields to Display	HTML Dataset Hierarchy Browser
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 5

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-13 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		- Available Fields - Chosen Fields	HTML Dataset Hierarchy Browser
html5-checkbox		- Sort by descending - Excel map	HTML Checkbox
html5-button		Help	HTML Button
html5-button		Next	HTML Button
html5-button		Back	HTML Button

Screen 6

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-14 Keystroke References for the Forms Designer Section







UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		List of Available Tables	HTML Grid
html5-checkbox		Batch Commit checkbox	HTML Checkbox
html5-button		Help	HTML Button
html5-tabs		• Message Details • Form Filter • Data Versioning	HTML Tabs
html5-button		Form Filter Dialog Launcher	HTML Dialog Launcher
html5-button		Data Versioning	HTML Button
html5-button		Back	HTML Button

Table 5-14 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button
html5-button		Save with Authorization	HTML Button

Message Details

The following table describes all the elements of the Forms Designer – Message Details Section and the keystroke combinations to access them.

Table 5-15 Keystroke References for the Forms Designer - Message Details Section



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		• Messaging Required • Specific Messages Required	HTML Checkbox
html5-dataset-hierarchy-browser		• Available Message Types • Chosen Message Types	HTML Dataset Hierarchy Browser
html5-select-one		• Sort by descending • Excel map	HTML Checkbox
html5-button		Save	HTML Button


Table 5-15 (Cont.) Keystroke References for the Forms Designer - Message Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button
html5-button		- Available Fields For Subject - Available Fields For Content - Available Recipients	HTML Button
html5-button		- Mapped Fields For Subject - Mapped Fields For Content - Mapped Recipients	HTML Button

Form Filter

The following table describes all the elements of the Forms Designer - Filter Section and the keystroke combinations to access them.

Table 5-16 Keystroke References for the Forms Designer - Form Filter Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-expression-builder		Expression Builder	HTML Expression Builder

Data Versioning

The following table describes all the elements of the Forms Designer - Data Versioning Section and the keystroke combinations to access them.

Table 5-17 Keystroke References for the Forms Designer - Data Versioning Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		Enable Data Versioning Checkbox	HTML Dataset Hierarchy Browser
html5-select-one		• Table • Version Identifier	HTML Select
html5-button		OK	HTML Button
html5-button		Close	HTML Button

Figure 5-2 Close

Screen 7

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-18 Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		• View • Add • Edit • Delete • All Above • Show Data Created by Current User only	HTML Checkbox

Table 5-18 (Cont.) Keystroke References for the Forms Designer Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-multiselect-list	 A screenshot of a web form titled "Available User List". It features a scrollable list box with two entries: "OFSAD ~ OFSAD" and "OFSAN ~ OFSAN". The second entry is highlighted. The list box has a vertical scrollbar on the right side.	• Table • Version Identifier	HTML Multiselect List
html5-button	 A blue rectangular button with the text "Save Access Rights" in white.	Save Access Rights	HTML Button (html5-button)
html5-button	 A light gray rectangular button with the text "Close" in black.	Close	HTML Button (html5-button)
html5-button	 A light gray rectangular button with the text "Back to Forms Designer" in black.	Back to Forms Designer	HTML Button (html5-button)
html5-button	 A light gray rectangular button with the text "User-Value Map" in black.	User Value Map	HTML Button (html5-button)

Table 5-18 (Cont.) Keystroke References for the Forms Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button (html5-button)

Message Details

The following table describes all the elements of the Forms Designer Screen 7 - Message Details Tab and the keystroke combinations to access them.

Table 5-19 Keystroke References for the Forms Designer Screen 7 - Message Details Tab


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox	☐ Messaging Required	Messaging required	HTML Checkbox
html5-multiselect-list		Form Specific Messaging Details	HTML Multiselect List
html5-select-one	Message Type	Message Type	HTML Select
html5-checkbox	☐ Specific Messages Required	Specific Messages Required	HTML Checkbox
html5-textbox	Message Subject	- Message Subject - Message Content	HTML Textbox

Table 5-19 (Cont.) Keystroke References for the Forms Designer Screen 7 - Message Details Tab

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button

Figure 5-3 Save**Form Filter**

The following table describes all the elements of the Form Filter Tab and the keystroke combinations to access them.


Table 5-20 Keystroke References for the Form Filter Tab

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-multiselect-list		Specifying Expressions for Form-Level Filter Condition	HTML Multiselect List
html5-textarea		Expression Viewer	HTML Textarea
html5-button		Ok	OJET Button (oj-button)
html5-button		Clear	OJET Button (oj-button)
html5-button		Close	OJET Button (oj-button)

Data Versioning

The following table describes all the elements of the Data Versioning Tab and the keystroke combinations to access them.

Table 5-21 Keystroke References for the Data Versioning Tab

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		Enable Data Versioning	HTML Checkbox
html5-select-one		- Table - Version Identifier	HTML Select
html5-button		Ok	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)

Screen 8

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

Table 5-22 Keystroke References for the Form Designer Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		- View - Add - Edit - Delete - All Above - Show Data Created by Current User only	HTML Checkbox
html5-hierarchy-browser		- Table - Version Identifier	HTML Dataset Hierarchy Browser




Table 5-22 (Cont.) Keystroke References for the Form Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save Access Rights	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)
html5-button		Back to Forms Designer	HTML Button (html5-button)
html5-button		User Value Map	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)

Screen 9

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.




Table 5-23 Keystroke References for the Form Designer Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textarea		Fields to Display	HTML Textarea
html5-radiobutton		• Global Data Filter • Custom Data Filter	HTML Radio Button
html5-button		Save	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)
html5-button		Delete Filter	HTML Button (html5-button)

Forms Authorization

The following table describes all the elements of the Form Authorization Section and the keystroke combinations to access them.

Table 5-24 Keystroke References for the Forms Authorization Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		User ID	HTML Select
html5-icon		Help	HTML Button (html5-button)
html5-button		Authorize	HTML Button (html5-button)
html5-button		Reject	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)
html5-grid		Forms	HTML Grid

Data Entry

The following table describes all the elements of the Data Entry section and the keystroke combinations to access them.

Table 5-25 Keystroke References for the Data Entry Section



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button	 Single Record	Single Record	HTML Button (html5-button)
html5-button	 Editable View	Editable View	HTML Button (html5-button)
html5-button	 Grid	Grid	HTML Button (html5-button)
html5-button	 Multi Column	Multi-Column	HTML Button (html5-button)
html5-button	 Wrapping Row	Wrapping Row	HTML Button (html5-button)
html5-icon		Help	HTML Button (html5-button)

Table 5-25 (Cont.) Keystroke References for the Data Entry Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-tree		Data Entry Forms and Query Forms-DeFi Tree	HTML Tree
html5-grid		Form1	HTML Grid
html5-button		• View • Edit • Add • Delete • Authorize • Export • Search • Copy	HTML Button (html5-button)
html5-textbox		Rows	HTML Textbox
html5-checkbox		Select	HTML Checkbox
html5-textbox		Attribution Analysis ID textbox	HTML Button (html5-button)
html5-button		Previous Page	HTML Button (html5-button)

Table 5-25 (Cont.) Keystroke References for the Data Entry Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Back	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-button		Roll Back	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Next Page	HTML Button (html5-button)
html5-button		Reauthorize Records	HTML Button (html5-button)
html5-button		Reauthorize Deleted Records	HTML Button (html5-button)

Table 5-25 (Cont.) Keystroke References for the Data Entry Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Authorize All	HTML Button (html5-button)
html5-button		Reject All	HTML Button (html5-button)

Data Entry Forms and Queries

This section includes keystroke elements for the following Data Entry Forms and Queries Module.

- Excel Upload (Atomic)
- Forms Designer
- Forms Authorization
- Data Entry

Excel Upload (Atomic)

This section includes keystroke elements for the Excel Upload Menu options.

Excel Utility for Excel Entity Mappings

The following table describes all the elements of the Excel Entity Mappings Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel-Entity Mappings	HTML Breadcrumbs (html5-breadcrumbs)

Excel-Entity Mappings

html5-select-one	Available Applications	HTML Select (html5-select-one)
------------------	------------------------	--

Available Applications 

html5-icon		Help	HTML Button (html5-button)
html5-button		Download Excel	HTML Button (html5-button)
html5-button		Add	HTML Button (html5-button)
html5-button		View	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)

Add


The following table describes all the elements of the Excel Entity Mappings section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel-Entity Mapping Definition (Add Mode)	HTML Breadcrumbs (html5-breadcrumbs)

[Excel-Entity Mappings](#) > [Excel-Entity Mapping Definition/Add Mode](#)

html5-grid	Select Mapping	HTML Grid (html5-grid)
	Select Mapping	
html5-filepicker	Excel File Selector	HTML Button (html5-button)
	Excel File * Choose file Open Cancel	
html5-button	Add	HTML Button (html5-button)
html5-checkbox	Destination Date Format: mm-dd-yyyy First Row in the Header Bulk Authorization Save with Authorization Apply to All Dates	HTML Button (html5-button)
html5-button	Auto Map	HTML Button (html5-button)
	Auto Map	
html5-button	Map	HTML Button (html5-button)
	Map	
html5-button	Save Mapping	HTML Button (html5-button)
	Save Mapping	
html5-button	Cancel	HTML Button (html5-button)
	Cancel	

html5-dataset-hierarchy-browser



- Select Excel Columns
- Select Entities

[HTML Dataset Hierarchy Browser \(html5-dataset-hierarchy-browser\)](#)

html5-grid



Mapping Information

[HTML Grid \(html5-grid\)](#)

html5-select-one

Sheet

[HTML Select \(html5-select-one\)](#)

Sheet : ▼

Excel Utility for Excel Upload

The following table describes all the elements of the Excel Upload section and the keystroke combinations to access them.


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Excel Upload	HTML Breadcrumbs (html5-breadcrumbs)

Excel Upload

html5-filepicker

Choose File

[HTML File Picker \(html5-filepicker\)](#)



html5-select-one


Sheet

[HTML Select \(html5-select-one\)](#)

Sheet : ▼

Upload

[HTML Button \(html5-button\)](#)



html5-button

View


[HTML Button \(html5-button\)](#)



html5-button

View

[HTML Button \(html5-button\)](#)



html5-icon

Help

[HTML Button \(html5-button\)](#)



html5-button

- Browse
- Previous Excel File


[HTML Button \(html5-button\)](#)



html5-grid

Mapping Information

[HTML Grid \(html5-grid\)](#)




Forms Designer

Screen 1

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton	☒ Create a New Form	• Create a New Form • Alter Existing Forms • Copy Forms • Delete Forms • Assign Rights • Message Type Maintenance	HTML Button (html5-button)

html5-select-one		Available Applications	HTML Select (html5-select-one)
		Available Applications	New Application Name 
html5-icon		Help	HTML Button (html5-button)
html5-textbox		· New Application Name	HTML Textbox (html5-textbox)
		New Application Name · New Form Name	
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Screen 2

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-icon		Help	HTML Button (html5-button)
html5-button	 Grid	Grid	HTML Button (html5-button)


html5-button	 Single Record	Single Record	HTML Button (html5-button)
html5-button	 Edit/View	Edit/View	HTML Button (html5-button)
html5-button	 Multi Column	Multi Column	HTML Button (html5-button)
html5-button	 Wrapping Row	Wrapping Row	HTML Button (html5-button)
html5-button	 Tree View	Tree View	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)


Screen 3

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-dataset-hierarchy-browser		List of Available Tables	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

Figure 5-4 Dataset



html5-button		Help	HTML Button (html5-button)
html5-button		Next	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)

Screen 4

The following table describes all the elements of the Forms Designer Section and the keystroke combinations to access them.


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

html5-dataset-hierarchy-browser

List of Available Tables

[HTML Dataset Hierarchy Browser \(html5-dataset-hierarchy-browser\)](#)

Figure 5-5 Dataset



html5-button

Help

[HTML Button \(html5-button\)](#)

html5-button

Next

[HTML Button \(html5-button\)](#)

html5-button





Reset

[HTML Button \(html5-button\)](#)

Forms Authorization

The following table describes all the elements of the Form Authorization Section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		User ID	HTML Select (html5-select-one)
	User ID USER3		

html5-icon		Help	HTML Button (html5-button)
html5-button		Authorize	HTML Button (html5-button)
html5-button		Reject	HTML Button (html5-button)
html5-button		Close	HTML Button (html5-button)
html5-grid		Forms	HTML Button (html5-button)

Data Entry

The following table describes all the elements of the Data Entry section and the keystroke combinations to access them.

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button	 Single Record	Single Record	HTML Button (html5-button)
html5-button	 Editable View	Editable View	HTML Button (html5-button)


html5-button



Grid

[HTML Button \(html5-button\)](#)


html5-button



Multi-Column

[HTML Button \(html5-button\)](#)

html5-button



Wrapping Row

[HTML Button \(html5-button\)](#)


html5-icon



Help

[HTML Button \(html5-button\)](#)

html5-tree



Data Entry Forms and Query Forms-DeFi Tree

[HTML Button \(html5-button\)](#)

html5-grid



Form1

[HTML Button \(html5-button\)](#)

html5-button



- View
- Edit
- Add
- Delete
- Authorize
- Export
- Search
- Copy

[HTML Button \(html5-button\)](#)

html5-textbox

Rows

[HTML Button \(html5-button\)](#)

A form element consisting of the text "Display", a text input field containing the number "5", and the text "Rows".

html5-checkbox

Select

[HTML Button \(html5-button\)](#)

A form element with a label "Select" above an unchecked checkbox.

html5-textbox

Attribution Analysis ID

[HTML Button \(html5-button\)](#)

A text input field with the placeholder text "Attribution Analysis ID".

html5-button

Previous Page

[HTML Button \(html5-button\)](#)

A button with the text "< <Previous Page".

html5-button

Back

[HTML Button \(html5-button\)](#)

A button with the text "<Back".

html5-button

Back

[HTML Button \(html5-button\)](#)

A button with the text "Reset".

html5-button

Back

[HTML Button \(html5-button\)](#)


A button with the text "Reset".

html5-button

Roll Back

[HTML Button \(html5-button\)](#)


A button with the text "Roll Back".

html5-button		Next	HTML Button (html5-button)
html5-button		Next Page	HTML Button (html5-button)
html5-button		Reauthorize Records	HTML Button (html5-button)
html5-button		Reauthorize Deleted Records	HTML Button (html5-button)
html5-button		Authorize All	HTML Button (html5-button)
html5-button		Reject All	HTML Button (html5-button)

Unified Analytical Metadata

This section includes the keystroke reference details for the Unified Analytical Metadata Module.

Figure 5-6 Unified Analytical Metadata Module



Alias

This section includes the keystroke reference details for the Alias Summary page.

Alias Summary

The following table lists all the elements of the Alias Summary page.

Table 5-26 Keystroke References for the Controls in the Alias Summary Page



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-select-one		- Hierarchy Type - Hierarchy Subtype	HTML Select

Table 5-26 (Cont.) Keystroke References for the Controls in the Alias Summary Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox	Authorized 	Authorized	HTML Checkbox
html5-button		Add	HTML Button (html5-button)
html5-button		View	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)
html5-button		Save Preferences	HTML Button (html5-button)
html5-button		Clear Preferences	HTML Button (html5-button)
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) < > X		HTML Pagination
html5-records-per-page	Records Per Page 10	Records per Page	HTML Records per Page

Dimension Management

This section includes the keystroke combinations for the following Dimension Management Screens.

Attribute

This section includes the keystroke combinations for the Attribute Summary and Details Screens.

Summary

The following table describes all the elements of the Attributes - Summary Section and the keystroke combinations to access them.

Table 5-27 Keystroke References for the Attribute - Summary Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Numeric Code	HTML Textbox
	Numeric Code 		
html5-select-one	Dimension 	• Dimension • Data Type	HTML Select
html5-select-one	Name 	Name	HTML Textbox
html5-button		Add	HTML Button (html5-button)
html5-button		View	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Copy	HTML Button (html5-button)
html5-button		Check Dependencies	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)

Table 5-27 (Cont.) Keystroke References for the Attribute - Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)
html5-grid		Attributes grid	HTML Grid
html5-checkbox		Numeric Code	HTML Checkbox
html5-pagination		- Page - Records Per Page	HTML Pagination


Details

The following table describes all the elements of the Attributes - Details Section and the keystroke combinations to access them.

Table 5-28 Keystroke References for the Attribute - Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Name - Description	HTML Textbox
html5-select-one		- Dimension - Data Type	HTML Select

Table 5-28 (Cont.) Keystroke References for the Attribute - Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button
html5-button		Generate Code	HTML Button
html5-calendar		Default Value	HTML Calendar
html5-radiobutton		Required Attribute	HTML Radio Button

Member

This section includes the keystroke combinations for the Member Summary and Details Screens.

Summary

The following table describes all the elements of the Member - Summary Section and the keystroke combinations to access them.

Table 5-29 Keystroke References for the Member - Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Alphanumeric Code - Numeric Code - Name - Description - Attribute Value	HTML Textbox

Table 5-29 (Cont.) Keystroke References for the Member - Summary section








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Dimension • Attribute Name	HTML Select
html5-button		Add	HTML Button (html5-button)
html5-button		View	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Copy	HTML Button (html5-button)
html5-button		Check Dependencies	HTML Button (html5-button)
html5-button		Delete	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)

Table 5-29 (Cont.) Keystroke References for the Member - Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		Members grid	HTML Grid
html5-checkbox		Numeric Code	HTML Checkbox

**Figure 5-7 Alphanum
eric check box**

html5-radiobutton		Enabled	HTML Radio button
html5-pagination		- Page - Records per Page	HTML Pagination

Figure 5-8 Pagination

Page **1** of 1 (1 - 7 of 7 items) ⏪ ⏩ ⏴ ⏵



Details

The following table describes all the elements of the Member - Details Section and the keystroke combinations to access them.

Table 5-30 Keystroke References for the Member - Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-select-one		Dimension	HTML Select

Table 5-30 (Cont.) Keystroke References for the Member - Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button (html5-button)
html5-button		Cancel	HTML Button (html5-button)
html5-button		Generate Code	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)
html5-grid		Member Attributes Grid	HTML Grid
html5-radiobutton		Enabled	HTML Radio button

Business Hierarchy

This section includes the keystroke combinations for the Hierarchy Maintenance Summary and Details Screens.

Summary

The following table describes all the elements of the Business Hierarchy - Summary Section and the keystroke combinations to access them.

Table 5-31 Keystroke References for the Hierarchy Maintenance - Summary Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	OJET Button (oj-button)
html5-button		Reset	OJET Button (oj-button)
html5-textbox	Code	- Code - Short Description	HTML Textbox
html5-select-one	Hierarchy Type	- Hierarchy Type - Hierarchy Subtype	HTML Select
html5-checkbox	Authorized ☒	Authorized	HTML Checkbox
html5-button		Add	OJET Button (oj-button)
html5-button		View	OJET Button (oj-button)
html5-button		Edit	OJET Button (oj-button)
html5-button		Copy	OJET Button (oj-button)
html5-button		Delete	OJET Button (oj-button)
html5-grid		Grid	HTML Grid

Table 5-31 (Cont.) Keystroke References for the Hierarchy Maintenance - Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Details

The following table describes all the elements of the Hierarchy Maintenance - Details Section and the keystroke combinations to access them.

Table 5-32 Keystroke References for the Hierarchy Maintenance - Details Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Name - Description	HTML Textbox
Figure 5-9 Name			
			
html5-select-one		- Dimension - Folder - Show Member Code - Initial Display Level	HTML Select
html5-button		- Save - Cancel - Generate Code	OJET Button
html5-button		Cancel	OJET Button
html5-button		Add Folder	OJET Button

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	OJET Button
oj-button		Sort with Path	OJET Button
oj-button		Sort Hierarchy (Top to Bottom)	OJET Button
oj-button		Sort to Level (High to Low)	OJET Button
oj-button		Expand All	OJET Button
oj-button		Collapse All	OJET Button
oj-button		Expand Branch	OJET Button
oj-button		Collapse Branch	OJET Button

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Focus	OJET Button
oj-button		Unfocus	OJET Button
oj-button		Show Numeric Code Values (Right)	OJET Button
oj-button		Show Alphanumeric Code Values (Right)	OJET Button
oj-button		Reset	OJET Button
html5-calendar		Default Value	HTML Calendar
html5-radiobutton		- Automatic Inheritance - Access Type - Display Signage - Orphan Branch	HTML Radio button
html5-tab		- Show Hierarchy - Show Results	HTML Tabs

Table 5-32 (Cont.) Keystroke References for the Hierarchy Maintenance - Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Hierarchy Browser Shuttle






Dataset

This section includes the keystroke reference details for the Dataset Summary screen.

Table 5-33 Keystroke References for the Dataset summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Code	HTML Textbox
html5-button		Authorized	OJET Button

Table 5-33 (Cont.) Keystroke References for the Dataset summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination		• Page • Records Per Page	HTML Pagination
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
html5-button		Save Preferences	OJET Button
html5-button		Clear Preferences	OJET Button

Measure

This section includes the keystroke reference details for the Measure section:

Table 5-34 Keystroke References for the Measure section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Code 	Code	HTML Textbox
html5-button	Authorized 	Authorized	OJET Button
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) 	- Page - Records Per Page	HTML Pagination
oj-button		Search	OJET Button

Table 5-34 (Cont.) Keystroke References for the Measure section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Reset	OJET Button
html5-button		Save Preferences	OJET Button
html5-button		Clear Preferences	OJET Button

Business Processor

This section includes the keystroke reference details for the Business Processor section.

Table 5-35 Keystroke References for the Business Processor section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Code	Code	HTML Textbox
html5-button	Authorized ☒	Authorized	OJET Button
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button

Table 5-35 (Cont.) Keystroke References for the Business Processor section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination		- Page - Records Per Page	HTML Pagination
oj-button		Search	OJET Button
oj-button		Reset	OJET Button

Map Maintenance

This section includes the keystroke reference details for the Map Maintenance section.

Table 5-36 Keystroke References for the Map Maintenance section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select		Segment	HTML Select
oj-button		Add	OJET Button


Table 5-36 (Cont.) Keystroke References for the Map Maintenance section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Copy	OJET Button
oj-button		Mapper Maintenance	OJET Button
oj-button		Default Security Map	OJET Button
html5-grid		Member Attributes Grid	HTML Grid
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) K < > X	- Page - Records Per Page	HTML Pagination
html5-records-per-page	Records Per Page 10	Records per Page	HTML Records per Page

Operations

This section includes the keystroke reference details for the Operations Module. This module includes the following screens.

Figure 5-10 Operations Module



Batch Maintenance

This section includes the keystroke reference details for the Operations - Batch Maintenance Module.

Summary

The following table lists all the elements of the Operations - Batch Maintenance Page with summary and the associated keystroke combinations to access them.

Table 5-37 Keystroke References for the Controls in the Operations - Batch Maintenance Page



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Batch ID Like <infodom_name> - Batch Description Like - START	HTML Textbox
html5-button		Help	HTML Button (html5-button)
oj-button		Add	OJET Button
oj-button		Edit	OJET Button
oj-button		View	OJET Button
oj-button		Delete	OJET Button
oj-button		Ok	OJET Button
oj-button		Close	OJET Button

Table 5-37 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		Member Attributes Grid	HTML Grid
oj-button		Search	OJET Button
oj-button		Reset	OJET Button
html5-pagination	Page 1 of 1 (1 - 7 of 7 items) K < > X	• Page • Records Per Page	HTML Pagination
html5-records-per-page	Records Per Page 10	Records per Page	HTML Records per Page
html5-textbox	Batch ID Like OFSOILMINFO_	• Batch ID Like <infodom_name> • Batch Description Like • START	HTML Textbox
html5-select-one	Module	Module	HTML Select
html5-calendar	Between 	• Between • And	HTML Calendar
html5-checkbox	☒ Batch ID 	• Batch ID • Task ID	HTML Checkbox
html5-button		Precedence	OJET Button

Table 5-37 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-Breadcrumbs		Task Precedence Mapping	HTML Breadcrumbs
	Batch Maintenance > Task Precedence Mapping		
html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Grid
			

Details

The following table lists all the elements of the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable, and the associated keystroke combinations to access them.

Table 5-38 Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button
html5-button		Close	HTML Button

Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Ok	HTML Button
html5-button		Reset	HTML Button
html5-textbox		• Batch Name • Batch Description • Created By • Created Date • Creation Date • Last Modified by • Last Modification • Date • Task ID • Description • Optional Parameters • Default Value • Data File Name • Rejection Threshold • Additional Parameters • Executable • Parameter List • Object ID	HTML Textbox

Table 5-38 (Cont.) Keystroke References for the Controls in the Operations - Batch Maintenance Page with Add/View details or mark a Batch as Editable/Non-Editable

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Batch ID • Components • Datastore Type • Datastore Name • Primary IP For Runtime Processes • Load Mode • Cube Parameter • Operation • Source Name • Extract Name • File name • Process Code • Sub Process Code • Build Flag • Rule Description • DQ Group Name • Fail If Threshold Breaches • Wait • Batch Parameter • Folder • SQL Rule Name • Rule Name • Workflow	HTML Select (html5-select-one)
html5-messages		Message	HTML Messages
html5-pagination		• Page • Records Per Page	HTML Pagination

Batch Execution

This section includes the keystroke reference details for the Operations - Batch Execution Module. The following table lists all the elements of the Operations - Batch Execution Page with summary and the associated keystroke combinations to access them.

Table 5-39 Keystroke References for the Controls in the Operations - Batch Execution Page







UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)
oj-button		Search	OJET Button
html5-button		Reset	HTML Button
html5-button		Schedule Batch	HTML Button
html5-button		Exclude/Include	HTML Button
html5-button		Hold and Release	HTML Button
html5-button		Ok	HTML Button
html5-button		Close	HTML Button
html5-button		Execute Batch	HTML Button

Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page







UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton	Figure 5-11 Mode 	- Run - Restart - Rerun	HTML Radio Button
html5-textbox	Figure 5-12 Batch ID Like 	- Batch ID Like <infodom_name> - Batch Description Like	HTML Textbox
html5-select-one	Module 	- Module - Information Date - Batch Run ID	HTML Select
html5-calendar	Between 	- Between - Data	HTML Calendar
html5-grid		- Batch Name - Task Details	HTML Grid
html5-checkbox		- Batch ID - Task ID	HTML Checkbox
html5-Breadcrumbs		- Exclude/Include - Hold/Release	HTML Breadcrumbs
html5-hierarchy-browser-shuttle		Hierarchy Browser Shuttle	HTML Grid
html5-pagination		- Page - Records Per Page	HTML Pagination

Table 5-39 (Cont.) Keystroke References for the Controls in the Operations - Batch Execution Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-cca-records		Records per Page	HTML Records per Page
html5-messages		Message	HTML Messages

Batch Monitor

This section includes the keystroke reference details for the Operations – Batch Monitor Module. The following table lists all the elements of the Operations – Batch Monitor Page with summary and the associated keystroke combinations to access them.

Table 5-40 Keystroke References for the Controls in the Operations – Batch Monitor Page



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)
html5-button		Search	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Start Monitoring	HTML Select (html5-select-one)

Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page












UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Stop Monitoring	HTML Select (html5-select-one)
html5-button		View Log	HTML Select (html5-select-one)
html5-button		Export	HTML Select (html5-select-one)
html5-textbox		- Batch ID Like <infodom_name> - Batch Description Like - Monitor Refresh Rate (seconds)	HTML Textbox
html5-select-one		- Module - Status - Information Date - Batch Run ID	HTML Select
html5-calendar		Start Date	HTML Calendar
html5-grid		- Batch Details - Batch Status - Task Details - Event Log	HTML Grid
html5-checkbox		- Batch ID - Task ID	HTML Checkbox
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Table 5-40 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-datetime		MIS Date	OJET DateTime
oj-textbox		Wildcard	OJET Textbox
oj-collapse		View Logger	OJET Expand/Collapse
oj-button		Reset	OJET Button
oj-button		View Log	OJET Button
oj-button		Download	OJET Button
oj-textarea		Log File Contents	OJET Textarea

Batch Scheduler

This section includes the keystroke reference details for the Operations - Batch Scheduler Module. The following table lists all the elements of the Operations - Batch

Scheduler Page with summary and the associated keystroke combinations to access them.

Table 5-41 Keystroke References for the Controls in the Operations – Batch Monitor Page





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)
html5-button		Search	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Refresh	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Cancel	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-button		Delete	HTML Select (html5-select-one)
html5-button		View	HTML Select (html5-select-one)

Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Edit	HTML Select (html5-select-one)
html5-button		Delete	HTML Select (html5-select-one)
html5-button		Refresh	HTML Select (html5-select-one)
html5-button		View Task Logs	HTML Select (html5-select-one)
html5-button		View All Logs	HTML Select (html5-select-one)
html5-radiobutton		• New Schedule • Existing Schedule • Once • Daily • Weekly • Monthly • Adhoc • Interval • Random • Dates • Occurrence	HTML Radio Button
html5-calendar		• Between • Start Date • End Date • Information Date • Run Date	HTML Calendar

Table 5-41 (Cont.) Keystroke References for the Controls in the Operations – Batch Monitor Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		• Batch ID Like <infodom_name> • Batch Description Like • Current Server Time • Domain • Batch • Schedule Name • Runtime <count_of> Hours • Run Time <count_of> Minutes • Lag <number_of> Days • Every <number_of> Days • Every <number_of> Months of the month (comma delimited) • Run Time • Batch Scheduler • Task Logs	HTML Textbox
html5-select-one		• Module • Occurrence of the weekday • Schedule Name	HTML Select
html5-checkbox		• Batch ID • Task ID	HTML Checkbox
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page

Batch Cancellation

This section includes the keystroke reference details for the Operations – Batch Cancellation Module. The following table lists all the elements of the Operations – Batch Cancellation Page with summary and the associated keystroke combinations to access them.

Table 5-42 Keystroke References for the Controls in the Operations – Batch Cancellation Page





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Fetch Task Details	HTML Button
html5-button		Cancel Batch	HTML Button
html5-button		Abort Batch	HTML Button
html5-button		Cancel Task	HTML Button
html5-textbox		Refresh Rate (seconds)	HTML Textbox
html5-grid		Batch Details	HTML Grid


Table 5-42 (Cont.) Keystroke References for the Controls in the Operations – Batch Cancellation Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-checkbox		Batch Run ID	HTML Checkbox

Object Administration

This section includes the keystroke reference details for the Object Administration Module.

Figure 5-13 Object Administration Module






Object Security

This section includes the keystroke reference details for the Object Security section.

Metadata Segment Mapping

This section includes the keystroke reference details for the Metadata Segment Mapping Module. The following table lists all the elements of the Object Administration - Metadata Segment Mapping Page and the associated keystroke combinations to access them.

Table 5-43 Keystroke References for the Controls in the Object Administration - Metadata Segment Mapping Page

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Information Domain - User Segment	HTML Select
html5-radiobutton	☒ Measure ☐ Hierarchy ☐ Cube ☐ Attribute ☐ Map	- Measure - Hierarchy - Cube - Attribute - Map	HTML Radio Button
html5-map-metadata-hierarchy-shuttle		Map Metadata Hierarchy Shuttle	HTML Grid
html5-button		Help	HTML Select (html5-select-one)
html5-button		Save	HTML Select (html5-select-one)
html5-button		Show Details	HTML Select (html5-select-one)
html5-button		Hide Details	HTML Select (html5-select-one)




Batch Execution Rights

This section includes the keystroke reference details for the Batch Execution Rights Module.

Batch Execution Map

(Required) <Enter a short description here.>

Table 5-44 Batch Execution Map

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Select (html5-select-one)
html5-select-one		- Information Domain - User Group	HTML Select
html5-radiobutton		- Batch Maintenance - Enterprise Modeling - Run Rules Framework - ALL	HTML Radio Button
oj-collapse		User Group - Batch Execution Map	OJET Expand/Collapse
html5-grid		- Batch Name - Batch Description - Batch Map	OJET Context Menus (oj-menu)
html5-checkbox		Batch Map	HTML Checkbox
html5-button		- Check All - Uncheck All - Save - Cancel - Search - Reset	OJET Button





Object Migration

This section includes the keystroke reference details for the Object Migration section.

Export Objects

The following table describes all the elements of the Export Objects module and the keystroke combinations to access them.

Table 5-45 Export Objects

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	HTML Select (html5-select-one)
html5-button		Add	HTML Select (html5-select-one)
html5-select-one		Sort By	HTML Select
html5-button		Delete	HTML Select (html5-select-one)
html5-pagination		Pagination	HTML Pagination
oj-cca-records		Records per Page	HTML Records per Page


Outline Definition

This section includes the keystroke reference details for the Outline Definition Module.

Table 5-46 Outline Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		Select	HTML Radio Button
html5-textbox		- Outline Name - File Name	HTML Textbox



Table 5-46 (Cont.) Outline Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		• Apply • Close	HTML Select (html5-select-one)

Import Definition

This section includes the keystroke reference details for the Import Definition section.

Table 5-47 Import Definition

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		Select	HTML Radio Button
html5-textbox		Outline Name	HTML Textbox
html5-select-one		• Dump File • Folder • Import All • Fail on Error • OverWrite • Retain Ids	HTML Select
html5-button		• Apply • Close	HTML Select (html5-select-one)

Metadata Browser

This section includes the keystroke reference details for the Metadata Browser Module. The following table lists all the elements of the Metadata Browser Module, and the associated keystroke combinations to access them.

Table 5-48 Keystroke References for the Controls in the Metadata Browser Module

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		Tabs	OJET Tabs (oj-tabs)

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		• Dashboard • Search • Catalog of objects • Applications	OJET Tabs (oj-tabs)
oj-button		Filter	OJET Button
oj-button		Reload	OJET Button
oj-button		Publish	OJET Button
oj-button		Map	OJET Button

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-chart		Chart	OJET Chart
oj-legend		Legend	OJET Legend
oj-chart		Chart	OJET Chart
oj-button		Apply	OJET Button
oj-checkbox		Show common objects only	OJET Checkbox

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
available-objects-list		List View	OJET List View
selected-objects-list		List View	OJET List View
oj-button		Select	OJET Button

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Select All	OJET Button
oj-button		Deselect	OJET Button
oj-button		Deselect All	OJET Button
oj-button		Cancel	OJET Button
oj-button		Save	OJET Button
oj-input-search		Search	OJET Button
oj-list-view		List View	OJET List View
oj-foldable-layout		Foldable Layout	OJET Foldable Layout (oj-foldable-layout)

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Export to PDF	OJET Button
oj-button		More	OJET Button
oj-button		Details	OJET Button
oj-tree-view		Tree	OJET Tree View
oj-dialog		Dialog	OJET Dialog
oj-dialog		Dialog	OJET Dialog
oj-table		- Used in - Depends on	OJET Tabs (oj-tabs)

Table 5-48 (Cont.) Keystroke References for the Controls in the Metadata Browser Module

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tabs		Tabs	OJET Tabs (oj-tabs)
metadata-browser-breadcrumbs		Breadcrumbs	Metadata Browser Breadcrumbs
object-node		Object Node	Object Node
object-node		Object Node	Object Node
oj-menu		Menu	OJET Context Menu
oj-list-view and oj-foldable-layout		List View and Foldable Layout	OJET List View and OJET Foldable Layout
oj-messages		Messages	OJET Messages



Utilities

This section includes the keystroke reference details for the Utilities Module.

Metadata Difference

The following table describes all the elements of the Utilities – Metadata Difference Section and the Keystroke combinations to access them.


Table 5-49 Keystroke References for the Utilities – Metadata Difference Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-metadata-treecontrol		Select Metadata	HTML Metadata Tree Control
html5-metadata-treebrowser		Metadata Tree	Metadata Tree Browser
html5-button		Search	HTML Select (html5-select-one)
html5-button		Reset	HTML Select (html5-select-one)
html5-button		Help	HTML Select (html5-select-one)

Metadata Authorization

The following table describes all the elements of the Metadata Authorization Section and the keystroke combinations to access them.

Table 5-50 Keystroke References for the Metadata Authorization Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-tab		Business Metadata	HTML Tab
html5-grid		Business Metadata Grid	HTML Grid
html5-button		Help	HTML Select (html5-select-one)

Save Metadata

The following table describes all the elements of the Save Metadata Section and the keystroke combinations to access them.

Table 5-51 Keystroke References for the Save Metadata Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		- Hierarchy - Derived Entity	HTML Radio button (html5-radio button)
html5-dataset-hierarchy-browse		Available Metadata	HTML Dataset Hierarchy Browser
html5-button		Save	HTML Select (html5-select-one)

html5-button		Reset	HTML Select (html5-select-one)
html5-button		Help	HTML Select (html5-select-one)

The following table describes all the elements of the Write Protected Batch Section and the keystroke combinations to access them.

html5-grid

Batch Name *

Batch Description

Write-Protected Batch

ALM	Data Quality batch for ALM tables	☒
CALIBRATION	Data Quality batch for CALIBRATION tables	☐
COLLATERAL	Data Quality batch for Collateral tables	☐
COLLECTION_AND_RECOVERY	Data Quality batch for Collection and Recovery tables	☐
CRM	Data Quality batch for CRM tables	☐
CUSTOMER	Data Quality batch for Customer tables	☐
DATA_FOUNDATION_SCD	Data Foundation SCD for Leading Dimension Tables	☐
DATA_FOUNDATION_SCD_MLS	Data Foundation SCD for Multi Language Support Dimensions	☐
DATA_REDUCTION	Batch for Data Reduction	☐
DIM_ACCOUNTING_SCD	SCD for DIM_ACCOUNTING	☐
PROCEDURE	Data Quality batch for PROCEDURE tables	☐
GL_AND_ACCOUNTING	Data Quality batch for GL_AND_ACCOUNTING groups	☐
CRM	Data Quality batch for CRM tables	☐
MARKET_RISK	Data Quality batch for MARKET_RISK tables	☐
MASTER	Data Quality batch for master tables	☐
VOCE	Batch for VOCE Pulsion	☐

Batch Name

Batch Description

Write-Protected Batch

HTML Grid

html5-checkbox

Write-Protected Batch

☐

Write-Protected Batch

HTML Checkbox (html5-checkbox)

html5-button

Check All

Check All

HTML Checkbox (html5-checkbox)

html5-button

Uncheck All

Uncheck All

HTML Button (html5-button)


html5-button

Save

Save

HTML Button (html5-button)

Table 5-52 (Cont.) Keystroke References for the Utilities – Metadata Difference Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button (html5-button)
html5-button		Help	HTML Button (html5-button)




Component Registration

The following table describes all the elements of the Component Registration section and the keystroke combinations to access them.

Table 5-53 Keystroke References for the Component Registration Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		New	HTML Button (html5-button)
html5-button		Edit	HTML Button (html5-button)
html5-button		Remove	HTML Button (html5-button)
html5-tab	Component Registration	Component Registration	HTML Tab

Table 5-53 (Cont.) Keystroke References for the Component Registration Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-tree		Available Components	OJET Tree
			
html5-textbox		• Component ID • Class Path • Image Name • Tree Order	HTML Textbox
html5-select-one		• Parent ID • ICC Component ID	HTML Select
html5-button		Save	HTML Button (html5-button)
html5-button		Cancel	HTML Button (html5-button)
html5-button			HTML Button (html5-button)
oj-textbox		• Created By • Creation Date • Last Modified By • Modification Date	OJET Textbox

Patch Information

The following table describes all the elements of the Patch Information Section and the keystroke combinations to access them.

Table 5-54 Keystroke References for the Patch Information Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-tab		Patch Information	HTML Tab
html5-textbox		• Textbox • Patch or Application Name • Information Domain	HTML Textbox
html5-icon		Help	HTML Button (html5-button)
html5-button		Search	HTML Button (html5-button)
html5-button		Reset	HTML Button (html5-button)
html5-pagination		• Page • Records per page	HTML Pagination
html5-records-per-page		Records per page	HTML Records per Page Dropdown

Table 5-54 (Cont.) Keystroke References for the Patch Information Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		• Patch or Application Name • Applied Date • Information Domain • Application ID • Segment Map ID • Segment Code • Additional Information	HTML Grid

6

Loan Loss Forecasting and Provisioning

This section includes the keystroke reference details for the Loan Loss Forecasting and Provisioning Module. This module includes the following screens:

LLFP Maintenance

This section includes the keystroke reference details for the LLFP Maintenance Module.

Multiple Ratings Preferences

This section includes the keystroke reference details for the Module.



Summary

The following table lists all the elements of the Multiple Ratings Preferences with summary and the associated keystroke combinations to access them.

Table 6-1 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button







Table 6-1 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Multiple Rating	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Multiple Rating Page with details and the associated keystroke combinations to access them.

Table 6-2 Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-grid		Multiple Rating	HTML Grid
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button
html5-calendar		Effective From Date	HTML Calendar
html5-select-one		- Rating Category - Product	HTML Select
html5-checkbox		Checkbox	HTML Checkbox (html5-checkbox)

Currency

This section includes the keystroke reference details for the Currency Module.

Summary

The following table lists all the elements of the Currency Page with summary and the associated keystroke combinations to access them.

Table 6-3 Keystroke References for the Summary Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button

Table 6-3 (Cont.) Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Currencies	HTML Grid
html5-pagination		Page	HTML Pagination
html5-button		Delete	HTML Button

Figure 6-2 Delete

html5-select-one		- Status - Reporting Currency	HTML Select (html5-select-one)
------------------	---	---	--

Run Management

This section includes the keystroke reference details for the Run Management Module.

Rule

This section includes the keystroke reference details for the Rule Module.





Summary

The following table lists all the elements of the Rule Page with summary and the associated keystroke combinations to access them.

Table 6-4 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Remove	HTML Button

Table 6-4 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Authorize	HTML Button
html5-button		Page	HTML Pagination
html5-select-one		- Status - Reporting Currency	HTML Select (html5-select-one)
html5-button		Trace Definition	HTML Button
html5-textbox		Code	HTML Textbox
html5-grid		Grid	HTML Grid

Details

The following table lists all the elements of the Rule Page with details and the associated keystroke combinations to access them.

Table 6-5 Keystroke References for the Details Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Type	HTML Select (html5-select-one)
html5-textbox		• Folder • Dataset • Code • Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Selector	HTML Button
html5-button		Move	HTML Button
html5-button		Show Details	HTML Button
html5-button		Next	HTML Button

Table 6-5 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Close	HTML Button
html5-grid		Object Migration	HTML Grid

Maker Stage and Classification Reassignment

This section includes the keystroke reference details for the Maker Stage and Classification Reassignment Module.

Summary

The following table lists all the elements of the Maker Stage and Classification Reassignment Page with summary and the associated keystroke combinations to access them.

Table 6-6 Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Stage Determination Run • Execution Date • Run Execution Name and Run Skey • Customer Type • Country • Impaired • Product Type • Industry • Restructured • Defaulted • Line of Business • Previous Reported Stage • Application Assigned Stage • Classification	HTML Select (html5-select-one)

Table 6-6 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Customer ID - Account ID/No - Customer Name - POCI	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		Page	HTML Pagination

Subledger Manual Adjustment

This section includes the keystroke reference details for the Subledger Manual Adjustment Module.


Summary

The following table lists all the elements of the Subledger Manual Adjustment Page with summary and the associated keystroke combinations to access them.

Table 6-7 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Definition Name	- Legal Entity - Line Of Business	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button

Table 6-7 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Subledger Manual Adjustment Page with details and the associated keystroke combinations to access them.

Subledger Attributes

This section includes the keystroke reference details for the Subledger Attributes Module.

Summary

The following table lists all the elements of the Subledger Attributes Page with summary and the associated keystroke combinations to access them.


Table 6-8 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Attribute Name	HTML Textbox

Table 6-8 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button

Table 6-8 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-grid		Grid	HTML Grid
html5-pagination		Page	HTML Pagination

Subledger

This section includes the keystroke reference details for the Subledger Module.


Summary

The following table lists all the elements of the Subledger Page with summary and the associated keystroke combinations to access them.

Table 6-9 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Legal Entity - Line Of Business	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button

Table 6-9 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Subledger Page with details and the associated keystroke combinations to access them.

Reserve Factor Definition

This section includes the keystroke reference details for the Reserve Factor Mapping Module.


Summary

The following table lists all the elements of the Reserve Factor Mapping Page with summary and the associated keystroke combinations to access them.

Table 6-10 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button

Table 6-10 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Reserve Factor Mapping Page with details and the associated keystroke combinations to access them.

Table 6-11 Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox

Table 6-11 (Cont.) Keystroke References for the Details Section






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		- Retail - Corporate	HTML Radio button (html5-radio button)
html5-select-one		- Product Code - Region - Historic Term - Predicted Term	HTML Select (html5-select-one)
html5-radiobutton		- Retail - Corporate	HTML Radio button (html5-radio button)
html5-map-metadata-hierarchy-shuttle	Figure 6-3 Shuttle 	- Account Shuttle - Economic Shuttle	HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)
html5-button		Help	HTML Button
html5-button		Save	HTML Button

Table 6-11 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button

Advanced Analytical Infrastructure

This section includes the keystroke reference details for the Advanced Analytical Infrastructure Module.

Technique Registration

This section includes the keystroke reference details for the Technique Registration Module.


Summary

The following table lists all the elements of the Technique Registration Page with summary and the associated keystroke combinations to access them.

Table 6-12 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Technique Name - Technique Class	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button





Table 6-12 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Technique Registration Page with details and the associated keystroke combinations to access them.

Table 6-13 Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Technique Name - Technique Class - Technique Description	HTML Textbox
html5-select-one		- Language - Input Data Type	HTML Select (html5-select-one)
html5-button		Help	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button

Sandbox Creation

This section includes the keystroke reference details for the Sandbox Creation Module.



Summary

The following table lists all the elements of the Sandbox Creation Page with summary and the associated keystroke combinations to access them.

Table 6-14 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Definition Name	Sandbox Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button

Table 6-14 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		Page	HTML Pagination

Details

The following table lists all the elements of the Sandbox Creation with details and the associated keystroke combinations to access them.

Table 6-15 Keystroke References for the Details Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Sandbox Name - Source Dataset - Sandbox Description - Sandbox Location	HTML Textbox
html5-button		Help	HTML Button

Table 6-15 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button

Sandbox Maintenance

This section includes the keystroke reference details for the Sandbox Maintenance Module.


Summary

The following table lists all the elements of the Sandbox Maintenance Page with summary and the associated keystroke combinations to access them.

Table 6-16 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Sandbox Name	HTML Textbox
html5-button		Help	HTML Button

Table 6-16 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Variable Definition

This section includes the keystroke reference details for the Variable Definition Module.



Summary

The following table lists all the elements of the Variable Definition Page with summary and the associated keystroke combinations to access them.

Table 6-17 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	 A text input field with the placeholder text "Definition Name" in a light blue font.	Sandbox Name	HTML Textbox
html5-button	 A circular button with a blue border and a white question mark icon in the center.	Help	HTML Button
html5-button	 A magnifying glass icon.	Search	HTML Button
html5-button	 A circular arrow icon.	Reset	HTML Button
html5-button	 A plus sign icon.	Add	HTML Button
html5-button	 A square icon with a magnifying glass and a plus sign.	View	HTML Button

Table 6-17 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Model Execution**Request for Model Execution**

This section includes the keystroke reference details for the Request for Model Execution Module.

Summary

The following table lists all the elements of the Request for Model Execution Page with summary and the associated keystroke combinations to access them.

Table 6-18 Keystroke References for the Summary Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Model Name - Model Objective	HTML Textbox

Table 6-18 (Cont.) Keystroke References for the Summary Section


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid

Table 6-18 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-pagination		Page	HTML Pagination
			

Model Outputs

This section includes the keystroke reference details for the Model Outputs Module.


Summary

The following table lists all the elements of the Model Outputs Page with summary and the associated keystroke combinations to access them.

Table 6-19 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Model Name - Model Objective	HTML Textbox
			
html5-button		Help	HTML Button
			
html5-button		Search	HTML Button
			
html5-button		Reset	HTML Button
			

Table 6-19 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

LGD Model

This section includes the keystroke reference details for the LGD Model Module.


Summary

The following table lists all the elements of the LGD ModelPage with summary and the associated keystroke combinations to access them.

Table 6-20 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
	Definition Name		
html5-button		Help	HTML Button
			
html5-button		Search	HTML Button
			
html5-button		Reset	HTML Button
			
html5-button		Add	HTML Button
			
html5-button		View	HTML Button
			
html5-button		Edit	HTML Button
			

Table 6-20 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the LGD Model Page with details and the associated keystroke combinations to access them.

Table 6-21 Keystroke References for the Details Section








UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		• Name • Description • Discount Rate Spread	HTML Textbox
html5-radiobutton		• Retail • Corporate	HTML Radio button (html5-radio button)

Table 6-21 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Product Code - Region - Historic Term - Predicted Term	HTML Select (html5-select-one)
html5-map-matadata-hierarchy-shuttle		- Account Shuttle - Economic Shuttle	HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)
html5-button		Help	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button
html5-grid		Grid	HTML Grid

Vintage Model

This section includes the keystroke reference details for the Vintage Model Module.


Summary

The following table lists all the elements of the Vintage Model Page with summary and the associated keystroke combinations to access them.

Table 6-22 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Definition Name	Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button

Table 6-22 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Object Migration	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Vintage Model Page with details and the associated keystroke combinations to access them.

Table 6-23 Keystroke References for the Details Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Product Code • Region • Term	HTML Select (html5-select-one)

Table 6-23 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-radiobutton		- Retail - Corporate	HTML Radio button (html5-radio button)
html5-map-matadata-hierarchy-shuttle	 Figure 6-4 Shuttle	- Account Shuttle - Economic Shuttle	HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)
html5-button		Help	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button

PD Modelling

This section includes the keystroke reference details for the PD Modelling Module.

Transition Matrix Definition

This section includes the keystroke reference details for the Transition Matrix Definition Module.

Summary

The following table lists all the elements of the Transition Matrix Definition Page with summary and the associated keystroke combinations to access them.

Table 6-24 Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Segment • Created Date • Frequency • Matrix Type	HTML Select (html5-select-one)
html5-textbox		Definition	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button

Table 6-24 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-button		Remove	HTML Button
html5-grid		Object Migration	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Transition Matrix Definition Page with details and the associated keystroke combinations to access them.

Table 6-25 Keystroke References for the Details Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		• Applicable for Roll Rate • Computation Basis • Portfolio • Frequency • Matrix Type	HTML Select (html5-select-one)

Table 6-25 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button

Table 6-25 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Delete	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button

Economic Scenarios

This section includes the keystroke reference details for the Economic Scenarios Module.

Summary

The following table lists all the elements of the Economic Scenarios Page with summary and the associated keystroke combinations to access them.


Table 6-26 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox

Table 6-26 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button

Table 6-26 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Chec Dependencies	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Economic Scenarios Page with details and the associated keystroke combinations to access them.

Table 6-27 Keystroke References for the Details Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Segment	HTML Select (html5-select-one)
html5-textbox		• Name • Description	HTML Textbox
html5-button		Help	HTML Button

Table 6-27 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Add	HTML Button
html5-button		Delete	HTML Button
html5-button		Save	HTML Button
html5-button		Cancel	HTML Button

PD Model Process

This section includes the keystroke reference details for the PD Model Process Module.

Summary

The following table lists all the elements of the PD Model Process Page with summary and the associated keystroke combinations to access them.

Table 6-28 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox	Definition Name 	Name	HTML Textbox

Table 6-28 (Cont.) Keystroke References for the Summary Section



UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Segment	HTML Select (html5-select-one)
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button

Table 6-28 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Survival Model

This section includes the keystroke reference details for the Survival Model Module.



Summary

The following table lists all the elements of the Survival Model Page with summary and the associated keystroke combinations to access them.

Table 6-29 Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		Name	HTML Textbox
html5-button		Help	HTML Button

Table 6-29 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Search	HTML Button
html5-button		Reset	HTML Button
html5-button		Add	HTML Button
html5-button		View	HTML Button
html5-button		Edit	HTML Button
html5-button		Delete	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		• Page	HTML Pagination

Details

The following table lists all the elements of the Survival Model Page with details and the associated keystroke combinations to access them.

Table 6-30 Keystroke References for the Details Section





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		Segment	HTML Select (html5-select-one)
html5-radiobutton		- Retail - Corporate	HTML Radio button (html5-radio button)
html5-map-matadata-hierarchy-shuttle	Figure 6-5 Shuttle 	- Account Shuttle - Economic Shuttle	HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)
html5-button		Help	HTML Button
html5-button		Delete	HTML Button
html5-button		Save	HTML Button

Table 6-30 (Cont.) Keystroke References for the Details Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-button		Cancel	HTML Button

Checker Stage and Classification Reassignment

This section includes the keystroke reference details for the Checker Stage and Classification Reassignment Module.

Summary

The following table lists all the elements of the Maker Stage and Classification Reassignment Page with summary and the associated keystroke combinations to access them.

Table 6-31 Keystroke References for the Summary Section




UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-select-one		- Stage Determination Run - Execution Date - Run Execution Name and Run Skey - Customer Type - Country - Impaired - Product Type - Industry - Restructured - Defaulted - Line of Business - Previous Reported Stage - Application Assigned Stage - Classification	HTML Select (html5-select-one)

Table 6-31 (Cont.) Keystroke References for the Summary Section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
html5-textbox		- Customer ID - Account ID/No - Customer Name - POCI	HTML Textbox
html5-button		Help	HTML Button
html5-button		Search	HTML Button
html5-button		Refresh	HTML Button
html5-grid		Grid	HTML Grid
html5-pagination		Page	HTML Pagination

A

Appendix A: HTML5 Controls

Every component on the page with a definable focus is accessible by using the tab traversal (by using Tab and Shift+Tab).



Note:

Disabled items do not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

HTML Breadcrumbs (html5-breadcrumbs)

This section contains information on the Breadcrumbs Component.

Table A-1 Breadcrumb Component

Target	Key	Action
Breadcrumb	Tab In	Set focus to breadcrumb
	Enter	Activates the Breadcrumb, if the link is available

HTML Button (html5-button)

This section contains information on the button component.

Table A-2 Button Component

Target	Key	Action
Button	Tab	Set focus to the input
	Enter	Activates the control

HTML Calendar (html5-calendar)

This section contains information on the Date component.

Table A-3 Date Component

Target	Key	Action
Button	Tab	Set focus to the input.
	Enter	Activates the control and opens Calendar

This section contains information on the Calendar popup component.

Table A-4 Calendar Component

Target	Key	Action
Popup	Tab	Set focus to the Calendar Popup.
Single Select (Month, Year)	Tab	Set focus to the input.
Single Select (Month, Year)	Enter	Activates the Select control.
Drop-down		Open
	UpArrow or DownArrow	Highlight the option item in the direction of the arrow.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.
	Enter	Switch to selected Month/Year. Reloads the Calendar Popup
Left Arrow Button (Month, Year)	Enter	Switch to Previous Month/Year. Reloads the Calendar Popup
Right Arrow Button (Month, Year)	Enter	Switch to Next Month/Year. Reloads the Calendar Popup
Calendar Picker	Tab	Set focus to the day cells
	Enter	Select the currently focused day
Close Link	Enter	Closes the Calendar Popup

HTML Checkbox (html5-checkbox)

This section contains information on the checkbox component.

Table A-5 Checkbox Component

Target	Key	Action
Checkboxset	Tab	Set focus on the first item in the checkbox set.

HTML Container Expand Collapse (html5-container-expand-collapse)

Using the Tab button on the Expand or Collapse button of the Container Header is disabled in most cases. Depending on availability, the following keys can be used.

Table A-6 Container Expand Collapse Component

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.

HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

(Required) <Enter a short description here.>

This section contains information on the Dataset Hierarchy Browser.

Table A-7 Dataset Hierarchy Browser Component

Target	Key	Action
Hcy Br LHS Shuttle Panel	Tab	Set focus to the checkbox input.
Hcy Br LHS Shuttle Panel	Spacebar	Selects the Node.
Hcy Br RHS Shuttle Panel	Tab	Set focus to the selected Node
Hcy Br RHS Shuttle Panel	Enter	Selects the Node.
Move Buttons	Tab	Set focus to the Move Buttons
Move Buttons	Enter	Activates the control. Moves selected items to LHS or RHS
Search Button	Enter	Activates the control. Moves focus to the nearest searched item.

HTML Date (html5-date)

This section contains information on the date component.

Table A-8 Date Component

Target	Key	Action
Calendar Popup	Tab	Calendar grid.
	Enter	Activates the selection

HTML Dialog Launcher (html5-dialog-launcher)

This section contains information on the Dialog Launcher component.

Table A-9 Dialog Launcher Component

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button.
	Enter	Activates the control and opens the Popup Window
Menu Drop-down	Tab	Set focus to the Menu Item
	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

HTML Expression Browser Type BP (html5-expression-browser-type-bp)

This section contains information on the Expression Browser Type BP Component.

Table A-10 Expression Browser Type BP Component

Target	Key	Action
Expression Browser Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes and makes an entry in the expression Textarea Input
Reset Button	Enter	Resets the Expression Textarea Input

HTML File Picker (html5-filepicker)

This section contains information on the filepicker component.

Table:

Table A-11 Filepicker Component

Target	Key	Action
Filepicker	Tab	Set focus to the input.
	Enter	Activates the control

HTML Grid (html5-grid)

This section contains information on the grid component.

Table A-12 Grid Component

Target	Key	Action
Checkbox in Grid	Tab	Set focus to the input.
Links in Grid	Tab	Set focus on the link.
Sort	Tab	Set focus to the input.
Sort	Enter	Activates the control.

HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)

This section contains information on the JSP version of the Hierarchy Browser and is a flat list.

Table A-13 JSP Version of the Hierarchy Browser (Flat List) Component

Target	Key	Action
Left Hand Side (LHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Enter	Highlights the Tree Node, to move to Left Hand Side (LHS) or Right Hand Side (RHS) Panel
Map Button	Enter	Activates the control
Map All Button	Enter	Activates the control
UnMap Button	Enter	Activates the control
UnMap All Button	Enter	Activates the control
UnMap All Button	Right Arrow	Moves Focus from LHS Panel to Map Button
UnMap All Button	Left Arrow	Moves Focus from RHS Panel to UnMap Button

HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)

This section contains information on the Hierarchy Browser Shuttle component.

Table A-14 Hierarchy Browser Shuttle Component

Target	Key	Action
LHS Shuttle	Tab	Set focus to the List
Check box	Spacebar	Selects the List Node
Move Buttons (Select, Select All, Deselect, Deselect All)	Tab	Set focus to the Move Buttons
RHS Shuttle	Enter	Highlights the selected List Node
Search Button	Enter	Highlights the Nodes with the nearest search results

HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)

This section contains information on the Hierarchy Browser Type 4 component.

Table A-15 Hierarchy Browser Type 4 Component

Target	Key	Action
RHS/ LHS Tree Shuttle	Tab	Set focus to the Tree Nodes
	Enter	Moves highlighted Tree Nodes from LHS to RHS, and from RHS to LHS.

HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)

This section contains information on the Hierarchy Browser Type checkbox component.

Table A-16 Hierarchy Browser Type check box Component

Target	Key	Action
Hierarchy Browser Tree	Tab	Set focus to the Tree
Tree	See Hcy Br Tree (oj-tree) for the keystrokes.	
Tabs	See Tabs(oj-tabs) for the Keystrokes.	

HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)

This section contains information on the Map Metadata Hierarchy Shuttle component.
Table:

Table A-17 Map Metadata Hierarchy Shuttle Component

Target	Key	Action
LHS/RHS Shuttle	Tab	Set focus to the List
	Enter	Selects the List Node
	Right Arrow	Moves focus to the Move Buttons on Highlight of LHS Shuttle Node
	Left Arrow	Moves focus to the Move Buttons on Highlight of RHS Shuttle Node
Move Buttons (Map, Map All, Unmap, Unmap All)	Tab	Set focus to the Move Buttons
	Enter	Highlights the selected List Node

HTML Messages (html5-messages)

This section contains information on the Messages Component.

Table A-18 Messages Component

Target	Key	Action
Message	Tab	Set to focus to the message.

HTML Metadata Tree Browser (html5-metadata-tree-browser)

This section contains information on the Metadata Tree Browser component.

Table A-19 Metadata Tree Browser Component

Target	Key	Action
Tree Expand Collapse	Tab	Set focus to the Expand/Collapse.
	Enter	Expands the selected Tree Node
Tree Node	Tab	Set focus to the Tree Leaf Node
	Enter	Selects the Tree Node
Ok Button	Enter	The selected Tree Node is persisted

HTML Metadata Tree Control (html5-metadata-tree-control)

This section contains information on the Metadata Tree Control component.

Table A-20 Metadata Tree Control Component

Target	Key	Action
Metadata Tree Control	Tab	Set focus to the input.
	Enter	Launch the Metadata Tree Browser

HTML Multiselect List (html5-multiselect-list)

This section contains information on the Multiselect List component.

Table A-21 Multi-select List Component

Target	Key	Action
Select	Tab	Set focus to the input.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow.

HTML Navigation Tree (html5-navigation-tree)

This section contains information on the Navigation Tree component.

Table A-22 Navigation Tree Component

Target	Key	Action
Tree Expand/Collapse	Tab	Set focus to the Tree Expand/Collapse.

Table A-22 (Cont.) Navigation Tree Component

Target	Key	Action
Tree Node	Enter	Activates the control and opens Tree
	Tab	Set focus to the Tree Node
	Enter	Activates the Tree Node

HTML New Expression Builder (html5-new-expression-builder)

This section contains information on the New Expression Builder Component.

Table A-23 New Expression Builder Component

Target	Key	Action
Expression Builder Component	Tab In	Set focus to different Controls in the Expression Builder Component
Expression Builder Component	Enter	Activates the control
The statement in the Expression Builder may contain several Input controls such as Input Text, Select, Multiselect, and so on.	See Textbox (html5-textbox) section, for details on Input Text. See Select (html5-select-one) section, for details on Select. See Select-Many (oj-select-many) section, for details on Select Many.	

HTML Pagination Panel (html5-pagination)

This section contains information on the pagination panel component.

Table A-24 Pagination Panel Component

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.
Page Input	Tab	Setting focus outside the input activates the control.
Records Per Page	Tab	Setting focus outside the input activates the control.

HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)

This section contains information on the Pagination with Jump to Page component.

Table A-25 **Pagination with Jump to Page Component**

Target	Key	Action
Pagination Buttons	Tab	Set focus to the pagination buttons
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows
Jump To Page	Tab	Set focus to the Input field.
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows

HTML Radio button (html5-radio button)

This section contains information on the radio button component.

Table A-26 **Radio button Component**

Target	Key	Action
Radio set	Tab	Set focus to the checked radio input.
Input	UpArrow	Select the previous input in the group.
	DownArrow	Select the next input in the group.
	Enter	Activates the radioset



Note:

When running the screen reader, at times the radio set is not activated. Pressing Enter activates the radio set and enables further Keystrokes like Up Arrow and Down Arrow.

HTML Records per Page (html5-records-per-page)

This section contains information on the Records Per Page component.

Table A-27 Records Per Page Component

Target	Key	Action
Records Per Page Input	Tab	Set focus to the Input field.
	Enter	Activates the control and refreshes the Grid with the New Grid Row Count

HTML Records per Page Drop-down (html5-records-per-page)

This section contains information on the Records Per Page Drop-down component.

Target	Key	Action
Button Menu	Tab	Set focus to the Input field. Activates the control and opens the Drop-down
Menu Drop-down	Tab	Moves to the next item
	Enter	Activates the selected row/checkbox
Go Button	Enter	Closes the Drop-down and refreshes the Grid/List with the New Grid Row Count

HTML Rules Menu (html5-rulesmenu)

This section contains information on the Rules Menu component.

Table A-28 Rules Menu Component

Target	Key	Action
Grid Header	Tab	Set focus to the Grid Header
	Enter	Activates the control and opens the Drop-down
Menu Drop-down	Tab	Set focus to the Menu Item
	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

HTML Select (html5-select-one)

This section contains information on the select component.

Table A-29 Select Component

Target	Key	Action
Select	Tab	Set focus to the input.
	Enter	Activates the control.
Drop down	UpArrow or DownArrow	Highlight the option item in the direction of the arrow.
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

HTML Tabs (html5-tab)

This section contains information on the Tabs panel component.

Table A-30 Tabs Panel Component

Target	Key	Action
Tabs	Tab	Set focus to the input.
	Enter	Activates the selected Tab

HTML Textarea (html5-textarea)

This section contains information on the textarea component.

Table A-31 Textarea Component

Target	Key	Action
Input	Tab	Set focus to the input.

HTML Textbox (html5-textbox)

This section contains information on the textbox component.

Table A-32 Textbox Component

Target	Key	Action
Input	Tab	Set focus to the input.

HTML Tree (html5-tree)

This section contains information on the HTML Tree Component.

Table A-33 HTML Tree Component

Target	Key	Action
HTML Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes

B

Appendix B: OJET Controls

This section describes the set of unique keystrokes for LUX and OJET controls:



Note:

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

OJET Accordion (oj-accordion)

This section contains information on the accordion keystrokes.

Table B-1 Accordion Keystrokes

Target	Key	Action
Collapsible header	Space or Enter	Toggle disclosure state.
Collapsible header	Tab	Navigate to the next collapsible header and if none then the next element on-page.
Collapsible header	Shift+Tab	Navigate to the previous collapsible header and if none then the previous element on-page.
Collapsible header	Up Arrow or Left Arrow (Right Arrow in RTL)	Move focus to the previous collapsible header with wrap around.
Collapsible header	Down Arrow or Right Arrow (Left Arrow in RTL)	Move focus to the next collapsible header with wrap around.
Collapsible header	Home	Move focus to the first collapsible header.
Collapsible header	End	Move focus to the last collapsible header.

OJET Button (oj-button)

This section contains information on the Button Keystroke.

Table B-2 Button Keystroke

Target	Key	Action
Push Button	Enter or Space*	Push the button.
Toggle Button	Enter or Space	Toggle the button.

Table B-2 (Cont.) Button Keystroke

Target	Key	Action
Menu Button	Enter, Space*, or Down Arrow	Open the menu.
	Esc	Close the menu.



Note:

Some types of Push and Menu buttons support the use of the Enter key and not the Space key.

OJET Buttonset One (oj-buttonset-one)

This section contains information on the Buttonset One Keystroke.

Table B-3 Button set One Keystroke

Target	Key	Action
Button set	Left Arrow	Navigate to the previous enabled button on the left, wrapping around at the end.
	Right Arrow	Navigate to the next enabled button on the right, wrapping around at the end.

OJET Canvas (oj-canvas)

This section contains information on the OJET Canvas keystrokes.

Table B-4 OJET Canvas Keystrokes

Target	Key
LHS Activity List	See OJET Context Menu for Keystrokes. See Canvas Diagram for Keystrokes.
RHS Canvas Diagram	See OJET Context Menu for Keystrokes. See Canvas Diagram for Keystrokes.

OJET Canvas Diagram (oj-canvas-diagram)

This section contains information on the Canvas Diagram component.

Table B-5 Canvas Diagram Keystrokes

Key	Action
Tab	Move focus to next element.

Table B-5 (Cont.) Canvas Diagram Keystrokes

Key	Action
Shift + Tab	Move focus to previous element.
+	Zoom in one level.
-	Zoom out one level.
0 (zero)	Zoom to fit.
Ctrl + Alt + 0 (zero)	Zoom and center.
Page Up or Page Down	Pan up / down.
Shift + Page Up or Page Down	Pan left/right (RTL: Pan right/left).
Left Arrow or Right Arrow	When focus is on a node, move focus and selection to nearest node left/right.
Up Arrow or Down Arrow	When focus is on a node, move focus and selection to nearest node up/down.
Ctrl + Shift + Space	Open/Close an active container node
[	Move focus and selection to nearest node down in the container hierarchy
]	Move focus and selection to nearest node up in the container hierarchy
Alt + < or Alt + >	Move focus from the node to a link.
Up Arrow or Down Arrow	When focus is on a link, navigate between links clockwise or counter clockwise.
Left Arrow or Right Arrow	When focus is on a link, move focus from a link to a start or end node.
Ctrl + Space	Select focused node / link.
Ctrl + Space	Multi-select node / link with focus.
Shift + <node or link navigation shortcut>	Move focus and multi-select a node or a link.
Ctrl + <node or link navigation shortcut>	Move focus to a node or a link but do not select.

OJET Chart (oj-chart)

This section contains information on the Chart Component keystrokes.

Table B-6 Chart Component Keystrokes

Key	Action
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus and selection to previous data item.
Down Arrow	Move focus and selection to next data item.
Left Arrow	Move focus and selection to previous data item (on left).
Right Arrow	Move focus and selection to next data item (on right).
Shift + Up Arrow	Move focus and multi-select previous data item.
Shift + Down Arrow	Move focus and multi-select next data item.

Table B-6 (Cont.) Chart Component Keystrokes

Key	Action
Shift + Left Arrow	Move focus and multi-select previous data item (on left).
Shift + Right Arrow	Move focus and multi-select next data item (on right).
Ctrl + Up Arrow	Move focus to previous data item, without changing the current selection.
Ctrl + Down Arrow	Move focus to next data item, without changing the current selection.
Ctrl + Left Arrow	Move focus to previous data item (on left), without changing the current selection.
Ctrl + Right Arrow	Move focus to next data item (on right), without changing the current selection.
Ctrl + Spacebar	Multi-select data item with focus.
= or +	Zoom in one level if zooming is enabled.
- or _	Zoom out one level if zooming is enabled.
Page Up	Pan up if scrolling is enabled.
Page Down	Pan down if scrolling is enabled.
Shift + Page Up	Pan left in left-to-right locales. Pan right in right-to-left locales.
Shift + Page Down	Pan right in left-to-right locales. Pan left in right-to-left locales.
Enter	Drill on data item, categorical axis label, or legend item when drilling is enabled.

OJET Checkbox (oj-checkbox)

This section contains information on the Checkbox keystroke.

Table B-7 Checkbox Keystroke

Target	Key	Action
Checkboxset	Tab In	Set focus to the first focusable check box in the check box set. Disabled check boxes are not focusable. If hints, help Instruction or messages exist in a note window, pop up the note window.
Check box	Space	Toggles the check box; If the checkbox is unselected, it will select it and vice versa.

Table B-7 (Cont.) Checkbox Keystroke

Target	Key	Action
Check box	Tab	Sets focus to the next focusable checkbox in the checkbox set. Disabled checkboxes are not focusable. If the target is the last focusable checkbox in the checkbox set, focus goes to the next focusable item after the oj-checkboxset.
Check box	Shift+Tab	Sets focus to the previous focusable check box in the check box set. Disabled checkboxes are not focusable. If the target is the first focusable check box in the check box set, focus goes to the previous focusable item before the oj-checkboxset.

OJET Context Menus (oj-menu)

The Menus keystroke is used for all button menus. For example, the user menu on the landing page, tile menu in applications, and so on.

Table B-8 Menus Keystrokes

Target	Key	Action
Menu Item	Enter or Space	Invoke the focused menu item's action.
	Up Arrow	Move focus to the previous menu item, wrapping around at the top.
	Down Arrow	Move focus to the next menu item, wrapping around at the bottom.
	Home	Move focus to the first menu item.
	End	Move focus to the last menu item.
Menu Item in Top-level Menu	Esc	Close the menu and move focus to the launcher.
JET Component or HTML Element having a JET Context Menu	Shift + F10	Open the context menu.

OJET Control Specific Help (oj-control-specific-help)

This section contains information on the Control Specific Help component.

Table B-9 Control Specific Help Component

Target	Key	Action
Control Specific Help	Tab	Set focus to the Help button and reads the context Help text.

OJET Date or DateTime (oj-datetime / oj-calendar)

This section contains information on the date or DateTime keystroke.

Table B-10 Date or Date Time Keystroke

Target	Key	Action
Input element	Down Arrow or Up Arrow	Shows the calendar grid and moves the focus into the expanded grid.
Input element	Esc	Close the grid.
Input element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.
Picker	Esc	Close the grid.
Picker	Home	Move focus to first day of the month.
Picker	End	Move focus to last day of the month.
Picker	Page Up	Switch to previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

Table B-11 Date Time Keystrokes

Target	Key	Action
Input element	Down Arrow or Up Arrow	When not in Inline Mode, shows the calendar grid and moves the focus into the expanded grid. When in Inline Mode, shows the time picker and moves the focus into the expanded time picker.
Input element	Shift + Down Arrow or Up Arrow	Shows the time picker and moves the focus into the expanded time picker.
Input element	Esc	Close the grid.
Input Element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day.
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.
Picker	Esc	Close the grid.
Picker	Home	Move focus to the first day of the month.
Picker	End	Move focus to the last day of the month.
Picker	Page Up	Switch to the previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to the previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

OJET Dialog (oj-dialog)

This section contains information on the dialog keystrokes.

Table B-12 Dialog Keystrokes

Target	Key	Action
Dialog	Esc	Close the dialog.
Dialog Close Icon	Enter or Space	Close the dialog.

OJET Expand/Collapse (oj-collapse)

This section contains information on the Expand Collapse component.

Table B-13 Expand Collapse Component

Target	Key	Action
Header	Space or Enter	Toggle disclosure state.

OJET Expression Builder (oj-expression-builder)

This section contains information on the Expression Builder component.

Table B-14 Expression Builder Component

Target	Key	Action
Expression Shuttle Tree	Tab	Set focus to the Tree
Tree	See Hcy Br Tree(oj-tree) for the Keystrokes	
Expression Text box	Tab	Set focus to the Text Area

OJET Expression Builder Launcher (oj-expression-builder-launcher)

This section contains information on the OJET Expression Builder Launcher component.

Table B-15 OJET Expression Builder Launcher Component

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button
Launch Button	Enter	Activates the control and opens the Pop up Window
Menu Drop-down	Tab	Set focus to the Menu Item
Menu Drop-down	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

OJET Foldable Layout (oj-foldable-layout)

This section contains information on the Foldable Layout keystrokes.

Table B-16 Foldable Layout Keystrokes

Target	Key	Action
Foldable layout	Left Arrow	Moves to previous panel
Foldable layout	Right Arrow	Moves to next panel
Foldable layout	F2	To navigate between focusable elements inside the panel

OJET Grid (oj-grid)

This section contains information on the grid keystroke.

Table B-17 Grid Keystroke

Target	Key	Action
Cell	Tab	The first Tab into the DataGrid moves focus to the first cell of the first row. The second Tab moves focus to the next focusable element outside of the DataGrid.
	Shift + Tab	The first Shift + Tab into the DataGrid moves focus to the first cell of the first row. The second Shift + Tab moves focus to the previous focusable element outside of the DataGrid.
	Left Arrow	Moves focus to the cell of the previous column within the current row. There is no wrapping at the beginning or end of the columns. If a row header is present, then the row header next to the first column of the current row will gain focus.
	Right Arrow	Moves focus to the cell of the next column within the current row. There is no wrapping at the beginning or end of the columns.
	Up Arrow	Moves focus to the cell of the previous row within the current column. There is no wrapping at the beginning or end of the rows. If a column header is present, then the column header above the first row of the current column will gain focus.
	Down Arrow	Moves focus to the cell of the next row within the current column. There is no wrapping at the beginning or end of the rows.
	Home	Moves focus to the first (available) cell of the current row.
	End	Moves focus to the last (available) cell of the current row.
	Page Up	Moves focus to the first (available) cell in the current column.
	Page Down	Moves focus to the last (available) cell in the current column.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
Column Header Cell	Ctrl + Space	Selects all the cells of the current column. This is only available if multiple cell selection modes are enabled.
	Shift + Space	Selects all the cells of the current row. This is only available if multiple cell selection modes are enabled.
	Shift + Arrow	Extends the current selection.
	Ctrl + Arrow	Move focus to level 0 of the active index of the header in the arrow direction if it exists.
	Shift + F8	Freezes the current selection, therefore allowing the user to move focus to another location to add additional cells to the current selection. This is used to accomplish non-contiguous selection. Use the Esc key or press Shift+F8 again to exit this mode.
	Shift + F10	Brings up the context menu.
	Ctrl + X	Marks the current row to move if dnd is enabled and the data source supports move operation.
	Ctrl + V	Move the row that is marked to directly under the current row. If the row with the focused cell is the last, then it is a move to the row above the current row.
	Ctrl + A	If multiple selections are enabled, perform a select all on the Datagrid.
	Ctrl + Alt + 5	Read the context and content of the current cell to the screen reader.
	F2	Makes the content of the cell actionable, such as a link.
	Enter	Makes the content of the cell actionable and acts on the content, such as going to a link.
	Alt + Enter	Makes the content of the cell actionable, such as a link.
	Esc	If the cell is actionable, it exits the actionable mode.
	Left Arrow	Moves focus to the previous column header. There is no wrapping at the beginning or end of the column headers.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Right Arrow	Moves focus to the next column header. There is no wrapping at the beginning or end of the column headers.
	Down Arrow	Moves focus to the cell of the first row directly below the column header. If using nested headers moves to focus up a level.
	Up Arrow	If using nested headers moves the focus down a level.
	Ctrl + Up Arrow	If in the column end header, move focus to level 0 of the active index in the column header if it exists.
	Ctrl + Down Arrow	If in the column header, move focus to level 0 of the active index in the column end header if it exists.
	Enter	Toggle the sort order of the column if the column is sortable.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled and not in the selection Mode row, the column(s) underneath the header will be selected.
	Shift + Right Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right by the number of columns covered by the header to the right of the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right-left the number of columns covered by the header to the left of the current selection frontier header.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
Row Header Cell	Shift + Up Arrow	If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a parent nested header, the column selection extends to cover the columns beneath the parent header. Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections are based on the parent header. If we are already at the highest level, nothing happens.
	Shift + Down Arrow	If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a child nested header, the column selection extends to cover the columns beneath the child header. Extending the selection with arrow keys will use the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header. If we are already at the lowest level, it moves into the data body and select the first cell underneath the header.
	Up Arrow	Moves focus to the previous row header. There is no wrapping at the beginning or end of the row headers.
	Down Arrow	Moves focus to the next row header. There is no wrapping at the beginning or end of the row headers.
Row Header Cell	Right Arrow	Moves focus to the cell of the first column directly next to the row header. If using nested headers moves to focus up a level.
	Left Arrow	Moves focus to the cell of the first column directly next to the row header in the RTL direction. If using nested headers moves the focus down a level.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Ctrl + Left Arrow	If in the row end header, move focus to level 0 of the active index in the row header if it exists.
	Ctrl + Right Arrow	If in the row header, move focus to level 0 of the active index in the row end header if it exists.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled, the row(s) underneath the header are selected.
	Shift + Up Arrow	If multiple selections are enabled, the row selection extends up by the number of rows covered by the header above the current selection frontier header.
	Shift + Down Arrow	If multiple selections are enabled, the row selection extends down by the number of rows covered by the header below the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and the current selection frontier header has a parent nested header, the row selection extends to cover the rows beneath the parent header. Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections is based on the parent header. If we are already at the highest level, nothing happens.

Table B-17 (Cont.) Grid Keystroke

Target	Key	Action
	Shift + Right Arrow	If multiple selections are enabled and the current selection frontier header has a child nested header, the row selection extends to cover the rows beneath the child header. Extending the selection with arrow keys uses the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header. If we are already at the lowest level, it simply moves into the data body and select the first cell underneath the header.

OJET Hcy Br Tree (oj-tree)

This section contains information on the OJET Tree keystrokes.

Table B-18 Hcy Br Tree Keystrokes

Key	Action
Up Arrow/Down Arrow	Moves between visible nodes.
Left Arrow	On an expanded node, collapses the node. On a collapsed or leaf node, moves focus to the node's parent.
Right Arrow	On a collapsed node, expands the node. On an expanded node, moves to the first child of the node. On an end node, does nothing.
Space bar	Toggles the selected status of the node.
Home	Moves to the top node of the tree.
End	Moves to the last visible node of the tree.
Shift + Up Arrow	Extends selection up one node (assuming multiple selection has been defined).
Shift + Down Arrow	Extends selection down one node (assuming multiple selection has been defined).
Shift + Home	Extends selection up to the top-most node.
Shift + Page Down	Extends selection to the last node.
Ctrl + Space bar	Toggles the selection state of the current node (assuming multiple selection has been defined).
Shift + Space bar	Extends selection to the current node (assuming multiple selection has been defined).

Table B-18 (Cont.) Hcy Br Tree Keystrokes

Key	Action
Shift + F10	Invoke Context Menu (if defined) on current node.
* (asterisk)	Expands all nodes.

OJET Hierarchy Browser Map (oj-hierarchy-browser-map)

This section contains information on the Hierarchy Browser Map component.

Table B-19 Hierarchy Browser Map Component

Target	Key	Action
Hierarchy Browser Map	Tab	Set focus to the elements
Select	See Select-single (oj-single-select) for the keystrokes	
Tabs	See Tabs(oj-tabs) for the Keystrokes.	
Tree	See Hcy Br Tree (oj-tree) for the keystrokes.	
Buttons (Map, Auto-map, Unmap, Unmap All, Transform Map)	Tab	Set focus to the Buttons
	Enter	Activates the Buttons

OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)

This section contains information on the OJET Hierarchy Browser Shuttle component.

Table B-20 OJET Hierarchy Browser Shuttle Component

Target	Key	Action
Hcy Browser controls	Tab	Set focus to the Hcy Browser controls
	Enter	Activates the controls
Tree	See Hcy Br Tree(oj-tree) for the Keystrokes.	
Tabs	See Tabs(oj-Tabs) for the Keystrokes.	
Button Menu	See Context Menu(oj-menu) for the Keystrokes.	

OJET Input Number (oj-input-number)

This section contains information on the number keystroke.

Table B-21 Number Keystroke

Target	Key	Action
Input	Enter or Tab	Submit the value you typed in the input field.
Input	Tab In	Set focus to input. If hints, help, instruction, or messages exist in a note window, pop up the note window.
Input	Up Arrow	Increment the number.
Input	Down Arrow	Decrement the number.

OJET Legend (oj-legend)

This section contains information on the Legend Component keystrokes.

Table B-22 Legend Component Keystrokes

Target	Key
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus to previous item.
Down Arrow	Move focus to next item.
Left Arrow	Move focus to previous item (on left).
Right Arrow	Move focus to next item (on right).
Enter	Hides or unhides the data associated with the current item.

OJET List View (oj-listview)

This section contains information on the list view keystroke.

Table B-23 List View Keystroke

Target	Key	Action
List Item	F2	Enters Actionable Mode. This enables keyboard action on elements inside the item, including navigating between focusable elements inside the item.
	Esc	Exits Actionable Mode.

Table B-23 (Cont.) List View Keystroke

Target	Key	Action
	Tab	When in Actionable Mode, navigates to the next focusable element within the item. If the last focusable element is reached, shift focus back to the first focusable element. When not in Actionable Mode, navigates to the next focusable element on the page (outside ListView).
	Shift+Tab	When in Actionable Mode, navigates to the previous focusable element within the item. If the first focusable element is reached, shift focus back to the last focusable element. When not in Actionable Mode, navigates to the previous focusable element on the page (outside ListView).
	Down Arrow	Move focus to the item below.
	Up Arrow	Move focus to the item above.
	Left Arrow	When display in card layout, move focus to the item on the left.
	Right Arrow	When display in card layout, move focus to the item on the right.
	Shift+Down Arrow	Extend the selection to the item below.
	Shift+Up Arrow	Extend the selection to the item above.
	Shift+Left Arrow	When display in card layout, extend the selection to the item on the left.
	Shift+Right Arrow	When display in card layout, extend the selection to the item on the right.
	Shift+F10	Launch the context menu if there is one associated with the current item.
	Enter	Selects the current item. Not applicable if the item is already selected.
	Space	Toggles to select and deselect the current item. If previous items have been selected, deselects them and selects the current item.

Table B-23 (Cont.) List View Keystroke

Target	Key	Action
	Shift+Space	Selects contiguous items from the last selected item to the current item.
	Ctrl+Space	Toggles to select and deselect the current item while maintaining previously selected items.
	Ctrl+X	Marks the selected items to move if dnd.reorder is enabled.
	Ctrl+C	Marks the selected items to copy if dnd.reorder is enabled.
	Ctrl+V	Paste the items that are marked directly before the current item (or as the last item if the current item is a folder).
Group Item	Left Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.
	Right Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.

OJET Messages (oj-messages)

This section contains information on the messages keystrokes.

Table B-24 Messages Keystrokes

Target	Key	Action
Focus within Messages	Tab or Shift + Tab	Navigate the content of the messages region.
	F6	Moves focus back to the last focused element outside the messages region.
	Esc	Moves focus back to the last focused element outside the messages region.
Focus outside Messages	F6	Move focus to the first message within the more recently disclosed messages region.

OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)

This section contains information on the Metadata Browser Breadcrumb keystrokes.

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu
Object Node	F2	To navigate between focusable elements inside the panel

OJET Navigation List (oj-navigation-list)

The OFSAA landing page uses the Navigation menu for the Left-Hand-Side (LHS) menu. The application selection menu is used to select an Application, Reports, Admin menu, and so on.

Target	Key	Action
List Item	Enter or Space	Selects list item.
List Item	Up Arrow	Moves focus to the previous visible list item.
List Item	Down Arrow	Moves focus to the next visible list item.
List Item	Right Arrow (Left Arrow in RTL)	For the horizontal navigation list, the focus is moved to the next visible item.
List Item	Left Arrow (Right Arrow in right to left (RTL))	For the horizontal navigation list, the focus is moved to the previous visible item.
List Item	Home	Moves focus to the first visible list item.
List Item	End	Moves focus to the last visible list item.
List Item	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
List Item	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
List Item	Shift+Tab	Move focus to the hierarchical menu button. Only applicable for sliding navigation list and when the hierarchical menu button is enabled.
Group Item	Right Arrow (Left Arrow in RTL)	If the focus is on the collapsed node, expand the sublist.
Group Item	Left Arrow (Right Arrow in RTL)	If the focus is on the expanded node, collapses the sublist.

Target	Key	Action
List Item in the sublist	Esc	Applicable only for sliding navigation list. If focus is in a sublist, closes the sublist and moves focus to the parent list item.
Hierarchical Menu button	Enter	

 Note:

This target is visible only for the Sliding Navigation List.

Target	Key	Action
Hierarchical Menu button	Tab	Moves focus to the current list item.
		 Note: This target is visible only for the Sliding Navigation List.
Hierarchical Menu button	Shift + Tab	Moves focus to the Previous Icon. Note: This target is visible only for the Sliding Navigation List.

Target	Key	Action
Overflow Menu button	Enter or Space	 Note: This is applicable only for the Horizontal Navigation List when overflow is set to pop-up.

Target	Key	Action
Previous Icon or List Header	Enter	Collapses the sub-list and slides to the parent list.

 Note:

This target is visible only for the Sliding Navigation List.

Target	Key	Action
Previous Icon or List Header	Tab	Moves focus to Hierarchical Menu button.

 Note:

This target is visible only for the Sliding Navigation List.

OJET Object Migration Canvas (oj-object-migration-canvas)

This section contains information on the Object Migration Canvas keystrokes.

Table B-25 Object Migration Canvas Keystrokes

Target	Key
Canvas Diagram	See Canvas Diagram for Keystrokes.

OJET Object Node (object-node)

This section contains information on the Object Node keystrokes.

Table B-26 Object Node Keystrokes

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu

Table B-26 (Cont.) Object Node Keystrokes

Target	Key	Action
Object Node	F2	To navigate between focusable elements inside the panel

OJET Password (oj-password)

This section contains information on the Password keystroke.

Table B-27 Password Keystroke

Target	Key	Action
Input element	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Popup (oj-popup)

This section contains information on the popup keystrokes.

Table B-28 Popup Keystrokes

Target	Key	Action
Focus within Pop-up	Tab or Shift + Tab	Navigate the content of the pop-up. Close the open pop-up if there are no tab stops in the pop-up.
	F6	Move focus to the launcher for a pop-up with modeless modality. Close the open pop-up if the modality is modal.
	Esc	Close the open pop-up.
Pop-up Launcher	F6	Move focus to the first tab stop within the open pop-up. If there is not a tab stop within the content, the focus is established on the pop-up.

OJET Radio (oj-radio)

This section contains information on the Radio keystroke.

Table B-29 Radio Keystroke

Target	Key	Action
Input	Up Arrow	Select the previous input in the group.
Input	Down Arrow	Select the next input in the group.
Radioset	Tab In	Set focus to the checked radio input. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Search Box (oj-input-search)

This section contains information on the Search Box component.

Table B-30 Search Box Component

Target	Key	Action
Input field	Enter	Set the input text as the value.
Input field	Up Arrow or Down Arrow	If the drop down is not open, expand the drop down list.
Input field	Esc	Collapse the drop down list. If the drop down is already closed, do nothing.
Input field	Tab In	Set focus to the Input Search.

OJET Select Many (oj-select-many)

This section contains information on the Multiselect keystroke.

Table B-31 Multi-select Keystroke

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop-down list.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow. If the drop-down is not open, expand the drop-down list.
Select box	Left Arrow or Right Arrow	Move focus to the previous or next selected item.
A selected item with remove icon	Backspace or Delete	Remove the selected item having focus.
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

Table B-31 (Cont.) Multi-select Keystroke

Target	Key	Action
Select box or search box	Any characters for the search term	Filter down the results with the search term.
Select	Tab In	Set focus to the select. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Select Single (oj-select-single)

This section contains information on the Select keystroke.

Table B-32 Select Keystroke

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop down.
Input field	Enter	Set the input text as the value.
Drop down	Up Arrow or Down Arrow	Highlight the option item on the drop-down list in the direction of the arrow. If the drop down is not open, expand the drop-down list.
Drop down	Esc	Collapse the drop-down list. If the drop down is already closed, do nothing.
Select	Tab In	Set focus to the Select. If hints, title or messages exist in a note window, pop up the note window.

OJET Switch (oj-switch)

This section contains information on the switch keystroke.

Table B-33 Switch Keystroke

Target	Key	Action
Switch Thumb	Enter or Space	Toggle switch value
	Tab In	Set focus to the thumb. If hints, titles, or messages exist in a note window, pop up the note window.

OJET Table (oj-table)

This section contains information on the Table Component keystrokes.

Table B-34 Table Component Keystrokes

Target	Key	Action
Cell	Tab	The first Tab into the Table moves focus to the first column header. The second Tab moves focus to the next focusable element outside of the Table. If focus is on a row and the row is actionable then Tab moves focus to the next focusable element within the row. If focus is already on the last focusable element then focus will wrap to the first focusable element in the row. If edit Mode is row Edit, see the section 'Cell in Editable Row'.
Cell	Shift+Tab	The first Shift+Tab into the Table moves focus to the first column header. The second Shift+Tab moves focus to the previous focusable element outside of the Table. If focus is on a row and the row is actionable then Shift+Tab moves focus to the previous focusable element within the row. If focus is already on the first focusable element then focus will wrap to the last focusable element in the row. If Edit Mode is row Edit, see the Cell in Editable Row section.
Cell	Down Arrow	Move focus to the next row.
Cell	Shift+Down Arrow	Select and move focus to the next row.
Cell	Up Arrow	Move focus to the previous row. If at the first row then move to the column header.
Cell	Shift+Up Arrow	Select and move focus to the previous row.
Cell	Left Arrow	Do nothing.
Cell	Right Arrow	Do nothing.
Cell	Home	Move focus to first row.
Cell	End	Move focus to last row.
Cell	Space	Select row.

Table B-34 (Cont.) Table Component Keystrokes

Target	Key	Action
Cell	Enter	If the table edit Mode is row Edit then make the current row editable. If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row.
Cell	F2	If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row. If the table edit Mode is row Edit then toggle the current row between editable and read-only.
Cell in Editable Row	Tab	Move focus to next editable cell or focusable element in the row. If focus is on the last editable cell or focusable element in the row, make the next row editable and move focus to the first editable cell or focusable element in the next row. If focus is on the last editable cell or focusable element in the last row, move focus to next focusable element on the page (outside table).
Cell in Editable Row	Shift+Tab	Move focus to previous editable cell or focusable element in the row. If focus is on the first editable cell or focusable element in the row, make the previous row editable and move focus to the last editable cell or focusable element in the previous row. If focus is on the first editable cell or focusable element in the first row, move focus to previous focusable element on the page (outside table).

Table B-34 (Cont.) Table Component Keystrokes

Target	Key	Action
Cell in Editable Row	Down Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Down Arrow	Handled in the editable cell.
Cell in Editable Row	Up Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Up Arrow	Handled in the editable cell.
Cell in Editable Row	Left Arrow	Handled in the editable cell.
Cell in Editable Row	Right Arrow	Handled by the editable cell.
Cell in Editable Row	Home	Handled in the editable cell.
Cell in Editable Row	End	Handled in the editable cell.
Cell in Editable Row	Space	Handled in the editable cell.
Cell in Editable Row	Enter	Make the next row editable and move focus to the editable cell in current column in the next row.
		If last row is editable then make it read-only.
Cell in Editable Row	Shift+Enter	Make the previous row editable and move focus to the editable cell in current column in the previous row.
		If first row is editable then make it read-only.
Cell in Editable Row	F2	Toggle the current row between editable and read-only.
Cell in Editable Row	Esc	Make the current row read-only.
Column Header	Tab	Navigate to next focusable element on page (outside table).
Column Header	Shift+Tab	Navigate to previous focusable element on page (outside table).
Column Header	Down Arrow	Move focus to the first row.
Column Header	Up Arrow	Do nothing.
Column Header	Left Arrow	Move focus to previous column header.
Column Header	Shift+Left Arrow	Select and move focus to previous column header.
Column Header	Right Arrow	Move focus to next column header.
Column Header	Shift+Right Arrow	Select and move focus to next column header.
Column Header	Home	Move focus to first column header.
Column Header	End	Move focus to last column header.
Column Header	Space	Select column.

OJET Tabs (oj-tabs)

This section contains information on the tabs keystrokes.

Table B-35 Tabs Keystrokes

Target	Key	Action
List Item	Enter or Space	Selects list item.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item
	Right Arrow (Left Arrow in RTL)	For the horizontal tab bar, the focus is moved to the next visible item.
	Left Arrow (Right Arrow in RTL)	For the horizontal tab bar, the focus is moved to the previous visible item.
	Home	Moves focus to the first visible list item.
	End	Moves focus to the last visible list item.
	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
	Ctrl+X	Marks the current item to move if reorderable is enabled.
	Ctrl+V	Paste the item that is marked directly before the current item.
	DELETE	Delete the current item.

Table B-35 (Cont.) Tabs Keystrokes

Target	Key	Action
Overflow Menu button	Enter or Space	Open menu.

 Note:

This is applicable only for Horizontal Tab Bar when overflow is set to pop-up.

OJET Textarea (oj-textarea)

This section contains information on the text area keystroke.

Table B-36 Textarea Keystroke

Target	Key	Action
TextArea	Tab In	Set focus to the text area. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Textbox (oj-input-text)

This section contains information on the text-box keystroke.

Table B-37 Textbox Keystroke

Target	Key	Action
Input	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

OJET Tree (oj-tree-view)

This section contains information on the OJET tree view keystrokes.

Table B-38 Tree Keystrokes

Target	Key	Action
Item	Tab	Navigates to the next focusable element on-page.
	Shift+Tab	Navigates to the previous focusable element on-page.
	Down Arrow	Moves focus on the item below.
	Up Arrow	Moves focus on the item above.
	Left Arrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with Right Arrow in RTL locales.
	Right Arrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with Left Arrow in RTL locales.
	Shift+Down Arrow	Extends the selection to the item below. Only applicable if multiple selections are enabled.
	Shift+Up Arrow	Extends the selection to the item above. Only applicable if multiple selections are enabled.
	Space	Toggles the selection of the current item and deselects the other items.
	Enter	Selects the current item and deselects the other items. No-op if the current item is already selected.
	Ctrl+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if multiple selections are enabled.

Table B-38 (Cont.) Tree Keystrokes

Target	Key	Action
	Shift+Space/Enter	Selects contiguous items from the last selected item to the current item. Only applicable if multiple selections are enabled.

OJET Tree View (oj-tree-view)

This section contains information on the OJET Tree View keystrokes.

Table B-39 OJET Tree View Keystrokes

Target	Key	Action
Item	Tab	Navigates to next focusable element on page.
Item	Shift+Tab	Navigates to previous focusable element on page.
Item	DownArrow	Moves focus to the item below.
Item	UpArrow	Moves focus to the item above.
Item	LeftArrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with RightArrow in RTL locales.
Item	RightArrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with LeftArrow in RTL locales.
Item	Shift+DownArrow	Extends the selection to the item below. Only applicable if the multiple selection is enabled.
Item	Shift+UpArrow	Extends the selection to the item above. Only applicable if the multiple selection is enabled.
Item	Space	Toggles the selection of the current item and deselects the other items.
Item	Enter	Selects the current item and deselects the other items. No op if the current item is already selected.
Item	Ctrl+Space/Enter / CMD+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if the multiple selection is enabled.

Table B-39 (Cont.) OJET Tree View Keystrokes

Target	Key	Action
Item Ctrl+A / CMD+A	Shift+Space/Enter If selection Mode is multiple, will select all selectable nodes.	Selects contiguous items from the last selected item to the current item. Only applicable if the multiple selection is enabled.

C

LUX Controls

This chapter includes the keystroke controls for Lightweight User Interface Extensions (LUX).

LUX Breadcrumbs (oj-lux-breadcrumb)

This section contains information on the breadcrumbs keystroke for LUX and OJET controls.

Target	Key	Action
Link Button	Tab	Set focus to the Link.
	Enter	Activates the control.
Menu Drop Down	Tab	Set focus to the Down Arrow.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

LUX Grid (oj-lux-grid)

This section contains information on the grid (LUX) keystrokes.

Keyboard shortcuts for navigation in and out of the grid

This section contains information on the keyboard shortcuts for navigating in and out of the grid.

Table C-1 Keyboard Shortcuts for Navigating in and out of the Grid

Action for keyboard	Key(s)	Notes
Move focus from the previous focusable element on the page (outside of the grid) to the grid	(All) Tab	Initially, the first cell in the first data row is focused and selected Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Enter the grid for navigation and editing	(LUX) Any key besides Tab and Shift+Tab	(LUX) Focus must be on the grid (LUX) Most keys other than the Enter key will enter the grid and also perform their normal action

Table C-1 (Cont.) Keyboard Shortcuts for Navigating in and out of the Grid

Action for keyboard	Key(s)	Notes
Move focus from the grid to the next focusable element on the page (outside of the grid)	(All) Tab	(LUX) The grid must be in the "escape mode" state
Move focus from the next focusable element on the page (outside of the grid) to the grid	(All) Shift+Tab	Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Move focus from the grid to the previous focusable element on the page (outside of the grid)	(All) Shift+Tab	(LUX) The grid must be in the "escape mode" state
Toggle the "escape mode" state of the grid	(LUX) Escape	(LUX) The selected cell must be in Navigation Mode

Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)

This section contains information on the Keyboard shortcuts for navigation within the grid (includes a basic selection of cells and rows).

Table C-2 Keyboard Shortcuts For Navigation within the Grid

Action for keyboard	Key(s)	Notes for keyboard
Move focus one row up (and update cell and row selection)	(All) Up Arrow	(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected (LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected. There is no wrap at the first or last rows (LUX) If the currently focused cell is in the first data row, the Up Arrow moves the focus to the column heading cell immediately above the currently focused cell (see Keyboard shortcuts for sorting on columns, below.) The first data row is no longer focused or selected, but the column heading row does not get selected or focused. Also, any previously selected cells are no longer selected, but the column heading cell does not get selected. Nevertheless, if the Down Arrow is then pressed, the first data row gets focused and selected, focused is moved to the cell immediately below the focused column heading cell, and the newly focused cell becomes selected.
Move focus one row down (and update cell and row selection)	(All) Down Arrow	(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected (LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected There is no wrap at the first or last rows (LUX) See Up Arrow for behavior in column heading row.

Table C-2 (Cont.) Keyboard Shortcuts For Navigation within the Grid

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the left (and update cell and row selection)	(All) Left Arrow -or- (LUX) Shift+Tab	(LUX) If the grid is in the "escape mode" state, Shift+Tab moves focus to the previous focusable element in the page (outside of the grid) instead of taking any action within the grid (LUX) Wrap at the first or last column is controlled by the LUX Grid wrapSelection option. The default is to wrap. Wrapping is generally only within data rows, not column headers. (LUX) If wrapSelection is true: If the currently focused cell is the first cell in the header row, then Shift+Tab causes the grid to enter the "escape mode" state If the currently focused cell is the first cell in the first data row, then Shift+Tab moves focus one row up, to the first cell of the header row, similar to Up Arrow (LUX) If the currently focused cell is in editable mode, Shift+Tab causes the cell to exit editable mode and return to navigation mode If the editOnTab option is true, the newly focused cell enters editable mode

Adjusting the Row and Cell Selection

This section contains information on adjusting the row and cell selection.

Table C-3 Adjusting the Row and Cell Selection

Action for keyboard	Key(s)	Notes for keyboard
Adjust the range of selected cells and rows one row up	(All) Shift+Up Arrow	(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Up Arrow without Shift (LUX) Moves cell focus one row up; the newly focused cell also becomes selected (LUX) The row containing the newly focused cell becomes focused and selected (LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly focused cell If the focused cell and focused row are moved without changing the selection. For example, with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row above it
Adjust the range of selected cells and rows one row down	(All) Shift+Down Arrow	(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Down Arrow without Shift (LUX) Moves cell focus one row down; the newly focused cell also becomes selected (LUX) The row containing the newly focused cell becomes focused and selected (LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly selected cell If the focused cell and focused row are moved without updating the selection, e.g., with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row below it

Table C-3 (Cont.) Adjusting the Row and Cell Selection

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the left (and update cell selection)	(LUX) Shift+Left Arrow	(LUX) Moves cell focus and selection(s) one column to the left (selection can be multiple cells if multiple rows are currently selected) (LUX) If the currently focused cell is the first cell of the row, then behaves the same as Left Arrow without Shift
Move focus one column to the right (and update cell selection)	(LUX) Shift+Right Arrow	(LUX) Moves cell focus and selection(s) one column to the right (selection can be multiple cells if multiple rows are currently selected) (LUX) If the currently focused cell is the last cell of the row, then behaves the same as Right Arrow without Shift
Move focus one row up (no change to selection)	(All) Control+Up Arrow	(LUX) The row containing the newly focused cell becomes focused (LUX) Note: Enables selection of non-contiguous rows with Control+Space (LUX) There is no wrap at the first or last rows (LUX) If the currently focused row is the first data row, this has the same behavior as Up Arrow without Shift
Move focus one row down (no change to selection)	(All) Control+Down Arrow	(LUX) The row containing the newly focused cell becomes focused (LUX) Note: Enables selection of non-contiguous rows with Control+Space (LUX) There is no wrap at the first or last rows
Select the current row	(WAI-ARIA) Shift+Space (LUX) Control+Space	(LUX) Toggles selection of currently focused row (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Space without Control
Select the current column	(WAI-ARIA) Control+Space	(LUX) Not supported

**Note:**

WAI-ARIA defines selection within grids solely in terms of cells; a row is just a set of cells, each of which may or may not be selected. The LUX Grid keyboard shortcuts for selection assume the multiSelect option is set to 'true'. In the LUX Grid:

- If a cell is selected, the cell's row is selected.
- Only one cell in a row may be selected at any given time.
- If multiple rows are selected, their selected cells are always in the same column.

Editing Cells

This section contains information on editing cells.

Table C-4 Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Navigation	Edit focused cell (enter Actionable mode)	(All) Enter -or- F2 -or- (LUX) Shift+Enter -or- (WAI-ARIA (optional), LUX) Any alphanumeric character	Editable	(LUX) In a Text Column or Text Area Column cell, typing an alphanumeric character will also replace the current cell value with the character just typed (LUX) In a Number/Cost/Percent column cell, typing an alphanumeric character will also select the current cell value, if any; the character just typed is not entered in the cell
Editable	Cancel changes and exit Actionable mode	(All) Escape	Navigation	(WAI-ARIA) Does not mention canceling changes, just exiting Actionable mode

Table C-4 (Cont.) Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Commit changes and exit Actionable mode	(WAI-ARIA (optional), LUX) Enter -or- (LUX) Shift+Enter	Navigation	(LUX) If the currently focused cell is not in the last data row of the Grid, Enter or Shift+Enter will also move focus to the cell immediately below the focused cell (note that Shift+Enter moves focus down such as Enter, not up) (LUX) In a Text Area Column cell, Enter does not exit the editor; it just adds a newline character to the text value at the current insertion point. Shift+Enter behaves such as a normal Enter or Shift+Enter, as if the cell were not a Text Area Column cell (LUX) In a Date Column or Select Multi Column cell, Enter and Shift+Enter do nothing
Editable	Move focus to next actionable (tabbable) item	(All) Tab	Old cell: Navigation; New cell: Editable	(LUX) Next actionable item is usually in next cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode
Editable	Move focus to previous actionable (tabbable) item	(All) Shift+Tab	Old cell: Navigation; New cell: Editable	(LUX) Previous actionable item is usually in previous cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode

Table C-4 (Cont.) Editing Cells

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Move to next row	Enter	Old row: Navigation; New row: Editable	(LUX) See LUX comments for "Commit changes and exit Actionable mode"
Editable	Select date in Date Column	(LUX) See the OJET Input Date and Time Keyboard End User Information.	See the OJET Input Date and Time Keyboard End User Information.	
Editable	Increment Spinner Number Column cell	Up Arrow	Editable	
Editable	Decrement Spinner Number Column cell	Down Arrow	Editable	
Navigation	Toggle checked state of check-box	Space	Navigation	
Navigation	Clear data from the focused cell	(LUX) Delete	Navigation	Delete key clears the values in select and check column cells as well

Keyboard shortcuts for Grouped Rows and Tree Grid

This section contains information on Grouped Rows and Tree Grid.

Table C-5 Grouped Rows and Tree Grid

Action	Key(s)	Notes
Expand [+]	Control+Right Arrow	Focus must be in the cell with the disclosure icon
Collapse [-]	Control+Left Arrow	Focus must be in the cell with the disclosure icon

Keyboard shortcuts for triggering cell actions in other types of cells

This section contains information on keyboard shortcuts for triggering cell actions in other types of cells.

Table C-6 Keyboard shortcuts for triggering cell actions in other types of cells

Action	Key(s)	Notes
Trigger cell action in selected cell	Space	If the cell has an <a> with a valid href attribute, Space will follow the link

Keyboard shortcuts for sorting on columns

This section contains information on sorting on columns.

Action	Key(s)	Notes
Cycle the sort of the focused column in the following sequence: • Ascending • Descending • Not sorted (default order)	Space	The selected cell must be the column header cell
Cycle the sort of the focused column, subject to any other column sorts that are already defined, in the sequence above	Control+Space	The selected cell must be the column header cell

Keyboard Shortcuts for Menus

This section contains information on keyboard shortcuts for menus.

Table C-7 Keyboard Shortcuts for Menus

Action	Key	Notes
Open the menu	(WAI-ARIA, LUX) Enter -or- Space -or- Shift+F10 -or- (WAI-ARIA) Up/Down Arrow (in a menu bar)	(LUX) Context Menu uses Space or Shift+F10; Column Menu uses Space; Select Column Menu uses Up/Down Arrow (space (or character) opens the menu item search/filter field); Select Multi-Column Menu uses Enter (LUX) In Select Column Menu, Enter causes the cell to enter Actionable mode, but does not open the drop-down menu; the menu opens when Up/Down Arrow keys are used (LUX) In the Select Multi-Column Menu, after the cell enters Actionable mode, the first Control+Down Arrow enters the menu at the (first) currently selected option (or before the first option if no option is currently selected)
Move focus to the next menu item in the menu	(All) Down Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the bottom; Context menus do not

Table C-7 (Cont.) Keyboard Shortcuts for Menus

Action	Key	Notes
Move focus to the previous menu item in the menu	(All) Up Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the top; Context menus do not
Open a sub-menu (if the focused menu item has a sub-menu)	(WAI-ARIA, LUX) Right Arrow -or- (WAI-ARIA, LUX) Enter -or- Space	(LUX) Does not apply to Select Column menus and Select Multi-Column menus (LUX) Context Menu uses Right Arrow; Column Menu uses Right Arrow, Enter, or Space.
Close a submenu and return focus to the parent menu item	(WAI-ARIA, LUX) Left Arrow -or- (WAI-ARIA) Escape	(LUX) Does not apply to Select Column menus and Select Multi-Column menus (LUX) Escape closes the top-level menu and any sub-menus
Select a menu item (or invoke the menu action) and close the menu	(All) Enter -or- Space	(LUX) Does not apply to the Select Multi-Column menu (LUX) Select Column does not support Space, only Enter; space (or character) opens the menu item search/filter field
Toggle selection of a menu item in the menu	(LUX) Enter -or- Space	(LUX) Select Multi-Column menu only
Close the menu (commit selections)	(LUX) Tab -or- Shift-Tab	(LUX) Select Multi Column menu only (LUX) Also moves focused cell one column to the right (Tab) or left (Shift+Tab)
Close the menu (no action or selection)	(LUX) Escape	(LUX) Escape closes the top-level menu and any sub-menus

Miscellaneous

This section contains information on the miscellaneous keystrokes.

Table C-8 Miscellaneous Keystrokes

Action	Key	Notes
Insert a new row above the selected row	(LUX) Insert Key	A new row is added just above the selected row

D

OJET CCA Controls

This chapter includes the keystroke controls for OJET CCA Controls.

OJET CCA Breadcrumb (oj-cca-breadcrumb)

This section contains information on the CCA Breadcrumb Keystroke.

Table D-1 CCA Breadcrumb Control

Target	Key
breadcrumb	See Buttonset One (Oj-buttonset-one) section, for details on breadcrumb.

OJET CCA List View (oj-cca-list-view)

This section contains information on the CCA List View.



Note:

The Table Control is a toggle and can either be a List View Control, or a Table View Control. This is configured by the application owner.

Action	Key
List Control	See List View(oj-list-view) section, for details on List View.
Table Control	See Table(oj-table-view) section, for details on Table View.

OJET CCA Pagination (oj-cca-pagination)

This section contains information on the pagination panel component.

Table D-2 Pagination Panel Component

Target	Key	Action
Button (First Page, Previous Page, Next Page, Last Page)	Tab	Set focus to the Button
	Enter	Activates the control.
Page Input	Tab	Set focus to the input.
	Tab	Setting focus outside the input activates the control and updates the List View

OJET CCA Records per Page (oj-cca-records)

This section contains information on the CCA Records Per Page Control.

Table D-3 CCA Records Per Page Control

Action	Key
The Records Per Page, makes use of the number control	See Input Number(oj-input-number) section, for details on Number Control.

OJET CCA Summary Search (oj-cca-summary-search)

This section contains information on the CCA Summary Search Control.

Table D-4 CCA Search Control

Target	Key	Action
Search Control	Tab In	Set focus to Search Control.
Search Drop-down Panel	Enter	Activates the control and opens the Drop-down.
The drop-down may contain several Input controls such as input Text, Select, Multi-select, and so on	See TextBox section, for details on Input Text. See Select Single section, for details on Select. See Select-Many(oj-select-many) section, for details on Multi-select.	

E

HTML Documents on OHC and Help Pages

This section describes the set of unique keystrokes for the OFSAA documents on Oracle help center (OHC) and Online Help pages.



Note:

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

Keyboard Shortcuts for OFSAA Documentation

Table E-1 HTML Pages Keystroke

Command	Description
Alt+Z	Bypass Key to move focus from LHS to RHS
Alt+X	Bypass Key to move from "Click here to see this page in full context" in the display ribbon to the TOC.

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released documents.