

# Oracle® Financial Service Profitability and Balance Sheet Management Cloud Service

## Unique Keystrokes and Access Keys Guidelines



Release 24A  
F94253-01  
March 2024

ORACLE®

Oracle Financial Service Profitability and Balance Sheet Management Cloud Service Unique Keystrokes and Access Keys Guidelines, Release 24A

F94253-01

Copyright © 2022, 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

# Contents

1	Introduction	
2	How this Guide is Organized	
3	Common Keyboard Shortcuts with Control References	
3.1	Landing Page	3-1
3.1.1	Summary	3-1
4	Common Object Maintenance	
4.1	Dimension Management	4-1
4.1.1	Member	4-1
4.1.1.1	Summary	4-2
4.1.1.2	Attribute	4-8
4.1.1.3	Summary	4-8
4.1.2	Hierarchy	4-13
4.1.2.1	Summary	4-13
5	Operations	
5.1	Define Batch	5-1
5.1.1	Summary	5-2
5.2	Define Task	5-5
5.3	Schedule Batch	5-9
5.4	Monitor Batch	5-20
5.5	Dashboard	5-23
6	Filter	

## 7 Data Management Tools

---

7.1	Designer View	7-1
7.2	Data View	7-9

## 8 Data Quality Framework

---

8.1	Data Quality Rules	8-1
8.2	Data Quality Groups	8-12
8.3	Execution Summary	8-21

## 9 Object Migration

---

9.1	Object Migration - Export	9-1
9.2	Object Migration – Import	9-7

## 10 File Upload and Download

---

## A Appendix A: HTML5 Controls

---

A.1	HTML Breadcrumbs (html5-breadcrumbs)	A-1
A.2	HTML Button (html5-button)	A-1
A.3	HTML Calendar (html5-calendar)	A-1
A.4	HTML Checkbox (html5-checkbox)	A-2
A.5	HTML Container Expand Collapse (html5-container-expand-collapse)	A-2
A.6	HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)	A-3
A.7	HTML Date (html5-date)	A-3
A.8	HTML Dialog Launcher (html5-dialog-launcher)	A-3
A.9	HTML Expression Browser Type BP (html5-expression-browser-type-bp)	A-4
A.10	HTML File Picker (html5-filepicker)	A-4
A.11	HTML Grid (html5-grid)	A-4
A.12	HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)	A-4
A.13	HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)	A-5
A.14	HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)	A-5
A.15	HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)	A-6
A.16	HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)	A-6
A.17	HTML Messages (html5-messages)	A-6
A.18	HTML Metadata Tree Browser (html5-metadata-tree-browser)	A-7
A.19	HTML Metadata Tree Control (html5-metadata-tree-control)	A-7
A.20	HTML Multiselect List (html5-multiselect-list)	A-7

A.21	HTML Navigation Tree (html5-navigation-tree)	A-8
A.22	HTML New Expression Builder (html5-new-expression-builder)	A-8
A.23	HTML Pagination Panel (html5-pagination)	A-8
A.24	HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)	A-9
A.25	HTML Radio button (html5-radio button)	A-9
A.26	HTML Records per Page (html5-records-per-page)	A-10
A.27	HTML Records per Page Drop-down (html5-records-per-page)	A-10
A.28	HTML Rules Menu (html5-rulesmenu)	A-10
A.29	HTML Select (html5-select-one)	A-11
A.30	HTML Tabs (html5-tab)	A-11
A.31	HTML Textarea (html5-textarea)	A-11
A.32	HTML Textbox (html5-textbox)	A-11
A.33	HTML Tree (html5-tree)	A-12

## B Appendix B: OJET Controls

---

B.1	OJET Accordion (oj-accordion)	B-1
B.2	OJET Button (oj-button)	B-1
B.3	OJET Buttonset One (oj-buttonset-one)	B-2
B.4	OJET Canvas (oj-canvas)	B-2
B.5	OJET Canvas Diagram (oj-canvas-diagram)	B-2
B.6	OJET Chart (oj-chart)	B-3
B.7	OJET Checkbox (oj-checkbox)	B-4
B.8	OJET Collapsible (oj-collapsible)	B-5
B.9	OJET Combobox-One (oj-combobox-one)	B-5
B.10	OJET Context Menus (oj-menu)	B-6
B.11	OJET Control Specific Help (oj-control-specific-help)	B-6
B.12	OJET Date or DateTime (oj-datetime / oj-calendar)	B-6
B.13	OJET Dialog (oj-dialog)	B-8
B.14	OJET Expand/Collapse (oj-collapse)	B-8
B.15	OJET Expression Builder (oj-expression-builder)	B-8
B.16	OJET Expression Builder Launcher (oj-expression-builder-launcher)	B-9
B.17	OJET File Picker (oj-file picker)	B-9
B.18	OJET Film Strip (oj-film-strip)	B-9
B.19	OJET Foldable Layout (oj-foldable-layout)	B-10
B.20	OJET Gantt (oj-gantt)	B-10
B.21	OJET Grid (oj-grid)	B-10
B.22	OJET Hcy Br Tree (oj-tree)	B-15
B.23	OJET Hierarchy Browser Map (oj-hierarchy-browser-map)	B-16
B.24	OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)	B-17
B.25	OJET Input Number (oj-input-number)	B-17

B.26	OJET Legend (oj-legend)	B-17
B.27	OJET List View (oj-listview)	B-18
B.28	OJET Messages (oj-messages)	B-19
B.29	OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)	B-20
B.30	OJET Navigation List (oj-navigation-list)	B-20
B.31	OJET Object Migration Canvas (oj-object-migration-canvas)	B-31
B.32	OJET Object Node (object-node)	B-31
B.33	OJET Password (oj-password)	B-31
B.34	OJET Popup (oj-popup)	B-32
B.35	OJET Radio (oj-radio)	B-32
B.36	OJET Row Expander (oj-row expander)	B-32
B.37	OJET Search Box (oj-input-search)	B-33
B.38	OJET Select Many (oj-select-many)	B-33
B.39	OJET Select One (oj-select one)	B-33
B.40	OJET Select Single (oj-select-single)	B-34
B.41	OJET Switch (oj-switch)	B-34
B.42	OJET Tabs (oj-tabs)	B-35
B.43	OJET Tab-Bar (oj-tab-bar)	B-36
B.44	OJET Table (oj-table)	B-37
B.45	OJET Textarea (oj-textarea)	B-40
B.46	OJET Textbox (oj-input-text)	B-40
B.47	OJET Train	B-41
B.48	OJET Tree (oj-tree-view)	B-41
B.49	OJET Tree View (oj-tree-view)	B-42
B.50	Oj-Guided Process (oj-sp-guided-process)	B-42
B.51	OJET General Drawer Template (oj-sp-general-drawer-template)	B-43
B.52	Ojet-Smart Search (oj-sp-smart-search)	B-43

## C LUX Controls

---

C.1	LUX Breadcrumbs (oj-lux-breadcrumb)	C-1
C.2	LUX Grid (oj-lux-grid)	C-1
C.2.1	Keyboard shortcuts for navigation in and out of the grid	C-1
C.2.2	Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)	C-2
C.2.3	Adjusting the Row and Cell Selection	C-4
C.2.4	Editing Cells	C-7
C.2.5	Keyboard shortcuts for Grouped Rows and Tree Grid	C-9
C.2.6	Keyboard shortcuts for triggering cell actions in other types of cells	C-9
C.2.7	Keyboard shortcuts for sorting on columns	C-10
C.2.8	Keyboard Shortcuts for Menus	C-10

## D OJET CCA Controls

---

D.1	OJET CCA Breadcrumb (oj-cca-breadcrumb)	D-1
D.2	OJET CCA List View (oj-cca-list-view)	D-1
D.3	OJET CCA Pagination (oj-cca-pagination)	D-1
D.4	OJET CCA Records per Page (oj-cca-records)	D-2
D.5	OJET CCA Summary Search (oj-cca-summary-search)	D-2

## E HTML Documents on OHC and Help Pages

---

E.1	Keyboard Shortcuts for OFSAA Documentation	E-1
E.2	OFSAA Support	E-1
E.3	Send Us Your Comments	E-1

# 1

## Introduction

This is the Unique Keystrokes and Access Keys Guidelines document for the Profitability and Balance Sheet Management Cloud Services. This document provides accessibility information (Voluntary Product Accessibility Template-VPAT) about the PBSM Cloud Services User Interface (UI) according to the OAG 3.0 Standards. The Keystrokes reference details for each UI control on each screen of the PBSM Cloud Services and the information about the Access Keys required to access each UI control are explained. All the UI controls present in each UI screen of the PBSM Cloud Services are listed.



# 2

## How this Guide is Organized

This section provides information about the structure of this document.

- [Common Keyboard Shortcuts with Control References](#): This section provides information about the common keyboard controls.
- **PBSM Cloud Services Modules**: This section provides information about the keystrokes reference details of the modules in the PBSM Cloud Services User Interface.
- **Appendix A: HTML5 Controls**: This section provides information about the set of unique keystrokes for the HTML5 controls.
- **Appendix B: OJET Controls**: This section provides information about the set of unique keystrokes for the OJET controls.
- **Appendix C: OJET CCA Controls**: This section provides information about the set of unique keystrokes for the OJET CCA controls.
- **Appendix D: HTML Documents on OHC and Help Pages**: This section provides information about the set of unique keystrokes for the OFSAA documents on the Oracle help center (OHC) and Online Help pages.

# 3

## Common Keyboard Shortcuts with Control References

This chapter provides more information about the Login and Landing pages of PBSM Cloud Services.

### 3.1 Landing Page

The Landing page gives information about the navigation path to the modules in the PBSM Cloud Services Application.

**Figure 3-1** PBSMCS Landing page



#### 3.1.1 Summary

The following table describes all the elements of the Landing page section and the Keystroke combinations to access them.





**Table 3-1** Keystroke References for the Member - Summary section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Hamburger menu button	<a href="#">OJET_Button_oj_button</a>

**Figure 3-2** oj-button



**Table 3-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 3-3 Oj-button</b></p> 	Set Up Info button	<a href="#">OJET_Button_oj_button</a>
Oj-button	<p><b>Figure 3-4 Oj-button</b></p> 	Last Login Date and Time button	<a href="#">OJET_Button_oj_button</a>
Oj-button	<p><b>Figure 3-5 Oj-button</b></p> 	Home button	<a href="#">OJET_Button_oj_button</a>
oj-navigation list	<p><b>Figure 3-6 Navigati on List</b></p> 	Navigation List	<a href="#">Ojet-Navigation List</a>

**Table 3-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Tile		Tile	OJET Summary Tile

**Figure 3-7 Tile**




# 4

## Common Object Maintenance

This chapter includes the Keystroke reference details for the following modules in the PBSMCS User Interface:

**Figure 4-1 Common Object Maintenance Navigation pane**



### 4.1 Dimension Management


This section includes the keystroke combinations for the following Dimension Management screens:

- [Member](#)
- [Attribute](#)
- [Hierarchy](#)

#### 4.1.1 Member

This section includes the keystroke combinations for the Member Summary screen.




**Figure 4-2 Member Summary screen**







### 4.1.1.1 Summary

The following table describes all the elements of the Member Details section and the Keystroke combinations to access them.

**Table 4-1 Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-searchbox	<b>Figure 4-3 Search Box</b>	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>
			
oj-button	<b>Figure 4-4 Reset button</b>	Reset button	<a href="#">OJET_Button_oj_button</a>
			
oj-button	<b>Figure 4-5 Add button</b>	Add button	<a href="#">OJET_Button_oj_button</a>
			

**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 4-6 Delete button</b></p> 	Delete button	<a href="#">OJET_Button_oj_button</a>
oj-button	<p><b>Figure 4-7 Help button</b></p> 	Help button	<a href="#">OJET_Button_oj_button</a>
oj-button	<p><b>Figure 4-8 Menu button</b></p> 	Menu button	<a href="#">OJET_Button_oj_button</a>
oj-table	<p><b>Figure 4-9 Table</b></p> 	Table	<a href="#">OJET Table (oj-table)</a>

**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-Menu	<p data-bbox="625 451 836 493"><b>Figure 4-10 Menu</b></p> 	Menu	<a href="#">OJET Context Menus (oj-menu)</a>
oj-button		Copy Attribute Assignment button	<a href="#">OJET Button (oj-button)</a>
oj-input textbox	<p data-bbox="625 1081 836 1123"><b>Figure 4-11 Text Box</b></p> 	Text Box	<a href="#">OJET Textbox (oj-input-text)</a>






**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select one		Name	<a href="#">OJET Select One (oj-select one)</a>





**Figure 4-12 Name Select One**



**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
<p>oj-select one</p> <p><b>Figure 4-13 Select Sort Order List</b></p> 		<p>Select Sort Order List</p>	<p><a href="#">OJET Select One (oj-select one)</a></p>
<p>oj-select one</p> <p><b>Figure 4-14 Sort By</b></p> 		<p>Sort By</p>	<p><a href="#">OJET Select One (oj-select one)</a></p>
<p>oj-button</p> <p><b>Figure 4-15 Save button</b></p> 		<p>Save button</p>	<p><a href="#">OJET_Button_oj_button</a></p>


**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-number control	<p><b>Figure 4-16 Number of Records</b></p> 	Number of Records	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>
oj-searchbox	<p><b>Figure 4-17 Search Box</b></p> 	Search Box	
oj-pagination	<p><b>Figure 4-18 Pagination</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-number	<p><b>Figure 4-19 Number Text Box</b></p> 	Number Text Box	<a href="#">OJET Input Number (oj-input-number)</a>

**Table 4-1 (Cont.) Keystroke References for the Member - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj- radio		Is Leaf	<a href="#">OJET Radio (oj-radio)</a>

**Figure 4-20 Radi**  
**o**



### 4.1.1.2 Attribute

This section includes the Keystroke combinations for the Attribute Summary screens.

### 4.1.1.3 Summary

The following table describes all the elements of the Attributes - Details screen and the Keystroke combinations to access them.

**Table 4-2 Keystroke References for the Attribute - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Add	<a href="#">OJET Button (oj-button)</a>

**Figure 4-21 Add**  
**button**






oj-button		Cancel	<a href="#">OJET Button (oj-button)</a>
-----------	--	--------	---

**Figure 4-22 Canc**  
**el button**




**Table 4-2 (Cont.) Keystroke References for the Attribute - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 4-23 Help button</b></p> 	Help	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 4-24 Reset button</b></p> 	Reset	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 4-25 Save button</b></p> 	Save	<a href="#">OJET Button (oj-button)</a>

**Table 4-2 (Cont.) Keystroke References for the Attribute - Summary section**


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-select one		Select Sort Order List	<a href="#">OJET Select One (oj-select one)</a>

**Figure 4-26 Select Sort Order List**



oj-select one	Single Select List View	<a href="#">OJET Select One (oj-select one)</a>
---------------	-------------------------	---

**Figure 4-27 Single Select List View**



oj-input number	Input Number	<a href="#">OJET Input Number (oj-input-number)</a>
-----------------	--------------	---


**Figure 4-28 Input Number**



**Table 4-2 (Cont.) Keystroke References for the Attribute - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-date		Date Value	<a href="#">OJET Date or DateTime (oj-datetime / oj-calendar)</a>


**Figure 4-29 Date Value**





oj- select one

Single Select List View [OJET Select One \(oj-select one\)](#)

**Figure 4-30 Single Select List View**



**Table 4-2 (Cont.) Keystroke References for the Attribute - Summary section**


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu	<p><b>Figure 4-31 Menu</b></p> 	Menu	<a href="#">OJET Context Menus (oj-menu)</a>
oj-listview	<p><b>Figure 4-32 List View</b></p> 	List View	<a href="#">OJET CCA List View (oj-cca-list-view)</a>
oj-pagination	<p><b>Figure 4-33 Pagi nation</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-radio	<p><b>Figure 4-34 Requi red Attribute</b></p> 	Required Attribute	<a href="#">OJET Radio (oj-radio)</a>



**Table 4-2 (Cont.) Keystroke References for the Attribute - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-radio		Seeded Value	<a href="#">OJET Radio (oj-radio)</a>

**Figure 4-35 Seed ed Value**



## 4.1.2 Hierarchy

This section includes the keystroke combinations for the Hierarchy Summary screen.




**Figure 4-36 Hierarchy Summary screen**

Name	Description	Folder	Dimension	Tags	Actions
HCY00112233399	HCY001 test	TEST0527	Common Chart of A		⋮
HCY002	HCY002 test	TEST0527	Common Chart of A		⋮
HR008	HR008	TEST0527	Financial Element		⋮
HR008	HR008	TEST0527	Financial Element		⋮
T1_-,3	T1_-,	TEST0527	Common Chart of A		⋮
TEST0101	TEST0101	TEST0527	Financial Element	wree	⋮
TEST010132222	TEST0101	TEST0527	Financial Element		⋮
TES11818	TES11818	TEST0527	Product		⋮





### 4.1.2.1 Summary

The following table describes all the elements of the Hierarchy Details screen and the keystroke combinations to access them.


**Table 4-3 Keystroke References for the Hierarchy - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p data-bbox="625 451 836 514"><b>Figure 4-37 Menu button</b></p> 	Menu	<a href="#">OJET Button (oj-button)</a>
oj-button	<p data-bbox="625 745 836 808"><b>Figure 4-38 Reset button</b></p> 	Reset	<a href="#">OJET Button (oj-button)</a>
oj- select one	<p data-bbox="625 1039 836 1102"><b>Figure 4-39 List View</b></p> 	List View	<a href="#">OJET CCA List View (oj-cca-list-view)</a>

**Table 4-3 (Cont.) Keystroke References for the Hierarchy - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu	<p><b>Figure 4-40 Menu</b></p> 	Menu	<a href="#">OJET Context Menus (oj-menu)</a>
oj-pagination	<p><b>Figure 4-41 Pagi nation</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-input number	<p><b>Figure 4-42 Input Number</b></p> 	Input Number	<a href="#">OJET Input Number (oj-input-number)</a>
oj-search box	<p><b>Figure 4-43 Search Box</b></p> 	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>

**Table 4-3 (Cont.) Keystroke References for the Hierarchy - Summary section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-listview	<p><b>Figure 4-44 List View</b></p> 	Summary	<a href="#">OJET CCA List View (oj-cca-list-view)</a>


# 5

## Operations

This section includes the Keystroke reference details for the Operations Module. This module includes the following screens:

- [Define Batch](#)
- [Define Task](#)
- [Schedule Batch](#)
- [Monitor Batch](#)
- [Dashboard](#)

**Figure 5-1 Operations Module**







### 5.1 Define Batch






This section includes the Keystroke reference details for the Operations - Define Batch Module.

## 5.1.1 Summary

**Table 5-1 Keystroke References for the Controls in the Operations - Define Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-2 Help button</b></p> 	Help	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-3 Search button</b></p> 	Search	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-4 Reset button</b></p> 	Reset	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-5 Add button</b></p> 	Add	<a href="#">OJET Button (oj-button)</a>

**Table 5-1 (Cont.) Keystroke References for the Controls in the Operations - Define Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-6 View button</b></p> 	View	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-7 Edit button</b></p> 	Edit	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-8 Delete button</b></p> 	Delete	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-9 OK button</b></p> 	OK	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-10 Close button</b></p> 	Close	<a href="#">OJET Button (oj-button)</a>

**Table 5-1 (Cont.) Keystroke References for the Controls in the Operations - Define Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu button		Menu	<a href="#">OJET Button (oj-button)</a>

**Figure 5-11 Menu button**



oj-input number

Input Number

[OJET Input Number \(oj-input-number\)](#)

**Figure 5-12 Input Number**



oj-listview

List View



[OJET CCA List View \(oj-cca-list-view\)](#)

**Figure 5-13 List View**







**Table 5-1 (Cont.) Keystroke References for the Controls in the Operations - Define Batch page**






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-pagination	<p><b>Figure 5-14</b> Pagi nation</p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-button	<p><b>Figure 5-15</b> Butto n Set</p> 	<ul style="list-style-type: none"> <li>· Add</li> <li>· Reset Search</li> <li>· Help</li> </ul>	<a href="#">OJET Buttonset One (oj-buttonset-one)</a>

## 5.2 Define Task






**Table 5-2 Keystroke References for the Controls in the Operations – Define Task page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-16</b> Help button</p> 	Help	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-17</b> Search button</p> 	Search	<a href="#">OJET Button (oj-button)</a>

**Table 5-2 (Cont.) Keystroke References for the Controls in the Operations – Define Task page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-18 Reset button</b></p> 	Reset	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-19 Schedule Batch button</b></p> 	Schedule Batch	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-20 Exclude/Include button</b></p> 	Exclude/Include	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-21 Hold/Release button</b></p> 	Hold/Release	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-22 OK button</b></p> 	OK	<a href="#">OJET Button (oj-button)</a>

**Table 5-2 (Cont.) Keystroke References for the Controls in the Operations – Define Task page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-23 Close button</b></p> 	Close	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-24 Execute Batch button</b></p> 	Execute Batch	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-25 Menu button</b></p> 	Menu	<a href="#">OJET Button (oj-button)</a>
oj-search box	<p><b>Figure 5-26 Search box</b></p> 	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>
oj-listview	<p><b>Figure 5-27 List View</b></p> 	Between And Date	<a href="#">OJET CCA List View (oj-cca-list-view)</a>

**Table 5-2 (Cont.) Keystroke References for the Controls in the Operations – Define Task page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj- select one	<p><b>Figure 5-28 Select One</b></p> 	Batch Name Task Details	<a href="#">OJET Select One (oj-select one)</a>
oj-pagination	<p><b>Figure 5-29 Pagina tion</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-button	<p><b>Figure 5-30 Hierar chy Browser Shuttle Button Set</b></p> 	Hierarchy Browser Shuttle	<a href="#">OJET Button (oj-button)</a>
oj-record	<p><b>Figure 5-31 Recor ds per page</b></p> 	Records per Page	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>


## 5.3 Schedule Batch

This section includes the keystroke reference details for the Operations- Schedule Batch module.

**Table 5-3 Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-Menu		Batch Type Selection	<a href="#">OJET Context Menus (oj-menu)</a>

**Figure 5-32 Batch Type Selection Menu**



oj-Tab-bar





Tab-bar

[OJET Tab-Bar \(oj-tab-bar\)](#)





**Figure 5-33 Tab-bar**








**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-34 View Task Logs button</b></p> 	View Task Logs	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-35 View All Logs button</b></p> 	View All Logs	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-36 Preview Jobs button</b></p> 	Preview Jobs	<a href="#">OJET Button (oj-button)</a>
oj-tab-bar	<p><b>Figure 5-37 Tab-bar</b></p> 	Tab-bar	<a href="#">OJET Tab-Bar (oj-tab-bar)</a>

**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-Select One	<p><b>Figure 5-38 Batch Selection</b></p> 	Batch Selection	OJET Select One (oj-select one)
oj-button	<p><b>Figure 5-39 Cancel button</b></p> 	Cancel button	OJET Button (oj-button)
oj-button	<p><b>Figure 5-40 Close button</b></p> 	Close button	OJET Button (oj-button)
oj-button	<p><b>Figure 5-41 Edit Parameters button</b></p> 	Edit Parameters button	OJET Button (oj-button)

**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**






UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Exclude Jobs button	<a href="#">OJET Button (oj-button)</a>
	<b>Figure 5-42 Exclude Jobs button</b>		
			
oj-button		Execute button	<a href="#">OJET Button (oj-button)</a>
	<b>Figure 5-43 Execute button</b>		
			
oj-button		Help button	<a href="#">OJET Button (oj-button)</a>
	<b>Figure 5-44 Help button</b>		
			
oj-button		Hold Jobs button	<a href="#">OJET Button (oj-button)</a>
	<b>Figure 5-45 Hold Jobs button</b>		
			
oj-button		Pre-Conditions button	<a href="#">OJET Button (oj-button)</a>
	<b>Figure 5-46 Pre-Conditions button</b>		
			






**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Preview Jobs button	<a href="#">OJET Button (oj-button)</a>
	<p><b>Figure 5-47 Preview w Jobs button</b></p> 		
oj-button		Save button	<a href="#">OJET Button (oj-button)</a>
	<p><b>Figure 5-48 Save button</b></p> 		
oj-button		Batch Name button	<a href="#">OJET Button (oj-button)</a>
	<p><b>Figure 5-49 Batch Name button</b></p> 		
oj-button		Schedule button	<a href="#">OJET Button (oj-button)</a>
	<p><b>Figure 5-50 Schedule button</b></p> 		

**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-51 Reset Search Criteria button</b></p> 	Reset Search Criteria button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-52 View Schedules button</b></p> 	View Schedules button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-53 Manage Pause button</b></p> 	Manage Pause button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-54 Discard button</b></p> 	Discard button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-55 Edit button</b></p> 	Edit button	<a href="#">OJET Button (oj-button)</a>


**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-56 Create button</b></p> 	Create button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-57 Close button</b></p> 	Close button	<a href="#">OJET Button (oj-button)</a>
Oj-Switch	<p><b>Figure 5-58 Toggle button</b></p> 	Toggle button	<a href="#">OJET Switch (oj-switch)</a>

**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Date		Input Date	<a href="#">OJET Date or DateTime (oj-datetime / oj-calendar)</a>

**Figure 5-59 Input Date**



Oj-Collapsible

Dynamic Params

[OJET Collapsible \(oj-collapsible\)](#)

**Figure 5-60 Dynamic Params**



Oj-Combobox-One




Number of Records per page

[OJET Combobox-One \(oj-combobox-one\)](#)

**Figure 5-61 Number of Records per page**




**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-TextBox	<p><b>Figure 5-62 Text Box</b></p> 	Text Box	<a href="#">OJET Textbox (oj-input-text)</a>
Oj-Select One	<p><b>Figure 5-63 Name Dropdown</b></p> 	Name Dropdown	<a href="#">OJET Select One (oj-select one)</a>
Oj-Input Search	<p><b>Figure 5-64 Search Box</b></p> 	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>

**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Popup Box		Message	<a href="#">OJET Popup (oj-popup)</a>

**Figure 5-65 Popup Box Message**



Oj-Gantt

Preview Layout

[OJET Gantt \(oj-gantt\)](#)

**Figure 5-66 Preview Layout**



Oj-List View

Scheduled Batch Layout

[OJET List View \(oj-listview\)](#)

**Figure 5-67 Scheduled Batch Layout**



Oj-List View

LHS/RHS List View Selection

[OJET List View \(oj-listview\)](#)


**Figure 5-68 LHS/RHS List View Selection**



**Table 5-3 (Cont.) Keystroke References for the Controls in the Operations - Schedule Batch page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Table		Manage Pause Layout	<a href="#">OJET Table (oj-table)</a>

**Figure 5-69 Table**




Oj-Collapsible

Edit Dynamic Params

[OJET Collapsible \(oj-collapsible\)](#)

**Figure 5-70 Edit Dynamic Params**




Oj-Pagination

Pagination





[OJET CCA Pagination \(oj-cca-pagination\)](#)

**Figure 5-71 Pagina tion**



## 5.4 Monitor Batch

**Table 5-4 Keystroke References for the Controls in the Operations – Monitor Batch module**





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-menu button	<p><b>Figure 5-72 Menu button</b></p> 	Menu button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-73 Help button</b></p> 	Help	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-74 Start Monitoring button</b></p> 	Start Monitoring	<a href="#">OJET Button (oj-button)</a>
oj-legend	<p><b>Figure 5-75 Legend</b></p> 	Legend	



**Table 5-4 (Cont.) Keystroke References for the Controls in the Operations – Monitor Batch module**


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 5-76 Start Monitor button</b></p> 	Start Monitor button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-77 Batch ID button</b></p> 	<ul style="list-style-type: none"> <li>• Batch ID</li> <li>• Task ID</li> </ul>	<a href="#">OJET Button (oj-button)</a>
oj-pagination	<p><b>Figure 5-78 Pagination</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-records per page	<p><b>Figure 5-79 Records per page</b></p> 	Records per page	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>

**Table 5-4 (Cont.) Keystroke References for the Controls in the Operations – Monitor Batch module**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-date	<p><b>Figure 5-80 FIC MIS Date</b></p> 	FIC MIS Date	<a href="#">OJET Date or DateTime (oj-datetime / oj-calendar)</a>
oj-input number	<p><b>Figure 5-81 Wild card Input Number</b></p> 	Wildcard	<a href="#">OJET Input Number (oj-input-number)</a>
oj-collapse	<p><b>Figure 5-82 View Logger</b></p> 	View Logger Log File Contents	<a href="#">OJET Expand/ Collapse (oj-collapse)</a>
oj-button	<p><b>Figure 5-83 Reset button</b></p> 	Reset button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 5-84 View Log button</b></p> 	View Log button	<a href="#">OJET Button (oj-button)</a>

**Table 5-4 (Cont.) Keystroke References for the Controls in the Operations – Monitor Batch module**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Download button	<a href="#">OJET Button (oj-button)</a>

**Figure 5-85 Download button**

## 5.5 Dashboard

This section includes the Keystroke Reference details for the Operations- Dashboard.

**Table 5-5 Keystroke References for the Controls in the Operations - Dashboard page**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-breadcrumb		Executed Runs	<a href="#">OJET CCA Breadcrumb (oj-cca-breadcrumb)</a>

**Figure 5-86 Executed Runs**

oj-menu button		Menu	<a href="#">OJET Button (oj-button)</a>
----------------	--	------	---

**Figure 5-87 Menu button**

**Table 5-5 (Cont.) Keystroke References for the Controls in the Operations - Dashboard page**

oj-button	Reset	<a href="#">OJET Button (oj-button)</a>
<p><b>Figure 5-88 Reset button</b></p>		
		
oj-button	Check All	<a href="#">OJET Button (oj-button)</a>
<p><b>Figure 5-89 Check All button</b></p>		
		
oj-button	Buttonset	<a href="#">OJET Buttonset One (oj-buttonset-one)</a>
<p><b>Figure 5-90 Button set</b></p>		
		
oj- select one	Select One	<a href="#">OJET Select One (oj-select one)</a>
<p><b>Figure 5-91 Select One</b></p>		
<p>Sort By <input data-bbox="795 1333 1209 1417" type="text" value="Name"/></p>		
oj-date	Date	<a href="#">OJET Date or DateTime (oj-datetime / oj-calendar)</a>
<p><b>Figure 5-92 Date</b></p>		
		


**Table 5-5 (Cont.) Keystroke References for the Controls in the Operations - Dashboard page**

oj- select one

Select One

[OJET Select One \(oj-select one\)](#)

**Figure 5-93 Select One**



oj-list view

List View

[OJET CCA List View \(oj-cca-list-view\)](#)

**Figure 5-94 List View**



oj-pagination

Pagination

[OJET CCA Pagination \(oj-cca-pagination\)](#)

**Figure 5-95 Pagina tion**




**Table 5-5 (Cont.) Keystroke References for the Controls in the Operations - Dashboard page**

oj- select one

Select One




[OJET Select One \(oj-select one\)](#)

**Figure 5-96 Select One**



# 6 Filter

**Table 6-1 Keystroke References for the Filter - Summary section**

UI Control	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-search box	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>
<p><b>Figure 6-1 Search Box</b></p>		
		
oj-button	Reset	<a href="#">OJET Button (oj-button)</a>
<p><b>Figure 6-2 Reset button</b></p>		
		
oj-button	Add	<a href="#">OJET Button (oj-button)</a>
<p><b>Figure 6-3 Add button</b></p>		
		

**Table 6-1 (Cont.) Keystroke References for the Filter - Summary section**

UI Control	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj- select one	Select One	<a href="#">OJET Select One (oj-select one)</a>
<p><b>Figure 6-4 Select One</b></p> 		
oj-list view	List View	<a href="#">OJET List View (oj-listview)</a>
<p><b>Figure 6-5 List View</b></p> 		
oj-input number	Input Number	<a href="#">OJET Input Number (oj-input-number)</a>
<p><b>Figure 6-6 Input Number</b></p> 		
oj-table	Table	<a href="#">OJET Table (oj-table)</a>
<p><b>Figure 6-7 Table</b></p> 		



# 7


## Data Management Tools

This chapter includes the keystroke reference details for the following modules in the PBSMCS User Interface:

**Topics:**

- [Designer View](#)
- [Data View](#)

**Figure 7-1 Data Management Navigation pane**




### 7.1 Designer View

**Table 7-1 Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-grid		Grid	<a href="#">OJET Grid (oj-grid)</a>






**Figure 7-2 Grid**



**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-pagination	<p><b>Figure 7-3</b> Paginat on</p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
oj-records	<p><b>Figure 7-4</b> Record s per page</p> 	Records per Page	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>
oj- list view	<p><b>Figure 7-5</b> List View</p> 	List View	<a href="#">OJET CCA List View (oj-cca-list-view)</a>
oj-select one	<p><b>Figure 7-6</b> Select One</p> 	Select One	<a href="#">OJET Select One (oj-select one)</a>

Table 7-1 (Cont.) Keystroke References for the Designer View section

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-search box	<p><b>Figure 7-7 Search Box</b></p> 	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>
oj-button	<p><b>Figure 7-8 Home button</b></p> 	Home page	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-9 Admin Console</b></p> 	Admin Console	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-10 Applications</b></p> 	Applications	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-11 Setup Info</b></p> 	Setup Info	<a href="#">OJET Button (oj-button)</a>

**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Create New	<a href="#">OJET Button (oj-button)</a>

**Figure 7-12 Create New button**




oj-dialog	Form Layout	<a href="#">OJET Dialog (oj-dialog)</a>
-----------	-------------	---

**Figure 7-13 Form Layout**


oj-radio	Radio	<a href="#">OJET Radio (oj-radio)</a>
----------	-------	---------------------------------------

**Figure 7-14 Radio**






**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-text box	<p><b>Figure 7-15 Text Box</b></p> 	Name	<a href="#">OJET Textbox (oj-input-text)</a>
oj-dialog	<p><b>Figure 7-16 Dialog box.</b></p> 	Select Columns	<a href="#">OJET Dialog (oj-dialog)</a>
oj-text area	<p><b>Figure 7-17 Text Area</b></p> 	Description	<a href="#">OJET Textarea (oj-textarea)</a>
oj-button	<p><b>Figure 7-18 Apply button</b></p> 	Apply button	<a href="#">OJET Button (oj-button)</a>





**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 7-19 Close button</b></p> 	Close button	<a href="#">OJET Button (oj-button)</a>
oj-checkbox	<p><b>Figure 7-20 Check box button</b></p> 	Check Box	<a href="#">OJET Checkbox (oj-checkbox)</a>
oj-tabbar	<p><b>Figure 7-21 Tab Bar</b></p> 	Tab Bar	<a href="#">OJET Tab-Bar (oj-tabbar)</a>
oj-checkbox	<p><b>Figure 7-22 Check Box</b></p> 	Check Box	<a href="#">OJET Checkbox (oj-checkbox)</a>
oj- checkbox	<p><b>Figure 7-23 Check Box</b></p> 	Check Box	<a href="#">OJET Checkbox (oj-checkbox)</a>

**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 7-24 User Security button</b></p> 	User Security button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-25 Save button</b></p> 	Save button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-26 Submit button</b></p> 	Submit button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-27 Edit button</b></p> 	Edit button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-28 Launch Filter Condition</b></p> 	Launch Filter Condition	<a href="#">OJET Button (oj-button)</a>





**Table 7-1 (Cont.) Keystroke References for the Designer View section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 7-29 Filter Reset button</b></p> 	Filter Reset	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-30 Select Column</b></p> 	Select Column	<a href="#">OJET Button (oj-button)</a>
oj-row expander	<p><b>Figure 7-31 Attributes table</b></p> 	Attributes table	<a href="#">OJET Row Expander (oj-row expander)</a>
oj-table	<p><b>Figure 7-32 Table</b></p> 	Table	<a href="#">OJET Table (oj-table)</a>



## 7.2 Data View

**Table 7-2 Keystroke References for the Data View section**

	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 7-33 Data Exporter button</b></p> 	Data Exporter button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-34 Excel button</b></p> 	Excel button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-35 Designer button</b></p> 	Designer button	<a href="#">OJET Button (oj-button)</a>
oj-button	<p><b>Figure 7-36 Home button</b></p> 	Home button	<a href="#">OJET Button (oj-button)</a>

**Table 7-2 (Cont.) Keystroke References for the Data View section**


	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button	<p><b>Figure 7-37 View button</b></p> 	View button	<a href="#">OJET Button (oj-button)</a>
Oj-pop-up	<p><b>Figure 7-38 Pop-up box</b></p> 	Pop-up box	<a href="#">OJET Popup (oj-popup)</a>
oj-records	<p><b>Figure 7-39 Records</b></p> 	Records per page	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>
oj-pagination	<p><b>Figure 7-40 Pagina tion</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>

# 8

## Data Quality Framework

This chapter includes the Keystroke reference details for the Data Quality Framework modules in the PBSMCS User Interface:

**Figure 8-1 Data Quality Framework**




### 8.1 Data Quality Rules

**Table 8-1 Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Add Rule button	<a href="#">OJET Button (oj-button)</a>

**Figure 8-2 Add Rule button**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 8-3 Help button</b></p> 	Help button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 8-4 Ascending/Descending button</b></p> 	Ascending/ Descending button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 8-5 Add/Identifier Column button</b></p> 	Add Identifier Column button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 8-6 Add Filter button</b></p> 	Add Filter button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 8-7 Cancel button</b></p> 	Cancel button	<a href="#">OJET Button (oj-button)</a>

**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Continue button	<a href="#">OJET Button (oj-button)</a>

**Figure 8-8 Continue button**




Oj-button

Start button

[OJET Button \(oj-button\)](#)

**Figure 8-9 Start button**




Oj-button

Approve button

[OJET Button \(oj-button\)](#)


**Figure 8-10 Approve button**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Toggle button	<a href="#">OJET Button (oj-button)</a>

**Figure 8-11 Toggle button**



Oj-button

Reject button

[OJET Button \(oj-button\)](#)

**Figure 8-12 Reject button**




Oj-buttonset one


View Details button

[OJET Buttonset One \(oj-buttonset-one\)](#)

**Figure 8-13 View Details button**




**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Dialog	<p><b>Figure 8-14 Select ed Rules Confirmation Box</b></p> 	Selected Rules Confirmation Box	<a href="#">OJET Dialog (oj-dialog)</a>
Oj-button	<p><b>Figure 8-15 Save As Draft button</b></p> 	Save As Draft button	<a href="#">OJET Button (oj-button)</a>
Oj-Accordion	<p><b>Figure 8-16 List of DQ Checks inside Expand/Collapse container</b></p> 	List of DQ Checks inside Expand/Collapse container	<a href="#">OJET Accordion (oj-accordion)</a>
Oj-Checkbox	<p><b>Figure 8-17 Check box</b></p> 	Checkbox	<a href="#">OJET Checkbox (oj-checkbox)</a>

**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-Guided Process		Data Quality Rules Canvas	<a href="#">Oj-Guided Process (oj-sp-guided-process)</a>

**Figure 8-18 Data Quality Rules Canvas**




Oj-SP-Smart -Search

Smart Search for DQ Rule

[Ojet-Smart Search \(oj-sp-smart-search\)](#)

**Figure 8-19 Smart Search for DQ Rule**






**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-Smart -Search		Status Draft	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>

**Figure 8-20 Status Draft**




Oj- Radio

Select Severity

[OJET Radio \(oj-radio\)](#)


**Figure 8-21 Select Severity**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Select-One		Folder Name List Dropdown	<a href="#">OJET Select One (oj-select one)</a>


**Figure 8-22 Folder Name List Dropdown**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Select-One		Table Name List Dropdown	<a href="#">OJET Select One (oj-select-one)</a>

**Figure 8-23 Table Name List Dropdown**



Oj- Text Box

Name and Description Text Box

[OJET Textbox \(oj-input-text\)](#)

**Figure 8-24 Name and Description Text Box**



Oj- Text Area

Filter Name Text Area

[OJET Textarea \(oj-textarea\)](#)

**Figure 8-25 Filter Name Text Area**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**


UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

Oj- Menu

Action items for the Summary Rule.

[OJET Context Menus \(oj-menu\)](#)

**Figure 8-26 Action items for the Summary Rule menu**




Oj-SP-Smart-Search-Suggestion

Smart Search Suggestions

[Ojet-Smart Search \(oj-sp-smart-search\)](#)

**Figure 8-27 Smart Search Suggestions**



**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-general-drawer-template	<p><b>Figure 8-28 Select ed Rules Details Form Layout</b></p> 	Selected Rules Details Form Layout	<a href="#">OJET General Drawer Template (oj-sp-general-drawer-template)</a>
Oj-Text Area	<p><b>Figure 8-29 Comm ents Box</b></p> 	Comments Box	<a href="#">OJET Textarea (oj-textarea)</a>
Oj-Dialog	<p><b>Figure 8-30 Procee d without View Confirmation Box</b></p> 	Proceed without View Confirmation Box	<a href="#">OJET Dialog (oj-dialog)</a>

**Table 8-1 (Cont.) Keystroke References for the Data Quality Rules section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-Smart-Search		Search Box	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>

**Figure 8-31 Search Box**




oj-table

Table

[OJET Table \(oj-table\)](#)

**Figure 8-32 Table**



## 8.2 Data Quality Groups

**Table 8-2 Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Applications button	<a href="#">OJET Button (oj-button)</a>

**Figure 8-33 Applications button**



Oj-button





Admin button

[OJET Button \(oj-button\)](#)

**Figure 8-34 Admin button**



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 8-35 Approve button</b></p> 	Approve button	OJET Button (oj-button)
Oj-button	<p><b>Figure 8-36 Reject button</b></p> 	Reject button	OJET Button (oj-button)
Oj-button	<p><b>Figure 8-37 Help button</b></p> 	Help button	OJET Button (oj-button)
Oj-button	<p><b>Figure 8-38 Add Group button</b></p> 	Add Group button	OJET Button (oj-button)

**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**


UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Dialog	<p><b>Figure 8-39 Selected Group View Confirmation Box</b></p> 	Selected Group View Confirmation Box	<a href="#">OJET Dialog (oj-dialog)</a>
Oj-SP-general-drawer-template	<p><b>Figure 8-40 Selected Group Form Layout</b></p> 	Selected Group Form Layout	<a href="#">OJET General Drawer Template (oj-sp-general-drawer-template)</a>
Oj-Checkbox	<p><b>Figure 8-41 Checkbox</b></p> 	Checkbox	<a href="#">OJET Checkbox (oj-checkbox)</a>
Oj-SP-Smart-Search-Suggestion	<p><b>Figure 8-42 Search Criteria</b></p> 	Search Criteria	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-Guided Process		Data Quality Rules Canvas	<a href="#">Oj-Guided Process (oj-sp-guided-process)</a>

**Figure 8-43 Data Quality Rules Canvas**




**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 8-44</b> Conti nue button</p> 	Continue button	OJET Button (oj-button)
Oj-button	<p><b>Figure 8-45</b> Sub mit button</p> 	Submit button	OJET Button (oj-button)
Oj-button	<p><b>Figure 8-46</b> Canc el button</p> 	Cancel button	OJET Button (oj-button)
Oj-Checkbox	<p><b>Figure 8-47</b> Chec kbox</p> 	Checkbox	OJET Checkbox (oj-checkbox)

**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
OJ-SP-Smartsearch Control		Rule Name Popup Box	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>

**Figure 8-48 Rule Name Popup Box**




Oj-SP-Smart-Search-Suggestion

Select One

[Ojet-Smart Search \(oj-sp-smart-search\)](#)


**Figure 8-49 Select One**



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-Smart-Search-Suggestion		Table Name Dropdown	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>


**Figure 8-50 Table Name Dropdown**



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Select One		Group Folder Name Dropdown	<a href="#">OJET Select One (oj-select one)</a>

**Figure 8-51 Group Folder Name Dropdown**



Oj-Text Box

Name and Description Text Box

[OJET Textbox \(oj-input-text\)](#)

**Figure 8-52 Name and Description Text Box**



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	--------------------------	-----------------------------------	--------------------------------------


oj- Text Area		Filter Name Text Area	<a href="#">OJET Textarea (oj-textarea)</a>
---------------	--	-----------------------	---

**Figure 8-53 Filter Name Text Area**



oj-Menu		Menu	<a href="#">OJET Context Menus (oj-menu)</a>
---------	--	------	--

**Figure 8-54 Menu**



Oj-SP-Smart-Search		Search Box	<a href="#">Ojet-Smart Search (oj-sp-smart-search)</a>
--------------------	--	------------	--


**Figure 8-55 Search Box**



**Table 8-2 (Cont.) Keystroke References for the Data Quality Group section**

UI Control	How does UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-table		Table	<a href="#">OJET Table (oj-table)</a>

**Figure 8-56 Table**



## 8.3 Execution Summary

**Table 8-3 Keystroke Combinations for Execution Summary**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
oj-button		Admin button	<a href="#">OJET Button (oj-button)</a>

**Figure 8-57 Admin button**



oj-button

Applications button

[OJET Button \(oj-button\)](#)

**Figure 8-58 Admin button**



oj-button

Help button

[OJET Button \(oj-button\)](#)


**Figure 8-59 Help button**



**Table 8-3 (Cont.) Keystroke Combinations for Execution Summary**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Menu		Summary Row Actions	<a href="#">OJET Context Menus (oj-menu)</a>

**Figure 8-60 Summary Row Actions**




Oj-SP-Smart-Search-Suggestion

Search Criteria

[Ojet-Smart Search \(oj-sp-smart-search\)](#)

**Figure 8-61 Search Criteria**



Oj-Chart

Text Area

[OJET Chart \(oj-chart\)](#)

**Figure 8-62 Text Area**

**Exception Top**





**Table 8-3 (Cont.) Keystroke Combinations for Execution Summary**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Film-Strip		Status Bar-Consolidated Overall Data Quality	<a href="#">OJET Film Strip (oj-film-strip)</a>

**Figure 8-63 Status Bar-Consolidated Overall Data Quality**



oj-Table

Table

[OJET Table \(oj-table\)](#)

**Figure 8-64 Table**







ID	Name	Status	...
101	John Doe	Active	...
102	Jane Smith	Inactive	...

# 9

## Object Migration

The following table describes all the elements of the Object Migration section and the Keystroke combinations to access them.

**Figure 9-1 Object Migration page**

<b>Metering</b> 2 <small>Total</small> 	<b>Audit Trail Report</b> 1 <small>Total</small> 	<b>Component Details</b> 1 <small>Total</small> 
<b>Configurations</b> 1 <small>Total</small> 	<b>Object Migration (Import)</b> 1 <small>Total</small> 	<b>Object Migration (Export)</b> 3 <small>Total</small> 

### 9.1 Object Migration - Export

**Table 9-1 Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Add Members button	<a href="#">OJET Button (oj-button)</a>

**Figure 9-2 Add Members button**



Oj-button






Apply button

[OJET Button \(oj-button\)](#)






**Figure 9-3 Apply button**



**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 9-4 Back to Summary button</b></p> 	Back to Summary button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-5 Close button</b></p> 	Close button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-6 Delete button</b></p> 	Delete button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-7 Edit button</b></p> 	Edit button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-8 Export button</b></p> 	Export button	<a href="#">OJET Button (oj-button)</a>

**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 9-9 Export button</b></p> 	Export button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-10 Help button</b></p> 	Help button	<a href="#">OJET Button (oj-button)</a>
Oj-Input Number	<p><b>Figure 9-11 Number of Records</b></p> 	Number of Records	<a href="#">OJET Input Number (oj-input-number)</a>
Oj-button	<p><b>Figure 9-12 Reset button</b></p> 	Reset button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-13 Toggle button</b></p> 	Toggle button	<a href="#">OJET Button (oj-button)</a>

**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
------------	------------------------------	-----------------------------------	--------------------------------------

Oj-button

Show Dependency button

[OJET Button \(oj-button\)](#)

**Figure 9-14 Show Dependency button**




Oj-Train

Train

[OJET Train](#)

**Figure 9-15 Train**



Oj- List View

List View

[OJET List View \(oj-listview\)](#)

**Figure 9-16 List View**



Oj- List View

List View

[OJET List View \(oj-listview\)](#)

**Figure 9-17 List View**



**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-SP-general-drawer-template		Migration Definition Form Layout	<a href="#">OJET General Drawer Template (oj-sp-general-drawer-template)</a>

**Figure 9-18 Migration Definition Form Layout**



Oj-Pagination

Pagination

[OJET CCA Pagination \(oj-cca-pagination\)](#)

**Figure 9-19 Pagination**


Page 1 of 1 (1 - 3 of 3 items) « < > »

Oj-Search Box

Search Box

[OJET Search Box \(oj-input-search\)](#)


**Figure 9-20 Search Box**



**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj- Menu		Actions	<a href="#">OJET Context Menus (oj-menu)</a>

**Figure 9-21 Action s Menu**



Oj-Text Box

Text Box

[OJET Textbox \(oj-input-text\)](#)

**Figure 9-22 Text Box**




Oj-Text Box

Text Box

[OJET Textbox \(oj-input-text\)](#)

**Figure 9-23 Text Box**




Oj-Canvas

Object Migration Canvas

[OJET Canvas Diagram \(oj-canvas-diagram\)](#)


**Figure 9-24 Object Migration Canvas**



**Table 9-1 (Cont.) Keystrokes on Object Migration - Export section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Tree		Tree of Objects	<a href="#">OJET Tree (oj-tree-view)</a>

**Figure 9-25 Tree**



## 9.2 Object Migration – Import

**Table 9-2 Keystroke References for the Object Migration - Import section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Apply button	<a href="#">OJET Button (oj-button)</a>

**Figure 9-26 Apply button**



Oj-button

Close button






[OJET Button \(oj-button\)](#)

**Figure 9-27 Close button**





**Table 9-2 (Cont.) Keystroke References for the Object Migration - Import section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 9-28 Delete button</b></p> 	Delete button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-29 Help button</b></p> 	Help button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-30 Import button</b></p> 	Import button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-31 Reset button</b></p> 	Reset button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 9-32 Search button</b></p> 	Search button	<a href="#">OJET Button (oj-button)</a>

**Table 9-2 (Cont.) Keystroke References for the Object Migration - Import section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button		Cancel button	<a href="#">OJET Button (oj-button)</a>

**Figure 9-33 Cancel button**



Oj-List View

List View

[OJET List View \(oj-listview\)](#)

**Figure 9-34 List View**




Oj-SP-general-drawer-template

Migration Definition Form Layout

[OJET General Drawer Template \(oj-sp-general-drawer-template\)](#)


**Figure 9-35 Migration Definition Form Layout**



**Table 9-2 (Cont.) Keystroke References for the Object Migration - Import section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Menu		Actions	<a href="#">OJET Context Menus (oj-menu)</a>

**Figure 9-36 Menu**




Oj-Select One

Select One

[OJET Select One \(oj-select one\)](#)

**Figure 9-37 Select One**




Oj-Select One

Select One

[OJET Select One \(oj-select one\)](#)



**Figure 9-38 Select One**



**Table 9-2 (Cont.) Keystroke References for the Object Migration - Import section**

UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Select One	<p><b>Figure 9-39 Select One</b></p> 	Select One	<a href="#">OJET Select One (oj-select one)</a>
Oj-Select One	<p><b>Figure 9-40 Select One</b></p> 	Select One	<a href="#">OJET Select One (oj-select one)</a>
Oj-Pagination	<p><b>Figure 9-41 Pagina tion</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>
Oj-Input Number	<p><b>Figure 9-42 Numbe r of Records</b></p> 	Number of Records	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>

**Table 9-2 (Cont.) Keystroke References for the Object Migration - Import section**





UI Control	How Does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Text box	<p><b>Figure 9-43 Text box</b></p> 	Text Box	<a href="#">OJET Textbox (oj-input-text)</a>
Oj-Text box	<p><b>Figure 9-44 Text box</b></p> 	Text Box	<a href="#">OJET Textbox (oj-input-text)</a>

# 10






## File Upload and Download

This chapter is a part of the Data File Administration section and includes the Keystroke Reference details for the following modules in the PSMCS User Interface:






**Table 10-1 Keystroke References for the File Upload and Download section**

UI Control	How does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 10-1 Download button</b></p> 	Download button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 10-2 Upload button</b></p> 	Upload button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 10-3 Delete button</b></p> 	Delete button	<a href="#">OJET Button (oj-button)</a>
Oj-button	<p><b>Figure 10-4 Delete Selected Files button</b></p> 	Delete Selected Files button	<a href="#">OJET Button (oj-button)</a>

**Table 10-1 (Cont.) Keystroke References for the File Upload and Download section**

UI Control	How does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-button	<p><b>Figure 10-5 Get PAR URL button</b></p> 	Get PAR URL button	<a href="#">OJET Button (oj-button)</a>
Oj-Checkbox	<p><b>Figure 10-6 Check box</b></p> 	Checkbox	<a href="#">OJET Checkbox (oj-checkbox)</a>
Oj-File Picker	<p><b>Figure 10-7 Upload File</b></p> 	Upload File	<a href="#">OJET File Picker (oj-file picker)</a>
Oj-Text Box	<p><b>Figure 10-8 Text Box</b></p> 	Input Text	<a href="#">OJET Textbox (oj-input-text)</a>
Oj-Pagination	<p><b>Figure 10-9 Pagina tion</b></p> 	Pagination	<a href="#">OJET CCA Pagination (oj-cca-pagination)</a>

**Table 10-1 (Cont.) Keystroke References for the File Upload and Download section**

UI Control	How does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Popup	<p><b>Figure 10-10</b> Popu p confirmation box for Delete</p> 	Popup confirmation box for Delete	<a href="#">OJET Popup (oj-popup)</a>
Oj-Input Number	<p><b>Figure 10-11</b> Recor d Input box per page</p> 	Record Input box per page	<a href="#">OJET CCA Records per Page (oj-cca-records)</a>
Oj-Input Search	<p><b>Figure 10-12</b> Searc h Box</p> 	Search Box	<a href="#">OJET Search Box (oj-input-search)</a>
Oj-Input Text	<p><b>Figure 10-13</b> Selec t File Type Text Box</p> 	Select File Type	<a href="#">OJET Textbox (oj-input-text)</a>
Oj-Table	<p><b>Figure 10-14</b> Table</p> 	Table	<a href="#">OJET Table (oj-table)</a>



**Table 10-1 (Cont.) Keystroke References for the File Upload and Download section**

UI Control	How does the UI Control Look	List of UI Controls on the Screen	Keystrokes to Access This UI Control
Oj-Popup			<a href="#">OJET Popup (oj-popup)</a>

**Figure 10-15 Popu  
p Box**

# A

## Appendix A: HTML5 Controls

Every component on the page with a definable focus is accessible by using the tab traversal (by using Tab and Shift+Tab).



### Note:

Disabled items do not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

### A.1 HTML Breadcrumbs (html5-breadcrumbs)

This section contains information on the Breadcrumbs Component.

**Table A-1 Breadcrumb Component**

Target	Key	Action
Breadcrumb	Tab In Enter	Set focus to breadcrumb Activates the Breadcrumb, if the link is available

### A.2 HTML Button (html5-button)

This section contains information on the button component.

**Table A-2 Button Component**

Target	Key	Action
Button	Tab Enter	Set focus to the input Activates the control

### A.3 HTML Calendar (html5-calendar)

This section contains information on the Date component.

**Table A-3 Date Component**

Target	Key	Action
Button	Tab Enter	Set focus to the input. Activates the control and opens Calendar

This section contains information on the Calendar popup component.

**Table A-4 Calendar Component**

Target	Key	Action
Popup	Tab	Set focus to the Calendar Popup.
Single Select (Month, Year)	Tab	Set focus to the input.
Single Select (Month, Year)	Enter	Activates the Select control.
Drop-down	UpArrow or DownArrow	Open
		Highlight the option item in the direction of the arrow.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.
	Enter	Switch to selected Month/Year. Reloads the Calendar Popup
Left Arrow Button (Month, Year)	Enter	Switch to Previous Month/Year. Reloads the Calendar Popup
Right Arrow Button (Month, Year)	Enter	Switch to Next Month/Year. Reloads the Calendar Popup
Calendar Picker	Tab	Set focus to the day cells
	Enter	Select the currently focused day
Close Link	Enter	Closes the Calendar Popup

## A.4 HTML Checkbox (html5-checkbox)

This section contains information on the checkbox component.

**Table A-5 Checkbox Component**

Target	Key	Action
Checkboxset	Tab	Set focus on the first item in the checkbox set.

## A.5 HTML Container Expand Collapse (html5-container-expand-collapse)

Using the Tab button on the Expand or Collapse button of the Container Header is disabled in most cases. Depending on availability, the following keys can be used.

**Table A-6 Container Expand Collapse Component**

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.

## A.6 HTML Dataset Hierarchy Browser (html5-dataset-hierarchy-browser)

(Required) <Enter a short description here.>

This section contains information on the Dataset Hierarchy Browser.

**Table A-7 Dataset Hierarchy Browser Component**

Target	Key	Action
Hcy Br LHS Shuttle Panel	Tab	Set focus to the checkbox input.
Hcy Br LHS Shuttle Panel	Spacebar	Selects the Node.
Hcy Br RHS Shuttle Panel	Tab	Set focus to the selected Node
Hcy Br RHS Shuttle Panel	Enter	Selects the Node.
Move Buttons	Tab	Set focus to the Move Buttons
Move Buttons	Enter	Activates the control. Moves selected items to LHS or RHS
Search Button	Enter	Activates the control. Moves focus to the nearest searched item.

## A.7 HTML Date (html5-date)

This section contains information on the date component.

**Table A-8 Date Component**

Target	Key	Action
Calendar Popup	Tab	Calendar grid.
	Enter	Activates the selection

## A.8 HTML Dialog Launcher (html5-dialog-launcher)

This section contains information on the Dialog Launcher component.

**Table A-9 Dialog Launcher Component**

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button.
	Enter	Activates the control and opens the Popup Window
Menu Drop-down	Tab	Set focus to the Menu Item
	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

## A.9 HTML Expression Browser Type BP (html5-expression-browser-type-bp)

This section contains information on the Expression Browser Type BP Component.

**Table A-10 Expression Browser Type BP Component**

Target	Key	Action
Expression Browser Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes and makes an entry in the expression Textarea Input
Reset Button	Enter	Resets the Expression Textarea Input

## A.10 HTML File Picker (html5-filepicker)

This section contains information on the filepicker component.

Table:

**Table A-11 Filepicker Component**

Target	Key	Action
Filepicker	Tab	Set focus to the input.
	Enter	Activates the control

## A.11 HTML Grid (html5-grid)

This section contains information on the grid component.

**Table A-12 Grid Component**

Target	Key	Action
Checkbox in Grid	Tab	Set focus to the input.
Links in Grid	Tab	Set focus on the link.
Sort	Tab	Set focus to the input.
Sort	Enter	Activates the control.

## A.12 HTML Hierarchy Browser (Flat List) (html5-hierarchy-browser)

This section contains information on the JSP version of the Hierarchy Browser and is a flat list.

**Table A-13 JSP Version of the Hierarchy Browser (Flat List) Component**

Target	Key	Action
Left Hand Side (LHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Tab	Set focus to the Tree Nodes.
Right Hand Side (RHS) Panel	Enter	Highlights the Tree Node, to move to Left Hand Side (LHS) or Right Hand Side (RHS) Panel
Map Button	Enter	Activates the control
Map All Button	Enter	Activates the control
UnMap Button	Enter	Activates the control
UnMap All Button	Enter	Activates the control
UnMap All Button	Right Arrow	Moves Focus from LHS Panel to Map Button
UnMap All Button	Left Arrow	Moves Focus from RHS Panel to UnMap Button

## A.13 HTML Hierarchy Browser Shuttle (html5-hierarchy-browser-shuttle)

This section contains information on the Hierarchy Browser Shuttle component.

**Table A-14 Hierarchy Browser Shuttle Component**

Target	Key	Action
LHS Shuttle	Tab	Set focus to the List
Check box	Spacebar	Selects the List Node
Move Buttons (Select, Select All, Deselect, Deselect All)	Tab	Set focus to the Move Buttons
RHS Shuttle	Enter	Highlights the selected List Node
Search Button	Enter	Highlights the Nodes with the nearest search results

## A.14 HTML Hierarchy Browser Type 4 (html5-hierarchy-browser-type4)

This section contains information on the Hierarchy Browser Type 4 component.

**Table A-15 Hierarchy Browser Type 4 Component**

Target	Key	Action
RHS/ LHS Tree Shuttle	Tab	Set focus to the Tree Nodes
	Enter	Moves highlighted Tree Nodes from LHS to RHS, and from RHS to LHS.

## A.15 HTML Hierarchy Browser Type Checkbox (html5-hierarchy-browser-type-checkbox)

This section contains information on the Hierarchy Browser Type checkbox component.

**Table A-16 Hierarchy Browser Type check box Component**

Target	Key	Action
Hierarchy Browser Tree	Tab	Set focus to the Tree
Tree	See <a href="#">Hcy Br Tree (oj-tree)</a> for the keystrokes.	
Tabs	See <a href="#">Tabs(oj-tabs)</a> for the Keystrokes.	

## A.16 HTML Map Metadata Hierarchy Shuttle (html5-map-metadata-hierarchy-shuttle)

This section contains information on the Map Metadata Hierarchy Shuttle component.

Table:

**Table A-17 Map Metadata Hierarchy Shuttle Component**

Target	Key	Action
LHS/RHS Shuttle	Tab	Set focus to the List
	Enter	Selects the List Node
	Right Arrow	Moves focus to the Move Buttons on Highlight of LHS Shuttle Node
	Left Arrow	Moves focus to the Move Buttons on Highlight of RHS Shuttle Node
Move Buttons (Map, Map All, Unmap, Unmap All)	Tab	Set focus to the Move Buttons
	Enter	Highlights the selected List Node

## A.17 HTML Messages (html5-messages)

This section contains information on the Messages Component.

**Table A-18 Messages Component**

Target	Key	Action
Message	Tab	Set to focus to the message.

## A.18 HTML Metadata Tree Browser (html5-metadata-tree-browser)

This section contains information on the Metadata Tree Browser component.

**Table A-19 Metadata Tree Browser Component**

Target	Key	Action
Tree Expand Collapse	Tab	Set focus to the Expand/Collapse.
	Enter	Expands the selected Tree Node
Tree Node	Tab	Set focus to the Tree Leaf Node
	Enter	Selects the Tree Node
Ok Button	Enter	The selected Tree Node is persisted

## A.19 HTML Metadata Tree Control (html5-metadata-tree-control)

This section contains information on the Metadata Tree Control component.

**Table A-20 Metadata Tree Control Component**

Target	Key	Action
Metadata Tree Control	Tab	Set focus to the input.
	Enter	Launch the Metadata Tree Browser

## A.20 HTML Multiselect List (html5-multiselect-list)

This section contains information on the Multiselect List component.

**Table A-21 Multi-select List Component**

Target	Key	Action
Select	Tab	Set focus to the input.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow.



## A.21 HTML Navigation Tree (html5-navigation-tree)

This section contains information on the Navigation Tree component.

**Table A-22 Navigation Tree Component**

Target	Key	Action
Tree Expand/Collapse	Tab	Set focus to the Tree Expand/Collapse.
	Enter	Activates the control and opens Tree
Tree Node	Tab	Set focus to the Tree Node
	Enter	Activates the Tree Node

## A.22 HTML New Expression Builder (html5-new-expression-builder)

This section contains information on the New Expression Builder Component.

**Table A-23 New Expression Builder Component**

Target	Key	Action
Expression Builder Component	Tab In	Set focus to different Controls in the Expression Builder Component
Expression Builder Component	Enter	Activates the control
The statement in the Expression Builder may contain several Input controls such as Input Text, Select, Multiselect, and so on.	See <a href="#">Textbox (html5-textbox)</a> section, for details on Input Text. See <a href="#">Select (html5-select-one)</a> section, for details on Select. See <a href="#">Select-Many (oj-select-many)</a> section, for details on Select Many.	

## A.23 HTML Pagination Panel (html5-pagination)

This section contains information on the pagination panel component.

**Table A-24 Pagination Panel Component**

Target	Key	Action
Button	Tab	Set focus to the input.
Button	Enter	Activates the control.
Page Input	Tab	Setting focus outside the input activates the control.

**Table A-24 (Cont.) Pagination Panel Component**

Target	Key	Action
Records Per Page	Tab	Setting focus outside the input activates the control.

## A.24 HTML Pagination with Jump to Page (html5-pagination-with-jump-to-page)

This section contains information on the Pagination with Jump to Page component.

**Table A-25 Pagination with Jump to Page Component**

Target	Key	Action
Pagination Buttons	Tab	Set focus to the pagination buttons
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows
Jump To Page	Tab	Set focus to the Input field.
	Enter	Activates the control and refreshes the Grid with the updated state of the Grid Rows

## A.25 HTML Radio button (html5-radio button)

This section contains information on the radio button component.

**Table A-26 Radio button Component**

Target	Key	Action
Radio set	Tab	Set focus to the checked radio input.
Input	UpArrow	Select the previous input in the group.
	DownArrow	Select the next input in the group.
	Enter	Activates the radioset



**Note:**

When running the screen reader, at times the radio set is not activated. Pressing Enter activates the radio set and enables further Keystrokes like Up Arrow and Down Arrow.

## A.26 HTML Records per Page (html5-records-per-page)

This section contains information on the Records Per Page component.

**Table A-27 Records Per Page Component**

Target	Key	Action
Records Per Page Input	Tab Enter	Set focus to the Input field. Activates the control and refreshes the Grid with the New Grid Row Count

## A.27 HTML Records per Page Drop-down (html5-records-per-page)

This section contains information on the Records Per Page Drop-down component.

Target	Key	Action
Button Menu	Tab	Set focus to the Input field. Activates the control and opens the Drop-down
Menu Drop-down	Tab Enter	Moves to the next item Activates the selected row/ checkbox
Go Button	Enter	Closes the Drop-down and refreshes the Grid/List with the New Grid Row Count

## A.28 HTML Rules Menu (html5-rulesmenu)

This section contains information on the Rules Menu component.

**Table A-28 Rules Menu Component**

Target	Key	Action
Grid Header	Tab Enter	Set focus to the Grid Header Activates the control and opens the Drop-down
Menu Drop-down	Tab Enter	Set focus to the Menu Item Activates the selected Menu Item and refreshes the Grid with the updated state

## A.29 HTML Select (html5-select-one)

This section contains information on the select component.

**Table A-29 Select Component**

Target	Key	Action
Select	Tab	Set focus to the input.
	Enter	Activates the control.
Drop down	UpArrow or DownArrow	Highlight the option item in the direction of the arrow.
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

## A.30 HTML Tabs (html5-tab)

This section contains information on the Tabs panel component.

**Table A-30 Tabs Panel Component**

Target	Key	Action
Tabs	Tab	Set focus to the input.
	Enter	Activates the selected Tab

## A.31 HTML Textarea (html5-textarea)

This section contains information on the textarea component.

**Table A-31 Textarea Component**

Target	Key	Action
Input	Tab	Set focus to the input.

## A.32 HTML Textbox (html5-textbox)

This section contains information on the textbox component.

**Table A-32 Textbox Component**

Target	Key	Action
Input	Tab	Set focus to the input.

## A.33 HTML Tree (html5-tree)

This section contains information on the HTML Tree Component.

**Table A-33 HTML Tree Component**

Target	Key	Action
HTML Tree	Tab In	Set focus to tree Nodes
	Enter	Activates the tree Nodes

# B

## Appendix B: OJET Controls

This section describes the set of unique keystrokes for LUX and OJET controls:



### Note:

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

### B.1 OJET Accordion (oj-accordion)

This section contains information on the accordion keystrokes.

**Table B-1 Accordion Keystrokes**

Target	Key	Action
Collapsible header	Space or Enter	Toggle disclosure state.
Collapsible header	Tab	Navigate to the next collapsible header and if none then the next element on-page.
Collapsible header	Shift+Tab	Navigate to the previous collapsible header and if none then the previous element on-page.
Collapsible header	Up Arrow or Left Arrow (Right Arrow in RTL)	Move focus to the previous collapsible header with wrap around.
Collapsible header	Down Arrow or Right Arrow (Left Arrow in RTL)	Move focus to the next collapsible header with wrap around.
Collapsible header	Home	Move focus to the first collapsible header.
Collapsible header	End	Move focus to the last collapsible header.

### B.2 OJET Button (oj-button)

This section contains information on the Button Keystroke.

**Table B-2 Button Keystroke**

Target	Key	Action
Push Button	Enter or Space*	Push the button.
Toggle Button	Enter or Space	Toggle the button.

**Table B-2 (Cont.) Button Keystroke**

Target	Key	Action
Menu Button	Enter, Space*, or Down Arrow	Open the menu.
	Esc	Close the menu.



**Note:**

Some types of Push and Menu buttons support the use of the Enter key and not the Space key.

## B.3 OJET Buttonset One (oj-buttonset-one)

This section contains information on the Buttonset One Keystroke.

**Table B-3 Button set One Keystroke**

Target	Key	Action
Button set	Left Arrow	Navigate to the previous enabled button on the left, wrapping around at the end.
	Right Arrow	Navigate to the next enabled button on the right, wrapping around at the end.

## B.4 OJET Canvas (oj-canvas)

This section contains information on the OJET Canvas keystrokes.

**Table B-4 OJET Canvas Keystrokes**

Target	Key
LHS Activity List	See <a href="#">OJET Context Menu</a> for Keystrokes. See <a href="#">Canvas Diagram</a> for Keystrokes.
RHS Canvas Diagram	See <a href="#">OJET Context Menu</a> for Keystrokes. See <a href="#">Canvas Diagram</a> for Keystrokes.

## B.5 OJET Canvas Diagram (oj-canvas-diagram)

This section contains information on the Canvas Diagram component.

**Table B-5 Canvas Diagram Keystrokes**

Key	Action
Tab	Move focus to next element.

**Table B-5 (Cont.) Canvas Diagram Keystrokes**

Key	Action
Shift + Tab	Move focus to previous element.
+	Zoom in one level.
-	Zoom out one level.
0 (zero)	Zoom to fit.
Ctrl + Alt + 0 (zero)	Zoom and center.
Page Up or Page Down	Pan up / down.
Shift + Page Up or Page Down	Pan left/right (RTL: Pan right/left).
Left Arrow or Right Arrow	When focus is on a node, move focus and selection to nearest node left/right.
Up Arrow or Down Arrow	When focus is on a node, move focus and selection to nearest node up/down.
Ctrl + Shift + Space	Open/Close an active container node
[	Move focus and selection to nearest node down in the container hierarchy
]	Move focus and selection to nearest node up in the container hierarchy
Alt + < or Alt + >	Move focus from the node to a link.
Up Arrow or Down Arrow	When focus is on a link, navigate between links clockwise or counter clockwise.
Left Arrow or Right Arrow	When focus is on a link, move focus from a link to a start or end node.
Ctrl + Space	Select focused node / link.
Ctrl + Space	Multi-select node / link with focus.
Shift + <node or link navigation shortcut>	Move focus and multi-select a node or a link.
Ctrl + <node or link navigation shortcut>	Move focus to a node or a link but do not select.

## B.6 OJET Chart (oj-chart)

This section contains information on the Chart Component keystrokes.

**Table B-6 Chart Component Keystrokes**

Key	Action
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus and selection to previous data item.
Down Arrow	Move focus and selection to next data item.
Left Arrow	Move focus and selection to previous data item (on left).
Right Arrow	Move focus and selection to next data item (on right).
Shift + Up Arrow	Move focus and multi-select previous data item.
Shift + Down Arrow	Move focus and multi-select next data item.



**Table B-6 (Cont.) Chart Component Keystrokes**

Key	Action
Shift + Left Arrow	Move focus and multi-select previous data item (on left).
Shift + Right Arrow	Move focus and multi-select next data item (on right).
Ctrl + Up Arrow	Move focus to previous data item, without changing the current selection.
Ctrl + Down Arrow	Move focus to next data item, without changing the current selection.
Ctrl + Left Arrow	Move focus to previous data item (on left), without changing the current selection.
Ctrl + Right Arrow	Move focus to next data item (on right), without changing the current selection.
Ctrl + Spacebar	Multi-select data item with focus.
= or +	Zoom in one level if zooming is enabled.
- or _	Zoom out one level if zooming is enabled.
Page Up	Pan up if scrolling is enabled.
Page Down	Pan down if scrolling is enabled.
Shift + Page Up	Pan left in left-to-right locales. Pan right in right-to-left locales.
Shift + Page Down	Pan right in left-to-right locales. Pan left in right-to-left locales.
Enter	Drill on data item, categorical axis label, or legend item when drilling is enabled.

## B.7 OJET Checkbox (oj-checkbox)

This section contains information on the Checkbox keystroke.

**Table B-7 Checkbox Keystroke**

Target	Key	Action
Checkboxset	Tab In	Set focus to the first focusable check box in the check box set. Disabled check boxes are not focusable. If hints, help Instruction or messages exist in a note window, pop up the note window.
Check box	Space	Toggles the check box; If the checkbox is unselected, it will select it and vice versa.

**Table B-7 (Cont.) Checkbox Keystroke**

Target	Key	Action
Check box	Tab	Sets focus to the next focusable checkbox in the checkbox set. Disabled checkboxes are not focusable. If the target is the last focusable checkbox in the checkbox set, focus goes to the next focusable item after the oj-checkboxset.
Check box	Shift+Tab	Sets focus to the previous focusable check box in the check box set. Disabled checkboxes are not focusable. If the target is the first focusable check box in the check box set, focus goes to the previous focusable item before the oj-checkboxset.

## B.8 OJET Collapsible (oj- collapsible)

This section contains information on the Collapse component.

Target	Key	Action
Header	Space or Enter	Toggle disclosure state.

## B.9 OJET Combobox-One (oj- combobox-one)

This section contains information on the Combobox-one component.

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop down.
Input field	Enter	Set the input text as the value.
Drop down	Up Arrow or Down Arrow	Highlight the option item on the drop down list in the direction of the arrow. If the drop down is not open, expand the drop down list.
Drop down	Esc	Collapse the drop down list. If the drop down is already closed, do nothing.
Combobox	Tab In	Set focus to the combobox. If hints, title or messages exist in a notewindow, pop up the notewindow.

Disabled option items receive no highlight and are not selectable.

## B.10 OJET Context Menus (oj-menu)

The Menu keystroke is used for all button menus. For example, the user menu on the landing page, tile menu in applications, and so on.

**Table B-8 Menu Keystrokes**

Target	Key	Action
Menu Item	Enter or Space	Invoke the focused menu item's action.
	Up Arrow	Move focus to the previous menu item, wrapping around at the top.
	Down Arrow	Move focus to the next menu item, wrapping around at the bottom.
	Home	Move focus to the first menu item.
	End	Move focus to the last menu item.
Menu Item in Top-level Menu	Esc	Close the menu and move focus to the launcher.
JET Component or HTML Element having a JET Context Menu	Shift + F10	Open the context menu.

## B.11 OJET Control Specific Help (oj-control-specific-help)

This section contains information on the Control Specific Help component.

**Table B-9 Control Specific Help Component**

Target	Key	Action
Control Specific Help	Tab	Set focus to the Help button and reads the context Help text.

## B.12 OJET Date or DateTime (oj-datetime / oj-calendar)

This section contains information on the date or DateTime keystroke.

**Table B-10 Date or Date Time Keystroke**

Target	Key	Action
Input element	Down Arrow or Up Arrow	Shows the calendar grid and moves the focus into the expanded grid.
Input element	Esc	Close the grid.

**Table B-10 (Cont.) Date or Date Time Keystroke**

Target	Key	Action
Input element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.
Picker	Esc	Close the grid.
Picker	Home	Move focus to first day of the month.
Picker	End	Move focus to last day of the month.
Picker	Page Up	Switch to previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

**Table B-11 Date Time Keystrokes**

Target	Key	Action
Input element	Down Arrow or Up Arrow	When not in Inline Mode, shows the calendar grid and moves the focus into the expanded grid. When in Inline Mode, shows the time picker and moves the focus into the expanded time picker.
Input element	Shift + Down Arrow or Up Arrow	Shows the time picker and moves the focus into the expanded time picker.
Input element	Esc	Close the grid.
Input Element	Tab In	Set focus to the input. If hints, titles, or messages exist in a note window, pop up the note window.
Picker	Enter	Select the currently focused day.
Picker	Up Arrow	Move up in the grid.
Picker	Down Arrow	Move down in the grid.
Picker	Right Arrow	Move right in the grid.
Picker	Left Arrow	Move left in the grid.

**Table B-11 (Cont.) Date Time Keystrokes**

Target	Key	Action
Picker	Esc	Close the grid.
Picker	Home	Move focus to the first day of the month.
Picker	End	Move focus to the last day of the month.
Picker	Page Up	Switch to the previous month.
Picker	Page Down	Switch to next month.
Picker	Alt + Page Up	Switch to the previous year.
Picker	Alt + Page Down	Switch to next year.
Picker	Ctrl + Alt + Page Up	Switch to previous by stepBigMonths.
Picker	Ctrl + Alt + Page Down	Switch to next by stepBigMonths.
Picker	Ctrl + Alt + T	Places focus on the Today button if it exists.

## B.13 OJET Dialog (oj-dialog)

This section contains information on the dialog keystrokes.

**Table B-12 Dialog Keystrokes**

Target	Key	Action
Dialog	Esc	Close the dialog.
Dialog Close Icon	Enter or Space	Close the dialog.

## B.14 OJET Expand/Collapse (oj-collapse)

This section contains information on the Expand Collapse component.

**Table B-13 Expand Collapse Component**

Target	Key	Action
Header	Space or Enter	Toggle disclosure state.

## B.15 OJET Expression Builder (oj-expression-builder)

This section contains information on the Expression Builder component.

**Table B-14 Expression Builder Component**

Target	Key	Action
Expression Shuttle Tree	Tab	Set focus to the Tree

**Table B-14 (Cont.) Expression Builder Component**

Target	Key	Action
Tree	See <a href="#">Hcy Br Tree(oj-tree)</a> for the Keystrokes	
Expression Text box	Tab	Set focus to the Text Area

## B.16 OJET Expression Builder Launcher (oj-expression-builder-launcher)

This section contains information on the OJET Expression Builder Launcher component.

**Table B-15 OJET Expression Builder Launcher Component**

Target	Key	Action
Launch Button	Tab	Set focus to the Launch Button
Launch Button	Enter	Activates the control and opens the Pop up Window
Menu Drop-down	Tab	Set focus to the Menu Item
Menu Drop-down	Enter	Activates the selected Menu Item and refreshes the Grid with the updated state

## B.17 OJET File Picker (oj-file picker)

This section contains information on the OJET File Picker component.

**Table B-16 OJET File Picker Component**

Target	Key	Action
Clickable element	Enter	Launch the browser's file picker.

## B.18 OJET Film Strip (oj-film-strip)

**Table B-17 Keystrokes for OJET Film Strip**

Target	Key	Action
FilmStrip	UpArrow or LeftArrow (RightArrow in RTL)	Transition to the previous logical page of child items.
FilmStrip	DownArrow or RightArrow (LeftArrow in RTL)	Transition to the next logical page of child items.
FilmStrip	Home	Transition to the first logical page of child items.
FilmStrip	End	Transition to the last logical page of child items.

**Table B-17 (Cont.) Keystrokes for OJET Film Strip**

Navigation Arrow	Enter or Space	Transition to an adjacent logical page of child items.
------------------	----------------	--

## B.19 OJET Foldable Layout (oj-foldable-layout)

This section contains information on the Foldable Layout keystrokes.

**Table B-18 Foldable Layout Keystrokes**

Target	Key	Action
Foldable layout	Left Arrow	Moves to previous panel
Foldable layout	Right Arrow	Moves to next panel
Foldable layout	F2	To navigate between focusable elements inside the panel

## B.20 OJET Gantt (oj-gantt)

This section contains information on the Gantt Keystroke.

A Gantt displays scheduling information graphically, making it easier to plan, coordinate, and track various tasks and resources.

## B.21 OJET Grid (oj-grid)

This section contains information on the grid keystroke.

**Table B-19 Grid Keystroke**

Target	Key	Action
Cell	Tab	The first Tab into the DataGrid moves focus to the first cell of the first row. The second Tab moves focus to the next focusable element outside of the DataGrid.
	Shift + Tab	The first Shift + Tab into the DataGrid moves focus to the first cell of the first row. The second Shift + Tab moves focus to the previous focusable element outside of the DataGrid.

Table B-19 (Cont.) Grid Keystroke

Target	Key	Action
	Left Arrow	Moves focus to the cell of the previous column within the current row. There is no wrapping at the beginning or end of the columns. If a row header is present, then the row header next to the first column of the current row will gain focus.
	Right Arrow	Moves focus to the cell of the next column within the current row. There is no wrapping at the beginning or end of the columns.
	Up Arrow	Moves focus to the cell of the previous row within the current column. There is no wrapping at the beginning or end of the rows. If a column header is present, then the column header above the first row of the current column will gain focus.
	Down Arrow	Moves focus to the cell of the next row within the current column. There is no wrapping at the beginning or end of the rows.
	Home	Moves focus to the first (available) cell of the current row.
	End	Moves focus to the last (available) cell of the current row.
	Page Up	Moves focus to the first (available) cell in the current column.
	Page Down	Moves focus to the last (available) cell in the current column.
	Ctrl + Space	Selects all the cells of the current column. This is only available if multiple cell selection modes are enabled.
	Shift + Space	Selects all the cells of the current row. This is only available if multiple cell selection modes are enabled.
	Shift + Arrow	Extends the current selection.
	Ctrl + Arrow	Move focus to level 0 of the active index of the header in the arrow direction if it exists.



**Table B-19 (Cont.) Grid Keystroke**

Target	Key	Action
	Shift + F8	Freezes the current selection, therefore allowing the user to move focus to another location to add additional cells to the current selection. This is used to accomplish non-contiguous selection. Use the Esc key or press Shift+F8 again to exit this mode.
	Shift + F10	Brings up the context menu.
	Ctrl + X	Marks the current row to move if dnd is enabled and the data source supports move operation.
	Ctrl + V	Move the row that is marked to directly under the current row. If the row with the focused cell is the last, then it is a move to the row above the current row.
	Ctrl + A	If multiple selections are enabled, perform a select all on the Datagrid.
	Ctrl + Alt + 5	Read the context and content of the current cell to the screen reader.
	F2	Makes the content of the cell actionable, such as a link.
	Enter	Makes the content of the cell actionable and acts on the content, such as going to a link.
	Alt + Enter	Makes the content of the cell actionable, such as a link.
	Esc	If the cell is actionable, it exits the actionable mode.
Column Header Cell	Left Arrow	Moves focus to the previous column header. There is no wrapping at the beginning or end of the column headers.
	Right Arrow	Moves focus to the next column header. There is no wrapping at the beginning or end of the column headers.
	Down Arrow	Moves focus to the cell of the first row directly below the column header. If using nested headers moves to focus up a level.
	Up Arrow	If using nested headers moves the focus down a level.

Table B-19 (Cont.) Grid Keystroke

Target	Key	Action
	Ctrl + Up Arrow	If in the column end header, move focus to level 0 of the active index in the column header if it exists.
	Ctrl + Down Arrow	If in the column header, move focus to level 0 of the active index in the column end header if it exists.
	Enter	Toggle the sort order of the column if the column is sortable.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled and not in the selection Mode row, the column(s) underneath the header will be selected.
	Shift + Right Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right by the number of columns covered by the header to the right of the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and not in the SelectionMode row, the column selection extends to the right-left the number of columns covered by the header to the left of the current selection frontier header.
	Shift + Up Arrow	If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a parent nested header, the column selection extends to cover the columns beneath the parent header.  Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections are based on the parent header.  If we are already at the highest level, nothing happens.

**Table B-19 (Cont.) Grid Keystroke**

Target	Key	Action
	Shift + Down Arrow	<p>If multiple selections are enabled and not in the SelectionMode row and the current selection frontier header has a child nested header, the column selection extends to cover the columns beneath the child header.</p> <p>Extending the selection with arrow keys will use the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header.</p> <p>If we are already at the lowest level, it moves into the data body and select the first cell underneath the header.</p>
Row Header Cell	Up Arrow	Moves focus to the previous row header. There is no wrapping at the beginning or end of the row headers.
	Down Arrow	Moves focus to the next row header. There is no wrapping at the beginning or end of the row headers.
	Right Arrow	Moves focus to the cell of the first column directly next to the row header. If using nested headers moves to focus up a level.
	Left Arrow	Moves focus to the cell of the first column directly next to the row header in the RTL direction. If using nested headers moves the focus down a level.
	Ctrl + Left Arrow	If in the row end header, move focus to level 0 of the active index in the row header if it exists.
	Ctrl + Right Arrow	If in the row header, move focus to level 0 of the active index in the row end header if it exists.
	Shift + F10	Brings up the context menu.
	Space	If multiple selections are enabled, the row(s) underneath the header are selected.

**Table B-19 (Cont.) Grid Keystroke**

Target	Key	Action
	Shift + Up Arrow	If multiple selections are enabled, the row selection extends up by the number of rows covered by the header above the current selection frontier header.
	Shift + Down Arrow	If multiple selections are enabled, the row selection extends down by the number of rows covered by the header below the current selection frontier header.
	Shift + Left Arrow	If multiple selections are enabled and the current selection frontier header has a parent nested header, the row selection extends to cover the rows beneath the parent header.  Extending the selection with arrow keys use the parent level. If the parent header is directly above the anchor header, the anchor shifts to the parent header and future selections is based on the parent header.  If we are already at the highest level, nothing happens.
	Shift + Right Arrow	If multiple selections are enabled and the current selection frontier header has a child nested header, the row selection extends to cover the rows beneath the child header.  Extending the selection with arrow keys uses the child level. If the child header is directly below the anchor header, the anchor shifts to the child header and future selections are based on the child header.  If we are already at the lowest level, it simply moves into the data body and select the first cell underneath the header.

## B.22 OJET Hcy Br Tree (oj-tree)

This section contains information on the OJET Tree keystrokes.

**Table B-20 Hcy Br Tree Keystrokes**

Key	Action
Up Arrow/Down Arrow	Moves between visible nodes.
Left Arrow	On an expanded node, collapses the node. On a collapsed or leaf node, moves focus to the node's parent.
Right Arrow	On a collapsed node, expands the node. On an expanded node, moves to the first child of the node. On an end node, does nothing.
Space bar	Toggles the selected status of the node.
Home	Moves to the top node of the tree.
End	Moves to the last visible node of the tree.
Shift + Up Arrow	Extends selection up one node (assuming multiple selection has been defined).
Shift + Down Arrow	Extends selection down one node (assuming multiple selection has been defined).
Shift + Home	Extends selection up to the top-most node.
Shift + Page Down	Extends selection to the last node.
Ctrl + Space bar	Toggles the selection state of the current node (assuming multiple selection has been defined).
Shift + Space bar	Extends selection to the current node (assuming multiple selection has been defined).
Shift + F10	Invoke Context Menu (if defined) on current node.
* (asterisk)	Expands all nodes.

## B.23 OJET Hierarchy Browser Map (oj-hierarchy-browser-map)

This section contains information on the Hierarchy Browser Map component.

**Table B-21 Hierarchy Browser Map Component**

Target	Key	Action
Hierarchy Browser Map	Tab	Set focus to the elements
Select	See <a href="#">Select-single (oj-single-select)</a> for the keystrokes	
Tabs	See <a href="#">Tabs(oj-tabs)</a> for the Keystrokes.	
Tree	See <a href="#">Hcy Br Tree (oj-tree)</a> for the keystrokes.	
Buttons (Map, Auto-map, Unmap, Unmap All, Transform Map)	Tab	Set focus to the Buttons
	Enter	Activates the Buttons

## B.24 OJET Hierarchy Browser Shuttle (oj-hierarchy-browser-shuttle)

This section contains information on the OJET Hierarchy Browser Shuttle component.

**Table B-22 OJET Hierarchy Browser Shuttle Component**

Target	Key	Action
Hcy Browser controls	Tab	Set focus to the Hcy Browser controls
	Enter	Activates the controls
Tree	See <a href="#">Hcy Br Tree(oj-tree)</a> for the Keystrokes.	
Tabs	See <a href="#">Tabs(oj-Tabs)</a> for the Keystrokes.	
Button Menu	See <a href="#">Context Menu(oj-menu)</a> for the Keystrokes.	

## B.25 OJET Input Number (oj-input-number)

This section contains information on the number keystroke.

**Table B-23 Number Keystroke**

Target	Key	Action
Input	Enter or Tab	Submit the value you typed in the input field.
Input	Tab In	Set focus to input. If hints, help, instruction, or messages exist in a note window, pop up the note window.
Input	Up Arrow	Increment the number.
Input	Down Arrow	Decrement the number.

## B.26 OJET Legend (oj-legend)

This section contains information on the Legend Component keystrokes.

**Table B-24 Legend Component Keystrokes**

Target	Key
Tab	Move focus to next element.
Shift + Tab	Move focus to previous element.
Up Arrow	Move focus to previous item.
Down Arrow	Move focus to next item.
Left Arrow	Move focus to previous item (on left).

**Table B-24 (Cont.) Legend Component Keystrokes**

Target	Key
Right Arrow	Move focus to next item (on right).
Enter	Hides or unhides the data associated with the current item.

## B.27 OJET List View (oj-listview)

This section contains information on the list view keystroke.

**Table B-25 List View Keystroke**

Target	Key	Action
List Item	F2	Enters Actionable Mode. This enables keyboard action on elements inside the item, including navigating between focusable elements inside the item.
	Esc	Exits Actionable Mode.
	Tab	When in Actionable Mode, navigates to the next focusable element within the item. If the last focusable element is reached, shift focus back to the first focusable element. When not in Actionable Mode, navigates to the next focusable element on the page (outside ListView).
	Shift+Tab	When in Actionable Mode, navigates to the previous focusable element within the item. If the first focusable element is reached, shift focus back to the last focusable element. When not in Actionable Mode, navigates to the previous focusable element on the page (outside ListView).
	Down Arrow	Move focus to the item below.
	Up Arrow	Move focus to the item above.
	Left Arrow	When display in card layout, move focus to the item on the left.
	Right Arrow	When display in card layout, move focus to the item on the right.
	Shift+Down Arrow	Extend the selection to the item below.

Table B-25 (Cont.) List View Keystroke

Target	Key	Action
	Shift+Up Arrow	Extend the selection to the item above.
	Shift+Left Arrow	When display in card layout, extend the selection to the item on the left.
	Shift+Right Arrow	When display in card layout, extend the selection to the item on the right.
	Shift+F10	Launch the context menu if there is one associated with the current item.
	Enter	Selects the current item. Not applicable if the item is already selected.
	Space	Toggles to select and deselect the current item. If previous items have been selected, deselects them and selects the current item.
	Shift+Space	Selects contiguous items from the last selected item to the current item.
	Ctrl+Space	Toggles to select and deselect the current item while maintaining previously selected items.
	Ctrl+X	Marks the selected items to move if dnd.reorder is enabled.
	Ctrl+C	Marks the selected items to copy if dnd.reorder is enabled.
	Ctrl+V	Paste the items that are marked directly before the current item (or as the last item if the current item is a folder).
Group Item	Left Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.
	Right Arrow	Collapse the current item if it is expanded and is collapsible. For non-hierarchical data, do nothing.

## B.28 OJET Messages (oj-messages)

This section contains information on the messages keystrokes.



**Table B-26 Messages Keystrokes**

Target	Key	Action
Focus within Messages	Tab or Shift + Tab	Navigate the content of the messages region.
	F6	Moves focus back to the last focused element outside the messages region.
	Esc	Moves focus back to the last focused element outside the messages region.
Focus outside Messages	F6	Move focus to the first message within the more recently disclosed messages region.

## B.29 OJET Metadata Browser Breadcrumb (metadata-browser-breadcrumbs)

This section contains information on the Metadata Browser Breadcrumb keystrokes.

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu
Object Node	F2	To navigate between focusable elements inside the panel


## B.30 OJET Navigation List (oj-navigation-list)

The OFSAA landing page uses the Navigation menu for the Left-Hand-Side (LHS) menu. The application selection menu is used to select an Application, Reports, Admin menu, and so on.

Target	Key	Action
List Item	Enter or Space	Selects list item.
List Item	Up Arrow	Moves focus to the previous visible list item.
List Item	Down Arrow	Moves focus to the next visible list item.
List Item	Right Arrow (Left Arrow in RTL)	For the horizontal navigation list, the focus is moved to the next visible item.
List Item	Left Arrow (Right Arrow in right to left (RTL))	For the horizontal navigation list, the focus is moved to the previous visible item.
List Item	Home	Moves focus to the first visible list item.

Target	Key	Action
List Item	End	Moves focus to the last visible list item.
List Item	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
List Item	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
List Item	Shift+Tab	Move focus to the hierarchical menu button. Only applicable for sliding navigation list and when the hierarchical menu button is enabled.
Group Item	Right Arrow (Left Arrow in RTL)	If the focus is on the collapsed node, expand the sublist.
Group Item	Left Arrow (Right Arrow in RTL)	If the focus is on the expanded node, collapses the sublist.
List Item in the sublist	Esc	Applicable only for sliding navigation list. If focus is in a sublist, closes the sublist and moves focus to the parent list item.

Target	Key	Action
Hierarchical Menu button	Enter	

 **N**  
**o**  
**t**  
**e**  
**:**  
**T**  
**h**  
**i**  
**s**  
**t**  
**a**  
**r**  
**g**  
**e**  
**t**  
**i**  
**s**  
**v**  
**i**  
**s**  
**i**  
**b**  
**l**  
**e**  
**o**  
**n**  
**l**  
**y**  
**f**  
**o**  
**r**  
**t**  
**h**  
**e**  
**S**  
**l**  
**i**  
**d**  
**i**  
**n**  
**g**  
**N**  
**a**  
**v**  
**i**  
**g**  
**a**  
**t**  
**i**  
**o**  
**n**  
**L**

Target	Key	Action
		i s t.

Target	Key	Action
Hierarchical Menu button	Tab	Moves focus to the current list item.



**N**

**o**

**t**

**e**

**:**

**T**

**h**

**i**

**s**

**t**

**a**

**r**

**g**

**e**

**t**

**i**

**s**

**v**

**i**

**s**

**i**

**b**

**l**

**e**

**o**

**n**

**l**

**y**

**f**

**o**

**r**

**t**

**h**

**e**

**S**

**l**

**i**

**d**

**i**

**n**

**g**

**N**

**a**


**v**

**i**

**g**

**a**

**t**

Target	Key	Action
		
Hierarchical Menu button	Shift + Tab	Moves focus to the Previous Icon. Note: This target is visible only for the Sliding Navigation List.

Target	Key	Action
Overflow Menu button	Enter or Space	



**N**

**o**

**t**

**e**

**:**

**T**

**h**

**i**

**s**

**a**

**p**

**p**

**l**

**c**

**a**

**b**

**l**

**e**

**o**

**n**

**l**

**y**

**f**

**o**

**r**

**t**

**h**

**e**

**H**

**o**

**r**

**i**

**z**

**o**

**n**

**t**

**a**

**l**

**N**

**a**

**v**

**i**

**g**

**a**

**t**

**i**

**o**

**n**


**L**

**i**

Target	Key	Action
		s t w h e n o v e r f l o w i s s e t t o p p - u p .



Target	Key	Action
Previous Icon or List Header	Enter	Collapses the sub-list and slides to the parent list.

 **N**  
**o**  
**t**  
**e**  
**:**  
**T**  
**h**  
**i**  
**s**  
**t**  
**a**  
**r**  
**g**  
**e**  
**t**  
**i**  
**s**  
**v**  
**i**  
**s**  
**i**  
**b**  
**l**  
**e**  
**o**  
**n**  
**l**  
**y**  
**f**  
**o**  
**r**  
**t**  
**h**  
**e**  
**S**  
**l**  
**i**  
**d**  
**i**  
**n**  
**g**  
**N**  
**a**  
**v**  
**i**  
**g**  
**a**  
**t**  
**i**

Target	Key	Action
--------	-----	--------

o  
n  
L  
i  
s  
t.

Target	Key	Action
Previous Icon or List Header	Tab	Moves focus to Hierarchical Menu button.



**N**

**o**

**t**

**e**

**:**

**T**

**h**

**i**

**s**

**t**

**a**

**r**

**g**

**e**

**t**

**i**

**s**

**v**

**i**

**s**

**i**

**b**

**l**

**e**

**o**

**n**

**l**

**y**

**f**

**o**

**r**

**t**

**h**

**e**

**S**

**l**

**i**

**d**

**i**

**n**

**g**

**N**

**a**

**v**

**i**

**g**

**a**

**t**

**i**

Target	Key	Action

o  
n  
L  
i  
s  
t.

## B.31 OJET Object Migration Canvas (oj-object-migration-canvas)

This section contains information on the Object Migration Canvas keystrokes.

**Table B-27 Object Migration Canvas Keystrokes**

Target	Key
Canvas Diagram	See <a href="#">Canvas Diagram</a> for Keystrokes.

## B.32 OJET Object Node (object-node)

This section contains information on the Object Node keystrokes.

**Table B-28 Object Node Keystrokes**

Target	Key	Action
Object Node	Enter	Expands dependencies and usage relationships for the selected item
Object Node	Shift + F10	Opens context menu
Object Node	F2	To navigate between focusable elements inside the panel

## B.33 OJET Password (oj-password)

This section contains information on the Password keystroke.

**Table B-29 Password Keystroke**

Target	Key	Action
Input element	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

## B.34 OJET Popup (oj-popup)

This section contains information on the popup keystrokes.

**Table B-30** Popup Keystrokes

Target	Key	Action
Focus within Pop-up	Tab or Shift + Tab	Navigate the content of the pop-up. Close the open pop-up if there are no tab stops in the pop-up.
	F6	Move focus to the launcher for a pop-up with modeless modality. Close the open pop-up if the modality is modal.
	Esc	Close the open pop-up.
Pop-up Launcher	F6	Move focus to the first tab stop within the open pop-up. If there is not a tab stop within the content, the focus is established on the pop-up.

## B.35 OJET Radio (oj-radio)

This section contains information on the Radio keystroke.

**Table B-31** Radio Keystroke

Target	Key	Action
Input	Up Arrow	Select the previous input in the group.
Input	Down Arrow	Select the next input in the group.
Radioset	Tab In	Set focus to the checked radio input. If hints, titles, or messages exist in a note window, pop up the note window.

## B.36 OJET Row Expander (oj-row expander)

**Table B-32** Row Expander Keystroke

Target	Key	Action
Focused Row or Cell with RowExpander	Ctrl + RightArrow	Ctrl + RightArrow
	Ctrl + LeftArrow	Ctrl + LeftArrow
Icon	Enter	Expand or Collapse

## B.37 OJET Search Box (oj-input-search)

This section contains information on the Search Box component.

**Table B-33 Search Box Component**

Target	Key	Action
Input field	Enter	Set the input text as the value.
Input field	Up Arrow or Down Arrow	If the drop down is not open, expand the drop down list.
Input field	Esc	Collapse the drop down list. If the drop down is already closed, do nothing.
Input field	Tab In	Set focus to the Input Search.

## B.38 OJET Select Many (oj-select-many)

This section contains information on the Multiselect keystroke.

**Table B-34 Multi-select Keystroke**

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop-down list.
Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow. If the drop-down is not open, expand the drop-down list.
Select box	Left Arrow or Right Arrow	Move focus to the previous or next selected item.
A selected item with remove icon	Backspace or Delete	Remove the selected item having focus.
Drop down	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.
Select box or search box	Any characters for the search term	Filter down the results with the search term.
Select	Tab In	Set focus to the select. If hints, titles, or messages exist in a note window, pop up the note window.

## B.39 OJET Select One (oj-select one)

This section contains information on the Select keystroke.

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop down list.

Drop down	Up Arrow or Down Arrow	Highlight the option item in the direction of the arrow. If the drop down is not open, expand the drop down list.
Drop down	Esc	Collapse the drop down list. If the drop down is already closed, do nothing.
Select box or Search box	Any characters for the search term	Filter down the results with the search term.
Select	Tab In	Set focus to the select. If hints, title or messages exist in a notewindow, pop up the notewindow.

## B.40 OJET Select Single (oj-select-single)

This section contains information on the Select keystroke.

**Table B-35 Select Keystroke**

Target	Key	Action
Option item	Enter	Select the highlighted choice from the drop down.
Input field	Enter	Set the input text as the value.
Drop down	Up Arrow or Down Arrow	Highlight the option item on the drop-down list in the direction of the arrow. If the drop down is not open, expand the drop-down list.
Drop down	Esc	Collapse the drop-down list. If the drop down is already closed, do nothing.
Select	Tab In	Set focus to the Select. If hints, title or messages exist in a note window, pop up the note window.

## B.41 OJET Switch (oj-switch)

This section contains information on the switch keystroke.

**Table B-36 Switch Keystroke**

Target	Key	Action
Switch Thumb	Enter or Space Tab In	Toggle switch value Set focus to the thumb. If hints, titles, or messages exist in a note window, pop up the note window.

## B.42 OJET Tabs (oj-tabs)

This section contains information on the tabs keystrokes.

**Table B-37** Tabs Keystrokes

Target	Key	Action
List Item	Enter or Space	Selects list item.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item
	Right Arrow (Left Arrow in RTL)	For the horizontal tab bar, the focus is moved to the next visible item.
	Left Arrow (Right Arrow in RTL)	For the horizontal tab bar, the focus is moved to the previous visible item.
	Home	Moves focus to the first visible list item.
	End	Moves focus to the last visible list item.
	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
	Ctrl+X	Marks the current item to move if reorderable is enabled.
	Ctrl+V	Paste the item that is marked directly before the current item.
	DELETE	Delete the current item.



**Table B-37 (Cont.) Tabs Keystrokes**

Target	Key	Action
Overflow Menu button	Enter or Space	Open menu.

 **Note:**

This is applicable only for Horizontal Tab Bar when overflow is set to pop-up.

## B.43 OJET Tab-Bar (oj-tab-bar)

A Tab-Bar allows navigation between different content sections.

Target	Key	Action
List Item	Enter or Space	Selects list item.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item
	Right Arrow (Left Arrow in RTL)	For the horizontal tab bar, the focus is moved to the next visible item.
	Left Arrow (Right Arrow in RTL)	For the horizontal tab bar, the focus is moved to the previous visible item.
	Home	Moves focus to the first visible list item.

	End	Moves focus to the last visible list item.
	F2	If the focus is on a list item, pressing F2 makes its contents accessible using TAB.
	Esc	When F2 mode is enabled, press Esc to exit F2 mode.
	Ctrl+X	Marks the current item to move if reorderable is enabled.
	Ctrl+V	Paste the item that is marked directly before the current item.
	DELETE	Delete the current item.
Overflow Menu button	Enter or Space	Open menu. See <a href="#">menu button</a> keystrokes for details.  NOTE: This is applicable only for Horizontal Tab Bar when overflow is set to popup.

## B.44 OJET Table (oj-table)

This section contains information on the Table Component keystrokes.

**Table B-38 Table Component Keystrokes**

Target	Key	Action
Cell	Tab	<p>The first Tab into the Table moves focus to the first column header. The second Tab moves focus to the next focusable element outside of the Table.</p> <p>If focus is on a row and the row is actionable then Tab moves focus to the next focusable element within the row. If focus is already on the last focusable element then focus will wrap to the first focusable element in the row.</p> <p>If edit Mode is row Edit, see the section 'Cell in Editable Row'.</p>

**Table B-38 (Cont.) Table Component Keystrokes**

Target	Key	Action
Cell	Shift+Tab	The first Shift+Tab into the Table moves focus to the first column header. The second Shift+Tab moves focus to the previous focusable element outside of the Table.  If focus is on a row and the row is actionable then Shift+Tab moves focus to the previous focusable element within the row. If focus is already on the first focusable element then focus will wrap to the last focusable element in the row.  If Edit Mode is row Edit, see the Cell in Editable Row section.
Cell	Down Arrow	Move focus to the next row.
Cell	Shift+Down Arrow	Select and move focus to the next row.
Cell	Up Arrow	Move focus to the previous row. If at the first row then move to the column header.
Cell	Shift+Up Arrow	Select and move focus to the previous row.
Cell	Left Arrow	Do nothing.
Cell	Right Arrow	Do nothing.
Cell	Home	Move focus to first row.
Cell	End	Move focus to last row.
Cell	Space	Select row.
Cell	Enter	If the table edit Mode is row Edit then make the current row editable.  If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row.
Cell	F2	If the table edit Mode is none then toggle the current row to actionable mode if there exists a tabbable element in the row. Once toggled to actionable mode, focus will be moved to be first tabbable element in the row.  If the table edit Mode is row Edit then toggle the current row between editable and read-only.

**Table B-38 (Cont.) Table Component Keystrokes**

Target	Key	Action
Cell in Editable Row	Tab	<p>Move focus to next editable cell or focusable element in the row.</p> <p>If focus is on the last editable cell or focusable element in the row, make the next row editable and move focus to the first editable cell or focusable element in the next row.</p> <p>If focus is on the last editable cell or focusable element in the last row, move focus to next focusable element on the page (outside table).</p>
Cell in Editable Row	Shift+Tab	<p>Move focus to previous editable cell or focusable element in the row.</p> <p>If focus is on the first editable cell or focusable element in the row, make the previous row editable and move focus to the last editable cell or focusable element in the previous row.</p> <p>If focus is on the first editable cell or focusable element in the first row, move focus to previous focusable element on the page (outside table).</p>
Cell in Editable Row	Down Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Down Arrow	Handled in the editable cell.
Cell in Editable Row	Up Arrow	Handled in the editable cell.
Cell in Editable Row	Shift+Up Arrow	Handled in the editable cell.
Cell in Editable Row	Left Arrow	Handled in the editable cell.
Cell in Editable Row	Right Arrow	Handled by the editable cell.
Cell in Editable Row	Home	Handled in the editable cell.
Cell in Editable Row	End	Handled in the editable cell.
Cell in Editable Row	Space	Handled in the editable cell.
Cell in Editable Row	Enter	<p>Make the next row editable and move focus to the editable cell in current column in the next row.</p> <p>If last row is editable then make it read-only.</p>
Cell in Editable Row	Shift+Enter	<p>Make the previous row editable and move focus to the editable cell in current column in the previous row.</p> <p>If first row is editable then make it read-only.</p>
Cell in Editable Row	F2	Toggle the current row between editable and read-only.

**Table B-38 (Cont.) Table Component Keystrokes**

Target	Key	Action
Cell in Editable Row	Esc	Make the current row read-only.
Column Header	Tab	Navigate to next focusable element on page (outside table).
Column Header	Shift+Tab	Navigate to previous focusable element on page (outside table).
Column Header	Down Arrow	Move focus to the first row.
Column Header	Up Arrow	Do nothing.
Column Header	Left Arrow	Move focus to previous column header.
Column Header	Shift+Left Arrow	Select and move focus to previous column header.
Column Header	Right Arrow	Move focus to next column header.
Column Header	Shift+Right Arrow	Select and move focus to next column header.
Column Header	Home	Move focus to first column header.
Column Header	End	Move focus to last column header.
Column Header	Space	Select column.

## B.45 OJET Textarea (oj-textarea)

This section contains information on the text area keystroke.

**Table B-39 Textarea Keystroke**

Target	Key	Action
TextArea	Tab In	Set focus to the text area. If hints, help, instruction, or messages exist in a note window, pop up the note window.

## B.46 OJET Textbox (oj-input-text)

This section contains information on the text-box keystroke.

**Table B-40 Textbox Keystroke**

Target	Key	Action
Input	Tab In	Set focus to the input. If hints, help, instruction, or messages exist in a note window, pop up the note window.

## B.47 OJET Train

This section describes about the OJET Train.

## B.48 OJET Tree (oj-tree-view)

This section contains information on the OJET tree view keystrokes.

**Table B-41 Tree Keystrokes**

Target	Key	Action
Item	Tab	Navigates to the next focusable element on-page.
	Shift+Tab	Navigates to the previous focusable element on-page.
	Down Arrow	Moves focus on the item below.
	Up Arrow	Moves focus on the item above.
	Left Arrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with Right Arrow in RTL locales.
	Right Arrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with Left Arrow in RTL locales.
	Shift+Down Arrow	Extends the selection to the item below. Only applicable if multiple selections are enabled.
	Shift+Up Arrow	Extends the selection to the item above. Only applicable if multiple selections are enabled.
	Space	Toggles the selection of the current item and deselects the other items.
	Enter	Selects the current item and deselects the other items. No-op if the current item is already selected.
	Ctrl+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if multiple selections are enabled.
	Shift+Space/Enter	Selects contiguous items from the last selected item to the current item. Only applicable if multiple selections are enabled.

## B.49 OJET Tree View (oj-tree-view)

This section contains information on the OJET Tree View keystrokes.

**Table B-42 OJET Tree View Keystrokes**

Target	Key	Action
Item	Tab	Navigates to next focusable element on page.
Item	Shift+Tab	Navigates to previous focusable element on page.
Item	DownArrow	Moves focus to the item below.
Item	UpArrow	Moves focus to the item above.
Item	LeftArrow	On an expanded item, collapses the item. Otherwise, move focus to the item above. The action is swapped with RightArrow in RTL locales.
Item	RightArrow	On a collapsed item, expands the item. Otherwise, move focus to the item below. The action is swapped with LeftArrow in RTL locales.
Item	Shift+DownArrow	Extends the selection to the item below. Only applicable if the multiple selection is enabled.
Item	Shift+UpArrow	Extends the selection to the item above. Only applicable if the multiple selection is enabled.
Item	Space	Toggles the selection of the current item and deselects the other items.
Item	Enter	Selects the current item and deselects the other items. No op if the current item is already selected.
Item	Ctrl+Space/Enter / CMD+Space/Enter	Toggles the selection of the current item while maintaining previously selected items. Only applicable if the multiple selection is enabled.
Item Ctrl+A / CMD+A	Shift+Space/Enter If selection Mode is multiple, will select all selectable nodes.	Selects contiguous items from the last selected item to the current item. Only applicable if the multiple selection is enabled.

## B.50 Oj-Guided Process (oj-sp-guided-process)

This section contains information on the Spectra Guided Process.

**Table B-43 Spectra Guided Process**

Target	Key	Action
Button (Start, Cancel)	Tab	Set focus to the Button
	Enter	Activates the control.
Guided Process RHS link	Tab	Set focus to the input.
	Down Arrow	Setting focus to the link below.
	Up Arrow	Setting focus to the link above.
	Enter	Activates the control.

## B.51 OJET General Drawer Template (oj-sp-general-drawer-template)

This section contains information on the General Drawer Template.

**Table B-44 General Drawer Template**

Target	Key	Action
Drawer element	Esc	Close the drawer.

## B.52 Ojet-Smart Search (oj-sp-smart-search)

This section contains information on the Smart Search Process.

**Table B-45 Smart-Search**

Target	Key	Action
Search Block	Tab	Set focus to the Search Block.
		Focus on Search Bar. User starts typing the name of a filter.
	Down Arrow	User places Down Arrow again to place focus on the first item in the list.
	Up & Down Arrow	Using the Up & Down Arrows will navigate the dropdown as normal.
	Enter	User presses Enter to select the item.
	Delete or Backspace	User presses Delete to remove the chip.
	Command + A (MacOS)	To perform clearing of multiple chips at a time, the user can use Command + A on MacOS or Command + A on PC to perform a select all. This will place focus on all the chips in the search bar.



**Table B-45 (Cont.) Smart-Search**

	Delete (Multiple)	Pressing Delete again will clear the filter chip. This will execute the search with the remaining filter chips or reset to the default state when there are no other chips present.
Search Component	Tab	User places focus on the smart filters and search component.
Radio Filter	Tab	Focus in the menu on the first item in the menu.
	Esc	User presses Esc to close the menu and return the filter chip to enabled state.
Dropdown Filter	Down Arrow	User can use the down arrow key to gain access to dropdown content.
Checkbox Filter	Enter	User places focus on the applied chip in the smart filters & search component. The user then presses Enter to open the associated menu.

# C

## LUX Controls

This chapter includes the keystroke controls for Lightweight User Interface Extensions (LUX).

### C.1 LUX Breadcrumbs (oj-lux-breadcrumb)

This section contains information on the breadcrumbs keystroke for LUX and OJET controls.

Target	Key	Action
Link Button	Tab	Set focus to the Link.
	Enter	Activates the control.
Menu Drop Down	Tab	Set focus to the Down Arrow.
	Up Arrow	Moves focus to the previous visible list item.
	Down Arrow	Moves focus to the next visible list item.
	Esc	Collapse the drop-down list. If the drop-down is already closed, do nothing.

### C.2 LUX Grid (oj-lux-grid)

This section contains information on the grid (LUX) keystrokes.

#### C.2.1 Keyboard shortcuts for navigation in and out of the grid

This section contains information on the keyboard shortcuts for navigating in and out of the grid.

**Table C-1 Keyboard Shortcuts for Navigating in and out of the Grid**

Action for keyboard	Key(s)	Notes
Move focus from the previous focusable element on the page (outside of the grid) to the grid	(All) Tab	Initially, the first cell in the first data row is focused and selected Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Enter the grid for navigation and editing	(LUX) Any key besides Tab and Shift+Tab	(LUX) Focus must be on the grid (LUX) Most keys other than the Enter key will enter the grid and also perform their normal action

**Table C-1 (Cont.) Keyboard Shortcuts for Navigating in and out of the Grid**

Action for keyboard	Key(s)	Notes
Move focus from the grid to the next focusable element on the page (outside of the grid)	(All) Tab	(LUX) The grid must be in the "escape mode" state
Move focus from the next focusable element on the page (outside of the grid) to the grid	(All) Shift+Tab	Once focus has been moved to the grid, subsequent tab presses that re-enter the grid shall return focus to the cell that last held focus.
Move focus from the grid to the previous focusable element on the page (outside of the grid)	(All) Shift+Tab	(LUX) The grid must be in the "escape mode" state
Toggle the "escape mode" state of the grid	(LUX) Escape	(LUX) The selected cell must be in Navigation Mode

## C.2.2 Keyboard Shortcuts for Navigation within the Grid (Includes Basic Selection of Cells and Rows)

This section contains information on the Keyboard shortcuts for navigation within the grid (includes a basic selection of cells and rows).

**Table C-2 Keyboard Shortcuts For Navigation within the Grid**

Action for keyboard	Key(s)	Notes for keyboard
Move focus one row up (and update cell and row selection)	(All) Up Arrow	<p>(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected</p> <p>(LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected.</p> <p>There is no wrap at the first or last rows</p> <p>(LUX) If the currently focused cell is in the first data row, the Up Arrow moves the focus to the column heading cell immediately above the currently focused cell (see Keyboard shortcuts for sorting on columns, below.)</p> <p>The first data row is no longer focused or selected, but the column heading row does not get selected or focused. Also, any previously selected cells are no longer selected, but the column heading cell does not get selected. Nevertheless, if the Down Arrow is then pressed, the first data row gets focused and selected, focused is moved to the cell immediately below the focused column heading cell, and the newly focused cell becomes selected.</p>
Move focus one row down (and update cell and row selection)	(All) Down Arrow	<p>(LUX) The newly focused cell also becomes selected, and any other selected cells are deselected</p> <p>(LUX) The row containing the newly focused cell becomes focused, selected, and initially selected, and any other selected rows are deselected</p> <p>There is no wrap at the first or last rows</p> <p>(LUX) See Up Arrow for behavior in column heading row.</p>

**Table C-2 (Cont.) Keyboard Shortcuts For Navigation within the Grid**

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the left (and update cell and row selection)	(All) Left Arrow -or- (LUX) Shift+Tab	<p>(LUX) If the grid is in the "escape mode" state, Shift+Tab moves focus to the previous focusable element in the page (outside of the grid) instead of taking any action within the grid</p> <p>(LUX) Wrap at the first or last column is controlled by the LUX Grid wrapSelection option. The default is to wrap. Wrapping is generally only within data rows, not column headers.</p> <p>(LUX) If wrapSelection is true:            If the currently focused cell is the first cell in the header row, then Shift+Tab causes the grid to enter the "escape mode" state            If the currently focused cell is the first cell in the first data row, then Shift+Tab moves focus one row up, to the first cell of the header row, similar to Up Arrow</p> <p>(LUX) If the currently focused cell is in editable mode, Shift+Tab causes the cell to exit editable mode and return to navigation mode</p> <p>If the editOnTab option is true, the newly focused cell enters editable mode</p>

## C.2.3 Adjusting the Row and Cell Selection

This section contains information on adjusting the row and cell selection.

**Table C-3 Adjusting the Row and Cell Selection**

Action for keyboard	Key(s)	Notes for keyboard
Adjust the range of selected cells and rows one row up	(All) Shift+Up Arrow	<p>(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Up Arrow without Shift</p> <p>(LUX) Moves cell focus one row up; the newly focused cell also becomes selected</p> <p>(LUX) The row containing the newly focused cell becomes focused and selected</p> <p>(LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly focused cell</p> <p>If the focused cell and focused row are moved without changing the selection. For example, with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row above it</p>
Adjust the range of selected cells and rows one row down	(All) Shift+Down Arrow	<p>(LUX) The multiSelect option must be true; otherwise, this has the same behavior as Down Arrow without Shift</p> <p>(LUX) Moves cell focus one row down; the newly focused cell also becomes selected</p> <p>(LUX) The row containing the newly focused cell becomes focused and selected</p> <p>(LUX) Generally selects a range of cells and rows from the "initially selected" row to the newly focused row with the newly selected cell</p> <p>If the focused cell and focused row are moved without updating the selection, e.g., with Control+Up/Down Arrow, then this action generally selects a range of rows from the currently focused row to one row below it</p>

**Table C-3 (Cont.) Adjusting the Row and Cell Selection**

Action for keyboard	Key(s)	Notes for keyboard
Move focus one column to the left (and update cell selection)	(LUX) Shift+Left Arrow	(LUX) Moves cell focus and selection(s) one column to the left (selection can be multiple cells if multiple rows are currently selected)  (LUX) If the currently focused cell is the first cell of the row, then behaves the same as Left Arrow without Shift
Move focus one column to the right (and update cell selection)	(LUX) Shift+Right Arrow	(LUX) Moves cell focus and selection(s) one column to the right (selection can be multiple cells if multiple rows are currently selected)  (LUX) If the currently focused cell is the last cell of the row, then behaves the same as Right Arrow without Shift
Move focus one row up (no change to selection)	(All) Control+Up Arrow	(LUX) The row containing the newly focused cell becomes focused  (LUX) Note: Enables selection of non-contiguous rows with Control+Space  (LUX) There is no wrap at the first or last rows  (LUX) If the currently focused row is the first data row, this has the same behavior as Up Arrow without Shift
Move focus one row down (no change to selection)	(All) Control+Down Arrow	(LUX) The row containing the newly focused cell becomes focused  (LUX) Note: Enables selection of non-contiguous rows with Control+Space  (LUX) There is no wrap at the first or last rows
Select the current row	(WAI-ARIA) Shift+Space (LUX) Control+Space	(LUX) Toggles selection of currently focused row  (LUX) The multiSelect option must be true; otherwise, this has the same behavior as Space without Control
Select the current column	(WAI-ARIA) Control+Space	(LUX) Not supported

 **Note:**

WAI-ARIA defines selection within grids solely in terms of cells; a row is just a set of cells, each of which may or may not be selected. The LUX Grid keyboard shortcuts for selection assume the multiSelect option is set to 'true'. In the LUX Grid:

- If a cell is selected, the cell's row is selected.
- Only one cell in a row may be selected at any given time.
- If multiple rows are selected, their selected cells are always in the same column.

## C.2.4 Editing Cells

This section contains information on editing cells.

**Table C-4 Editing Cells**

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Navigation	Edit focused cell (enter Actionable mode)	(All) Enter -or- F2 -or- (LUX) Shift+Enter -or- (WAI-ARIA (optional), LUX) Any alphanumeric character	Editable	(LUX) In a Text Column or Text Area Column cell, typing an alphanumeric character will also replace the current cell value with the character just typed  (LUX) In a Number/Cost/Percent column cell, typing an alphanumeric character will also select the current cell value, if any; the character just typed is not entered in the cell
Editable	Cancel changes and exit Actionable mode	(All) Escape	Navigation	(WAI-ARIA) Does not mention canceling changes, just exiting Actionable mode



**Table C-4 (Cont.) Editing Cells**

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Commit changes and exit Actionable mode	(WAI-ARIA (optional), LUX) Enter -or- (LUX) Shift+Enter	Navigation	(LUX) If the currently focused cell is not in the last data row of the Grid, Enter or Shift+Enter will also move focus to the cell immediately below the focused cell (note that Shift+Enter moves focus down such as Enter, not up) (LUX) In a Text Area Column cell, Enter does not exit the editor; it just adds a newline character to the text value at the current insertion point. Shift+Enter behaves such as a normal Enter or Shift+Enter, as if the cell were not a Text Area Column cell (LUX) In a Date Column or Select Multi Column cell, Enter and Shift+Enter do nothing
Editable	Move focus to next actionable (tabbable) item	(All) Tab	Old cell: Navigation; New cell: Editable	(LUX) Next actionable item is usually in next cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode
Editable	Move focus to previous actionable (tabbable) item	(All) Shift+Tab	Old cell: Navigation; New cell: Editable	(LUX) Previous actionable item is usually in previous cell (LUX) If the editOnTab option is true, the newly focused cell enters Actionable mode

**Table C-4 (Cont.) Editing Cells**

Cell mode before action	Action	Key(s)	Cell mode after action	Notes
Editable	Move to next row	Enter	Old row: Navigation; New row: Editable	(LUX) See LUX comments for "Commit changes and exit Actionable mode"
Editable	Select date in Date Column	(LUX) See the <a href="#">OJET Input Date and Time Keyboard End</a> User Information.	See the <a href="#">OJET Input Date and Time Keyboard End</a> User Information.	
Editable	Increment Spinner Number Column cell	Up Arrow	Editable	
Editable	Decrement Spinner Number Column cell	Down Arrow	Editable	
Navigation	Toggle checked state of check-box	Space	Navigation	
Navigation	Clear data from the focused cell	(LUX) Delete	Navigation	Delete key clears the values in select and check column cells as well

## C.2.5 Keyboard shortcuts for Grouped Rows and Tree Grid

This section contains information on Grouped Rows and Tree Grid.

**Table C-5 Grouped Rows and Tree Grid**

Action	Key(s)	Notes
Expand [+]	Control+Right Arrow	Focus must be in the cell with the disclosure icon
Collapse [-]	Control+Left Arrow	Focus must be in the cell with the disclosure icon

## C.2.6 Keyboard shortcuts for triggering cell actions in other types of cells

This section contains information on keyboard shortcuts for triggering cell actions in other types of cells.

**Table C-6 Keyboard shortcuts for triggering cell actions in other types of cells**

Action	Key(s)	Notes
Trigger cell action in selected cell	Space	If the cell has an <a> with a valid href attribute, Space will follow the link

## C.2.7 Keyboard shortcuts for sorting on columns

This section contains information on sorting on columns.

Action	Key(s)	Notes
Cycle the sort of the focused column in the following sequence: <ul style="list-style-type: none"> <li>• Ascending</li> <li>• Descending</li> <li>• Not sorted (default order)</li> </ul>	Space	The selected cell must be the column header cell
Cycle the sort of the focused column, subject to any other column sorts that are already defined, in the sequence above	Control+Space	The selected cell must be the column header cell

## C.2.8 Keyboard Shortcuts for Menu

This section contains information on keyboard shortcuts for menus.

**Table C-7 Keyboard Shortcuts for Menus**

Action	Key	Notes
Open the menu	(WAI-ARIA, LUX) Enter -or- Space -or- Shift+F10 -or- (WAI-ARIA) Up/Down Arrow (in a menu bar)	(LUX) Context Menu uses Space or Shift+F10; Column Menu uses Space; Select Column Menu uses Up/Down Arrow (space (or character) opens the menu item search/filter field); Select Multi-Column Menu uses Enter  (LUX) In Select Column Menu, Enter causes the cell to enter Actionable mode, but does not open the drop-down menu; the menu opens when Up/Down Arrow keys are used  (LUX) In the Select Multi-Column Menu, after the cell enters Actionable mode, the first Control+Down Arrow enters the menu at the (first) currently selected option (or before the first option if no option is currently selected)
Move focus to the next menu item in the menu	(All) Down Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the bottom; Context menus do not

**Table C-7 (Cont.) Keyboard Shortcuts for Menus**

Action	Key	Notes
Move focus to the previous menu item in the menu	(All) Up Arrow	(LUX) Column Menus, Select Column menus, and Select Multi-Column menus wrap at the top; Context menus do not
Open a sub-menu (if the focused menu item has a sub-menu)	(WAI-ARIA, LUX) Right Arrow -or- (WAI-ARIA, LUX) Enter -or- Space	(LUX) Does not apply to Select Column menus and Select Multi-Column menus  (LUX) Context Menu uses Right Arrow; Column Menu uses Right Arrow, Enter, or Space.
Close a submenu and return focus to the parent menu item	(WAI-ARIA, LUX) Left Arrow -or- (WAI-ARIA) Escape	(LUX) Does not apply to Select Column menus and Select Multi-Column menus  (LUX) Escape closes the top-level menu and any sub-menus
Select a menu item (or invoke the menu action) and close the menu	(All) Enter -or- Space	(LUX) Does not apply to the Select Multi-Column menu  (LUX) Select Column does not support Space, only Enter; space (or character) opens the menu item search/filter field
Toggle selection of a menu item in the menu	(LUX) Enter -or- Space	(LUX) Select Multi-Column menu only
Close the menu (commit selections)	(LUX) Tab -or- Shift-Tab	(LUX) Select Multi Column menu only  (LUX) Also moves focused cell one column to the right (Tab) or left (Shift+Tab)
Close the menu (no action or selection)	(LUX) Escape	(LUX) Escape closes the top-level menu and any sub-menus

## C.2.9 Miscellaneous

This section contains information on the miscellaneous keystrokes.

**Table C-8 Miscellaneous Keystrokes**

Action	Key	Notes
Insert a new row above the selected row	(LUX) Insert Key	A new row is added just above the selected row

# D

## OJET CCA Controls

This chapter includes the keystroke controls for OJET CCA Controls.

### D.1 OJET CCA Breadcrumb (oj-cca-breadcrumb)

This section contains information on the CCA Breadcrumb Keystroke.

**Table D-1 CCA Breadcrumb Control**

Target	Key
breadcrumb	See <a href="#">Buttonset One</a> (Oj-buttonset-one) section, for details on breadcrumb.

### D.2 OJET CCA List View (oj-cca-list-view)

This section contains information on the CCA List View.



**Note:**

The Table Control is a toggle and can either be a List View Control, or a Table View Control. This is configured by the application owner.

Action	Key
List Control	See <a href="#">List View(oj-list-view)</a> section, for details on List View.
Table Control	See <a href="#">Table(oj-table-view)</a> section, for details on Table View.

### D.3 OJET CCA Pagination (oj-cca-pagination)

This section contains information on the pagination panel component.

**Table D-2 Pagination Panel Component**

Target	Key	Action
Button (First Page, Previous Page, Next Page, Last Page)	Tab	Set focus to the Button
	Enter	Activates the control.
Page Input	Tab	Set focus to the input.
	Tab	Setting focus outside the input activates the control and updates the List View

## D.4 OJET CCA Records per Page (oj-cca-records)

This section contains information on the CCA Records Per Page Control.

**Table D-3 CCA Records Per Page Control**

Action	Key
The Records Per Page, makes use of the number control	See <a href="#">Input Number(oj-input-number)</a> section, for details on Number Control.

## D.5 OJET CCA Summary Search (oj-cca-summary-search)

This section contains information on the CCA Summary Search Control.

**Table D-4 CCA Search Control**

Target	Key	Action
Search Control	Tab In	Set focus to Search Control.
Search Drop-down Panel	Enter	Activates the control and opens the Drop-down.
The drop-down may contain several Input controls such as input Text, Select, Multi-select, and so on	See <a href="#">TextBox</a> section, for details on Input Text. See <a href="#">Select Single</a> section, for details on Select. See <a href="#">Select-Many(oj-select-many)</a> section, for details on Multi-select.	

# E

## HTML Documents on OHC and Help Pages

This section describes the set of unique keystrokes for the OFSAA documents on Oracle help center (OHC) and Online Help pages.



### Note:

Disabled items will not receive keyboard focus and do not allow any interaction. Read-only items receive the keyboard focus.

## E.1 Keyboard Shortcuts for OFSAA Documentation

**Table E-1 HTML Pages Keystroke**

Command	Description
Alt+Z	Bypass Key to move focus from LHS to RHS
Alt+X	Bypass Key to move from "Click here to see this page in full context" in the display ribbon to the TOC.

## E.2 OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to OFSAA applications.

## E.3 Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released documents.