

Oracle® Financial Services Compliance Regulatory Reporting Installation Guide



Release 8.1.2.12.0
G57708-01
July 2026

ORACLE®

Copyright © 2000, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Contents

1	About This Guide	
2	Pre-Installation	
3	Applying This Maintenance Level Release	
4	Post Installation	
5	JAVA Upgrade	
A	Files Packaged in This ML Release	
	A.1 Modified Files	A-1
	A.2 Database Files	A-29
	A.3 Build related files	A-35
B	Technology Stack Qualification Matrix FCCM 8.1.2.12.0	

1

About This Guide

Oracle Financial Services Compliance Regulatory Reporting (OFS CRR) Installation Guide provides step-by-step instructions to install the OFS CRR Maintenance Level (ML) release.

Audience

The OFSCRR Installation Guide is designed for use by Oracle Financial Services Administration Users and the implementation team.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Resources

- [Compliance Regulatory Reporting](#)
- [OFS Analytical Applications Infrastructure](#)
- [OFSAA Licensing Information User Manual](#)
- [OFS Analytical Applications Technology Matrix](#)

Conventions

The following text conventions are used in this document.

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

2

Pre-Installation

Ensure that the following prerequisites are present before you install this Maintenance Release:

Note

- Before you run the patch, perform a backup of the Schema (Atomic and Config), FIC_HOME, and ftpshare directories.
- Oracle Database 26ai Support: CRR 8.1.2.12.0 introduces support for Oracle Database 26ai for both new installations and upgrades from Oracle Database 19c. For more information, see [OFS AAI Installation Guide](#).

1. Before applying OFS CRR v8.1.2.12.0, it is required to install OFS CRR v8.1.2.0.0. For detailed instructions on installing this OFS CRR Release, see [OFS CRR Application Pack Installation Guide 8.1.2.0.0](#).
2. Apply the following mandatory patches in the exact order listed before upgrading to CRR 8.1.2.12.0:
 - 1- Environments with BD 8.1.2.8.x and CRR 8.1.2.8.x
 - CRR 8.1.2.8.1 (Patch 37073503)
 - CRR 8.1.2.8.2 (Patch 37079344)
 - BD 8.1.2.8.1 (Patch 37168150)
 - 2- Environments with BD 8.1.2.x and CRR 8.1.2.x (excluding CRR 8.1.2.8.x)
 - CRR 8.1.2.0.2 (Patch 37529329)
 - CRR 8.1.2.0.3 (Patch 37529337)
 - 3- Environments with CRR 8.1.2.8.x and no BD installed
 - CRR 8.1.2.8.1 (Patch 37073503)
 - CRR 8.1.2.8.2 (Patch 37079344)
 - 4- Environments with CRR 8.1.2.x (excluding CRR 8.1.2.8.x) and no BD installed
 - CRR 8.1.2.0.4 (Patch 37635174)
 - CRR 8.1.2.0.5 (Patch 37637396)
 - CRR 8.1.2.0.2 (Patch 37529329)
 - CRR 8.1.2.0.3 (Patch 37529337)

Note

- Install the patches in the specified order. Each subsequent patch must be applied only after the successful completion of the previous patch.
- If you are upgrading to Java 17, apply all prerequisite CRR patches before performing the Java 17 upgrade, as these patches do not support Java 17. After completing the prerequisite patches, upgrade to OFSAAI 8.1.2.6.0.0, and then upgrade to OFS CRR 8.1.2.12.0.
- If the environment has BD installed, apply the required BD prerequisite patches before upgrading to version 8.1.2.12.0. For more information, see [OFS BD 8.1.2.12 Installation Guide](#).

3. Download and apply the OFS_AAI_8.1.2.6.0 file from [MOS](#) by searching the patch number 38681161 under the Patches & Updates tab. For more information, see [OFS AAI Installation Guide](#).
4. Download and apply the OFS ECM 8.1.2.12.0 ML archive file from [MOS](#) by searching the patch number 39025972 under the Patches & Updates tab. For more information, see [OFS ECM Installation Guide](#).

Note

This step is applicable only if you are using OFS ECM.

5. Download the OFS_CRR 8.1.2.12.0 archive file from [MOS](#) by searching the patch number 39694032 under the Patches & Updates tab.
6. Downgrade the commons-logging JAR from version 1.3.1 with 1.1.3 to resolve the following issue. Remove commons-logging-1.3.1.jar and keep commons-logging-1.1.3.jar.
Bug 39700751: No application-related logs are being generated in the POP5 setup after the latest AAI application build. Similar behavior is also observed in the CRR application.

Note

Ignore Step 6 if the ``$FIC_HOME/ficweb/webroot/WEB-INF/lib`` directory contains only ``commons-logging-1.1.3.jar`` and ``commons-logging-1.3.1.jar`` is not present.

3

Applying This Maintenance Level Release

To apply this ML release, follow these steps:

1. Load the .profile and make sure that \$FIC_HOME corresponds to the proper environment where the patch application is required.
2. Start the OFSAAI Services.
3. Download and copy the 39694032_GENERIC.zip file (in Binary mode) to the server where OFSAAI is installed.
4. Navigate to the <USER_PATCH_DIR> directory and extract the contents of the patch archive file using the following command:
unzip -a <name of the archive file to be unzipped>

For example: unzip -a 39694032_GENERIC.zip

Note

<USER_PATCH_DIR> is the directory containing the <patch>.zip file copied in step 3. "-a" option is mandatory to unzip the patch. In case, you notice an error message: "unzip: not found [No such file or directory]" when the package is not installed, contact your UNIX Administrator.

The list of files available when you unzip the folder is as follows:

- validateXMLInputs.jar
 - SolSetup.jar
 - server_profile.sh
 - replace_placeholders.sh
 - OFS_CRR_mapping.tsv
 - OFS_CRR_installer_files.zip
 - jakartaee-migration-1.0.8-shaded.jar
 - jakarta_conversion.sh
 - install.sh
 - generate_resolved_properties.sh
 - OFSCRR_8.1.2.12.0_Readme.htm
5. Navigate to the <USER_PATCH_DIR>/39694032/bin directory and grant 755 permission using the following command: \$ chmod 755 *
 6. Update the parameter ##RR_UPLOAD_MODEL## in the <USER_PATCH_DIR>/39694032/conf/PatchConfig.xml file to 1.
 7. Update the variables ##OFS_RRS_DATA_TBSP## and ##OFS_RRS_INDEX_TBSP## in PatchConfig.xml. These attributes correspond to the Data and Index Tablespace values

found in `OFS_CRR_SCHEMA_OUTPUT.xml`, which was generated during the installation process. Additionally, the `##EXECUTE_PRE_AND_POST_SCRIPTS##` attribute controls the execution of pre- and post-scripts during installation:

- Setting the value to 1 executes the pre- and post-scripts.
- Setting the value to 0 skips their execution.

For CRR 8.1.2.12, it is mandatory to set this attribute to 1 to ensure pre- and post-scripts are executed.

8. Navigate to `<USER_PATCH_DIR>/39694032/conf/ params.conf` directory and provide the following place holder values.
 - `WEBSERVER_TYPE=`
 - `WEBSERVER_VERSION=`
9. Install the patch by executing the `install.sh` command as follows: `$ ./install.sh`.

Note

- While applying a patch, you might get the following warning in your Putty session, but you can ignore this.
- WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by com.sun.xml.bind.v2.runtime.reflect.opt.Injector\$1 (file:../<FICHOME>/ficapp/common/FICServer/lib/jaxb-impl.jar) to method java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int)
- WARNING: Please consider reporting this to the maintainers of com.sun.xml.bind.v2.runtime.reflect.opt.Injector\$1
- WARNING: Use `--illegal-access=warn` to enable warnings of further illegal reflective access operations
- WARNING: All illegal access operations will be denied in a future release

10. Check if the ML release is applied successfully by verifying the patch install logs under the `<USER_PATCH_DIR>/39694032/logs` directory. Contact [My Oracle Support](#) in case of any errors.
11. After the patch is installed successfully, re-create the OFSAA EAR/WAR file and re-deploy a new EAR/WAR file on the web application server.
12. Restart the OFSAA App server and the Webserver.
For more information on the application configuration, see Administration Guide on [OHC](#).

4

Post Installation

This chapter describes the post-installation steps.

After applying AAI 8.1.2.6.0 and CRR 8.1.2.12.0, perform the following post-installation steps:

1. For WebService configuration in WebLogic server, see *Configuring Feedback Response to Source System Using Web Service Call* section in [Administration Guide](#).

Note

The CRR application is now compliant with the Content Security Policy (CSP). For more information, see [OFSAAI Security Guide](#).

5

JAVA Upgrade

Configuring Existing JAVA8 environments

To upgrade from JAVA8 to JAVA11, follow these steps:

1. Install the JAVA11 in the server.
2. Use the below command to list the files and note the file names.

```
grep -r -l '/scratch/jdk1.8.0_161'
```

(Change the JAVA path accordingly).

Note

The above command must be executed in the \$FICHOME.

3. Modify the listed files from JAVA8 to JAVA11.
4. Use the below command to change from JAVA8 to JAVA11.

```
grep -r -l 'OLDPATH/jdk1.8.0_161' . | sed "s|^|\"|g" | sed "s|$|\"|g" |  
xargs sed -i "s|OLDPATH/jdk1.8.0_161|NEWPATH/jdk-11.0.11|g"
```

(Change the JAVA paths accordingly).

5. Update the JAVA8 path with JAVA11 in the .profile.
6. Re-create and Re-deploy the OFSAA EAR/WAR file and Restart the OFSAA app server and web server.

Configuring New JAVA11 Environments

To create a new environment with JAVA11, follow these steps:

1. Configure and complete the installation of CRR 8.1.2.11.0 with JAVA11.
2. Up the environment until CRR 8.1.2.11.0 is applied and configured.
3. Follow the steps from Pre-Installation for applying CRR 8.1.2.11.0.

Configuring New JAVA17 Environments

To create a new environment with JAVA17, follow these steps:

1. Set up the base CRR 8.1.2.0.x environment using JAVA 8 or JAVA 11, as JAVA 17 is not supported at this release level.
2. Before applying AAI 8.1.2.6, install and configure JAVA 17 on the server.
3. Upgrade the environment by applying AAI 8.1.2.6, followed by CRR 8.1.2.12.0.
4. Complete the remaining post-installation configuration and deployment activities.

A

Files Packaged in This ML Release

The list of files packaged in this ML release is as follows:

- [Modified Files](#)
- [Database Files](#)
- [Build Related Files](#)

A.1 Modified Files

The list of product files modified due to this patch is as follows:

- XMLs
 - AcknowledgementConfig.xml
 - books.xml
 - CRR_DataModel.xml
 - CRR_EG_AcctAddEx.xml
 - CRR_EG_ActBtn.xml
 - CRR_EG_AddRep.xml
 - CRR_EG_AutoDirAddG.xml
 - CRR_EG_AutoDirAdd.xml
 - CRR_EG_List.xml
 - CRR_EG_PMFActApr.xml
 - CRR_EG_TAB2_ENTITY10.xml
 - CRR_EG_TAB2_ENTITY8.xml
 - CRR_EG_TAB2.xml
 - CRR_EG_TAB4_ENTITY18.xml
 - CRR_EG_TAB4_ENTITY26.xml
 - CRR_EG_TAB4_ENTITY28.xml
 - CRR_EG_TAB4_ENTITY30.xml
 - CRR_EG_TAB4_ENTITY38.xml
 - CRR_EG_TAB4_ENTITY40.xml
 - CRR_EG_TAB4.xml
 - CRR_EG_TAB5_TRXN.xml
 - CRR_EG_TAB6_TRXN.xml
 - CRR_EG_TAB6.xml
 - DB_Install.xml

- DIM_AMNT_UNKNOWN_TL.xml
- DIM_BRANCH_ROLE_TL.xml
- DIM_COMMUNICATION_TYPE_TL.xml
- DIM_COUNTRY_TL.xml
- DIM_CRR_REF_DETAIL.xml
- DIM_DOMAIN1_TL.xml
- DIM_DOMAIN2_TL.xml
- DIM_DOMAIN3_TL.xml
- DIM_DOMAIN4_TL.xml
- DIM_DOMAIN5_TL.xml
- DIM_EXTRNL_USERS_LIST.xml
- DIM_FED_REGULATOR_TL.xml
- DIM_FILING_INST_TL.xml
- DIM_FILING_INST.xml
- DIM_FILING_TYPE_TL.xml
- DIM_FINANCIAL_INST_TYPE_TL.xml
- DIM_FININST_ID_TYPE_TL.xml
- DIM_FININST_ROLE_TL.xml
- DIM_GAMING_INST_TL.xml
- DIM_GENDER_TL.xml
- DIM_INSIDER_RELN_TYPE_TL.xml
- DIM_NAICS_CODE_TL.xml
- DIM_RELN_FININST_TL.xml
- DIM_REPORTING_ENTITY_DTLS_TL.xml
- DIM_ROLE_TL.xml
- DIM_SEC_FUT_INST_FININST_TL.xml
- DIM_SEC_FUT_INST_TL.xml
- DIM_STATES_TL.xml
- DIM_SUSPECT_ID_TYPE_TL.xml
- DIM_SUS_ROLE_TL.xml
- DIM_TIN_TYPE_TL.xml
- DIM_TRXN_LOC_INFO_TL.xml
- FCT_BRANCH_INFO_TL.xml
- FCT_FININST_INFO_TL.xml
- FCT_TRANSMITTER_INFO_TL.xml
- files.xml
- FrmAckDtIsG.xml
- FrmAckErrG.xml

- FrmAckG.xml
- FrmAck_OPR_Err.xml
- FrmAck_OPR.xml
- FrmCRRAckw.xml
- FrmCRRCompTypeData.xml
- FrmCRRConfigHDRG.xml
- FrmCRRConfig_OPR.xml
- FrmCRRConfig.xml
- FrmCRREntDtls.xml
- FrmCRREntJoin.xml
- FrmCRROutputAttr.xml
- FrmCRROutputData.xml
- FrmCRROutputEntities.xml
- FrmCRRSRCAttr.xml
- FrmCRRSrcData.xml
- FrmCRRSrcTrg.xml
- FrmCRRVadDtls.xml
- FrmCRRVadFormDtls.xml
- GridCtrl.xml ix.xml
- MasterThemeSchema.xml
- messages.xml
- PatchConfig.xml
- Post_Scripts.xml
- Pre_Scripts.xml
- RR_EG_ViewRepG.xml
- RR_EG_ViewRepP.xml
- RR_Sec_Lane_Params.xml
- SearchOptions.xml
- settings.xml
- sun-jaxws_OFS_CRR.xml
- synonyms.xml
- synonym.xml
- TextBoxCtrl.xml
- toc.xml
- TRGMAP_ENTITY.xml
- TRGMAP_JOIN.xml
- TRGMAP_MAPPING.xml
- ValidationConfig.xml

- ValidationFormDtls.xml
- web.append.xml
- whfts.xml
- whst_topics.xml
- PatchConfig_OFSCRR_8.1.2.12.0.xml
- Jars
 - CRRAckProcess.jar
 - CRRConfigUpd.jar
 - CRRDataIngestion.jar
 - CRROutputReport.jar
 - CRRSourceGen.jar
 - CRRSrcClient.jar
 - CRRSrcConfigAPI.jar
 - CRRUIActions.jar
 - CRRUIBuilder.jar
 - ficapp_zg_ia_sf.jar
 - ficdb_zg_ia_sf.jar
 - fichome_zg_ia_sf.jar
 - ficweb_zg_ia_sf.jar
 - ftpshare_zg_ia_sf.jar
 - JBC.jar
 - RRS.jar
 - validateXMLInputs.jar
 - jakartaee-migration-1.0.8-shaded.jar
 - nashorn-core-15.7.jar
- JS
 - aai-crr.js
 - ackFileBrowser.js
 - alinks.js
 - andsearchfield1.js
 - andsearchfield.js
 - audit.js
 - bklist1s.js
 - bookgrps.js
 - booklist.js
 - books.js
 - browser.js
 - CASTR_complete_action_AccHolderSubTab.js

- CASTR_complete_action_BeneficiarySubTab.js
- CASTR_complete_action_SrcEndSubTab.js
- CASTR_Completion_Action.js
- CASTR_Context.js
- castrCreateNewReport.js
- CASTR_Details_Of_Suspicion.js
- CASTR_FileRegRep.js
- CASTR_General_Info.js
- CASTR_SearchList.js
- CASTR_starting_action_AccHolderSubTab.js
- CASTR_starting_action_ConductorInfoSubTab.js
- CASTR_Starting_Action.js
- CASTR_starting_action_OBISubTab.js
- CASTR_starting_action_SrcEndSubTab.js
- CASTR_transaction_information.js
- common.min.js
- constants.js
- context.js
- controls.js
- crrFileBrowser.js
- crrFWSolution.js
- csh.js
- documt1s.js
- ehlpdhtm.js
- expand.js
- favorite.js
- filelist.js
- files.js
- filing_institution.js
- financial_institution_activity_occured.js
- glo.js
- glo.new.js
- glossarylist.js
- glossarylistloader1.js
- glossarylistloader2.js
- glossarylistloader3.js
- glossarylistloader4.js
- glossarylistloader5.js

- glossarylistloader6.js
- glossarylistloader7.js
- glossarylistloader.js
- goaml_audit.js
- goaml_CreateNewReport.js
- goaml_director_details.js
- goaml_DocAttach.js
- goaml_Document.js
- goaml_involved_account_AccountDetailsSubTab.js
- goaml_involved_account_AccountEntityOwnerSubTab.js
- goaml_involved_account.js
- goaml_involved_account_SigntryAddnlInfoSubTab.js
- goaml_involved_account_SigntrySubTab.js
- goaml_involved_entity_details_SubTab.js
- goaml_involved_entity.js
- goaml_involvedParty.js
- goaml_involved_person_AddnlInfoSubTab.js
- goaml_involved_person_detailsSubTab.js
- goaml_involved_person.js
- goaml_narrative.js
- goaml_PEP_Additional_information.js
- goaml_ReportDetails.js
- goaml_reporting_entity_information.js
- goaml_SearchList.js
- goaml_signatory_address.js
- goaml_signatory_employer.js
- goaml_signatory_identification.js
- goaml_signatory_phone.js
- goaml_transaction_information.js
- handler.js
- help.js
- hierarchyDojo.js
- highlt.js
- idx.js
- idx.new.js
- index1s.js
- index.js
- indextree.js

- indextreeloader1.js
- indextreeloader2.js
- indextreeloader3.js
- indextreeloader4.js
- indextreeloader5.js
- indextreeloader6.js
- indextreeloader7.js
- indextreeloader.js
- javascpt.js
- jquery-1.11.1.js
- jquery-1.11.1.min.js
- jquery.backstretch.js
- jquery.backstretch.min.js
- jquery-custom.js
- jquery.js
- jqueryui-custom.js
- jquery-ui.js
- layout.js
- layout.min.js
- loadcsh.js
- loadparentdata.js
- loadprojdata.js
- loadscreen.js
- locale.js
- mhffhost.js
- mhlng.js
- mhtopic.js
- mhutils.js
- mhver.js
- mltphrs.js
- narrative.js
- options.js
- outlfast.js
- outlin1s.js
- outline.js
- outlsafe.js
- overthrow.min.js
- overthrow.sidescroller.min.js

- package_0_xml.js
- package_10_xml.js
- package_11_xml.js
- package_12_xml.js
- package_13_xml.js
- package_14_xml.js
- package_15_xml.js
- package_16_xml.js
- package_17_xml.js
- package_18_xml.js
- package_19_xml.js
- package_1_xml.js
- package_20_xml.js
- package_21_xml.js
- package_2_xml.js
- package_3_xml.js
- package_4_xml.js
- package_5_xml.js
- package_6_xml.js
- package_7_xml.js
- package_8_xml.js
- package_9_xml.js
- packageindex_xml.js
- pageloader.js
- pair0.js
- pair100.js
- pair101.js
- pair102.js
- pair103.js
- pair104.js
- pair105.js
- pair106.js
- pair107.js
- pair108.js
- pair109.js
- pair10.js
- pair110.js
- pair111.js

- pair112.js
- pair113.js
- pair114.js
- pair115.js
- pair116.js
- pair11.js
- pair12.js
- pair13.js
- pair14.js
- pair15.js
- pair16.js
- pair17.js
- pair18.js
- pair19.js
- pair1.js
- pair20.js
- pair21.js
- pair22.js
- pair23.js
- pair24.js
- pair25.js
- pair26.js
- pair27.js
- pair28.js
- pair29.js
- pair2.js
- pair30.js
- pair31.js
- pair32.js
- pair33.js
- pair34.js
- pair35.js
- pair36.js
- pair37.js
- pair38.js
- pair39.js
- pair3.js
- pair40.js

- pair41.js
- pair42.js
- pair43.js
- pair44.js
- pair45.js
- pair46.js
- pair47.js
- pair48.js
- pair49.js
- pair4.js
- pair50.js
- pair51.js
- pair52.js
- pair53.js
- pair54.js
- pair55.js
- pair56.js
- pair57.js
- pair58.js
- pair59.js
- pair5.js
- pair60.js
- pair61.js
- pair62.js
- pair63.js
- pair64.js
- pair65.js
- pair66.js
- pair67.js
- pair68.js
- pair69.js
- pair6.js
- pair70.js
- pair71.js
- pair72.js
- pair73.js
- pair74.js
- pair75.js

- pair76.js
- pair77.js
- pair78.js
- pair79.js
- pair7.js
- pair80.js
- pair81.js
- pair82.js
- pair83.js
- pair84.js
- pair85.js
- pair86.js
- pair87.js
- pair88.js
- pair89.js
- pair8.js
- pair90.js
- pair91.js
- pair92.js
- pair93.js
- pair94.js
- pair95.js
- pair96.js
- pair97.js
- pair98.js
- pair99.js
- pair9.js
- pairs.js
- panels.js
- parentdata.js
- phrase.js
- placeholder.js
- popupf.js
- popup.js
- projectdata.js
- related.js
- report_information.js
- resource_xml.js

- rh.min.js
- rrSolution.js
- screendata.js
- scripts.js
- search0.js
- search1.js
- search1s.js
- search2s.js
- search3s.js
- search4s.js
- search5s.js
- search6s.js
- search7s.js
- searchAuto_Index.js
- searchAuto_Map_0.js
- searchAuto_Model_0.js
- searchAuto_Model_1.js
- searchAuto_Model_2.js
- searchAuto_Model_3.js
- searchfield.js
- search.js
- settings.js
- showhidecontrols.js
- strutils.js
- subject_information.js
- switch.js
- synonym_xml.js
- tabpanels1.js
- tabpanels2.js
- tabpanels3.js
- tabpanels4.js
- tabpanels5.js
- tabpanels6.js
- tabpanels7.js
- tabpanels.js
- tabs.js
- title.js
- toc10.js

- toc10.new.js
- toc11.js
- toc11.new.js
- toc12.js
- toc12.new.js
- toc13.js
- toc13.new.js
- toc14.js
- toc14.new.js
- toc15.js
- toc15.new.js
- toc16.js
- toc16.new.js
- toc17.js
- toc17.new.js
- toc1.js
- toc1.new.js
- toc2.js
- toc2.new.js
- toc3.js
- toc3.new.js
- toc4.js
- toc4.new.js
- toc5.js
- toc5.new.js
- toc6.js
- toc6.new.js
- toc7.js
- toc7.new.js
- toc8.js
- toc8.new.js
- toc9.js
- toc9.new.js
- tocdrilldown.js
- tocdrilldownloader1.js
- tocdrilldownloader.js
- toc.js
- toc.new.js

- toctree.js
- toctreeloader1.js
- toctreeloader2.js
- toctreeloader3.js
- toctreeloader4.js
- toctreeloader5.js
- toctreeloader.js
- topic.min.js
- topics.js
- topictable_0_xml.js
- topictable_1_xml.js
- topictable_2_xml.js
- topictableindex_xml.js
- towwhdir.js
- User_Admn_RegRep_Attr.js
- User_Admn_Securelane_Param.js
- usersettings.js
- usr-constant.js
- usr_subject_alt_name.js
- usr_subject_email.js
- usr_subject_form_of_id.js
- usr_subject_info_address.js
- usr_subject_info_phone.js
- usr_subject_relFinInst.js
- usr_subject_website_account.js
- usr_suspicious_activity_information.js
- usr-utility.js
- usr_xsd_validation.js
- ussar_ackFileBrowser.js
- ussar_CreateNewReport.js
- ussar_DocAttach.js
- ussar_Document.js
- ussar_FileRegRep.js
- ussar_ReportDetails.js
- ussar_SearchList.js
- ussar_webservice.js
- utils.js
- whbrs_xml.js

- whcshdata.js
- whcsh_xml.js
- whfhost.js
- whform.js
- whframes.js
- whfts_xml.js
- whgdata.js
- whghost.js
- whglo.js
- whglo_xml.js
- whhhost.js
- whidata.js
- whidx.js
- whidx_xml.js
- whihost.js
- whlang.js
- whlang_nc.js
- whmozemu.js
- whmsg.js
- whmsg_nc.js
- whphost.js
- whproj.js
- whproj_xml.js
- whproxy.js
- whproxy_nc.js
- whres_xml.js
- whstart.js
- whstub.js
- whtagdata.js
- whtbar.js
- whtdata0_xml.js
- whtdata.js
- whthost.js
- whtoc.js
- whtoc_xml.js
- whtopic.js
- whtopic_nc.js
- whutils.js

- whutils_nc.js
- whver.js
- whver_nc.js
- window.js
- wwHPagef.js
- XmlJsReader.js
- xmlreadhelper.js
- book-config.js
- localeElements.js
- ojtranslations.js
- require.js
- timezoneData.js
- translations.js
- JSP
 - configUpload.jsp
 - CRRDemo.jsp
 - CRRFrameWorkBaseFormWM.jsp
 - CRRTargetIngest.jsp
 - PopupAlert.jsp
 - RR_CreateNew.jsp
 - RR_Details.jsp
 - rrMessagesConstant.jsp
 - RR_TabDetails.jsp
- HTML
 - aai-crr.html
 - ackFileBrowser.html
 - audit.html
 - CASTR_complete_action_AccHolderSubTab.html
 - CASTR_complete_action_BeneficiarySubTab.html
 - CASTR_complete_action_SrcFndSubTab.html
 - CASTR_Completion_Action.html
 - CASTR_Context.html
 - castrCreateNewReport.html
 - CASTR_Details_Of_Suspicion.html
 - CASTR_FileRegRep.html
 - CASTR_General_Info.html
 - CASTR_SearchList.html
 - CASTR_starting_action_AccHolderSubTab.html

- CASTR_starting_action_ConductorInfoSubTab.html
- CASTR_Starting_Action.html
- CASTR_starting_action_OBISubTab.html
- CASTR_starting_action_SrcFndSubTab.html
- CASTR_transaction_information.html
- close.html
- crrFileBrowser.html
- filing_institution.html
- financial_institution_activity_occured.html
- goaml_audit.html
- goaml_CreateNewReport.html
- goaml_director_details.html
- goaml_DocAttach.html
- goaml_Document.html
- goaml_involved_account_AccountDetailsSubTab.html
- goaml_involved_account_AccountEntityOwnerSubTab.html
- goaml_involved_account.html
- goaml_involved_account_SigntryAddnlInfoSubTab.html
- goaml_involved_account_SigntrySubTab.html
- goaml_involved_entity_details_SubTab.html
- goaml_involved_entity.html
- goaml_involvedParty.html
- goaml_involved_person_AddnlInfoSubTab.html
- goaml_involved_person_detailsSubTab.html
- goaml_involved_person.html
- goaml_narrative.html
- goaml_PEP_Additional_information.html
- goaml_ReportDetails.html
- goaml_reporting_entity_information.html
- goaml_SearchList.html
- goaml_signatory_address.html
- goaml_signatory_employer.html
- goaml_signatory_identification.html
- goaml_signatory_phone.html
- goaml_transaction_information.html
- index.html
- narrative.html
- ofsrr_2.4_bstr_user_guide_about_this_guide.1.1.html

- [ofsrr_2.4_bstr_user_guide_about_this_guide.1.2.html](#)
- [ofsrr_2.4_bstr_user_guide_about_this_guide.1.3.html](#)
- [ofsrr_2.4_bstr_user_guide_about_this_guide.1.4.html](#)
- [ofsrr_2.4_bstr_user_guide_about_this_guide.1.5.html](#)
- [ofsrr_2.4_bstr_user_guide_chap1.2.1.html](#)
- [ofsrr_2.4_bstr_user_guide_chap1.2.2.html](#)
- [ofsrr_2.4_bstr_user_guide_chap1.2.3.html](#)
- [ofsrr_2.4_bstr_user_guide_chap2.3.1.html](#)
- [ofsrr_2.4_bstr_user_guide_chap2.3.2.html](#)
- [ofsrr_2.4_bstr_user_guide_chap2.3.3.html](#)
- [ofsrr_2.4_bstr_user_guide_chap2.3.4.html](#)
- [ofsrr_2.4_bstr_user_guide_chap2.3.5.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.10.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.11.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.12.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.13.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.14.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.15.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.16.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.17.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.18.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.19.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.1.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.20.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.21.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.22.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.23.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.24.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.25.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.26.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.27.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.28.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.29.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.2.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.30.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.31.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.32.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.33.html](#)

- [ofsrr_2.4_bstr_user_guide_chap3.4.34.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.35.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.36.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.37.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.38.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.39.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.3.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.40.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.41.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.42.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.43.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.44.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.45.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.46.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.47.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.48.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.49.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.4.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.50.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.51.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.52.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.5.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.6.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.7.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.8.html](#)
- [ofsrr_2.4_bstr_user_guide_chap3.4.9.html](#)
- [ofsrr_2.5.1_kystr_user_guide_about_this_guide.1.1.html](#)
- [ofsrr_2.5.1_kystr_user_guide_about_this_guide.1.2.html](#)
- [ofsrr_2.5.1_kystr_user_guide_about_this_guide.1.3.html](#)
- [ofsrr_2.5.1_kystr_user_guide_about_this_guide.1.4.html](#)
- [ofsrr_2.5.1_kystr_user_guide_about_this_guide.1.5.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap1.2.1.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap1.2.2.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap1.2.3.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap2.3.1.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap2.3.2.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap2.3.3.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap2.3.4.html](#)

- [ofsrr_2.5.1_kystr_user_guide_chap2.3.5.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.10.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.11.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.12.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.13.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.14.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.15.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.16.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.17.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.18.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.19.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.1.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.20.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.21.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.22.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.23.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.24.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.25.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.26.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.27.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.28.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.29.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.2.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.30.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.31.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.32.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.33.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.34.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.35.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.36.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.37.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.38.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.39.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.3.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.40.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.41.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.42.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.43.html](#)

- [ofsrr_2.5.1_kystr_user_guide_chap3.4.44.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.45.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.46.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.47.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.48.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.49.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.4.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.50.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.5.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.6.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.7.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.8.html](#)
- [ofsrr_2.5.1_kystr_user_guide_chap3.4.9.html](#)
- [ofsrr_2.5_egstr_user_guide_about_this_guide.1.1.html](#)
- [ofsrr_2.5_egstr_user_guide_about_this_guide.1.2.html](#)
- [ofsrr_2.5_egstr_user_guide_about_this_guide.1.3.html](#)
- [ofsrr_2.5_egstr_user_guide_about_this_guide.1.4.html](#)
- [ofsrr_2.5_egstr_user_guide_about_this_guide.1.5.html](#)
- [ofsrr_2.5_egstr_user_guide_chap1.2.1.html](#)
- [ofsrr_2.5_egstr_user_guide_chap1.2.2.html](#)
- [ofsrr_2.5_egstr_user_guide_chap1.2.3.html](#)
- [ofsrr_2.5_egstr_user_guide_chap2.3.1.html](#)
- [ofsrr_2.5_egstr_user_guide_chap2.3.2.html](#)
- [ofsrr_2.5_egstr_user_guide_chap2.3.3.html](#)
- [ofsrr_2.5_egstr_user_guide_chap2.3.4.html](#)
- [ofsrr_2.5_egstr_user_guide_chap2.3.5.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.10.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.11.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.12.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.13.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.14.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.15.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.16.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.17.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.18.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.19.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.1.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.20.html](#)

- [ofsrr_2.5_egstr_user_guide_chap3.4.21.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.22.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.23.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.24.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.25.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.26.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.27.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.28.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.29.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.2.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.30.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.31.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.32.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.33.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.34.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.35.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.36.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.37.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.38.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.39.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.3.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.40.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.41.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.42.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.4.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.5.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.6.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.7.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.8.html](#)
- [ofsrr_2.5_egstr_user_guide_chap3.4.9.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_1about_RRS.2.1.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_1about_RRS.2.2.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_1about_RRS.2.3.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.10.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.11.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.12.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.13.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.14.html](#)

- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.1.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.2.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.3.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.4.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.5.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.6.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.7.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.8.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.5.9.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.1.1.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.1.2.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.1.3.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.1.4.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.1.5.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.10.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.11.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.12.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.13.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.14.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.15.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.16.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.17.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.18.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.1.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.2.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.3.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.4.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.5.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.6.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.7.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.8.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap2.3.9.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.10.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.11.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.12.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.13.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.14.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.15.html](#)

- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.16.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.17.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.18.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.19.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.1.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.20.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.21.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.22.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.23.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.24.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.25.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.26.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.27.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.28.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.29.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.2.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.30.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.31.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.32.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.33.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.34.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.35.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.36.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.37.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.38.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.39.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.3.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.40.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.41.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.42.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.43.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.44.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.45.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.46.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.47.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.48.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.49.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.4.html](#)

- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.50.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.51.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.52.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.53.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.54.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.55.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.56.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.57.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.58.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.59.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.5.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.60.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.61.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.62.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.63.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.64.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.65.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.66.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.67.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.68.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.69.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.6.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.70.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.71.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.72.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.73.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.74.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.75.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.76.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.77.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.7.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.8.html](#)
- [ofsrr_us_sardi_user_guide_2.5.1_chap3.4.9.html](#)
- [report_information.html](#)
- [SearchandList.html](#)
- [Stationary_index.html](#)
- [subject_information.html](#)
- [User_Admn_RegRep_Attr.html](#)

- User_Admn_Securelane_Param.html
- usr_subject_alt_name.html
- usr_subject_email.html
- usr_subject_form_of_id.html
- usr_subject_info_address.html
- usr_subject_info_phone.html
- usr_subject_relFinInst.html
- usr_subject_website_account.html
- usr_suspicious_activity_information.html
- usr_xsd_validation.html
- ussar_ackFileBrowser.html
- ussar_CreateNewReport.html
- ussar_DocAttach.html
- ussar_Document.html
- ussar_FileRegRep.html
- ussar_ReportDetails.html
- ussar_SearchList.html
- ussar_webservice.html
- CSS
 - book.css
 - crr-icons.css
 - CRRLandingPage.css
 - default.css
 - file_regulatory_reports.css
 - form-elements.css
 - grid.css
 - id_str_css.css
 - jquery-ui.css
 - jqueryui-custom.css
 - layout.css
 - layoutfix.min.css
 - layout.min.css
 - main_.css
 - main.css
 - modal.css
 - newwave_crr.css
 - NextGen1.css
 - NextGen.css

- ofsaa.css
- ofsrr_2.4_bstr_user_guide_about_this_guide.css
- ofsrr_2.4_bstr_user_guide_chap1.css
- ofsrr_2.4_bstr_user_guide_chap2.css
- ofsrr_2.4_bstr_user_guide_chap3.css
- ofsrr_2.5.1_kystr_user_guide_about_this_guide.css
- ofsrr_2.5.1_kystr_user_guide_chap1.css
- ofsrr_2.5.1_kystr_user_guide_chap2.css
- ofsrr_2.5.1_kystr_user_guide_chap3.css
- ofsrr_2.5.2_bdrwugstr_user_guide_about_this_guide.backup.css
- ofsrr_2.5.2_bdrwugstr_user_guide_about_this_guide.css
- ofsrr_2.5.2_bdrwugstr_user_guide_chap1.css
- ofsrr_2.5.2_bdrwugstr_user_guide_chap2.css
- ofsrr_2.5.2_bdrwugstr_user_guide_chap3.css
- ofsrr_2.5.4_bdrwugstr_user_guide_chap3.css
- ofsrr_2.5.6_castr_user_guide_chap4.css
- ofsrr_2.5_egstr_user_guide_about_this_guide.css
- ofsrr_2.5_egstr_user_guide_chap1.css
- ofsrr_2.5_egstr_user_guide_chap2.css
- ofsrr_2.5_egstr_user_guide_chap3.css
- ofsrr_8.0.4_rustr_user_guide_cover.css
- ofsrr_8.0.5_instr_user_guide_chap3.css
- ofsrr_8_0_5_instr_user_guide_chap4.css
- ofsrr_us_sardi_user_guide_2.5.1_1about_RRS.css
- ofsrr_us_sardi_user_guide_2.5.1_4file_regulatory_reports.css
- ofsrr_us_sardi_user_guide_2.5.1_about_this_guide.css
- ofsrr_us_sardi_user_guide_2.5.1_chap2.css
- ofsrr_us_sardi_user_guide_2.5.1_chap3.css
- Redwood03052021.css
- SearchForm.css
- searchList.css
- style.css
- stylesheet.css
- topic.min.css
- webworks.css
- widgets.min.css
- Properties Files
 - CRRRestCALL.properties

- publication.properties
- Excel Files
 - DIM_AMNT_UNKNOWN_TL.xlsx
 - DIM_BRANCH_ROLE_TL.xlsx
 - DIM_COMMUNICATION_TYPE_TL.xlsx
 - DIM_DOMAIN1_TL.xlsx
 - DIM_DOMAIN2_TL.xlsx
 - DIM_DOMAIN3_TL.xlsx
 - DIM_DOMAIN4_TL.xlsx
 - DIM_DOMAIN5_TL.xlsx
 - DIM_EXTRNL_USERS_LIST.xlsx
 - DIM_FED_REGULATOR_TL.xlsx
 - DIM_FILING_INST_TL.xlsx
 - DIM_FILING_INST.xlsx
 - DIM_FILING_TYPE_TL.xlsx
 - DIM_FINANCIAL_INST_TYPE_TL.xlsx
 - DIM_FININST_ID_TYPE_TL.xlsx
 - DIM_FININST_ROLE_TL.xlsx
 - DIM_GAMING_INST_TL.xlsx
 - DIM_GENDER_TL.xlsx
 - DIM_INSIDER_RELN_TYPE_TL.xlsx
 - DIM_NAICS_CODE_TL.xlsx
 - DIM_RELN_FININST_TL.xlsx
 - DIM_ROLE_TL.xlsx
 - DIM_SEC_FUT_INST_TL.xlsx
 - DIM_STATES_TL.xlsx
 - DIM_SUSPECT_ID_TYPE_TL.xlsx
 - DIM_SUS_ROLE_TL.xlsx
 - DIM_TIN_TYPE_TL.xlsx
 - DIM_TRXN_LOC_INFO_TL.xlsx
 - FCT_BRANCH_INFO_TL.xlsx
 - FCT_FININST_INFO_TL.xlsx
 - FCT_TRANSMITTER_INFO_TL.xlsx
 - DIM_REPORTING_PERSON_TL.xlsx
- Batch Files
 - CRRExternalUserManagement.sh
 - InitiateFeedbackBatch.sh
 - install.sh

- TransferAckToCloudMask.sh
- TransferAckToSecurelane.sh
- TransferEfileToCloudMask.sh
- TransferEfileToSecurelane.sh
- TransferMSGToSecurelane.sh

Note

- Take a backup of above mentioned files as a precautionary measure.
- If any customizations done to these files, they need to be re-applied.

A.2 Database Files

The list of updated/added files that impact the database is as follows:

- Config Schema
 - USSAR_FFW_812.sql
 - RR_Sec_Lane_Params.sql
 - RR_EG_ViewRepP.sql
 - RR_EG_ViewRepG.sql
 - PLC_FN_JIT_CRR_SYNCH_ADHOC_BATCH.sql
 - PLC_CRRPURGE.sql
 - MESSAGES_EN_US_OJET_GOAML.sql
 - MESSAGES_EN_US_OJET_CASTR.sql
 - MESSAGES_EN_US.SQL
 - INSERT_INFODOM_PATCHES.sql
 - EXCEL_MAPPING_MASTER_LP.sql
 - EXCEL_MAPPING_MASTER_8128.sql
 - DB_Install.xml CRR_USSAR_PMF.sql
 - CRR_EG_TAB6_INVLPRTY.sql
 - CRR_EG_TAB6_ENTITY_60_62.sql
 - CRR_EG_TAB5_8128.sql
 - CRR_EG_TAB4_ENTITY44.sql
 - CRR_EG_TAB4_ENTITY43.sql
 - CRR_EG_TAB4_ENTITY42_81280.sql
 - CRR_EG_TAB4_ENTITY40_81280.sql
 - CRR_EG_TAB4_ENTITY40.sql
 - CRR_EG_TAB4_ENTITY30_81280.sql
 - CRR_EG_TAB4_ENTITY30.sql

- CRR_EG_TAB4_ENTITY24_81280.sql
- CRR_EG_TAB4_ENTITY23_81280.sql
- CRR_EG_TAB4_ENTITY16_81280.sql
- CRR_EG_TAB1_ENTITY7.sql
- CRR_EG_PMFActApr.sql
- CRR_EG_ListG.sql
- CRR_EG_AutoDirAddG.sql
- CRR_EG_AutoDirAdd.sql
- CRR_EG_ActBtn.sql
- AAI_PROV_JIT_RRS.sql
- 37037279_MESSAGES_EN_US.sql
- 36620743_MESSAGES_EN_US.sql
- 35961988_MESSAGES_EN_US.SQL
- 34802661_MESSAGES_EN_US.sql
- 32787387_MESSAGES_EN_US_8111.sql
- 28398616_MESSAGES_EN_US.SQL 81210_PMF_WORKFLOW.sql
- 8128_OJET_FFW.sql
- 8127_MESSAGES_EN_US_GOAML.sql
- 8126_OJET_OldScreen_Removal.sql
- 8126_OJET_FFW.sql
- 8122_OJET_FFW.sql
- Menu_611.sql
- FrmCRRVadFormDtls.sql
- FrmCRRVadDtls.sql
- FrmCRRSrcTrg.sql
- FrmCRRSrcData.sql
- FrmCRRSRCAtrr.sql
- FrmCRROutputEntities.sql
- FrmCRROutputData.sql
- FrmCRROutputAttr.sql
- FrmCRREntJoin.sql
- FrmCRREntDtls.sql
- FrmCRRConfigHDRG.sql
- FrmCRRConfig_OPR.sql
- FrmCRRConfig.sql
- FrmCRRCompTypeData.sql
- FrmCRRAckw.sql
- FrmAckG.sql

- FrmAckDtIsG.sql
- FrmAck_OPR.sql
- Application Scripts
 - CRR_PreInstallation_Script_81210.sql
 - CRR_PostInstallation_Script_81210.sql
 - USSAR_LP_Script.sql
 - SRC_TARGET_CONFIG_GOAML_NGECM.sql
 - SETUP_CRR_ACK_PATTERN.sql
 - OFSAACMPRR-12883.sql
 - OFSAACMPRR-11669.sql
 - GOAML_LP_Script.sql
 - FCT_CRR_VAD_FORMS_HIER_GOAMLSTR_81280.sql
 - FCT_CRR_VAD_FORMS_HIER_GOAMLSTR.sql
 - FCT_CRR_VAD_DTLS_GOAMLSTR_8128.sql
 - FCT_CRR_VAD_DTLS_GOAMLSTR.sql
 - FCT_CRR_CODE_SET_TRNLN_TL.sql
 - FCT_CRR_CODE_SET_TRNLN_B.sql
 - FCC_CRR_UIB_STDCONFIG.sql
 - FCC_CRR_UIB_FODEFN.sql
 - FCC_CRR_UIB_ENTITY.sql
 - FCC_CRR_UIB_ATTRIBUTE.sql
 - DIM_SUSPECT_ID_TYPE.sql
 - DIM_SUS_ACTIVITY.sql
 - DIM_RR_ACTION.sql
 - DIM_NAICS_CODE_2887.sql
 - DIM_NAICS_CODE.sql
 - DIM_FILING_TYPE.sql
 - DIM_CRRF_DOCTYPE.sql
 - DIM_CRR_SRC_APP.sql
 - DIM_CRR_REF_DETAIL.sql
 - DIM_CRR_DIMENSION_VALS.sql
 - DIM_CRR_DIMENSION_SETS.sql
 - CRRF_TEMP_DATACOPY.sql
 - CRRF_TEMP_DATA.sql
 - CASTR_LP_Script.sql
 - APPLN_PARAMS_8124.sql
 - APPLN_PARAMETERS_8122.sql
 - APPLN_PARAMETERS.SQL

- 36449728_SRC_TARGET_CONFIG_GOAML_NGECM.sql
- 36449728_DIM_CRRF_SUBENTITY.sql
- 28398603_PSDM.sql
- 81283_MAP_USERROLE_ACTIONCD.sql
- 81280_MAP_USERROLE_ACTIONCD.sql
- 81271_APPLN_PARAMETERS.sql
- 81270_DIM_RR_ACTION.sql
- 81260_MAP_USERROLE_ACTIONCD.sql
- 81260_FCT_CRR_OUT_ATTRIBUTE.sql
- 81254_DIM_RR_ACTION.sql
- 81210_MAP_USERROLE_ACTIONCD.sql
- 81210_MAP_TIN_TYPE_REPTYPE.sql
- 81210_MAP_SUS_ROLE_REPTYPE.sql
- 81210_MAP_GENDER_REPTYPE.sql
- 81210_MAP_COMM_TYPE_REPTYPE.sql
- 81210_DIM_RR_ACTION.sql
- 8129_APPLN_PARAMETERS.sql
- 8128_GOAML_INITIALIZE.sql
- 8128_GOAML_FCT_CRR_TRG_SRC_TRG_MAP.sql
- 8128_GOAML_FCT_CRR_OUT_DATA_FORMAT.sql
- 8128_APPLN_PARAMETERS.sql
- 8121_APPLN_PARAMETERS.sql
- 4244_APPLN_PARAMETERS.sql
- Functions
 - fn_purge_crr.sql
 - FN_USSAR_REL_FININST.sql
 - fn_seqid_info.sql
 - FN_JIT_CRR_SYNCH_ADHOC_BATCH.sql
 - FN_GOAML_GET_PARTY_ROLE.sql
 - fn_in_string_list.sql
- Procedures
 - CRR_PURGE_TABLE_SCRIPT.sql
 - p_crr_compare_tables.sql
 - P_JIT_CRR_SYNCH_ADHOC_BATCH.sql
 - P_FCC_OFS_CRR_JIT_SEC_MAP.sql
 - PR_COPYCONFIGURATION.sql
- Packages
 - pkg_sardi_addnewrep_body.sql

- pkg_sardi_addnewrep.sql
- PKG_RRSTD_SAVE_BODY.sql
- PKG_RRSTD_SAVE.sql
- pkg_rrsardi_save_body.sql
- pkg_rrsardi_save.sql
- pkg_rrsardi_del_body.sql
- pkg_rrsardi_del.sql
- PKG_RRRUS_SAVE_BODY.sql
- PKG_RRRUS_SAVE.sql
- PKG_RRIN_SAVE_BODY.sql
- PKG_RRIN_SAVE.sql
- PKG_RRCA_TRANSINFO_BODY.sql
- PKG_RRCA_TRANSINFO.sql
- PKG_RRCA_STARTACT_BODY.sql
- PKG_RRCA_STARTACT.sql
- PKG_RRCA_SAVE_BODY.sql
- PKG_RRCA_SAVE.sql
- pkg_rrca_revised_report_body.sql
- pkg_rrca_revised_report.sql
- PKG_RRCA_GENINFO_BODY.sql
- PKG_RRCA_GENINFO.sql
- PKG_RRCA_DETOFSUSP_BODY.sql
- PKG_RRCA_DETOFSUSP.sql
- PKG_RRCA_DEL_BODY.sql
- PKG_RRCA_DEL.sql
- PKG_RRCA_COMPLETEACT_BODY.sql
- PKG_RRCA_COMPLETEACT.sql
- pkg_rr_goaml_report_entity_body.sql
- pkg_rr_goaml_report_entity.sql
- PKG_RR_GOAML_REPORT_ACTION_BODY.sql
- PKG_RR_GOAML_REPORT_ACTION.sql
- PKG_RR_GOAML_INVLVD_PERSON_DTLS_BODY.sql
- PKG_RR_GOAML_INVLVD_PERSON_DTLS.sql
- PKG_RR_GOAML_INVLVD_ACCNT_DTLS_BODY.sql
- PKG_RR_GOAML_INVLVD_ACCNT_DTLS.sql
- PKG_GOAML_TXN_SAVE_BODY.sql
- PKG_GOAML_TXN_SAVE.sql
- PKG_CRR_PURGE_BODY.sql

- PKG_CRR_PURGE.sql
- PKG_CA_ADDNEWREP_BODY.sql
- PKG_CA_ADDNEWREP.sql
- PKG_AUTO_SPLIT_ORG_BODY.sql
- PKG_AUTO_SPLIT_ORG.sql
- Table Scripts
 - MAP_FININST_INFO_PE.sql
 - MAP_BRANCH_INFO_PE.sql
 - MAP_ADDITIONAL_ACTVTY_INFO_PE.sql
 - KDD_GTT_CRR_PURGE.sql
 - GTT_USSAR_INFO.sql
 - GTT_CRR_TRXN_INFO.sql
 - GTT_CASTR_INFO.sql
 - FCT_URL_PE.sql
 - FCT_TRANSACTION_PE.sql
 - FCT_SUSPECT_INFO_PE.sql
 - FCT_SUS_ACTIVITY_PE.sql
 - FCT_RR_XSD_VLDTN_DTLS_PE.sql
 - FCT_REPORT_ACTIONS_PE.sql
 - FCT_RELN_FININST_PE.sql
 - FCT_REGULATORY_REPORT_PE.sql
 - FCT_PHONE_PE.sql FCT_PERSON_PE.sql
 - FCT_IDENTIFICATION_PE.sql
 - FCT_EMAIL_PE.sql
 - FCT_EFILE_PE.sql
 - FCT_COMMENTS_PE.sql
 - FCT_ALTERNATE_NAME_PE.sql
 - FCT_ADDRESS_PE.sql
 - FCT_ACCOUNT_PE.sql
 - CRR_PURGE_TABLE_SCRIPT.sql
- Views
 - VW_GOAML_ACCT_NMBR.sql
 - VW_GOAML_SUBJECT_NMS.sql
 - VW_GOAML_SUBJECT_LIST.sql
 - vw_fct_efile_ack.sql
 - 36449728_vw_dim_identification_type.sql

Note

- Take a backup of Atomic and Config Schema as a precautionary measure.
- Take a backup of above mentioned files. If any customizations done to these files, they need to be re- applied.

A.3 Build related files

The list of build-related files is as follows:

- web.append.xml
- merge_Menu.xsl
- merge_Persistence.xsl
- merge_web.xsl
- merge_wsdd.xsl

Note

- Take a backup of above mentioned files as a precautionary measure.
- If any customizations done to these files, they need to be re-applied.

B

Technology Stack Qualification Matrix FCCM 8.1.2.12.0

This appendix describes the technology stack qualification with FCCM 8.1.2.12.0.

Table B-1 Technology Stack Qualification Matrix FCCM 8.1.2.12.0

Application Pack	OFSA Version	OS Version	Oracle Database/ Client Version	Java Version	Webserver Version	HTTP/ HTTP2
CRR 8.1.2.12	8.1.2.6.0	Linux 8, Linux 9	- Oracle 19c - Oracle 23.26	Java 8	- WebLogic c 12.x - WebLogic c 14.1.1 - WebLogic c 14.1.2 - Tomcat 9 - WebSphere 9	HTTP
				Java 11	- WebLogic c 12.x - WebLogic c 14.1.1 - WebLogic c 14.1.2 - Tomcat 9 - WebSphere 9	HTTP2 (WIP)
				Java 17	- WebLogic c 14.1.2 - WebLogic c 15.1.1 - Tomcat 9	HTTP2 (WIP)

Note

The Solaris operating system and the WebSphere web server are not supported with CRR 8.1.2.12.0.