

# Oracle® FCCM Transaction Monitoring Cloud Service

## User Roles and Privileges



Release 25.08.01

G40166-01

August 2025

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 1994, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## About This Content

---

Audience	i
Help	ii
Documentation Accessibility	ii
Diversity and Inclusion	ii
Related Resources	ii
Conventions	ii
Comments and Suggestions	iii

## 1 User Roles and Privileges

---

1.1 About User Access Mapping	1
1.2 Role-Based Access Control	2

## 2 User Group and Roles Mapping

---

## 3 Using Transaction Monitoring Documentation

---

# About This Content

This guide helps you to prepare, upload, and load data into the application staging tables.

## Audience

This guide is intended for data administrators who prepare, upload, and load data into the application staging tables.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Resources

See these Oracle resources:

- [FCCM Cloud Services Documentation](#)

## Conventions


The following text conventions are used in this document.

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Audience

This document is intended for users who are responsible for provisioning and activating Oracle FCCM Cloud Service or for adding other users who would manage the services, or for users who want to develop Oracle Cloud applications.

## Help

Use Help Icon  to access help in the application. If you don't see any help icons on your page, click your user image or name in the global header and select Show Help Icons. Not all pages have help icons. You can also access the <https://docs.oracle.com/en/> to find guides and videos.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

## Related Resources

For more information, see these Oracle resources:

- Oracle Public Cloud: <http://cloud.oracle.com>
- Community: Use <https://community.oracle.com/customerconnect/> to get information from experts at Oracle, the partner community, and other users.
- Training: Take courses on Oracle Cloud from <https://education.oracle.com/oracle-cloud-learning-subscriptions>.

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.

---

Convention	Meaning
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

---

## Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send an e-mail to: <https://support.oracle.com/portal/>.


# 1

## User Roles and Privileges

In Oracle Financial Services Crime and Compliance Management Cloud Service, users have roles through which they gain access to functions and data.

Users can have any number of roles. The following figure shows the User Persona Details:

**Figure 1-1 FCCM Cloud Service Users**



**Note**

User-Group mapping changes from Identity Access Management will take time to sync with application. If these changes are made during an active user session then it will be reflected on next login.

### 1.1 About User Access Mapping

In order to allow users to access functions in the application, Administrators must classify users and the functions they are permitted to access.

The Functions imply controlling various actionable units in the application via functional access. For example, create a case, add a customer, add an account, and so on. Users are mapped to groups, which must be mapped to specific security attributes, such as Business Domain and Jurisdiction. Groups are mapped to Roles, and Roles are mapped to Functions. Users can perform activities associated with their user group throughout the functional areas of the application. Before mapping security attributes, you must complete the following:

1. [Create users.](#)
2. [Map users to user groups.](#)
3. [Create business domains.](#)
4. [Create jurisdictions.](#)
5. [Map user groups to security attributes.](#)

### Security within the Application

Security layers control how you interact with the application. Users may only access cases that are mapped to their user group. For more information about mapping users to user groups, see [Provision Users.](#)

**Table 1-1 Security Details within the Application**

Security Layer Type	Controls	Description
Roles	Access to Features and Functions	This security layer identifies features and functions the user can access within the application. For example, Case Analysts can access and take action on cases.
Business Domains	Access to Case and Business Information	You can restrict access along operational business lines and practices, such as Retail Banking. Users can only see cases that are assigned to at least one of the business domains their user group is mapped to. For more information about Business Domains, see <a href="#">Business Domains.</a>
Jurisdictions	Access to Case Information	You can restrict access using geographic locations or legal boundaries. Users can only see cases that belong to the jurisdiction their user group is mapped to. For more information about Jurisdictions, see <a href="#">Jurisdictions.</a>

## 1.2 Role-Based Access Control

Role-based security in Oracle Financial Services Crime and Compliance Management Cloud Service controls who can do what on which data.

Role-based access allows you to configure the following:

- **Who:** The role assigned to a user.
- **What:** The functions that users with the role can perform.
- **Which Data:** The set of data that users with the role can access when performing the function.
- Data Administrators can perform Data Preparation and Ingestion using Business data
- Case Analysts can view cases using Business and Operational data



# 2

## User Group and Roles Mapping

This section provides the User Group, User Role mapping, and activities for Oracle FCCM Transaction Monitoring Cloud Service.

### User Group and Roles Mapping in Oracle FCCM Cloud Service

This table shows the User Groups and Roles required for activation of Oracle FCCM Cloud Service.

**Table 2-1 User Group and Roles Mapping in Oracle FCCM Cloud Service**

Group	User Role	Functions
Identity Administrator	Identity Administrator	<ul style="list-style-type: none"><li>View reports</li><li>View the object storage</li><li>View the OAUTH credentials</li><li>Perform Identity and Access Management operations</li></ul>
Identity Authorizer	Identity Authorizer	Authorize the Identity and access management operations .
DPADMN	Data Platform Administrator	View the Data Platform Menu and to configure the data platform UI for EDD, Connector and PMF.

### User Group and Roles Mapping in Transaction Monitoring Cloud Service

This table shows the User Groups and Roles required for Transaction Monitoring Cloud Service.

**Table 2-2 User Group and Roles Mapping in Transaction Monitoring Cloud Service**

Group	User Role	Functions
Pipeline Administrator Group	Pipeline Administrator	<ul style="list-style-type: none"><li>All Pipelines access: <b>Note:</b> This function provides access to the pipeline user interface and functionalities, but not the pipelines themselves.</li><li>Configure pipelines</li><li>Configure threshold sets</li><li>View reports</li></ul>
Data Maintenance Admin (DMIADMIN)	Canned Report Access (ENBCANNED)	View and access Reports for Download from the Admin Console.
Administrator Group	Pipeline Jurisdiction Mapping Maintainer Role	Pipeline Jurisdiction Access

**Table 2-2 (Cont.) User Group and Roles Mapping in Transaction Monitoring Cloud Service**

Group	User Role	Functions
Threshold Admin Group	Common Pipelines access	<ul style="list-style-type: none"> <li>Data API Pipeline Access</li> <li>Data Loading Pipeline Access</li> <li>Data Pipeline Pipeline Access</li> </ul>
Threshold Admin Group	Threshold Editor Admin Role	<ul style="list-style-type: none"> <li>AML access code</li> <li>FCC Common Function</li> <li>PIPELINE Common Function</li> <li>Threshold Editor/ Simulator Access Load watchlist data</li> </ul>
Threshold Admin Group	SCORING pipelines access role	Scoring Pipeline Access
Threshold Admin Group	SCENARIO pipelines access role	Scenario Pipeline Access
Threshold Admin Group	<ul style="list-style-type: none"> <li>Function Read Role</li> <li>Group Read Role</li> <li>Role Read Role</li> <li>User Read Role</li> </ul>	<ul style="list-style-type: none"> <li>Function Summary</li> <li>Function View</li> <li>Group Summary</li> <li>Group View</li> <li>Role Summary</li> <li>Role View</li> <li>User Summary</li> <li>User View</li> </ul>

**User Group and Roles Mapping for Case Management**

This table shows the User Groups and Roles required for Case Management.

**Table 2-3 User Group and Roles Mapping in Case Management**

Group	User Role	Functions
CM Analyst Group	CM Analyst	<ul style="list-style-type: none"> <li>Search for cases</li> <li>Investigate cases</li> <li>Set a case due date</li> <li>Recommend case closure</li> </ul>
CM Supervisor Group	CM Supervisor	<ul style="list-style-type: none"> <li>Map jurisdictions to pipelines</li> <li>Perform real-time screening</li> <li>Overwrite updates made by Analyst</li> <li>Promote to case</li> <li>Search for cases</li> <li>Investigate cases</li> <li>Set a case due date</li> <li>Approve or reject recommendations to close cases</li> <li>Close cases</li> </ul>

**Table 2-3 (Cont.) User Group and Roles Mapping in Case Management**

Group	User Role	Functions
CM Admin User Group	CM Admin Role	<ul style="list-style-type: none"> <li>• Action Mapping Save Button</li> <li>• Action Reason Mapping Add Button</li> <li>• Action Reason Mapping Edit Button</li> <li>• Action Reason Mapping Remove Button</li> <li>• Action Status Mapping</li> <li>• Admin Audit access</li> <li>• AML access code</li> <li>• Application Security Mapping</li> <li>• Business Domain</li> <li>• Business Domain Add Button</li> <li>• Business Domain Edit Button</li> <li>• Case Actions Add Button</li> <li>• Case Actions Edit Button</li> <li>• Case Priority Add Button</li> <li>• Case Priority Edit Button</li> <li>• Case Priority Remove Button</li> <li>• Case Rule Add Button</li> <li>• Case Rule Edit Button</li> <li>• Case Rule Remove Button</li> <li>• Case Rules</li> <li>• Case Status Add Button</li> <li>• Case Status Edit Button</li> <li>• Case System Parameter Edit Button</li> <li>• Case Type</li> <li>• Case Type Add Button</li> <li>• Case Type Edit Button</li> <li>• Cm access role</li> <li>• CM Admin Access</li> <li>• CM Admin Config Migration</li> <li>• CM Admin Export Config Migration</li> <li>• CM Admin Import Config Migration</li> <li>• FCC Common Function</li> <li>• Group Summary</li> <li>• Jurisdiction</li> <li>• Jurisdiction Add Button</li> <li>• Jurisdiction Edit Button</li> <li>• Security Mapping Save Button</li> <li>• System Parameters</li> <li>• Workflow CRUD API Access</li> <li>• Workflow Execute API Access</li> <li>• Workflow Read API Access</li> </ul>

**Table 2-3 (Cont.) User Group and Roles Mapping in Case Management**

Group	User Role	Functions
CM Admin User Group	Pipeline Jurisdiction Mapping Maintainer Role	Pipeline Jurisdiction Access
CM Admin User Group	SCORING pipelines access role	Scoring Pipeline Access
CM Admin User Group	Data pipelines access role	Data Pipeline Pipeline Access
CM Admin User Group	Canned Report Access	Enable Canned Report
CM Admin User Group	<ul style="list-style-type: none"> <li>• Workflow Access</li> <li>• Workflow Monitor Access</li> <li>• Workflow Read</li> <li>• Workflow Write</li> </ul>	<ul style="list-style-type: none"> <li>• Link Access to Workflow and Process Definitions</li> <li>• Summary Access to Workflow and Process Definitions</li> <li>• View Workflow and Process Monitor</li> <li>• Service Summary</li> <li>• Summary Access to Workflow and Process Definitions</li> <li>• View Workflow and Process Definitions</li> <li>• Workspace Summary</li> <li>• Add Workflow and Process Definitions</li> <li>• Delete Workflow and Process Definitions</li> <li>• Edit Workflow and Process Definitions</li> <li>• Service Summary</li> <li>• Workspace Summary</li> </ul>
CM Admin User Group	Tag Features	<ul style="list-style-type: none"> <li>• Function Summary</li> <li>• Tag</li> <li>• Tag Advance</li> </ul>
CM Admin User Group	<ul style="list-style-type: none"> <li>• Document Admin UI</li> <li>• Document Archival Role</li> <li>• Document Summary View</li> </ul>	<ul style="list-style-type: none"> <li>• Enable Doc Service Admin UI</li> <li>• Enable Doc Archival</li> <li>• Enable Doc Service Common UI</li> </ul>
CM Admin User Group	<ul style="list-style-type: none"> <li>• Function Read Role</li> <li>• Group Read Role</li> <li>• Role Read Role</li> <li>• User Read Role</li> </ul>	<ul style="list-style-type: none"> <li>• Function Summary</li> <li>• Function View</li> <li>• Group Summary</li> <li>• Group View</li> <li>• Role Summary</li> <li>• Role View</li> <li>• User Summary</li> <li>• User View</li> </ul>

**Table 2-4 User Roles in Case Investigation**

Privileges	Case Supervisor	Case Analyst
Access Cases	X	X
Search for Cases	X	X

Table 2-4 (Cont.) User Roles in Case Investigation

Privileges	Case Supervisor	Case Analyst
View Case List	X	X
View Dashboard	X	X
Edit Case Context	X	X
View Event Details	X	X
Set Event Decision	X	
Add/Delete/View Accounts	X	X
Add/ Delete /View Customers	X	X
Add/ Delete /View Transactions	X	X
Add/ Delete /View External Entities	X	X
View Related Case	X	X
View Related Events	X	X
Clear Due Date	X	X
Set Due Date	X	X
Set Case Owner	X	X
Set Case Assignee	X	X
Recommend Close without Regulatory Report		X
Recommend Close with Regulatory Report		X
Reject Recommendation	X	
Close a Case as False Positive	X	
Close a Case as True Positive	X	
View Evidence (Attachment and Comment list)	X	X
Add Document	X	X
Remove Document	X	X
View Attachments	X	X
Remove Attachments	X	X
Add Narrative	X	X
View Narrative	X	X
View Audit History	X	X
Add Investigation Comments	X	X
Own a Case	X	X
Generate CRR Reports	X	
Viewing Case Reports	X	X
Save Case Search Criteria of Report	X	X
Update Case Search Criteria of Report	X	X
Delete Case Search Criteria of Report	X	X
Export the Report in Excel	X	X

**Table 2-5 User Roles in Case Management Administrator**

Privileges	Case Admin
Access Cases	X
Add Case Status	X
Edit Case Status	X
Add Case Action	X
Edit Case Action	X
Mapping the Action to Status	X
Mapping the Action to Case Type	X
Mapping the Action to User Role	X
Configuring Case System Parameters	X
Add Business Domains	X
Edit Business Domains	X
Add Jurisdictions	X
Edit Jurisdictions	X
Add Case Types	X
Edit Case Types	X
Configuring Security Mappings	X

**User Group and Roles Mapping for Scheduler Service**

This table shows the User Groups and Roles required for Scheduler Service in Transaction Monitoring.

**Table 2-6 User Group and Roles Mapping for Scheduler Service**

Group	User Role	Functions
Job Administrator Group	Job Administrator	Manage jobs
Scheduler Administrator Group	Scheduler Administrator	Manage batches

**User Group and Roles Mapping for Process Modelling Framework (PMF)**

This table shows the User Groups and Roles required for Process Modelling Framework (PMF) in Transaction Monitoring.

**Table 2-7 User Group and Roles Mapping for Process Modelling Framework**

Group	User Role	Functions
CM Administrator Group	Manage Workflow Monitor	Access the Manage Workflow Monitor window

**Note**

The mapping of this role does not allow view, edit, and add actions

Table 2-7 (Cont.) User Group and Roles Mapping for Process Modelling Framework

Group	User Role	Functions
CM Administrator Group	Workflow Access	Access the Process Modeler menu from the Navigation Tree  <b>Note</b> The mapping of this role does not allow view, edit, and add actions
CM Administrator Group	Workflow Monitor Access	Access the Process Monitor window  <b>Note</b> The mapping of this role does not allow view, edit, and add actions
CM Administrator Group	Workflow Read	View the PMF workflow
CM Administrator Group	Workflow Write	Perform view, edit, and add actions in PMF

**Note**

Administrators must be mapped to all the roles described in the preceding table to allow them to perform these operations in PMF.

# 3

## Using Transaction Monitoring Documentation

Oracle FCCM Transaction Monitoring Cloud Service documentation helps you activate and use your subscription.

**Table 3-1 Transaction Monitoring Cloud Services Workflow**

Sequence	Action	Functions
1	<a href="#">Subscribe</a>	Activating Subscription
2	<a href="#">Provision Users</a>	<ul style="list-style-type: none"> <li>• Create users</li> <li>• User group and role mapping</li> </ul>
3	<a href="#">Load Customer Specific Data</a>	Upload required data files to Object Store
4	<a href="#">Application Security Mapping</a>	<ul style="list-style-type: none"> <li>• Business Domains</li> <li>• Jurisdiction</li> <li>• Mapping of Security Attributes</li> </ul>
5	<a href="#">Configure Transaction Monitoring Administration</a>	<ul style="list-style-type: none"> <li>• Copy Scoring Pipeline</li> <li>• Add thresholds for the new jurisdictions</li> <li>• Create jobs for new thresholds</li> <li>• Add this job to the applicable batch</li> <li>• Update Scoring Pipeline with new threshold</li> <li>• Execute the batch</li> </ul>
6	<a href="#">Configure Case Management Administration</a>	<ul style="list-style-type: none"> <li>• Configure Status and Actions</li> <li>• Configure Case Type</li> <li>• Map Case Actions to Status, Case Type, user roles</li> <li>• Configure PMF</li> <li>• Implement PMF using Case Types UI</li> </ul>
7	<a href="#">Batch Processing</a>	<ul style="list-style-type: none"> <li>• Data Preparation</li> <li>• Data Uploading</li> <li>• Data Processing</li> <li>• Execute Batches</li> </ul>
8	<a href="#">Investigating Cases</a>	<ul style="list-style-type: none"> <li>• Analyzing the case</li> <li>• Close the case</li> <li>• Report the case</li> </ul>
9	<a href="#">Generating CRR Reports</a>	Generating the report