

**Oracle® MICROS Inventory Management**  
Master Data Web Services API  
Release 8.0  
**E91249-09**

August 2023

Copyright © 2016 - 2023, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

**U.S. GOVERNMENT END USERS:** Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

---

---

# Contents

<b>Tables.....</b>	<b>5</b>
<b>Preface.....</b>	<b>6</b>
Audience .....	6
Customer Support.....	6
Documentation .....	6
Revision History.....	6
<b>1 Authentication.....</b>	<b>7</b>
<b>2 Security Considerations .....</b>	<b>8</b>
<b>3 Methods.....</b>	<b>9</b>
<b>4 Data Structures .....</b>	<b>10</b>
MasterData.....	10
Unit .....	10
UnitConversion .....	10
ItemGroup.....	11
OverGroup.....	11
MajorGroup .....	11
Item .....	11
ItemCostCenterAssignment .....	12
Vendor .....	12
PriceQuote.....	12
PriceQuoteOffer .....	12
Customer.....	12
RecipeGroup .....	13
Recipe .....	13
RecipeIngredient .....	13
Result .....	13
<b>5 Enumerations.....</b>	<b>14</b>
ConversionOperation .....	14
CountInterval .....	14
OverGroupType .....	14
<b>6 Error Codes .....</b>	<b>15</b>
<b>7 Validation Rules.....</b>	<b>16</b>
<b>8 WSDL .....</b>	<b>18</b>

<b>9</b>	<b>Code Template and Samples.....</b>	<b>19</b>
	Template.....	20
	Code Sample 1 .....	24
	Code Sample 2.....	26

---

---

# Tables

Table 1 – SOAP Header Parameters .....	7
Table 2 – ImportMasterDataDelta Parameters.....	9
Table 3 – DeactivateMasterDataDelta Parameters .....	9
Table 4 – MasterData Parameters .....	10
Table 5 – Unit Parameters .....	10
Table 6 – UnitConversion Parameters.....	10
Table 7 – ItemGroup Parameters .....	11
Table 8 – OverGroup Parameters.....	11
Table 9 – MajorGroup Parameters .....	11
Table 10 – Item Parameters.....	11
Table 11 – ItemCostCenterAssignment Parameters .....	12
Table 12 – Vendor Parameters.....	12
Table 13 – PriceQuote Parameters .....	12
Table 14 – PriceQuoteOffer Parameters .....	12
Table 15 – Customer Parameters.....	12
Table 16 – RecipeGroup Parameters.....	13
Table 17 – Recipe Parameters .....	13
Table 18 – RecipeIngredient Parameters.....	13
Table 19 – Result Parameters .....	13
Table 20 – ConversionOperation Parameters.....	14
Table 21 – CountInterval Parameters .....	14
Table 22 – OverGroupType Parameters.....	14
Table 23 – Error Codes.....	15
Table 24 – Validation Rules.....	16

---

---

# Preface

This document describes the Oracle MICROS Inventory Management Master Data Web Services API.

## Audience

This document is intended for customers who want to leverage the Inventory Management Master Data Web Services API.

## Customer Support

To contact Oracle Customer Support, access the Support Portal at the following URL:

<https://iccp.custhelp.com/>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received and any associated log files
- Screenshots of each step you take

## Documentation

Oracle MICROS product documentation is available on the Oracle Help Center at  
<http://docs.oracle.com/en/industries/food-beverage/>

## Revision History

---

Date	Description of Change
August 2016	Initial publication.
April 2017	Addressed missing methods, data structures, and enumerations.
October 2017	Security considerations.
October 2019	Added <i>Code Template and Samples chapter</i> .
March 2020	Updated WSDL.
June 2021	Updated WSDL.
August 2023	Updated guide title.

---

---

---

# 1 Authentication

## SOAP Header

Allows authentication via user and password provided in the SOAP header. The password can be encrypted with the same algorithm used for the Portal Login page in the WEB application.

**Table 1 – SOAP Header Parameters**

Property	Type	Info
User	String	Username
Password	String	Password

## Fixed Credentials

(Optional authentication mode)

Credentials to use for the POS Web Service can be hardcoded in web.config. In this case all calls are done by using predefined user (LoginUserName) with encrypted password (LoginEncryptedPassword).

---

---

## 2 Security Considerations

Whether authentication data is provided in SOAP header or Fixed Credentials are used, use the HTTPS protocol to protect data in transport.

---

---

## 3 Methods

### ImportMasterDataDelta

#### Parameters

**Table 2 – ImportMasterDataDelta Parameters**

Name	Type	Null	Info
masterData	MasterData		MasterData structure

#### Return Value

Result

#### Description

Imports the given Master Data into the system without filling buffer tables and without a need for Automation Service job running in the background.

#### Validation

The Master Data import will perform data validation prior to performing the import and, if validation fails, return a Result with the Data Validation Exception error code and details regarding the validation failure in the message.

### DeactivateMasterDataDelta

#### Parameters

**Table 3 – DeactivateMasterDataDelta Parameters**

Name	Type	Null	Info
masterData	MasterData		MasterData structure

#### Return Value

Result

#### Description

Deactivates the given Master Data in the system.

#### Validation

The method will perform data validation prior to performing the deactivation and, if validation fails, return a Result with the Data Validation Exception error code and details regarding the validation failure in the message. Besides the common validation done like when importing Master Data, existing business rules will be obeyed too – it is not possible to deactivate a record that have active “child” records. For example, it is not possible to deactivate OverGroup when there are active MajorGroup entries linked to it.

---

# 4 Data Structures

## MasterData

Table 4 – MasterData Parameters

Property	Type	Null	Info
Units	Unit[]	Yes*	Array of Unit structures
ItemGroups	ItemGroup[]	Yes*	Array of ItemGroup structures
OverGroups	OverGroup[]	Yes*	Array of OverGroup structures
MajorGroups	MajorGroup[]	Yes*	Array of MajorGroup structures
Items	Item[]	Yes*	Array of Item structures
Vendors	Vendor[]	Yes*	Array of Vendor structures
PriceQuotes	PriceQuote[]	Yes*	Array of PriceQuote structures
Customers	Customer[]	Yes*	Array of Customer structures
RecipeGroups	RecipeGroup[]	Yes*	Array of RecipeGroup structures
Recipes	Recipe[]	Yes*	Array of Recipe structures

Yes\* - at least one Array must be provided

## Unit

Table 5 – Unit Parameters

Property	Type	Null	Info
Number	Int32		Unit number
Name	String		Unit name
OrderName	String		Unit Order name
Conversion	UnitConversion		Unit conversion information
Active	Boolean		Unit active or inactive

## UnitConversion

Table 6 – UnitConversion Parameters

Property	Type	Null	Info
ToUnitNumber	Int32		Unit number of the Unit to convert to
Factor	Decimal		Conversion factor
Operation	ConversionOperation		Type of conversion operation to perform

---

## ItemGroup

Table 7 – ItemGroup Parameters

Property	Type	Null	Info
Number	Int32		Item Group number
Name	String		Item Group name
MajorGroupNumber	Int32		Major Group number
Active	Boolean		Item Group active or inactive

## OverGroup

Table 8 – OverGroup Parameters

Property	Type	Null	Info
Number	Int32		Over Group number
Name	String		Over Group name
Type	OverGroupType		Type of the Over Group
Active	Boolean		Over Group active or inactive

## MajorGroup

Table 9 – MajorGroup Parameters

Property	Type	Null	Info
Number	Int32		Major Group number
Name	String		Major Group name
OverGroupNumber	Int32		Over Group number
TaxNumber	Int32		Major Group Tax number
Active	Boolean		Major Group active or inactive

## Item

Table 10 – Item Parameters

Property	Type	Null	Info
Number	Int64		Item number
Name	String		Item name
UnitNumber	Int32		Unit number
ItemGroupNumber	Int32		Item Group number
CountInterval	CountInterval		Count Interval to use for the Item
CostCenterAssignments	ItemCostCenterAssignment[]	Yes	Array of Cost Centers the Item is linked/assigned to
Active	Boolean		Item active or inactive

## ItemCostCenterAssignment

Table 11 – ItemCostCenterAssignment Parameters

Property	Type	Null	Info
CostCenterNumber	Int32		Cost Center Number

## Vendor

Table 12 – Vendor Parameters

Property	Type	Null	Info
Number	Int32		Vendor number
Name	String		Vendor name
Currency	String	Yes	Currency (shortcut)
Phone	String	Yes	Vendor phone number
ContactName	String	Yes	Contact name
Active	Boolean		Vendor active or inactive

## PriceQuote

Table 13 – PriceQuote Parameters

Property	Type	Null	Info
VendorNumber	Int32		Vendor number
ItemNumber	Int64		Item number
UnitNumber	Int32		Unit number
VendorItemNumber	String		Vendor Item number / identifier
Offers	PriceQuoteOffer[]		Array of Price Quote Offers
Active	Boolean		Price Quote active or inactive

## PriceQuoteOffer

Table 14 – PriceQuoteOffer Parameters

Property	Type	Null	Info
Price	Decimal		Offer price
ValidFrom	DateTime		Offer price valid from date

## Customer

Table 15 – Customer Parameters

Property	Type	Null	Info
Number	Int32		Customer number
Phone	String	Yes	Customer phone number
Active	Boolean		Customer active or inactive

---

## RecipeGroup

Table 16 – RecipeGroup Parameters

Property	Type	Null	Info
Number	Int32		Recipe Group number
Name	String		Recipe Group name
Active	Boolean		Recipe Group active or inactive

## Recipe

Table 17 – Recipe Parameters

Property	Type	Null	Info
Number	Int32		Recipe number
Name	String		Recipe name
RecipeGroupNumber	Int32		Recipe Group number
MajorGroupNumber	Int32		Major Group number
Ingredients	RecipeIngredient[]		Array of Recipe Ingredients
Active	Boolean		Recipe active or inactive

## RecipeIngredient

Table 18 – RecipeIngredient Parameters

Property	Type	Null	Info
ItemNumber	Int64		Ingredient Item number
UnitNumber	Int32		Ingredient Unit number
Quantity	Decimal		Ingredient quantity

## Result

Table 19 – Result Parameters

Property	Type	Null	Info
Success	Boolean		Whether the request could be processed successfully
ErrorCode	Int32		Error code
Message	String		Error message

---

---

## 5 Enumerations

### ConversionOperation

Table 20 – ConversionOperation Parameters

Value	Info
Multiply	ToUnit Qty has to be multiplied by the given factor to get the Qty in Unit UnitQty = ToUnitQty * Factor
Divide	ToUnit Qty has to be divided by the given factor to get the Qty in Unit UnitQty = ToUnitQty / Factor

**Example:**

Unit = Case 24 Bottles

ToUnit = Bottle

Multiply Factor given as 0.041666... (= 1/24)

Divide Factor given as 24

### CountInterval

Table 21 – CountInterval Parameters

Value	Info
Daily	Counted daily
Weekly	Counted weekly
Monthly	Counted monthly
Yearly	Counted yearly
OnDemand	Counted on demand
Never	Not counted

### OverGroupType

Table 22 – OverGroupType Parameters

Value	Info
COS	COS Over Group
Expense	Expense Over Group

---

---

## 6 Error Codes

**Table 23 – Error Codes**

Code	Meaning
1000	General Exception
1001	Connectivity Exception
1002	Data Validation Exception

# 7 Validation Rules

**Table 24 – Validation Rules**

Rule	Validation Rule Description	Error Text
Unit Check	<ul style="list-style-type: none"> <li>1. Unit.Number cannot be zero or longer than 20 digits</li> <li>2. Unit.Name and Unit.OrderName cannot be empty or longer than 60 characters</li> <li>3. Unit.Conversion.Factor cannot be zero</li> <li>4. Unit.Conversion.ToUnitNumber cannot be zero</li> </ul>	Supplied Unit data invalid! (plus invalid data)
Major Group Check	<ul style="list-style-type: none"> <li>1. MajorGroup.Number cannot be zero or longer than 20 digits</li> <li>2. MajorGroup.Name cannot be empty or longer than 60 characters</li> <li>3. MajorGroup.TaxNumber not existing in database</li> <li>4. It is not allowed to change OverGroup of existing MajorGroup to OverGroup of different Type</li> </ul>	Supplied Major Group data invalid! (plus invalid data)
Over Group Check	<ul style="list-style-type: none"> <li>1. MajorGroup.Number cannot be zero or longer than 20 digits</li> <li>2. MajorGroup must exist in MasterData structure or database</li> <li>3. OverGroup.Number cannot be zero or longer than 20 digits</li> <li>4. OverGroup.Name cannot be empty or longer than 60 characters</li> </ul>	Supplied Over Group data invalid! (plus invalid data)
Item Group Check	<ul style="list-style-type: none"> <li>1. OverGroup.Number cannot be zero or longer than 20 digits</li> <li>2. OverGroup must exist in MasterData structure or database</li> <li>3. ItemGroup.Number cannot be zero or longer than 20 digits</li> <li>4. ItemGroup.Name cannot be empty or longer than 60 characters</li> <li>5. It is not allowed to change MajorGroup of existing ItemGroup to MajorGroup of different Type</li> </ul>	Supplied Item Group data invalid! (plus invalid data)
Items Check	<ul style="list-style-type: none"> <li>1. Item.Number cannot be zero or longer than 20 digits</li> <li>2. Item.UnitNumber cannot be zero or longer than 20 digits</li> <li>3. Item.ItemGroupNumber cannot be zero or longer than 20 digits</li> <li>4. ItemGroup must exist in MasterData structure or database</li> <li>5. Item.Name cannot be empty or longer than 60 characters</li> <li>6. Item.CountInterval is valid</li> <li>7. It is not allowed to change UnitNumber of existing Item to UnitNumber of Unit with different base Unit</li> <li>8. It is not allowed to change ItemGroup of existing Item to ItemGroup of different Type</li> </ul>	Supplied Item data invalid! (plus invalid data)

<b>Rule</b>	<b>Validation Rule Description</b>	<b>Error Text</b>
Vendors Check	<ul style="list-style-type: none"> <li>1. Vendor.Number cannot be zero or longer than 20 digits</li> <li>2. Vendor.Name cannot be empty or longer than 60 characters</li> <li>3. Vendor.Phone cannot be longer than 60 characters</li> <li>4. Vendor.ContactName cannot be longer than 60 characters</li> <li>5. Vendor.Currency cannot be longer than 10 characters</li> </ul>	Supplied Vendor data invalid! (plus invalid data)
VPI (Price Quote) Check	<ul style="list-style-type: none"> <li>1. VPI.VendorNumber cannot be zero or longer than 20 digits</li> <li>2. VPI.ItemNumber cannot be zero or longer than 20 digits</li> <li>3. VPI.UnitNumber cannot be zero or longer than 20 digits</li> <li>4. VPI.VendorItemNumber cannot be empty or longer than 20 characters</li> <li>5. Vendor must exist in MasterData structure or database</li> <li>6. Item must exist in MasterData structure or database</li> <li>7. Unit must exist in MasterData structure or database</li> </ul>	Supplied Price Quote data invalid! (plus invalid data)
Customer Numbers Check	<ul style="list-style-type: none"> <li>1. CustomerNumber.Number cannot be zero or longer than 30 digits</li> <li>2. CustomerNumber.Phone cannot be longer than 30 characters</li> </ul>	Supplied Customer Number data invalid! (plus invalid data)
Recipe Group Check	<ul style="list-style-type: none"> <li>1. RecipeGroup.Number cannot be zero or longer than 20 digits</li> <li>2. RecipeGroup.Name cannot be empty or longer than 60 characters</li> </ul>	Supplied Recipe Group data invalid! (plus invalid data)
Recipes Check	<ul style="list-style-type: none"> <li>1. Recipe.Number cannot be zero or longer than 20 digits</li> <li>2. Recipe.Name cannot be empty or longer than 60 characters</li> <li>3. RecipeGroup must exist in MasterData structure or database</li> <li>4. MajorGroup must exist in MasterData structure or database</li> </ul>	Supplied Recipe data invalid! (plus invalid data)
Ingredients Check	<ul style="list-style-type: none"> <li>1. Ingredient.ItemNumber cannot be zero</li> <li>2. Ingredient.UnitNumber cannot be zero</li> <li>3. Ingredient.Quantity cannot be zero</li> <li>4. Item must exist in MasterData structure or database</li> </ul>	Supplied Recipe Ingredients data invalid! (plus invalid data)

---

---

## **8 WSDL**

Click [Download WSDL](#) to download the Web Services Description Language file.

---

---

## **9 Code Template and Samples**

This chapter contains a code template that you can use as a starting point for developing API calls and it contains code samples.

## Template

Use the following template as a starting point for developing your API. Replace the placeholder values with the values for your environment.

```
<soapenv:Envelope
    xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:inv="http://webservices.micrs.com/inventory_management/"
    xmlns:mdd="http://webservices.micrs.com/inventory_management/MDD
ataStructuresDelta"
    xmlns:dat="http://webservices.micrs.com/inventory_management/Dat
aStructures">
    <soapenv:Header>
        <inv:MDWebServiceHeader>
            <!--Optional:-->
            <inv:User>?</inv:User>
            <!--Optional:-->
            <inv:Password>?</inv:Password>
        </inv:MDWebServiceHeader>
    </soapenv:Header>
    <soapenv:Body>
        <inv:DeactivateMasterDataDelta>
            <!--Optional:-->
            <mdd:MasterData>
                <!--Optional:-->
                <mdd:Units>
                    <!--Zero or more repetitions:-->
                    <mdd:Unit>
                        <dat:Number>?</dat:Number>
                        <!--Optional:-->
                        <dat:Name>?</dat:Name>
                        <!--Optional:-->
                        <dat:OrderName>?</dat:OrderName>
                        <!--Optional:-->
                        <dat:Conversion>
                            <dat:ToUnitNumber>?</dat:ToUnitNumber>
                            <dat:Factor>?</dat:Factor>
                            <dat:Operation>?</dat:Operation>
                        </dat:Conversion>
                        <mdd:Active>?</mdd:Active>
                    </mdd:Unit>
                </mdd:Units>
                <!--Optional:-->
                <mdd:MajorGroups>
                    <!--Zero or more repetitions:-->
                    <mdd:MajorGroup>
                        <mdd:Number>?</mdd:Number>
                        <!--Optional:-->
                        <mdd:Name>?</mdd:Name>
                        <mdd:TaxNumber>?</mdd:TaxNumber>
                        <mdd:OverGroupNumber>?</mdd:OverGroupNumber>
                        <mdd:Active>?</mdd:Active>
                    </mdd:MajorGroup>
                </mdd:MajorGroups>
                <!--Optional:-->
                <mdd:OverGroups>
```

---

```

<!--Zero or more repetitions:-->
<mdd:OverGroup>
    <mdd:Number>?</mdd:Number>
    <!--Optional:-->
    <mdd:Name>?</mdd:Name>
    <mdd>Type>?</mdd>Type>
    <mdd:Active>?</mdd:Active>
</mdd:OverGroup>
</mdd:OverGroups>
<!--Optional:-->
<mdd:ItemGroups>
    <!--Zero or more repetitions:-->
    <mdd: ItemGroup>
        <mdd:Number>?</mdd:Number>
        <!--Optional:-->
        <mdd:Name>?</mdd:Name>
        <mdd:MajorGroupNumber>?</mdd:MajorGroupNumber>
        <mdd:Active>?</mdd:Active>
    </mdd: ItemGroup>
</mdd:ItemGroups>
<!--Optional:-->
<mdd:Items>
    <!--Zero or more repetitions:-->
    <mdd:Item>
        <dat:Number>?</dat:Number>
        <!--Optional:-->
        <dat:Name>?</dat:Name>
        <dat:UnitNumber>?</dat:UnitNumber>
        <dat:ItemGroupNumber>?</dat:ItemGroupNumber>
        <dat:CountInterval>?</dat:CountInterval>
        <!--Optional:-->
        <dat:CostCenterAssignments>
            <!--Zero or more repetitions:-->
            <dat:ItemCostCenterAssignment>
                <!--Optional:-->
<dat:CostCenterNumber>?</dat:CostCenterNumber>
                </dat:ItemCostCenterAssignment>
            </dat:CostCenterAssignments>
            <mdd:Active>?</mdd:Active>
        </mdd:Item>
    </mdd:Items>
    <!--Optional:-->
    <mdd:Vendors>
        <!--Zero or more repetitions:-->
        <mdd:Vendor>
            <dat:Number>?</dat:Number>
            <!--Optional:-->
            <dat:Name>?</dat:Name>
            <!--Optional:-->
            <dat:Currency>?</dat:Currency>
            <!--Optional:-->
            <dat:Phone>?</dat:Phone>
            <!--Optional:-->
            <dat>ContactName>?</dat>ContactName>
            <mdd:Active>?</mdd:Active>
        </mdd:Vendor>

```

```

</mdd:Vendors>
<!--Optional:-->
<mdd:PriceQuotes>
    <!--Zero or more repetitions:-->
    <mdd:PriceQuote>
        <dat:VendorNumber>?</dat:VendorNumber>
        <dat:ItemNumber>?</dat:ItemNumber>
        <dat:UnitNumber>?</dat:UnitNumber>
        <!--Optional:-->
        <dat:VendorItemNumber>?</dat:VendorItemNumber>
        <!--Optional:-->
        <dat:Offers>
            <!--Zero or more repetitions:-->
            <dat:PriceQuoteOffer>
                <dat:Price>?</dat:Price>
                <dat:ValidFrom>?</dat:ValidFrom>
            </dat:PriceQuoteOffer>
        </dat:Offers>
        <mdd:Active>?</mdd:Active>
    </mdd:PriceQuote>
</mdd:PriceQuotes>
<!--Optional:-->
<mdd:Customers>
    <!--Zero or more repetitions:-->
    <mdd:Customer>
        <dat:Number>?</dat:Number>
        <!--Optional:-->
        <dat:Phone>?</dat:Phone>
        <mdd:Active>?</mdd:Active>
    </mdd:Customer>
</mdd:Customers>
<!--Optional:-->
<mdd:RecipeGroups>
    <!--Zero or more repetitions:-->
    <mdd:RecipeGroup>
        <dat:Number>?</dat:Number>
        <!--Optional:-->
        <dat:Name>?</dat:Name>
        <mdd:Active>?</mdd:Active>
    </mdd:RecipeGroup>
</mdd:RecipeGroups>
<!--Optional:-->
<mdd:Recipes>
    <!--Zero or more repetitions:-->
    <mdd:Recipe>
        <dat:Number>?</dat:Number>
        <!--Optional:-->
        <dat:Name>?</dat:Name>

<dat:RecipeGroupNumber>?</dat:RecipeGroupNumber>
    <!--Optional:-->
    <dat:Ingredients>
        <!--Zero or more repetitions:-->
        <dat:RecipeIngredient>
            <dat:ItemNumber>?</dat:ItemNumber>
            <dat:UnitNumber>?</dat:UnitNumber>
            <dat:Quantity>?</dat:Quantity>

```

---

```
        </dat:RecipeIngredient>
    </dat:Ingredients>
    <mdd:MajorGroupNumber>?</mdd:MajorGroupNumber>
    <mdd:Active>?</mdd:Active>
</mdd:Recipe>
</mdd:Recipes>
</mdd:MasterData>
</inv:DeactivateMasterDataDelta>
</soapenv:Body>
</soapenv:Envelope>
```

## Code Sample 1

```
<soapenv:Envelope
    xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:inv="http://webservices.micros.com/inventory_management/"
    xmlns:mdd="http://webservices.micros.com/inventory_management/MDD
ataStructuresDelta"
    xmlns:dat="http://webservices.micros.com/inventory_management/Dat
aStructures">
    <soapenv:Header>
        <inv:MDWebServiceHeader>
            <!--Optional:-->
            <inv:User>user</inv:User>
            <!--Optional:-->
            <inv:Password>*****</inv:Password>
        </inv:MDWebServiceHeader>
    </soapenv:Header>
    <soapenv:Body>
        <inv:ImportMasterDataDelta>
            <mdd:MasterData>
                <mdd:Units>
                    <mdd:Unit>
                        <dat:Number>2369700</dat:Number>
                        <dat:Name>PACK X 400 GR</dat:Name>
                        <dat:OrderName>PACK X 400 GR</dat:OrderName>
                        <dat:Conversion>
                            <dat:ToUnitNumber>1</dat:ToUnitNumber>
                            <dat:Factor>.4</dat:Factor>
                            <dat:Operation>Divide</dat:Operation>
                        </dat:Conversion>
                        <mdd:Active>1</mdd:Active>
                    </mdd:Unit>
                </mdd:Units>
                <mdd:OverGroups>
                    <mdd:OverGroup>
                        <mdd:Number>100</mdd:Number>
                        <mdd:Name>Food</mdd:Name>
                        <mdd>Type>COS</mdd>Type>
                        <mdd:Active>1</mdd:Active>
                    </mdd:OverGroup>
                </mdd:OverGroups>
                <mdd:ItemGroups>
                    <mdd:ItemGroup>
                        <mdd:Number>2557781</mdd:Number>
                        <mdd:Name>Meat</mdd>Name>
                    </mdd:ItemGroup>
                </mdd:ItemGroups>
            <mdd:MajorGroupNumber>2557781</mdd:MajorGroupNumber>
        </inv:ImportMasterDataDelta>
    </soapenv:Body>
</soapenv:Envelope>
```

---

```
        <mdd:Active>1</mdd:Active>
    </mdd:ItemGroup>
</mdd:ItemGroups>
<mdd:MajorGroups>
    <mdd:MajorGroup>
        <mdd:Number>2557781</mdd:Number>
        <mdd:Name>Frozen</mdd:Name>
        <mdd:TaxNumber>0</mdd:TaxNumber>
        <mdd:OverGroupNumber>100</mdd:OverGroupNumber>
        <mdd:Active>1</mdd:Active>
    </mdd:MajorGroup>
</mdd:MajorGroups>
<mdd:Items>
    <mdd:Item>
        <dat:Number>10720333</dat:Number>
        <dat:Name>Beef</dat:Name>
        <dat:UnitNumber>1</dat:UnitNumber>

<dat:ItemGroupNumber>2557781</dat:ItemGroupNumber>
        <dat:CountInterval>OnDemand</dat:CountInterval>
        <mdd:Active>1</mdd:Active>
    </mdd:Item>
</mdd:Items>
<mdd:Vendors>
    <mdd:Vendor>
        <dat:Number>100</dat:Number>
        <dat:Name>Cloud Vendor</dat:Name>
        <dat:Currency/>
        <dat:Phone/>
        <dat>ContactName/>
        <mdd:Active>1</mdd:Active>
    </mdd:Vendor>
</mdd:Vendors>
</mdd:MasterData>
</inv:ImportMasterDataDelta>
</soapenv:Body>
</soapenv:Envelope>
```

## Code Sample 2

```
<soapenv:Envelope
    xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:inv="http://webservices.micros.com/inventory_management/"
    xmlns:mdd="http://webservices.micros.com/inventory_management/MDD
    ataStructuresDelta"
    xmlns:dat="http://webservices.micros.com/inventory_management/Dat
    aStructures">
    <soapenv:Header>
        <inv:MDWebServiceHeader>
            <!--Optional:-->
            <inv:User>user</inv:User>
            <!--Optional:-->
            <inv:Password>*****</inv:Password>
        </inv:MDWebServiceHeader>
    </soapenv:Header>
    <soapenv:Body>
        <inv:ImportMasterDataDelta>
            <mdd:MasterData>
                <mdd:PriceQuotes>
                    <mdd:PriceQuote>
                        <dat:VendorNumber>100</dat:VendorNumber>
                        <dat:ItemNumber>10720333</dat:ItemNumber>
                        <dat:UnitNumber>2369700</dat:UnitNumber>

                        <dat:VendorItemNumber>2122728</dat:VendorItemNumber>
                        <dat:Offers>
                            <dat:PriceQuoteOffer>
                                <dat:Price>70</dat:Price>
                                <dat:ValidFrom>2019-10-
                                07T00:00:00</dat:ValidFrom>
                            </dat:PriceQuoteOffer>
                        </dat:Offers>
                        <mdd:Active>1</mdd:Active>
                    </mdd:PriceQuote>
                </mdd:PriceQuotes>
            </mdd:MasterData>
        </inv:ImportMasterDataDelta>
    </soapenv:Body>
</soapenv:Envelope>
```