Oracle MICROS Compact Workstation 3 Series Quick Reference Guide





Oracle MICROS Compact Workstation 3 Series Quick Reference Guide, Release 1.0

E91348-05

Copyright © 2017-2022 Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1

Preface

Purpose	iv
Audience	iv
Customer Support	iv
Documentation	iv
FCC Statement	iv
License Statement	iv
Safety and Compliance Statement	iv
What's in the Box	v

Compact Workstation 3 Series

Initial Setup	1-1
Basic Features	1-2
Powering On and Off	1-3

Preface

The Oracle MICROS Compact Workstation 3 Series includes full-featured Point of Sale (POS) terminals designed for industries that require optimal performance and a reduced footprint.

Purpose

This document describes the basic steps required to begin using the Oracle MICROS Compact Workstation 3 Series workstations. Refer to the Oracle MICROS Compact Workstation 3 Series Setup Guide for additional information.

Audience

This document is intended for users of the Oracle MICROS Compact Workstation 3 Series.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL: https://support.oracle.com

Documentation

Oracle MICROS product documentation, including updates to this *Quick Reference Guide*, is available on the Oracle Help Center at http://docs.oracle.com/en/industries/food-beverage/

FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

License Statement

The Oracle MICROS Compact Workstation 3 Series Licensing Guide is part of the product documentation under the terms of your Oracle license agreement and is intended to help you understand the program editions, entitlements, restrictions, prerequisites, special license rights, and/or separately licensed third party technology terms associated with the Oracle product. It is available in its entirety on the Oracle Help Center.

Safety and Compliance Statement

The Oracle MICROS Hardware Safety and Compliance Guide provides product safety and compliance information.

What's in the Box

Table 1 What's in the Box

Item	Description
Image: Section of the section of th	Oracle MICROS Compact Workstation 3 Series workstation
	Power adapter with P15V@5.33A (80W), 80~264VAC input
a contraction of the second se	Magnetic stripe ID cards
1	Hex wrench, I/O cover screw, and stand security screw for mounting the workstation to the optional Basic Stand
	Cable ties to assist with cable organization

1 Compact Workstation 3 Series

The Oracle MICROS Compact Workstation 3 Series includes full-featured Point of Sale (POS) terminals designed for industries that require optimal performance and a reduced footprint. Available in standard (310) and high brightness (310R/320R) configurations, the Oracle MICROS Compact Workstation 3 Series features a 10.1-inch touchscreen and an integrated graphical customer facing display.



Initial Setup

- 1. Remove the I/O panel cover by sliding it off the workstation.
- 2. Mount the workstation on a Basic Stand or Flexible Stand, and then connect the required cables. Refer to the *Oracle MICROS Compact Workstation 3 Series Setup Guide* for additional information about setting up the workstation.
- 3. Turn on the workstation.

For workstations with Microsoft Windows:

- 1. Complete the Microsoft Windows setup by following the prompts. Consult your network administrator to properly complete the network and system configurations.
- 2. Ensure your workstation is connected to a secure network.
- 3. Install the Client Application Loader (CAL) by double-tapping the **CALClient Installer** icon and following the prompts. Upon successful completion, the workstation is connected to your application's CAL server. For more information, refer to the latest

version of the Oracle Hospitality Simphony Client Deployment Guide on the Oracle Help Center at https://docs.oracle.com/en/industries/food-beverage/.

For workstations with Oracle Linux for MICROS:

- 1. Complete the Oracle Linux for MICROS setup by following the prompts. Consult your network administrator for help with configuring network and system settings.
- Enter the CAL server address to install your Oracle MICRO POS software. For more information, refer to the latest version of the Oracle Hospitality Simphony Client Deployment Guide on the Oracle Help Center at https://docs.oracle.com/en/industries/food-beverage/.

Basic Features



Table 2 Compact Workstation 3 Series Basic Features

Feature

- 1. Magnetic Card Reader
- 2. Power Button
- 3. Customer Display
- 4. Fingerprint Reader (optional)
- 5. I/O Connector Panel (located under cover)

Powering On and Off

To power on, push and quickly release the power button. The display powers on after a few seconds. To power off for extended storage, use the Shut Down function provided in the operating system software.