

# Oracle® Argus Insight

## Common Profile Enterprise Table Guide



Release 8.2.1  
F28459-02  
June 2020

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2019, 2020, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Documentation accessibility	vi
Related resources	vi
Access to Oracle Support	vi

## 1 Introduction

---

Internal Use Rows	1-1
About the Columns in the CMN_PROFILE_ENTERPRISE Table	1-1
Examples of Modifying the CMN_PROFILE_ENTERPRISE Table	1-2

## 2 SYSTEM Profile Enterprise Switches

---

ACCEPTABLE_ROUTING_JUSTIFICATION_FIELD_ID	2-2
ACCEPTABLE_SUBMISSION_JUSTIFICATION_FIELD_ID	2-3
ARGUS_MART_DB_NAME	2-3
ARGUS_MART_USER_NAME	2-3
ARGUS_MART_USER_PASSWORD	2-4
ARGUS_SAFETY_URL	2-4
AUTOE_P_E_TERM_DIC	2-4
AUTOE_P_SUS_D_DIC	2-5
BI_ANSWERS_WEB_URL	2-5
BIP_WEB_URL	2-5
BO_WEB_URL	2-6
CASE_REFERENCE_TYPE_ID	2-6
CAUSALITY_ASSESSMENT_C	2-6
CAUSALITY_ASSESSMENT_R	2-7
CAUSALITY_ASSESSMENT_R_C	2-7
CAUSALITY_ASSESSMENT_UDFIELD	2-7
COGNOS_WEB_URL	2-7
CONFIDENTIALITY	2-8
CORE_SITE	2-8
CORPORATE_LOGO_PATH	2-8

CUSTOM_HELP_URL	2-9
DATASHEET_BPI	2-9
DATASHEET_EMEA	2-10
DATASHEET_IB	2-10
DATASHEET_PI	2-10
DATA_SOURCE	2-11
DISPLAY_ENTERPRISE_SHORT_NAME	2-11
DLL_SLL_REPORTS_TABLE_POPULATION	2-12
DMS_MEDDRA_USER	2-12
DMS_WHO_USER	2-12
ENABLE_COMPANY_HOLIDAY	2-12
ESM_TABLE_POPULATION	2-13
EVENT_CAUSALITY_FIELD	2-13
FAILED_RECIPIENTS_STATUS_EMAIL_ADDRESS	2-14
FOLLOWUP_ACTION_CODE	2-14
KEEP_REPORT_DATA	2-14
LAM_TABLE_POPULATION	2-14
LICENSE_PARTY_STARTING_CODE	2-15
LL_REPORTS_DATASHEET	2-15
LL_REPORTS_TABLE_POPULATION	2-15
LOCKED_DAYS	2-16
MEDDRA_POPULATION	2-16
POPULATE_NARRATIVE_LANGUAGES_TABLES	2-16
POPULATE_RPT_REG_REPORTS_COLUMNS	2-17
PRODUCT_LOGO_PATH	2-17
PROXY_AUTO_DETECT	2-18
PROXY_HOST	2-18
PROXY_PASSWORD	2-18
PROXY_PORT	2-19
PROXY_TYPE	2-19
PROXY_USER	2-19
RESET_PASSWORD	2-20
SSL_START_MODE	2-20
STUDY_RECONCILIATION_TABLE_POPULATION	2-20
SUPPLIER_FIELD_ID	2-21
TOKEN_LIFE_TIME_THRESHOLD	2-21
UDN_COL_FOR_SUPPLIER_NAME	2-21
WHO_DRUG_BROWSER_FORMAT	2-21
WHO_DRUG_POPULATION	2-22

### 3 DATABASE Profile Enterprise Switches

---

CHANGE_CONFIG_RC_UD	3-1
CHANGE_CONFIG_WF	3-1
DATASHEET_FLAG	3-2
DELAY_IDENTIFIER	3-2
DMS_WHO_DRUG_QUERY	3-3
DMS_WHO_DRUG_QUERY_ING	3-3
EMAIL_SENDER_ADDRESS	3-3

# Preface

This preface contains the following sections:

- [Documentation accessibility](#)
- [Related resources](#)
- [Access to Oracle Support](#)  
To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

## Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Related resources

All documentation and other supporting materials are available on the [Oracle Help Center](#).

## Access to Oracle Support

To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

### **Cloud customers receive support assistance through Support Cloud**

Oracle customers that have purchased support have access to electronic support through Support Cloud.

Contact our Oracle Customer Support Services team by logging requests in one of the following locations:

- English interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu.custhelp.com/>)
- Japanese interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu-jp.custhelp.com/>)

You can also call our 24x7 help desk. For information, visit <http://www.oracle.com/us/support/contact/health-sciences-cloud-support/index.html> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

**On-premises customers receive support assistance through My Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

# 1

## Introduction

The CMN\_PROFILE\_ENTERPRISE table contains values that control the behavior of all enterprises in the Oracle Argus Insight application.

You can update many of these values by modifying the Profile Switches in the List Maintenance tab on the ADMINISTRATION TOOLS page in Oracle Argus Insight.

Other values you can access and update only through direct SQL statements.

In addition to the CMN\_PROFILE\_ENTERPRISE table, the CMN\_PROFILE\_GLOBAL table contains values that control the behavior of Oracle Argus Insight. For more information about the modifying the profile global switches, see the *Oracle Argus Insight Common Profile Global Table Guide* and the following:

- [Internal Use Rows](#)
- [About the Columns in the CMN\\_PROFILE\\_ENTERPRISE Table](#)
- [Examples of Modifying the CMN\\_PROFILE\\_ENTERPRISE Table](#)

## Internal Use Rows

During the initial Factory Data load when the database is created, the system creates several *Internal Use* rows. As the name implies, these rows of values are for Oracle Argus Insight internal use only.

Do not modify any values in the internal use rows.

## About the Columns in the CMN\_PROFILE\_ENTERPRISE Table

Each profile switch described in this guide includes the following information:

- **Section**—Lists the name of the section within the CMN\_PROFILE\_ENTERPRISE table that has the profile switch. The sections are as follows:
  - SYSTEM
  - DATABASE
  - BOXI (for BusinessObjects XI)
  - COGNOS8
- **Key**—Lists the unique name for the profile switch.
- **Company Defined**—Indicates the method you can use to modify the profile switch:
  - **0** = Indicates you can modify this profile switch only by issuing direct SQL statements. You should modify these profile switches with assistance from Oracle Support.



- **1** = Indicates you can modify this profile switch either by using the options in the List Maintenance tab in the Oracle Argus Insight application or by issuing direct SQL statements.
- **Name**—Lists the name of the profile switch as displayed in the List Maintenance tab in the Oracle Argus Insight application.
- **Default Value**—Lists the default value, if defined.
- **Description**—Provides more information about the function of the profile switch.

## Examples of Modifying the CMN\_PROFILE\_ENTERPRISE Table

This section provides sample SQL for how to update and insert values in the CMN\_PROFILE\_ENTERPRISE table in the database.

Note that values, as specified, are case sensitive.

### Updating an Existing Value

To update an existing value in the CMN\_PROFILE\_ENTERPRISE table:

```
UPDATE CMN_PROFILE_ENTERPRISE set value = '10'  
WHERE section = 'DATABASE' AND key = 'ABC' AND ENTERPRISE_ID = 2;  
commit;
```

### Inserting a New Row of Values

To insert a new row of values into the CMN\_PROFILE\_ENTERPRISE table:

```
INSERT into CMN_PROFILE_ENTERPRISE (section, key, company_defined,  
name, value, description, enterprise_id)  
values ('DATABASE', 'ABC', '0', 'ABC', '10', 'ABC_DEF_XYZ', 2);  
commit;
```

# 2

## SYSTEM Profile Enterprise Switches

This chapter lists the SYSTEM profile enterprise switches for Oracle Argus Insight:

- ACCEPTABLE\_ROUTING\_JUSTIFICATION\_FIELD\_ID
- ACCEPTABLE\_SUBMISSION\_JUSTIFICATION\_FIELD\_ID
- ARGUS\_MART\_DB\_NAME
- ARGUS\_MART\_USER\_NAME
- ARGUS\_MART\_USER\_PASSWORD
- ARGUS\_SAFETY\_URL
- AUTOE\_P\_E\_TERM\_DIC
- AUTOE\_P\_SUS\_D\_DIC
- BI\_ANSWERS\_WEB\_URL
- BIP\_WEB\_URL
- BO\_WEB\_URL
- CASE\_REFERENCE\_TYPE\_ID
- CAUSALITY\_ASSESSMENT\_C
- CAUSALITY\_ASSESSMENT\_R
- CAUSALITY\_ASSESSMENT\_R\_C
- CAUSALITY\_ASSESSMENT\_UDFIELD
- COGNOS\_WEB\_URL
- CONFIDENTIALITY
- CORE\_SITE
- CORPORATE\_LOGO\_PATH
- CUSTOM\_HELP\_URL
- DATASHEET\_BPI
- DATASHEET\_EMEA
- DATASHEET\_IB
- DATASHEET\_PI
- DATA\_SOURCE
- DISPLAY\_ENTERPRISE\_SHORT\_NAME
- DLL\_SLL\_REPORTS\_TABLE\_POPULATION
- DMS\_MEDDRA\_USER
- DMS\_WHO\_USER
- ENABLE\_COMPANY\_HOLIDAY

- ESM\_TABLE\_POPULATION
- EVENT\_CAUSALITY\_FIELD
- FAILED\_RECIPIENTS\_STATUS\_EMAIL\_ADDRESS
- FOLLOWUP\_ACTION\_CODE
- KEEP\_REPORT\_DATA
- LAM\_TABLE\_POPULATION
- LICENSE\_PARTY\_STARTING\_CODE
- LL\_REPORTS\_DATASHEET
- LL\_REPORTS\_TABLE\_POPULATION
- LOCKED\_DAYS
- MEDDRA\_POPULATION
- POPULATE\_NARRATIVE\_LANGUAGES\_TABLES
- POPULATE\_RPT\_REG\_REPORTS\_COLUMNS
- PRODUCT\_LOGO\_PATH
- PROXY\_AUTO\_DETECT
- PROXY\_HOST
- PROXY\_PASSWORD
- PROXY\_PORT
- PROXY\_TYPE
- PROXY\_USER
- RESET\_PASSWORD
- SSL\_START\_MODE
- STUDY\_RECONCILIATION\_TABLE\_POPULATION
- SUPPLIER\_FIELD\_ID
- TOKEN\_LIFE\_TIME\_THRESHOLD
- UDN\_COL\_FOR\_SUPPLIER\_NAME
- WHO\_DRUG\_BROWSER\_FORMAT
- WHO\_DRUG\_POPULATION

## ACCEPTABLE\_ROUTING\_JUSTIFICATION\_FIELD\_ID

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ACCEPTABLE_ROUTING_JUSTIFICATION_FIELD_ID
<b>Company Defined</b>	0
<b>Name</b>	ROUTING JUSTIFICATION ID
<b>Default Value</b>	4050003

Parameters	Values
<b>Description</b>	<p>Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data.</p> <p>Oracle Argus Insight uses this value to retrieve the List Maintenance Values for Acceptable Routing Justification from the LM_JUSTIFICATIONS table.</p> <p>Oracle Argus Insight uses these routing justifications in the Regulatory Submission and Distribution Compliance Report.</p>

## ACCEPTABLE\_SUBMISSION\_JUSTIFICATION\_FIELD\_ID

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ACCEPTABLE_SUBMISSION_JUSTIFICATION_FIELD_ID
<b>Company Defined</b>	0
<b>Name</b>	SUBMISSION JUSTIFICATION ID
<b>Default Value</b>	6150002
<b>Description</b>	<p>Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data.</p> <p>Oracle Argus Insight uses this value to retrieve the List Maintenance Values for Acceptable Submission Justification from the LM_JUSTIFICATIONS table.</p> <p>Oracle Argus Insight uses these submission justifications in the Regulatory Submission and Distribution Compliance Report.</p>

## ARGUS\_MART\_DB\_NAME

Parameter	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_MART_DB_NAME
<b>Company Defined</b>	1
<b>Name</b>	ARGUS MART DB NAME
<b>Default Value</b>	—
<b>Description</b>	<p>Specifies the database instance name for the Oracle Argus Mart data mart. This information will be used to connect Oracle Argus Insight application with Oracle Argus Mart database.</p>

## ARGUS\_MART\_USER\_NAME

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_MART_USER_NAME
<b>Company Defined</b>	1

Parameters	Values
<b>Name</b>	ARGUS MART USER NAME
<b>Default Value</b>	—
<b>Description</b>	Specifies the schema <AM_APP_USER> that user has created for Oracle Argus Insight application in Oracle Argus Mart installation through Schema Creation Tool. This user will be used to perform all the background functions from Oracle Argus Insight application to Oracle Argus Mart database including querying and reporting.

## ARGUS\_MART\_USER\_PASSWORD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_MART_USER_PASSWORD
<b>Company Defined</b>	1
<b>Name</b>	ARGUS MART USER PASSWORD
<b>Default Value</b>	—
<b>Description</b>	Specifies the password of the schema that user has created for Oracle Argus Insight application in Oracle Argus Mart database. This should be the password of the user configured in ARGUS MART USER NAME profile switch.

## ARGUS\_SAFETY\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_SAFETY_URL
<b>Company Defined</b>	0
<b>Name</b>	ARGUS SAFETY URL
<b>Default Value</b>	—
<b>Description</b>	Specifies the URL for the Oracle Argus Safety application.

## AUTOE\_P\_E\_TERM\_DIC

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	AUTOE_P_E_TERM_DIC
<b>Company Defined</b>	0
<b>Name</b>	MEDDRA DICTIONARY ID
<b>Default Value</b>	—
<b>Description</b>	Specifies the ID of the current Medical Dictionary for Regulatory Activities (MedDRA dictionary). Oracle Argus Insight automatically sets this value during the Extract Transform and Load (ETL) process.

## AUTOE\_P\_SUS\_D\_DIC

Parameters	Values
Section	SYSTEM
Key	AUTOE_P_SUS_D_DIC
Company Defined	0
Name	WHO DICTIONARY ID
Default Value	—
Description	Specifies the ID of the current World Health Organization (WHO) dictionary. Oracle Argus Insight automatically sets this value during the ETL process.

## BI\_ANSWERS\_WEB\_URL

Parameters	Values
Section	SYSTEM
Key	BI_ANSWERS_WEB_URL
Company Defined	1
Name	BI ANSWERS WEB URL
Default Value	—
Description	Specifies the complete Oracle Business Intelligence Answers Web URL for opening up the Oracle Business Intelligence Answers Home page. This URL can be for standalone Oracle Business Intelligence Answers server, or Load Balancer URL configured for multiple Oracle Business Intelligence Answers servers. If Oracle Business Intelligence Answers is configured for SSL, you must use <b>https</b> with the URL.

## BIP\_WEB\_URL

Parameters	Values
Section	SYSTEM
Key	BIP_WEB_URL
Company Defined	1
Name	BIP WEB URL
Default Value	—
Description	Specifies the complete Oracle Business Intelligence Publisher Web URL for opening the Oracle Business Intelligence Publisher Home page. This URL can be for standalone Oracle Business Intelligence Publisher server, or Load Balancer URL configured for multiple Oracle Business Intelligence Publisher servers. If Oracle Business Intelligence Publisher is configured for SSL, you must use <i>https</i> with the URL.

## BO\_WEB\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	BO_WEB_URL
<b>Company Defined</b>	1
<b>Name</b>	BO WEB URL
<b>Default Value</b>	—
<b>Description</b>	Specifies the complete BusinessObjects Web URL for opening the BusinessObjects Home page. This URL can be for standalone BusinessObjects server, or Load Balancer URL configured for multiple BusinessObjects servers. If BusinessObjects is configured for SSL, you must use <i>https</i> with the URL.

## CASE\_REFERENCE\_TYPE\_ID

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CASE_REFERENCE_TYPE_ID
<b>Company Defined</b>	0
<b>Name</b>	CASE REFERENCE TYPE ID
<b>Default Value</b>	—
<b>Description</b>	<p>During the ETL process, Oracle Argus Insight uses this value to populate the RPT_CASE.FIRST_REF_NO column.</p> <p>The ETL process populates the RPT_CASE.FIRST_REF_NO column only if this profile switch is set. Otherwise, the column value is null.</p> <p>The Local Reference Number in reports points to the RPT_CASE.FIRST_REF_NO column.</p>

## CAUSALITY\_ASSESSMENT\_C

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CAUSALITY_ASSESSMENT_C
<b>Company Defined</b>	0
<b>Name</b>	CAUSALITY ASSESSMENT. C
<b>Default Value</b>	—
<b>Description</b>	Oracle Argus Insight uses this value in standard reports for Company Defined Causality.

## CAUSALITY\_ASSESSMENT\_R

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CAUSALITY_ASSESSMENT_R
<b>Company Defined</b>	0
<b>Name</b>	CAUSALITY ASSESSMENT. R
<b>Default Value</b>	—
<b>Description</b>	Oracle Argus Insight uses this value in standard reports for Reporter Defined Causality.

## CAUSALITY\_ASSESSMENT\_R\_C

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CAUSALITY_ASSESSMENT_R_C
<b>Company Defined</b>	0
<b>Name</b>	CAUSALITY ASSESSMENT. R+C
<b>Default Value</b>	—
<b>Description</b>	Oracle Argus Insight uses this value in standard reports for Reporter Defined Causality and Company Defined Causality.

## CAUSALITY\_ASSESSMENT\_UDFIELD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CAUSALITY_ASSESSMENT_UDFIELD
<b>Company Defined</b>	0
<b>Name</b>	CAUSALITY ASSESSMENT. UD FIELD
<b>Default Value</b>	—
<b>Description</b>	Oracle Argus Insight uses this value in standard reports for the user-defined (UD) field to determine causality.

## COGNOS\_WEB\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	COGNOS_WEB_URL
<b>Company Defined</b>	1



Parameters	Values
<b>Name</b>	COGNOS WEB URL
<b>Default Value</b>	---
<b>Description</b>	Specifies the complete Cognos Web URL for opening the Cognos home page. This URL can be the Cognos URL for standalone Cognos server, or the Load Balancer URL configured for multiple Cognos servers. If Cognos is configured for SSL, you must use <i>https</i> with the URL.  Example: http://<server name>/Cognos102

## CONFIDENTIALITY

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CONFIDENTIALITY
<b>Company Defined</b>	0
<b>Name</b>	CONFIDENTIALITY TEXT
<b>Default Value</b>	Confidential
<b>Description</b>	Defines the confidential text that prints in the running footer on each page in the reports.

## CORE\_SITE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CORE_SITE
<b>Company Defined</b>	0
<b>Name</b>	CORE SITE
<b>Default Value</b>	CORE
<b>Description</b>	Configures the abbreviation that indicates a site is a <i>core site</i> . All sites listed in the LM_SITES table that have the configured site abbreviation are considered to be core sites.  In addition, Oracle Argus Insight uses the CORE_SITE value to calculate the value for the Core Receipt Date field in standard reports.

## CORPORATE\_LOGO\_PATH

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CORPORATE_LOGO_PATH
<b>Company Defined</b>	0
<b>Name</b>	COMPANY LOGO PATH

Parameters	Values
<b>Default Value</b>	C:\Logo\logo.bmp
<b>Description</b>	<p>Defines the location of the company logo on the local server. This logo prints in the report header.</p> <p><b>For Cognos</b> — Enter the logo file name with the full URL path to the file on the local server. Cognos supports the following file types: JPG, GIF, and BMP.</p> <p><b>For BusinessObjects</b> — Enter the logo file name with the directory path to the image file on the BusinessObjects server. BusinessObjects supports the following file types: TIFF and BMP.</p>

## CUSTOM\_HELP\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CUSTOM_HELP_URL
<b>Company Defined</b>	1
<b>Name</b>	CUSTOM HELP URL
<b>Default Value</b>	—
<b>Description</b>	<p>Defines the URL for your customized online help.</p> <p>If the URL is not valid, users receive the following error message: Error 404 - Page Not Found</p>

## DATASHEET\_BPI

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DATASHEET_BPI
<b>Company Defined</b>	0
<b>Name</b>	DATASHEET BPI
<b>Default Value</b>	—
<b>Description</b>	<p>Configures the user-defined fields for assessment of BPI Datasheet in the Product tab.</p> <p>Oracle Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none"> <li>• Audit Review Listing</li> <li>• Detailed Line Listing by Case Number</li> <li>• Global Audit Listing</li> <li>• MSE Review List for Non Serious SR</li> <li>• MSE Review List for Unrelated CT</li> </ul>

## DATASHEET\_EMEA

Parameters	Values
Section	SYSTEM
Key	DATASHEET_EMEA
Company Defined	0
Name	DATASHEET EMEA
Default Value	—
Description	<p>Configures the user-defined fields for assessment of EMEA Datasheet in the Products tab.</p> <p>Oracle Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none"> <li>• Audit Review Listing</li> <li>• Detailed Line Listing by Case Number</li> <li>• Global Audit Listing</li> <li>• MSE Review List for Non Serious SR</li> <li>• MSE Review List for Unrelated CT</li> </ul>

## DATASHEET\_IB

Parameters	Values
Section	SYSTEM
Key	DATASHEET_IB
Company Defined	0
Name	DATASHEET IB
Default Value	—
Description	<p>Configures the user-defined fields for assessment of IB Datasheet in the Products tab.</p> <p>Oracle Argus Insight uses this value in the following General and Compliance reports:</p> <ul style="list-style-type: none"> <li>• Audit Review Listing</li> <li>• Detailed Line Listing by Case Number</li> <li>• Global Audit Listing</li> <li>• MSE Review List for Non Serious SR</li> <li>• MSE Review List for Unrelated CT</li> </ul>

## DATASHEET\_PI

Parameters	Values
Section	SYSTEM
Key	DATASHEET_PI
Company Defined	0
Name	DATASHEET PI
Default Value	—

Parameters	Values
<b>Description</b>	Configures the user-defined fields for assessment of PI Datasheet in the Products tab. Oracle Argus Insight uses this value in the following General and Compliance reports: <ul style="list-style-type: none"> <li>• Audit Review Listing</li> <li>• Detailed Line Listing by Case Number</li> <li>• Global Audit Listing</li> <li>• MSE Review List for Non Serious SR</li> <li>• MSE Review List for Unrelated CT</li> </ul>

## DATA\_SOURCE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DATA_SOURCE
<b>Company Defined</b>	1
<b>Name</b>	ARGUS INSIGHT APPLICATION DATA SOURCE
<b>Default Value</b>	1
<b>Description</b>	Configures the data source for Argus Insight application. You may run your queries against Oracle Argus Insight Mart or Oracle Argus Mart depending upon the value configured in this switch. The available values are: <ul style="list-style-type: none"> <li>• Oracle Argus Mart — Querying will be available only on Oracle Argus Mart data source</li> <li>• Oracle Argus Insight Mart — Querying will be available only on Oracle Argus Insight data source</li> <li>• Both (Oracle Argus Insight and Oracle Argus Mart) — You may choose between Oracle Argus Insight Mart and Oracle Argus Mart data sources for creating and executing the queries. All the queries and case series created on these data sources can be identified in the application.</li> </ul>

## DISPLAY\_ENTERPRISE\_SHORT\_NAME

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DISPLAY_ENTERPRISE_SHORT_NAME
<b>Company Defined</b>	0
<b>Name</b>	DISPLAY ENTERPRISE SHORT NAME
<b>Default Value</b>	0
<b>Description</b>	Defines whether to display the enterprise short name in the Oracle Argus Insight application. <p>0 = Do not display the enterprise short name.</p> <p>1 = Display the enterprise short name.</p>

## DLL\_SLL\_REPORTS\_TABLE\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DLL_SLL_REPORTS_TABLE_POPULATION
<b>Company Defined</b>	0
<b>Name</b>	POPULATE DLL SLL REPORTS TABLE DATA
<b>Default Value</b>	0
<b>Description</b>	<p>Defines whether to populate the RPT_CASE_EVENT_PRODUCT table required for DLL and SLL.</p> <p>0 = Do not populate the RPT_CASE_EVENT_PRODUCT table.</p> <p>1 = Populate the RPT_CASE_EVENT_PRODUCT table.</p>

## DMS\_MEDDRA\_USER

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DMS_MEDDRA_USER
<b>Company Defined</b>	0
<b>Name</b>	DMS_MEDDRA_USER
<b>Default Value</b>	—
<b>Description</b>	<p>Defines the name of the schema in the source system (Oracle Argus Safety) where the MEDDRA tables are populated.</p>

## DMS\_WHO\_USER

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DMS_WHO_USER
<b>Company Defined</b>	0
<b>Name</b>	DMS_WHO_USER
<b>Default Value</b>	—
<b>Description</b>	<p>Defines the name of the schema in the source system (Oracle Argus Safety) where the WHO tables are populated.</p>

## ENABLE\_COMPANY\_HOLIDAY

Parameters	Values
<b>Section</b>	SYSTEM

Parameters	Values
<b>Key</b>	ENABLE_COMPANY_HOLIDAY
<b>Company Defined</b>	0
<b>Name</b>	ENABLE COMPANY HOLIDAY
<b>Default Value</b>	1
<b>Description</b>	<p>Defines whether to include company holidays in the due date calculation for the Data Entry Performance Over Time Report.</p> <p>0 = Do not include company holidays in the calculations.</p> <p>1 = Include company holidays in the calculations.</p>

## ESM\_TABLE\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ESM_TABLE_POPULATION
<b>Company Defined</b>	1
<b>Name</b>	POPULATE INTERCHANGE DATA
<b>Default Value</b>	0
<b>Description</b>	<p>Defines whether to bring Oracle Argus Interchange data into the data mart.</p> <p>0 = Do not bring any Oracle Argus Interchange data into the data mart.</p> <p>1 = Bring all Oracle Argus Interchange data into the data mart.</p> <p>2 = Bring only the Oracle Argus Interchange data from the following tables into the data mart:</p> <ul style="list-style-type: none"> <li>• SAFETYREPORT</li> <li>• MESSAGES</li> <li>• EDI_INFO</li> </ul>

## EVENT\_CAUSALITY\_FIELD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	EVENT_CAUSALITY_FIELD
<b>Company Defined</b>	0
<b>Name</b>	EVENT CAUSALITY FIELD
<b>Default Value</b>	—
<b>Description</b>	Determines which user-defined fields in the Events tab will be displayed in reports.

## FAILED\_RECIPIENTS\_STATUS\_EMAIL\_ADDRESS

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	FAILED_RECIPIENTS_STATUS_EMAIL_ADDRESS
<b>Company Defined</b>	1
<b>Name</b>	FAILED RECIPIENTS STATUS EMAIL ADDRESS
<b>Default Value</b>	—
<b>Description</b>	Defines the email address of the user who will receive information regarding undeliverable email messages due to an invalid email ID or other error.

## FOLLOWUP\_ACTION\_CODE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	FOLLOWUP_ACTION_CODE
<b>Company Defined</b>	0
<b>Name</b>	FOLLOW-UP ACTION CODE
<b>Default Value</b>	—
<b>Description</b>	Configures the code that indicates a follow-up action is required. Oracle Argus Insight uses this code in the Follow-up Status Listing report.

## KEEP\_REPORT\_DATA

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	KEEP_REPORT_DATA
<b>Company Defined</b>	1
<b>Name</b>	KEEP REPORT DATA
<b>Default Value</b>	N
<b>Description</b>	A flag to determine if the report log tables need to be populated or not. Y - Populate the report log tables N - Do not populate the report log tables Default Value - N

## LAM\_TABLE\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM

Parameters	Values
<b>Key</b>	LAM_TABLE_POPULATION
<b>Company Defined</b>	1
<b>Name</b>	POPULATE AFFILIATE DATA
<b>Default Value</b>	0
<b>Description</b>	Defines whether to bring affiliate data from the Local Affiliate Module (LAM) into the data mart. The affiliate data comes from all tables with the LAM_ prefix. 0 = Do not bring any affiliate data into the data mart. 1 = Bring all affiliate data into the data mart.

## LICENSE\_PARTY\_STARTING\_CODE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	LICENSE_PARTY_STARTING_CODE
<b>Company Defined</b>	0
<b>Name</b>	LICENSE PARTY STARTING CODE
<b>Default Value</b>	LP
<b>Description</b>	Configures the starting code value for the licensing party. Oracle Argus Insight uses this value for the Process Performance Report - Notification report.

## LL\_REPORTS\_DATASHEET

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	LL_REPORTS_DATASHEET
<b>Company Defined</b>	0
<b>Name</b>	DATASHEET NAMES FOR LL REPORTS
<b>Default Value</b>	DATASHEET BPI, DATASHEET EMEA, DATASHEET IB, DATASHEET PI
<b>Description</b>	Specifies the names of the datasheets that Oracle Argus Insight must print on the <i>line listing</i> (LL) report. Oracle Argus Insight uses this value for the Detailed Line Listing by Case Number report. Use a comma to separate each name in the value field.

## LL\_REPORTS\_TABLE\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	LL_REPORTS_TABLE_POPULATION
<b>Company Defined</b>	0



Parameters	Values
<b>Name</b>	POPULATE LL REPORTS TABLE DATA
<b>Default Value</b>	0
<b>Description</b>	<p>Defines whether to populate the RPT_CASE_EVENT_PROD table and the RPT_CASE_EVENT_PRODUCT_ASSESS table required for the LL reports.</p> <p>0 = Do not populate the RPT_CASE_EVENT_PROD and RPT_CASE_EVENT_PRODUCT_ASSESS tables.</p> <p>1 = Populate the RPT_CASE_EVENT_PROD and RPT_CASE_EVENT_PRODUCT_ASSESS tables.</p>

## LOCKED\_DAYS

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	LOCKED_DAYS
<b>Company Defined</b>	0
<b>Name</b>	DAYS TO LOCK
<b>Default Value</b>	9
<b>Description</b>	Configures the number of days to lock for a case.

## MEDDRA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	MEDDRA_POPULATION
<b>Company Defined</b>	0
<b>Name</b>	POPULATE MEDDRA DATA
<b>Default Value</b>	1
<b>Description</b>	<p>Defines whether to populate the MedDRA tables.</p> <p>0 = Do not populate the MedDRA tables.</p> <p>1 = Populate the MedDRA tables.</p> <p>2 = Populate the MedDRA and MedDRA/J (MedDRA Japanese Translation) tables.</p> <p>To improve performance of Incremental ETL, Oracle recommends that you set this switch to 0 once you have completed the Initial ETL. Thereafter, whenever you update the MedDRA dictionary in Argus , set this switch to 1 before you run the Incremental ETL.</p>

## POPULATE\_NARRATIVE\_LANGUAGES\_TABLES

Parameters	Values
<b>Section</b>	SYSTEM

Parameters	Values
<b>Key</b>	POPULATE_NARRATIVE_LANGUAGES_TABLES
<b>Company Defined</b>	0
<b>Name</b>	POPULATE NARRATIVE LANGUAGES TABLES
<b>Default Value</b>	0
<b>Description</b>	<p>Defines whether to populate the RPT_CNL_MLINGUAL table and the RPT_CNL_ENGLISH table.</p> <p>0 = Do not populate the RPT_CNL_MLINGUAL and RPT_CNL_ENGLISH tables.</p> <p>1 = Populate the RPT_CNL_MLINGUAL and RPT_CNL_ENGLISH tables.</p> <p>Oracle Argus Insight uses the information in these tables in the following reports:</p> <ul style="list-style-type: none"> <li>• Case Narrative Listing - English</li> <li>• Serious Adverse Events Report</li> </ul>

## POPULATE\_RPT\_REG\_REPORTS\_COLUMNS

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	POPULATE_RPT_REG_REPORTS_COLUMNS
<b>Company Defined</b>	0
<b>Name</b>	POPULATE RPT_REG_REPORTS COLUMNS
<b>Default Value</b>	0
<b>Description</b>	<p>Defines whether to populate the extra columns of the RPT_REG_REPORTS table.</p> <p>0 = Do not populate the extra columns of RPT_REG_REPORTS table.</p> <p>1 = Populate the extra columns of RPT_REG_REPORTS table.</p>

## PRODUCT\_LOGO\_PATH

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PRODUCT_LOGO_PATH
<b>Company Defined</b>	0
<b>Name</b>	PRODUCT LOGO PATH
<b>Default Value</b>	—

Parameters	Values
<b>Description</b>	<p>Defines the full URL path to the image file of the product logo that prints in the header of the following reports:</p> <ul style="list-style-type: none"> <li>• Adverse Events Line Listing</li> <li>• Data Entry Performance Over Time Report</li> <li>• DCA-TME Notification Report</li> <li>• Manufacturing Monthly Report</li> <li>• Process Performance Report - Notification</li> <li>• Process Performance Report - Workflow</li> <li>• Regulatory Submission and Distribution Compliance Report</li> <li>• Serious Adverse Events Report</li> <li>• Supplier Performance Report</li> </ul>

## PROXY\_AUTO\_DETECT

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_AUTO_DETECT
<b>Company Defined</b>	0
<b>Name</b>	PROXY_AUTO_DETECT
<b>Default Value</b>	0
<b>Description</b>	This property defines whether to detect proxy automatically.

## PROXY\_HOST

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_HOST
<b>Company Defined</b>	0
<b>Name</b>	PROXY_HOST
<b>Default Value</b>	NULL
<b>Description</b>	This property defines the name of the proxy server.

## PROXY\_PASSWORD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_PASSWORD
<b>Company Defined</b>	0
<b>Name</b>	PROXY_PASSWORD
<b>Default Value</b>	NULL

---

Parameters	Values
<b>Description</b>	This property defines the password of the user which connects to proxy server.

---

## PROXY\_PORT

---

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_PORT
<b>Company Defined</b>	0
<b>Name</b>	PROXY_PORT
<b>Default Value</b>	NULL
<b>Description</b>	This property defines the proxy port.

---

## PROXY\_TYPE

---

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_TYPE
<b>Company Defined</b>	0
<b>Name</b>	PROXY_TYPE
<b>Default Value</b>	0
<b>Description</b>	This property defines the proxy type. Possible values: <ul style="list-style-type: none"><li>• 0 = None</li><li>• 1 = Tunnel</li><li>• 2 = SOCKS4</li><li>• 3 = SOCKS5</li></ul>

---

## PROXY\_USER

---

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PROXY_USER
<b>Company Defined</b>	0
<b>Name</b>	PROXY_USER
<b>Default Value</b>	NULL
<b>Description</b>	This property defines the user name which connects to proxy server.

---

## RESET\_PASSWORD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	RESET_PASSWORD
<b>Company Defined</b>	0
<b>Name</b>	RESET PASSWORD
<b>Default Value</b>	BA520CFDD9CD7BF3C51AF9604B7EDFB071AE6E032EECEF18A7DA88D6A9E75853
<b>Description</b>	Defines the value to use when resetting a user's password.

## SSL\_START\_MODE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	SSL_START_MODE
<b>Company Defined</b>	0
<b>Name</b>	SSL_START_MODE
<b>Default Value</b>	3
<b>Description</b>	This property defines the SSL start mode. Possible values: <ul style="list-style-type: none"> <li>• 0 = SSLAutomatic</li> <li>• 1 = SSLImplicit</li> <li>• 2 = SSLExplicit</li> <li>• 3 = SSLNone</li> </ul>

## STUDY\_RECONCILIATION\_TABLE\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	STUDY_RECONCILIATION_TABLE_POPULATION
<b>Company Defined</b>	0
<b>Name</b>	POPULATE STUDY RECONCILIATION REPORT TABLE DATA
<b>Default Value</b>	0
<b>Description</b>	Defines whether to populate the FACT_PROD_LICENSE table required for the Study Reconciliation Report. 0 = Do not populate the FACT_PROD_LICENSE table. 1 = Populate the FACT_PROD_LICENSE table.

## SUPPLIER\_FIELD\_ID

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	SUPPLIER_FIELD_ID
<b>Company Defined</b>	0
<b>Name</b>	SUPPLIER FIELD ID
<b>Default Value</b>	26050012
<b>Description</b>	Specifies the LM_JUSTIFICATIONS.FIELD_ID value. This numeric value is customer-specific data. Oracle Argus Insight uses this value to retrieve the List Maintenance Values for Measurable Suppliers configuration from the LM_JUSTIFICATIONS table. Oracle Argus Insight uses the configured suppliers in the Supplier Performance Report.

## TOKEN\_LIFE\_TIME\_THRESHOLD

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	TOKEN_LIFE_TIME_THRESHOLD
<b>Company Defined</b>	0
<b>Name</b>	TOKEN LIFE TIME THRESHOLD
<b>Default Value</b>	2
<b>Description</b>	Specifies the time in minutes before the token expires.

## UDN\_COL\_FOR\_SUPPLIER\_NAME

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	UDN_COL_FOR_SUPPLIER_NAME
<b>Company Defined</b>	0
<b>Name</b>	UDN COLUMN FOR SUPPLIER NAME
<b>Default Value</b>	—
<b>Description</b>	Defines the user-defined name (UDN) of the column in the Oracle Argus Safety CASE_MASTER table that contains the SUPPLIER NAME value.

## WHO\_DRUG\_BROWSER\_FORMAT

Parameters	Values
<b>Section</b>	SYSTEM

---

Parameters	Values
Key	WHO_DRUG_BROWSER_FORMAT
Company Defined	0
Name	WHO DRUG BROWSER FORMAT
Default Value	—
Description	Defines the WHO Drug Browser format populated by the ETL. B = All the WHO Drug Browsers in the Oracle Argus Insight application will display the B format. C = All the WHO Drug Browsers in the Oracle Argus Insight application will display the C format.

---

## WHO\_DRUG\_POPULATION

---

Parameters	Values
Section	SYSTEM
Key	WHO_DRUG_POPULATION
Company Defined	0
Name	POPULATE WHO DRUG DATA
Default Value	1
Description	Defines whether to populate the WHO tables. 0 = Do not populate the WHO tables. 1 = Populate the WHO tables.

---

# 3

## DATABASE Profile Enterprise Switches

This chapter lists the DATABASE profile enterprise switches for Oracle Argus Insight:

- [CHANGE\\_CONFIG\\_RC\\_UD](#)
- [CHANGE\\_CONFIG\\_WF](#)
- [DATASHEET\\_FLAG](#)
- [DELAY\\_IDENTIFIER](#)
- [DMS\\_WHO\\_DRUG\\_QUERY](#)
- [DMS\\_WHO\\_DRUG\\_QUERY\\_ING](#)
- [EMAIL\\_SENDER\\_ADDRESS](#)

### CHANGE\_CONFIG\_RC\_UD

Parameters	Values
Section	DATABASE
Key	CHANGE_CONFIG_RC_UD
Company Defined	0
Name	CHANGE_CONFIG_RC_UD
Default Value	0
Description	<p>Sets the RC_UD configuration flag (R = Reporter Defined Causality, C = Company Defined Causality, and UD = User-Defined Fields).</p> <p>Oracle Argus Insight automatically sets this flag to 1 whenever the configuration of the following profile switches changes:</p> <ul style="list-style-type: none"><li>• CAUSALITY ASSESSMENT. R</li><li>• CAUSALITY ASSESSMENT. C</li><li>• CAUSALITY ASSESSMENT. R+C</li><li>• CAUSALITY ASSESSMENT. UD FIELD</li></ul> <p>If the value is 1, Oracle Argus Insight updates the RPT_EVENT.RCVALUE column for all cases.</p>

### CHANGE\_CONFIG\_WF

Parameters	Values
Section	DATABASE
Key	CHANGE_CONFIG_WF
Company Defined	0
Name	CHANGE_CONFIG_WF
Default Value	0



Parameters	Values
<b>Description</b>	<p>Sets the workflow (WF) configuration flag.</p> <p>Oracle Argus Insight automatically sets the value to 1 whenever the configuration of the following workflow attributes changes:</p> <ul style="list-style-type: none"> <li>• Workflow Metrics - Archiving States</li> <li>• Workflow Metrics - Data Entry Complete</li> <li>• Workflow Metrics - Assessment Complete</li> <li>• Workflow Metrics - Approval Complete</li> </ul> <p>If the value is 1, Oracle Argus Insight updates the following columns in the RPT_FOLLOWUP table for all cases:</p> <ul style="list-style-type: none"> <li>• DATA_ENTRY_COMPLETE_DATE</li> <li>• ASSESSMENT_COMPLETE_DATE</li> <li>• APPROVAL_COMPLETE_DATE</li> </ul>

## DATASHEET\_FLAG

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DATASHEET_FLAG
<b>Company Defined</b>	0
<b>Name</b>	DATASHEET FLAG
<b>Default Value</b>	0
<b>Description</b>	<p>Sets the datasheet flag.</p> <p>Oracle Argus Insight uses this flag during Incremental ETL to determine whether to populate the data in the four <i>DATASHEET</i> fields for all the cases or for only the modified cases.</p> <p>0 = Populate the data for only the modified cases.</p> <p>1 = Populate the data for all cases.</p> <p>The four DATASHEET fields defined in the List Maintenance tab on the ADMINISTRATION TOOLS page in Oracle Argus Insight are as follows:</p> <ul style="list-style-type: none"> <li>• DATASHEET BPI</li> <li>• DATASHEET EMEA</li> <li>• DATASHEET IB</li> <li>• DATASHEET PI</li> </ul>

## DELAY\_IDENTIFIER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DELAY_IDENTIFIER
<b>Company Defined</b>	0
<b>Name</b>	DELAY IDENTIFIER
<b>Default Value</b>	—

Parameters	Values
<b>Description</b>	<p>Defines the delay text that ETL uses to populate the RPT_FOLLOWUP.CORE_DELAY_ROUTING_COMMENT field.</p> <p>Oracle Argus Insight uses this field in the following reports:</p> <ul style="list-style-type: none"> <li>• Supplier Performance Report</li> <li>• Process Performance Report - Workflow</li> </ul>

## DMS\_WHO\_DRUG\_QUERY

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DMS_WHO_DRUG_QUERY
<b>Company Defined</b>	0
<b>Name</b>	DMS_WHO_DRUG_QUERY
<b>Default Value</b>	—
<b>Description</b>	DMS WHO Drug Query

## DMS\_WHO\_DRUG\_QUERY\_ING

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DMS_WHO_DRUG_QUERY_ING
<b>Company Defined</b>	0
<b>Name</b>	DMS_WHO_DRUG_QUERY_ING
<b>Default Value</b>	—
<b>Description</b>	DMS WHO Drug Query for Ingredient

## EMAIL\_SENDER\_ADDRESS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	EMAIL_SENDER_ADDRESS
<b>Company Defined</b>	1
<b>Name</b>	EMAIL SENDER ADDRESS
<b>Default Value</b>	—
<b>Description</b>	<p>Defines the email address of the person on whose behalf Oracle Argus Insight sends all email messages. If you leave the value blank, then Oracle Argus Insight sends no email messages.</p>