

# Oracle Argus Insight

## Common Profile Global Table Guide



Release 8.2.2

F33965-01

July 2020

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2019, 2020, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Documentation accessibility	vi
Related resources	vi
Access to Oracle Support	vi

## 1 Introduction

---

Internal Use Rows	1-1
About the Columns in the CMN_PROFILE_GLOBAL Table	1-1
Examples of Modifying the CMN_PROFILE_GLOBAL Table	1-2

## 2 SYSTEM Profile Global Switches

---

ARGUS_INTERNAL_X_FRAME_URL	2-2
ARGUS_SAFETY_INTERNAL_URL	2-2
ARGUS_X_FRAME_URL	2-2
BI_ANSWERS_WEB_INTERNAL_URL	2-3
BIP_WEB_INTERNAL_URL	2-3
BLOB_DATA_POPULATION	2-3
CASE_DATA_POPULATION	2-4
CLEAR_XML_CACHE	2-4
COGNOS_AUTHENTICATION_ENTERPRISE	2-4
COGNOS_SINGLE_SIGN_ON_ENABLED	2-5
DEFAULT_ENTERPRISE	2-5
DUP_SEARCH_DATA_POPULATION	2-5
ESM_CLOB_DATA_POPULATION	2-6
ETL_COMPUTE_BALANCING	2-6
ETL_ENTERPRISE_PROGRESS	2-6
FORCE_SECURE_COOKIES	2-7
INSIGHT_HELP_URL	2-7
INSIGHT_INTERNAL_URL	2-7
INTAKE_DATA_POPULATION	2-8
IS_CFG_CUST_WKF_STATES_UPDATED	2-8

LEGACY_REPORTS_CONFIGURATION	2-8
MAXIMUM_EMAIL_ATTEMPTS	2-9
PRE_INCREMENTAL_ETL_TASK	2-9
POST_INCREMENTAL_ETL_TASK	2-9
REPORT_DATA_POPULATION	2-9
SINGLE_SIGN_ON_ENABLED	2-10
SINGLE_SIGN_ON_HTTP_HEADER	2-10
TEMP_TABLE_DATA_POPULATION	2-10

### 3 DATABASE Profile Global Switches

---

Key 1	3-2
Key 2	3-2
Key 3	3-3
Key 4	3-3
Key 5	3-3
Key 6	3-4
Key 7	3-4
Key 8	3-4
Key 9	3-4
ACCESS	3-5
APP_OWNER	3-5
APP_OWNER_PASSWORD	3-5
APP_ROLE	3-6
APPLICATION_TYPE	3-6
COMMIT_AFTER_ROWS	3-6
COMMIT_EVERY_TABLE	3-6
COMMON_USER	3-7
DDL_VER	3-7
DDL_VER_INITIAL	3-7
DEFAULT_SECURITY_ACCESS	3-8
ETL_COMPUTE_MART_USER_STATISTICS	3-8
ETL_COMPUTE_STAGE_USER_STATISTICS	3-8
ETL_EMAIL_RECEIVER_ADDRESS	3-9
ETL_EMAIL_SETUP	3-9
ETL_STATS_CASCADE_OPTION	3-9
ETL_STATS_ESTIMATE_PERCENT	3-10
ETL_STATS_METHOD_OPT	3-10
ETL_STATS_PARALLEL_DEGREE	3-10
ETL_STATUS	3-11
INCR_ETL_PRE_REQ_STATUS	3-11

INCR_ETL_STEP	3-11
INCREMENTAL_ETL_STATUS	3-11
INITIAL_ETL_PRE_REQ_STATUS	3-12
LAST_ETL_START_DATETIME	3-12
LOGIN_OWNER	3-12
MART_HIST_OWNER	3-13
MART_OWNER	3-13
MEMORY_MODEL	3-13
PRE_REQ_CHECK_FLAG	3-14
READ_ONLY_OWNER	3-14
READ_ONLY_ROLE	3-14
RLS_OWNER	3-15
ROLE_NAME	3-15
RUN_INCR_ETL EVERY_TIME	3-15
SAFETY_DDL_VER	3-16
STAGE_OWNER	3-16
VERY_FIRST_INITIAL_ETL_COMPLETE	3-16
LOG_REPORT_SQL	3-17

## 4 Profile Global Switches for Related Applications

---

Profile Global Switches Specific to Oracle Argus Safety	4-1
CURRENT_CASE_COPY	4-1
CURRENT_CASE_COPY	4-1
GMT_OFFSET	4-2
LAST_CASE_COPY	4-2
PREVIOUS_TO_LAST_CASE_COPY	4-2

# Preface

This preface contains the following sections:

- [Documentation accessibility](#)
- [Related resources](#)
- [Access to Oracle Support](#)  
To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

## Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Related resources

For information about Oracle Argus patches, see [My Oracle Support](#).

All documentation and other supporting materials are available on the [Oracle Help Center](#).

## Access to Oracle Support

To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

### **Cloud customers receive support assistance through Support Cloud**

Oracle customers that have purchased support have access to electronic support through Support Cloud.

Contact our Oracle Customer Support Services team by logging requests in one of the following locations:

- English interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu.custhelp.com/>)
- Japanese interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu-jp.custhelp.com/>)

You can also call our 24x7 help desk. For information, visit <http://www.oracle.com/us/support/contact/health-sciences-cloud-support/index.html> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

**On-premises customers receive support assistance through My Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

# 1

## Introduction

The CMN\_PROFILE\_GLOBAL table contains values that control the behavior of the Oracle Argus Insight application.

You can update many of these values by modifying the Profile Switches in the List Maintenance tab on the ADMINISTRATION TOOLS page in Oracle Argus Insight.

Other values you can access and update only through direct SQL statements.

In addition to the CMN\_PROFILE\_GLOBAL table, the CMN\_PROFILE\_ENTERPRISE table contains values that control the behavior of all enterprises in Oracle Argus Insight. For more information about modifying the profile enterprise switches, see the *Oracle Argus Insight Common Profile Enterprise Table Guide* and the following:

- [Internal Use Rows](#)
- [About the Columns in the CMN\\_PROFILE\\_GLOBAL Table](#)
- [Examples of Modifying the CMN\\_PROFILE\\_GLOBAL Table](#)

## Internal Use Rows

During the initial Factory Data load when the database is created, the system creates several *Internal Use* rows. As the name implies, these rows of values are for Oracle Argus Insight internal use only.

Do not modify any values in the internal use rows.

## About the Columns in the CMN\_PROFILE\_GLOBAL Table

Each profile switch described in this guide includes the following information:

- **Section** — Lists the name of the section within the CMN\_PROFILE\_GLOBAL table that has the profile switch. The sections are as follows:
  - SYSTEM
  - DATABASE
  - ARGUS
  - BOXI (for BusinessObjects XI)
  - COGNOS8
- **Key** — Lists the unique name for the profile switch.
- **Company Defined** — Indicates the method you can use to modify the profile switch:
  - **0** = Indicates you can modify this profile switch only by issuing direct SQL statements. You should modify these profile switches with assistance from Oracle Support.



- **1** = Indicates you can modify this profile switch either by using the options in the List Maintenance tab in the Oracle Argus Insight application or by issuing direct SQL statements.
- **Name** — Lists the name of the profile switch as displayed in the List Maintenance tab in the Oracle Argus Insight application.
- **Default Value** — Lists the default value, if defined.
- **Description** — Provides more information about the function of the profile switch.

## Examples of Modifying the CMN\_PROFILE\_GLOBAL Table

This section provides sample SQL for how to update and insert values in the CMN\_PROFILE\_GLOBAL table in the database.

Note that values, as specified, are case sensitive.

### Updating an Existing Value

To update an existing value in the CMN\_PROFILE\_GLOBAL table:

```
UPDATE CMN_PROFILE_GLOBAL set value = '10'  
WHERE section = 'DATABASE' AND key = 'ABC';  
commit;
```

### Inserting a New Row of Values

To insert a new row of values into the CMN\_PROFILE\_GLOBAL table:

```
INSERT into CMN_PROFILE_GLOBAL (section, key, company_defined, name,  
value, description)  
values ('DATABASE', 'ABC', '0', 'ABC', 'ABC_DEF_XYZ');  
commit;
```

# 2

## SYSTEM Profile Global Switches

For information about the profile global switches you can use to change settings for the database or for your related application (Oracle Argus Safety), see [DATABASE Profile Global Switches](#) and [Profile Global Switches for Related Applications](#), respectively.

This chapter lists the SYSTEM profile global switches for Oracle Argus Insight:

- ARGUS\_INTERNAL\_X\_FRAME\_URL
- ARGUS\_SAFETY\_INTERNAL\_URL
- ARGUS\_X\_FRAME\_URL
- BI\_ANSWERS\_WEB\_INTERNAL\_URL
- BIP\_WEB\_INTERNAL\_URL
- BLOB\_DATA\_POPULATION
- CASE\_DATA\_POPULATION
- CLEAR\_XML\_CACHE
- COGNOS\_AUTHENTICATION\_ENTERPRISE
- COGNOS\_SINGLE\_SIGN\_ON\_ENABLED
- DEFAULT\_ENTERPRISE
- DUP\_SEARCH\_DATA\_POPULATION
- ESM\_CLOB\_DATA\_POPULATION
- ETL\_COMPUTE\_BALANCING
- ETL\_ENTERPRISE\_PROGRESS
- FORCE\_SECURE\_COOKIES
- INSIGHT\_HELP\_URL
- INSIGHT\_INTERNAL\_URL
- INTAKE\_DATA\_POPULATION
- IS\_CFG\_CUST\_WKF\_STATES\_UPDATED
- LEGACY\_REPORTS\_CONFIGURATION
- MAXIMUM\_EMAIL\_ATTEMPTS
- PRE\_INCREMENTAL\_ETL\_TASK
- POST\_INCREMENTAL\_ETL\_TASK
- REPORT\_DATA\_POPULATION
- SINGLE\_SIGN\_ON\_ENABLED
- SINGLE\_SIGN\_ON\_HTTP\_HEADER
- TEMP\_TABLE\_DATA\_POPULATION

## ARGUS\_INTERNAL\_X\_FRAME\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_INTERNAL_X_FRAME_URL
<b>Company Defined</b>	0
<b>Name</b>	ARGUS SAFETY INTERNAL URL FOR X-FRAME SUPPORT
<b>Default Value</b>	NULL
<b>Description</b>	<p>Defines the X-Frame option in HTTP response header.</p> <p>Oracle Argus Insight URL will open from the Global Home Page only when Oracle Argus Safety internal URL is configured in this profile switch.</p> <p>(For example, &lt;protocol&gt;://&lt;Argus_Safety_Internal_URL&gt;)</p> <p>If this profile switch is not configured then on accessing Oracle Argus Insight from the Global Home Page, an error message appears.</p>

## ARGUS\_SAFETY\_INTERNAL\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_SAFETY_INTERNAL_URL
<b>Company Defined</b>	0
<b>Name</b>	ARGUS SAFETY INTERNAL URL
<b>Default Value</b>	NULL
<b>Description</b>	Defines the internal URL of the Oracle Argus Safety application.

## ARGUS\_X\_FRAME\_URL

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ARGUS_X_FRAME_URL
<b>Company Defined</b>	1
<b>Name</b>	ARGUS SAFETY URL FOR X-FRAME SUPPORT
<b>Default Value</b>	—
<b>Description</b>	<p>Defines the X-Frame option in the HTTP response header.</p> <p>Oracle Argus Insight will open from the Global Home Page only when Oracle Argus Safety URL is configured in this profile switch.</p> <p>(For example, &lt;protocol&gt;://&lt;Argus_Safety_URL&gt;)</p> <p>If this profile switch is not configured then on accessing Oracle Argus Insight from the Global Home Page, an error message appears.</p>

## BI\_ANSWERS\_WEB\_INTERNAL\_URL

Parameters	Values
Section	SYSTEM
Key	BI_ANSWERS_WEB_INTERNAL_URL
Company Defined	0
Name	BI ANSWERS WEB INTERNAL URL
Default Value	NULL
Description	<p>Defines the complete BI Answers web internal URL to open the BI Answers internal home page.</p> <p>This URL can be a standalone BI Answers internal server or load balancer internal URL configured for multiple BI Answers servers. If BI Answers internal is configured for SSL, make sure to use <b>https</b> with the URL.</p>

## BIP\_WEB\_INTERNAL\_URL

Parameters	Values
Section	SYSTEM
Key	BIP_WEB_INTERNAL_URL
Company Defined	0
Name	BIP WEB INTERNAL URL
Default Value	NULL
Description	<p>Defines the complete BI Publisher web internal URL to open the BI Publisher internal home page.</p> <p>This URL can be a standalone BI Publisher internal server or load balancer internal URL configured for multiple BI Publisher servers. If the BI Publisher internal is configured for SSL, make sure to use <b>https</b> with the URL.</p>

## BLOB\_DATA\_POPULATION

Parameters	Values
Section	SYSTEM
Key	BLOB_DATA_POPULATION
Company Defined	1
Name	POPULATE BLOB DATA
Default Value	0

Parameters	Values
<b>Description</b>	<p>Defines whether to bring all Binary LOB (BLOB) data into the data mart. BLOB data includes data type columns of Oracle Argus Safety Owner Schema tables and Interchange Schema Owner tables.</p> <p>0 — Do not bring any BLOB data into the data mart</p> <p>1 — Bring all BLOB data into the data mart</p> <p>To populate all BLOB columns data from Oracle Argus Safety Database, set the value of this switch to 1. Oracle recommends that you leave the value of this switch set to 0.</p>

## CASE\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CASE_DATA_POPULATION
<b>Company Defined</b>	1
<b>Name</b>	POPULATE CASE/CONFIGURATION DATA
<b>Default Value</b>	1
<b>Description</b>	<p>Sets the flag for populating case/configuration data.</p> <ul style="list-style-type: none"> <li>0 — Populate configuration data only</li> <li>1 — Populate all the data (case and configuration data)</li> </ul>

## CLEAR\_XML\_CACHE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	CLEAR_XML_CACHE
<b>Company Defined</b>	0
<b>Name</b>	CLEAR XML CACHE
<b>Default Value</b>	0
<b>Description</b>	<p>Sets the flag for clearing the XML cache.</p> <p>Oracle Argus Insight sets this value to 1 every time you run Incremental ETL and sets this value to 0 whenever the XML cache is cleared.</p>

## COGNOS\_AUTHENTICATION\_ENTERPRISE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	COGNOS_AUTHENTICATION_ENTERPRISE
<b>Company Defined</b>	1
<b>Name</b>	COGNOS AUTHENTICATION ENTERPRISE

Parameters	Values
<b>Default Value</b>	—
<b>Description</b>	Defines the short name of the enterprise from which all users are authenticated for Cognos login. All Oracle Argus Insight users must be a member of this template enterprise. On the Cognos Server, Cognos security is enabled only after this switch is configured.

## COGNOS\_SINGLE\_SIGN\_ON\_ENABLED

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	COGNOS_SINGLE_SIGN_ON_ENABLED
<b>Company Defined</b>	1
<b>Name</b>	COGNOS SINGLE SIGN ON ENABLED
<b>Default Value</b>	0
<b>Description</b>	Determines if Cognos is Single Sign-On enabled or not. 0 — Cognos Single Sign-On is disabled 1 — Cognos Single Sign-On is enabled

## DEFAULT\_ENTERPRISE

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DEFAULT_ENTERPRISE
<b>Company Defined</b>	0
<b>Name</b>	DEFAULT ENTERPRISE
<b>Default Value</b>	2
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle default enterprise ID for Oracle Argus Insight.

## DUP\_SEARCH\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	DUP_SEARCH_DATA_POPULATION
<b>Company Defined</b>	0
<b>Name</b>	POPULATE DUP SEARCH DATA
<b>Default Value</b>	0

Parameters	Values
<b>Description</b>	Defines whether to bring the duplicate search data from the DUP_SEARCH_DATA table and the USER_DUP_SEARCH_RESULT table into the data mart. 0 — Do not bring the duplicate search data into the data mart 1 — Bring the duplicate search data into the data mart

## ESM\_CLOB\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ESM_CLOB_DATA_POPULATION
<b>Company Defined</b>	1
<b>Name</b>	POPULATE INTERCHANGE CLOB DATA
<b>Default Value</b>	0
<b>Description</b>	Defines whether to bring the Interchange CLOB data into the data mart. 0 — Do not bring the Interchange CLOB data into the data mart 1 — Bring the Interchange CLOB data into the data mart

## ETL\_COMPUTE\_BALANCING

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ETL_COMPUTE_BALANCING
<b>Company Defined</b>	0
<b>Name</b>	ETL_COMPUTE_BALANCING
<b>Default Value</b>	0
<b>Description</b>	DO NOT USE. For Oracle future purpose and reference. Computes the balancing after every Incremental ETL.

## ETL\_ENTERPRISE\_PROGRESS

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	ETL_ENTERPRISE_PROGRESS
<b>Company Defined</b>	0
<b>Name</b>	ETL_ENTERPRISE_PROGRESS
<b>Default Value</b>	0/0
<b>Description</b>	DO NOT USE. For Oracle internal use only. Drops the indexes in the first enterprise and recreates the indexes in the last enterprise.

## FORCE\_SECURE\_COOKIES

Parameters	Values
Section	SYSTEM
Key	FORCE_SECURE_COOKIES
Company Defined	1
Name	FORCE SECURE COOKIES
Default Value	0
Description	Defines whether the user must enter a SSL-enabled URL (HTTPS) to open the Oracle Argus Insight application. 0 — Users can use either HTTP or HTTPS to open the Oracle Argus Insight application 1 — Users must use HTTPS (an SSL-enabled URL) to open the Oracle Argus Insight application

## INSIGHT\_HELP\_URL

Parameters	Values
Section	SYSTEM
Key	INSIGHT_HELP_URL
Company Defined	1
Name	INSIGHT HELP URL
Default Value	<a href="https://docs.oracle.com/en/industries/health-sciences/argus-insight/index.html">https://docs.oracle.com/en/industries/health-sciences/argus-insight/index.html</a>
Description	Specifies the Oracle Argus Insight Help URL. This must be a valid URL otherwise a 404 - Page Not Found error will be displayed to the user.

## INSIGHT\_INTERNAL\_URL

Parameters	Values
Section	SYSTEM
Key	INSIGHT_INTERNAL_URL
Company Defined	0
Name	INSIGHT INTERNAL URL
Default Value	NULL
Description	Defines the internal URL of the Oracle Argus Insight application.



## INTAKE\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	INTAKE_DATA_POPULATION
<b>Company Defined</b>	1
<b>Name</b>	POPULATE INTAKE TABLE DATA
<b>Default Value</b>	0
<b>Description</b>	DO NOT USE - For Oracle Internal Use Only. 0 — Do not bring any Intake tables data into the data mart 1 — Bring Intake tables data into the data mart

## IS\_CFG\_CUST\_WKF\_STATES\_UPDATED

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	IS_CFG_CUST_WKF_STATES_UPDATED
<b>Company Defined</b>	0
<b>Name</b>	IS_CFG_CUST_WKF_STATES_UPDATED
<b>Default Value</b>	1
<b>Description</b>	Specifies whether the configuration for the COMP_DATA_ENTRY column and the COMP_HQ column in the CFG_CUST_WORKFLOW_STATES table has changed. 0 — The configuration has not changed 1 — The configuration has changed Oracle Argus Insight uses the value of this switch to determine whether to populate the RPT_WORKFLOW.INCLUDE_ROW_IN_REPORT column.

## LEGACY\_REPORTS\_CONFIGURATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	LEGACY_REPORTS_CONFIGURATION
<b>Company Defined</b>	1
<b>Name</b>	LEGACY REPORTS CONFIGURATION
<b>Default Value</b>	0
<b>Description</b>	Sets the flag to determine if the Legacy Report Configuration profile items are visible or not. 0 — The configuration profile items are not visible 1 — The configuration profile items are visible

## MAXIMUM\_EMAIL\_ATTEMPTS

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	MAXIMUM_EMAIL_ATTEMPTS
<b>Company Defined</b>	1
<b>Name</b>	MAXIMUM EMAIL ATTEMPTS
<b>Default Value</b>	3
<b>Description</b>	Defines the maximum number of times the system attempts to send an email. 0 — No limit

## PRE\_INCREMENTAL\_ETL\_TASK

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	PRE_INCREMENTAL_ETL_TASK
<b>Company Defined</b>	1
<b>Name</b>	CUSTOM ROUTINE BEFORE INCREMENTAL ETL
<b>Default Value</b>	—
<b>Description</b>	Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>before</i> Incremental ETL. If this routine fails or is not found, then the ETL does not run and the administrator receives an email notification.

## POST\_INCREMENTAL\_ETL\_TASK

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	POST_INCREMENTAL_ETL_TASK
<b>Company Defined</b>	1
<b>Name</b>	CUSTOM ROUTINE AFTER INCREMENTAL ETL
<b>Default Value</b>	—
<b>Description</b>	Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>after</i> Incremental ETL. If the routine fails or is not found, the administrator receives an email notification.

## REPORT\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM

Parameters	Values
<b>Key</b>	REPORT_DATA_POPULATION
<b>Company Defined</b>	0
<b>Name</b>	POPULATE REPORT TEMP DATA
<b>Default Value</b>	0
<b>Description</b>	DO NOT USE. For Oracle internal use only. 0 — Do not bring the report temporary data into the data mart 1 — Bring all report temporary data into the data mart. Includes all data from the following tables: RPT_PDF, RPT_PRINT_LOG, RPT_SAVED_MSG, RPT_TRANSMIT_EMAIL, RPT_TRANSMIT_EMAIL_ATTACH, RPT_TRANSMIT_LOG, and RPT_TRANSMIT_QUEUE.

## SINGLE\_SIGN\_ON\_ENABLED

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	SINGLE_SIGN_ON_ENABLED
<b>Company Defined</b>	0
<b>Name</b>	SINGLE SIGN ON ENABLED
<b>Default Value</b>	0
<b>Description</b>	Defines whether Single Sign-On is enabled. 0 — Single Sign-On is disabled 1 — Single Sign-On is enabled

## SINGLE\_SIGN\_ON\_HTTP\_HEADER

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	SINGLE_SIGN_ON_HTTP_HEADER
<b>Company Defined</b>	0
<b>Name</b>	SINGLE SIGN ON HTTP HEADER
<b>Default Value</b>	—
<b>Description</b>	Configures the Single Sign-On in the HTTP header. Oracle Argus Insight populates this text value with information from Oracle Argus Safety.

## TEMP\_TABLE\_DATA\_POPULATION

Parameters	Values
<b>Section</b>	SYSTEM
<b>Key</b>	TEMP_TABLE_DATA_POPULATION

Parameters	Values
Company Defined	0
Name	POPULATE TEMP TABLE DATA
Default Value	0
Description	<p>DO NOT USE. For Oracle internal use only.</p> <p>Defines whether to bring data from the temporary tables into the data mart.</p> <p>0 — Do not bring any data from the temporary tables into the data mart</p> <p>1 — Bring all data from the temporary tables into the data mart. Includes all data from the following tables:</p> <ul style="list-style-type: none"> <li>• CFG_BATCH_REPORT_CASES</li> <li>CFG_PDP_QUEUE_DESC</li> <li>CFG_SITE_PRINTERS</li> <li>CFG_SMTP</li> <li>CFG_SYSTEM_RESOURCE_USAGE</li> <li>CFG_USER_ASYNC_TASKS</li> <li>• CMN_ERROR_LOG</li> <li>CMN_VARCHAR2</li> <li>CMN_USER_LOGIN</li> <li>CMN_TRIGGER_TMP_QUEUE</li> <li>CMN_STATUS</li> <li>CMN_SEQUENCE_UTL</li> <li>CMN_REC_CHK_OUT</li> <li>CMN_RAW</li> <li>CMN_PRINT_QUEUE</li> <li>CMN_HELP_TEXT</li> <li>• ESM Schema: (ERROR_LOG)</li> <li>• IF_LM_ACTIONS</li> <li>• PDP_* tables (all tables prefixed with PDP_)</li> <li>• TEMP_NO_AGENCY_ID</li> <li>• USER_* tables (all tables prefixed with USER_)</li> <li>• WEB_* tables (all tables prefixed with WEB_)</li> </ul>

# 3

## DATABASE Profile Global Switches

For information about the profile global switches you can use to change settings for your system or for your related application (Oracle Argus Safety), see [SYSTEM Profile Global Switches](#) and [Profile Global Switches for Related Applications](#), respectively.

This chapter lists the DATABASE profile global switches for Oracle Argus Insight:

- Key 1
- Key 2
- Key 3
- Key 4
- Key 5
- Key 6
- Key 7
- Key 8
- Key 9
- ACCESS
- APP\_OWNER
- APP\_OWNER\_PASSWORD
- APP\_ROLE
- APPLICATION\_TYPE
- COMMIT\_AFTER\_ROWS
- COMMIT\_EVERY\_TABLE
- COMMON\_USER
- DDL\_VER
- DDL\_VER\_INITIAL
- DEFAULT\_SECURITY\_ACCESS
- ETL\_COMPUTE\_MART\_USER\_STATISTICS
- ETL\_COMPUTE\_STAGE\_USER\_STATISTICS
- ETL\_EMAIL\_RECEIVER\_ADDRESS
- ETL\_EMAIL\_SETUP
- ETL\_STATS\_CASCADE\_OPTION
- ETL\_STATS\_ESTIMATE\_PERCENT
- ETL\_STATS\_METHOD\_OPT
- ETL\_STATS\_PARALLEL\_DEGREE

- ETL\_STATUS
- INCR\_ETL\_PRE\_REQ\_STATUS
- INCR\_ETL\_STEP
- INCREMENTAL\_ETL\_STATUS
- INITIAL\_ETL\_PRE\_REQ\_STATUS
- LAST\_ETL\_START\_DATETIME
- LOGIN\_OWNER
- MART\_HIST\_OWNER
- MART\_OWNER
- MEMORY\_MODEL
- PRE\_REQ\_CHECK\_FLAG
- READ\_ONLY\_OWNER
- READ\_ONLY\_ROLE
- RLS\_OWNER
- ROLE\_NAME
- RUN\_INCR\_ETL\_EVERY\_TIME
- SAFETY\_DDL\_VER
- STAGE\_OWNER
- VERY\_FIRST\_INITIAL\_ETL\_COMPLETE
- LOG\_REPORT\_SQL

## Key 1

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	1
<b>Company Defined</b>	0
<b>Name</b>	ETL_SUNDAY
<b>Default Value</b>	0
<b>Description</b>	Oracle Argus Insight uses this record to determine whether Extract Transform and Load (ETL) will execute on Sunday.

## Key 2

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	2
<b>Company Defined</b>	0

---

Parameters	Values
Name	ETL_MONDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Monday.

---

## Key 3

---

Parameters	Values
Section	DATABASE
Key	3
Company Defined	0
Name	ETL_TUESDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Tuesday.

---

## Key 4

---

Parameters	Values
Section	DATABASE
Key	4
Company Defined	0
Name	ETL_WEDNESDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Wednesday.

---

## Key 5

---

Parameters	Values
Section	DATABASE
Key	5
Company Defined	0
Name	ETL_THURSDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Thursday.

---

## Key 6

Parameters	Values
Section	DATABASE
Key	6
Company Defined	0
Name	ETL_FRIDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Friday.

## Key 7

Parameters	Values
Section	DATABASE
Key	7
Company Defined	0
Name	ETL_SATURDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Saturday.

## Key 8

Parameters	Values
Section	DATABASE
Key	8
Company Defined	0
Name	ETL_TIME
Default Value	12:00:00 AM
Description	Defines the ETL execution time.

## Key 9

Parameters	Values
Section	DATABASE
Key	9
Company Defined	0
Name	ETL_EXECUTE_IMMEDIATE



Parameters	Values
Default Value	0
Description	This key is obsolete.

## ACCESS

Parameters	Values
Section	DATABASE
Key	ACCESS
Company Defined	0
Name	ACCESS
Default Value	COMMON
Description	DO NOT USE. For Oracle internal use only.

## APP\_OWNER

Parameters	Values
Section	DATABASE
Key	APP_OWNER
Company Defined	0
Name	APP OWNER
Default Value	APR_APP
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle application schema name for Oracle Argus Insight.

## APP\_OWNER\_PASSWORD

Parameters	Values
Section	DATABASE
Key	APP_OWNER_PASSWORD
Company Defined	0
Name	APP OWNER PASSWORD
Default Value	—
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle application schema password for Oracle Argus Insight.

## APP\_ROLE

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	APP_ROLE
<b>Company Defined</b>	0
<b>Name</b>	APP_ROLE
<b>Default Value</b>	APP_ROLE
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle application role name for Oracle Argus Insight.

## APPLICATION\_TYPE

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	APPLICATION_TYPE
<b>Company Defined</b>	0
<b>Name</b>	APPLICATION_TYPE
<b>Default Value</b>	1
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the type of installation for Oracle Argus Insight. 0 — Single tenant installation 1 — Multi-tenant installation

## COMMIT\_AFTER\_ROWS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	COMMIT_AFTER_ROWS
<b>Company Defined</b>	0
<b>Name</b>	ETL - COMMIT_AFTER_ROWS
<b>Default Value</b>	10000
<b>Description</b>	Sets the number of cases that the Incremental ETL processes before committing the data to the database.

## COMMIT\_EVERY\_TABLE

Parameters	Values
<b>Section</b>	DATABASE

Parameters	Values
<b>Key</b>	COMMIT_EVERY_TABLE
<b>Company Defined</b>	0
<b>Name</b>	ETL - COMMIT_EVERY_TABLE
<b>Default Value</b>	FALSE
<b>Description</b>	<p>Sets the configuration flag for Incremental ETL execution to perform an Oracle commit after processing one table.</p> <p>TRUE — Incremental ETL commits data after every table.</p> <p>FALSE — Incremental ETL does not commit data after every table. Instead, Incremental ETL commits the data only after the end of the mart processing.</p>

## COMMON\_USER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	COMMON_USER
<b>Company Defined</b>	0
<b>Name</b>	COMMON USER
<b>Default Value</b>	APR_LOGIN
<b>Description</b>	<p>DO NOT USE. For Oracle internal use only.</p> <p>Defines the Oracle login schema name for Oracle Argus Insight.</p>

## DDL\_VER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DDL_VER
<b>Company Defined</b>	0
<b>Name</b>	DDL_VER
<b>Default Value</b>	8.2.1
<b>Description</b>	Specifies the current database version for Oracle Argus Insight.

## DDL\_VER\_INITIAL

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DDL_VER_INITIAL
<b>Company Defined</b>	0
<b>Name</b>	DDL_VER_INITIAL

Parameters	Values
<b>Description</b>	Specifies the initial version of the schema creation for Oracle Argus Insight.

## DEFAULT\_SECURITY\_ACCESS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	DEFAULT_SECURITY_ACCESS
<b>Company Defined</b>	0
<b>Name</b>	DEFAULT_SECURITY_ACCESS
<b>Default Value</b>	0
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the default security access to Oracle Argus Safety data (site, study, and product) for all Oracle Argus Insight users. 0 — Full access 8 — No access

## ETL\_COMPUTE\_MART\_USER\_STATISTICS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_COMPUTE_MART_USER_STATISTICS
<b>Company Defined</b>	0
<b>Name</b>	ETL_MART_USER_STATISTICS
<b>Default Value</b>	1
<b>Description</b>	Defines how ETL should compute statistics for the mart user. 0 — Disabled (no statistics computed) 1 — Use the Oracle DBMS_STATS method to compute the statistics. DBMS_STATS is the preferred method for computing statistics. 2 — Use the Oracle ANALYZE method to compute the statistics.

## ETL\_COMPUTE\_STAGE\_USER\_STATISTICS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_COMPUTE_STAGE_USER_STATISTICS
<b>Company Defined</b>	0
<b>Name</b>	ETL_STAGE_USER_STATISTICS
<b>Default Value</b>	1

Parameters	Values
<b>Description</b>	Defines how ETL should compute statistics for the stage user. 0 — Disabled (no statistics computed) 1 — Use the Oracle DBMS_STATS method to compute the statistics. DBMS_STATS is the preferred method for computing statistics. 2 — Use the Oracle ANALYZE method to compute the statistics.

## ETL\_EMAIL\_RECEIVER\_ADDRESS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_EMAIL_RECEIVER_ADDRESS
<b>Company Defined</b>	1
<b>Name</b>	ETL EMAIL RECEIVER ADDRESS
<b>Default Value</b>	—
<b>Description</b>	Defines the email address of each administrator who will receive email status messages of the ETL process. Use a semi-colon to separate each entry. If you leave the value blank, then Oracle Argus Insight sends no email messages.

## ETL\_EMAIL\_SETUP

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_EMAIL_SETUP
<b>Company Defined</b>	1
<b>Name</b>	ETL EMAIL SETUP
<b>Default Value</b>	0
<b>Description</b>	Defines whether to send an email after ETL is run and under what circumstances to send the email. 0 — Do not send an email after any ETL process 1 — Send an email only when an Initial ETL or an Incremental ETL fails 2 — Send an email only when an Initial ETL or an Incremental ETL succeeds 3 — Send an email after every Initial ETL or Incremental ETL regardless of whether the process succeeds or fails

## ETL\_STATS\_CASCADE\_OPTION

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_STATS_CASCADE_OPTION
<b>Company Defined</b>	0

Parameters	Values
<b>Name</b>	ETL_STATS_CASCADE_OPTION
<b>Default Value</b>	TRUE
<b>Description</b>	Specifies (TRUE or FALSE) whether to use the Oracle Cascade option for computing statistics for the mart user.

## ETL\_STATS\_ESTIMATE\_PERCENT

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_STATS_ESTIMATE_PERCENT
<b>Company Defined</b>	0
<b>Name</b>	ETL_STATS_ESTIMATE_PERCENT
<b>Default Value</b>	1
<b>Description</b>	Sets the estimate percentage for computing statistics for the mart user.

## ETL\_STATS\_METHOD\_OPT

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_STATS_METHOD_OPT
<b>Company Defined</b>	0
<b>Name</b>	ETL_STATS_METHOD_OPT
<b>Default Value</b>	FOR_ALL_COLUMNS_SIZE_AUTO
<b>Description</b>	Defines the METHOD_OPT parameter for the Oracle DBMS_STATS method used when computing ETL schema statistics.

## ETL\_STATS\_PARALLEL\_DEGREE

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_STATS_PARALLEL_DEGREE
<b>Company Defined</b>	0
<b>Name</b>	PARALLEL_DEGREE_IN_DBMS_STATS
<b>Default Value</b>	—
<b>Description</b>	Defines the DEGREE parameter for the Oracle DBMS_STATS method used when computing ETL schema statistics.

## ETL\_STATUS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ETL_STATUS
<b>Company Defined</b>	0
<b>Name</b>	ETL_STATUS
<b>Default Value</b>	0
<b>Description</b>	Provides the status of the current ETL. -1 — Initial ETL started 1 — Initial ETL completed -2 — Incremental ETL started 2 — Incremental ETL completed

## INCR\_ETL\_PRE\_REQ\_STATUS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	INCR_ETL_PRE_REQ_STATUS
<b>Company Defined</b>	0
<b>Name</b>	INCR_ETL_PRE_REQ_STATUS
<b>Default Value</b>	—
<b>Description</b>	DO NOT USE. For Oracle internal use only.

## INCR\_ETL\_STEP

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	INCR_ETL_STEP
<b>Company Defined</b>	0
<b>Name</b>	INCR_ETL_STEP
<b>Default Value</b>	0
<b>Description</b>	DO NOT USE. For Oracle internal use only.

## INCREMENTAL\_ETL\_STATUS

Parameters	Values
<b>Section</b>	DATABASE

Parameters	Values
<b>Key</b>	INCREMENTAL_ETL_STATUS
<b>Company Defined</b>	0
<b>Name</b>	INCREMENTAL_ETL_STATUS
<b>Default Value</b>	0
<b>Description</b>	Provides status information about the Incremental ETL. 0 — Indicates either the Incremental ETL has not started or the pre-incremental tasks are in process 1 — Indicates the pre-incremental tasks have completed

## INITIAL\_ETL\_PRE\_REQ\_STATUS

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	INITIAL_ETL_PRE_REQ_STATUS
<b>Company Defined</b>	0
<b>Name</b>	INITIAL ETL PRE REQ STATUS
<b>Default Value</b>	—
<b>Description</b>	DO NOT USE. For Oracle internal use only. Provides information about the Initial ETL process. 1 — No errors 2 — Ignore errors and proceed 3 — Abort ETL

## LAST\_ETL\_START\_DATETIME

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	LAST_ETL_START_DATETIME
<b>Company Defined</b>	0
<b>Name</b>	LAST ETL START TIME
<b>Default Value</b>	—
<b>Description</b>	Contains the date and time that the last ETL started.

## LOGIN\_OWNER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	LOGIN_OWNER



---

Parameters	Values
Company Defined	0
Name	LOGIN OWNER
Default Value	APP_USER
Description	DO NOT USE. For Oracle internal use only. Specifies the Oracle APR APP schema name for Oracle Argus Insight.

---

## MART\_HIST\_OWNER

---

Parameters	Values
Section	DATABASE
Key	MART_HIST_OWNER
Company Defined	0
Name	MART HISTORY OWNER
Default Value	APR_HIST
Description	DO NOT USE. For Oracle internal use only. Specifies the Oracle history schema name for Oracle Argus Insight.

---

## MART\_OWNER

---

Parameters	Values
Section	DATABASE
Key	MART_OWNER
Company Defined	0
Name	MART OWNER
Default Value	APR_MART
Description	DO NOT USE. For Oracle internal use only. Oracle MART schema name for Oracle Argus Insight.

---

## MEMORY\_MODEL

---

Parameters	Values
Section	DATABASE
Key	MEMORY_MODEL
Company Defined	0
Name	MEMORY MODEL
Default Value	0

---

Parameters	Values
<b>Description</b>	DO NOT USE. For Oracle internal use only. Stores the memory model used to create schema. The Schema Creation Tool sets this value based on user selection. 0 — Default (Oracle internal use only.) 1 — Small 2 — Medium 3 — Large

## PRE\_REQ\_CHECK\_FLAG

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	PRE_REQ_CHECK_FLAG
<b>Company Defined</b>	1
<b>Name</b>	ETL DATA EXCLUSION
<b>Default Value</b>	IGNORE
<b>Description</b>	Specifies whether to continue or cancel the ETL process if cases with erroneous data are found. IGNORE — Continue the ETL but skip cases with erroneous data. ABORT — Cancel the ETL if any cases with erroneous data are found.

## READ\_ONLY\_OWNER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	READ_ONLY_OWNER
<b>Company Defined</b>	0
<b>Name</b>	READ ONLY OWNER
<b>Default Value</b>	APR_LINK_USER
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle read-only schema name for Oracle Argus Insight.

## READ\_ONLY\_ROLE

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	READ_ONLY_ROLE
<b>Company Defined</b>	0
<b>Name</b>	READ ONLY ROLE

Parameters	Values
<b>Default Value</b>	APR_LINK_ROLE
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle read-only role name for Oracle Argus Insight.

## RLS\_OWNER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	RLS_OWNER
<b>Company Defined</b>	0
<b>Name</b>	RLS OWNER
<b>Default Value</b>	APR_RLS
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle Virtual Private Database (VPD) schema name for Oracle Argus Insight.

## ROLE\_NAME

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	ROLE_NAME
<b>Company Defined</b>	0
<b>Name</b>	ROLE NAME
<b>Default Value</b>	APR_ROLE
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle role name for Oracle Argus Insight.

## RUN\_INCR\_ETL EVERY TIME

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	RUN_INCR_ETL EVERY TIME
<b>Company Defined</b>	0
<b>Name</b>	RUN INCR ETL EVERY TIME
<b>Default Value</b>	1

Parameters	Values
<b>Description</b>	Defines whether to run Incremental ETL only if data has changed. 0 — Only run Incremental ETL if the case data, report data, or LAM data has changed 1 — Always run Incremental ETL regardless of whether there are any changes to the case data, report data, or LAM data

## SAFETY\_DDL\_VER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	SAFETY_DDL_VER
<b>Company Defined</b>	0
<b>Name</b>	ARGUS SAFETY VERSION
<b>Default Value</b>	SELECT VALUE FROM cmn_profile@db_link_argus WHERE KEY = 'DDL_VER' AND section = 'DATABASE'
<b>Description</b>	Specifies the current version of Oracle Argus Safety.

## STAGE\_OWNER

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	STAGE_OWNER
<b>Company Defined</b>	0
<b>Name</b>	STAGE OWNER
<b>Default Value</b>	APR_STAGE
<b>Description</b>	DO NOT USE. For Oracle internal use only. Defines the Oracle STAGE schema name for Oracle Argus Insight.

## VERY\_FIRST\_INITIAL\_ETL\_COMPLETE

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	VERY_FIRST_INITIAL_ETL_COMPLETE
<b>Company Defined</b>	0
<b>Name</b>	VERY FIRST INITIAL ETL COMPLETE
<b>Default Value</b>	0
<b>Description</b>	Indicates whether the first Initial ETL for Oracle Argus Insight has completed. 0 — No 1 — Yes

## LOG\_REPORT\_SQL

---

Parameters	Values
<b>Section</b>	DATABASE
<b>Key</b>	LOG_REPORT_SQL
<b>Company Defined</b>	0
<b>Name</b>	LOG REPORT SQL
<b>Default Value</b>	0
<b>Description</b>	Identifies if the report SQL is to be logged or not. 0 — No 1 — Yes

---

# 4

## Profile Global Switches for Related Applications

For information about the profile global switches you can use to change settings for your system or for your database, see [SYSTEM Profile Global Switches](#) and [DATABASE Profile Global Switches](#), respectively.

This chapter lists the profile global switches to configure the settings for the Oracle Argus Safety application that you are using with Oracle Argus Insight:

- [Profile Global Switches Specific to Oracle Argus Safety](#)

### Profile Global Switches Specific to Oracle Argus Safety

This section provides information about the profile global switches specific to configuring Oracle Argus Safety for use with Oracle Argus Insight. The switches are listed in alphabetic order.

- [CURRENT\\_CASE\\_COPY](#)
- [CURRENT\\_CASE\\_COPY](#)
- [GMT\\_OFFSET](#)
- [LAST\\_CASE\\_COPY](#)
- [PREVIOUS\\_TO\\_LAST\\_CASE\\_COPY](#)

#### CURRENT\_CASE\_COPY

Parameters	Values
Section	ARGUS
Key	CURRENT_CASE_COPY
Company Defined	0
Name	CURRENT_CASE_COPY
Default Value	—
Description	Specifies the start date and time of the current ETL process.

#### CURRENT\_CASE\_COPY

Parameters	Values
Section	ARGUS
Key	DATABASE_TIMEZONE
Company Defined	0

Parameters	Values
<b>Name</b>	DATABASE_TIMEZONE
<b>Default Value</b>	—
<b>Description</b>	Specifies Oracle Argus Safety database timezone.

## GMT\_OFFSET

Parameters	Values
<b>Section</b>	ARGUS
<b>Key</b>	GMT_OFFSET
<b>Company Defined</b>	0
<b>Name</b>	GMT OFFSET
<b>Default Value</b>	—
<b>Description</b>	Specifies the Greenwich Mean Time (GMT) offset for the date and time of the last successful ETL process.

## LAST\_CASE\_COPY

Parameters	Values
<b>Section</b>	ARGUS
<b>Key</b>	LAST_CASE_COPY
<b>Company Defined</b>	0
<b>Name</b>	LAST_CASE_COPY
<b>Default Value</b>	—
<b>Description</b>	Specifies the start date and time of the last successfully completed ETL process.

## PREVIOUS\_TO\_LAST\_CASE\_COPY

Parameters	Values
<b>Section</b>	ARGUS
<b>Key</b>	PREVIOUS_TO_LAST_CASE_COPY
<b>Company Defined</b>	0
<b>Name</b>	PREVIOUS TO LAST CASE COPY
<b>Default Value</b>	—
<b>Description</b>	Specifies the start date and time of the next-to-last successfully completed ETL process.