

Oracle Argus Insight

Common Profile Global Table Guide



Release 8.4
F51792-01
September 2022

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Copyright © 2022, 2022, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Documentation accessibility	vi
Diversity and Inclusion	vi
Related resources	vi
Access to Oracle Support	vi

1 Introduction

Internal Use Rows	1-1
About the Columns in the CMN_PROFILE_GLOBAL Table	1-1
Examples of Modifying the CMN_PROFILE_GLOBAL Table	1-2

2 SYSTEM Profile Global Switches

ARGUS_INTERNAL_X_FRAME_URL	2-2
ARGUS_SAFETY_INTERNAL_URL	2-2
ARGUS_X_FRAME_URL	2-2
BI_ANSWERS_WEB_INTERNAL_URL	2-3
BIP_WEB_INTERNAL_URL	2-3
BLOB_DATA_POPULATION	2-3
CASE_DATA_POPULATION	2-4
CLEAR_XML_CACHE	2-4
DEFAULT_ENTERPRISE	2-4
DUP_SEARCH_DATA_POPULATION	2-5
ESM_CLOB_DATA_POPULATION	2-5
ETL_COMPUTE_BALANCING	2-5
ETL_ENTERPRISE_PROGRESS	2-6
FORCE_SECURE_COOKIES	2-6
INSIGHT_HELP_URL	2-6
INSIGHT_INTERNAL_URL	2-7
INTAKE_DATA_POPULATION	2-7
IS_CFG_CUST_WKF_STATES_UPDATED	2-7
LEGACY_REPORTS_CONFIGURATION	2-8

MAXIMUM_EMAIL_ATTEMPTS	2-8
PRE_INCREMENTAL_ETL_TASK	2-8
POST_INCREMENTAL_ETL_TASK	2-9
REPORT_DATA_POPULATION	2-9
SINGLE_SIGN_ON_ENABLED	2-9
SINGLE_SIGN_ON_HTTP_HEADER	2-10
SINGLE_SIGN_ON_LOGOUT_URL	2-10
SYSTEM_MODE	2-10
TEMP_TABLE_DATA_POPULATION	2-11

3 DATABASE Profile Global Switches

Key 1	3-2
Key 2	3-2
Key 3	3-3
Key 4	3-3
Key 5	3-3
Key 6	3-4
Key 7	3-4
Key 8	3-4
Key 9	3-4
ACCESS	3-5
APP_OWNER	3-5
APP_OWNER_PASSWORD	3-5
APP_ROLE	3-6
APPLICATION_TYPE	3-6
COMMIT_AFTER_ROWS	3-6
COMMIT_EVERY_TABLE	3-6
COMMON_USER	3-7
DDL_VER	3-7
DDL_VER_INITIAL	3-7
DEFAULT_SECURITY_ACCESS	3-8
ETL_COMPUTE_MART_USER_STATISTICS	3-8
ETL_COMPUTE_STAGE_USER_STATISTICS	3-8
ETL_EMAIL_RECEIVER_ADDRESS	3-9
ETL_EMAIL_SETUP	3-9
ETL_STATS_CASCADE_OPTION	3-9
ETL_STATS_ESTIMATE_PERCENT	3-10
ETL_STATS_METHOD_OPT	3-10
ETL_STATS_PARALLEL_DEGREE	3-10
ETL_STATUS	3-11

INCR_ETL_PRE_REQ_STATUS	3-11
INCR_ETL_STEP	3-11
INCREMENTAL_ETL_STATUS	3-11
INITIAL_ETL_PRE_REQ_STATUS	3-12
LAST_ETL_START_DATETIME	3-12
LOGIN_OWNER	3-12
MART_HIST_OWNER	3-13
MART_OWNER	3-13
MEMORY_MODEL	3-13
PRE_REQ_CHECK_FLAG	3-14
READ_ONLY_OWNER	3-14
READ_ONLY_ROLE	3-14
RLS_OWNER	3-15
ROLE_NAME	3-15
RUN_INCR_ETL_EVERY_TIME	3-15
SAFETY_DDL_VER	3-16
STAGE_OWNER	3-16
VERY_FIRST_INITIAL_ETL_COMPLETE	3-16
LOG_REPORT_SQL	3-17

4 Profile Global Switches for Related Applications

Profile Global Switches Specific to Oracle Argus Safety	4-1
CURRENT_CASE_COPY	4-1
CURRENT_CASE_COPY	4-1
GMT_OFFSET	4-2
LAST_CASE_COPY	4-2
PREVIOUS_TO_LAST_CASE_COPY	4-2

Preface

This preface contains the following sections:

- [Documentation accessibility](#)
- [Diversity and Inclusion](#)
- [Related resources](#)
- [Access to Oracle Support](#)

Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related resources

For information about Oracle Argus patches, see [My Oracle Support](#).

All documentation and other supporting materials are available on the [Oracle Help Center](#).

Access to Oracle Support

To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

Cloud customers receive support assistance through Support Cloud

Oracle customers that have purchased support have access to electronic support through Support Cloud.

Contact our Oracle Customer Support Services team by logging requests in one of the following locations:

- English interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu.custhelp.com/>)
- Japanese interface of Oracle Health Sciences Customer Support Portal (<https://hsgbu-jp.custhelp.com/>)

You can also call our 24x7 help desk. For information, visit <http://www.oracle.com/us/support/contact/health-sciences-cloud-support/index.html> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

On-premises customers receive support assistance through My Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1

Introduction

The CMN_PROFILE_GLOBAL table contains values that control the behavior of the Oracle Argus Insight application.

You can update many of these values by modifying the Profile Switches in the List Maintenance tab on the ADMINISTRATION TOOLS page in Oracle Argus Insight.

Other values you can access and update only through direct SQL statements.

In addition to the CMN_PROFILE_GLOBAL table, the CMN_PROFILE_ENTERPRISE table contains values that control the behavior of all enterprises in Oracle Argus Insight. For more information about modifying the profile enterprise switches, see the *Oracle Argus Insight Common Profile Enterprise Table Guide* and the following:

- [Internal Use Rows](#)
- [About the Columns in the CMN_PROFILE_GLOBAL Table](#)
- [Examples of Modifying the CMN_PROFILE_GLOBAL Table](#)

Internal Use Rows

During the initial Factory Data load when the database is created, the system creates several *Internal Use* rows. As the name implies, these rows of values are for Oracle Argus Insight internal use only.

Do not modify any values in the internal use rows.

About the Columns in the CMN_PROFILE_GLOBAL Table

Each profile switch described in this guide includes the following information:

- **Section** — Lists the name of the section within the CMN_PROFILE_GLOBAL table that has the profile switch. The sections are as follows:
 - SYSTEM
 - DATABASE
 - ARGUS
- **Key** — Lists the unique name for the profile switch.
- **Company Defined** — Indicates the method you can use to modify the profile switch:
 - **0** = Indicates you can modify this profile switch only by issuing direct SQL statements. You should modify these profile switches with assistance from Oracle Support.
 - **1** = Indicates you can modify this profile switch either by using the options in the List Maintenance tab in the Oracle Argus Insight application or by issuing direct SQL statements.

- **Name** — Lists the name of the profile switch as displayed in the List Maintenance tab in the Oracle Argus Insight application.
- **Default Value** — Lists the default value, if defined.
- **Description** — Provides more information about the function of the profile switch.

Examples of Modifying the CMN_PROFILE_GLOBAL Table

This section provides sample SQL for how to update and insert values in the CMN_PROFILE_GLOBAL table in the database.

Note that values, as specified, are case sensitive.

Updating an Existing Value

To update an existing value in the CMN_PROFILE_GLOBAL table:

```
UPDATE CMN_PROFILE_GLOBAL set value = '10'  
WHERE section = 'DATABASE' AND key = 'ABC';  
commit;
```

Inserting a New Row of Values

To insert a new row of values into the CMN_PROFILE_GLOBAL table:

```
INSERT into CMN_PROFILE_GLOBAL (section, key, company_defined, name,  
value, description)  
values ('DATABASE', 'ABC', '0', 'ABC', 'ABC_DEF_XYZ');  
commit;
```

2

SYSTEM Profile Global Switches

For information about the profile global switches you can use to change settings for the database or for your related application (Oracle Argus Safety), see [DATABASE Profile Global Switches](#) and [Profile Global Switches for Related Applications](#), respectively.

This chapter lists the SYSTEM profile global switches for Oracle Argus Insight:

- ARGUS_INTERNAL_X_FRAME_URL
- ARGUS_SAFETY_INTERNAL_URL
- ARGUS_X_FRAME_URL
- BI_ANSWERS_WEB_INTERNAL_URL
- BIP_WEB_INTERNAL_URL
- BLOB_DATA_POPULATION
- CASE_DATA_POPULATION
- CLEAR_XML_CACHE
- DEFAULT_ENTERPRISE
- DUP_SEARCH_DATA_POPULATION
- ESM_CLOB_DATA_POPULATION
- ETL_COMPUTE_BALANCING
- ETL_ENTERPRISE_PROGRESS
- FORCE_SECURE_COOKIES
- INSIGHT_HELP_URL
- INSIGHT_INTERNAL_URL
- INTAKE_DATA_POPULATION
- IS_CFG_CUST_WKF_STATES_UPDATED
- LEGACY_REPORTS_CONFIGURATION
- MAXIMUM_EMAIL_ATTEMPTS
- PRE_INCREMENTAL_ETL_TASK
- POST_INCREMENTAL_ETL_TASK
- REPORT_DATA_POPULATION
- SINGLE_SIGN_ON_ENABLED
- SINGLE_SIGN_ON_HTTP_HEADER
- SINGLE_SIGN_ON_LOGOUT_URL
- SYSTEM_MODE
- TEMP_TABLE_DATA_POPULATION

ARGUS_INTERNAL_X_FRAME_URL

Parameters	Values
Section	SYSTEM
Key	ARGUS_INTERNAL_X_FRAME_URL
Company Defined	0
Name	ARGUS SAFETY INTERNAL URL FOR X-FRAME SUPPORT
Default Value	NULL
Description	<p>Defines the X-Frame option in HTTP response header.</p> <p>Oracle Argus Insight URL will open from the Global Home Page only when Oracle Argus Safety internal URL is configured in this profile switch.</p> <p>(For example, <protocol>://<Argus_Safety_Internal_URL>/)</p> <p>If this profile switch is not configured then on accessing Oracle Argus Insight from the Global Home Page, an error message appears.</p>

ARGUS_SAFETY_INTERNAL_URL

Parameters	Values
Section	SYSTEM
Key	ARGUS_SAFETY_INTERNAL_URL
Company Defined	0
Name	ARGUS SAFETY INTERNAL URL
Default Value	NULL
Description	Defines the internal URL of the Oracle Argus Safety application.

ARGUS_X_FRAME_URL

Parameters	Values
Section	SYSTEM
Key	ARGUS_X_FRAME_URL
Company Defined	1
Name	ARGUS SAFETY URL FOR X-FRAME SUPPORT
Default Value	—
Description	<p>Defines the X-Frame option in the HTTP response header.</p> <p>Oracle Argus Insight will open from the Global Home Page only when Oracle Argus Safety URL is configured in this profile switch.</p> <p>(For example, <protocol>://<Argus_Safety_URL>/)</p> <p>If this profile switch is not configured then on accessing Oracle Argus Insight from the Global Home Page, an error message appears.</p>

BI_ANSWERS_WEB_INTERNAL_URL

Parameters	Values
Section	SYSTEM
Key	BI_ANSWERS_WEB_INTERNAL_URL
Company Defined	0
Name	BI ANSWERS WEB INTERNAL URL
Default Value	NULL
Description	<p>Defines the complete Oracle Analytics (formerly, known as BI) Answers web internal URL to open the Oracle Analytics Answers internal home page.</p> <p>This URL can be a standalone Oracle Analytics Answers internal server or load balancer internal URL configured for multiple Oracle Analytics Answers servers. If Oracle Analytics Answers internal is configured for SSL, make sure to use https with the URL.</p>

BIP_WEB_INTERNAL_URL

Parameters	Values
Section	SYSTEM
Key	BIP_WEB_INTERNAL_URL
Company Defined	0
Name	BIP WEB INTERNAL URL
Default Value	NULL
Description	<p>Defines the complete Oracle Analytics Publisher (formerly, known as BI Publisher) web internal URL to open the Publisher internal home page.</p> <p>This URL can be a standalone Publisher internal server or load balancer internal URL configured for multiple Publisher servers. If the Publisher internal is configured for SSL, make sure to use https with the URL.</p>

BLOB_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	BLOB_DATA_POPULATION
Company Defined	1
Name	POPULATE BLOB DATA
Default Value	0

Parameters	Values
Description	<p>Defines whether to bring all Binary LOB (BLOB) data into the data mart. BLOB data includes data type columns of Oracle Argus Safety Owner Schema tables and Interchange Schema Owner tables.</p> <p>0 — Do not bring any BLOB data into the data mart</p> <p>1 — Bring all BLOB data into the data mart</p> <p>To populate all BLOB columns data from Oracle Argus Safety Database, set the value of this switch to 1. Oracle recommends that you leave the value of this switch set to 0.</p>

CASE_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	CASE_DATA_POPULATION
Company Defined	1
Name	POPULATE CASE/CONFIGURATION DATA
Default Value	1
Description	<p>Sets the flag for populating case/configuration data.</p> <ul style="list-style-type: none"> 0 — Populate configuration data only 1 — Populate all the data (case and configuration data)

CLEAR_XML_CACHE

Parameters	Values
Section	SYSTEM
Key	CLEAR_XML_CACHE
Company Defined	0
Name	CLEAR XML CACHE
Default Value	0
Description	<p>Sets the flag for clearing the XML cache.</p> <p>Oracle Argus Insight sets this value to 1 every time you run Incremental ETL and sets this value to 0 whenever the XML cache is cleared.</p>

DEFAULT_ENTERPRISE

Parameters	Values
Section	SYSTEM
Key	DEFAULT_ENTERPRISE
Company Defined	0
Name	DEFAULT ENTERPRISE

Parameters	Values
Default Value	2
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle default enterprise ID for Oracle Argus Insight.

DUP_SEARCH_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	DUP_SEARCH_DATA_POPULATION
Company Defined	0
Name	POPULATE DUP SEARCH DATA
Default Value	0
Description	Defines whether to bring the duplicate search data from the DUP_SEARCH_DATA table and the USER_DUP_SEARCH_RESULT table into the data mart. 0 — Do not bring the duplicate search data into the data mart 1 — Bring the duplicate search data into the data mart

ESM_CLOB_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	ESM_CLOB_DATA_POPULATION
Company Defined	1
Name	POPULATE INTERCHANGE CLOB DATA
Default Value	0
Description	Defines whether to bring the Interchange CLOB data into the data mart. 0 — Do not bring the Interchange CLOB data into the data mart 1 — Bring the Interchange CLOB data into the data mart

ETL_COMPUTE_BALANCING

Parameters	Values
Section	SYSTEM
Key	ETL_COMPUTE_BALANCING
Company Defined	0
Name	ETL_COMPUTE_BALANCING
Default Value	0

Parameters	Values
Description	DO NOT USE. For Oracle future purpose and reference. Computes the balancing after every Incremental ETL.

ETL_ENTERPRISE_PROGRESS

Parameters	Values
Section	SYSTEM
Key	ETL_ENTERPRISE_PROGRESS
Company Defined	0
Name	ETL_ENTERPRISE_PROGRESS
Default Value	0/0
Description	DO NOT USE. For Oracle internal use only. Drops the indexes in the first enterprise and recreates the indexes in the last enterprise.

FORCE_SECURE_COOKIES

Parameters	Values
Section	SYSTEM
Key	FORCE_SECURE_COOKIES
Company Defined	1
Name	FORCE SECURE COOKIES
Default Value	0
Description	Defines whether the user must enter a SSL-enabled URL (HTTPS) to open the Oracle Argus Insight application. 0 — Users can use either HTTP or HTTPS to open the Oracle Argus Insight application 1 — Users must use HTTPS (an SSL_enabled URL) to open the Oracle Argus Insight application

INSIGHT_HELP_URL

Parameters	Values
Section	SYSTEM
Key	INSIGHT_HELP_URL
Company Defined	1
Name	INSIGHT HELP URL
Default Value	https://docs.oracle.com/en/industries/health-sciences/argus-insight/index.html

Parameters	Values
Description	Specifies the Oracle Argus Insight Help URL. This must be a valid URL otherwise a 404 - Page Not Found error will be displayed to the user.

INSIGHT_INTERNAL_URL

Parameters	Values
Section	SYSTEM
Key	INSIGHT_INTERNAL_URL
Company Defined	0
Name	INSIGHT INTERNAL URL
Default Value	NULL
Description	Defines the internal URL of the Oracle Argus Insight application.

INTAKE_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	INTAKE_DATA_POPULATION
Company Defined	1
Name	POPULATE INTAKE TABLE DATA
Default Value	0
Description	DO NOT USE - For Oracle Internal Use Only. 0 — Do not bring any Intake tables data into the data mart 1 — Bring Intake tables data into the data mart

IS_CFG_CUST_WKF_STATES_UPDATED

Parameters	Values
Section	SYSTEM
Key	IS_CFG_CUST_WKF_STATES_UPDATED
Company Defined	0
Name	IS CFG_CUST_WKF_STATES UPDATED
Default Value	1

Parameters	Values
Description	Specifies whether the configuration for the COMP_DATA_ENTRY column and the COMP_HQ column in the CFG_CUST_WORKFLOW_STATES table has changed. 0 — The configuration has not changed 1 — The configuration has changed Oracle Argus Insight uses the value of this switch to determine whether to populate the RPT_WORKFLOW.INCLUDE_ROW_IN_REPORT column.

LEGACY_REPORTS_CONFIGURATION

Parameters	Values
Section	SYSTEM
Key	LEGACY_REPORTS_CONFIGURATION
Company Defined	1
Name	LEGACY REPORTS CONFIGURATION
Default Value	0
Description	Sets the flag to determine if the Legacy Report Configuration profile items are visible or not. 0 — The configuration profile items are not visible 1 — The configuration profile items are visible

MAXIMUM_EMAIL_ATTEMPTS

Parameters	Values
Section	SYSTEM
Key	MAXIMUM_EMAIL_ATTEMPTS
Company Defined	1
Name	MAXIMUM EMAIL ATTEMPTS
Default Value	3
Description	Defines the maximum number of times the system attempts to send an email. 0 — No limit

PRE_INCREMENTAL_ETL_TASK

Parameters	Values
Section	SYSTEM
Key	PRE_INCREMENTAL_ETL_TASK
Company Defined	1
Name	CUSTOM ROUTINE BEFORE INCREMENTAL ETL
Default Value	—

Parameters	Values
Description	Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>before</i> Incremental ETL. If this routine fails or is not found, then the ETL does not run and the administrator receives an email notification.

POST_INCREMENTAL_ETL_TASK

Parameters	Values
Section	SYSTEM
Key	POST_INCREMENTAL_ETL_TASK
Company Defined	1
Name	CUSTOM ROUTINE AFTER INCREMENTAL ETL
Default Value	—
Description	Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>after</i> Incremental ETL. If the routine fails or is not found, the administrator receives an email notification.

REPORT_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	REPORT_DATA_POPULATION
Company Defined	0
Name	POPULATE REPORT TEMP DATA
Default Value	0
Description	DO NOT USE. For Oracle internal use only. 0 — Do not bring the report temporary data into the data mart 1 — Bring all report temporary data into the data mart. Includes all data from the following tables: RPT_PDF, RPT_PRINT_LOG, RPT_SAVED_MSG, RPT_TRANSMIT_EMAIL, RPT_TRANSMIT_EMAIL_ATTACH, RPT_TRANSMIT_LOG, and RPT_TRANSMIT_QUEUE.

SINGLE_SIGN_ON_ENABLED

Parameters	Values
Section	SYSTEM
Key	SINGLE_SIGN_ON_ENABLED
Company Defined	0
Name	SINGLE SIGN ON ENABLED
Default Value	0

Parameters	Values
Description	Defines whether Single Sign-On is enabled. 0 — Single Sign-On is disabled 1 — Single Sign-On is enabled

SINGLE_SIGN_ON_HTTP_HEADER

Parameters	Values
Section	SYSTEM
Key	SINGLE_SIGN_ON_HTTP_HEADER
Company Defined	0
Name	SINGLE SIGN ON HTTP HEADER
Default Value	—
Description	Configures the Single Sign-On in the HTTP header. Oracle Argus Insight populates this text value with information from Oracle Argus Safety.

SINGLE_SIGN_ON_LOGOUT_URL

Parameters	Values
Section	SYSTEM
Key	SINGLE_SIGN_ON_LOGOUT_URL
Company Defined	0
Name	SINGLE SIGN ON LOGOUT URL
Default Value	NULL
Description	Enables you to log out of all OracleArgus applications including all enterprises.

SYSTEM_MODE

Parameters	Values
Section	SYSTEM
Key	SYSTEM_MODE
Company Defined	1
Name	SYSTEM MAINTENANCE
Default Value	1
Description	Sets the operational mode of the system. 1 — System live 2 — System down for maintenance

TEMP_TABLE_DATA_POPULATION

Parameters	Values
Section	SYSTEM
Key	TEMP_TABLE_DATA_POPULATION
Company Defined	0
Name	POPULATE TEMP TABLE DATA
Default Value	0
Description	<p>DO NOT USE. For Oracle internal use only.</p> <p>Defines whether to bring data from the temporary tables into the data mart.</p> <p>0 — Do not bring any data from the temporary tables into the data mart</p> <p>1 — Bring all data from the temporary tables into the data mart. Includes all data from the following tables:</p> <ul style="list-style-type: none"> • CFG_BATCH_REPORT_CASES CFG_PDP_QUEUE_DESC CFG_SITE_PRINTERS CFG_SMTD CFG_SYSTEM_RESOURCE_USAGE CFG_USER_ASYNC_TASKS • CMN_ERROR_LOG CMN_VARCHAR2 CMN_USER_LOGIN CMN_TRIGGER_TMP_QUEUE CMN_STATUS CMN_SEQUENCE_UTL CMN_REC_CHK_OUT CMN_RAW CMN_PRINT_QUEUE CMN_HELP_TEXT • ESM Schema: (ERROR_LOG) • IF_LM_ACTIONS • PDP_* tables (all tables prefixed with PDP_) • TEMP_NO_AGENCY_ID • USER_* tables (all tables prefixed with USER_) • WEB_* tables (all tables prefixed with WEB_)

3

DATABASE Profile Global Switches

For information about the profile global switches you can use to change settings for your system or for your related application (Oracle Argus Safety), see [SYSTEM Profile Global Switches](#) and [Profile Global Switches for Related Applications](#), respectively.

This chapter lists the DATABASE profile global switches for Oracle Argus Insight:

- [Key 1](#)
- [Key 2](#)
- [Key 3](#)
- [Key 4](#)
- [Key 5](#)
- [Key 6](#)
- [Key 7](#)
- [Key 8](#)
- [Key 9](#)
- [ACCESS](#)
- [APP_OWNER](#)
- [APP_OWNER_PASSWORD](#)
- [APP_ROLE](#)
- [APPLICATION_TYPE](#)
- [COMMIT_AFTER_ROWS](#)
- [COMMIT_EVERY_TABLE](#)
- [COMMON_USER](#)
- [DDL_VER](#)
- [DDL_VER_INITIAL](#)
- [DEFAULT_SECURITY_ACCESS](#)
- [ETL_COMPUTE_MART_USER_STATISTICS](#)
- [ETL_COMPUTE_STAGE_USER_STATISTICS](#)
- [ETL_EMAIL_RECEIVER_ADDRESS](#)
- [ETL_EMAIL_SETUP](#)
- [ETL_STATS_CASCADE_OPTION](#)
- [ETL_STATS_ESTIMATE_PERCENT](#)
- [ETL_STATS_METHOD_OPT](#)
- [ETL_STATS_PARALLEL_DEGREE](#)

- ETL_STATUS
- INCR_ETL_PRE_REQ_STATUS
- INCR_ETL_STEP
- INCREMENTAL_ETL_STATUS
- INITIAL_ETL_PRE_REQ_STATUS
- LAST_ETL_START_DATETIME
- LOGIN_OWNER
- MART_HIST_OWNER
- MART_OWNER
- MEMORY_MODEL
- PRE_REQ_CHECK_FLAG
- READ_ONLY_OWNER
- READ_ONLY_ROLE
- RLS_OWNER
- ROLE_NAME
- RUN_INCR_ETL_EVERY_TIME
- SAFETY_DDL_VER
- STAGE_OWNER
- VERY_FIRST_INITIAL_ETL_COMPLETE
- LOG_REPORT_SQL

Key 1

Parameters	Values
Section	DATABASE
Key	1
Company Defined	0
Name	ETL_SUNDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether Extract Transform and Load (ETL) will execute on Sunday.

Key 2

Parameters	Values
Section	DATABASE
Key	2
Company Defined	0

Parameters	Values
Name	ETL_MONDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Monday.

Key 3

Parameters	Values
Section	DATABASE
Key	3
Company Defined	0
Name	ETL_TUESDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Tuesday.

Key 4

Parameters	Values
Section	DATABASE
Key	4
Company Defined	0
Name	ETL_WEDNESDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Wednesday.

Key 5

Parameters	Values
Section	DATABASE
Key	5
Company Defined	0
Name	ETL_THURSDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Thursday.

Key 6

Parameters	Values
Section	DATABASE
Key	6
Company Defined	0
Name	ETL_FRIDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Friday.

Key 7

Parameters	Values
Section	DATABASE
Key	7
Company Defined	0
Name	ETL_SATURDAY
Default Value	0
Description	Oracle Argus Insight uses this record to determine whether ETL will execute on Saturday.

Key 8

Parameters	Values
Section	DATABASE
Key	8
Company Defined	0
Name	ETL_TIME
Default Value	12:00:00 AM
Description	Defines the ETL execution time.

Key 9

Parameters	Values
Section	DATABASE
Key	9
Company Defined	0
Name	ETL_EXECUTE_IMMEDIATE

Parameters	Values
Default Value	0
Description	This key is obsolete.

ACCESS

Parameters	Values
Section	DATABASE
Key	ACCESS
Company Defined	0
Name	ACCESS
Default Value	COMMON
Description	DO NOT USE. For Oracle internal use only.

APP_OWNER

Parameters	Values
Section	DATABASE
Key	APP_OWNER
Company Defined	0
Name	APP OWNER
Default Value	APR_APP
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle application schema name for Oracle Argus Insight.

APP_OWNER_PASSWORD

Parameters	Values
Section	DATABASE
Key	APP_OWNER_PASSWORD
Company Defined	0
Name	APP OWNER PASSWORD
Default Value	—
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle application schema password for Oracle Argus Insight.

APP_ROLE

Parameters	Values
Section	DATABASE
Key	APP_ROLE
Company Defined	0
Name	APP_ROLE
Default Value	APR_APP_ROLE
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle application role name for Oracle Argus Insight.

APPLICATION_TYPE

Parameters	Values
Section	DATABASE
Key	APPLICATION_TYPE
Company Defined	0
Name	APPLICATION TYPE
Default Value	1
Description	DO NOT USE. For Oracle internal use only. Defines the type of installation for Oracle Argus Insight. 0 — Single tenant installation 1 — Multi-tenant installation

COMMIT_AFTER_ROWS

Parameters	Values
Section	DATABASE
Key	COMMIT_AFTER_ROWS
Company Defined	0
Name	ETL - COMMIT_AFTER_ROWS
Default Value	10000
Description	Sets the number of cases that the Incremental ETL processes before committing the data to the database.

COMMIT EVERY TABLE

Parameters	Values
Section	DATABASE

Parameters	Values
Key	COMMIT_EVERY_TABLE
Company Defined	0
Name	ETL - COMMIT_EVERY_TABLE
Default Value	FALSE
Description	<p>Sets the configuration flag for Incremental ETL execution to perform an Oracle commit after processing one table.</p> <p>TRUE — Incremental ETL commits data after every table.</p> <p>FALSE — Incremental ETL does not commit data after every table. Instead, Incremental ETL commits the data only after the end of the mart processing.</p>

COMMON_USER

Parameters	Values
Section	DATABASE
Key	COMMON_USER
Company Defined	0
Name	COMMON USER
Default Value	APR_LOGIN
Description	<p>DO NOT USE. For Oracle internal use only.</p> <p>Defines the Oracle login schema name for Oracle Argus Insight.</p>

DDL_VER

Parameters	Values
Section	DATABASE
Key	DDL_VER
Company Defined	0
Name	DDL_VER
Default Value	8.2.1
Description	Specifies the current database version for Oracle Argus Insight.

DDL_VER_INITIAL

Parameters	Values
Section	DATABASE
Key	DDL_VER_INITIAL
Company Defined	0
Name	DDL_VER_INITIAL

Parameters	Values
Description	Specifies the initial version of the schema creation for Oracle Argus Insight.

DEFAULT_SECURITY_ACCESS

Parameters	Values
Section	DATABASE
Key	DEFAULT_SECURITY_ACCESS
Company Defined	0
Name	DEFAULT_SECURITY_ACCESS
Default Value	0
Description	DO NOT USE. For Oracle internal use only. Defines the default security access to Oracle Argus Safety data (site, study, and product) for all Oracle Argus Insight users. 0 — Full access 8 — No access

ETL_COMPUTE_MART_USER_STATISTICS

Parameters	Values
Section	DATABASE
Key	ETL_COMPUTE_MART_USER_STATISTICS
Company Defined	0
Name	ETL_MART_USER_STATISTICS
Default Value	1
Description	Defines how ETL should compute statistics for the mart user. 0 — Disabled (no statistics computed) 1 — Use the Oracle DBMS_STATS method to compute the statistics. DBMS_STATS is the preferred method for computing statistics. 2 — Use the Oracle ANALYZE method to compute the statistics.

ETL_COMPUTE_STAGE_USER_STATISTICS

Parameters	Values
Section	DATABASE
Key	ETL_COMPUTE_STAGE_USER_STATISTICS
Company Defined	0
Name	ETL_STAGE_USER_STATISTICS
Default Value	1

Parameters	Values
Description	Defines how ETL should compute statistics for the stage user. 0 — Disabled (no statistics computed) 1 — Use the Oracle DBMS_STATS method to compute the statistics. DBMS_STATS is the preferred method for computing statistics. 2 — Use the Oracle ANALYZE method to compute the statistics.

ETL_EMAIL_RECEIVER_ADDRESS

Parameters	Values
Section	DATABASE
Key	ETL_EMAIL_RECEIVER_ADDRESS
Company Defined	1
Name	ETL EMAIL RECEIVER ADDRESS
Default Value	—
Description	Defines the email address of each administrator who will receive email status messages of the ETL process. Use a semi-colon to separate each entry. If you leave the value blank, then Oracle Argus Insight sends no email messages.

ETL_EMAIL_SETUP

Parameters	Values
Section	DATABASE
Key	ETL_EMAIL_SETUP
Company Defined	1
Name	ETL EMAIL SETUP
Default Value	0
Description	Defines whether to send an email after ETL is run and under what circumstances to send the email. 0 — Do not send an email after any ETL process 1 — Send an email only when an Initial ETL or an Incremental ETL fails 2 — Send an email only when an Initial ETL or an Incremental ETL succeeds 3 — Send an email after every Initial ETL or Incremental ETL regardless of whether the process succeeds or fails

ETL_STATS_CASCADE_OPTION

Parameters	Values
Section	DATABASE
Key	ETL_STATS_CASCADE_OPTION
Company Defined	0

Parameters	Values
Name	ETL_STATS_CASCADE_OPTION
Default Value	TRUE
Description	Specifies (TRUE or FALSE) whether to use the Oracle Cascade option for computing statistics for the mart user.

ETL_STATS_ESTIMATE_PERCENT

Parameters	Values
Section	DATABASE
Key	ETL_STATS_ESTIMATE_PERCENT
Company Defined	0
Name	ETL_STATS_ESTIMATE_PERCENT
Default Value	1
Description	Sets the estimate percentage for computing statistics for the mart user.

ETL_STATS_METHOD_OPT

Parameters	Values
Section	DATABASE
Key	ETL_STATS_METHOD_OPT
Company Defined	0
Name	ETL_STATS_METHOD_OPT
Default Value	FOR ALL COLUMNS SIZE AUTO
Description	Defines the METHOD_OPT parameter for the Oracle DBMS_STATS method used when computing ETL schema statistics.

ETL_STATS_PARALLEL_DEGREE

Parameters	Values
Section	DATABASE
Key	ETL_STATS_PARALLEL_DEGREE
Company Defined	0
Name	PARALLEL_DEGREE_IN_DBMS_STATS
Default Value	—
Description	Defines the DEGREE parameter for the Oracle DBMS_STATS method used when computing ETL schema statistics.

ETL_STATUS

Parameters	Values
Section	DATABASE
Key	ETL_STATUS
Company Defined	0
Name	ETL_STATUS
Default Value	0
Description	Provides the status of the current ETL. -1 — Initial ETL started 1 — Initial ETL completed -2 — Incremental ETL started 2 — Incremental ETL completed

INCR_ETL_PRE_REQ_STATUS

Parameters	Values
Section	DATABASE
Key	INCR_ETL_PRE_REQ_STATUS
Company Defined	0
Name	INCR_ETL_PRE_REQ_STATUS
Default Value	—
Description	DO NOT USE. For Oracle internal use only.

INCR_ETL_STEP

Parameters	Values
Section	DATABASE
Key	INCR_ETL_STEP
Company Defined	0
Name	INCR_ETL_STEP
Default Value	0
Description	DO NOT USE. For Oracle internal use only.

INCREMENTAL_ETL_STATUS

Parameters	Values
Section	DATABASE

Parameters	Values
Key	INCREMENTAL_ETL_STATUS
Company Defined	0
Name	INCREMENTAL_ETL_STATUS
Default Value	0
Description	Provides status information about the Incremental ETL. 0 — Indicates either the Incremental ETL has not started or the pre-incremental tasks are in process 1 — Indicates the pre-incremental tasks have completed

INITIAL_ETL_PRE_REQ_STATUS

Parameters	Values
Section	DATABASE
Key	INITIAL_ETL_PRE_REQ_STATUS
Company Defined	0
Name	INITIAL ETL PRE REQ STATUS
Default Value	—
Description	DO NOT USE. For Oracle internal use only. Provides information about the Initial ETL process. 1 — No errors 2 — Ignore errors and proceed 3 — Abort ETL

LAST_ETL_START_DATETIME

Parameters	Values
Section	DATABASE
Key	LAST_ETL_START_DATETIME
Company Defined	0
Name	LAST ETL START TIME
Default Value	—
Description	Contains the date and time that the last ETL started.

LOGIN_OWNER

Parameters	Values
Section	DATABASE
Key	LOGIN_OWNER

Parameters	Values
Company Defined	0
Name	LOGIN OWNER
Default Value	APP_USER
Description	DO NOT USE. For Oracle internal use only. Specifies the Oracle APR APP schema name for Oracle Argus Insight.

MART_HIST_OWNER

Parameters	Values
Section	DATABASE
Key	MART_HIST_OWNER
Company Defined	0
Name	MART HISTORY OWNER
Default Value	APR_HIST
Description	DO NOT USE. For Oracle internal use only. Specifies the Oracle history schema name for Oracle Argus Insight.

MART_OWNER

Parameters	Values
Section	DATABASE
Key	MART_OWNER
Company Defined	0
Name	MART OWNER
Default Value	APR_MART
Description	DO NOT USE. For Oracle internal use only. Oracle MART schema name for Oracle Argus Insight.

MEMORY_MODEL

Parameters	Values
Section	DATABASE
Key	MEMORY_MODEL
Company Defined	0
Name	MEMORY MODEL
Default Value	0

Parameters	Values
Description	DO NOT USE. For Oracle internal use only. Stores the memory model used to create schema. The Schema Creation Tool sets this value based on user selection. 0 — Default (Oracle internal use only.) 1 — Small 2 — Medium 3 — Large

PRE_REQ_CHECK_FLAG

Parameters	Values
Section	DATABASE
Key	PRE_REQ_CHECK_FLAG
Company Defined	1
Name	ETL DATA EXCLUSION
Default Value	IGNORE
Description	Specifies whether to continue or cancel the ETL process if cases with erroneous data are found. IGNORE — Continue the ETL but skip cases with erroneous data. ABORT — Cancel the ETL if any cases with erroneous data are found.

READ_ONLY_OWNER

Parameters	Values
Section	DATABASE
Key	READ_ONLY_OWNER
Company Defined	0
Name	READ ONLY OWNER
Default Value	APR_LINK_USER
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle read-only schema name for Oracle Argus Insight.

READ_ONLY_ROLE

Parameters	Values
Section	DATABASE
Key	READ_ONLY_ROLE
Company Defined	0
Name	READ ONLY ROLE

Parameters	Values
Default Value	APR_LINK_ROLE
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle read-only role name for Oracle Argus Insight.

RLS_OWNER

Parameters	Values
Section	DATABASE
Key	RLS_OWNER
Company Defined	0
Name	RLS OWNER
Default Value	APR_RLS
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle Virtual Private Database (VPD) schema name for Oracle Argus Insight.

ROLE_NAME

Parameters	Values
Section	DATABASE
Key	ROLE_NAME
Company Defined	0
Name	ROLE NAME
Default Value	APR_ROLE
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle role name for Oracle Argus Insight.

RUN_INCR_ETL EVERY TIME

Parameters	Values
Section	DATABASE
Key	RUN_INCR_ETL EVERY TIME
Company Defined	0
Name	RUN INCR ETL EVERY TIME
Default Value	1

Parameters	Values
Description	Defines whether to run Incremental ETL only if data has changed. 0 — Only run Incremental ETL if the case data, report data, or LAM data has changed 1 — Always run Incremental ETL regardless of whether there are any changes to the case data, report data, or LAM data

SAFETY_DDL_VER

Parameters	Values
Section	DATABASE
Key	SAFETY_DDL_VER
Company Defined	0
Name	ARGUS SAFETY VERSION
Default Value	SELECT VALUE FROM cmn_profile@db_link_argus WHERE KEY = 'DDL_VER' AND section = 'DATABASE'
Description	Specifies the current version of Oracle Argus Safety.

STAGE_OWNER

Parameters	Values
Section	DATABASE
Key	STAGE_OWNER
Company Defined	0
Name	STAGE OWNER
Default Value	APR_STAGE
Description	DO NOT USE. For Oracle internal use only. Defines the Oracle STAGE schema name for Oracle Argus Insight.

VERY_FIRST_INITIAL_ETL_COMPLETE

Parameters	Values
Section	DATABASE
Key	VERY_FIRST_INITIAL_ETL_COMPLETE
Company Defined	0
Name	VERY FIRST INITIAL ETL COMPLETE
Default Value	0
Description	Indicates whether the first Initial ETL for Oracle Argus Insight has completed. 0 — No 1 — Yes

LOG_REPORT_SQL

Parameters	Values
Section	DATABASE
Key	LOG_REPORT_SQL
Company Defined	0
Name	LOG REPORT SQL
Default Value	0
Description	Identifies if the report SQL is to be logged or not. 0 — No 1 — Yes

4

Profile Global Switches for Related Applications

For information about the profile global switches you can use to change settings for your system or for your database, see [SYSTEM Profile Global Switches](#) and [DATABASE Profile Global Switches](#), respectively.

This chapter lists the profile global switches to configure the settings for the Oracle Argus Safety application that you are using with Oracle Argus Insight:

- [Profile Global Switches Specific to Oracle Argus Safety](#)

Profile Global Switches Specific to Oracle Argus Safety

This section provides information about the profile global switches specific to configuring Oracle Argus Safety for use with Oracle Argus Insight. The switches are listed in alphabetic order.

- [CURRENT_CASE_COPY](#)
- [CURRENT_CASE_COPY](#)
- [GMT_OFFSET](#)
- [LAST_CASE_COPY](#)
- [PREVIOUS_TO_LAST_CASE_COPY](#)

CURRENT_CASE_COPY

Parameters	Values
Section	ARGUS
Key	CURRENT_CASE_COPY
Company Defined	0
Name	CURRENT_CASE_COPY
Default Value	—
Description	Specifies the start date and time of the current ETL process.

CURRENT_CASE_COPY

Parameters	Values
Section	ARGUS
Key	DATABASE_TIMEZONE
Company Defined	0

Parameters	Values
Name	DATABASE_TIMEZONE
Default Value	—
Description	Specifies Oracle Argus Safety database timezone.

GMT_OFFSET

Parameters	Values
Section	ARGUS
Key	GMT_OFFSET
Company Defined	0
Name	GMT OFFSET
Default Value	—
Description	Specifies the Greenwich Mean Time (GMT) offset for the date and time of the last successful ETL process.

LAST_CASE_COPY

Parameters	Values
Section	ARGUS
Key	LAST_CASE_COPY
Company Defined	0
Name	LAST_CASE_COPY
Default Value	—
Description	Specifies the start date and time of the last successfully completed ETL process.

PREVIOUS_TO_LAST_CASE_COPY

Parameters	Values
Section	ARGUS
Key	PREVIOUS_TO_LAST_CASE_COPY
Company Defined	0
Name	PREVIOUS TO LAST CASE COPY
Default Value	—
Description	Specifies the start date and time of the next-to-last successfully completed ETL process.