Oracle Hospitality Cruise Fleet Management Installation Guide





Oracle Hospitality Cruise Fleet Management Installation Guide, Release 9.2

F81085-02

Copyright © 2004, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	
Getting Started	
Where to Download	1-
Prerequisites	
Database Server	2-
Internet Information Services (IIS) Web Server	2-
FMS Application Client	2-
Network	2-
Pre-Installation Task	
Microsoft .Net Framework Version	3-
Uninstalling Fleet Management Component or Add Ons	
IIS Web Server Configuration	
Installation of Fleet Management Component or Add-On	
Post Installation Notes	6-
Performing FMS Upgrade	
What You Should Know	7-
Before You Begin	7-



Preface

This document describes the installation process of Fleet Management System, Components or Add-Ons.

Audience

This document is intended for the technical personnel involved in installation process of the Fleet Management Components or Add-Ons.

Customer Support

To contact Oracle Customer Support, access the Customer Support Portal at the following URL:

https://iccp.custhelp.com

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at https://docs.oracle.com/en/industries/hospitality/cruise.html.

Revision History

Date	Description of Change
August 2023	Initial publication
January 2025	Remove deprecated Gangway Activity module from guide



Getting Started

The following sections provide the information you should know before you install Oracle Hospitality Cruise Fleet Management System (FMS).

Where to Download

FMS releases are available at:

- 1. Oracle Software Delivery Cloud (OSDC).
- 2. My Oracle Support (MOS).

For a Major/Minor release, the initial upload will be to the OSDC. Subsequent Patch/Hotfix releases are uploaded to MOS. See My Oracle Support Help for download instructions.


FMS Installation File

FMS Installation files are distributed in the Initial Release uploaded to OSDC. Running the FMS Installation files will install all libraries, dependencies, and the bare minimum required by FMS applications. Installation does not give you access to all FMS applications. You need to download and deploy the FMS package files. Follow the instructions below to download the FMS Client Installer from Oracle Software Delivery Cloud.


1. Log in to the Oracle Software Delivery Cloud.



Figure 1-1 Oracle Software Delivery Cloud



Search for Oracle Hospitality Cruise Fleet Management. Select the version of the Initial Release you wish to download and click **Download Package**.




3. Locate the downloaded Fleet Management Installation package in your download folder.

FMS Package File

The FMS Package files are distributed in the subsequent Patch/Hotfix Releases uploaded to My Oracle Support (MOS). The FMS Package file contains the programs, libraries, web services, and scripts deployed by FMS. You can download the FMS Package from MOS using the instructions below:


- Log in to MOS
- 2. Upon a successful login, you are redirected to the Dashboard page below:





- Select the Patches & Updates tab. Search for Oracle Hospitality Cruise Fleet Management.
- Select the package version to download.
- Click Search to obtain the patch lists.


Figure 1-2 FMS Patch List



- From the result list, select the patch to download
- 7. The screen shot below shows the downloaded FMS Package folder.



Figure 1-3 Downloaded FMS Package





Prerequisites

This topic explains the prerequisites for Fleet Management System (FMS) installation and upgrade.

Below are the minimum system requirements for each server type. We strongly recommend that you refer to the Cruise Compatibility Matrix at Oracle Help Center for the latest supported Operating System and Database version.

Database Server

Operating System: Microsoft Windows Server 2016

Memory: 16GB of RAM, 1 TB of disk space

Oracle Database Client version: Oracle Database 32-bit Full Client for 19c including the

ODAC

Oracle Database version: Oracle Database Server 19c / Oracle Database 32-bit Full Client

for 19c including the ODAC

Note:

Database Configuration:

- The Database character set can be set to Western or Unicode. However, you
 must ensure that SPMS and FMS Database character set are configured the
 same to avoid data discrepancy. For example, if the character set is set as UTF8
 in SPMS Database, then it must be the same in FMS Database.
- Similarly, the Database table column type must be configured the same in both the SPMS and FMS. For example, if the type NVARCHAR is used, then both the SPMS Database and FMS Database must be the same.
- Additionally, the data type and length of Database table columns in which data is to be transferred from/to must be the same between FMS and SPMS.

Internet Information Services (IIS) Web Server

Operating System: Microsoft Windows Server 2016

Memory: 16GB of RAM, 512GB of disk space

Oracle Database Client version: Oracle Database 32-bit Full Client for 19c including the

ODAC

Microsoft .Net Framework: Version 4.6.1. See Microsoft .Net Framework Version for more

information.



FMS Application Client

Operating System: Microsoft Windows 10

Memory: 16GB of RAM, 512GB of disk space

Oracle Database Client version: Oracle Database 32-bit Full Client for 19c including the

ODAC

Microsoft .Net Framework: Version 4.6.1, see Microsoft .Net Framework Version.

Java Runtime Environment (JRE): Version 8

Crystal Report Runtime: SAP Crystal Report runtime engine for .NET Framework (32-bits) version 13.0.33 is installed on the target machine. See How to Install/ Upgrade Crystal Reports runtime engine for .NET Framework (32-bit) for further information.

Network

- All the FMS Sender / Receiver host machines must be in same domain when transferring the data over MSMQ with the Active Directory integration.
- The IIS Server machine and the FMS Client machine also must be on the same domain to authenticate the login credentials in Active Directory login mode.



Pre-Installation Task

Before you upgrade or install the FM Suite, perform the following tasks:

- Apply critical security patches to the operating system.
- Apply critical security patches to the database server application.
- Acquire Secure Sockets Layer (SSL) compliant security certificate from Certification Authority.

Read and understand the Security Overview in Oracle Hospitality Cruise Fleet Management Security Guide.

Microsoft .Net Framework Version

To verify if you have the required .Net version, perform the following steps:

- You have to execute the below statement in the command prompt (CMD).reg query "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\full" /v version
- 2. If it displays the version less than 4.6.1, you need to download the .Net Framework 4.6.1 version.

Uninstalling Fleet Management Component or Add Ons

This section describes the un-installation steps for **Fleet Management Component** or **Add-On**.

- 1. Go to the following location: C:\Control Panel\All Control Panel Items\Programs and Features
- 2. Right-click the Fleet Management Component or Add-On you want to remove, and then select **Uninstall**
- 3. To make sure the component or the Add-On is uninstalled successfully, go to C:\Control Panel\All Control Panel Items\Programs and Features.



IIS Web Server Configuration

Note:

For a secure communication, customers need to obtain the SSL certificates from a recognized Certificate Authority. If they fail to do so, they may use the self-signed certificates, which are vulnerable and not secure.

To start the IIS server, you need to create a self-signed certificate. To create a self-signed certificate and configure follow the below steps:

- 1. Run the Install.bat file as administrator located at \FMS Web Applications Enablement\ Install.bat of the downloaded software.
- 2. Installation commences with the registration of .NET and enabling the IIS. Once IIS is enabled, Hyper Text Transfer Protocol Secure (HTTPS) binding is created on port 443 and Hyper Text Transfer Protocol (HTTP) Binding is deleted on port 80.

Figure 5-1 IIS Certificate Binding

```
Administrator: C:\Windows\System32\cmd.exe
                                                                                                                    П
C:\Windows\system32>ECHO_OFF
Detecting Windows Version
∄{caption=Microsoft Windows Server 2016 Standard} found
Deployment Image Servicing and Management tool
/ersion: 10.0.14393.0
Image Version: 10.0.14393.2457
nabling feature(s)
                    -----100.0%-----]
he operation completed successfully.
Deployment Image Servicing and Management tool
/ersion: 10.0.14393.0
mage Version: 10.0.14393.2457
nabling feature(s)
                    -----100.0%------
he operation completed successfully.
ompleted
onfiguring Website: Default Web Site
TTPS Binding already exists on port 443
lease press 1 to list down existing certificate or press 2 to create new self signed certificate: _
```

Process to bind certificate starts. The screen will prompt you to "Please press 1 to list down existing certificate or press 2 to create new self-signed certificate"

Figure 5-2 Certificate available for binding

```
Administrator: C:\Windows\System32\cmd.exe
                                                                                                                                      mage Version: 10.0.14393.2457
 nabling feature(s)
 -----1
 ne operation completed successfully.
inished NetFx3
Deployment Image Servicing and Management tool
Version: 10.0.14393.0
mage Version: 10.0.14393.2457
nabling feature(s)
             -----1
The operation completed successfully.
completed
Configuring Website: Default Web Site
HTPS Binding already exists on port 443
Please press 1 to list down existing certificate or press 2 to create new self signed certificate: 1
  PSParentPath: Microsoft.PowerShell.Security\Certificate::LocalMachine\My
humbprint
                                                 Subject
DBF7A6BFA35B41CF371E27BB595D7C59ACD8AA7F CN=localhost
6377B820983FE710FDB8F1A09DDCE7EE8824EE4B CN=WM5vc-SHA2-WFIVM00722
Please key in the subject name you want bind:
```

- Enter 1 to list of all the existing certificates.
- 5. Write down the subject name to bind the certificate.
- IIS restarts when the selected certificate is bound to port 443.

Figure 5-3 Binding IIS to Port

```
Administrator: C:\Windows\Svstem32\cmd.exe
                                                                                                                                             ×
HTTPS Binding already exists on port 443
Please press 1 to list down existing certificate or press 2 to create new self signed certificate: 1
   PSParentPath: Microsoft.PowerShell.Security\Certificate::LocalMachine\My
 humborint
                                                    Subject
DBF7A6BFA35B41CF371E27BB595D7C59ACD8AA7F CN=localhost
6377B820983FE710FDB8F1A09DDCE7EE8824EE4B CN=WMSvc-SHA2-WFIVM00722
Please key in the subject name you want bind: localhost
IPAddress : 0.0.0.0
Port : 443
Port
Host
            : My
: Microsoft.IIs.PowerShell.Framework.ConfigurationAttribute
Oracle Hospitality Cruise FMS Self Signed Certificate is updated to port 443 binding
Restarting IIS now...
Attempting stop...
Internet services successfully stopped
Attempting start...
Internet services successfully restarted
  ress any key to continue . . . _
```

Enter 2 and you are prompted to enter the domain or the Internet Protocol (IP) address.

Figure 5-4 Domain or Internet Protocol Address Entry




Figure 5-5 Self-signed Certificate Created

```
Administrator: C:\Windows\System32\cmd.exe
                                                                                                                                                                                                      Version: 10.0.14393.0
Image Version: 10.0.14393.2457
 Enabling feature(s)
  he operation completed successfully.
The operation completed Successfully.

Completed

Configuring Website: Default Web Site

HTTPS Binding already exists on port 443

Please press 1 to list down existing certificate or press 2 to create new self signed certificate: 2

Please key in your domain name or ip: localhost

Oracle Hospitality Cruise FMS Self Signed Certificate already exists
 P Address
                                                                            Store
                                                                                                          Sites
                                  443
  .0.0.0 443 My Default Web Site
racle Hospitality Cruise FMS Self Signed Certificate is updated to port 443 binding
  .0.0.0
  ompleted
 Restarting IIS now...
Attempting stop...
Internet services successfully stopped
Attempting start...
 Internet services successfully restarted
Press any key to continue . . . _
```


8. IIS restarts when the self-signed certificate is created and bound to port 443.

Installation of Fleet Management Component or Add-On

The following topic describes the installation steps of Fleet Management Component or Add-On

- Download the Installation file from Oracle Software Deliver Cloud (OSDC)/ MOS.
- **2.** Extract the zip file using the **Extract Here**.

Figure 6-1 Downloaded Installation File (Zip format)



- 3. Open the **Setup** folder from the above extracted zip file.
- 4. Right-click the OHCFM.exe and select **Run as administrator** to install the application.
- 5. On the Fleet Management Suite Installation Welcome screen, click **Next** to continue.
- **6.** Select the required Components or Add-Ons, and then click **Install** to install Fleet Management or click **Cancel** to cancel the installation process.

Post Installation Notes

- See Secure Clients section in the FMS 9.2 User Guide for the Security Server Configuration on FMS IIS Web Server.
- To modify the value of ServiceUrl, replace localhost with the IIS machine name in ERSService.js file (C:\inetpub\wwwroot\OHCEmergencyMobileApp) of ERS web application.
- To ensure Database Schema passwords are compatible with FMS 9.2, see chapter **Database Schema Password Manager** chapter in the *FMS 9.2 User Guide*.
- When the installation is completed. Go to the specific FMS component directory, for example, C:\Program Files (x86)\Oracle Hospitality Cruise

Add the ServiceURL information to each Component or Add-On .exe configuration file.
 See below for the example.

<add key="IsActiveDirEnabled" value="N"/>. Set Y for active directory login
authentication

<add key="isFileUpdaterEnabled" value="Y"/>. Set N for running desktop applications e.g. Data Viewer, Corporate access Management on Windows 10.

<add key="isShipSide" value="N"/>. Set Y to run ship side interfaces (Sender, Receiver, Watchdog)

Launch your application by using the application icon(s) available on desktop.



Performing FMS Upgrade

What You Should Know

Make sure you have an operational understanding as follows:

- Personal Computers (PCs) and a working knowledge of Microsoft Windows interface
- Understanding of basic network concepts
- Experience with Microsoft Windows Server 2016
- Experience with Oracle 19c
- · Microsoft Windows administrative privileges

In addition, you must know

You cannot repair or modify installation features due to changes in the setup process. If a
problem occurs, you must uninstall any installed applications and reinstall FMS.

Before You Begin

To upgrade to FMS version 9.2, take note of the following steps:

 You must uninstall all the components and add-ons older than FMS 9.2. Follow the steps in chapter Uninstalling Fleet Management Component or Add Ons.

For upgradation process see below sections

- You must uninstall all the components and add-ons older than FMS 9.2. Follow the steps in Uninstalling Fleet Management Component or Add Ons.
- Follow the steps in Installation of Fleet Management Components and Add-ons
- When performing an upgrade to version 9.2, you must perform a database verification and backup task for the databases.
- Have a dedicated Client PC ready for an upgrade.
- Follow the prompts in the FMS software installation. If you cancel the installation after it starts, using any method other than through the provided prompts; the results can be unpredictable.
- You must be logged in as an administrator before running the FMS setup on a Microsoft Windows system.
- Ensure that all other programs and applications are closed on the PC. If the system
 detects an active program or process during the installation routine, a notification to close
 them may appear.

Pre-Installation Task

You must complete the tasks mentioned in chapter Pre-Installation Task before continuing