#### **ORACLE DATA SHEET**

## Oracle Hospitality OPERA Cloud Services



## Network and Communications Guidelines

OPERA Cloud Services is a cloud-based mobile-enabled platform for next generation hotel management that can scale from small single property environments to large hotel chains with many thousands of rooms using the same underlying architecture.

To connect to OPERA Cloud, the hotel operator needs to select an internet service with sufficient bandwidth to support the operational needs of a hotel operation. Attempting to deploy OPERA Cloud over an unreliable or slow network will result in slow application performance, low staff productivity, and ultimately a poor user experience.



Copyright © 2017, 2020, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

### Architecture

The architecture of OPERA Cloud has been designed to operate securely using the public Internet from redundant and highly scalable Oracle Cloud Data Centers. This ensures that users with different form factors like desktop, tablet, or mobile can access the same data.

For OPERA to perform well there are a number of network considerations that must be satisfied.

To ensure application performance is as expected, you must consider three main areas:

- Latency
- Available Bandwidth
- Jitter/Loss




Figure 1. Showing the orientation of the data center, backbone networks and subscribing hotels.

#### Latency

Latency is the measurement of time taken for network packets to traverse a network and is a function of a number of factors, most notably distance from the data center, access technology, last-mile bandwidth, and network contention. It is the single biggest factor that affects perceived application performance and can easily be tested from the proposed site by running a web based speed test. Table 1 below indicates recommended latency limitations when using OPERA Cloud. This should also take into account the type of hotel operation considered.

For example, high transactional operations with a heavy peak check-in/out workload should have an average latency to the data center under 250 ms. Beyond this, while the application continues to run, the user experience will degrade.



Latency can be measured in two ways, either by running a test in a browser using the independently opera cloud harmony site (https://cloudharmony.com/speedtest-for-oracle) or by running a Traceroute to the proposed datacenter for your hotel or chain. Your Sales team will be able to supply a test URL for traceroute tests.

Both tests measure network latency from the client network to the datacenter over the public Internet as shown in figure 2. This test also confirms that the client site is using the most efficient path available.


#### Akamai IP Acceleration.

To better control the variable and often inconsistent routing experienced whilst traversing the public internet, Oracle may leverage the Akamai IP Acceleration (IPA) network to ensure packets are routed efficiently. This product dynamically routes traffic from clients accessing OPERA to the closest Akamai node which then completes the network transfer. This service relies on clients using a local DNS provider to ensure they are routed to the closest Akamai node.

Figure 2. Showing packet originating from subscribing hotel to facility edge. By using either cloud harmony or the traceroute command, the network latency to the datacenter will be displayed.

INTERNET

Hotel Network



# Which Oracle Data Centers should be used?

When testing latency using the cloud harmony service, latencies to the following facilities only should be recorded:

Oracle Cloud Compute EU-FRANKFURT-AD-1

Oracle Cloud Compute US-ASHBURN-AD-1


Oracle Cloud Compute AP-SINGPORE-AD-1 (\*)

\*Singapore will be available in 2020

Globally, OPERA Cloud will be available from major regional locations with each major regional presence (US, EMEA & AP) leveraging a minimum of two geographically redundant data centers to ensure that full geographic failover can be provided if required. A consistent design approach also allows all regions to adhere to a globally consistent service-level agreement depending on user requirements.

Oracle Hospitality's infrastructure team will determine which regional data center facilities to use by taking into account the geographic location of the hotel chain, the type of hotel operations and, most importantly, the network performance between the subscribing hotels and the hosting data center facility.

It is also possible to use multiple facilities; however, this can add to the cost and complexity and depends on the hotel's size, growth strategy, and existing central reservation systems.



### Bandwidth Considerations Per Hotel

Network bandwidth refers to the data rate and is a measure of a network's ability to transfer data.

In most networks, it is usually limited by the capacity of the local network edge access link between the subscribing hotel and its core network backbone, as shown at right.

When designing the type of circuit required for OPERA Cloud, it is important the following requirements are adequately scoped:

- Total number of physical workstations within the property which will be required to access OPERA Cloud.
- If existing links are utilized, ensure sufficient free bandwidth is available during peaks.

The cloud harmony site will test the available peak download and upload speeds from within your network and display the Mbps results, for larger sites (>20 workstations) it is advisable to check the service capacity with your ISP.




Figure 4. Showing network edge 'last mile' links which are typically limiting factors in corporate network designs.

### **Bandwidth Calculations**

During the normal operation of OPERA Cloud, the bandwidth requirements are relatively small; however, these do peak when a user requests data to print or requires a download of exported data. To calculate this, the following formula can be used as aguide:

Recommended minimum bandwidth (Mbps) per hotel=(W×0.3)

Where: W=Total Physical Workstations

This formula results in the following bandwidth estimations. Depending on the available bandwidth tiers, the local access link should always be rounded up from the value calculated in table 3.

Workstations	Bandwidth (Mbps)
5	1.5
10	3
25	7.5
50	15
100	30
150	45

Table 3: Site bandwidth requirements by workstation count.

# Capacity plan where existing links are used

Where existing circuits are planned to also carry OPERA Cloud traffic, it is important that a capacity plan is undertaken to ensure that sufficient spare bandwidth is available.

# What type of backbone network can be used?

OPERA Cloud is designed to be operated securely from a browser over the public Internet.

## What type of local access link technology can be used?

The type of the access technology used does not affect the ability to use OPERA Cloud as long as the network allows TCP/IP connectivity to the Oracle Hospitality data centers and latency and bandwidth requirements are met.

#### Security and Port Considerations

To connect to OPERA Cloud, customers must allow HTTP and HTTPS/TLS (TCP 443) outbound to the OPERA Cloud data center on their local hotel network security devices.

### Jitter definition

Jitter is defined as a variation in the delay of received packets. The sending side transmits packets in a continuous stream and spaces them evenly apart. Jitter occurs where network congestion, improper queuing, or configuration errors results in an inconsistent delay in delivery at the receiver.

nanoum	non																								
Bangalore	231	BANG													Ta	ble 4. 1	Tunica	l city_t	o_city	aloha	1				
Beijing	295	162	BEIJ															~	-	<u> </u>					
Chicago	36	245	273	CHI											net	twork	latenci	ies froi	m OPE	RA CI	oud				
Wash, DC	2	230	296	35	DCA										da	ta cent	ter faci	ilities (	highli	ghted	).				
Denver	55	257	250	27	56	DEN																			
Dallas	38	264	263	44	39	18	DFW																		
Frankfurt	101	166	301	116	100	140	135	FRA																	
Hong Kong	231	95	67	209	232	186	198	237	НКС																
Hyderabad	222	12	152	235	221	248	254	164	85	HYDE															
Los Angeles	67	239	231	63	68	43	37	161	167	230	LAX														
London	84	158	287	98	83	122	118	20	223	149	151	LON													
Mexico	65	297	289	70	66	51	35	159	225	288	61	149	MEX												
Miami	31	257	209		32	53	36	129	229	248		149	63	MIA											
New York	11	223		41	9	53	48		231		65				NYC										
			295	26				92		213	76	75	74	41		DAD									
Paris	92	160	295	107	91	131	127	12	231	157	160	11	157	120	84	PAR	DUU								
Philadelphia	7	226	298	30	6	56	44	96	234	216	73	78	70	37	5	87	PHL								
Sao Paulo	156	374	416	165	157	168	161	239	352	364	185	223	183	129	158	231	162	SA0							
Seattle	81	249	242	56	83	36	53	164	177	239	33	154	90	79	79	155	83	198	SEA						
San Fran.	77	230	223	59	78	32	48	161	166	221	12	151	70	75	76	160	79	194	23	SFO					
Shanghai	268	133	32	246	269	223	235	274	43	123	204	259	261	266	268	268	271	389	214	195	SHA				
Singapore	248	58	103	225	249	202	215	203	41	54	184	188	242	246	247	196	250	369	193	174	75	SIN			
Sydney	236	165	201	232	237	209	204	305	143	155	172	290	230	234	245	298	242	357	201	182	172	107	SYD		
Tokyo	175	134	127	160	176	135	150	263	59	124	117	246	169	173	174	254	177	296	127	107	98	76	174	TOK	
Toronto	25	235	285	14	24	41	57	106	221	226	75	88	83	54	15	97	19	164	68	65	257	236	244	164	TOR

Ashhurn ASH

### Peace of Mind

### **Cloud Services**

Let us do the work with centrally-hosted managed services.

- Lower total cost of ownership
- Fast resolutions to less frequent issues

### Support When You Need It

We are committed to ensuring that your business needs are met as quickly and efficiently as possible.

- Phone and Internet-based customer support 24 hours a day, 7 days a week
- We provide both on-site and remote support, training, and services

Visit Our Internet Self Service or Call (866) 287-4736 (US/CAN)





CONTACT US

For more information about Oracle Hospitality, visit oracle.com/hospitality or call +1.800.ORACLE1 to speak to an Oracle representative.

Integrated Cloud Applications & Platform Services



CONNECT WITH US

facebook.com/OracleHospitality

twitter.com/OracleHosp

oracle.com

2 | Oracle Hospitality OPERA Cloud Services