

Oracle Hospitality OPERA Reporting and Analytics Cloud Service

Security Guide



G40548-01
October 2025



Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

1	OPERA R&A Security Overview	
	Customer Responsibilities	1
	Oracle Responsibilities	1
2	Oracle OPERA R&A SaaS Security	
	Secure Product Engineering	1
	Secure Deployment	1
	Physical Safeguards	1
	Network Security	2
	Infrastructure Security	2
	Data Security	2
	Secure Management	2
3	Understanding the OPERA Cloud Environment	
	OPERA R&A Implementation Planning	1
	Assessment and Audit	1
	Properly Train and Monitor Admin Personnel	2
A	Appendix A: Secure Deployment Checklist	
B	Appendix B: Personally Identifiable Information	

Preface

Oracle Hospitality OPERA Reporting and Analytics Cloud Service is a web-based application that centralizes hotel property management data to provide operational and analytical insights into business operations, and to improve efficiency by delivering information to all roles within an organization.

Purpose

This document provides security reference and guidance for Oracle Hospitality OPERA Reporting and Analytics Cloud Service (OPERA R&A).

Audience

This document is intended for.

- OPERA R&A Customers
- Oracle Installers
- Oracle Dealers
- Oracle Customer Service
- Oracle Training Personnel
- IT Personnel

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Documentation

The following document provides additional detail for Open Web Application Security Project (OWASP):

Center for Internet Security (CIS) Benchmarks (used for OS Hardening)<https://benchmarks.cisecurity.org/downloads/multiform/>

Oracle Hospitality product documentation is available on the Oracle Help Center at <http://docs.oracle.com>.

Revision History

Table 1 Revision History

Date	Description of Change
October2024	Initial Publication

1

OPERA R&A Security Overview

This chapter provides an overview of Oracle Hospitality OPERA Reporting and Analytics Cloud Service (OPERA R&A) security and explains the general responsibilities of both the customer and Oracle.

Customer Responsibilities

At a high level, customers are responsible for:

- Understanding Oracle's security policies.
- Implementing their own corporate policies using Oracle tools.
- Creating and administering users using Oracle tools.
- Ensuring data quality and enforcing end-user devices security controls, so that antivirus, malware and other malicious code checks are performed on data and files before uploading data.
- Ensuring that end-user devices meet the minimum security requirements.
 - For information on browser security, visit <https://us-cert.cisa.gov/publications/securing-your-web-browser>
- Generating public/private key pairs as requested by OPERA R&A

To securely implement OPERA R&A, customers and their implementation partners should read this document to understand Oracle's security policies. This document summarizes information and contains links to many other Oracle documents.

Oracle Responsibilities

As the cloud service provider, at the highest level Oracle is responsible for:

- Building secure software.
- Provisioning and managing secure environments.
- Protecting the customer's data.

OPERA R&A fulfills its responsibilities by a combination of corporate level development practices and cloud delivery policies. This document will describe this information in great detail.

2

Oracle OPERA R&A SaaS Security

Security is a many faceted issue to address. To discuss Oracle SaaS security, it helps to define and categorize the many aspects of security. For the purpose of this document, we discuss the following categories of SaaS security:

- Secure Product Engineering
- Secure Deployment
- Secure Management Assessment and Audits

Secure Product Engineering

Oracle builds secure software through a rigorous set of formal, always evolving security standards and practices known as Oracle Software Security Assurance (OSSA). OSSA encompasses every phase of the product development lifecycle.

More information about OSSA can be found at: <https://www.oracle.com/corporate/security-practices/assurance/>

The cornerstones of OSSA are Secure Coding Standards and Security Analysis and Testing.

Secure Coding Standards include both general use cases and language specific security practices. More information about these practices can be found at: <https://www.oracle.com/corporate/security-practices/assurance/development/>

Security Analysis and Testing includes product specific functional security testing and both static and dynamic analysis of the code base. Static Analysis is performed via tools including both internal Oracle tools and Fortify. Dynamic Analysis focuses on APIs and endpoints, using techniques like fuzzing to test interfaces and protocols. <https://www.oracle.com/corporate/security-practices/assurance/development/analysis-testing.html>

Specific security details of the Merchandising Cloud Service are discussed in detail later in this document.

Secure Deployment

Secure deployment refers to the security of the infrastructure used to deploy the SaaS application. Key issues in secure deployment include Physical Safeguards, Network Security, Infrastructure Security and Data Security.

Physical Safeguards

Oracle SaaS applications are deployed using Oracle Cloud Infrastructure datacenters. Access to Oracle Cloud data centers requires special authorization that is monitored and audited. The premises are monitored by CCTV, with entrances protected by physical barriers and security guards. Governance controls are in place to minimize the resources that are able to access systems. Physical security safeguards are further detailed in Oracle's Cloud Hosting and

Delivery Policies. <http://www.oracle.com/us/corporate/contracts/ocloud-hosting-delivery-policies-3089853.pdf>

Network Security

The Oracle Cloud network is isolated from the Oracle Corporate Network. Customer instances are separated down to the VLAN level.

Infrastructure Security

The security of the underlying infrastructure used to deploy Oracle SaaS is regularly hardened. Critical patch updates are applied on a regular schedule. Oracle maintains a running list of critical patch updates and security alerts. Per Oracle's Cloud Hosting and Delivery Policies, these updates are applied to all Oracle SaaS systems. <https://www.oracle.com/technetwork/topics/security/alerts-086861.html>

Before Oracle deploys code to SaaS, Oracle's Global Information Security team performs penetration testing on the cloud service. This penetration testing and remediation prevents software or infrastructure issues in production systems. <https://www.oracle.com/corporate/security-practices/assurance/development/ethical-hacking.html>

Data Security

Oracle uses a number of strategies and policies to ensure the customer's data is fully secured.

- Data Design - Oracle applications avoid storing personal data. Where PII data exists in a system, Data Minimization, Right to Access and Right to forget services exist to support data privacy standards.
- Storage - Oracle applications use encrypted tablespaces to store sensitive data.
- Transit - All data is encrypted in transit, SaaS uses TLS for secure transport of data, as documented in Oracle's Cloud Hosting and Delivery policy. <https://www.oracle.com/assets/ocloud-hosting-delivery-policies-3089853.pdf>

Secure Management

Oracle manages SaaS based on a well-documented set of security-focused Standard Operating Procedures (SOPs). The SOPs provide direction and describe activities and tasks undertaken by Oracle personnel when delivering services to customers. SOPs are managed centrally and are available to authorized personnel through Oracle's intranet on a need-to-know basis.

All network devices, servers, OS, applications and databases underlying Oracle Cloud Services are configured and maintain auditing and logging. All logs are forwarded to a Security Information and Event Management (SIEM) system. The SIEM is managed by the Security Engineering team and is monitored 24*7 by the Security Operations team. The SIEM is configured to alert the Security Operations team regarding any conditions deemed to be potentially suspicious, for further investigation. Access given to review logs is restricted to a subset of security administrators and security operations personnel only.

3

Understanding the OPERA Cloud Environment

OPERA R&A Implementation Planning

When planning your OPERA R&A implementation, consider the following:

- Which resources need protection?
 - You need to protect customer data, such as credit-card numbers.
 - You need to protect internal data, such as proprietary source code.
 - You need to protect system components from being disabled by external attacks or intentional system overloads.
- Who are you protecting data from?
 - For example, you need to protect your subscribers' data from other subscribers, but someone in your organization might need to access that data to manage it. Analyze your workflows to determine who needs access to the data; for example, it is possible that a system administrator can manage your system components without needing to access the system data.
- What will happen if protections on a strategic resource fail?
 - In some cases, a fault in your security scheme is nothing more than an inconvenience. In other cases, a fault might cause great damage to you or your customers. Understand the security ramifications of each resource and protect it properly.

Personal information cannot be entered directly into OPERA R&A. Oracle provides functionality within OPERA for personal information that is shared with OPERA R&A. Placing personal information in OPERA fields other than the designated areas, such as Notes or Comments fields, does not comply with regulations for data protection.

Assessment and Audit

Build and Maintain a Secure Network and Systems

1. Install and maintain a firewall configuration to protect data.
2. Do not use vendor-supplied defaults for system passwords and other security parameters.

Maintain a Vulnerability Management Program

1. Protect all systems against malware and regularly update anti-virus software or programs.
2. Develop and maintain secure systems and applications.

Implement Strong Access Control Measures

- Identify and authenticate access to system components.

Regularly Monitor and Test Networks

1. Track and monitor all access to network resources.

2. Regularly test security systems and processes.

Maintain an Information Security Policy

- Maintain a policy that addresses information security for all personnel.

Properly Train and Monitor Admin Personnel

It is the customer's and Oracle's responsibility to institute proper personnel management techniques for allowing admin user access to personal data, site data, etc.

In most systems, a security breach is the result of unethical personnel. So pay special attention to whom you trust into your admin site and who you allow to view full decrypted and unmasked payment information.

Oracle provides functionality within OPERA Cloud to enter personal information in specific fields on the user interface. The form fields that are intended to receive this information are clearly labeled. Some are designed with heightened security controls such as data masking in the form and encryption of at rest in OPERA.

Entering this personal information in any other OPERA field (for example, in a Notes or Comments field), does not provide it with these heightened security controls.

OPERA R&A provides heightened security controls that allow for the inclusion or exclusion of personal or sensitive personal information in all reporting. Personal Information is protected under a single privilege while sensitive personal information is protected by another. See [Appendix B](#) for additional details.

A

Appendix A: Secure Deployment Checklist

The following security checklist provides guidelines that help secure your database:

- Install only what is required.
- Lock and expire default user accounts.
- Enforce password management.
- Enable data dictionary protection.
- Practice the principle of least privilege.
 - Grant necessary privileges only.
 - Revoke unnecessary privileges from the PUBLIC user group.
 - Restrict permissions on run-time facilities.
- Enforce access controls effectively and authenticate clients stringently.
- Restrict network access.
- Apply all security patches and workarounds.
 - Use a firewall.
 - Never poke a hole through a firewall.
 - Protect the Oracle listener.
 - Monitor listener activity.
 - Monitor who accesses your systems.
 - Check network IP addresses.
 - Encrypt network traffic.
 - Harden the operating system.

B

Appendix B: Personally Identifiable Information

The following types of personally identifiable information may have been received by OPERA R&A for use in reporting. A unique permission is available to allow users to view personal information in either of these categories.

Table B-1 Personal Information

Personal Information	Sensitive Personal Information
Personal details (e.g., name, date of birth, gender, marital status, number of children and name(s));	Government identification (e.g., National ID/Passport details/Social Security Number, Driver's License)
Personal contact details (including home address, home telephone or mobile number, email address, and passwords)	
Professional contact details (e.g., work phone number and email and physical address)	
Employee ID	
Customer ID	
Customer account information	

Instructions to provide users with permission to include this data in reporting can be found under the Groups, Permissions and Users section of the [OPERA Reporting and Analytics User Guide](#).