Oracle Argus Safety Japan User's Guide





Oracle Argus Safety Japan User's Guide, Release 8.4.4

G16950-01

Copyright © 2019, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Documentation accessibility	V		
Diversity and Inclusion	V		
Related resources	V		
Access to Oracle Support	V		
Case Form			
Reporter Information	1-1		
Literature Information	1-3		
Patient Tab	1-3		
Products Tab	1-4		
Analysis Tab	1-8		
PMDA Information tab	1-10		
PMDA Information: General Tab	1-10		
PMDA Information: Comments Tab	1-20		
Product License Value	1-23		
PMDA Event Reportability Updates	1-24		
Activities Tab	1-25		
Additional Information Tab	1-26		
Regulatory Reports Tab	1-27		
Case Actions			
PMDA Event Reportability			
Worklist			
Literature Intake	3-1		
Import literature files	3-1		
Import tab field descriptions	3-2		
Import tab actions	3-4		
Perform a duplicate search	3-6		
Print Monitoring Check report	3-8		



Add Individual Information field descriptions	3-9
Print List field descriptions	3-9
Processing tab field descriptions	3-10
Processing tab actions	3-13
Processed tab field descriptions	3-17
Reports	
Reports: PMDA Expedited Reports	4-1
PMDA E2B reports	4-1
Draft report generation for PMDA E2B	4-1
Draft report generation for PMDA Paper reports	4-1
Manual Report Scheduling dialog for Argus J users	4-2
Report Scheduling	4-2
Paper Reports	4-3
PMDA Device reports	4-11
PMDA Device XML reports	4-11
PMDA Device Paper Reports	4-12
User Interface - Reporting Rules Configuration	4-15
Expedited Reports on DLP	4-15
Reports: PMDA Periodic Reports	4-17
DLP at Report Level	4-19
Periodic Reports on DLP	4-22
Upgrade Considerations	4-23
Advanced Conditions in J Periodic Reports	4-23
Check in/Checkout Enhancements	4-31
Periodic Safety Report	4-32
Format	4-32
PSR/ReSD Details	4-33
Clinical Study Periodic Safety Report (now J-DSUR)	4-49
Format	4-49
J-DSUR Details	4-51
J-DSUR - Cover	4-63
J-DSUR - Form 2	4-66
Seiyakukyo Line Listing Report (Individual Report Common Line List)	4-69
Configuration Screen	4-69
Report Output Format	4-75
Report Output Filter Criterion	4-76
Report Output Field Mappings	4-76
CSV Output Format	4-76
Periodic Report Process Flow	4-77
•	



5 Utilities

MedDRA Browser 5-1



Preface

This preface contains the following sections:

- Documentation accessibility
- · Diversity and Inclusion
- · Related resources
- Access to Oracle Support

Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related resources

For information about Oracle Argus patches, see My Oracle Support.

All documentation and other supporting materials are available on the Oracle Help Center.

Access to Oracle Support

To receive support assistance, determine whether your organization is a cloud or on-premises customer. If you're not sure, use Support Cloud.

Cloud customers receive support assistance through Support Cloud

Oracle customers that have purchased support have access to electronic support through Support Cloud.

Contact our Oracle Customer Support Services team by logging requests in one of the following locations:

English interface of Oracle Life Sciences Support Cloud (https://hsgbu.custhelp.com/)



• Japanese interface of Oracle Life Sciences Support Cloud へようこそ (https://hsgbu-jp.custhelp.com/)

You can also call our 24x7 help desk. For information, visit Life Sciences Support | Oracle or visit Oracle Accessibility Learning and Support if you are hearing impaired.

On-premises customers receive support assistance through My Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.



1

Case Form

This chapter lists the changes that have been introduced in Case Form.

- Reporter Information
- Literature Information
- Patient Tab
- Products Tab
- Analysis Tab
- Activities Tab
- Additional Information Tab
- Regulatory Reports Tab

Reporter Information

 The Institution ID textbox in Case Form > Reporter Information section is available for both English as well as Japanese users.


Figure 1-1 Case Form Report Information section - Sample Output



- The following are the attributes for this field:
 - Field Name (Unique Field Label): Reporter Institution ID
 - Field Form Label: Institution ID
 - Field Form Label (J)
 - Help Text: Enter the Institution ID for the Reporter.
 - Help Text (J)
 - Hidden radio option set to No. Hiding is allowed.
 - Read Only options are unchecked and disabled.
 - E2B Field and Research Field are unchecked by default.
 - Case Form Field Length: 15 AN. No validation required for alphanumeric data check.

- Both English and Japanese fields point to a common value.
- This field value is populated based on the Institution ID selected for the Reporter from the Report Information Lookup dialog from the Book-in screen.
- This field also allows manually entered / updated value directly in the Case Form
 irrespective of the value specified in the Institution field for the reporter. Manually entered
 Institution and institution ID field values are allowed in the Reporter Information section
 even if they are not specified / linked to each other as per Console Institution code list.
- As both the Institution or Institution ID fields can be present in Reporter Information, and if
 the user opens up Reporter Lookup for this reporter, then Reporter Lookup searches for
 reporters in Case or Console data based on the following logic:
 - Out of Institution and Institution ID fields first use Institution ID field with the rest of the search criteria fields. The Institution value is not used in this scenario on the Reporter Lookup search dialog.
 - If the Institution ID field is not specified in the Reporter Information or if it does not exist
 in the type-ahead values for this field on Reporter Lookup, then automatically remove
 the Institution ID field value in Reporter Lookup and search based on Institution field
 with rest of the search criteria fields.
 - If Institution field value also does not exist in the type-ahead values for this field on the Reporter Lookup, then remove the Institution field value as well in the Reporter Lookup and search based on rest of the search criteria fields.
 - If "Search all the reporters who belong to the institution found from the current search item" search option is also used, then it performs a search based on Institution ID or Institution Name - whichever is available on the Reporter Lookup dialog to identify the first set of reporters and subsequently use those reporters for second level search.
- This field is printed in Case Form Print for Reporter Information section as displayed for both English and Japanese users.

Figure 1-2 Case Form Report Information Print - Sample Output



- This field is audit-logged.
- This field is available under the following modules:
 - Case Listing Report
 - CIOMS II Line Listing Report
 - CDA Report
 - Advanced Conditions
 - Case Form Letter Placeholders as specified below: [reporter inst id:primary]

[reporter_inst_id]:[n]

[reporter_inst_id:selected]

[reporter inst id:corresp contact]



- Console Field Labels: Under ARGUS SAFETY > GENERAL > Reporter
- Console Field Validations: Under ARGUS SAFETY > GENERAL > Reporter

Literature Information

The following fields are available under Literature Information section:

- **Country of publication**: Captures the Country of Publication for each literature in research or foreign measures reports. The data captured in this field is transmitted in the J2.15.r element of PMDA E2B (R3).
- Study/trial classification: Identifies "Clinical trial/study" or "Non-clinical trial/study" for each literature publication in the research reports. This dropdown has the following values: <Blank> (Default)

Clinical trial/study (臨床試験/研究)

Non-clinical trial/study (非臨床試験/研究)

The configured data is transmitted in the J2.13.r.1 element of PMDA E2B (R3).

- Literature Lookup dialog: Similar "Country of Publication" (type ahead) and "Study / Trial classification" (dropdown) are provided in the Literature Look-up dialogue for searching literature. The corresponding "Country of Publication" and "Study / Trial classification" values are populated in the Case Form for the selected Literature in the look-up dialogue when opened by any (both English and J) user from any (both English and J) tab.
- Both the fields are available in the J view only, and available for editing for local user after the global lock.

Patient Tab

The Case Form > Patient tab > Lab Data section provides data about lab test and test results.

The **Import** and **Export** buttons enable you to import or export lab test data.

- When you click Import a dialog box appears that enables you to enter the name of the file to import.
- You can copy the lab test results to the English field. When you check this check box, all
 test results are copied to the English case form fields. This option is checked by default.
- To commit the imported data, you must save the case.
- When there are multiple same dates for the same test, the data is sorted by the sequence number.
- If data is already in the Lab Data field of the case form, a message appears as Data already exists in the case form field. If you continue, the data will be overwritten. Do you want to proceed?
- The fields are validated before mapping the data to the case form. If there are errors, the error information is provided along with an error message as There are errors in the import data. Click Detail to check the error detail.
- When imported data exceed the maximum field length, a warning message appears as Imported data exceeds the maximum length. The import cannot continue.
- When all the data is mapped, a message appears as Import completed successfully.




Products Tab

Route of acquiring OTC field

The Route of acquiring OTC drugs field under Product Information captures the route of acquisition of the company's own products in the form of pre-defined PMDA specified code list values, when it is an OTC drug, and it is transmitted in the J2.6k element of the PMDA E2B (R3).

This field is available in the J view only to the local user for the local data entry after a global lock. This field is enabled only when the product is marked as suspect, and there is at least one Japan license in the case for which the OTC Product flag in the License Configuration is marked as checked.

If the product category (for both blinded or broken blind cases) is changed between Suspect / Concomitant / Treatment or Product license are re-evaluated (from the Event Assessment tab), the enabling criteria for this field is also re-evaluated based on the latest case data.



J Drug Code field

You can modify the J Drug Code for a company product and retain the product as a company product.

The corresponding English product name for a J Drug populates (only if it is blank):

- When you encode a drug using the J Drug Browser from Case Form > Products tab
 (Japanese) > Encode button into Case Form > Products Tab (English) > Product
 Information > Product name using the English Drug Name value that is loaded in the J
 Drug Schema using the English sub file.
- When you add the J Drug to the Case Form > Patient/Parent > Other Relevant History section into the corresponding English field in the Case Form.
- When you add or select a study drug, which is a J Drug configured from Console > Business Configuration > Study Configuration (J pop-up), in Case Form > Product name.
- When you select the Study Drug (in a Case Form for a Study case) as J Drug (as
 configured in the study configuration), into the English version of the Case Form only if it is
 a not blinded study (as it does for the existing products).
- In a globally locked and locally unlocked case if you encode a non-company product with the J Drug using the J Drug Browser into the corresponding English Drug Name shall is not updated in Case Form > Product Name.

The corresponding English product name is not updated in the English version of the Case Form > Product name, in a globally locked and locally unlocked case when you encode a noncompany product with the J Drug using the J Drug Browser.

J Drug Code under Substance Information section



The J-DRUG field has been added in Case Form > Product > Substance Information.

This field populates the J Drug Code of the Ingredient as configured in Argus Console > Business Configuration > Product and Licenses > Product (J Data Entry) > Key Ingredients and it is editable.

Device subtab

The Device Information section on Case Form > Products tab > Device sub tab contains the following fields as required for the PMDA Device XML and Paper reporting for Form 8 and Form 10:

- Device Outcome
- Device Outcome Details
- Device Comments


The Health Impact Information section, the Device Problem Information section, the Evaluation / Investigation Code Information section contain the following fields as required for the PMDA Device XML and Paper reporting for Form 8 and Form 10:

- Causality
- Listedness
- Suspicion or Risk
- JFMDA code



If a record in a case has non-current JFMDA code, a red cross appears next to it to indicate it is not encoded.

The Malfunction Information section is available under Case form > Products > Device (Tab) > Device Information. This section is not used in the PMDA Device XML reporting and updated Paper form reporting for Form 8 and Form 10.



The Malfunction Information section contains the following fields:



Field	Description			
Reported Malfunction	Enter the malfunction name as reported by the reporter.			
Determined Malfunction	Enter the malfunction name as determined by the company.			
Listedness Select the listedness of malfunction in r the device.				
Reportable Select the reportability of the malfun				
Add	Add a new blank row to the table. This button is always enabled.			
	You can add up to 50 rows using this button. If the number of rows exceeds 50, when clicking the Add button, an error message is displayed:			
	"50個より多く記録を追加することはできません。" (Cannot add more than 50 records.)			
	When this window is reloaded or refreshed, the empty rows are not displayed.			
	The first row is highlighted in light yellow (selected) by default as a standard Case Form behavior.			
Delete	Delete a row from the table. This button is always enabled.			
	To delete a row, select that row and click Delete . A warning message is displayed:			
	"ハイライトされている列の削除を続行しますか?" (Are you sure you want to delete the highlighted row?)			



If a record in a case has non-current JFMDA code, a red cross appears next to it to indicate it is not encoded.

The PMDA Device Information section in Case Form > Products tab > Device subtab contains fields as specified in the following image:



The PMDA Information section contains the following fields as required for PMDA Device XML and Paper reporting for Form 8 and Form 10:

- PMDA Control Number
- Nullification Reason



Nullification Reason Details



This field is enabled irrespective of the value set on the Nullification Reason field.

- Complete
- Reason for Incompletion
- Future Response
- Corrective Action Category
- Usage continuing

The Status of Patient's health damage field has been added under Case form > Products > Device (Tab) > PMDA Device Info. This drop-down list has the values

blank>, Exists, Does not exist and Unknown.



You can select any value in PMDA Device Info > Medical Device Reporting Category, irrespective of the Device Information > Malfunction value. This implies that irrespective of the value selected in the Malfunction drop-down list, you can select all the possible values under Medical Device Reporting category.

You can enter values in **First time use**, **Times of use** and **Since the first use** fields at the same time, independent of each other.

The PMDA Device Information section is available to all Oracle Argus Safety Japan users on both English as well as Japanese views as uncollapsed by default only when the Japanese module is enabled. It is displayed with Japanese labels on both English as well as Japanese views as this section is not meant for translation of data. The Modify, View and No Access rights to this section are based on the Product Information (Device View) option in Console > Access Management > Groups > Case Form section. The tabbing order of the case form elements respects this section in the order of the UI elements as left to right and top to bottom.

The PMDA Device Information check box in the Case Print - section selection dialog is available only to the Oracle Argus Safety Japan users:

- This check box is added right after MedWatch Device Information option in the Case Print
 options dialog box. All the options after it are shifted further by one place.
- This check box gets selected and unselected when user uses Select All and Unselect All
 options.
- This check box remains unchecked by default and is disabled unless its parent section check box, Product Device Information, is checked by the user. If Product Device Information is unchecked later, then PMDA Device Information also gets unchecked and disabled. The Case Form Print PDF report prints this section in Japanese after the MedWatch Device Information section if it is selected for printing in the section selection



dialog box.

	1	登録番号-枝番		
The state of the s		4444-44		
不具合発生日	次回報告予定日	医療機器の不具合状況	不異合名	
2012/01/01	2012/01/02	359	MALFUNCTION NAME 123	
	□ 初級使用	□ 使用回数	図 使用開始後:100日	
	- ADSHILL AND ADDRESS OF THE PARTY OF THE PA	3.300.0010.000		
図 廃棄	図 体内建筑	図 回収予定	図 総収不能	
		500000000000000000000000000000000000000	1100000000	
1				
)/				
TION 123				
ENTS 123				
	11111-11 3333-33 不具合完全日 301201-01	3333-33 不具合是全日 次周報告予定日 2012/01/01 2012/01/02 □ 初級使用 ② 克莱 □ 体内達性	11111-11 22222-22 4444-44 不具合党全日 次回報告予定日 医療機器の不具合状況 あり 2012/01/02 あり 日 後用回数 ② 原業 ② 体内連携 ② 回収予定	11111-11 22222-22 4444-44 不具合を

 The Case Form Copy function copies this section when a case is copied with this section checked in the Case Copy options dialog box.

All fields of this section are audit logged as other case form product device fields.

All fields of this section are available under Console > System Configuration > Field Labels, Field Validations, and Advanced Conditions screens under the tree structure Argus Safety > Products > PMDA Device. These fields are not required for Aggregate Reports.

In Console System Configuration Field Labels screen, all these fields are available with the following attributes:

- Hidden radio option set to No. Hiding is allowed.
- Read-Only options have been unchecked and disabled.
- E2B Field and Research Field are unchecked by default.

JFMDA Code Field

The JFMDA free text field is now enabled when the user selects a radio button in the free text section. By default, this field remains disabled to ensure dictionary-based selection is prioritized. Once enabled, users can enter free text, and the system automatically assigns the JFMDA code as 999-9999. This change allows users to document missing JFMDA terms directly in the case form and reports.

Analysis Tab

In Study cases, in the PMDA tab > 被疑薬ライセンスの情報 (Drug Information section) section, the non-company suspect drugs that are study drugs (irrespective of whether they are configured in English data entry or J data entry or both) are displayed as a single record similar to the records displayed for the company product licenses. This is applicable only for the non-company suspect drugs configured as part of study and are displayed in the Event Assessment tab.

- Up and Down buttons have been added to the PMDA tab.
- By default, the focus is on the first record. No action is performed when the user clicks on **Up** button when the focus is on the First record. If the focus is on any other record other



- than the first record, the system interchanges the position of the current record and previous record by clicking the **Up** button.
- No action can be performed when the user clicks on **Down** button when the focus is on the
 Last record. If the focus is on any other record other than the last record, the system
 interchanges the position of the current record and next record by clicking the **Up** button.
- If there is no row in this section, then clicking on Up and Down buttons does not cause action.
- For existing customer data, the sort order value for existing records is populated as same as the order in which these were displayed to the user.
- The change in ordering of these product license rows in PMDA General tab is auditlogged.
- The product license ordering on the PMDA General sub-tab is also respected by the following:
 - PMDA Comments sub-tab > Product License dropdown
 - Case Form Print > PMDA General and Comments tab
 - PMDA E2B Report > Ordering of product dosages in DRUG section as per the logic specified below
 - PMDA Paper Report > Ordering of product dosages in DRUG section as per the logic specified below
- The common profile switch "Japan License to be available in case for Assessment and reporting" in Console > System configuration > Common profile switch > Argus J has the following values:
 - Option 1: All valid Japan Licenses (default)
 - Option 2: User Selected License only

All the changes made to this profile switch are audit logged.

- PMDA E2B and Paper Reports (Marketed Form 1-6 and Investigational Form 1-6) list the suspect products using the order of products specified in PMDA tab. Logic to be considered for PMDA E2B report is provided below, with the only change from the previous logic being for point b:
 - The company product for which the ICSR is scheduled is always listed first.
 - For the other company suspect Japanese products which are displayed on the PMDA tab, the order of products is considered from the PMDA tab.
 - The remaining suspect products (which are not listed on the PMDA tab).
 - Other concomitant products.
 - For each of the above categories (c), and (d), if there are multiple products, then the "Product details/First Dose" are used for the ordering of products. Earlier dates are before the later dates.
 - If there are multiple products with the same "Product details/First Dose" under any of the above category (c) and (d), then they are ordered using the product sort ID used in the case itself.
 - Within a product, if there are multiple dosage regimens, then they are ordered based on the dosage start dates.
 - If the date being used for ordering is null, then the product is put at the end in the same category.



 For the Partial date, if the date is considered as 15th of the month, the month is considered as June of the year.

Figure 1-3 Case Form - PMDA tab



For more information, see:

- PMDA Information tab
- Product License Value
- PMDA Event Reportability Updates

PMDA Information tab

The **PMDA Information** tab comprises two sub-tabs: **General** and **Comments**, as depicted in the following figure:




The details about the **General** and **Comments** sub-tabs are given in the following sub-sections:

- PMDA Information: General Tab
- PMDA Information: Comments Tab

PMDA Information: General Tab

The following figure depicts the **General** sub-tab of the **PMDA Information** tab:



The following table lists the fields in the **General** tab:

Table 1-1 Fields in the General tab

#	Field Name	Description
1	General	This represents the name of the sub-tab under PMDA tab.
2	Comment	This represents the name of the sub-tab under PMDA tab.
3	Japan first information Received Date (For Reporting)	This field represents the editable text box which displays the date the case was received by the Japanese pharma company (initial receipt date captured during case book-in). The format is YYYYMMDD. In case of a local case, this date represents the Case Initial Receipt date. In global case, this date is automatically populated by the date first opened by J user. The value is stored in the case when you perform direct/indirect Save. For example, accept from worklist stores the value indirectly.
4	Follow-up received date	This field represents the non-editable text box which displays the date the case follow-up information was received by the pharma company. If the follow-up is marked significant, the Japan Follow-up Received date is used as the reference date to schedule the reports. The format is YYYYMMDD.
5	Safety received date / or Central received date	This field represents the non-editable text box which displays the date the Safety group received the case. The format is YYYYMMDD.
6	Significant Changes	This is a non-editable check box to indicate whether the follow-up is significant or not. If the follow-up is significant, the Japan Follow-up date overrides the date used for report scheduling.
7	Amendment Changes	This is a non-editable checkbox that indicates whether the follow-up is marked as an amendment or not. The checkbox is read-only and reflects the value from the Case Form > General > Amendment checkbox . It is used to track amendments for a follow-up.



Table 1-1 (Cont.) Fields in the General tab

#	Field Name	Description
8	Japan follow-up received date	This field represents the editable text box which displays the date the case follow-up information is received by the pharma company. If the case is originated in some country other than Japan, this date represents the date first opened by the J user after the follow-up. If the follow-up is marked significant, the Japan follow-up received date is used as the reference date to schedule the reports. The format is YYYYMMDD. The time stamp of Case Open date done by first Japanese user after the latest foreign follow-up is automatically populated. The value is stored in the case when you perform direct/indirect Save. For example, accept from worklist stores the value indirectly.
9	Drug name and license number	The number of rows in this section is equal to the number of reports that need to be submitted to PMDA for this case. One report is scheduled for each of the Marketed License. One report each is scheduled for each Study License. The field is read only and show concatenation of Trade Name with License Number in brackets.
10	New Drug Category	This field represents the drop-down to select License Category LM to select value for E2B J.8 item.
11	Risk category of OTC drugs	This drop-down lists all the values from Argus Console > Business Configuration > License Configuration > Risk Category of OTC drugs. The value configured for that license in Argus Console > Business Configuration > License Configuration > Risk Category of OTC drugs is populated by default and you can change it manually. The drop-down is available only if the license for the corresponding record is configured by selecting the OTC Product check box on Argus Console > Business Configuration > License Configuration.
12	Japan Reporting category	This field represents a drop-down list containing Reporting Category LM. This is a mandatory field for Argus J user. The selection of this field determines the report being created (ADR, Infection, Research, or Measures in foreign countries). The entries shown in this list are determined at run time by the values selected in items 9,10 and 12. When Reporting Category is not selected, the license does not create the report. The format of the value displayed in this drop-down is: [Reporting Category] - [Description]
13	Domestic Case / Foreign CaseClinical / Marketed	There are two fields which are non-editable text boxes. The first shows whether the case is foreign (if the country of incidence is not equal to Japan) or domestic (if the country of incidence is Japan). The second field shows the license type: Investigational, if the license on which the ICSR is based on is for an investigational drug, device, or vaccine.
		Marketed, if the license on which the ICSR is based on is for a marketed drug.



Table 1-1 (Cont.) Fields in the General tab

#	Field Name	Description
14	Completion Report (Case Complete)	This check box indicates the completion of the case report. A new Case Complete check box field is added to the License List box. This field is the driver for the E2b field J.6. A separate J.6 must be recorded for each ICSR. By default, this box is not checked.
15	PMDA Identification Number	The PMDA Number is displayed in the PMDA tab where all the ICSR licenses are displayed. This is the PMDA Acknowledgment Number given in Ack message item B.1.3. This number is used in J.4b from the first follow-up report.
16	Clinical Compound Number in the study of this case	This field is read only when the study is selected from the Study look up. When the study information is manually entered, Clinical Compound Number is editable. If there is no study information, the field is disabled.
17	Urgent Report	Select this option to mark the report as urgent.

Functionality Changes

The following are the functionality changes for the **PMDA Information > General** tab:

- This tab is unique to Argus J module implemented system. It also displays the number of reports to be submitted for the case. Each row in the lower section represents a report.
 The number of reports to be submitted for a case is determined as per the following logic:
 - General Rule
 - Reports are submitted for Marketed or Investigational licenses in Japan only for the suspect company products in the case.
 - All Japanese licenses (including hidden) listed in the event assessment are listed.
 - All suspected products with license and all Investigational licenses are listed in the PMDA General Tab.
 - Priority order of the Suspected product (Drug, Device, Vaccine) list is:
 Primary Suspected Product License
 - Product entry order in the Case Form
 - Marketed license, then Investigational
 - The license is displayed as the Trade Name and the License Number in parenthesis.
- 2. Japanese Receipt Date and Follow Up Dates table:

It captures the Japanese received date label as **Japanese received** for each recorded follow-up in the **PMDA** tab. The system displays a list of all follow-ups that are entered in the **General** tab with the option to specify Japanese received for each follow-up entry.

- When you change the Japanese Received Date from default, the justification pop-up
 with the message Please enter the reason of information receipt date change is
 displayed, wherein you are required to enter the reason of this date change.
- When you change the Japanese Receipt Date or Japanese Follow-Up Date, if the changed date is older than the date in the Information Receipt Date of General tab, a pop-up window with the following error message is displayed:
 The date cannot be older than the first information receipt date of the case.



• For the purpose of Report Scheduling in Japan, the **Japanese Aware Date** is used by checking the flag on **Use Japanese Aware Date for Reporting** as configured in the Reporting Destination Code List of Console. The Japanese Aware Date has the same behavior as the Standard Aware Date.

3. Reporting Category:

The Reporting Category is a drop-down list with the values from Reporting Category Code List.

- The Reporting category is a drop-down list with the values, as indicated in the table below. The drop-down content of the field depends on the previous selection in:
 - AE/Infection (in Infection check box in **Event** tab) This is used only if all the events are AE, or all the events are **Infection**.
 - Domestic / Foreign (in Country of Incidence, PMDA tab, Dom = JP, Frgn <> JP)
 - License Type (Investigational or Marketed)
 - You can refer to the following table for the list of Reporting Categories in the dropdown list.
- The system clears the Japan Reporting Category if the dependent fields are modified after the selection has been updated.

Table 1-2 List of Reporting Categories

R2 Catego ry	R3 Catego ry	Category Description	AE/ Infection (in event tab)	Dom / Frgn	License Type	Paper Reports
A	AA	Case reports on infections in Japan (post-marketing)	Infection	Dom	Mkt	Form 1, 2 (6 pages)
В	AB	Case reports on adverse drug reactions in Japan (post-marketing)	AE	Dom	Mkt	Form 1, 2 (6 pages)
С	AC	Case reports on infections in foreign countries (post-marketing)	Infection	Frgn	Mkt	Form 1, 2 (6 pages)
D	AD	Case reports on adverse drug reactions in foreign countries (post-marketing)	AE	Frgn	Mkt	Form 1, 2 (6 pages)
E	AE	Research reports on infections (post-marketing)	Infection	Any	Mkt	Form 3, 4 (2 pages)
F	AF	Research reports on adverse drug reactions (post-marketing)	AE	Any	Mkt	Form 3, 4 (2 pages)
G	AG	Reports on corrective action such as discontinuation of manufacturing, recall, disposal in foreign countries (post-marketing)	Any	Any	Mkt	Form 5, 6 (2 pages)
Н	DA	Case reports on infections in Japan (clinical trial)	Infection	Dom	Inv	Form 1, 2 (6 pages)



Table 1-2 (Cont.) List of Reporting Categories

R2 Catego ry	R3 Catego ry	Category Description	AE/ Infection (in event tab)	Dom / Frgn	License Type	Paper Reports
I	DB	Case reports on adverse drug reactions in Japan (clinical trial)	AE	Dom	Inv	Form 1, 2 (6 pages)
J	DC	Case reports on infections in foreign countries (clinical trial)	Infection	Frgn	Inv	Form 1, 2 (6 pages)
K	DD	Case reports on adverse drug reactions in foreign countries (clinical trial)	AE	Frgn	Inv	Form 1, 2 (6 pages)
L	DE	Research reports on infections (clinical trial)	Infection	Any	Inv	Form 3, 4 (2 pages)
М	DF	Research reports on adverse drug reactions (clinical trial)	AE	Any	Inv	Form 3, 4 (2 pages)
N	DG	Reports on corrective action such as discontinuation of manufacturing, recall, disposal in foreign countries (clinical trial)	Any	Any	Inv	Form 5, 6 (2 pages)
0	ВС	Research reports on quasi- drugs	Any	Any	Any	Form 3, 4 (2 pages)
P	BD	Research reports on cosmetics	Any	Any	Any	Form 3, 4 (2 pages)

- 4. **PMDA** Tab > **General** > **Linked Product** section collects product in the Assessment table with the following rules:
 - System checks:
 - If the case is a foreign case
 - If the case has non-company product(s).
 - The non-company product(s) is/are marked as Suspected.
 - Under all above conditions, suspected company product in this case has equivalent Japanese license.
 - If there is non-company suspected drug in foreign cases, that product Trade Name and Generic name are used for matching with the Keywords from Console J > Code List
 > Argus J > Reportable Product Keyword.
 - This keyword is used for finding related company product family which needs
 reportability assessment when foreign case has non-company suspected drug. The
 keyword text is matched within either the **Product Name** or **Generic Name** fields of
 the Case Form. If entered keyword matches (partially or fully), the matching product
 family's Japanese license is assessed in the **PMDA** tab.
 - When there are multiple Japanese licenses in the matching family, all of these licenses are listed for assessment in the **PMDA** tab.
 - Products already existing in the Case form are not populated here.
 - In this section, the Causality Assessments are available.




- Listedness is always Unknown for this section.
- Hyperlinks are not available for this Assessment section.

Table 1-3 Field Descriptions

Field	Argus J User display
Product	Company product(s) using J Reportable Keyword are displayed.
Event PT (Description) / LLT	Event(s) in the case are displayed
D/S	D/S information is displayed as read-only
SeriousnessSeverityDuration	Event information is displayed as read-only
Reported Causality	Reported Causality type-ahead drop-down
Determined Causality	Determined Causality type-ahead drop-down

- You can assess the product for reportability in this table.
- This section's display status (Maximize/Minimize) is not dependent on a user preference:
 - This section is automatically minimized if there is no data.
 - This section is automatically maximized if there is data.



5. When you enter future date in Initial Receipt Date in Case Form > General tab > General Information > Initial Receipt Date, or PMDA Tab > General > Initial Information Receipt date, the application displays the following validation message:


Receipt Date cannot be a future date

- 6. Product Change Justification:
 - When you click the OK button (the button appears in each follow-up row of Product Change Justification column in the follow-up info table), the Justification Table popup is displayed to view update information.
 - The button is enabled only when Product Change justification exists for the case.
 For example, Scenario # 1 it only asks for justification if there is a submitted report against the product which is subject to deletion and you unlock the case with follow-up to delete that product.

Scenario # 2 - In addition, when you create a company product:



- Schedule an Expedited report against the company product.
- Get that report to Submitted status.
- Unlock case a, add follow-up and change the company product to a different company product (change justification is displayed).
- Enter something and navigate to PMDA tab.
- The button is enabled.



- The Justification list populates all the product justifications entered for the follow up.
- The Translation justification is editable using the following steps:
 - Select the justification from the list. This highlights the row.
 - Click the Editing the justification button.
 This opens Justification pop-up and you can edit the justification.
- 7. When you select the Research Report Type Reporting category, a pop-up **Reason for subject of the Research Report** is displayed to enter the reason of the Research report.
 - The pop-up UI section opens only when any one of the suspected drug license table has one of following Reporting Category selected:

Table 1-4 Reporting Categories

#	Reporting Category (English meaning)
5	Research/Infection report (Marketed drug)
6	Research/ADR report (Marketed drug)
12	Research/Infection report (Investigational drug)
13	Research/ADR report (Investigational drug)
15	Research report (Quasi drug)
16	Research report (Cosmetics)



- The information is multiply stored when multiple suspected licenses with the Research Reporting Category exist. Each Research Reporting Category has a circle in Green color symbol after the justification is entered in the pop-up window.
- Justification pop-up
 - User Interface:



The following table explains the fields used in the **Justification** dialog box:

#	Field Label Value	English Label Name	Purpose	Field Length	Audit Log
1	N/A	Reason of Research Report	Title of the UI	N/A	N/A
2	N/A	Assessment Result	Read Only	N/A	N/A
3.	N/A	Reason of Research Report	Title of the section	N/A	N/A
4.	Reason for subject of the Research Report - Possibility of occurrence of serious disease such as cancer, disorder, or death	Possibility of occurrence of serious disease such as cancer, disorder, or death	Radio button Yes - exists 無 No - does not exist	N/A	Yes
5.	Reason for subject of the Research Report - Significant change on event or infection occurrence number, frequency, and condition	Significant change on event or infection occurrence number, frequency, and condition.	Radio button Yes - exists 無 No - does not exist	N/A	Yes



#	Field Label Value	English Label Name	Purpose	Field Length	Audit Log
6.	Reason for subject of the Research Report - It doesn't have acknowledged effectiveness	It doesn't have acknowledged effectiveness	Radio button Yes - exists No - does not exist	N/A	Yes
7.	Reason for subject of the Research Report - Problems	Problems	Text Field, 20,000 field length.	20,000	Yes
8.	N/A	OK	Button	N/A	N/A
9.	N/A	Cancel	Button	N/A	N/A

Items # 4, 5, and 6 have radio buttons **Yes** and **No** to store the answer.

Field #2, **Assessment Result**, is a read-only field to show either the value from Literature Intake Assessment or the Reporting Category selected in the **PMDA General** tab. The following table illustrates the drop-down content based on the Reporting Category:

#	Drop-down Content (English meaning)	Reporting Category
1	Not Necessary	NA
2	AE Case	A, B, C, D, H, I, J, K
3	Research/Infection report (Marketed drug)	E
4	Research/ADR report (Marketed drug)	F
5	Research/Infection report (Investigational drug)	L
6	Research/ADR report (Investigational drug)	M
7	Research report (Quasi drug)	0
8	Research report (Cosmetics)	Р
9	Measures in foreign countries including discontinuation of manufacture, recall and withdrawn (Marketed drug)	G
10	Measures in foreign countries including discontinuation of manufacture, recall and withdrawn (Investigational drug)	N

- The **Problems** section text field stores text information.
- At least one **Yes** radio button has to be filled in the User Interface, and if this condition suffice, the UI can be closed. If this is not fulfilled, a message:
 - At least one question has "Yes" selected is displayed to suffice the condition.
- This is not printed in the Case Form Print.
- Once you select Research Reporting Category and enters the reason, and then reselects the Reporting Category to Non-Research Reporting Category, the system displays a warning message:

Trying to select non-Research Reporting Category. If changed, the already entered "Reason of the Research Report" will be removed. Continue? is displayed.

If you select **OK**, the reason is deleted. If **Cancel** is selected, the Reporting Category change is aborted.




- 8. Each section has the **Minimize** button to hold the sections. The **Associated Product Assessment** section is minimized when the product does not exist.
- 9. Based on the TIKEN configuration in the console, if the license is available in PMDA Info > General > Suspect Product Licenses and it is a foreign case (that is, COI is other than Japan) then the TIKEN icon is displayed in the Product Name and License Number column as follows:



PMDA Information: Comments Tab

The following figure depicts the **Comments** sub-tab of the **PMDA Information** tab:



The following table lists the fields in the **Comments** tab:

Table 1-5 Fields in the Comments tab

#	Field Name	Description
1	General	This represents the Sub-tab of the PMDA Information tab.
2	Comment	This represents the Sub-tab of the PMDA Information tab.
3	Product, License No	This is a drop-down field. It allows you to enter J specific narrative information based on the each suspected drug license.
4	Comment on incomplete	This field is unique to Japan. This field is an editable text that maps to DTD element J.7 as per PMDA. In case of an incomplete report, input a comment in J.7 <mhlwadmicsrcommentsincomplete> for the report being incomplete.</mhlwadmicsrcommentsincomplete>
5	E.g. Cure_All MKT (xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	This field represents the E.g. Sample License for which the narratives are being written. All the narratives written in the various text boxes are applicable to this License.




Table 1-5 (Cont.) Fields in the Comments tab

#	Field Name	Description
6	Counter measure for the future	This field is unique to Japan. This field is an editable text that maps to the J.9<mhlwadmicsrcountermeasures></mhlwadmicsrcountermeasures> DTD element as per PMDA. The company inputs the counter measures for the future based on the evaluation made by the reporting company on the concerned adverse effect infection, etc. For foreign case, the company inputs the counter measures taken by the Japanese reporting company, and not the foreign company. The field size is 10000J.
7	Other references	This field is unique to Japan. This field is an editable text that maps to the J.10/J2.11<mhlwadmicsrreporttimesevent.></mhlwadmicsrreporttimesevent.> DTD element as per PMDA for E2B (R2) or E2B (R3) respectively.
8	Comment of sender	This field is unique to Japan. This field is an editable text. This refers to the B.5.4 < sendercomment > element.
9	Remarks 1	This field is unique to Japan. This field is an editable text that maps to the J.13.1 DTD element as per PMDA. The DTD element name is: <mhlwadmicsrremarks1></mhlwadmicsrremarks1>
10	Remarks 2	This field is unique to Japan. This field is an editable text that maps to the J.13.2 DTD element as per PMDA. The DTD element name is: <mhlwadmicsrremarks2></mhlwadmicsrremarks2>
11	Remarks 3	This field is unique to Japan. This field is an editable text that maps to the J.13.3 DTD element as per PMDA. The DTD element name is: <mhlwadmicsrremarks3></mhlwadmicsrremarks3>
12	Remarks 4	This field is unique to Japan. This field is an editable text that maps to the J.13.4 DTD element as per PMDA. The DTD element name is: <mhlwadmicsrremarks4></mhlwadmicsrremarks4>
13	Copy the comments in this tab to other reporting licenses	This button copies all the comments in the UI to other licenses in the list. When there is only one product, the button is disabled.

The following new fields have been added to enter information for each license that is available in the **Product, License No** drop-down:

- Retrospective analysis of infection
- Summary of report content
- Comments relating to start date of reporting timeframe
 - Start date of reporting timeframe drop-down list
- Reason for downgrade report
 - Downgrade report flag drop-down list with the options System Calculated, Downgrade, Nullification





Functionality Changes

The following are the functionality changes for the **Comments** tab:

- This tab captures narratives data for various J DTD elements that are reported in E2B reports being submitted to PMDA.
 - For details, refer to the DTD Mapping document.
- 2. Product, License drop-down contains the same suspected drug licenses listed in the PMDA General tab. This is to include distinct narratives for each license. Each comment is applied to the selected License Number within the drop-down field. So a unique narrative field is available for each license. In the Product, License drop-down, licenses are displayed in the following format:
 - Trade Name (License number)
 - Depending on which license is picked, appropriate Narrative fields is displayed.
- 3. When Copy the comments in this tab to other reporting licenses is clicked, a message Comments already exist for other licenses and will be overwritten. Do you wish to continue? is displayed. If you click OK, the copy process is continued, and if you click Cancel, the copy is canceled.
- 4. This tab has auto text generation functions on each text box:
 - UI: (buttons are located on the right side of each binocular icon).
 - The label of the button Generate
 - The function of the button is the same as Generate buttons in the Analysis tab. The PMDA tab does not have English or other languages equivalent fields, therefore, the auto narrative functions populate the texts by using Japanese Narrative template of the Console Configuration.
- 5. The following new comments fields are added in the Product License No dropdown list:
 - Retrospective analysis of infection (J2.9): Captures the information from analysis of
 infection cases for blood products as specified in the PMDA Guideline for
 Retrospective Review of Blood Products. This will be used only for reporting of
 infection case reports.



- **Summary of report content (J2.16)**: Capture the summary of the main issues found in the respective report for Study Reports and Reports on Overseas > Actions.
- Comments relating to start date of reporting timeframe (J2.2.2): Captures any user comments for explaining the value of J2.2.1 – Start date of Reporting Timeframe element in the PMDA E2B (R3) report.

Start date of reporting timeframe: This is the corresponding dropdown list added to capture the manual user input for J2.2.1 - Start date of Reporting Timeframe element in the PMDA E2B (R3) report. This dropdown list has the following value:

- System-Calculated システムによって計算: This is the default value and the value for all the Aware date (J) (Japanese date format) i.e. the date's corresponding to significant follow-ups for that case. you may change the value manually.
- Reason for downgrade/Nullification report (J2.8.2/C.1.11.2): Captures the reason for downgrading/nullification of a report.

Downgrade report flag: A corresponding dropdown list is added to capture the manual user input to indicate to the application if next PMDA E2B/Paper report for the license is scheduled as a downgrade or nullification in the scenario when no reporting rule matches. This dropdown list has the following values:

- System-Calculated システムによって計算(Default)
- Downgrade ダウングレード
- _{Nullification} 取下げ
- To edit both Comments relating to start date of reporting timeframe and Reason for downgrade/Nullification report dropdowns after the case lock (globally and locally locked), set the profile switch Allow user to update the "Reason for Downgrade/ Nullification report" and "Comments for start date of reporting timeframe" after the case is locked(globally and locally locked) as Yes.

Product License Value

- The Product License display value on PMDA tab has been changed at the following places:
 - PMDA General tab > Product Licenses section ' Product License column
 - PMDA Comments tab > Product License dropdown field
- The following display value format is used at these places for product license values:
 Case Form Product Tab Name (J)><space><#[x]><space>(<License Trade Name (J)>)<space>(<License Type><space>-<space><License Number>)

Where

<Case Form Product Tab Name (J)><space><#[x]>: is the same text that is displayed as Product tab name for the product to Argus J user. "<space><#[x]>" is present only if the tab name is same for multiple products either due to multiple study drug under same study or due to non-study multiple products with same name.

<License Trade Name (J)>: is the Trade Name (J) from Console license configuration for the license of the product.

<License Type>: is printed as "Inv" or "Mkt" base on whether the License Type is Investigational or Marketed.

<License Number>: is the License Number from Console license configuration for the product license.



PMDA Event Reportability Updates

- The following field values from the PMDA Event Reportability Print section are available/ stored in database tables/columns so that they can also be queried for other custom reporting needs:
 - Reportability Status Reportable, NUPR Reportable, Not-Reportable
 - Reportability Timeframe value in days
- To avoid unwanted performance impact on Case Save action, these field values should not be calculated on each case save. These are calculated based on only the following actions:
 - Manual method "Recalculate PMDA Event Reportability" button
 A new button "Recalculate PMDA Reportability" has been added to Case Form >
 Analysis > PMDA Info > General tab > Product License section header bar right before the "Up" and "Down" buttons.

Clicking on this button triggers the fresh calculation of the PMDA Event Reportability data.

This button is not displayed when the user opens a previous case revision in the Case Form.

Automatic method - Case Lock action
 A new common profile switch has been added in Console > System Configuration >
 System Management > Argus J > Reporting as described below:

Key Label: Perform PMDA Event Reportability calculation on each Case Lock

Key Type: Radio Options

Key Options: "Yes" and "No"

Default Value: "No"

If this common profile switch is set to "Yes", then when the case is locked from any point in Argus Safety application, it triggers the fresh calculation of the PMDA Event Reportability data.

- The following is implemented during the PMDA Event Reportability calculation process:
 - While these values are being calculated by application, a standard processing icon is displayed on the case form.
 - If any unsaved changes are done by the user in the case data before clicking this button, then all those changes are considered and saved during the calculation process.
 - Once the calculations have been completed, the calculated values are saved in the appropriate database tables, along with the case revision data.
 - After successful completion, a standard Argus Safety message box is displayed with OK button and message - "PMDA Event Reportability data has been successfully calculated and saved with the case data for the current case revision." This is applicable only for "Recalculate PMDA Event Reportability" button click and not for Case Lock action.
- For the latest case revision, these field values are available in regular Argus Safety database case form tables.
- For previous case revisions, the field values are available in the DLP database case form history data tables.



- For the case revisions, for which PMDA Event Reportability data is not calculated, it is carried-over from its previous case revision for the case form / DLP database tables as well as for displaying it in the Case Print.
- Case Form Print > PMDA Event Reportability section > Reportability column >
 Reportability Status and Timeframe value is calculated / printed based on the reporting rules that existed at the calculation point.
- Other fields which are displayed as part of Case Form Print > PMDA Event Reportability section for each case revision are not required to be saved in database tables, but are calculated / printed along with the reportability fields in the Print PDF for that case revision.
- Following field values in Case Form Print > PMDA Event Reportability section are also calculated / printed based on the Console configurations that existed at the calculation point.
 - Outline of Clinical Trials (J.12 section)
 - Listedness As per Datasheet (based on the active datasheet as that point)
- The following note is printed at the bottom of PMDA Event Reportability section print "#
 PMDA Event Reportability last calculated on case revision # <XXX> at <YYYY/MM/DD
 HH:mm:ss> JST", where:
 - <XXX> is the case revision number as displayed in case revisions dialog for which the PMDA reportability was calculated.
 - at <YYYY/MM/DD HH:mm:ss> is the time when it was last calculated as per the Japan standard time. It is calculated based in the common profile switch Argus J > Reporting
 "Offset from GMT used to calculate Japanese date/time fields (in hours)"
- For existing/migrated cases, the data displayed as part of Case Form Print > PMDA Event Reportability section will not be available for previous or latest case revisions. It will be created going forward as those cases are saved by users in Argus Safety application.
- No audit log is required for these values calculated and stored in database as these as internally calculated values and no updates are allowed from any user interface.
- This PMDA Reportability data is not copied during Case Copy action.
- While calculating the earliest timeframe value for PMDA Event Reportability section, existing application logic considers only those matching reporting rules for which the reporting destination is configured as below to identify if it is a PMDA or non-PMDA reporting rule:
 - Reporting Destination > Agency Type field is specified as Regulatory Authority and
 - Reporting Destination > Agency Country field is specified as Japan.

Activities Tab

- Local Lock / Unlock details are displayed as part of Routing comments log in the Case
 Form > Activities tab. This displays the Date of local lock/unlock, User who performed the
 local lock/unlock similar to the existing global lock functionality.
 The text "Case Locally Locked for JP" or "Case Locally Unlocked for JP" is populated prior
 to the user added comments in the Local Lock screen, corresponding to the Local lock or
 unlock action. Note that "JP" is the standard A2 country code for the country Japan defined
 in the Argus Console ' Countries code list.
- When a case is globally/locally locked or globally/locally unlocked at the same time, only one entry is added to the Routing Comments log.



- The application records the corresponding routing comments described above even in scenarios where the system user (such as AGservice) performed the local lock/unlock action.
- Case Print includes the Local Lock/Unlock routing Comments as listed above, and is printed under the Routing Comments Log section.

Additional Information Tab

 Notes and Attachment section of Additional Info tab has been updated with an option to sort on the column headers (similar to Activities tab 'Action Items sorting feature) to sort the records based on the fields in Notes and Attachment section:


Field	Description
#	By default, "Upward Arrow" is displayed on the column header "#"
	System displays the records in the ascending order of the sequence in which the records are entered.
	On clicking the column header "#" for the first time, records are sorted in the descending order (numerically) of the Sequence number and "Downward Arrow" are displayed next to "#" column header.
	On clicking the column header "#" for the second time, records are sorted in the descending order (numerically) of the Sequence number and "Upward Arrow" are displayed next to "#" column header.
	On subsequent clicks to "#" column header, system toggles between "Downward Arrow" and " Upward Arrow " and its corresponding toggle functionality.
Classification	On clicking this column header for the first time, records are sorted in the ascending order (alphabetically) of the Classification and an "Upward Arrow" is displayed next to the "Classification" column.
	On clicking this column header for the second time, records are sorted in the descending order (alphabetically) of the Classification and a "Downward Arrow" is displayed next to the "Classification" column header.n header.
	On subsequent clicks to the "Classification" column header, the system toggles between "Upward Arrow" and "Downward Arrow" and its corresponding toggle functionality.
Keywords	On clicking this column header for the first time, records are sorted in the ascending order (alphabetically) of the "Keywords" and an "Upward Arrow" is displayed next to the "Keywords" column header.
	On clicking this column header for the second time, records are sorted in the descending order (alphabetically) of the "Keywords" and a "Downward Arrow" is displayed next to the "Keywords" column header.
	On subsequent clicks to the "Keywords" column header, the system toggles between the "Upward Arrow" and "Downward Arrow" and its corresponding toggle functionality.
Date	On clicking this column header for the first time, records are sorted in the ascending order (chronologically) of the "Date" and an "Upward Arrow" is displayed next to the "Date" column header.
	On clicking this column header for the second time, records are sorted in the descending order (chronologically) of the "Date" and "Downward Arrow" is displayed next to the "Date" column header.
	On subsequent clicks to the "Date" column header, the system toggles between "Upward Arrow" and "Downward Arrow" and its corresponding toggle functionality.



Field	Description
Description	On clicking this column header for the first time, records are sorted in the ascending order (alphabetically) of the "Description" and an "Upward Arrow" is displayed next to the "Description" column header.
	On clicking this column header for the second time, records are sorted in the descending order (alphabetically) of the "Description" and a "Downward Arrow" is displayed next to the "Description" column header.
	On subsequent clicks to the "Description" column header, the system toggles between the "Upward Arrow" and "Downward Arrow" and its corresponding toggle functionality.

- Sorting is remembered only till the time when the case is kept open.
- After the records in Notes and Attachments are sorted, if the following options are invoked without closing the case, the sort order is respected in these modules (similar to Activities 'Action Items sorting feature):
 - Case Form Print
 - Medical Review
 - Copied Case

Figure 1-4 Case Form - Additional Information tab



Regulatory Reports Tab

- In Case Form > Regulatory Reports, the Schedule Nullification option is available for both English, and Japanese users, for Japanese E2B reports only, and it is not available for English E2B reports.
 - On selecting this menu option, a new E2B nullification report gets scheduled against the original report but it does not change the status of the original submitted report.
- The **Schedule Local Reports Only** check box under the Total Number of Rows section in the Regulatory Reports tab of the Case Form is visible only when the configuration switch "Case Form Configuration | Auto Regulatory Scheduling is not set to None.
- If case data is updated and reporting category is also changed after a PMDA E2B report is scheduled and generated, the report must be rescheduled to populate the correct data based on changed reporting category.



- The following changes are made to the Manual Report Scheduling Dialogue:
 - Urgent Report (J2.3): A new check box "Urgent Report" is added in the Manual report scheduling dialogue. Select this option to mark the report as Urgent Report.
 - When an Urgent report is scheduled manually, the text "Urgent Report" is appended/ embedded to the Report Comments adjacent to the existing text "Manual:". For example, Manual: (Urgent Report) < comments>. The same comments appears under the Report details (Dialogue) > Scheduling(tab) > Reason for Scheduling.
 - When a report against a license for which Case form > Analysis Tab > PMDA
 Information Tab > Comments Tab > Start date of reporting timeframe, is not "System-Calculated" and reporting destination is configured with Reporting Destination > EDI > Use Japanese Aware Date for Reporting check box is selected, then by default, the Aware Date appears as the date selected in "Start date of reporting timeframe" drop down, and you can change this value manually.
- A context menu option **Draft Export** is added to export the report in RTF format in Draft mode.



- This context menu option appears to the J user when J License is enabled, and PMDA Paper Report (1-2, 3-4, 5-6) is scheduled against the agency configured with PMDA E2B(R3) profile. Besides, the Draft link must be enabled for the respective report.
- When the PMDA E2B(R3) Paper report is generated using this context menu option, the Draft water mark is embedded similar to when you generate a Draft report by using the Draft link. The data that is printed in the RTF format appears as exactly when you use Draft link for the PDF format.
- The output of the Draft export from this option adheres to Blinded/Not-blinded report requirement based on the user permission.
- The report viewed from anywhere across the application provides the option to export the PMDA E2B Paper Report (1-2, 3-4, 5-6) in RTF format by using the **Export** button.
 - This Export button is disabled by default, and enabled only for the reports with status as Generated, Approved or Submitted.
 - This Export button appears to the J user when J License is enabled, and PMDA Paper Report (1-2, 3-4, 5-6) is scheduled against the agency configured with PMDA E2B(R3) profile.



- The data printed in the RTF format appears as exactly when you use the Final link for the Case Form.
- The output of the export from this button adheres to Blinded/Not-blinded report requirement based on the user permission.



Case Actions

In this chapter:

PMDA Event Reportability

PMDA Event Reportability

- "PMDA Event Reportability" has been added to the Print Case dialog which opens up from Case Actions > Print > Case Form (Ctrl+Alt+P) in the location specified in the mockup screen below.
 - This option is displayed only for Argus J users.
 - This option is enabled for the Users belonging to at least one User Group having Modify/View access to Console > Access Management > Groups > Case Form > Case Analysis-PMDA option.
 - Select All and Deselect All buttons update the check box for this section as well.
- On marking this option in Print Case dialog, the "PMDA Event Reportability" section is printed in the Case Form report after PMDA Comments section.
- 3. All the fields of the PMDA Event Reportability section in Case Form Report print data as per the version of the case opened.



- 4. A green dot symbol is displayed right after the Reporting Category dropdown value in Case Form PMDA Comments sub tab for each product license as soon as a reporting category is selected for that product license.
 - Research Reporting Category:

If the user selects a Research Reporting Category (E, F, L, M, O and P), then the application retains the existing functionality of automatically opening the existing Research Reporting Category Justification dialog.

All existing functionality related to Research Reporting Category Justification dialog is retained as is.

Other Reporting Category:

If the user selects any other Reporting Category, then the standard Justification dialog opens up automatically.

Manual clicking on the green dot symbol also opens up the standard Justification dialog to capture the final assessment text in Japanese for that product license as displayed below.


The dialog displays the list of pre-configured justification text from Justification code list for this field. By default, **Not Specified** is available in Justification code list for this field.

The justification dialog is displayed in Japanese to capture final assessment text in Japanese with max length of 20000 characters.

The title of this justification dialog is displayed as **Assessment Justification**.

The justification text is optional and the green dot is always displayed for non-research reporting categories even if no justification text is specified so that user can click on it and provide it at any point of time later.

 Data fields from Justification dialogs for both research as well as non-research categories are printed in Case Form Print along with PMDA General tab > Product License section as shown below:



5. The PM DA section contains the following columns:

Reporting Category:

This column prints the list of distinct Reporting Categories for the Japanese Product License as selected in PMDA tab in an alphabetical order.

Reporting Categories which are not mentioned in PMDA-General tab are not printed in PMDA Event Reportability section.

Product License:

This column prints the Japanese Product Licenses as listed in the PMDA General tab against the associated reporting categories listed in the first column in the same order, as listed in the PMDA General tab.

The product licenses which do not have a reporting category assigned to them are not listed in this section.

Assessment Reason:

This is printed at Product License level at the end of all the event rows.

It is printed in the format - "評価理由: <Value>".

The value is printed as specified on Case Form > PMDA Comments sub tab > Product License section > Reporting Category > Research Reporting Justification dialog > "Reason for subject of the Research Report - Problems" for research reporting categories (E, F, L, M, O and P) and regular Justification dialog for all other reporting categories. for the current product license.

If no value is available to print, then only header text is printed.

Outline of Clinical Trials:

This is printed at Product License level at the end of all the event rows.

This is printed only for Investigational Reporting categories (H, I, J, K, L, M and N). It is left blank for other reporting categories as this information is not printed in PMDA Expedited Reports for other reporting categories.

It is printed based on data from all the studies configured in Console with matching clinical compound number as for the current product license configuration.

Latest study configuration data from Console would be used to print these fields for the case revision data being printed.

It is printed in following format:

Event ()

This column prints all the events entered in the case in the format: <Description as reported in Japanese (Event PT (J) / LLT (J))> as displayed on the screen mockup below.

If description as reported in Japanese is missing, then the following is printed in the Event column:

<Desc. as reported in English>

All these events are repeated against all the product licenses, listed in the same order as in the Case Form > Event Assessment tab

An Asterisk(*) is printed in this column for the events that are marked as "Do not include in Reports" in the below format:

<Description as reported in J> (PT (J) / LLT (J))*

A footnote "Event that are excluded from reportability" is printed at the end of Event Reportability section of Case Form Report if the case has events marked with "Do not include in Reports" in the Case Form Events tab.

The text "No MedDRA Term" is printed for events which are not encoded in the below format:

<Description as reported (No MedDRA Term)>

Seriousness

If the Event is "Fatal", then ""F" is printed against the Event.

Else if the Event is "Life Threatening", then "LT" is printed against the Event.

Else if the Event is neither "Fatal" nor "Life threatening", but has any other Seriousness criteria marked, ""S" is printed against the Event.

Else "NS" is printed against the Event.

However, if the Event is neither "Fatal" nor "Life threatening" and the Console Common Profile Switch under Argus J > E2B > "Seriousness criteria in Event



Reportability Matrix" is configured to "Case Level Seriousness", then the value for this column is printed same for all events based on Case Form > Analysis tab > Case Seriousness field.

Listedness

This column prints the Listedness of the event as per datasheet followed by listedness as determined in the case. It is assessed against the same datasheet version that is used in Case Form Event Assessment tab.

This column prints 'Unlisted' for Unlisted events and 'Listed' for Listed events as per the listedness specified in Case Form Event Assessment tab.

This column prints 'Unknown for events with Listedness set to 'Unknown'.

This column prints 'Data not entered' for events without listedness entered.

While determining the listedness as per datasheet, only latest datasheet from Console would be executed against the case revision data being printed.

Causality (As Reported / As Determined)

This column prints the Causality As reported followed by causality as determined.

This column prints the causality terms in Japanese as per the Event Assessment tab for "As Reported", and "As Determined".

This column prints 'Data not entered' for events without relatedness entered.

Listedness Justification

If Listedness Justification (J) is available for the Product License - Event, then it is printed in a row below Seriousness, Listedness, and Causality columns.

If Listedness Justification (J) is not available, then Listedness Justification entered in English is printed.

Otherwise, Listedness Justification row is not printed.

This value is printed in the format as below:

<Justification Value>

Causality Justification

If Causality Justification (J) is available for the Product - Event, then it is printed in a row below Seriousness, Listedness, Causality columns.

Otherwise, If Causality justification (J) is not available, then Causality justification entered in English is printed.

Otherwise Causality justification row is not printed.

This value is printed in the format as below:

<Justification Value>

If both Listedness Justification and Causality Justification are available, then these are printed in the same row but in separate lines.

Reportability

This column prints 'Reportable' or 'Non-Reportable' based on the final reportability of the event as per the existing logic in the Event Reportability matrix.

For reporting category A and B only, if the event is not reportable as per PMDA Event Reportability matrix criteria then it is assessed if it is reportable for Non-Serious Unlisted Periodic Report (PSR Form 7-2) as per the following criteria. If it is reportable in PSR Form 7-2, then 'NUPR Reportable' is printed, Otherwsise, 'Non-Reportable' is printed.

Event is not serious as per Case Form Events tab



Event is related (either of As Reported or As Determined Casuality is reportable) for the current product as per Case Form Event Assessment tab.

Event is unlisted for the current product license as per Case Form Event Assessment tab

Event is not marked as Infection event as per Case Form Events tab

For all the events which are "Reportable", the same cell also prints the event reporting timeframe for which this event qualifies to be reported.

This value is printed right under the "Reportable" text in format - "(<xx>?)" e.g. "(15?)" (15 days)

This value is derived for each event based on the report scheduling rules configured in Console for the current license and current reporting category. The shortest timeframe from the matching rule is printed.

Latest reporting rules from Console would be executed against the case revision data being printed.

As reporting rules are executed against the case data in the database, hence any unsaved changes in the case would not be accounted while matching the reporting rules.

If no matching rules are found, then nothing is printed for event reporting timeframe.

- 6. If the Product, Event or Justification data do not fit in their respective columns, the text wraps within its own cell of the table.
- 7. This information as displayed below is printed below a header row with section label: "PMDA Event Reportability" (similar to header row for other case form section).
- 8. If no data is present for this section then, it prints "No information present" in the header row itself (same as for other case form sections).



Figure 2-1 Case Form - PMDA Event Reportability section of Case Form Report

Reporting Category	Product License	Event (PT / LLT)	Seriousness	Listedness (As per Datasheet / As per Case	Causality (As Reported / As Determined	Reportability	
8	Tylenol (Lic1000)	Fatty acid deficient (Fatty acid	F	Listed / Unlisted	Not Related / Probable	Reportable (15 day)	
		deficiency / Fatty acid deficiency)		tification: Not Speci ustification: Not Spe			
		Red Eyes(Ocular hyperaemia / Red Eye)	\$	Listed / Listed	Not Related / Not Related	Not-Reportable	
		Fever (No MedDRA Term)	LT	Unlisted / Unlisted	Not Related / Not Related	Not-Reportable	
		Rash (Hypersensitivity /	NS.	Unlisted / Listed	Possible/ Unlikely	NUPR Reportable	
		Rash)*	Relatedness Justification: Not Specified				
		Final Assessmment 1	ext: <final com<="" td=""><td>ments on assessme</td><td>ent for this product</td><td>license</td></final>	ments on assessme	ent for this product	license	
н	Augmentin (Lic2000)	Fatty acid deficient (Fatty acid deficiency / Fatty acid deficiency)	F	Listed / Listed	Unlikely / Unlikely	Not-Reportable	
		Red Eyes (Ocular hyperaemia / Red Eye)	S	Unlisted / Listed	Unlikely / Possible	Reportable (7 day)	
			Listedness Justification: Not Specified Relatedness Justification: Not Specified				
		Fever (No MedDRA Term)	LT	Unlisted / Unlisted	Not Related / Not Related	Not-Reportable	
		Rash (Hypersensitivity / Rash)*	NS	Listed / Listed	Not Related / Not Related	Not-Reportable	
		Final Assessmment T	als: Disease 1>; De	velopment Phase: <	DevPhase 1>; Sub	ejects given this	



3

Worklist

In this chapter:

Literature Intake

Literature Intake

The Drug Safety team receives literature data from JAPIC and from 海外医薬情報研究会 (World Medical & Drug Information Service - WMDIS). This data includes a literature list of the company related drugs.

The Safety team assesses the content and then decides reportability for each literature information on the list, such as Research Reports, Adverse Event (AE) reports and Not-Related.

You can import these literature data files and then assess the reportability. You can book-in all neccessary data as an Adverse Event report case or as a Research report case.

For more information, see:

- Import literature files
- Import tab field descriptions
- · Import tab actions
- Processing tab field descriptions
- Processed tab field descriptions

Import literature files

- 1. Import your local JAPIC text file and/or a WMDIS file.
- 2. On the Literature Intake screen, on the Import tab, check for the accepted items.

For the checked items, duplicate search is performed for the past processed literature and case data by using the information on the Title (標題), vol. (巻), Issue (号), Page (頁), and Year (年) fields.

- 3. You can assign other users for the literature assessment in the Processing tab.
- 4. Process all imported items.
- **5.** For each assessment item, you can give an assessment result by selecting from all research reporting categories, Adverse Event cases or non-cases.



For each item, you need to book-in.

6. All processed items are then registered in the Processed tab.

Import tab field descriptions

You can import data by adding the source file in the shared path. You can configure the path in Console > System Configuration > Common Profile Switches.

Only JPIC and WMDIS formats are accepted. For WMDIS files, both XLS and XSLX formats are supported. If you attempt to upload another a file with a different format, then the file is not imported and it is automatically moved in the Failures folder along with the error description files.

When you import data, it is sorted by date, with the newest displayed on top. Each item that has the same date is sorted by an internal sequential number.

The Literature Intake path is defined in the Argus Japan profile switch.

No.	Japanese field name	English field name	Description
1	新規文献症例作成ワーク リスト	New Literature Case Intake Worklist	When you select the Literature Intake option in the Worklist menu, this window opens.
2	インポート	Import	Tab title for the Import section.
3	処理中	Processing	Tab title
4	処理済	Processed	Tab title
5	検索条件	Search Criteria	Section title
6	インポート日の範囲	Import Date Range	On this tab, you can search import dates based on date range.
7	開始日	Start Date	The start date for the date range search. The supported format is YYYY/MM/DD and the field length is set to 10 characters. The Argus Japan standard date entry rule applies for this field.
8	終了日	End Date	The end date for the date range search. The supported format is YYYY/MM/DD and the field length is set to 10 characters. The Argus Japan standard date entry rule applies. If you enter an end date that is older than the start date, then the following error message is displayed: 入力された日付は無効です。(The dates entered are not valid).
9	範囲	Range	This dropdown displays the data range field. The Descrition J codelist item is available in the dropdown.
10	検索	Search	You can use this button to filter the imported items.
11	合計行数()	Total number of rows	Standard function for displaying lists.
12	表示する行	Displaying rows	Dropdown that displays the rows in list format.
13	ページサイズ	Page Size	Standard function for displaying lists.



No.	Japanese field name	English field name	Description
14	インポート日	Import Date	This field displays the date at which the literature data is uploaded to the system. The supported format is YYYY/MM/DD and the character limit is 10.
15	文献情報の種類	Literature Type	 The following values are displayed: The Literature type you selected when you right-clicked the item. The value you entered in the Literature Type field. The maximum number of characters supported are 40.
16	 検索式番号	Soarch equation number	
		Search equation number Document Number	
18	文書番号 製品群	Product Family	Column title The Japanese product family name that is associated with the Search Equation number in Console, or the one that has matching ingredients with the WMDIS data. This field displays all matching product family names and are separated by a semicolon.
19	成分	Ingredients	All ingredients from WMDIS Literature data are present within a particular Product Family. This column displays only the
10	7.7.5	ingrodionio	imported ingredients values.
20	標題	Title	You are sent an error message if the original import source data has more than 250 characters and thus the import fails.
21	著者名	Author	Current search item's author.
22		Journal	Displays the journal search results.
23	 巻	Vol.	Current search item's Vol.
24	号	Issue	Current search result's issue.
25	頁	Page	When you import WMDISF data, the Start Page is displayed
26	発行年	Publish Year	Current search item's publishing year.
27	スクリーニング	Screening	When you perform screening, the results are displayed in this field. The categories available are: 承認/n[Assigned User Name] (Accept /n [Assigned User Name 承認/n 担当者なし(Accept /n Not Assigned) 却下 (Reject)
28	評価担当者	Assessment Owner	This field displays the user name assigned to the case, if applicable.
29	評価担当グループ	Assessment Group	This field displays the list of user groups that are available in the records. The default value is blank.
30	個別情報の追加	Add Individual Information	You can check this option to add individual literature information.



No.	Japanese field name	English field name	Description
31	リストの印刷	Print List	This option allows you to print the list of data displayed.
32	にエクスポート	Export to Excel	The records in the Import tab are downloaded in Excel format.

Import tab actions

The following right-click options are available anywhere in the Import table rows:

承認 (Accept)

You can accept a highlighted item. After you click this option, 承認 (Accepted) is displayed in the Screening column.

If you attempt to accept an item but the Product Family is not specified, then the **Modify Product Family** window is displayed where you can set the required information.

After an item is set as **Accepted**, assigned to a user or user group and Literature Type is set, then the data item is automatically moved to the Processing tab. The user name and date time stamp (GMT) values are saved in the source file. If you do not set any Literature Type, Screening results or Assigner values, then the data item is not moved and it remains in the Import tab until the values are set.

却下 (Reject)

You can reject a highlighted item. After you click this option, 却下 (Rejected) is displayed in the Screening column.

Before you attempt to reject an item, the **Standard Justification** window opens, where the default value is set to 標準のスクリーニングによる却下 (Rejected by the Standard Screening).

After an item is marked as rejected, it is automatically moved to the Processed tab. The user name and date time stamp (GMT) values are saved in the source file.

担当者の指定 (Assign user)

You can assign different users as owners of the operations in the Processing tab. When you click **Assign user**, the User assign window opens.

The window displays only active J users that belong to at least one user group and that have access to the Literature Intake menu option in Console > Access Management > Groups > Menus.

文献情報の種類の指定 (Assign Literature Type)

You can specify the Literature Type from the J Console Codelist. After you click this option, the **Literature Type assign** window opens where you can assign an owner. Only the active codelist items are displayed in this window.

担当ユーザーグループの指定 (Assign User group)

You can assign a user group as owner of the operations. When you click the 担当ユーザーグループの指定 (Assign User group) option, the Assign User Group window opens.

The window displays only the user groups that have access to the Literature Intake menu option in Console > Access Management > Groups > Menus.



重複文献検索 (Literature Duplicate Search)

Duplicate search is performed in all three tabs, Import, Processing and Processed and it searched based on the **Title**, **Vol.**, **Issue**, **Page** and **Publish Year** values. The system searches through Literature Intake data, and then you can search through case data if you select the radio button. Case data search results are displayed in the table.

For more information on duplicate search, see the Perform a duplicate search chapter.

複数インポート日の変更 (Modify Import date for multiple items)

When you click the 複数インポート日の変更 (Modify Import date for multiple items) option, the same Modify Import Date window opens for all items that have the checkbox in the first column checked, with the default value set to blank. Thus, you can specify the modified import date which is then updated for all those items.

製品系統群の指定 (Modify product family)

This option is always available. You can define the product family associated to the selected literature. You can done this through the 製品系統群の選択(Select Product Family) pop-up window.

The 製品系統群の選択 (Select Product Family) window features the following fields:

- 選択可能な製品系統群 (Selectable Product Family) this field displays all the available Product Family items that are not selected.
- 選択された製品系統群 (Selected Product Family) this field displays the Product Family that you have selected.
- 追加 (Add) you use this field to add the selected Product Family.
- ・ 全て削除 (Delete All) you use this field to delete all items from the Selected Product Family field.
- 削除 (Delete) you use this field to delete the selected Product Family.
- OK When you click this option, the selected product families are displayed in the Literature Intake table.
- 取消 (Cancel) You can click this option to exit the window.

モニタリングチェック票の印刷 (Print Monitoring Check Report)

When you click on the モニタリングチェック票の印刷 (Print Monitoring Check Report) option, the Monitoring Check Report is printed in PDF format.

For more information, see the Print Monitoring Check report section.

複数承認 (Multiple Accept)

When you click this option, all selected row items are accepted.

複数却下 (Multiple Reject)

When you click this option, all selected row items are rejected.

複数に担当者を指定 (Assign multiple users)

This option enables you to assign users to assess all selected row items in the Processing tab.



複数に文献の種類を指定 (Assign Literature Type to multiple items)

This option enables you to specify the Literature Type for all the selected row items.

複数インポート日の変更 (Modify Import date)

When you click on this option, a dialog window opens displaying import dates for the selected Literature intake record. You can modify the dates and confirm them by clicking **OK** or cancel them by clicking **Cancel**.

Add Individual Information button

When you click this button, you can enter individual literature data on the pop-up window with the data entry fields. For more information, see the Add Individual Information field descriptions section.

Print List button

Click this button to print the list of available data. For more information, see the Print List field descriptions section.

- Perform a duplicate search
- · Print Monitoring Check report
- Add Individual Information field descriptions
- · Print List field descriptions

Perform a duplicate search

You can perform a duplicate search by right-clicking an item in the Literature Intake table and then the 重複検索 (Duplicate Search) window is displayed.

Duplicate search is performed in all three tabs, Import, Processing and Processed and it searched based on the **Title**, **Vol.**, **Issue**, **Page** and **Publish Year** values. The system searches through Literature Intake data, and then you can search through case data if you select the radio button. Case data search results are displayed in the table.

You can modify any field values and then search based on the new filters. The search condition can perform a partial search if you use the % special character.

When at least one duplicate search results is displayed, the 文献情報の却下 (Reject Literature Information) option is also available. When you click this option, the selected original item is marked as Rejected. IF there are more than 1000 results displayed in the list, only the first 1000 items are displayed and the following pop-up warning message is displayed: 1000 以上の結果が出ました。最初の1000のみが表示されます。" (There are more than 1000 results. Only the first 1000 are displayed.)

When you perform a duplicate search from the case data:

- The columns that are not present in the case data, such as Search Equation Number, Document Number, Issue, Screening Owner and Assessment Owner are left blank.
- Ingredients diplay case data, Generic name.
- The Author, Title and Journal fields are displayed in Japanese characters. If Japanese values are not present, then the English value with the 翻訳無し (No Translation) tag is displayed.



Duplicate search field descriptions

No.	Japanese name	English name	Description
1	標題	Title	The title of the current search item.
2	巻	Vol.	Current search item's Vol.
3	号	Issue	Current search item's issue.
4	頁	Page	Current search item's page.
5	発行年	Publish year	Current search item's publish year.
6	文献重複検索は、標題、 巻、号、頁、発行年に対 して行われます。	Search is operated on "Title", "Vol.", "Page", "Publish Year"	Fixed label describing the search functionality.
7	新規文献症例作成ワーク リストから検索	Search from the Literature Intake	When you select this radio button, the system searches in all the following Literature Intake tabs: Import tab, Processing tab, and Processed tab. The search results do not include the original search item. This option is selected by default.
8	症例データから検索	Search from the Case Data	When you select this radio button, the system searches the Case Data.
9	検索	Search	When you select this option, the search is restarted with the value set in Title partial search , Vol. , Page , and Publish Year .
10	文献情報の却下	Reject Literature Information	When you select this option, the line you selected is removed from the imported list.
11	重複検索を閉じる	Close Duplicate search	This option cancels the operation and closes the Duplicate search section.
12	合計行数()	Total number of rows	Displays the total number of rows.
13	表示中の列	Displayed rows	Displays the available rows.
14	ページサイズ	Page Size	Displays the page size.
15	検索式番号	Search equation number	Displays the search equation number search result.
16	文書番号	Document number	Displays the document number search result.
17	成分	Ingredients	Displays the resulted ingredients search result. Multimple Ingredients can be displayed, separated by the ; symbol.
18	標題	Title	Current search item's title.
19	著者名	Author	Current search item's author.
20	雑誌名	Journal	Displays the journal search results.
21	巻	Vol.	Current search item's Vol.
22	号	Issue	Current search result's issue.
23	頁	Page	Current search item's page.
24	発行年	Publish year	Current search item's publishing year.



No.	Japanese name	English name	Description
25	状態/症例番号	Status/Case Number	This field displays the data status. When the system performs the searches in Literature Intake, then the following statuses are displayed: 承認 (Accepted) - if the data is marked as Accepted. 却下 (Rejected) if the data is marked as Rejected. 不要 (Not Necessary) if the data is assessed and processed as Not Necessary. [Case_Number] - for example 2008JP0000177, if the data is found as Accepted as case in the Processed tab. When the search is performed in Case Data, then only the Case Number option is displayed.
26	スクリーニング担当者	Screening Owner	Displays the user name who performed the first accept action on the imported literature data.
27	評価担当者	Assessment Owner	Displays the user name who perdormed the second assessment on the imported literature data.
28	評価担当グループ	Assessment Group	When duplicate search is performed from Case data, the Assessment Group field value is left blank. When duplicate search is performed from Literature Intake, the assigned User Group is displayed in the Assessment Group column.

Print Monitoring Check report

Use this option to print the Monitoring Check report.

If you attempt to process records that are locked by another user, the following error message is displayed: 他のユーザーによって使用されているデータがあるので、処理を行うことができませんでした。(There were data in use by other user, so the system could not be processed)

If there are multiple products entered and if they do not fit on one page, the remaining products are printed on the next page. Only the overflow is printed on the next page, and only when there are multiple pages, the pages are added to the bottom of the report, with the following format rules:

Japanese name	English name	Description
情報源	Information Source	The literature type entered for this item.
医薬品名	Product Name	Based on the Product Family you selected for the literature, All Japanese products available under this product family are printed. If the product names length is more than one line, then the overflow is printed on the next page.



Japanese name	English name	Description
標題/演題名	Title	Title of the literature information. If the title length is more than one line, then the overflow is printed on the next page.

Add Individual Information field descriptions

Japanese name	English name	Description
個別情報の追加	Add Individual Information	Window title
選択	Select	When you click this button, the Literature Look-up window opens.
著者	Author	Current search item's author. The field length limit is set to 200.
標題	Title	Literature source data title. The field length limit is set to 250.
雑誌名	Journal	Displays the journal search results. The field length limit is set to 80.
巻	Vol.	Current search item's Vol. The field length limit is set to 15.
号	Issue	Current search result's issue. The field length limit is set to 5.
頁	Page	The start page is displayed. The field length limit is set to 30.
発行年	Year	Current search item's publishing year. The field length limit is set to 4.
検索式番号	Search equation number	This field length limit is set to 10.
文書番号	Document number	This field length limit is set to 15.
文献情報の種類	Literature Information Type	This dropdown displays the code list literature type.
追加	Add	When you click this option, the information you entered is added in the list. The added individual data is inserted at the top of the list.
		After clicking Add, the window closes.
		When there is no data added, this button is disabled.
取消	Cancel	When you click this option, the operation is closed and the window closes as well. If you attempt to cancel and there are fields with values entered, the following warning message is displayed: 続行すると入力された情報は失われます。続行しますか? (If proceed, entered information will be lost. Proceed?)

Print List field descriptions

Japanese name	English name	Description
文献情報インポート	Literature Import	Title



Japanese name Engli 日付: Date:	ish name	Description
_ = = = = = = = = = = = = = = = = = = =	:	The date information is printed in YYYY/MM/DD HH:MM:SS format.
インポート日 文献情報 Impo の種類 Type	rt Date Literature	Title
検索式番号 Searce	ch equation number	Search equation number output values. If the text is longer than the available column, the text is wrapped.
文書番号 Docu	ment number	Output values. If the text is longer than the available column, the text is wrapped.
成分 Ingre	dients	Output values. If the text is longer than the available column, the text is wrapped.
標題 Title		Output values. If the text is longer than the available column, the text is wrapped.
著者名 Autho	or	Output values. If the text is longer than the available column, the text is wrapped.
雑誌名 Maga	azine Name	Output values. If the text is longer than the available column, the text is wrapped.
巻 Vol.		Output values. If the text is longer than the available column, the text is wrapped.
号 Issue	;	Output values. If the text is longer than the available column, the text is wrapped.
頁 Page		Output values. If the text is longer than the available column, the text is wrapped.
発行年 Publi	sh year	Output values. If the text is longer than the available column, the text is wrapped.
スクリーニング Scree	ening Result	Print 承認 (accepted) if marked as accepted. If marked as rejected, print 却下 (rejected). If no screening marking is available, leave this field blank.
Owner 評価技	担当者	Output values. If the text is longer than the available column, the text is wrapped.
Page of /_		The page number and total page number values.

Processing tab field descriptions

Japanese name	English name	Bookin Field	Description
検索条件	Search Criteria	N/A	Window section title
日付の範囲	Date Range	N/A	This dropdown contains the following options: インポート日 - Import Date スクリーニング日 - Screening Date
開始日	Start Date	N/A	The start date field of the date range search. The accepted format is YYYY/MM/DD.



Japanese name	English name	Bookin Field	Description
終了日	End Date	N/A	The end date field of the date range search. The accepted format is YYYY/MM/DD. If the end date is older than the start date, the following error message is displayed: 入力された日付は無効です。 (The dates entered are not valid).
範囲	Range	N/A	The data range drop-down field. The date range code list item is displayed.
検索	Search	N/A	This button starts the date range search.
表示の個別のグループ全て	View Individual Group All	N/A	When you select the All radio button, all Literature data is displayed, regardless of the assigned user. When you select the グループ (Group) radio button, the system displays cases based on the following logic: Cases assigned to the current user Cases assigned to users that belong to the same User Group as the current user Cases assigned to a User Group to which the current user belongs to.v
合計行数 ()	Total # of rows	N/A	List display function
ページサイズ	Page Size	N/A	List display function
インポート日	Import Date	N/A	Displays the date the literature date is loaded into the system from the shared folder. When the date is moved to the Processed tab, the data is sorted by the Import Date. The accepted format is YYYY/MM/DD.
文献情報の種類	Literature Type	N/A	Displays the literature type that you selected from the right-click option and represents the value entered in the Literature Type, in the individual addition field.
検索式番号	Search equation number	N/A	Displays the search equation number.
文書番号	Document Number	Additional Info > Reference ID.	Displays the document number value. The reference type is automatically selected as code list factory data Document Number.



Japanese name	English name	Bookin Field	Description
製品群	Product Family	Case Form > Product tab	Displays the product family name that is associated with the search equation number in Argus Console, or that has matching ingredients with WMDIS data. If you enter the data manually, the * special symbol is displayed after the product family name.
製品名	Product Name	Product Name	Displays the selected products using the Assign Products context menu. Multiple product names are separated by a semicolon (;).
成分	Ingredients	N/A	Displays only the imported ingredients values.
標題	Title	General Information > Literature Information > Title (J)	Current item's title.
著者名	Author	General Information > Literature Information > Author (J)	Current item's author.
雑誌名	Magazine Name	General Information > Literature Information > Journal (J	Displays the magazine name.
巻	Vol.	General Information > Literature Information > Vol	Current search item's Vol.
号	Issue	N/A	Current search result's issue.
頁	Page	General Information > Literature Information > Pages	Page name.
発行年	Publish year	General Information > Literature Information > Year	Current search item's publishing year.
評価	Assessment	Analysis > PMDA Information > General > Reporting Category, Reason of the Research report	You can view the result of the second assessment, when it is available.
リストの印刷	Print List Button	N/A	The print button.
評価担当グループ	Assessment Group	N/A	You can assign an assessment group. The assigned user group from the Import tab for the Literature Intake record is displayed for the corresponding record in the Processing tab. Displays only the user groups that are present in the records available on the screen.
にエクスポート	Export to Excel	N/A	The records in the Processing tab are downloaded in Excel format.

See also:



Processing tab actions

Processing tab actions

The following right-click options are available anywhere in the Processing table rows:

評価 (Assessment)

When you select the Assessment right-click option, the Literature Assessment window opens.

Japanese field name	English field name	Description
評価結果	Assessment Result	This drop-down is blank at first.
研究報告の理由	Reason of Research Report	Section title
がんその他の重大な疾病、障害若しくは死亡が 発生するおそれ	Possibility of occurrence of serious disease such as cancer, disorder, or death	There are two radio button options: 有 (Yes) and 無 (No), with the default set to NO.
副作用又は感染症の発生 数、発生頻度、発生条件 の著しい変化		There are two radio button options: 有 (Yes) and 無 (No), with the default set to NO.
承認を受けた効能若しく は効果を有しないこと	It doesn't have acknowledged effectiveness	There are two radio button options: 有 (Yes) and 無 (No), with the default set to NO.
評価コメント	Assessment Comment	This field displays the assessment comments.
問題点	Problems	This text field has a length limit of 20000.
取消	Cancel	
Reason for Not Necessary	不要な理由	This field displays the reason when Assessment Result is 不要 (Not Necessary). The available options are: Blank (by default) 不要 (症例) - Not Necessary (Case) 不要 (研究報告) - Not Necessary (Research Report) 不要 (措置報告) - Not Necessary (Safety Measures Report) 不要 (データ集積) Not Necessary (Data Collection)
製品の割り当て	Assign Products	The Available Products list box displays all the eligible products under the product families in that literature record. Eligible products are those having valid Japanese license as per the configuration in the Console. This action allows user to select and assign specific products from the Available Products list when the Assign Products context menu is chosen. User can choose one or multiple products to include in the case before book-in.

The Assessment Result dropdown features the following options:



English option name	Japanese option name	Reporti ng Categor y	Case Form mapping	Value displayed on the second Assessment column
Not Necessary	不要	N/A	If this option is selected, the data item is moved to the Processed tab after the Create Case > Process Unnecessary assessment action.	不要
AE Case	副作用症例	A, B, C, D, H, I, J, K	If this option is selected, the data is moved to the Processed tab after the Create Case > Process Unnecessary assessment action. These items are entered as regular Cases from the Bookin window.	副作用症例
Research/Infection report (Marketed drug)	感染症研究報告 (市販後)	E	Analysis > PMDA General tab > Reporting Category	研究報告
Research/ADR report (Marketed drug)	副作用研究報告 (市販後)	F	Analysis > PMDA General tab > Reporting Category	研究報告
Measures in foreign countries including discontinuation of manufacture, recall and withdrawn (Marketed drug)	外国における製造 中止、回収、廃棄 等の措置報告(市販 後)	G	Analysis > PMDA General tab > Reporting Category	措置報告
Research/Infection report (Investigational drug)	感染症研究報告(治 験)	L	Analysis > PMDA General tab > Reporting Category	研究報告
Research/ADR report (Investigational drug)	副作用研究報告 (治験)	M	Analysis > PMDA General tab > Reporting Category	研究報告
Measures in foreign countries including discontinuation of manufacture, recall and withdrawn (Investigational drug)	外国における製造 中止、回収、廃棄 等の措置報告(治 験)	N	Analysis > PMDA General tab > Reporting Category	措置報告
Research report (Quasi drug)	医薬部外品研究報 告	0	Analysis > PMDA General tab > Reporting Category	研究報告
Research report (Cosmetics)	化粧品研究報告	Р	Analysis > PMDA General tab > Reporting Category	研究報告

When you select one of the above Research reporting category (E, F, L, M, O and P), at least one of the three radio buttons needs to be set to **Yes**.

When the case book-in occurs from Literature Intake, if the assessment result have the item 3 to 10 from above, the Book-in automatically populates and encodes 副作用無し (No Events) in the Event field of the book-in window. Otherwise, the Event field is blank.

複数評価 (Multiple Assessment)

When you select this option, you can perform assessment for all selected row items. The assessment made from this option updated all the selected items.

症例の作成/不要評価の処理 (Create case/Process unnecessary assessment)

When you select this option:

- If Assesment for literature data is set to Not Necessary, then that data is moved to the Processed tab.
- If **Assesment** for literature data is set to options 2-10 form the above specified table, the Book-in window opens with all the Literature data populated. Assessment Results from the above table (2-10) are copied to Case Data while book-in is performed on the case.
- When you select **Create case/Process unnecessary assessment**, the system verifies that product names are selected for the literature record. If they are, only those selected product(s) display on the book-in screen.
- When you select **Create Case/Process Unnecessary Assessment**, the system first checks whether product names are selected for that literature record. If product names are not selected, the system considers the product family selected and then checks whether there is a valid Japanese License available in that product family. If the product family does not have any Japanese licenses, The book-in fails and the following warning message is displayed: この製品系統群には有効な日本のライセンスが存在しません。 (This product family doesn't have valid Japanese licenses.). When this happens, the Book-in screen opens, but the product is not displayed on the screen.
- If a matching product family no longer exists at the time of book-in, the product is not populated in the Book-in screen.
- If assesment is not completed for literature data and you select the **Create case/Process unnecessary assessment** option, then the following error message 評価結果が存在しません。 (Assessment result doesn't exist.) is not displayed and case creation is performed and the Book-in screen is displayed.
- If the case has been created without specifying the Assessment in the Processing tab, then the Processed tab displays the values for Assigned, Assessment and Assesment Date as blank.
- The book in executable one at a time.
- Once booking is complete, the system displays the following message: 新しい症例 "2009JP000085"の作成に成功しました。この症例を開きますか? (New case xxxxxxxxxxx successfully created. Do you want to open the case?). If you select はい (Yes), the created case opens. If you select いいえ (No), then you are redirected to the Processing tab of the Literature intake table.
- Once booking is complete, the processed item is moved to the Processed tab.
- When the book-in is processed from this place, it always is a Japanese book-in.

The following values are populated in the Book-in window when the processed fields are populated:

- Initial Receipt Date=Import Date
- Report Type=Default value configured in profile switch
 - If the Default Report type common profile switch is selected when the Literature
 Intake item is booked-in option is not set, then no literature information is displayed



in the Book-in window. Thus, make sure to set the **Literature Intake item is booked-in** option.

- Product Name is populated with the selected products using the Assign Products context menu in the Processing tab. If no products selected, then it is populated with the; special character to separated family names that belong to the same Search Equation Number. This field is read-only. When the case is generated, all Japanese licenses are populated in the case.
- When the product is populated in the case created through J Literature Intake module, it only populates one record in the Case Form Products tab for each Product in the matching Product Family. If there are multiple Japanese licenses for a product, then the correct license is picked up, based on the following logic:
 - License Authorization Country = Japan
 - * Withdrawn date is blank or >= current system date
 - * Hide checkbox is not marked as checked for that product license combination
 - * Not in Tradename lookup/Not Autoscheduled checkbox is not set as checked
 - * Exclude from Report Candidates checkbox is not marked as checked.
 - * If multiple licenses exist matching this criteria, then Earliest award date license is considered.
 - If multiple licenses still exist matching this criteria, then the license with the lowest internal sequence number is considered.
 - * The Literature book-in using the existing functionality shall not be changed.
- Additionally, for the Research report cases (3-10 in above table) have the following data populated:
 - Description as Reported="No Events"
 - Case Seriousness="Unknown"
 - The Reporting Category in PMDA tab=item selected in the assessment result dropdown.

モニタリングチェック票の印刷 (Print Monitoring Check Report)

When you click on the モニタリングチェック票の印刷 (Print Monitoring Check Report) option, the Monitoring Check Report is printed in PDF format.

For more information, see the Print Monitoring Check report section.

複数不要評価の処理 (multiple processing of Not-Necessary Assessment)

When you click this option, you can perform multiple processing of the **Not necessary** assessment result items. When this is selected, the system checks if all the selected items have the **Not Necessary** assessment results, and if these are all **Not necessary**, then all the selected items are moved to the Processed tab. If there are other assessment results, or if the assessment is not performed yet, then the following error message is displayed: 不要"以外の評価が存在します。"不要"の評価を持つものだけを選択してください (There are assessments other than "Not Necessary". Please select only the data that have "Not Necessary" assessment results.)



Processed tab field descriptions

Japanese name	English name	Description	
検索条件	Search Criteria	Window section title	
日付の範囲	Date Range	This dropdown contains the following options: インポート日 - Import Date スクリーニング日 - Screening Date 評価日 - Assessment Date	
開始日	Start Date	The start date field of the date range search. The accepted format is YYYY/MM/DD.	
終了日	End Date	The end date field of the date range search. The accepted format is YYYY/MM/DD. If the end date is older than the start date, the following error message is displayed: 入力された日付は無効です。 (The dates entered are not valid).	
範囲	Range	The data range drop-down field. The date range code list item is displayed.	
検索	Search	This button starts the date range search.	
合計行数 ()	Total # of rows	List display function	
表示する列	Displaying rows	List display function	
ページサイズ	Page Size	List display function	
インポート日	Import Date	Displays the date the literature date is loaded into the system from the shared folder. The accepted format is YYYY/MM/DD.	
文献情報の種類	Literature Type	Displays the literature type that you selected from the right-click option and represents the value entered in the Literature Type, in the individual addition field.	
症例番号	Case ID	Displays the ID of the case	
検索式番号	Search equation number	Displays the search equation number.	
文書番号	Document Number	Displays the document number value. The reference type is automatically selected as code list factory data Document Number.	
製品群	Product Family	Displays the product family name that is associated with the search equation number in Argus Console, or that has matching ingredients with WMDIS data. If you enter the data manually, the * special symbol is displayed after the product family name.	
製品名	Product Name	Displays the selected products using the Assign Products context menu. Multiple product names are separated by a semicolon (;).	
標題	Title	Current item's title.	
著者名	Author	Current item's author.	
雑誌名	Magazine Name	Displays the magazine name.	
巻	Vol.	Current search item's Vol.	
号	Issue	Current search result's issue.	
頁	Page	Page name.	
発行年	Publish year	Current search item's publishing year.	



Japanese name	English name	Description
スクリーニング	Screening	Displays the screening results. The filter dropdown value is set to Accepted . The accepted format is YYYY/MM/DD.
日付	Date	Displays the screening date.
スクリーニング担当者	Screening owner	Display the user who operated the screening
評価	Assessment	You can view the assessment results.
日付	Date	Displays the assessment date. The accepted format is YYYY/MM/DD.
評価担当者	Assessment owner	Display the user who performed the assessment.
状況詳細	Status detail	Displays the status details
リストの印刷	Print List Button	The print button.

All processed data is displayed, regardless of Owner, Assigned user, Rejected, or Case created statuses.

If there is no filter set, then all processed Literature data is moved to the Processed tab.

By default, there is a filter set on **Accepted** screening results, so that only accepted data is displayed.

The Status Detail Field opens when a single item is highlighted. When multiple items are selected, this field is not displayed.

When you perform screening on rejected items, the Status Detail row displays the following warning message: 下記の理由により、担当者 XXXX が YYYY MMMM に却下しています。理由: ZZZZ (Case Rejected by XXXX on YYYY at MMMM due to: ZZZZ), where:

- XXX is the User Full Name
- YYYY is the Date when the case was rejected in GMT
- MMM is the time in GMT
- ZZZ is the justification you entered when you rejected the case

For the manually entered Product items, the Status Detail row displays the following warning message: 下記の理由により、担当者 XXXX が YYYY MMMM に製品系統群を変更しています。理由: ZZZZ (Product Family changed by XXXX on YYYY at MMMM due to: ZZZZ) where: the same generic text is used as above.

For the items assessed as Not Necessary, the Status Detail row display the following warning message: 下記の理由により、担当者 XXXX が YYYY MMMM に不要としています。理由: ZZZZ (Case assessed as Not Necessary by XXXX on YYYY at MMMM due to: ZZZZ) where:

- XXX is the User Full Name
- YYYY is the Date when the case was Assessed in GMT
- MMM is the time in GMT
- ZZZ is the justification you entered in the Problem field when you assessed the case



4

Reports

In this chapter:

- Reports: PMDA Expedited Reports
- Reports: PMDA Periodic Reports

Reports: PMDA Expedited Reports

This section describes the J specific PMDA Expedied Report changes:

- PMDA E2B reports
- PMDA Device reports
- User Interface Reporting Rules Configuration
- Expedited Reports on DLP

PMDA E2B reports

In this section:

- Draft report generation for PMDA E2B
- Draft report generation for PMDA Paper reports
- Manual Report Scheduling dialog for Argus J users
- Report Scheduling
- Paper Reports

Draft report generation for PMDA E2B

For E2B, if the "Destination" is selected as Agency with PMDA E2B(R2) or (R3) profile, then the product is populated in the Product drop-down based on the first available PMDA tab > License record, where the Reporting Category is set. If the Reporting Category is not set in the Analysis > PMDA tab for any of the license records, then the product is populated based on the left most suspect product that has the drug license. And on report generation, a message is displayed as Case does not have any matching reporting category found for the selected report forms. (選択された報告帳票と一致する報告分類が症例に存在しません。)

Draft report generation for PMDA Paper reports

For PMDA Paper reports, if the "Destination" is selected as Agency with PMDA E2B(R2) or (R3) profile, the application check the selected Report Form, and the product is populated in the Product drop-down based on the first occurring of the PMDA tab > License record, where the corresponding Reporting Category is set applicable for the selected Report Form.

If the Reporting Category is not set in the Analysis > PMDA tab for any of the license records, then the PMDA Report Form (PMDA 報告様式) option is displayed in the Report Form drop-

down for the PMDA paper report. When you select this option, the product is populated based on the left most suspect product having a drug license. On report generation, a message is displayed as Report cannot be generated because no reporting category is specified for the case. Please specify a reporting category on PMDA General tab. (報告分類が特定されていないため、報告を作成できません。PMDA 情報の一般タブで報告分類を指定してください。)

Manual Report Scheduling dialog for Argus J users

Manual Report Scheduling dialog for Argus J users is modified as specified below:

• If the user selects "Downgrade Report" as a drop-down option in the dialog header, then the "Report Form" drop-down list is updated to only display E2B and PMDA Marketed and Investigational Forms 1 - 6. Other expedited report forms or PMDA Device Report Forms are not displayed for "Downgrade Report" option.

For more information, see:

Non-Reportable and Invalid Events

Non-Reportable and Invalid Events

When all the event in a case become Non-Reportable then system will schedule a Downgrade report.

When all the events in the case becomes Invalid then system will schedule a Nuliffication report for Marketed Licenses (Reporting Category: 1,2,3,4).

When all the events from the previously submitted Report becomes Invalid then system will schedule a Nuliffication report for Investigational Licenses (Reporting Catgeory:8,9,10,11).

Report Scheduling

As part of the PMDA E2B (R3) implementation, the application is enhanced for the reporting related requirements.

- **Urgent Report flag**: You can schedule an Urgent report for a Product License based on the value of Case form > Analysis Tab > PMDA Information Tab > General Tab > Urgent Report Checkbox for that License.
- Aware Date: You can schedule a report for an Aware Date based on the value selected in the Case form > Analysis Tab > PMDA Information Tab > Comments Tab > Start date of reporting timeframe drop-down for that License.
- Downgrade/Nullification flag: Determines whether the report is Nullification or Downgrade. The preference is given to the manually selected value Case form > Analysis Tab > PMDA Information Tab > Comments Tab > Downgrade Report flag drop-down for that License.
 - Besides, the logic to schedule Nullification report in case Investigation license for Event invalidation scenarios is updated to be in synchronization with Marketed Report.
- Nullification Against changed Reporting Category: Enables you to schedule both R2/R3 as Nullification report against a License for which Reporting Category was changed. The new "Justification" field is used as the Nullification reason.
- Aware Date/Due Date of a downgrade/Nullification reports: Schedules a Downgrade/ Nullification report based on the Aware date and Due Date as per the latest case data rather than copying from previous report.



 Nullification Report Distribution flag: Enable you to maintain Downgrade/Nullification report status (to not always mark the schedule Downgrade/Nullification report) for Auto Transmission, and follows a regular follow-up report workflow (as configured).

Paper Reports

Argus J is able to generate and submit the following expedited paper report formats specified by PMDA (both E2B (R2) and E2B (R3)) for drugs.

PMDA forms for Marketed Drugs:

- Drug AE/Infection case report form 1
- Drug AE/Infection case form 2 (5pages)
- Surveillance report on drug, quasi drug, cosmetic case report form 3
- Surveillance report on drug, quasi drug, cosmetic case report form 4
- Surveillance report on measures taken for drug outside Japan such as production termination, recall, rejection, etc. form 5
- Surveillance report on measures taken for drug outside Japan such as production termination, recall, rejection, etc. form 6

PMDA forms for Investigational Drugs:

- Investigational product AE/Infection case report form 1
- Investigational product AE/Infection case form 2
- Surveillance report on investigational product research report form 3
- Surveillance report on investigational product research report form 4
- Surveillance report on measures taken for investigational product outside Japan such as production termination, recall, rejection, etc. form 5
- Surveillance report on measures taken for investigational product outside Japan such as production termination, recall, rejection, etc. form 6

Besides, for PMDA (R2) Report—Paper Report generation logic for PMDA Marketed Form 1 and 2, and PMDA Investigation Form 1 and 2 are enhanced to be in synchronization with CIOMS and MedWatch reports for different type of users.

The Report Form List is used in the following sections:

- Console J Expedited Report Rules Form section (irrespective of whether Japanese module is enabled or disabled)
- Schedule New Expedited Report dialogue Form section (only if Japanese module is enabled)
- Medical Review Preview of Expedited Report (only if Japanese module is enabled)

For more information, see:

- Report Handling
- Additional Expedited Report Updates
- Printed Paper Reports—Formatting Details



Report Handling

If an initial paper report (or a follow-up) was scheduled with Agency having the PMDA E2B (R2) profile, and now the Agency configuration is updated to E2B (R3) profile then the paper report respects the ongoing series and a new follow-up is generated in (R3) paper format.

Note that, when submitting a follow-up report for a report submitted and received as an (R2) Report, it is possible to switch to an (R3) Report. However, submitting a follow-up report for a report submitted and received as an (R3) Report, you will not be able to switch to an (R2) Report.

Figure 4-1 Sample (R3) Report

別紙様式第1

Draft

		医薬品 副作	用 症例報	告書 (国内	1)		
識別番号	AB						
販売名/治験成分記号 承認番号(承認国)	SGA MKTJ (SGAPRODUA) AM (日本)			有効成分名	SG ProductAJ Generic Name (SGAPROD)		
症例識別子情報							
世界に固有の症例識別子	JP-SGORACLE PI	MDA R3-17JP000090A	4A	第一送信者	その他	送信者の国	日本
安全性報告識別子	JP-SGORACLE PI	MDA R3-17JP000090A	4A			送信者の種類	製薬企業
過去に伝送された症例か		過去の伝送の情報源	及び症例識別子				
本報告と関連する報告の識別子		•		•			
管理情報						_	
緊急報告の基準を満たすか	15日	報告の種類		自発報告	即時報告		
第一報入手日	2017年07月25日	最新情報入手日		2017年07月25日	報告書作成日	2017年07月28日	
報告起算日	2017年07月25日	報告起算日に関するコメント					
完了/未完了区分	未完了	未完了に対するコメント		asd			
報告対象外		理由					
報告の破棄/修正		理由					
備考							
上記医薬品 / 治験薬に関	関する副作用 / 感染症	注症例を別添のとおり	吸告します。		060		
	2017年07月28日		住所: Tokyo T	okyo Company Ad	dress		
		氏名: Company Title Nan			Company Name FD	Last Name Company First	
	受信者組織名	Pharmaceuticals and Medical Devices Agency	受信者職名	Agency Title	受信者氏名	Agency L Name 殿	ast Name Agency First

1/9ページ

Sending a FAX report (PMDA Paper Report Form) for immediate notifications

In case of a death in a case, it is now possible to generate and send a FAX report for immediate notification to PMDA.

In the PMDA E2B profile, the Argus Safety application distinguishes the PMDA reporting destination from other partner reporting destinations configured in Argus Console, based on the Agency Type and Agency Country fields configured in the Reporting Destination code list.

The E2B or Paper Report is scheduled for PMDA only when the When Agency Type is Regulatory Authority and Country is selected as Japan.

In the event of this not being the case, the application will not transmit the J.4b value in it and will also not perform the associated validation for the J.4b value.

The E2B Viewer > PMDA Paper Report Forms view still displays the associated J.4b value for PMDA E2Bs as it is still based on an E2B report.


Additional Expedited Report Updates

The Expedited reports which are faxed to the PMDA need to be identified by which receiver is sending the information. This is done by the Additional Header information on the report output.


The following profile switches are added to Console > System Configuration > Argus J
 Reporting. These switches are specific to the Enterprise:

#	Field Label	Field Length	
1	Marketed: Form 1,2	40	
2	Marketed: Form 3,4	40	
3	Marketed: Form 5,6	40	
4	Investigational: Form 1,2	40	
5	Investigational: Form 3,4	40	
6	Investigational: Form 5,6	40	


These switches are depicted in the following figure:



 The Reporting Destination Configuration has an Include FAX Header on PMDA Paper Reports Argus J user-specific check box on the Agency Configuration tab.



- This check box is enabled only when FAX is selected as the Preferred Method and is reset to disabled and blank when Preferred Method is set to something else.
- By default, this field is unchecked for existing and newly created Reporting Destinations.
- You can mark this option for a Reporting Destination and the changes made to this flag are audit logged and printed as part of Codelist Maintenance Print PDF.
- Fax header is printed only if the **Include FAX Header on PMDA Paper Reports** is marked for that Reporting Destination.





- Text entered in the Common Profile Switch is printed on the first page of the PMDA Paper Report:
 - Fax header text is printed in MS Mincho font of size 16.
 - Fax header text is printed in the line below the Report Format Number and is aligned to the left.

Figure 4-2 Fax Header in (R2) Paper Report



Figure 4-3 Fax Header in (R3) Paper Report



 If you clear the Fax Header Text for the PMDA Paper reports in the Common Profile Switch, the header is left blank in the report.

Note printed on PMDA Paper Reports > Marketed Forms 1, 3 and 5 is removed as it is a data entry description (for FAX as well as when sent through Email) Report	Note to be removed (English Translation)	
Marketed Form 1	Note: Format No.2(1) to (5) have to be attached	
Marketed Form 3	Note: Form 4 should be attached together.	
Marketed Form 5	Note: Attach Form 6 together.	

The following figure depicts the PMDA Paper Report Sample:



• PMDA Marketed Form 1 and 2, and PMDA Investigation Form 1 and 2 Paper Report generation logic are enhanced to be in synchronization with CIOMS and MedWatch reports for different type of users.

User	Description
Restricted	User for whom Console > Access Management > Argus > User > "Protect from Printing Unblinded Information" is checked.
Non-Restricted User	User for whom Console > Access Management > Argus > User > "Protect from Printing Unblinded Information" is not checked.
Blinded Study Case	Case with a blinded study which is still not eligible for unblinding irrespective of the fact that the blind for the case is broken or not it shall be considered as a blinded case.
Blinded Report	The report for which the configured Blind Study Product is marked as Yes.

- When a restricted user generates/prints the paper report for a Blinded Study Case (Blinded report and Not Blinded report), if the "Blind in PMDA AE Paper Report" check box is selected, the profile elements are printed as blinded.
- When a Non-Restricted user generates:

Blinded Report: The application generates/prints a report as a Blinded Study Case, if the "Blind in PMDA AE Paper Report" check box is selected, and the profile elements are listed as blinded.

Not Blinded Report: A "Do you want to hide Unblinded Information?" dialog box appears.

If you select "No", the report is printed without blinding the any information.

If you select "Yes", the report is printed after blinding the profile elements for which "Blind in PMDA AE Paper Report" check box is selected.

- For blinding B.4.K.2.1 MEDICINALPRODUCT and B.4.k.2.2
 ACTIVESUBSTANCENAME, the report is printed in the following format:
 B_<Blinded Study Name>(B_<Study Level CCN)>)
- Blinded G.k.2.2 & G.k.2.3.r.1/ G.k.2.3.r.2(a,b)/ G.k.2.3.r.3(a,b) are printed as:
 - * G.k.2.2 MEDICINALPRODUCT—Prints <Study Level CCN> for the PMDA Paper report forms 1-2.
 For blinded output, when CCN from J2.12 tag is printed for G.k.2.2, J2.12 is suppressed, so that it is not repeated in the same field.
 - * G.k.2.3.r.1/ G.k.2.3.r.2(a,b)/ G.k.2.3.r.3(a,b) ACTIVESUBSTANCENAME—Prints <Generic Name from Case form> for the PMDA Paper report forms 1-2. In case G.k.2.3.r.1 is required to be printed along with G.k.2.3.r.2 or G.k.2.3.r.3, for blinded output, the application prints <Generic Name from Case form> only once without repeating in place of G.k.2.3.r.2 or G.k.2.3.r.3.
 - * For blinded output, products that are only study drugs are blinded. All non-study drugs in the case are not blinded in the Paper Form.
- Blinding J.10/J2.11 (mhlwadmicsrreporttimesevent) element is governed based on the "Blind in PMDA AE Paper Report" in ESM Mapping and "Blind J.10/J2.11 in PMDA AE Paper" of the License for which the report is scheduled (PMDA E2B (R2) or PMDA E2B (R3) respectively).
 - **a.** If in PMDA Profile, for J.10/J2.11 "Blind in PMDA AE Paper Report" is unchecked, then irrespective of the value the check box "Blind J.10/J2.11 in PMDA AE Paper " for the corresponding License against which the report (blinded or not blinded) is scheduled, and also irrespective of the Blinded status of the case, J.10/J2.11 is not be blinded for both Restricted as well as Non-Restricted user.
 - b. If in PMDA Profile, for J.10/J2.11 Blind in PMDA AE Paper Report is checked:
 - i. If the check box Blind J.10/J2.11 in PMDA AE Paper for the corresponding License against which the report is scheduled is checked then irrespective of the Blinded status of the case when a restricted user prints/views the PMDA Paper Report Form 1-2 MKT/INV the application always Blinds the J.10/J2.11 data in the report, and when Non-Restricted user prints/views the PMDA Paper Report Form 1-2 MKT/INV:
 - * Blinded Report: The application prints/views the PMDA Paper Report Form 1-2 MKT/ INV, and always Blind the J.10/J2.11 data in the report.
 - * Not Blinded report: The application prompts a **Do you want to hide Unblinded Information?** dialog box. If you select **No**, then the report is printed without blinding the J.10/J2.11, but if select **Yes**, then the report is printed after blinding the J.10/J2.11.
 - **ii.** If the check box **Blind J.10/J2.11 in PMDA AE Paper** for the corresponding License against which the report is scheduled is un-checked, and the case is a blinded study case, when a restricted user prints/views the PMDA Paper Report Form 1-2 MKT/INV the application Blinds the J.10/J2.11 data in the report, and when Non-Restricted user prints/views he PMDA Paper Report Form 1-2 MKT/INV:



- * Blinded Report: The application prints/views the PMDA Paper Report Form 1-2 MKT/ INV, and always Blinds the J.10/J2.11 data in the report.
- * Not Blinded report: he application prompts a **Do you want to hide Unblinded Information?** dialog box. If you select **No**, then the report prints without blinding the J.10/J2.11, but if you select **Yes**, then the report prints after blinding the J.10/J2.11.
- **iii.** If the check box "Blind J.10/J2.11 in PMDA AE Paper" for the corresponding License against which the report is scheduled is un-checked and the Case is not a blinded study case, irrespective of the restricted and Non-Restricted user J.10/J2.11 is not blinded.
- You can now print the submitted Blinded PMDA Paper Report from Reports > Compliance > Submitted Reports using Print Submitted Report without getting the following error:
 - "Cannot print PMDA Paper Report for J E2B (Report Form Id = <report form id>, Case Num = <case num>) as user does not have access to blinded information."

Printed Paper Reports—Formatting Details

The general guidelines while printing the data in the paper form:

- Prints textual values instead of the coded values to aid human readability.
- If the number of rows to be printed in a multi-record section does not fit a page, then the same section is continued to the next page along with the table header until all the records are printed completely.
- If a non-repeatable field value exceeds the space available in the page, it is continued to
 the next page to print the overflowing value (like in MS word) until the full value is printed
 completely. All other fields are printed as per the format.
- The separators are used as:
 - Comma ','—Multi byte
 - Bracket '(' and ')'—Multi byte
 - Colon ':'—Multi Byte
 - Dash '-'—Single byte
- Null flavor printing is also supported in Paper Forms.
- True/False is printed in all forms as Yes/No respectively.
- A form starts only in a new page in the PDF irrespective of previous page data.
 For example, if Form 2 Page 1 data is printed from page 3 of a report till page 4, then Form 3 Page 2 data is printed starting from page 5 and not from page 4 itself.
- If the "Include FAX Header on PMDA Paper Reports" check-box under the Reporting Destination > Agency Information tab is checked, then the Fax header is printed in the report as configured in the common profile switches for the respective PMDA paper report under Console > System Configuration > Argus J > Reporting.
 - Text entered in Common Profile Switch is printed on the first page of the PMDA Paper Report.
 - Fax header text is printed in MS Mincho with font size 16.
 - Fax header text is printed in the line below the Report Format Number and is aligned to the left.
- The page number is printed in the Footer (center aligned) for each page.
 Format: <Current Page Number>/<Total Number of pages>

The report page number for each page (other than the main page 1, 3, and 5) is printed in the first table within the label ページ数/総ページ数.
 Format: Report page number<space>/<space>Total pages in that report

PMDA Device reports

The following section describes the PMDA Device XML reports and the PMDA Device Paper reports.

For more information, see:

- PMDA Device XML reports
- PMDA Device Paper Reports

PMDA Device XML reports

The PMDA Device XML report is handled in the same way as the existing E2B(R3) report framework. The following features are similar to E2B reports:

- Report Scheduling(Initial/ Follow-up/ Downgrade/Nullification)
- Report Generation (Initial/ Follow-up/ Downgrade/Nullification)
- PMDA Device Viewer
- Report Tracking
- Report Transmission
- Report Submission

When a report is scheduled by selecting the PMDA device as the reporting form, the PMDA device report is generated in XML format. Based on the selected Device Reporting category, either Form 8 XML or Form 10 XML is generated.



Both XMLs have the same profile: PMDA-DEVICE MESSAGE TEMPLATE.

Each device from the case is scheduled as separate Form 8 XML or Form 10 XML report, that is, if the case has two devices, two separate reports are scheduled.

Device reporting category	Device reporting category (J)	XML
Domestic infection case report	感染症症例報告(国内)	Form 8
Domestic defect case report	不具合症例報告(国内)	Form 8
Foreign infection case report	感染症症例報告(外国)	Form 8
Foreign defect case report	不具合症例報告(外国)	Form 8
Medical device research report/ survey report	研究報告調査報告	Form 10
Survey report of foreign safety measures	外国措置調査報告	Form 10

The PMDA Device XML and Forms are handled as follows:

- When using the following signs: <, > and &, the <, > and & signs are converted in XML to '<', '>' and '&'.
- If the data type is Number, the following characters are permitted: 0-9, '.', + or -.
- If the data type is text, then Kanji, hiragana, katakana, alphanumerics, Greek letters, special symbols and spaces can be used.

About manually scheduling a nullification report

To manually schedule a nullification report, click on the **Report Status** icon of the submitted PMDA Device report and select **Schedule Nullification**.

About auto-scheduling a nullification report

There are two ways to auto-schedule a nullification report for PMDA Device XML, as explained below.

When a case is deleted, the application auto-schedules the nullification if the case has submitted the PMDA device report. If the case does not have any selected value in the Nullification Reason field, then:

- その他 (Other) is populated in ReportWithdrawalReason.
- The justification provided by the user during the case deletion is populated in ReportWithdrawalReasonDetail.

If there is an existing submitted PMDA Device report (non-nullification report) and if there is a value selected in the Nullification Reason field for the same device, the application autoschedules the next report as a nullification report.



The next report is not auto-scheduled until the Nullification Reason is cleared in the Case Form, even if there are new follow-ups added to the case because the nullification on top of the nullification is not supported. The application does not allow to manual or to auto-schedule 2 subsequent nullification reports.

PMDA Device Paper Reports

- The existing Form 8 and Form 10 paper reports have been enhanced to support revised format paper report.
 - The following form options are displayed (in Japanese) to both English as well as Japanese users:
 - Report Form 8: Domestic or Foreign infection case report / Domestic or Foreign defect case report (Form 8)
 - Report Form 10: Medical device research /survey report / Survey report of foreign safety measures (Form 10)
 - These form options are displayed to both Japanese as well as English users.
 - These form options are supported at all the following locations in Oracle Argus Safety:
 - Console J Expedited Report Rules Form Section (irrespective of whether Japanese module is enabled or disabled)
 - Console J Code list / Batch report generation (irrespective of whether Japanese module is enabled or disabled)



- Case Form Toolbar Draft (only if Japanese module is enabled)
- Schedule New Expedited Report dialogue "Form" drop-down (only if Japanese module is enabled)
- Medical Review Preview of Expedited Report (only if Japanese module is enabled)
- Create Unscheduled report (only if Japanese module is enabled)
- View Submitted report (irrespective of whether Japanese module is enabled or disabled)
- Bulk Report by Form (irrespective of whether Japanese module is enabled or disabled)
- 2. These report forms open up in Microsoft Word format (.doc) from all the places in Oracle Argus Safety application as specified (but not restricted to) in the above specified list using the following forms provided by PMDA retaining all its fields, drop-downs and macros.
 - The message box which prompts to ask the user if the expedited report will print blinded data or not is not displayed for these Japan Device Report Forms as there is no blinded data printed in these reports.
- 3. These report forms are generated in Microsoft Word format (.doc) itself from both Draft and Final mode.
- 4. The application performs validation checks based on the conformance rules of the PMDA Device Report and lists all the failing validations in the PMDA Device Validation Report. If the case data has the necessary data to meet the conformance rules, the application generates the report in Microsoft Word format (.doc).
 - If the value specified in Case form/Products tab/Device sub tab/PMDA Device Information section/Medical Device Reporting Category drop-down for the product for which the report is scheduled does not match with the allowed values for Form 8 or Form 10, then instead of opening the Report Form, application displays an error in the standard Oracle Argus Safety message box with OK button and the following message:
 - 'Case does not have matching device reporting category for the selected device report form'
 - The same error is logged as a report generation error, including if it occurs during background generation through Argus Safety Service. This error is also visible in the Report Details dialog - General tab at the bottom, as is displayed for the E2B generation errors.
- 5. Regulatory Reporting Rules Algorithm:
 - The Argus Safety Expedited Reporting Rules engine also considers "Device Reporting Category" drop-down value while matching rules against cases. It gets compared against the Case Form ' Products tab ' Device sub tab ' PMDA Device Information section ' Medical Device Reporting Category drop-down field value.
 - Argus Safety Expedited Reporting Rules engine scheduled the due date for these
 Japanese Device reports based on the Japan Aware Date, as configured in Reporting
 Destination configuration.
 - The Argus Safety Expedited Reporting Rules engine schedules only one Japanese
 Device Report for each matching rule, for each suspect device product in a case, even
 if the case has multiple Japanese Device Licenses of the same License Type in the
 Event Assessment tab of the case. It also respects the Reporting Destination
 configuration for "Suppress Duplicate Reports", as configured.



- If multiple matching product licenses of the same device license type exist for a suspect device product in the Event Assessment tab, the license with the earliest award date of the matching product is considered for scheduling the report.
- If the original product license for which the initial / previous follow-up report was scheduled is no longer available but another product license of the same product matching the same rule exists, then a follow-up report is scheduled in subsequent cycles instead of a downgrade.
 - Downgrade is scheduled only when no licenses for that product matching that rule exist in the case.
- 6. Draft report view is generated based on user selection for Report Form, Destination, and Product. For more details, refer to the *Oracle Argus Safety Administrator's Guide*.

The Draft report view is available from the following areas:

- Toolbar—Draft icon
- Medical Review screen
- Coding Review screen
- Local Affiliate > Local Labeling > View Default Report
- Local Affiliate > Local Labeling > Medical Review > View Draft

Draft report generation for PMDA Device Report Forms 8 and 10:

 It uses the first matching suspect device product as per the sort order of products in the case form products tab which has the matching "Medical Device Reporting Category" specified in the "PMDA Device Information" section.
 The following criteria is used to find matching Medical Device Reporting Category for the Japanese Device Form:

Allowed Device Reporting Categories for PMDA Device Form 8:

- a. Domestic infection case report
- b. Domestic defect case report
- c. Foreign infection case report
- d. Foreign defect case report

Allowed Device Reporting Categories for PMDA Device Form 10:

- a. Medical device research/survey report
- b. Survey report of foreign safety measures

Earliest award date: Japanese marketed device active license (withdrawn date later than the Initial Receipt date) of such product is used.

If Japanese marketed device license is not available, the Japanese investigational device license matching the above specified criteria is used.

If no such Japanese device license is available for the matching product, then it considers matching any (irrespective of license country or license type) earliest award date active device license for the product.

In case of multiple device licenses with same award date, it uses the license with the earliest internal license id (primary key) value.

• If no product exists with the matching "Medical Device Reporting Category" for the Report Form, then instead of opening this form, the application displays an error in the standard Argus Safety message box with OK button and message - Case does not



have matching device reporting category for the selected device report form.

- 7. For Form 10 nullification report, PMDA expects paper report instead of XML report and hence a new Form 10 nullification paper report is supported. When the nullification reason is entered for Form 10, Oracle Argus generates the Form 10 XML Nullification report. Take care to use the Form 10 Paper form to submit the PMDA as PMDA does not accept Form 10 XML Nullification report and expects only Paper form for Form 10 nullification. To manage the submission in Oracle Argus, manually update the acknowledgment details and mark the report as submitted.
- 8. The PMDA paper reports are generated in JIS A4 size.

User Interface - Reporting Rules Configuration

This functionality allows configuration of Regulatory Reporting rules for scheduling Japanese reports.

The following are the functionality changes related to the PMDA Expedited reports:

- The License Category and Reporting Category fields are visible in Audit Log for Expedited Reporting Rules.
- The Reporting Rules algorithm has been updated to respect the License Category configured in Expedited Reporting Rules.
- The Reporting Category and License Category fields are printed below the Cover Letter field label under the Expedited Report Rule Information section of the print output.
- If a report is generated for a License with PMDA Device Classification 1 configured either

コンビネーション製品 (医薬品)or コンビネ ーション製品(再生医療 等製品)

then a warning *Incorrect PMDA Device Classification 1 configured for the license* is displayed. On continuing, the report will display no information for PMDA Device Classification 1.

Expedited Reports on DLP

In addition to supporting revisions supported by local data entry and local locks, DLP has been enhanced to address existing gaps faced by customers while generating Expedited Reports in DLP.

A version in DLP is defined as case data that corresponds to an aware date when a significant data was received (initial receipt date or significant follow up dates).

A revision is defined as committed case data changes that spans from one version to the other and that always corresponds to a locked version.

When DLP is enabled for Expedited Report Generation:

- Global Expedited Reports are generated based on the latest DLP case revision that
 corresponds to the aware date on which the report was scheduled. Global reports has
 been generated even if the case is in unlocked state if a case version exists for that aware
 date on which the report was scheduled. This is applicable to both Draft and Final reports.
- If a lock does not exist for the Aware Date on which the report was scheduled, the application picks up the next immediate DLP case revision for a later Aware Date for which a lock exists.
- If no lock exists for any later aware date, see below.
 Note that this is an outlier condition and the customer is expected to lock the revisions for which reporting obligation exists.

If no lock exists at all for any case revision, the report will not be generated, until the case is locked. Similarly, the Case Form will not display the Final report hyperlink or the Regenerate Report menu.

Further, the Batch Report Generation AG Service will not process the case. However, if the report is run as Draft, the report generates the draft, based on the latest case revision, even if no lock exists for any case revision.

Till this release, if more than one aware date existed in between case locks (global), the reporting scheduling algorithm determined the due date of the report based on the latest aware date, instead of the earlier aware dates in the same case processing cycle.

This has now been corrected so that the report scheduling algorithm determines the due date of a report against the earliest aware date (i.e., significant follow-up) in the case for the current case lock cycle.

Note that in this scenario, the reported data is based on the case revision corresponding to the later aware date. Also note that this scenario occurs mostly when the "Case Form Configuration | Auto Regulatory Scheduling" option is set to "Significant" or "Manual".

- Local Expedited Reports are generated based on the latest DLP local case revision
 corresponding to which a local lock exists for Japan country for the Japanese aware date
 on which the report was scheduled (irrespective of current local lock state). This is
 applicable to both Draft and Final reports.
- Note that the Japanese aware date is the J initial received or J significant follow-up dates if the USE_JPN_AWARE_DATE is enabled for the Reporting Destination. If the switch is not enabled, it is the global aware date. This is existing functionality.
- If a local lock does not exist for the aware date on which the report was scheduled, the system shall pick up the next immediate DLP local case revision for a later aware date for which a local lock does exists. If no local lock exists at all for any case revision, the local report shall not be generated. However, if the report was run as Draft, the report shall generate the draft based on the latest case revision even if no lock exists for any case revision, or for any case revision for an aware date later to the aware date for which the report was scheduled.
- J Expedited Reports always considers the J initial received and J significant follow-up dates as J aware date for determining due dates if the USE_JPN_AWARE_DATE is enabled for the Reporting Destination as with the existing functionality. If there is no Japan aware date or if the USE_JPN_AWARE_DATE is not set, the system defaults to the global aware date. This is applicable during follow-ups as well i.e., when there is no corresponding J follow-up date for a follow-up, the system takes the default global follow-up date.



Reports: PMDA Periodic Reports

Every J Periodic Report or Form (not limited to the ones specified below) that fetches data based on the E2B Report, PMDA Paper Form, or Case data submitted to the authority also considers the PMDA E2B(R3) report along with the PMDA E2B(R2) report.

- PSR (Form 3, and 4)
- ReSD (Form 9, 10, 11, 13 and 14)
- Seiyakukyo Clinical and Domestic Study Cases

In Japan, the PMDA accepts CSV format of Non-serious, Unlisted Periodic Report as well as paper format, and many pharma companies have started to submit using CSV forms. The following is the list of the functionality changes as a result of this requirement:

 PSR ReSD configuration contains a parameter for generating Non serious, Unlisted PSR in Paper and CSV format.



Configuration Parameter	Validation Rule	
Radio button with options Paper Report (FD Report)	When TBD is set to Paper Report in the PSR Configuration screen, Non-serious, Unlisted PSR(Form 7-1 and 7-2) are generated in the Paper Form. When TBD is set to FD Report in the PSR Configuration screen: The Form 7-1 and Form 7-2 check boxes in the PSR Configuration screen are checked and disabled. The Print the report content as Case Listing in the separate paper PSR Configuration parameter is unchecked and disabled. Non-serious, Unlisted PSR (Form 7-1 and 7-2) are generated in CSV format. The Form 7-1 is generated in Paper format along with other PSR/ ReSD forms.	

- The radio button is set to **Paper Report** in the existing PSR Configuration for an upgraded database, if Form 7-1 or Form 7-2 is marked.
- The Oracle Argus Safety standard Advanced Conditions control (as present in English Periodic Reports) is provided in **PSR ReSD Configuration** screen for inclusion or exclusion of cases for all forms of PSR and ReSD reports.



UI Element	Validation Rule
Dropdown	The drop-down list displays the default options: None and New in the drop-down list. None is displayed by default. The Advanced Condition names are displayed in the alphabetical order. On specifying an Advanced condition, the system runs the query on the cases retrieved from Product selection and Reporting Time frame.



UI Element	Validation Rule	
Advanced Condition Lookup button	The Advanced Condition Lookup dialog box is displayed on clicking this button.	
AC	On clicking the AC button, the system displays a message with Yes, No, and Cancel buttons. If you select Yes, the system displays the Advanced Condition Query Set screen. If you select No, the system displays the Advanced Condition screen. If you select Cancel, the system closes the message. If you do not have rights to create or modify AC's, the AC button on the Japanese Periodic Report Configuration screen displays the following message in Japanese:	
	You do not have the rights to create new Advanced Conditions. If there is no AC specified in Japanese Periodic Configuration screen, the Advanced condition (None) is printed. If there is an AC specified in Japanese Periodic Configuration screen, the Advanced condition(<ac name="">) is printed.</ac>	

- The data population logic of FD report is the same as that of the Paper Report.
- The existing profile switch Event counting logic for P.S.R Form 3, 4 and ReSD Form 4, 5 is renamed as Event counting logic for P.S.R Form 3, 4 and ReSD Form 10, 11.
- The configuration parameters for PSR Form 3, PSR Form4, ReSD Form 10, and ReSD Form 11 are editable even for the second time frame or above, similar to a fresh report (initial time frame).
 - A new option under the profile switch Event Counting Logic for PSR Form 3, PSR Form 4, ReSD Form 10, and ReSDForm 11 is added to allow the users to configure the count each event field from a case with the timeframe where the case was **last** reported along with the count each event field from a case with the timeframe where the case was **first** reported.
- Common profile switch Listedness Assessment Source for PSR and ReSD is deprecated.
 - A new report-level configuration is added as **Listedness Assessed** on to configure the assessment parameter for the reaction: Case Assessment and Datasheet.PSR and ReSD reports based on the common profile switch considers the new report-level configuration for the new created reports.For the existing reports prior to upgrade, the option for **Listedness Assessed** on is set based on the value set in the common profile switch **Listedness Assessment Source for PSR and ReSD** during upgrade.This report-level parameter is considered for PSR Form 3, PSR Form 4, ReSD Form 10 (for Case listing only), ReSD Form 9, and ReSD tabulation (Listed and Unlisted tabulations).
- A new radio button is added in the Report Configurations > Scheduling tab to configure the Inclusion Date of the data:
 - For a new report it is set to the Aware Date.
 - For the existing reports prior to upgrade or copied reports is set to the Date Submitted.

This option cannot be edited for the second time frame report.

- To include the reaction reported to MHLW directly (cases sent from PMDA or MHLW to MAH):
 - In the Configuration screen, a new option is added to configure Case Classification using the Classification for cases sent by PMDA list box.
 - Filter the cases based on the case classification such that cases are fetched based on the configured classification from the Case Data tables.
 - Eliminate the cases already submitted to PMDA in the ESM.
 - Consider the cases based on Japan information receipt date.



 Consider the PMDA Reporting criteria applicable for filter logic (Suspected, Serious, excluding un-reportable event).

For more information, see:

- DLP at Report Level
- Periodic Reports on DLP
- Upgrade Considerations
- Advanced Conditions in J Periodic Reports
- Check in/Checkout Enhancements
- Periodic Safety Report
- Clinical Study Periodic Safety Report (now J-DSUR)
- Seiyakukyo Line Listing Report (Individual Report Common Line List)

DLP at Report Level

 The DLP Configuration radio buttons, Use Current Case Version and Use DLP Case Version is moved to the Report level for PSR/ReSD, CTPR, and Seiyakukyo reports. The PSR/ReSD Report Configuration screen is shown below:




- These radio button options are displayed only when DLP is enabled.
- The DLP Configuration radio buttons, Use Current Case Version and Use DLP Case Version are moved to the Report level in the Configuration Print Report of PSR/ReSD, CTPR, and Seiyakukyo reports. The PSR/ReSD Report Configuration print is shown in the screen below:






- The DLP Configuration radio buttons, Use Current Case Version and Use DLP Case Version) are moved to the Report level in the CSPR Report Configuration screen, as shown in the screen below.
- These radio button options are displayed only when DLP is enabled.



 The DLP Configuration radio buttons, Use Current Case Version and Use DLP Case Version are moved to the Report level in the CSPR Report Configuration print, as shown in the screen below.



The **DLP Configuration** radio buttons, **Use Current Case Version** and **Use DLP Case Version** are moved to the Report level in the **Seiyakukyo Report Configuration** screen, as shown in the screen below.



- These radio button options are displayed only when the DLP is enabled.
- The DLP Configuration radio buttons, Use Current Case Version and Use DLP Case Version are moved to the Report level in the Seiyakukyo Report Configuration print, as shown in the screen below.



Periodic Reports on DLP

A "global" revision/version in DLP is defined as the qualifying revision/version of case data that is selected as per current logic while running a Periodic report in DLP. Today, this revision/ version is based on the Japanese aware dates for Japanese Periodic reports.

A "global cleanup" revision in DLP is defined as the qualifying data clean up revision of case data that is selected as per current logic while running a Periodic report in DLP with option "Next Completed Version".

Note that today this revision/version is based on the Japanese aware dates for Japanese Periodic reports.

When Japanese Periodic Reports (PSR/ReSD, J-DSUR, and Seiyakukyo) are generated on DLP using "Last Completed Version", then reportable revision of the case is the last local lock revision that corresponds to the qualifying global revision before the report end date. If there is no local lock corresponding to the qualifying global revision, then the reportable revision of the case becomes the qualifying global revision.

If there is no globally locked version, then the reportable revision of the case is the last local revision that corresponds to the qualifying global revision before the report end date.

When Japanese Periodic Reports (PSR/ReSD, J-DSUR, and Seiyakukyo) are generated on DLP using "Next Completed Version", then the system searches for case revision of the last local lock that corresponds to the qualifying global cleanup revision before report end date. If there is no local lock corresponding to the qualifying global revision, then the reportable revision of the case becomes the qualifying global revision.

If there is no globally locked clean-up version, then the reportable revision of the case is the last local revision that corresponds to the qualifying global clean-up *revision* or qualifying *global version or revision*, whichever is available, before the report end date.

Upgrade Considerations

In the upgraded database, the DLP Configuration radio buttons at Report level are set as per settings of the parameter at Form level (prior to upgrade) for the PSR/ReSD, CSPR, and Seiyakukyo reports.

Advanced Conditions in J Periodic Reports

- The following changes are made to the Japanese Periodic reports when Advanced condition is used for filtering cases along with Use DLP Case version.
 - ACs are applied on DLP case data for all forms of PSR/ReSD, CSPR, and Seiyakukyo reports:

If the PSR/ReSD has the **Exclude events which don't meet the condition from the past data** option checked, the ACs are applied as of the end date of the latest reporting period for the previous reporting period cases in the PSR: Forms 3-4 and ReSD: Forms 10-11.

If the PSR/ReSD has the Exclude events which don't meet the condition from the past data option unchecked, the system fetches the past data as per the existing functionality (without applying AC).

- On clicking the **Print** button in the **PSR Configuration** screen for generating Draft or Final PSR report:
 - The system displays the following message:
 Report submitted to Background Report Processing. Please view the status of the
 Report from Reports > Periodic Reports > Background Periodic Report Status screen.
 - Upon generation of the Report, the following links are displayed in the PSR Configuration screen:

FD Reports

DRAFT link for PSR Paper report (along with Form 7-1) and CSV 1, 2, 3 links for Forms 7-1 and 7-2 OR

FINAL link for PSR Paper report (along with Form 7-1) and CSV 1, 2, 3 link for Forms 7-1 and 7-2

Paper Form report (Existing functionality)

DRAFT link for PSR Paper report OR

FINAL link for PSR Paper report

- PSR Paper report is opened in IE window on clicking on DRAFT or FINAL links.
- On clicking the links CSV1, 2, 3, the system displays the corresponding CSV file in MS Excel.

The following table illustrates the PSR ReSD Report Library:


Туре	Value
Field separation	Comma(,)
Text separation	Double Quotation ("")



Туре	Value
File Naming convention	File name of Final CSV is as follows:COMPANY_ABBREVIATION_NAME-YYYYMMDD-001_1_{Randnum}.csvCOMPANY_ABBREVIATION_NAME-YYYYMMDD-001_2_{Randnum}.csvCOMPANY_ABBREVIATION_NAME-YYYYMMDD-001_3_{Randnum}.csvThe 3 digit number is incremented when more than one report is generated on the same day for the same company. COMPANY_ABBREVIATION_NAME is Company Identifier in Codelist > Reporting Destination > EDI
	COMPANY_ABBREVIATION_NAME-YYYYMMDD-00X is printed on the bottom of the form 7-1 Paper report.
	Randnum is a system generated number and is not printed on the 7-1 Paper report.
	The file name for the Draft report is as per Argus Safety.

The following figure depicts the Form 7-1 in CSV format:





- On generating Form 7-1, 7-2 in FD format, 3 CSV files are generated.
- Data printed in CSV file1 is mentioned below:
 - These field values are printed as it is, as in the PSR Form 7-1 PDF Output unless specified.
 - In case of multiple licenses for a product, each product license and all the corresponding field values are printed as a separate row.
 - During Report generation, data is truncated if it exceeds the field length specified in the Report Mapping table below:

English Title	Field Length	Data Property
Trade Name	100J	The Trade Name of each product is printed in a separate row and numbering is not used.
Generic Name	1000J	The Generic Name of each product is printed in a separate row, and numbering is not used.
Drug Classification	35AN	The Drug Action Classification is printed in a separate row and numbering is not used.
License Number	16AN	The License Number is printed in a separate row and numbering is not used.
Award Date	200J	The Japan Award date is entered in the MM/DD/ YYYY format. If the Month or Day value is less than 10, it prints without 0. For example, 8/1/2011. Award date of each Product is printed in a separate row and numbering is not used.
IBD	8N	The International Birth Date is printed in the YYYYMMDD format. IBD of each Product is printed in a separate row and numbering is not used.
Indication	5000J	The logic of printing data is the same as Paper Report- Column - Indication
		The Indication of Product is printed in a separate row and numbering is not used.
Use	5000J	It is populated by default value.
Quantity and formulation	5000J	The logic of printing data is the same as Paper Report- Column Amount and Formulation

- Data printed in CSV file 2 is as follows:
 - These field values are printed as it is in the PSR Form 7-1 PDF Output, unless specified.
 - During Report generation, the data is truncated if the data exceeds the field length specified in the Report Mapping table below:

English Title	Field Length	Data Property
Investigational time frame	17N	The Investigational Unit Timeframe is printed in the following format: YYYYMMDD-YYYYMMDDFor single digit values for MM and DD, leading 0 is added.



English Title	Field Length	Data Property
Aware date	8N	Reporting Timeframe starting date (Assigned Date) is printed in the following format:
		YYYYMMDDF or single digit values for MM and DD, leading 0 is added.
Action taken for ensuring safety and planned action for safety based on the static data	10000J	This field is used to enter the description in the output format.
Note	5000J	This field is used to enter the description in the output format
MedDRA version number	4N	The latest MedDRA J version configured in Console is printed. For example, 13.1
Report date	8N	It is printed as the current database date converted into Japan time zone (by using the common profile switch under Argus J > Reports > Offset from GMT used to calculate Japanese date/time fields (in hours)) on which the report is being executed. It is printed in the following format: YYYYMMDDF or single digit values for MM and DD, leading 0 is added. The above logic is used in Paper Report also.
Address	200J	Sender Address: A.3.1.4a-c in the following format: [A.3.1.4c][A.3.1.4b][A.3.1.4a].It is printed as a single line with no line breaks or spaces between these field values.
Name	100J	Name of person responsible for sending report A.3.1.3b-e in the following format:[Company Name (J)] [A.3.1.3b]space[A.3.1.3e]space[A.3.1.3d]space[A.3.1.3c].A.3.1.3 is printed as a single line with no line breaks.Line break between [CompanyName(J)] and {A.3.1.3}

- Data printed in CSV file 3 is as follows:
 - These field values are printed as it is in the PSR Form 7-2 PDF Output, unless specified.
 - During Report generation, the data is truncated if it exceeds the field length specified in the Report Mapping table below:

English Title	Field Length	Data Property
Number	20AN	The logic of printing data is the same as Paper Report- Column Number
Preferred Term	100J	The logic of printing data is the same as Paper Report- Column Preferred Term
MedDRA code	8N	The logic of printing data is the same as Paper Report- Column MedDRA Code
Gender	1N	It is printed based on the Case Form > Patient tab > Gender field value The following is printed:1 for Male2 for Female 3 for Unknown and NULL



English Title	Field Length	Data Property
Age (Value)	5N	Age (Value) for B.1.2.2a E2B element
		Leave the field blank when this is unknown.
Age (Unit)	3N	Age (Unit) for B.1.2.2b E2B element
		Leave the field blank when this is unknown.
AE Occurring Date (Value)	8N	The Year and Month of AE is printed in the following format:YYYYMMDDYYYYMMYYYY
		Leave the field blank when this is unknown.
AE Occurring Date (Unit)	3N	The Year and Month of AE is printed in the following format:102 for CCYYMMDD610 for CCYYMM602 for CCYY
		Leave the field blank when this is unknown.
Outcome	1N	Event outcome based on the E2B code for B.2.i.8 element.
Report Type	1N	This field describes the report type
Note, Trade Name	100J	This field is used to enter the J drug code. When the code is not available, enter the Product Name (J).
Note / Remark	1000J	If this non-serious, unlisted adverse event was reported in individual expedited report during the investigational time frame, enter the reports (PMDA Acknowledgment Number).
		The PMDA Acknowledgment Number is printed as "X-YYYYYYY" where:
		X is the reporting category alphabetic value (J.4a), and YYYYYYYY is the unique identifier assigned by PMDA for the customer report submission for the corresponding E2b report (J.4b).
		The PMDA Acknowledgment Number is updated in the following reports/forms":
		PSR Form 4 and ReSD Form 11 -> ID Number column
		PSR Form 7-2 -> Remark column
		Seiyakukyo Line Listing report -> Ack Number column
		When the event was reported in multiple safety reports, all the PMDA Acknowledgment Numbers are printed in this section, by printing each ID one below the other in different lines.
		Leave the field blank if there is no data to output. Example: 2-05030000 2-05030011



 Upon generation of the Final PSR Report in FD format, the Report link is displayed in the Reports > Compliance > Periodic screen.



- The View Report option for the Japanese Periodic reports is renamed as Edit and View Report.
- On clicking View and Edit Report for the mixed PDF and CSV PSR Report, the View and Edit dialog box is displayed with separate options to view PDF and CSV report.
- On clicking View and Edit Report for the PSR Report (Paper format), CSPR, and Seiyakukyo reports, the View and Edit dialog box is displayed by hiding the following:
 - Label: Select one of the actions below
 - Labels: CSV1, CSV2, CSV, and its corresponding Checkin/Checkout and Comments buttons.
 - Button: FD Report Validation

English Label Name

View and edit PSR/ReSD

Properties

Title

English Label Name

Select one of the actions below: PDF OutputCSV1CSV2CSV3

Properties

Fixed labels

English Label Name

View

Properties

- This button is always enabled (regardless of the Checkin/Checkout status) for all users.
- On clicking the View button for CSV report before/after Publishing, the system opens the CSV Report in Excel in Read-only mode.
- On clicking the View button for Paper report before Publishing, the system opens the report in Word.
- On clicking the View button for Paper report after Publishing, the system opens the Final report in PDF format.

English Label Name

Checkin

Properties

- This button allows you to check-in the individual reports.
- When the Checkin button is clicked for a CSV report, the Argus Safety standard Checkin dialog box is displayed.
- The Check In dialog box captures the comments for 255 characters.



- The system allows you to specify only .csv files in the Filename field. If you upload some
 other file type and click OK, the following standard message application is displayed by
 this common file upload control: This is not valid file to upload. Allowed file types are {X}
- When the **Check-in** button is clicked for a Paper report, the Argus Safety standard **Checkin** dialog box is displayed to specify the report file name and Checkin Comments.
- The system allows only .doc files to be specified in the Filename field. If you upload some
 other file type and click OK, the following standard message is displayed by this common
 file upload control: This is not valid file to upload. Allowed file types are {X}

English Label Name

Checkout

Properties

- After the report is checked-in, the Checkin button is changed to Checkout.
- The Checkout button is disabled after the report is published.
- Only one user is able to checkout a report.
- When the Checkout button is clicked for a paper report or CSV report, the system displays the Checkout dialog box.
- The Checkout dialog box allows you to specify the checkout comments of a maximum size of 255 characters.
- OK and Cancel buttons are provided in the Checkout dialog box:
 - The Cancel button cancels the Check Out operation and closes the Checkout dialog box.
 - On clicking the **OK** button for a Paper report, the system opens the report in Microsoft Word in the Update mode.
 - On clicking the **OK** button for CSV report, the system opens the report in Microsoft Excel in the Update mode.
- After the report is checked out, the Checkout button is changed to Checkin.
- The same user uses this button to checkin the revised checkout file. For other users, this
 button becomes disabled as long as it is checked-out by the original user.
- If you open the Checkout dialog box and completes the Check Out operation after sometime (after another user has already checked - out the report), the following message is displayed:
 - Report cannot be checked-out as it is in use by another user

English Label Name

FD Report Validation

Properties

 This button is enabled only after all the CSV and WORD reports are checked-in at least once. When this button is clicked, data in all the CSV files are validated.
 When there are no error messages, the Argus Safety standard message box with message

No problem was found in the report is displayed with an OK button.

- The following validation is executed and the errors are displayed in the form of PDF report.
 - The character check is executed. If there is invalid character specified: (Item [X-X], Row YY: Invalid character is used)

N (Numeric) - Only **0-9**, **.**, **E**, **+**, and **-** that are used for displaying integers or floating point representation are allowed. Full-width characters are not allowed.

AN (Alpha Numeric) - half-width (1byte) alphabet, Numbers and special characters specified in Argus J common profile switch - Characters to be allowed to use in AN (Alphanumeric) E2B items are used. Full-width (2byte) characters are not used.

J (Japanese) (100J mean 50 double byte J chars) - Full-width characters and AN are used which is same as E2B J validation. Characters specified in Argus J common profile switch - Additional invalid character to be checked in Japanese character validation is considered.

- Field length check is executed. If there are more characters than the maximum length, the following message is displayed:
 (Item [X-X], Row YY: Numbers of characters is exceeding the defined maximum value.)
- The data format for data items 1-5,1-6,2-1, 2-2, 2-6 in above **Data Property** is checked, and when format is not correct, the following message is displayed:
 (Item [X-X], Row YY: Data format of the column is invalid)

The Validation errors belonging to the data from the CSV files are listed separately. The errors within the CSV file are listed category wise such as Character check, Field length, and Data Property. If there are no errors for all property checks for a CSV file, **No problem was found in the report** is printed below the CSV#.

 The following validation message in FD Validation report is displayed, when column in CSV does not match with the format specified by Regulation:
 The structure of the columns in the CSV file is not in required format

This validation is verified first on clicking **FD Report Validation** button. If the structure of the CSV file is not in required format, the further validations are not checked for that CSV file.

English Label Name

Publish

Properties

- The Publish button is enabled only after all reports are checked-in at least once.
- This button is disabled when any of the report is checked out.
- When the report is not published, you can check in/checkout the report as many times as you want.
- After the Publish button is executed and the PDF file is created only for Paper report, the system automatically opens only the Paper report on the UI. In addition, the Check-in I Check-out button is disabled and the label is changed to Check-out.
- The Publish button converts the checked-in Paper report in word document to the PDF file as it is with the same layout. The CSV report that is checked in remains as is and is not converted to PDF.
- Once Publish is done, the Paper report in word format of the report is no longer available
 from the Final link and the PDF format overwrites the generated/updated Word format in
 the database. The Draft link generates the fresh report in Microsoft Word format.

English Label Name

Close

Properties



On clicking this button, the system closes the View and Edit Report dialog box.

English Label Name

Comments

Properties

- On clicking this button, the Comments dialog box is displayed with the Check-in/Checkout comments.
- The comments are displayed pertaining to the PDF/CSV for which Comments button is clicked.



- The Comments dialog box displays the Version Number, Username, Action, Date(Time stamp in User Local date with GMT offset), and Comments entered in the descending order of the Dates.
- Version of the first check-out is considered version 1.
- Version number is incremented on every Check-in.
- Version number is not displayed for subsequent checkout (after first checkout).
- The Comments dialog box is closed on clicking the OK button.
- The Report Submission process is the same as other PSR forms.
- The following Common Profile Switches are moved from Common Profile Switch > ARGUSJ > E2B to Common Profile Switch > ARGUSJ > Reporting.
 - Additional invalid characters to be checked in Japanese character validation.
 - Characters to be allowed to use in AN (Alphanumeric) E2B items.
 - Perform Japanese character validation at E2B Check and E2B Report Generation.
- The Perform Japanese character validation at E2B Check and E2B Report
 Generation Common Profile Switch is renamed as Perform Japanese character
 validation at E2B Check, E2B and Periodic Report Generation. This change in the
 Common Profile Switch is applicable for upgraded database.



In the future, all periodic report will have the same CSV format options.

Check in/Checkout Enhancements

Checkin/Checkout dialog box changes described above for PSR/ReSD reports are applicable for the following Japanese reports:

CSPR

Seiyakukyo Report

Periodic Safety Report

In this section:

- Format
- PSR/ReSD Details

Format

The system allows the definition of PSR reports for products. The purpose is to define a fixed set of PSR reports for PRIMARY AGENCY (the various regulatory authorities as optional) and then associate products with these reports. The PSRs can then be scheduled automatically.

PSR applies only for Japanese licenses.

 The system contains a configuration screen to define a PSR report. Go to Reports > Periodic Reports > PSR/ReSD reports.

PSR Main Window

- If the report is being currently opened by another for modification, the system displays the following message: The report which is selected is being used by XXXX and cannot be modified. where XXX is the full user name of the user has opened it.
- The labels and buttons related to the CSV files and FD validation reports are hidden in the Edit and View Report dialog box invoked for the PSR Report (Paper format), CSPR, and Seiyakukyo reports.
- The Create from Template button that is available on Argus E PSUR and CTPR section is not added for Japanese PSR, ReSD configuration.
- This page displays a list of the PSR reports stored in the system.
 - You can add a new report by clicking on the New Report button.
 - The Copy button makes a copy of an existing report:
 When you copy an existing PSR Report, all the configuration of the report including timeframe rows are copied.

Report Name of new copy has **copy of** in front of the name.

When the configuration is copied, the past dates in the schedule frequency, JAD, IBD, and Assigned date are also copied as read-only. The other sections of the copied configuration are editable.

When you copy an existing non-submitted PSR report, all the configuration including timeframe rows are copied. As the original report is non-submitted, all the timeframe rows are retained as non-editable or editable as they were in the original PSR. The JAD, IBD, and Assigned Date become editable or non-editable depending upon if there are timeframe rows in the copied PSR which are non-editable.

- The Modify button displays the report definition.
- The **Delete** button allows you to delete a report after displaying the following confirmation message: Proceeding to Yes will remove the report configuration. Proceed?
- Clicking Print, results in displaying a new dialog prior to report preview allowing you to select from several preview or direct export options: Word output.



- The **Delete** option is only available if there are no final reports generated for the Periodic Reports. The Delete option only hides the report from the list.
- In the recently executed Periodic Report section, a link is available for the last executed report only if the Report is still available on the Report Server.
- Clicking **New** or **Modify** in the above screen displays the PSR Configuration Window.
- Once the state of the report is changed to Submitted, you cannot update the configuration
 of that PSR. This is done by disabling the OK button. For example, when the state is unsubmitted, the report is editable again. In addition, when the non-editable configuration is
 opened, the following warning message is displayed: This configuration is not modifiable
 because the status of this Periodic Safety Report is Submitted.
 When you click OK, this displays the Configuration window.

When you click **Cancel**, the configuration window is not displayed.

- When the status of the report is Submitted, only the configuration page is printed.
- The Copy can be done any time while the configuration exists.

 When you create PSR after 2nd time, the new copy of the configuration is required. You can then modify the content to print the current PSR.
- Before saving the PSR configuration, Report Name, Primary Agency, Product Selection, and at least one time frame need to have a value entered.
 When these are not entered, the following messages are displayed: When Report Name is not entered:

Report Name is not entered

When Primary Agency is not entered:

Primary Agency is not entered

When selected product is not available:

Product is not selected

When At least one time frame is not entered:

Investigation time frame is not configured

The following message is displayed along with the above error:


It is necessary to enter above information in order to save the configuration

• When **Modify**, **Copy**, **Delete**, or **Print** button is clicked without a selection of report, a popup is displayed to select a report.

PSR/ReSD Details


Subject of Report





Field Name	Description	
Report Name	Manually Input a Name for the Report. It is displayed in the Reports > PSR Reports dialog box.	
Report Category	Manually Input a Name for a Report Category. It is displayed in the Reports > PSR Reports dialog box.	
Primary Report Agency	This list contains the Regulatory Authorities configured in List Maintenance > Regulatory Authorities (LM_REGULATORY_CONTACT table).	
	If there is no Japanese Authority name configured, the English name is listed.	
	The system allows you to select multiple agencies from the List of Agencies such that the report can be submitted to multiple agencies at the same time. The primary agency can be defined in this dropdown. When Japanese Message Profile is not configured in Console J for the selected Primary Agency, or when you add the agency with PMDA E2B (R3) or (R2) in the Report Configuration, an error message is displayed as:	
	Selected Primary Agency doesn't have configured Message Profile (I or J) in Argus Console > Reporting Destination/EDI .	
	Once you click \mathbf{OK} , the selection of the Primary Agency goes back to the previous selection. This check is executed when you try to go to the other tab, or click \mathbf{OK} to save the configuration.	
Report Number	Manual entry text field that allows you to enter a report number.	
Print all configuration criteria on separate cover page	Check box to print out the configuration of this report when the report is printed. When this is clicked, the Configuration page is printed at the beginning of the PSR/ReSD word print output. The page numbering of the PSR/ReSD does not include the Configuration page.	

Product Selection



Field Name	Description	
Available Ingredients	This list contains the Ingredients used for the products configuration. It is stored in the LM_PF_INGREDIENT_J table once a product has been configured.	
	The system allows filtering the Ingredients within the available list of Ingredients by a entering the Ingredient name and clicking the Filter button.	
	The search is performed in Japanese ingredient name only. If the name is blank, enter English ingredient name.	
Indication	This list contains the Indication configured for the product containing the ingredient in C5 section. Use this to narrow down the products displayed in C8 . The system allows to multi-select Indications using the standard Windows functionality of CTRL+CLICK. If Japanese name is not available, the English name is displayed.	
Available Products	This list is auto-populated once the Ingredient has been selected and displays all products from the LM_PRODUCT J table, containing the ingredient selected in C5 section. The format is Product name (Formulation, Concentration concatenated with the Concentration Units). If Japanese name is not available, the English name is displayed. The withdrawn products are displayed as well.	
Selected Ingredients	When an ingredient has been selected, all products containing that ingredient are displayed in Available Products section. Multiple Ingredients can be selected at once to form a PSR product family.	
Formulation	This list contains the formulation configured for the product using the ingredient in C5 section (LM_FORMULATION table). Use this to narrow down the products displayed in C8. The system allows to multi-select formulations using standard Windows functionality of CTRL+CLICK. If Japanese name is not available, the English name is displayed.	

Field Name	Description
Selected Products	This list contains products that are selected from the Available Products list (C8). When at least one product is selected, the field has a blue background color. If the license is not withdrawn at the starting date of the PSR investigation timeframe, include the license in PSR and ReSD.
Classification for cases sent by PMDA	First option in this list is All cases irrespective of Case Classifications.
	Also, all the Case Classifications configured in the Codelist > Flexible Re-Categorization > CASE_CLASSIFICATION are listed under this left side box. Japanese names are given preference over English names while displaying.
Selected Case classifications	This list contains classifications that are selected from the classification for the cases sent by PMDA list.

Additional Information

- When no Japanese ingredients, indication, or formulation is configured in the Console, the English names are displayed.
- If the product is added or deleted in the **Product Selection** section before the PSR/ReSD status is marked as **Submitted**, it displays a warning pop-up: If the content of selected product is changed, IBD, JAD, and Assigned date can possibly be changed. Do you want to proceed?).
- If you add or delete the products in the Product Selection section before the first PSR
 report is marked as Submitted, it updates the IBD, Japan award date, and Assigned Date
 based on the new product set.
- In the "Selected Case classifications" box, if the option All cases irrespective of Case Classification is already selected, and if the user tries to select any case classification to the right box, then a warning message appears as below with the OK button.
 Option "All cases irrespective of Case Classifications" is already selected. Please do not select any other classification.
 - Click on OK button retains the values as it is without any changes.
- If there is already one or more case classification selected, and if the user tries to select "All cases irrespective of Case Classifications" to the right box, then a warning message appears as below with the OK and Cancel buttons.

 If you select 'All cases irrespective of Case Classifications', all other case classifications are removed from the selection. Do you want to proceed? If OK, is clicked, the value 症例の分類に関係なくすべての症例 moves to the selected box. Move back all other options from right box (if available) to left box. If Cancel is clicked, then no changes is made to the options already selected.
- When you copy an existing submitted PSR report, and JAD, IBD, Assigned dates are non-editable (you have not clicked the RESET button yet) and If you change the product selection, JAD, IBD and Assigned dates do not change. When this occurs, the following warning message is displayed:
 Because the configuration has the record of past investigation period, JAD, IBD, and Assigned Date for scheduling configuration will not be changed by modifying the Selected Products. It is necessary to use the Reset button and re-configure the investigation period if new PSR needs to be created based on modified product selection.
- All the forms printed as PSR and ReSD have only the information regarding the selected product in this configuration window.

Periodic Safety Report/ReSD



Field Name	Description
Forms configuration	This field represents the main title of the UI.
Periodic Safety Report	This radio button is available to select either PSR or ReSD, so that you can create PSR and ReSD independently. This is selected as Default
Re-examination Submission Dossier	This radio button is available to select either PSR or ReSD, so that you can create PSR and ReSD independently.

Data counting configuration

_	
Field Name	Description
Count Configuration	NA
Exclude events which don't meet the condition from the past data	When this is checked, the events that were reported in the past PSR, but do not meet the condition at the end of current investigational timeframe are subtractedEvent was downgradedReport was nullifiedWhen this occurs, following message is printed under the first table of form 3:
	Among the Events that were count in the past report, there are nullified/became non-reportable during this investigational time frame.
	This is not checked by default.
Exclude events which were reported by Paper report form	When this is checked, the events that were reported by Paper Form during the investigational time frame are excluded. This is always checked and disabled.
Exclude Incompletion report from output	When this is checked, the events reported as incompletion report during the investigational time frame are excluded. This is not checked by default.

Field Name	Description
Include AE marked as Not include for the report in Japan	When this is checked, the events in the cases that have checkbox for "Not include for the report in Japan" (Case Form > Japan Event tab > 報告対象に含まない) as checked are included. Else all such events are excluded from the cases in the report.
Listedness Assessed on	When this is set to Case Assessment, Japanese marketed license listedness for the PSR products from the Case Form > Event Assessment tab is used for listedness determination. If the event is unlisted against at least one such license, it is printed as unlisted. "Unknown" is counted as "Unlisted".
	When this is set to Datasheet, Japanese marketed license datasheets for the PSR products as configured in Console at the time of PSR report generation is used for listedness determination. If the event is unlisted against at least one such license, it is printed as unlisted. A license is considered valid if it's Award Date <= End Date and Withdrawn Date >= Start Date. Blank Award Date or Withdrawn Date can be considered as valid.

PSR Report Form 3

Field Name	Description
Form 3 Selection (check box)	If this is checked, PSR Form3 is printed. This is checked by default.
Print Only the Term Preferred Term (radio button)Lower Level (radio button)	This field allows you to decide which term (PT or LLT) is to be printed on the form3.PT is selected by default.
PT/LLT Count Level	If Event based count is selected, if same PT/LLT code appears in the case/E2B more than once then it is counted that many times.
	If Case based count is selected, if same PT/LLT code appears in the case/E2B more than once then it is counted as one.
	Infection count that is printed in the '()' follows the same logic as PT/LLT If the Event is marked as Infection for any of the entry case level is selected by default.
Count Listed & Unlisted as two separate events	If this is checked, if the same reaction is marked as Listed for one entry in the Case and Unlisted for the other entry then, it is counted as two separate Events.
	If this is unchecked, if the same reaction is marked as Listed for one entry in the Case and Unlisted for the other entry then, system goes with conservative approach and it is counted as Unlisted.
	This check box is enabled only if the "PT/LLT Count Level" is set to "Case Level Count".
	This is unchecked by default.
Classify based on SOC	If this is checked, the PSR Form 3 PT/LLT section is grouped by SOC. In this case, the name of the SOC is listed at top of the section, and is used for separator between SOC and PT/LLT. Bold line is used for separating the groups. This is checked by default.
Print the report content as Case Listing in the separate paper	When this is checked, the case listing of the report content is printed out on a separate paper. All the configuration reflects the case listing. This is not checked by default.

PSR Report FORM 4

Field Name	Description
Form 4 Selection (check box)	If this is checked, the PSR Form4 is printed. This is checked by default.
Print Only the Term	This field allows you to decide which term (PT or LLT)is to be printed on the form4.PT is selected by default.
Order SOC Alphabetically (check box)	If this is checked, the SOC is printed in alphabetical order. If not checked, the SOC order is same as that of the MedDRA order. This is not checked as default.

Non-Serious Unlisted PSR Report

Field Name	Description
Drug Non-Serious, Unlisted PSR	This field represents the title of the section.
Paper ReportFD Report	Radio buttons:When Paper Report is selected, Paper report format is generated.When FD Report is selected, CSV report format is generated.When FD report is selected, both 7-1 and 7-2 forms are checked in the checkboxes and these cannot be edited. Paper Report is selected by default.

PSR Report FORM 7 - 1

Field Name	Description
Form 7-1 Selection (check box)	If this is checked, the PSR Form7-1 is printed. This is checked by default.
Print Blank Form	By checking this, the blank form is printed. This is not checked by default.

PSR Report FORM 7 - 2

Field Name	Description
Form 7-2 Selection (check box)	If this is checked, the PSR Form7-2 is printed. This is checked by default.
Print the report content as Case Listing in the separate paper	When this is checked, the Case listing of the report content is printed out on a separate paper. This is not checked by default.
Separate Page Numbering (check box)	When this is checked, the Page number is independent (starts from 1) for each form. This is checked by default.
Use Current Case VersionUse DLP Case Version	This radio button control is only displayed if DLP is enabled.
	Use Current Case Version is selected by default.Based on the PSR Configuration for DLP, the report is executed accordingly using latest Case Revision or using the DLP Case Revision.

ReSD Report FORM 10

Field Name	Description
Form 10 Selection (check box)	If this is checked, the ReSD Form 10 is printed. This is checked by default.



Field Name	Description
Print Only the Term Preferred Term (radio button)Lower Level (radio button)	Allows you to decide which term (PT or LLT) you want to print on Form 10.PT is selected by default.
PT/LLT Count Level	Allows you to filter the report based on the following options:
	Case Level Count (Default)
	Event Level Count
	Note : The data inclusion criteria for this column is same as PSR Form 3.
Classify based on SOC	If this is checked, the PSR Form 3 PT/LLT section is grouped by SOC. In this case, the name of the SOC is listed at the top of the section, and is used as separator between SOC and PT/LLT. Bold line is used for separating the groups. This is checked by default.
Print the report content as Case Listing in the separate paper	When this is checked, Case Listing of the report content is printed out on a separate paper. This is NOT checked by default.

ReSD Report FORM 11

Field Name	Description
Form 11 Selection (check box)	If this is checked, the ReSD Form 11 is printed. This is checked by default.
Print Only the Term	Allows you to decide which term (PT or LLT) is to be printed on form11. PT is selected by default.
Order SOC Alphabetically (check box)	If this is checked, the SOC is printed in alphabetical order. If this is not checked, the SOC order is same as that of the MedDRA order.
	This is not checked by default.

ReSD Report FORM 9

Field Name	Description
Form 9 Selection (check box)	If this is checked, the ReSD Form 9 is printed. This is checked as default.
Print Only the Term	This field allows you to decide which term (PT or LLT)is to be printed on the form 9. PT is selected by default.
Order SOC Alphabetically (check box)	If this is checked, the SOC is printed in alphabetical order. If not checked, the SOC order is same as that of the MedDRA order. This is not checked as default.
Include Reactions assessed as Unknown	If this is checked, report includes all the Reactions where either the Assessment is Unlisted or Unknown or Blank.
	If this is unchecked, report includes all the Reactions where either of the Assessment is Unlisted.
Print the report content as Case Listing in the separate paper	When this is checked, Case Listing of the report content is printed out on a separate paper. This is NOT checked by default.

ReSD Report FORM 13



Field Name	Description
Form 13 Selection (check box)	If this is checked, the ReSD Form 13 is printed. This is checked by default.

ReSD Report FORM 14

Field Name	Description
Form 14 Selection (check box)	If this is checked, the ReSD Form 14 is printed. This is checked by default.

ReSD Report Tabulations

Field Name	Description
Tabulations	If this is checked, all the tabulations in the section are checked and included in the print. This is checked by default.
Tabulation for Unlisted Events	When checked, this tabulation is included in the print. This is checked by default.
Tabulation for Listed Events	When checked, this tabulation is included in the print. This is checked by default.
Case Overview Tabulations	When checked, this tabulation is included in the print. This is checked by default.
Overdose Tabulation	When checked, this tabulation is included in the print. This is checked by default.
Accident Exposure Tabulation	When checked, this tabulation is included in the print. This is checked by default.

Additional Information

- Separate page numbering always follow the previous form of PSR and ReSD. The following is the order of the page numbering sequence: PSR Form 3, 4, 7, 7-2, ReSD Form 10, and 11.
- When you select PSR, ReSD using the radio button, the system selects all the forms available for each set of report automatically. By default, PSR is selected and PSR forms are selected.
- If the radio button is used to select the PSR form, the previously checked forms on the ReSD are unchecked. If the radio button is used to select the ReSD form, the previously checked forms on PSR are unchecked. While the PSR is selected, the ReSD section is disabled. While ReSD is selected, PSR section is disabled.
- If you close the configuration and opens again, the configuration on the UI remains as it was at the time of the last operation.
- You are allowed to change the configuration parameters for PSR Form 3, 4 and ReSD Form 10, 11; even if there are any past (non-editable) timeframe rows.
- When you check the Print the report content as Case Listing in the separate paper, the Case Line Listing along with the report content is printed on a separate paper.
 - The Case Listing is printed only for the current timeframe for PSR form 3, ReSD Form 10 and PSR Form 7-2.
 - This line listing is independently printed (using separate page) regardless of the Configuration Printing check box status. If you checked the option to print out the

- configuration content and Case Listing, the Case Listing is appended after the configuration content.
- The order of the print is Configuration > Form 3 Line Listing > Form 7-2 Line Listing > All the actual reports
- The Case Line Listing report does not follow the Separate Page option. The Case Line listing is always separated and starting from page 1 for each form.
- For PSR and ReSD Forms inclusion criteria of E2B, PMDA Paper form, or Case data, mapping logic and report format, refer to the Oracle Argus Safety Report Mapping Guide > PSR Mapping document and ReSD Mapping document.

PSR Form 3 Case Line Listing



#	Field Name	Description
1	PSR/ReSD Case Line Listing	This field represents the section title.
2	Periodic Safety Report	This field represents the 2nd title.
3	Periodic Safety Report form #3	This field represents the title for Form 3 section.
4	Types of adverse event	The List of AEs are printed using exactly the same rule and order as that of the PSR Form 3.
5	Case Number	All the reported AE's case numbers are printed in this field. These case numbers are separated by comma.
6	Number of AEs reported during this timeframe	Number of the AEs available also on the PSR form 3 for this report's investigational timeframe.

PSR Form 7 Case Line Listing





#	Field Name	Description
1	PSR/ReSD Case Line Listing	This field represents the section title.
2	Non Serious, Unlisted Periodic Safety Report	This field represents the 2nd title.
3	List of non-serious, Unlisted adverse event	This field represents the title for Form 7-2 section.
4	(form 7 body)	This section is always same as the PSR form 7.
5	Case Number	The Argus case numbers are added using this field.

ReSD Form 10 Case Line Listing

報告番号: 調査期間: 2019年4月16日 ~ 2019年4月16日

安全性定期報告・再審査制		
再審査報告		
別紙様式10 - 副作用	・感染症症例報告における発現状況一覧表	
既知の副作用		
副作用の種類	症例番号	報告症例件数
疼痛	TEST_01_VK, TEST_VK_R3_CATC, TEST_VK_CASE_01, TEST_VK_R3_001	4
片頭痛	TEST_01_VK	1
未知の副作用		
副作用の種類	症例番号	報告症例件数
疼痛	TEST_VK_R3_001, TEST_VK_R3_CATC, TEST_VK_CASE_01	3
発疹	\$A_003, TEST_VK_CASE_01, \$A_004	3
片頭痛	TEST_VK_R3_001, TEST_VK_R3_CATC	2

#	Field Name	Description
1	PSR/ReSD Case Line Listing	This field represents the section title.
2	Re-examination submission dossier	This field represents the 2nd title.
3	ReSD Form #10	This field represents the title for Form 10 section.
4	Types of adverse event	List of AEs are printed using exactly the same rule and order as that of PSR Form 3 with Listed and Unlisted events as two separate sections.
5	Case Number	All the reported AE's case numbers are printed in this field. These case numbers are separated by comma.
6	Number of AEs reported during this timeframe	Number of the AEs available also on the ReSD form 10 for this report's investigational timeframe.


Scheduling



Field Name	Description
Inclusion Date	Select one of the options to configure the inclusion date:
	Aware Date (Default)—If this is selected, then inclusion logic checks the Aware date of the submitted E2B/Paper report (CMN_REG_REPORTS.AWARE_DATE) to lie within the reporting time frame and only those reports are considered. If multiple initial or follow-up E2B/Paper reports fall within the current timeframe, then only the latest report for that series is considered.
	Date Submitted—. If this is selected, then inclusion logic checks the Submitted date of the E2B/Paper report to lie within the reporting time frame and only those reports are considered. If multiple initial or follow-up E2B/Paper reports fall within the current timeframe, then only the latest report for that series is considered.
Delivery quantity	This field represents the title of the section. This section displays the delivery quantity information for each timeframe row, when that row is clicked.
Clear All	When you click this button, all the entered information on this UI is cleared (The data entered by you only. For example, the Delivery Quantity and Delivery Unit for all the products in the Delivery Quantity section is removed but the product names remain in each row. When this is clicked, a confirmation window with the following message is displayed:
	If you continue, the entered information is erased. Do you want to continue?
	The content in the UI is deleted when you enter OK . No actions are taken on the table if you select Cancel in the message window.
Products	Product names used in this PSR appear as default. The names can be changed only at first report generation. From second report, names are read-only unless they are newly added. The maximum text length is 70.
Delivery quantity during this period	This field represents the text entry for numbers. The maximum text length is 12 (including the decimal point and number). Only numeric character and decimal point are allowed.
Unit	Type ahead functionality with console J Unit (J). For the units data that does not have unit(J), if unit (J) is not available, the field is left blank. You can change the unit only at first report generation.

Field Name	Description
Total Amount	Text entry for number. Only when the entered units are the same, the calculated total from above is displayed in this field. Maximum text length is 15 (including the decimal point and number). Only numeric character and decimal point are allowed.
Entering the Delivery Quantity	Delivery quantity table is entered into the report only when this is checked. This is unchecked by default. If this is not checked, the Delivery section of the report is blank (unchecking does not delete the values in UI).

Security



Printing PSR / ReSD



Field Name	Description
Report Batch Printing	NA
Run at	You can specify the time of Reporting using this field. The date entry is in Japanese.
Run Now	This field represents the Print now option.
Print As	You can select printing option from Final, Draft, Internal, or Other.
Other	NA

Field Name	Description
Due Date	Automatically populate the calculated value by using the due days.


Generating the Document

Generation of the document is executed using the following process:

- Click View Report in the Reports > Compliance > Periodic Reports.
- 2. Check-out the report from the View and edit PSR/ReSD pop-up.
- 3. Edit the checked-out word document
- 4. Check-in using the same View and edit PSR/ReSD pop-up.
- 5. Publish the PDF file (converting from the checked-in word doc)

Printing Requirements

- The system allows you to Print the Report and update the Report output in the Word document.
- The change of the configuration for the same investigation timeframe can be done multiple
 times only before the status is changed to **Submitted**. The changes in the configuration
 after the **Submitted** status of the PSR is applied on the next investigational time period.
- From the **Reports** > **Compliance** > **Periodic Reports**, selecting **View Report** allows you to View the PSR/ReSD Report in Word document to upload the report.
 - When the J user opens Reports > Compliance > Periodic Reports from the menu, the Japanese UI is displayed for Periodic report list. The pop-ups for the PSR View and Edit are Japanese.





Field Name	Description
Trade Name	The J UI displays available Japanese data. When Japanese data is not available, the English data is displayed. The Trade Name section displays the multiple trade names using comma separated list of the selected products. The Trade Name displays the original product selected: English or Japanese. If PSUR was created for the English product names, the English product name is used in the list. If the PSR is created with the Japanese product names, the Japanese product name is used in the list. If the selected product in the PSR does not have the Japanese Trade name, the English trade name is displayed for that PSR.
Destination	The Japanese UI displays the available Japanese data. When Japanese data is not available, the English data is displayed. When Destination is not available, display No specific receiver .
Description	The Japanese UI displays the available Japanese data. When Japanese data is not available, the English data is displayed.
Due Date	English date format is DD-MMM-YYYY .Japanese date format is YYYY/MM/DD
Status	Status appears in Japanese in the Japanese UI, and in English in English UI and can have the following possible values: Deleted Scheduled
	Generated Approved
	Disapproved Submitted
	New Data Available No Longer Required

- The report output is in Word Document. This works in the similar way as ePSUR publishing
 where you are allowed to edit the Word output outside the system and once generated,
 can publish the FINAL Word Document.
 - When the report is generated and never checked out, the center button display Checkout to let you revise the document. At this time, Publish button is disabled.
 - Check-out can be executed by one user only. Other users cannot check in the checked-out files.
 - Once the check-out is executed, the Check-out button is changed to the Check-in button. This button is used to check-in the revised checkout file.
 - When the file is checked-in, the center button is changes to the Check-out button.
 - When the file is not checked-out or not published, you can check-in/check-out the file as many times as you want.
 - When the file is not checked-out or not published, the group which has the access rights to this report can execute the check-in, check-out, and publish.
 - The View button is always enabled (regardless of the check in/check out status). It displays the latest updated Word document or the PDF after final Publish.
 - The **Publish** button is enabled after at least one time of the check-in action. The **Publish** button is disabled when the document is checked-out.
 - Once the final Word file is created, the Word document is saved in the repository. All
 the past PSR word output are saved. When you update the Word document and

uploads it, the system overwrites the automatically generated document in the database.

- Once the **Publish** button is executed and the PDF file is created, the **Check-Out** button is grayed out and disabled.
- Once the document is checked-in, the Check-in button is changed to Check-out, and the Publish button is enabled to publish the PDF report from the Word document.
- The Publish button converts the checked-in Word document to the PDF file.
- Once Publish is done, the Word document is no longer available. The Check-in /
 Check-out button is disabled only when the PSR is published and the label is changed
 to Check-out.




When the Check-in button is clicked, the following pop-up is displayed to specify the file
name. This can be done by either specifying the file name in the text box, or selecting the
location using the Browse button.



- If the data is changed manually in the Word document, this change is not applied to the next report. The report needs to be changed again.
- The configuration of the PSR/ReSD can be edited while the PSR is checked-out. The change is affected only when the PSR is created again.

Deleting PSR / ReSD

Click Yes in the prompt shown below to delete the PSR/ReSD report.





Clinical Study Periodic Safety Report (now J-DSUR)



The Clinical Study Periodic Safety Report (CSPSR) is now known as J-DSUR.

In this section:

- Format
- J-DSUR Details
- J-DSUR Cover
- J-DSUR Form 2

Format

The system allows configure and output J-DSUR defined by the PMDA for products.

The purpose is to define a fixed set of J-DSUR for PRIMARY AGENCY (the various regulatory authorities as optional) and then associate products/studies with these reports. The J-DSUR can then be scheduled automatically. The J-DSUR applies only for Japanese licenses. Argus J is capable of output J-DSUR Form 1 and Form 2.

 The system contains a configuration screen to define a J-DSUR report. A new menu item, Reports > Periodic Reports > J-DSUR) has been created. When this is clicked, the J-DSUR Reports window is displayed.

J-DSUR Main Window

- If the report is being currently opened by another user for modification, the system displays the following message: The report which is selected is being used by XXXX and cannot be modified, where XXX is the full user name of the user who has it opened.
- The Create from Template button that is available on Argus E PSUR and CTPR section, is not added for Japanese PSR, J-DSUR configuration.
- This page displays a list of the CSPSR/J-DSUR reports stored in the system.
 - You can add a new report by clicking the New Report button.
 - The Copy button creates a copy of an existing report.
 When you copy an existing CSPSR Report, all the configuration of the report including timeframe rows are also copied, and the CSPSR report gets converted to J-DSUR.

When you copy an existing J-DSUR Report, all the configuration of the report including timeframe rows are also copied.

The Report Name of the new copy has Copy of in front of the name.

When the configuration of already Submitted report is copied, the past dates in the schedule frequency, CSPSD, and Assigned Date are also copied as read-only. Other sections of the copied configuration are editable.

When you copy an existing non-submitted J-DSUR report, all the configuration including timeframe rows is also copied. As the original report was non-submitted, all the timeframe rows are retained as non-editable or editable as they were in the original J-DSUR.



- The Modify button displays the report definition.
- The **Delete** button allows you to delete a report after displaying the following confirmation message: Proceeding to Yes will remove the report configuration. Proceed?.
- Clicking Print results in displaying a new dialog box prior to Report Preview allowing you to select from several preview or direct export options: Word output.
- The **Delete** option is only available if there are no Final Reports generated for the Periodic Reports. In any case, the **Delete** option only hides the report from the list.
- The generated last executed report is available from a link that fetches the report from the database.
- Clicking New or Modify displays the J-DSUR Configuration Window.
- Once the state of the report is changed to Submitted, you are not able to update the
 configuration of that J-DSUR. This is achieved by disabling the OK button. For example,
 when the state is un-submitted, the report is editable again. In addition, when the noneditable configuration is opened, the following warning message is displayed: This
 configuration is not modifiable because the status of this J-DSUR is Submitted. When you
 click OK, the Configuration window is displayed. When you click Cancel, the Configuration
 window is not displayed.
- When the status of the report is Submitted, only the Configuration page is printed.
- Copy can be done any time while the configuration exists.
 When you create J-DSUR after the second time, the new copy of the configuration is required. You can then modify the content to print the current J-DSUR.
- Before saving the J-DSUR configuration, Report Name, Primary Agency, Product Selection, and at least one timeframe need to have a value entered.
 Else, the following error messages are displayed: When Report Name is not entered:

Report Name is not entered

When Primary Agency is not entered:

Primary Agency is not entered

When selected product is not available:

Product is not selected

When at least one time frame is not entered:

Investigation time frame is not configured

When Assigned Date is not entered:

Assigned Date is not entered.

Following message is displayed along with the above error:


It is necessary to enter above information in order to save the configuration

- When the Modify, Copy, Delete, or Print button is clicked without a selection of report, a
 pop-up is displayed to select a report.
- If any one Submitted report is present, the Report Configuration is non-editable even if it
 has multiple generated reports with different states.
- If you print an existing CSPSR report, it displays only the configuration details.



J-DSUR Details

Subject of Report




Field Name	Description
Report Name	Manually Input a name for the report that is displayed in the Reports > J-DSUR Reports dialog box.
Report Category	Manually Input a name for a Report Category that is displayed in the Reports > J-DSUR Reports dialog box.
Primary Report Agency	This list contains the Regulatory Authorities configured in List Maintenance > Regulatory Authorities (LM_REGULATORY_CONTACT table).
	If there is no Japanese Authority name configured, the English name is listed.
	The system allows you to select multiple agencies from the List of Agencies so that the report can be submitted to multiple agencies at the same time. The primary agency can be defined in this drop-down list. When Japanese Message Profile is not configured in Console J for the selected Primary Agency, the following error message is displayed:
	Selected Primary Agency doesn't have configured Message Profile (I or J) in Argus Console/Reporting Destination/EDI.
	Once you click OK , the selection of the Primary Agency goes back to the previous selection. This check is executed when you try to go to the other tab, or click OK to save the configuration.
Report Number	Manual entry text field that allows you to enter a report number.



Field Name	Description
Print all configuration criteria on separate cover page	This field represents the check box to print the configuration of this report when the report is printed. When this is clicked, the Configuration page is printed at the beginning of the J-DSUR Word print output. The page numbering of the J-DSUR does not include the Configuration page.

If the Japanese Agency Name is not configured in the Console, the English name is displayed on the screen for that agency.

Product Selection



Field Name	Description
Available Ingredients	The system allows filtering the Ingredients within the available list of Ingredients by entering the Ingredient Name and clicking the Filter button. The search is performed in Japanese ingredient name only. If the name is blank, then enter English ingredient name.
Indication	This list contains the Indication configured for the product containing the ingredient in C5 section. Use this to narrow down the products displayed in C8 . The system allows to multi-select Indications using standard Windows functionality of CTRL+CLICK. If Japanese name is not available, display the English name

Field Name	Description
Available Products	This list is auto-populated once the Ingredient has been selected and displays all products from LM_PRODUCT J table, containing the ingredient selected in C5 section. The format is Product name (Formulation, Concentration concatenated with the Concentration Units). If the Japanese name is not available, the English name is displayed.
	The withdrawn products are displayed as well.
Selected Ingredients	This list contains the Ingredients used for the Products Configuration. It is stored in the LM_PF_INGREDIENT_J table once a product has been configured. When an ingredient has been selected, all products containing that ingredient are displayed in Available products (C8) section. Multiple Ingredients can be selected at once to form a J-DSUR product family.
Formulation	This list contains the formulation configured for the product using the ingredient in C5 section (LM_FORMULATION table). Use this to narrow down the products displayed in C8. The system allows to multi-select formulations using standard Windows functionality of CTRL+CLICK. If Japanese name is not available, the English name is displayed.
Selected Products	This list contains products that are selected from the Available Products list (C8). When at least one product is selected, the field has a blue background color. If the license is not withdrawn at the starting date of the J-DSUR investigation timeframe, include the license in J-DSUR.
	Data Entry Discipline: When the new product is available because the new product with the same ingredient released in the J-DSUR, you need to manually set up the new configuration. When no Japanese ingredients, indication, or formulation is configured in the Console, the English names are displayed. When you copy an existing submitted J-DSUR report, the Assigned dates remain editable. In such a scenario, if you change the product selection, the Assigned dates do not change.
	All the forms printed as J-DSUR have only the information regarding the selected product in this Configuration window. When a product is moved to Selected Products field, but this does not have the Clinical Compound Number, the following error message is displayed:
	Selected product doesn't have a Clinical Compound Number. It is necessary that the study product license has at least one Clinical Compound Number in order to include in the report.
	If License # as well as Clinical Compound Number is not available, then for J users, if Trade Name (J) is available then it will display <license authorization="" country=""> (<license type="">) <trade (j)="" console="" from="" j="" name="">.</trade></license></license>
	Else <license authorization="" country=""> (<license type="">) <trade console="" from="" name=""> is displayed.</trade></license></license>
Available Studies	Lists the available studies.
Selected Studies	Lists the selected studies.

Available/Selected Studies multi-select shuttle controls

- Available Studies field dynamically lists all the company configured studies in Console, which consists of the selected J-DSUR products. The Study ID (J) value from Console > Study Configuration must be listed.
- These 2 shuttle controls have Add, Add All, Remove, and Remove All buttons to Select/ Remove studies between Available and Selected Studies fields.

- If any product is added/removed from the **Selected Product** field, the **Available and Selected Studies** fields are also updated dynamically.
- The Selected Studies field is displayed in blue background, same as that of the Selected Products fields.
- If Selected Studies fields do not contain any study, clicking on OK button displays the
 following error message and brings the focus back on the Selected Studies field:
 At least one domestic study must be selected in order to proceed with the configuration.

J-DSUR



#	Field Name	Description
1	Forms configuration	This field represents the main title of the UI.
2	J-DSUR	This field represents the title of the set of configuration forms.

J-DSUR Form 1

#	Field Name	Description
3	Report form - Clinical Trial Safety Update Report Overview	This field represents the title of the form to be configured.
4	Print Blank Form	This check box is used to print the blank form.

J-DSUR Form 2



#	Field Name	Description
5	Report form - Serious AE Case Occurrence Status Listing	This field represents the title of the form to be configured.
6	Number of subject: Study	This is a manual data entry (Numeric only) field. You can enter total number of subject for this entire clinical study for domestic. The Maximum digits for this number is 7 for both fields.
7	Order SOC Alphabetically (Check box)	If this is checked, the SOC is printed in alphabetical order (alphabetically based on their English names). If not checked, the SOC order is same as that of the MedDRA order.
8	Include foreign AE marked as "Not include for the report in Japan" (Check box)	When this is checked, the system includes AEs in the foreign cases that have flags for Not include for the report in Japan (available in the Case Form > Event tab)
9	Use Current Case VersionUse	This radio button control is only displayed if DLP is enabled.
	DLP Case Version	Use Current Case Version is selected by default. Based on the J-DSUR configuration for DLP, the report is executed accordingly using latest case revision or using the DLP case revision.
10	Separate Page Numbering (Check box)	When this is checked, the page number becomes independent (starts from 1) for J-DSUR Line Listing.
	Note: When separate page numbering is not used, it always follows the previous form of J-DSUR. Order of the page numbering sequence is following: J-DSUR Form Cover, Line Listing	
11	Print the content of the report as case listing on separate	If this is checked, Case Listing of the J-DSUR Line Listing content is printed on a separate page.
	page	Note: The Case Listing is printed after the configuration content, and using following style guide template for listing.
12	OK	Confirm the operation.
13	Cancel	Cancel the operation.

StyleGuide_CaseList.doc



#	Field Name	Description
1	Periodic Safety Report - Case Line List	Static text
2	Clinical Study Serious Event Case Periodic Report	Static text
3	Serious AE, etc. Case Occurrence Status Line Listing	Static text
4	AE, etc. Case classification	Static text
5	AE, etc. Case Count	Static text
6	This investigation period	This column has the same output as the printed J-DSUR
7	Cumulative Total	This column has the same output as the printed J-DSUR
8	Case Number	Case Numbers that have counted events are listed with the comma used as a separator.
9	Clinical Study	Static text. This section only considers the cases, which contain the studies configured as Selected Studies in the Product Selection tab.
10	SOC	This field has the same output as the printed J-DSUR. The Case Listing is not printed for this section.
11	Event sectopm	This field has the same output as the printed J-DSUR. The Case listing is printed for this section.
12	This investigation time frame: YYYY?MM?DD????YYYY? MM?DD? - TBD	This field has the same output as the printed J-DSUR.
13	Terms for AE: MedDRA/J version () was used.	This field has the same output as the printed J-DSUR.

Scheduling




Field Name	Description
Clinical Study Plan Submit	This is a manual data entry text field. It is an editable text field.
Date	If OK is clicked, the new value remains in the field. If Cancel is clicked, the original value is replaced with the entered value in the field. CSPSD is an editable field, if the J-DSUR is not in Submitted state and it does not have any previous non-editable timeframes. Once a J-DSUR is marked as Submitted , this field becomes non-editable.
Report is duedays after specified end date	This option allows you to specify the due date of the J-DSUR, xx days after the end date specified for the scheduling period. The value entered in this field is added to the current end date and displayed in the printing UI as due date.
Group	This option allows you to specify which Argus group is responsible for the Periodic report, once scheduled by the application. The report appears on the designated group's worklist for Reports.



Field Name	Description
Start Date	This field is a date entry field for the reporting timeframe starting period. It allows you to enter the starting date of each J-DSUR timeframe starting period. The first Report Timeframe Start Date is auto-calculated as per the Assigned Date. The Start Date for the first timeframe is editable till the report is submitted.
	Start Date of the new row always has the next date of the previous End Date pre-populated as read-only, and End Date can be added only one at a time. The Start Date of the J-DSUR is auto-populated and reset as per the Assigned Date value, only if the first timeframe row (first start as well as end date) is editable. The Start Date of the J-DSUR is not updated based on the Assigned date, if this first timeframe row is non-editable. Whenever Start Date is auto-updated and end date is already specified, the system displays the following warning message:
	Start Date for the reporting period has changed. Please update the End Date accordingly. When you enter the Start Date which is older than the latest End Date (previous row), the system displays the following error message:
	Start Date must be same day, or after the latest end date.
	By clicking OK , the wrong Start Date is removed.
	Note: The J-DSUR contains the number of events from Submitted to the Japanese Agencies and non-reportable events within the Reporting Period.
End Date	This field is a date entry field for the reporting timeframe ending period. It allows you to enter the ending date of each J-DSUR timeframe starting period. This is an editable field. When you enter the End Date which is earlier than the same timeframe's Start Date, the system displays the following error message:
	End date must be after the Start Date
	By clicking OK , the wrong end date is removed.
	Note:
	The J-DSUR contains the number of events from Submitted to the Japanese Agencies and non-reportable events within the Reporting Period. The System does not allow you to edit the previous reporting period and only allows to edit the current reporting period.
Add	You can add editable row by clicking this button. You can add only 1 reporting timeframe which can remain in Editable state in a J-DSUR in single configuration. All the previous reporting timeframes are always in non-editable state. By default, in a freshly configured J-DSUR (non-submitted, non-copied), there is no timeframe row to begin with until you add one row using the Add button. Whenever the first timeframe row is added, the Start Date is auto-populated based on the Assigned Date.When you generate a J-DSUR, it is generated based on the last editable timeframe row.Once the report is marked with the Submitted status, all the timeframe rows are marked as Non-editable . If you do not have any editable timeframe row available in the J-DSUR, only then Add button is enabled. Else, it is always disabled. The Add button adds editable fields for Start and End date. Each row has a number that starts from 1 and is incremented for each timeframe.

Field Name	Description
Delete	You can delete the editable row by clicking this button. The Delete button cannot delete the non-editable row. For removing previous non-editable rows, you can use the RESET button. This makes sure that you do not delete any timeframe rows which J-DSUR has already submitted. When this is selected, the following warning message is displayed to confirm the operation:
	Would you like to delete the highlighted row?
Reset	When this button is clicked, all the existing timeframe rows (editable as well as non-editable) are deleted. Else, the past Start and End date records are non-editable. When the Reset button is clicked, the following warning message is displayed:
	By using Reset, all the past data will be removed. Do you want to proceed?
	If you click OK , proceed with the reset.
	If you select Cancel , leave the past data in the schedule table. When you make copy of a configuration, the Assigned Date , CSPSD , and CTPCSD are non editable unless the Reset button is used.

Security



Printing J-DSUR




Generating the Document

The generation of the document is executed using the following process:

- 1. Click View Report in Reports > Compliance > Periodic Reports
- 2. Check-out the report from the View and edit J-DSUR pop-up.
- 3. Edit the checked-out Word document
- 4. Check-in using the same View and edit J-DSUR pop-up
- 5. Publish the PDF file (converting from the Checked-in Word document)

Printing Requirements

- The system allows you to print the report and update the report output in the Word document. The watermark is printed on the report when the **Draft**, **Internal** or **<Other>** is selected for printing.
- The change of the configuration for the same investigation timeframe can be done multiple
 times only before the status is changed to **Submitted**. The changes in the configuration
 after the **Submitted** status of the J-DSUR is applied on the next investigational time
 period.
- From the **Reports** > **Compliance** > **Periodic Reports**, selecting **View Report** allows you to view the J-DSUR Report in the Word document to upload the report.
 - When J user opens Reports > Compliance > Periodic Reports from the menu,
 Japanese UI is displayed for Periodic report list. The pop-up for the J-DSUR view and edit is in Japanese.





#	Field Name	Description
1	PERIODIC REPORTS	Lists the Periodic Reports.
2	View All	Enables you to view all the reports.
6	Trade Name	The Japanese UI displays available Japanese data in this field. When Japanese data is not available, the English data is displayed.
7	Destination	The Japanese UI displays available Japanese data. When Japanese data is not available, the English data is displayed. When Destination is not available, No Specific Receiver is displayed.
8	Description	The Japanese UI displays available Japanese data in this field. When Japanese data is not available, the English data is displayed.
9	Due Date	The English date format is DD-MMM-YYYY .The Japanese date format is YYYY/MM/DD .
10	Status	The Status appears in Japanese in Japanese UI, and in English in English UI and can have the following possible values:
		Scheduled
		Generated
		Approved
		Disapproved
		Submitted
		New Data Available
		No Longer Required
		0

– Trade Name section:

The **Trade Name** section displays the multiple trade names using comma separated list of the selected products.

The Trade Name displays the original product selected: either **English** or **Japanese**. If PSUR was created for the English product names, the English product name is used in the list. If the J-DSUR is created with Japanese product names, the Japanese product name is used in the list.

If the selected product in the J-DSUR does not have the Japanese Trade Name, the English Trade Name is displayed for that J-DSUR.

- The report output is a Word Document. This works in the similar way to ePSUR publishing
 where you are allowed to edit the Word Output outside the system and once generated,
 can publish the FINAL Word Document.
 - When the report is generated and it has been never checked out, the center button displays Check-out to revise the document. At this time, the Publish button is disabled.
 - Check-out can be executed by one user only. Other users cannot check-in the checked-out files.
 - Once the check-out is executed, the Check-out button is changed to the Check-in button. This button is used to check- in the revised checkout file.
 - When the file is checked-in, the center button becomes the Check-out button.
 - When the file is not checked-out or not published, you can check-in/check-out the file as many times you want.

- When the file is not checked-out or not published, the group which has access rights to this report can execute the Check-in, Check-out, and Publish.
- The View button is always enabled (regardless of the Check-in/Check-out status). It displays the latest updated Word document or the PDF after final Publish.
- The **Publish** button is enabled after the check-in has been performed at least once.
 The **Publish** button is disabled when the document is checked-out.
- Once the final Word file is created, the Word document is saved in the repository. All
 the past J-DSUR Word outputs are saved. When you update the Word document and
 upload it, the system overwrites the automatically generated document in the
 database.
- Once the **Publish** button is executed and the PDF file is created, the **Check-Out** button is disabled.
- Once the document has been checked-in, the Check-in button is changed to Check-out, and the Publish button is enabled to publish the PDF report from the Word document.
- The Publish button converts the checked-in word document to the PDF file.
- Once Publish is done, the Word document is no longer available. The Check-in/
 Check-out buttons are disabled only when the J-DSUR is published and the label is
 changed to Check-out.
- When the Check-in button is clicked, the following pop-up is displayed to specify the file name. This can be done by either specifying the file name in the text box, or selecting the location using the Browse button.



- If the data is changed manually in the Word document, this change is not applied to the next report. You need to change the report again.
- The configuration of the J-DSUR can be edited while the J-DSUR is checked-out. The change is affected only when the J-DSUR is created again.

Deleting A J-DSUR



Click **Yes** on this dialog box to delete the report configuration.

Click No to exit without deleting.

J-DSUR - Cover

Summary: The J-DSUR Cover is the cover page of the J-DSUR Line Listing, and output includes the information of the configured product. This form does not contain any particular case data.





Field Name	Description
Clinical Study Drug Serious Adverse Events etc. Case Periodic Safety Report Form	NA
Clinical Compound Number	This field represents the Clinical Compound Number of the selected product from Console Business Configuration/Product/License.Use ([1],[2],[3]) numbering format for multiple Clinical Compound Numbers.
Clinical Study Plan Submit Date	This field is a manual data entry field. If this field is changed by the user and this date is later than the "Clinical Trial for Partial Change Plan Submit Date", it displays a message that CSPSD cannot be after CTPCSD.
Ingredient Name	The generic name is entered in this field. If the license is withdrawn before the starting date of the CSPSR timeframe, the generic name is not displayed. If Japanese name is not available, this field can be left blank.
Dev International Birth Date	This field is auto-populated as per the earliest Console > Product > DIDB field for the J-DSUR products. This date is used to auto-populate the first J-DSUR Start Date on the "Frequency of the schedule" table on the right side of the UI.
Trade Name	The Trade Name is based on the selected product in the Configuration window. If there are multiple products (different amount, formulation, etc), use ([1],[2],[3]) numbering with the trade names. You can use Trade name (J Drug code) . When the code is not available in the code lists, the code is not necessary. If there is a product that has multiple Japanese licenses, all of the trade names must be listed. This field is entered when the selected product is the marketed product (Clinical Trial for Partial Change), but if this is for the Study drug, this field is left blank.
International Birth Date	This field represents the IBD from the Code List Product . Use ([1],[2],[3]) numbering for multiple names.
Japan Award Date	Code List Licenses -Japan Award date
	Use ([1],[2],[3]) numbering for multiple names.
	All the Japanese award dates are listed in this field. The Japanese Award date can be retrieved from License award date field for Japanese license Code List. If the license is withdrawn before the starting date of the CSPSR timeframe, the Japan Award Date is not displayed. This field is entered when the selected product is the marketed product (Clinical Trial for Partial Change), but if this is for the Study drug, this field is left blank.
Amount and Formulation	This field represents the amount of the ingredients and formulation (from Dosage info) of the product. If multiple formulations are reported in the same form, enter the information for each formulation. The Strength and unit of the product, and formulation are listed in the following format: "Strength" "unit" "Formulation" If the strength data is not available, only the formulation is listed. Use ([1],[2],[3]) numbering for multiple information. If Japanese name is not available, the section is left blank.
Number of the CSPSR report sent for this ingredient	This field denotes the total number of CSPSR report sent to PMDA including the current time. This starts from 1, 2, 3
Expected Indication	Enter Primary Indication from the Business Configuration/Product/ Primary Indication. Use ([1],[2],[3]) numbering for multiple Indications. If Japanese name is not available, this section is left blank.



Field Name	Description
Expected Use and Dosage	The information is not printed in this section. You need to enter the information in the Word document output.
Investigational Unit Timeframe	This field is used to enter the Time frame Start Date and Time frame End Date for this report. This denotes the Investigation timeframe for this report.
Study Phase	Enter Console J > Business Configuration > Studies > study phase J using this field.
	When there are multiple clinical studies that use the same Clinical Compound number, use ([1],[2],[3]) numbering and list each study phase of all the studies using comma separated string against each number.
	It only considers the studies configured as Selected Domestic Studies in the Product Selection tab. If Japanese name is not available, this section is left blank.
Approval Status in major developed countries	This field represents Approval status in major developed countries excluding Japan.
	The value in this field is printed based on the earliest award date of marketed licenses (excluding the hidden link licenses for these products) for the J-DSUR product(s) for configured countries in profile switch Argus J > Reporting>'Major Developed Countries for Approval Status in J-DSUR' (comma separated A2 country codes).
	Use numbering ([1],[2],[3]) for multiple products.
	The country is printed with its A2 country codes and Aware Date year shall be printed in YYYY format.
	Example: If in a JDSUR report we have 2 products P1 and P2 with P1 having 2 CCN - CCN1, CCN2 and P2 having 2 CCN - CCN3, CCN4 then approval status are printed as -
	([1], [2]) US - YYYY, UK - YYYY, DE - YYYY
	([3], [4]) US - YYYY, UK - YYYY, DE - YYYY
	Where US, UK and DE are configured country codes in the profile switch in this particular order only.
	Only Marketed Licenses related information are printed here. If Marketed License is not available then do not print any value for that country not even the A2 country code for that country.
	The values are printed in the same order as A2 codes entered by user in the common profile switch.
Status of the Serious AE, etc. case occurrences	This field is used to enter TBD (As described in the Line Listing report)
Safety action based on the data analysis and safety countermeasure for the future	This field is left empty to enter the description in the output format.
Note	This field is left empty to enter the description in the output format.
From above reason, this reports Clinical Serious Case AE Periodic Reports	NA
YYYY?MM?DD? TBD	The Date report is created in the Japanese format. It is printed as the current database date converted into Japan time zone (using the Common Profile Switch under Argus J > Reports > Offset from GMT and is used to calculate Japanese date/time fields (in hours)) on which the report is being executed.



Field Name	Description
Address	This field represents the Address of the sender (A.3.1.4a-c). Format: TBD[A.3.1.4c][A.3.1.4b][A.3.1.4a]
	A line break is inserted if the address is reached to the maximum printable length for the line in the print. The address line can be 3 lines in one page, and if the 3rd line reaches the maximum length, it is printed to the next page. No spaces are used between the populated values. The Address and the Name are printed from center of the page (same as PMDA Expedited Reports Name and Address print)
Name	This field represents the Sender Identifier(Company Name (J), A.3.1.3b, A.3.1.3c, A.3.1.3d, A.3.1.3e)
	Format:
	TBD[Company Name (J)] [A.3.1.3b]space[A.3.1.3e]space[A.3.1.3d]space[A.3.1.3c]The print start point of [A.3.1.3b] is the same as [Company_Name_(J)] in above line. For the second line, empty space is printed between the populated values. A line break is inserted, If A.3.1.2 reaches the maximum printable length for the line. There can be 2 lines in one page. And if the 2nd line reaches the maximum length, it is printed to the next page
	A line break is inserted, If combination of [A.3.1.3b] [A.3.1.3e] [A.3.1.3c] reaches the maximum printable length for the line. There can be 2 lines in one page. And if the 2nd line reaches the maximum length, it is printed to the next page.
	The SENDERMIDDLENAME is not printed if it does not exist. The Address and Name is printed from center of the page (same as PMDA Expedited Reports Name and Address print)
Receiver identifier	PMDA Receiver identifier A.3.2.2d-f in section. This is printed as follows: Receiver Identifier (A.3.2.2a, A.3.2.2c, A.3.2.2d, A.3.2.2f)
	Format:
	[A.3.2.2a][A.3.2.2c]space[A.3.2.2f]space[A.3.2.2d]space? - TBD

Additional Information

- This cover page has Japanese license information only.
- If all the information is the same through all the numbered items, enter the numbers with one information. When there is no data available, skip the data and only print the serial numbers for which the values are present.
- If the license is withdrawn before the Start Date of the J-DSUR time frame, all the product information as well as the license information is not displayed.
- The overflow data is printed on the next page on the copy of this cover page that does not have any data other than the overflow data.
- For Ingredient Name, Indication, Study Development Phase, Amount, and Formulation, if source console values are not configured, fields on the paper form are left blank.

J-DSUR - Form 2

Summary: J-DSUR - Form 2 is the report of events that are serious (both Reported and Not Reported) during the specified investigational time period for Study drugs (including Study for partial change of the Marketed drugs).

The past record is included in the report as cumulative Total Number of SOC and Terms.

- The number of the serious events which are either Reported or Not Reported to the PMDA within one investigational timeframe is the content for the report.
- Regardless of Incomplete or Complete report, all the events during the investigational timeframe are listed.
- If there are multiple events in one case, count each Reportable event separately. For example, if there are 2 same PTs available in the same case, the count is 1 SOC and 2 PTs.
- A case is included in the report for the current timeframe only if a significant Japanese follow-up is received for the case in the same timeframe. If there are no significant updates for the case, this case is not counted for the current period.
- If there are multiple follow-up updates (Significant or Non-significant) to a qualifying case in
 the same investigational time frame, count the events based on latest information on the
 events in the case and exclude the **Deleted** events during the timeframe. If the event is
 entered as **Serious**, but later in the same timeframe, this is changed as **Non Serious**, this
 event is not counted.
- The MedDRA version is the latest MedDRA J version at the time of report creation.
- The configured products that fall in DRUGCHARACTERIZATION = 1 (SUSPECTED) or 3
 (INTERACTION) are collected. 2 (Concomitant) is not included.
- The date cut off for the data inclusion is based on the case's Japan first information Aware
 Date (in PMDA > General tab of the Case Form). If this is a follow-up case, the Aware
 (latest significant follow-up) Date.
- The Serious events must be Related events to be included in the list.
- An event which is included in the past J-DSUR report is included in the Cumulative Total section of the count in the report.
- For identifying the Japanese license, the license authorization country in the license configuration in Console is used. For the count of the foreign data, all configured products that have the same ingredients (regardless of the existence of Japanese license in this family) is considered as the target.
- When the End Date is set as past date, any updates/new data that meet above condition in between the End Date and the current date are not included in this line listings. The data is the latest in the given timeframe, and not between the investigational timeframe Start Date and the Report Generation Date. This is achieved when you have enabled DLP and has configured the Use DLP Case Version radio option for J-DSUR configuration.
- If there is 0 count on any counting numbering sections of the Line Listing, is printed.
- From 2nd and subsequent pages, the table header rows are repeated at the top of the each page.

Basic Data Retrieval Rule:

Cumulative Total:

• In J-DSUR, the Cumulative Total is the count of Serious AEs that are collected between the Assigned Date and the end of the current investigation timeframe.

Investigation Time Frame

The Serious AEs from the cases collected in this investigation timeframe from among the cases retrieved by Cumulative Total.

Domestic Serious AE, etc. Case Occurrence Status Line Listing



(別紙様式2)

国内重篤副作用等症例の発現状況一覧

副作用等症例の種類	副作用等症例の種類別件数	
	調査単位期間	東計
皮膚および皮下組織障害	1	1
竞排	1.	1
備考		

当該調査単位期間:2014年10月9日 ~ 2014年10月15日

累積被験者概数:

副作用等の用語: MedDRA/J version(17.1)を使用

Field Name	Description
Serious AE, etc. Case Occurrence Status Line Listing	This field represents the title of the paper form.
Attached paper form	This field represents the header of the paper form.
Information Source	This field represents the title of the row.
Clinical Study	This field represents the title of the column. This column has data only from the report source: Clinical study and Incident Country = Japan. It only considers the cases which contain the studies configured as Selected Studies in the Product Selection tab.
Investigation Time Frame	This field represents the title of the row.
This investigation period	This field represents the title of the column. This column collects count information in this investigation period only.
Cumulative Total	This field represents the title of the column. This column collects total number of count information in the entire reporting period starting from the first Assigned Date to the end of current investigation period. If the configuration is set (checked for Exclude the event count from the cumulative total if the event doesn't meet the condition), events that were reported in the past but as the condition has been modified in the current timeframe they no longer meet the condition, are removed.
This investigation period	This field represents the title of the column. This column collects count information in this investigation period only.
Cumulative Total	This field represents the title of the column. This column collects the total number of count information in the entire reporting period starting from the first Assigned Date to the end of current investigation period.
This investigation period	This field represents the title of the column. This column collects count information in this investigation period only.
Cumulative Total	This field represents the title of the column. This column collects the total number of count information in the entire reporting period starting from the first Assigned Date to the end of current investigation period.
Number of subjects	This information is captured from the J-DSUR tab.
AE, etc Case classification	This field represents the title of the column.
AE, etc. Case Count	This field represents the title of the column.



Field Name	Description
SOC name in Japanese	The SOC count is the count of cases (not AEs). The number is collected for this inv. Period and the total of entire J-DSUR time.
PT names	All the serious AEs are counted and entered for this inv. Period and entire J-DSUR time.
This investigation time frame: YYYY/MM/DD	This investigation timeframe is entered using the Japanese date format.
Terms for AE: MedDRA/J version () was used.	The used MedDRA/J version must be entered in the brackets.

Seiyakukyo Line Listing Report (Individual Report Common Line List)

Seiyakukyo Line Listing report is a periodic report format specified by the JPMA.

This report is to be used by pharmaceutical companies in Japan to send case reports to medical institutions. It is mandated by PMDA to report study cases to medical institutions and is required to be fully compliant in Japan. Seiyakukyo periodic report is handled in the similar manner as the other Japanese periodic reports - PSR/ReSD, and J-DSUR. At a high level, it has a similar Configuration screen, similar Generation, Publishing, and Handling process as other Japanese Periodic reports. However, the report output format and data is different so as to match the Seiyakukyo format.

All the following date fields in the Seiyakukyo Line Listing main report output are printed in the "YYYY/MM/DD" format:

- Dose Start Date and Dose Stop Date
- AE Onset Date
- Subject Timeframe
- Report Submission Date
- Japan Information Receipt Date

For example, full dates are printed as "2013/10/17" and partial dates are printed as "2013/10" or "2013".

This date format is applicable in Microsoft Word as well as CSV format report outputs.


For more information, see:

- Configuration Screen
- Report Output Format
- Report Output Filter Criterion
- Report Output Field Mappings
- CSV Output Format
- Periodic Report Process Flow

Configuration Screen

 Access the Argus Groups for Seiyakukyo report from Individual Report Common Line List under the Console > Groups > Menus section.

- This option appears under Reports > Periodic Reports right after J-DSUR menu option.
- It is marked enabled by default for Administrator Group.
- It is marked enabled by default during New Argus group creation.
- It is only displayed if Console > System Management > Enabled Modules > Japanese module is enabled.
- The following options are available:
 - Include listed and unlisted events
 - Include unlisted events only (default option)



- The Individual Report Common Line List menu is available under the Argus Safety > Reports > Periodic Reports menu.
 - This option appears under Reports > Periodic Reports right after the J-DSUR menu option.
 - This menu item is only available in Argus Safety when following conditions are met:
 Console > Access Management > Users > User Type of the current user is configured as ARGUS J USER.

Console > System Management > Enabled Modules > Japanese module is enabled.

Console > Access Management > Groups > Menus section for Argus Groups has Reports > Individual Report Common Line List marked Enabled for at least one user groups for the current user.

- Clicking on this menu in Oracle Argus Safety displays the existing Periodic Reports
 Library screen, which lists all the configured Seiyakukyo reports available in the system.
 - The functionality of this screen remains the same as existing except for the following:
 The page breadcrumb for the Periodic Reports Library screen for Seiyakukyo is displayed as: Reports > Periodic Reports > Serious, Unlisted AE Individual Case Communication Line List

The screen name for this screen is displayed as **Serious**, **Unlisted AE Individual Case Communication Line List**.

When you click the **Open** button for a submitted Seiyakukyo report whose configurable becomes non-editable, the following warning message is displayed: This configuration is not modifiable because the status of this Individual Case Communication Line List is Submitted

- Clicking New or Open buttons on Periodic Report Library screen for Seiyakukyo reports displays the Configuration screen for Seiyakukyo reports which has 5 tabs similar to the J-DSUR Configuration screen with following names. The Page Title text is: Individual Report Common Line List.
 - Subject of Report
 - Individual Report Common Line List
 - Scheduling
 - Security
- The Subject of the Report tab is the same as the existing Subject of the Report tab for J-DSUR.
- The Study Selection tab has the following functionality:

Field Name	Description
Filter	This button is available adjacent to the Available Clinical Compound Numbers text box to allow filtering the data in the Available Clinical Compound Numbers multi-select list box. When you click this button, the data is refreshed in the Available Clinical Compound Numbers multi-select list box based on the search text specified by you in the textbox. Like search is performed based on the text specified by you. For example, If you have specified ABC as the search text, it performs case-insensitive text for %ABC %. The maximum allowed length of the Filter textbox is 70 characters.
Available Clinical Compound Numbers	It lists distinct Clinical Compound Numbers for all the licenses which are configured in the Console application.
Selected Clinical Compound Numbers	This list box is populated based on your selection and removal of Clinical Compound Numbers by using Add and Remove buttons from/to the Available Clinical Compounds list box.
	This is a mandatory field. If it is not specified, and the OK button is clicked, an error message is displayed: Clinical Compound Number is not selected.
Available Study Products	This list box is auto-populated with Study ID, and Product Name.
	It displays all products configured in Console > Study Configuration from all study arms including the WHO drugs and J drugs (from the English screen and Japan screen).
	If a non-company drug is displayed in both English and Japan screens, then preference is given to the J drug name. That is, the Japanese values take preference to be displayed over the English values.
	For company drugs, preference is given to the Product Name (J) and appears in the Study ID - Product Name format. Like, Study A - Product 1, Study A - J drug 1.
Selected Study Products	This list box populates products based on your selection in the Available Study Products list.
	If you have neither selected Clinical Compound Number nor Study Product, then on click of OK , an error appears.
Add	This field allows you to move the selected item(s) from left hand list box to the right hand list box.
Add All	This field allows you to move all the items from the left hand list box to the right hand list box.



Field Name	Description
Remove All	This field allows you to move all the items from the right hand list box to the left hand list box.
Remove	This field allows you to move the selected item(s) from the right hand listbox to the left hand listbox.
Classifications for Clinical and Domestic Study Cases	It lists all the Case Classification (J) values from the Console code list. If J is not available, the corresponding English value is displayed.
	You can select multiple values in this list box by using Ctrl + Click and Shift + Click combinations.
	The first option in this list is always displayed as: All Case Classifications
	These case classifications are used for fetching the case data for Clinical and Domestic study cases reporting in Seiyakukyo report.
Classifications for Foreign "Ichihen" Study Cases	It lists all the Case Classification (J) value from the Console code list. If J is not available, the corresponding English value is displayed.
	You can select multiple values in this listbox by using Ctrl + Click and Shift + Click combinations.
	The first option in this list is always displayed as: All Case Classifications
	These case classifications are used for fetching the case data for Foreign Ichihen study cases reporting in Seiyakukyo report.

• Seiyakukyo Report tab has the following functionality:

#	Field Name	Description
1	Individual Report Common Line List	N/A
2	Common Configuration	N/A
3	Company Name or Company abbreviation	You can specify the value of the Company Name to be printed in the second column of Seiyakukyo report using this field.
		The maximum allowed length of this text box is 60 characters.
		It allows English as well as Japanese characters.
4	Section Footer Text	You can specify a text to be printed as footer text at the end of each section in the report output using this field.
		The maximum allowed length for this text box is 200 characters.
		It allows English as well as Japanese characters.



#	Field Name	Description
5	Available Additional Columns (CSV Only)	This field lists all the available additional fields that can be added to the Seiyakukyo report CSV output. These are not applicable to the Word output.
		The following fields are available in this list in the alphabetical order:
		ACK Number
		Blinded / Not Blinded
		Determined Causality
		Event Intensity
		Japan Information Receipt Date
		LLT
		MedDRA Version
		Number of times this report is submitted to PMDA
		Primary Disease
		Reported Causality
		Report Submission Date
		SOC
		Study Name
		Initial Receipt Date (J)
		Aware date
		Other References
		Patient ID
		Indication PT Term
		Description as Reported
		LLT Code
		PT Code
		SOC Code
6	Selected Additional Columns (CSV Only)	It lists all the selected additional fields that are added to the Seiyakukyo report CSV output. These are not applicable to the Word output.
		You can move items between Available and Selected Additional Columns using the Add and Remove buttons.
		While adding items, these items are listed in the same order in which they are added.
		You can move items up and down using Up and Down buttons.
		The Seiyakukyo report output includes these columns at the end in the same order as specified in this list.
7	Add	This field allows you to move the selected item(s) from the left hand list box to the right hand list box.
8	Remove	This field allows you to move the selected item(s) from the right hand listbox to the left hand listbox.
9	Up ^	This field allows you to move the selected item in the Selected Additional Columns , one position closer to top of the list.
10	Down V	This field allows you to move the selected item in the Selected Additional Columns , one position closer to the bottom of the list.



#	Field Name	Description
11	Clinical and Domestic Study Cases	N/A
12	Exclude events which were reported by paper report forms	If this check box is checked, all the events which are reported through paper reports are excluded.
		This logic is applicable only for Clinical and Domestic Study cases for which events are reported based on Expedited/E2B reports.
		It is unchecked by default.
13	Exclude Incompletion reports	If this check box is checked, all the events which are reported through Expedited/E2B reports where the value of J.6 (Mhlwadmicsrcompleteclass) = 1 (Incomplete) are excluded.
		This logic is applicable only for Clinical and Domestic Study cases for which events are reported based on Expedited/E2B reports.
		It is unchecked by default.
14	Include listed and unlisted events (new)	You can specify the criteria for printing the events under Regular and Domestic Study cases category using this field.
		This radio button is selected by default if the "Include only serious unlisted event" check box was not selected for the already configured reports.
15	Include unlisted events only (new)	You can specify the criteria for printing the events under Regular and Domestic Study cases category using this field.
		This radio button is selected by default:
		 For all new reports.
		 If the "Include only serious unlisted event" check box was selected for the already configured reports.
16	Foreign "Ichihen" Study Cases	N/A
17	Include foreign AE marked as "Not include for the report in Japan"	If this check box is checked, all the events in the cases which are marked as Not to be reported to Japan in the Case Form Events tab are also included.
		This logic is applicable only for Foreign Ichihen study cases for which events are reported based on case data directly.
		It is unchecked by default.



#	Field Name	Description
18	Append CIOMS reports	If this check box is checked, the CIOMS reports are created and added at the end of Seiyakukyo report output for all the cases which are printed under Foreign Ichihen Study Cases section. These CIOMS report are printed for the earliest Valid Japanese license for the first suspected product in the case. If the first suspected product does not have a Valid Japanese license, the next suspected product which satisfies this criterion is picked-up in the same order in which they are present in the case. Once the Seiyakukyo is generated as FINAL, these reports are listed in the Case under the Regulatory Reports tab in the similar manner as for English PSUR. These reports are added only in the PDF format (not in CSV), when the Seiyakukyo report is published. These reports are generated at the time of Seiyakukyo generation. The Generation Status dialog box displays the label Generating CIOMS reports for this task during the Seiyakukyo generation process. Although, generated at this stage, these CIOMS reports are visible to users after the Word format is published into PDF format. Even if you modify the Events/Cases printed in the application generated Word/CSV formats of Seiyakukyo report, the application still prints the CIOMS reports based on the application generated case list under Foreign Ichihen Study Cases section. It is unchecked by default.
19 DI	DLP support	It displays 2 options to allow support of DLP for fetching case data for Foreign Ichihen study case: Use Current Case Version and Use DLP Case Version .
		This radio button control is only displayed if DLP is enabled.
		Based on the PSR/ J-DSUR configuration for DLP, the report is executed accordingly using the latest Case Revision or using the DLP Case Revision.
		Use Current Case Version is always checked by default.

- The **Scheduling** tab is the same as the existing **Scheduling** tab for J-DSUR, except for the following:
 - The following date fields are not displayed as they are not applicable to the Seiyakukyo reports. All the validation checks related to these fields are also not applicable to the Seiyakukyo reports: Assigned Date
 - Clinical Study Plan Submit Date
 - Clinical Trial for Partial Change Plan Submit Date
 - The Start Date of first timeframe is editable as long as this timeframe is not submitted.
 However, the Start Date of second timeframes and onwards keep following the existing logic of being disabled and pre-populated as next day of the previous timeframe End Date.
- The Security tab is the same as the existing Scheduling tab for J-DSUR.

Report Output Format

This report prints information from the following types of study cases:

- Clinical and Domestic Study Cases
- Foreign Ichihen Study Cases
- The report output prints the events from these types as separate sections starting from new pages.
- Within each of these types, the report output prints the events for each of the configured Clinical Compound Numbers starting from new pages as well.
- Spontaneous cases are not included in the Foreign Ichihen section when the report is generated based on the study product.

Report Output Filter Criterion

For details about the report output filter criterion, refer to the *Oracle Argus Safety Report Mapping Guide > Japanese Periodic Reports > Japanese Seiyakukyo Line Listing Report document*.

Report Output Field Mappings

The report is generated in the following formats:

- · Line Listing Report
- Summary Report

For details about the report output field mappings, refer to the *Oracle Argus Safety Report Mapping Guide > Japanese Periodic Reports > Japanese Seiyakukyo Line Listing Report document.*

CSV Output Format

The Seiyakukyo report also supports printing in the CSV format.

- The Seiyakukyo configuration data is not printed in the CSV format. Only the main Seiyakukyo report output is printed in CSV format.
- The Report Title is put as the first value in the first row.
- All the event rows from the report output including the Header row are put in separate rows.
- The MedDRA J version and Section Footer Text are put as separate rows at the end, in the same way as the report output.
- Each cell value for a row is put as individual item within that row in the CSV format.
- All the comma characters and new line characters within a cell value are supported and maintained in the CSV format. It must not break that cell value into multiple items in CSV. This is achieved by using double quote characters for the cell values to escape such characters.
- All the double quote characters within a cell value are replaced by 2 double-quote characters in the CSV format.
- All valid Japanese characters as specified for the PMDA E2B file (Main ESM J SRS > 19.6.1 point # 15 (c)) are supported by this CSV format.
- Different sections related to different case types and Clinical Compound Numbers are separated by a single blank line.



Periodic Report Process Flow

The Seiyakukyo Periodic report is handled in the same manner as other Japanese Periodic reports - PSR/ReSD and J-DSUR.

All the actions that are applicable to the existing Japanese reports are supported for Seiyakukyo Periodic reports as well.

- All the configured Seiyakukyo reports are listed on the Periodic Report Configuration page.
- All the actions supported on the Periodic Report Configuration page for J-DSUR are supported for Seiyakukyo reports as well.
 - New Report
 - Copy
 - Modify
 - Delete
 - Print
- The **Print** dialog box for Seiyakukyo lists 2 output formats in the drop-down adjacent to the **Run Now** option Word and CSV. The Word output format is selected by default.
 - Choosing the Word format for the Run Now action and clicking the OK button displays the output of the Seiyakukyo reports in Word format in the similar manner as J-DSUR.
 - Choosing CSV format for Run Now action and clicking the OK button displays the Seiyakukyo reports in CSV format.
 - Irrespective of the format Word or CSV, if the report is executed as Final or Draft, it is available in the same format through the standard FINAL and DRAFT links in the row for that report on the Periodic Report Library screen. In case, you have executed the report with Internal and other options, it is available in the same format using the DRAFT link on the Periodic Repot Library screen.
 - No Watermark is put on the CSV format output. It is applicable only for the Word format output in the similar manner as J-DSUR.
 - If a Submitted report is attempted to be printed in the CSV format, the application displays the following error message with the **OK** button: The report is already submitted. You cannot print this report again in CSV format. However, for Word format, it prints the Configuration page only without any error message.
- All the Seiyakukyo reports are also listed on the Reports > Compliance > Periodic Reports screen.
- All the actions supported on Reports > Compliance > Periodic Reports screen for J-DSUR are supported for Seiyakukyo reports as well.
- The View and Edit Seiyakukyo dialog box (View Report right-click menu option) from Reports > Compliance > Periodic Reports screen, supports all the actions (in same manner as View and edit J-DSUR dialog box for J-DSUR) for Seiyakukyo Word as well as CSV formats.
 - View
 - Check-in
 - Check-out
 - Publish



- The View or Check-out option displays the Seiyakukyo report in the same format (Word or CSV) that is chosen/checked-in by you.
- You are allowed to check-out the report in one format (CSV) and check-in the file in other format (WORD).
- If you click the **Publish** button and the last checked-in file is in the CSV format, it displays the following warning message with **Yes** and **No** buttons: As this report exists in CSV format, it will not be converted into PDF format while publishing it. It will be published as it is in CSV format itself. Do you want to proceed?



5

Utilities


In this chapter:

MedDRA Browser

MedDRA Browser

• A new check box has been added in MedDRA browser "Include Non-current terms" as shown in the screenshot below. This is unchecked by default.


Figure 5-1 Case Form - MedDRA browser with Noncurrent terms option



- This check box is enabled only when MedDRA Browser is used for searching on local MedDRA dictionaries.
- When MedDRA Browser opens up to perform further searches on MedDRA Web Service, then this check box is unchecked and disabled.
- When the user searches for a term by marking "Include Non-current terms" check box, the system retrieves the matching non current terms along with the Current terms.
- The Non current LLT terms are displayed preceded with an asterisk (*) symbol separated by a space, in the search results grid as well as bottom section which displayed the selected term details. On clicking on non current term, system displays its PT, HLT, HLGT, and SOC terms. Note that existing application logic to determine non-currency of a term is either based on English or Japanese currency of the term in different scenarios. Hence, the asterisk (*) symbol that is displayed is appropriate.
 - If MedDRA J is not configured, then only English currency is used.

- If MedDRA J is configured and MedDRA Browser is opened from a Japanese base language screen, then only Japanese currency is used.
- If MedDRA J is configured, MedDRA Browser is opened from an English base language screen (for English as well as Argus J user), and Country of Incidence is Japan, then English as well as Japanese currency is used.
- If MedDRA J is configured, MedDRA Browser is opened from an English base language screen (for English as well as Argus J user), and Country of Incidence is not Japan, then only English currency is used.
- On selecting a noncurrent term in the MedDRA browser by clicking 'Select' button, the following message is displayed:
 Selected term is a non-current term in the MedDRA dictionary. Please select a current term.
- The MedDRA Browser print PDF also displays the asterisk (*) symbol in front of the noncurrent LLT.

Figure 5-2 Case Form - MedDRA browser Print



- The MedDRA Browser print PDF displays the footnote as follows in the Print PDF report:
 Non-current MedDRA term
- The following common profile switches are added to Common Profile > Case Processing
 Dictionary Browser



Profile Switch	Attributes	Description
Allow User to Add Non-Current MedDRA Terms for	Option 1:	Default Value: Option 2
	Case irrespective of Country of Incidence Option 2: Case where Country of Incidence is other than Japan	If the default value is configured, then:
		For the COI other than Japan - You can select a MedDRA LLT term for which LLT (J) is non-current as it does today i.e. based on English currency. For the COI as Japan - The existing application behavior remain same, and if you add a LLT with Non-current LLT(J), an error message appears (for both English and Japanese users).
		If Option 1 is configured, then:
		Irrespective of COI of the case both English and Japanese users are allowed to add a LLT to the case for which LLT (J) is non-current i.e. based on English currency.
		An icon indicator appears for the Non-current LLT (J) term in the English version of the Case Form similar to the Japan version for both English and Japanese users.
On change of LLT Term Sync English and Japan LLT's, irrespective of the currency	Option 1:	Default Value: Option 2
	Yes	If the default value is configured, then:
	Option 2: No This profile switch is enabled only if the profile switch "Allow User to Add Non-Current Meddra Terms for" is configured to Option 1.	If J user updates the non-current LLT (J) to a current LLT (J), then the LLT (E) is not updated for the same PT. If J user updates the non-current LLT (J) to a non-current LLT (J), then the LLT (E) is updated for the same PT.
		If Option 1 is configured, then:
		For Globally Unlocked Case - If J user tries to update the LLT (J), then the corresponding LLT (E) is also updated.
		For Globally Locked - Locally unlocked Case - The J is not allowed to update the LLT (J) irrespective of the MedDRA currency, and an error message is displayed:
		Case is Globally locked, hence user is not allowed to update the LLT(J) term.

- Any changes to these profile switches are audit logged.
- The behavior of these profile switches for MedDRA encoding is applicable for both internal MedDRA encoding, and MedDRA encoding using Web-services.

Note:

As per the MedDRA guidelines such LLT term can never exist in MedDRA Dictionary as LLT (E) is non-current but LLT (J) is current, and hence the application is not required to handle it.

Besides, the terms for which LLT (E) and LLT(J) both are non-current are never allowed to be entered or updated in the case irrespective of the value of the switches.