

Oracle Life Sciences Empirica

Manage Empirica Cloud Users with Oracle IDCS



Release 9.2.2.1
F82924-01

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Life Sciences Empirica Manage Empirica Cloud Users with Oracle IDCS, Release 9.2.2.1

F82924-01

Copyright © 2002, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Documentation accessibility	iv
Related resources	iv
Access to Oracle Support	iv
Additional copyright information	iv

1 Introduction

2 Onboard users into Oracle Empirica Signal

Typical workflow for onboarding users	2-1
Review the Default User Profile in Oracle Empirica Signal	2-1
Create the user's account	2-2
Provide access to the Oracle Empirica Signal application	2-2
Adjust the user's Oracle Empirica Signal account details	2-2
Enable federated user access	2-3
Remove access to Oracle Empirica Signal	2-3

Preface

This preface contains the following sections:

- [Documentation accessibility](#)

Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Related resources

All documentation and other supporting materials are available on the [Oracle Help Center](#).

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through Support Cloud.

Contact our Oracle Customer Support Services team by logging requests in one of the following locations:

- English interface Customer Support Portal (<https://hsgbu.custhelp.com/>)
- Japanese interface Customer Support Portal (<https://hsgbu-jp.custhelp.com/>)

You can also call our 24x7 help desk. For information, visit <https://www.oracle.com/life-sciences/support/> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Additional copyright information

This documentation may include references to materials, offerings, or products that were previously offered by Phase Forward Inc. Certain materials, offerings, services, or products may no longer be offered or provided. Oracle and its affiliates cannot be held responsible for any such references should they appear in the text provided.

1

Introduction

Starting with Oracle Empirica Signal version 9.2.1, Oracle Health Sciences Empirica Signal is integrated with Oracle Identity Cloud Service.

Oracle Identity Cloud Service (IDCS) manages user credentials by providing a single username and password for each user valid across all enabled Cloud Services, regardless of the number of different applications or environments the user has access to.

Integration with Oracle IDCS provides enterprise controls for automating account provisioning, simplifying the user experience for accessing the Oracle Empirica Signal application by providing seamless integration with enterprise identity stores and authentication services, and facilitating compliance activities by clearly reporting on cloud application usage. For more information on Oracle IDCS, refer to Oracle Identity Cloud Service Documentation.

Although user accounts are managed using Oracle Identity Cloud Service, application-specific user roles and permissions are still defined in the Oracle Empirica Signal administrative user interface (UI).

2

Onboard users into Oracle Empirica Signal

Here are the tasks that user administrators perform to onboard users into Oracle Empirica Signal using Oracle Identity Cloud Service (IDCS).



Note:

For details on managing users with IDCS, see the Oracle Identity Cloud Service documentation, available from the IDCS console dashboard and on the Oracle Help Center.

Typical workflow for onboarding users

Task	Where performed	Description
Review the Oracle Empirica Signal default user profile.	Oracle Empirica Signal	Choose the settings for the default user profile. This profile will be applied to all users provisioned through IDCS. See Review the Default User Profile in Oracle Empirica Signal .
Create users in Oracle Identity Cloud Service.	Oracle Identity Cloud Service	Create IDCS user accounts for users.
Provide users access to Oracle Empirica Signal.	Oracle Identity Cloud Service	Assign the Signal group to provide access to Oracle Empirica Signal .
Fine tune users using Oracle Empirica Signal.	Oracle Empirica Signal	After the IDCS users are provisioned in Oracle Empirica Signal, if necessary, you can adjust the permissions assigned to them using the administration tools in Oracle Empirica Signal.

Review the Default User Profile in Oracle Empirica Signal

Before adding Oracle Empirica Signal users, the Oracle Empirica Signal Customer Administrator must review the Default User Profile defined in the Oracle Empirica Signal application for all application instances, such as UAT and PROD.

In the Oracle Empirica Signal application, you select a specific user profile to be the Default User Profile, as described in *Set site options* in the Oracle Empirica Signal *User Guide and Online Help*. All new Oracle Empirica Signal users provisioned via Oracle Identity Cloud Service automatically receive the user settings defined in the Default User Profile. Therefore, the Oracle Empirica Signal Customer Administrator should ensure the following Default User Profile settings reflect the intended standard configuration for all users.

- The login group
- The quota setting
- The roles and permissions
- The user preference settings

Create the user's account

If the Oracle Identity Cloud Service account doesn't exist, create it.

For details on creating users in IDCS, see [Create user accounts](#) in *Administering Oracle Identity Cloud Service*.

Provide access to the Oracle Empirica Signal application

To provide users access to Oracle Empirica Signal add them to the Signal group in Oracle Identity Cloud Service.

Groups and applications in IDCS are created by default to correspond to each customer environment and instance.

Note:

Do not modify the default groups that have been created for Oracle Empirica Signal. You can identify these groups by the group name, which uses the naming convention described below.

Oracle Empirica Signal group naming convention:

```
hs-{productcode}[-{servicename}][-{env}]-{unique}
```

Examples:

- hs-esi-esg-prod
- hs-esi-esg-uat

You can add one or more users to a group from the Groups page, assign an individual user to one or more groups from the Users page, or import users.

Note:

For full details on managing users, groups, and applications with IDCS, see the Oracle Identity Cloud Service documentation, available from the IDCS dashboard and on the Oracle Help Center.

Adjust the user's Oracle Empirica Signal account details

The new Oracle Empirica Signal user is created in the application environment with standard user settings according to the Default User Profile.

If the individual requires non-standard user settings, you can adjust the following in Oracle Empirica Signal:

- Change the login group, roles, and permissions assigned to the user.
- (Optional) To use the Oracle Empirica Topics feature, add the user to one or more work teams and assign work team permissions to the user.

For details on assigning and changing roles, permissions, and work teams, see *Ways to administer users* in the *Oracle Empirica Signal User Guide and Online Help*.

Enable federated user access

You can enable users with federated accounts, such as IAMS, to access Oracle Empirica Signal using their federated SSO.

Users who have federated SSO accounts, such as Oracle Health Sciences Identity and Access Management Service (IAMS), can use their federated accounts to sign in to Oracle Empirica Signal. To enable federation you must:

1. Ensure the user has an IDCS account. If necessary, [create the users account in IDCS](#).
2. Ensure the user profile is set to Federated. You can set this attribute when importing users into IDCS, or from the Users page in the IDCS console. See [View Details About User Accounts](#) and [Import User Accounts](#) in *Administering Oracle Identity Cloud Service*.

Remove access to Oracle Empirica Signal

To eliminate a user's ability to access Oracle Empirica Signal, remove the user from the appropriate group in IDCS.

1. Remove the user(s) from the appropriate Oracle Empirica Signal group in IDCS. You can remove one or more users from a group from the Groups page, or remove an individual user from one or more groups from the Users page.

See [Manage Oracle Identity Cloud Service Users](#) in *Administering Oracle Identity Cloud Service*.
2. If the user you are removing has one or more objects assigned in Oracle Empirica Signal, you must also purge the user in the Oracle Empirica Signal application. See *Purge users* in the *Oracle Empirica Signal User Guide*.

Change log

Date	Part number	Description
August 2023	F82924-01	For 9.2.2.1 release: <ul style="list-style-type: none">• Rebranded product and book title.• Updated the Cloud Support link in the Preface.• Updated the Change log.
August 2022	F58552-02	Fixed broken links.
July 2022	F58552-01	Original version.