# Oracle Life Sciences Data Hub Installation Guide





Oracle Life Sciences Data Hub Installation Guide, Release 3.4.2

G30321-02

Copyright © 2017, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

P	r	Δ	fa	$\mathbf{c}$	Δ
	ı٠	$\Box$	ια	u	C

Documentation accessibility	V
Diversity and Inclusion	V
Related resources	V
Access to Oracle Support	V
Revision History	Vi
Before You Begin	
Check for the Most Recent Information	1-1
Get Your Company ID from Oracle	1-1
Assemble the Software	1-2
Download the Oracle LSH Folder	1-2
Download Software to a Staging Area	1-3
Assemble the Documentation	1-4
Books	1-4
My Oracle Support Articles	1-4
System Requirements and Technology	1-4
Upgrading to Oracle LSH 3.4.2	1-5
Other Document Related to Oracle Life Sciences Data Hub	1-5
System Requirements and Technology Stack	
System Requirements	2-1
Operating Systems	2-1
Database Tier	2-1
Application Tier	2-2
Clients	2-2
Hardware	2-2
Technology Stack	2-3
Integrated External Systems	2-4



# 3 Upgrade Oracle TMS Database to Release 5.4.1

# 4 Upgrade to Oracle LSH 3.4.2

Run the Start Maintenance Script	4-1
Stop Server Processes	4-2
Back Up the Oracle E-Business Suite Database	4-2
Database Tier Preinstallation Steps	4-2
Abort the Long-Running Jobs	4-2
Cancel the Sessions Holding Locks on Application Objects	4-2
Disconnect Blocking Sessions	4-3
Upgrade to Oracle LSH 3.4.2	4-3
Install the CdrRuntime.jar File	4-4
Run the Post-Installation Programs	4-5
Log On to Oracle Applications	4-5
Load the Adapter Files	4-6
Run the Post-Installation Concurrent Program	4-7
Grant Security Rights to Seeded Adapters	4-8
Remove EBS Audit and Create New Auditing Process	4-8
Configure Automated Workarea Tablespace Creation	4-9
Post-Upgrade Database Tasks	4-10
Set Up the Distributed Processing Server	4-12
Create the Distributed Processing Server User Account	4-12
Install the Distributed Processing Server	4-12
Secure Distributed Processing Server Files	4-14
Set NLS_LANG to UTF8	4-14
Windows	4-14
UNIX	4-14
Copy and Edit Files	4-14
Copy DP Server Files	4-15
Edit the DP Server Start Script	4-15
Make Scripts Executable	4-16
Copy RTF Template Files for XML Publisher	4-16
Copy, Edit, and Grant Permissions to Execution Command Files for Processing Engines	4-16
Define Service Locations and Services	4-18
Start the Distributed Processing Server	4-19
Start the Message Queue	4-22
Restart and Enable the Job Queue	4-22
Run the Stop Maintenance Script	4-22
Start Server Processes	4-22
Run the Health Check Scripts	4-23



Migrate Secure File	4-23
Initiate the Secure File Migration of CDR_INSTALLATION_LOG	4-24
Monitor the Secure File Migration of CDR_INSTALLATION_LOG	4-24
Post Secure File Migration Task for CDR_INSTALLATION_LOG	4-25
Initiate the Secure File Migration of CDR_OUTPUT_BLOBS	4-27
Monitor the Secure File Migration of CDR_OUTPUT_BLOBS	4-27
Post Secure File Migration Task for CDR_OUTPUT_BLOBS	4-28
Initiate the Secure File Migration of CDR_OUTPUT_CLOBS	4-30
Monitor the Secure File Migration of CDR_OUTPUT_CLOBS	4-30
Post Secure File Migration Task for CDR_OUTPUT_CLOBS	4-31
Initiate the Secure File Migration of CDR_INSTALL_SCRIPTS	4-33
Monitor the Secure File Migration of CDR_INSTALL_SCRIPTS	4-33
Post Secure File Migration Task for CDR_INSTALL_SCRIPTS	4-34
Migrate Secure File for DME_DISC_CSV_FILES	4-36
What's Next	
Architecture Overview	
Client Tier	A-1
Application Tier	A-2
Database Tier	A-2
Adapters to External Systems	A-3
Source Data Systems	A-4
Data Transformation and Reporting Tools	A-5
Visualization Tools	A-5



### **Preface**

This preface contains the following sections:

- Documentation accessibility
- Diversity and Inclusion
- · Related resources
- Access to Oracle Support
- Revision History

# Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

# **Diversity and Inclusion**

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

# Related resources

All documentation and other supporting materials are available on the Oracle Help Center.

# Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info</a> or visit <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs</a> if you are hearing impaired.



# **Revision History**

Release Month, Version	Description
July 2025, Version 2	Updated the script from (\$CDR_TOP/patch/115/sql/cdrwatblspcinsmtdt.sql to @\$CDR_TOP/patch/115/sql/cdrwatblspcinsmtdt.sql in step 2 under Configure Automated Workarea Tablespace Creation.
April 2025, Version 1	Initial release



1

# Before You Begin

If you are upgrading from a previous release, you may only need to check for the most recent information, assemble the software, and upgrade to 3.4.2.

This section includes the following topics:

- Check for the Most Recent Information
- Get Your Company ID from Oracle
- Assemble the Software
- Assemble the Documentation

## Check for the Most Recent Information

It is critical that you check that you have the most current information before you begin the installation process.

- Latest Release Notes: For the most recent version of the Release Notes, see Oracle Life Sciences Data Hub and Oracle Life Sciences Data Management Workbench Release Notes (Document ID 3079140.1) on My Oracle Support.
- Known Installation and Configuration Issues: For up-to-date information, see Oracle
  Life Sciences Data Hub, Oracle Life Sciences Data Management Workbench, and Oracle
  Clinical Development Analytics Known Install and Configuration Issues (document ID
  1138053.1) on My Oracle Support.
- Latest Critical Patch Updates and Technology Stack Updates: To get the latest
  information on the technology stack and for the latest quarterly Oracle Critical Patch
  Update (CPU) certified with Oracle LSH, see Oracle Life Sciences Applications Supported
  Technology Stacks (Document ID 180430.1) on My Oracle Support. This CPU patch
  includes security fixes and should always be up-to-date.

# Get Your Company ID from Oracle

When you install Oracle LSH, you need to enter a parameter value for the company ID. The company ID serves as part of the primary key for all the Oracle LSH objects you define in this instance of Oracle LSH. If your company ever merges with another company and your Oracle LSH data and metadata are merged with the data of another company, the company ID distinguishes the objects created in each original company and prevents duplicate object primary keys.

To ensure that you have a unique number relative to other Oracle LSH customers, Oracle recommends that you use a number assigned to you by Oracle. Company IDs are tracked in an Oracle bug that is not publicly viewable. Contact Oracle Support or ask your consultant to reserve a range of ten numbers for your company. You can use these numbers for:

- Your company ID. If you have multiple instances of Oracle LSH, Oracle recommends using a different company ID for each instance.
- The tech type ID of any adapters your company may create.

### Assemble the Software

Use the technology stack product versions mentioned in this document. Even if newer versions of the technology stack products become available, they may not be compatible with Oracle LSH.

- Download the Oracle LSH Folder
- Download Software to a Staging Area

### Download the Oracle LSH Folder

Oracle LSH, Oracle Life Sciences Data Management Workbench (Oracle DMW), and their technology stacks are contained on the **Oracle Life Sciences Data Management Workbench 3.4.2** media pack for various platforms.

To receive a physical media pack with all the required DVDs, contact Life Sciences Support. To expedite your request, you can call Oracle Support directly or open a Service Request (SR) selecting problem category: **Version Update Request**.

To download the media pack from eDelivery:

- 1. Go to Oracle Software Delivery Cloud, http://edelivery.oracle.com, click **Sign In**, and log in with your user ID.
- Select Download Package from the All Categories drop-down list (or leave All Categories selected). Enter Oracle Life Sciences Data Management Workbench in the Search field and click Search.
- Select DLP: Oracle Life Sciences Data Management Workbench 3.4.2.0.0 and click Add to Cart.
- 4. Click **Checkout**. You see a list of the selected software:
  - Oracle Life Sciences Data Management Workbench 3.4.2.0.0 (Oracle Standard Terms and Conditions)
  - Oracle Life Sciences Data Hub 3.4.2.0.0
  - Oracle Life Sciences Data Management Workbench 3.4.2.0.0
- **5.** From the **Platform** drop-down list, select the appropriate operating system.
- 6. Click Continue.
- 7. Review the Terms and Restrictions and select I reviewed and accept the Oracle License Agreement to continue. (Click Print from the top-right corner of the screen to print the agreement.) Click Continue. You see a list of zipped files for the Oracle Life Sciences Data Hub <your operating system> 3.4.2 release and Oracle Life Sciences Data Management Workbench <your operating system> 3.4.2 release:
  - Oracle Life Sciences Data Hub 3.4.2
  - Oracle Life Sciences Data Management Workbench 3.4.2
- 8. Leave the list of zipped files selected to download the package of Oracle Life Sciences Data Management Workbench 3.4.2.0.0 files or only select the files you need.
- Click **Download**. Then browse to the location where you want to save the Oracle executable.
- **10.** Double-click the Oracle executable. Leave the default destination or click **Browse** to select another one. Click **Next**. Oracle downloads the zipped files.



- Move the zipped files to a staging area and unzip them. The full release contains a software folder for Oracle DMW (p37117482\_34200\_Generic.zip) and Oracle LSH (p37117489\_R12\_GENERIC.zip).
- 12. See Download Software to a Staging Area for details on downloading the software.

### Download Software to a Staging Area

Creating a staging area is recommended, but not mandatory.

To set up the staging area successfully, create a directory for each disk in the media pack and then download and expand all the files that comprise a single disk in the media pack to the same location.

See the spreadsheet on the documentation disk for a list of patches and their location on the media pack.

To download patches from My Oracle Support, go to https://support.oracle.com.



See My Oracle Support article 1138053.1, Oracle Life Sciences Data Hub and Oracle Clinical Development Analytics Known Install and Configuration Issues for the latest information.

Table 1-1 Software to Download for Oracle LSH and Oracle DMW

Disk or Patch Name	Source	ID Number
Oracle E-Business Suite Release 12.2 software distribution	Media pack	15 disks
Oracle Database 19c for Linux	Media Pack	V982063-01
Oracle Thesaurus Management System 5.4.1	eDelivery	For information on how to download the Oracle TMS 5.4.1 media pack from eDelivery, see Oracle Thesaurus Management System Installation Guide for release 5.4.1.
Oracle Life Sciences Data Hub 3.4.2	Media Pack	37117489
Oracle E-Business Suite SDK patch	Media Pack	27723788
NOT ABLE TO ADD HTTPS URL TO FAVORITES LINK IN 12.1.2. HTTP IS PRE-PENDED TO URL	My Oracle Support	11781531
FND_NO_DATABASE_CONNECTION	My Oracle Support	11832737
Oracle Database 19c; for a list of patches required, see My Oracle Support article 1058763.1.	My Oracle Support	2580629.1, 2530680.1, and 2617850.1

If you use Oracle Life Sciences Data Management Workbench, download the following software to a separate application server. For system requirements, see the *Oracle Life Sciences Data Management Workbench Installation Guide*.



Table 1-2 Software to Download for Oracle DMW

Disk or Patch Name	Source	ID Number
Oracle WebLogic Server 12.2.1.4 and Coherence for Linux x86	Media Pack	p30188255_122140_G eneric.zip
ADF patch	My Oracle Support	32588679
Oracle Life Sciences Data Management Workbench 3.4.2	Media Pack	37117482

### Assemble the Documentation

Installing Oracle LSH is a complex process because it includes installing, upgrading, and patching a number of other products. This book guides you through the process, but refers you to the documentation for other products along the way.

Oracle recommends that you gather all the documentation you will need and read it before you begin the process of installing Oracle LSH.

- Books
- My Oracle Support Articles

### **Books**

The books you need to install the technology stack are included in the media pack.

You can also find PDF and HTML copies online; see Documentation accessibility.

In addition to this guide, you need:

- Oracle Life Sciences Data Hub System Administrator's Guide Release
- Oracle Thesaurus Management System Installation Guide Release 5.4.1

The rest of the Oracle LSH user documentation is also included. However, you should check Oracle Help Center for the most current versions.

### My Oracle Support Articles

The My Oracle Support Web site contains links to the most recent patches and updates for Oracle products. This section lists all the My Oracle Support articles listed in subsequent sections of this guide so that you can copy all of them to one place. See Documentation accessibility.

- System Requirements and Technology
- Upgrading to Oracle LSH 3.4.2
- Other Document Related to Oracle Life Sciences Data Hub

### System Requirements and Technology

System Requirements and Technology Stack references the following My Oracle Support articles:

180430.1, Oracle Life Sciences Applications Supported Technology Stacks



### Upgrading to Oracle LSH 3.4.2

Upgrade to Oracle LSH 3.4.2 references the following My Oracle Support article:

- 1320300.1, Oracle E-Business Suite Release Notes, Release 12.2
- 2495027.1, Oracle E-Business Suite Release 12.2.9 Readme
- 396009.1, Database Initialization Parameters for Oracle E-Business Suite Release 12
- 2580629.1, Interoperability Notes: Oracle E-Business Suite Release 12.1 with Oracle Database 19c
- 2530680.1, Using Oracle 19c RAC Multitenant (Single PDB) with Oracle E-Business Suite Release 12.1 (for an Oracle RAC environment)
- 3019034.1, How To Apply Patches for LSH/DMW in Downtime Mode

### Other Document Related to Oracle Life Sciences Data Hub

The following related document is available on My Oracle Support:

 LSH: Life Sciences Data Hub (LSH) Summary of Patches Available (Document ID 1376925.1)



# System Requirements and Technology Stack

This section contains the following topics:

- System Requirements
- Technology Stack
- Integrated External Systems

# System Requirements

This section includes some general requirements for your Oracle Life Sciences Data Hub installation. For requirements on other products you need to install, see the documentation that came with them.

The general requirements topics include:

- Operating Systems
- Hardware

## **Operating Systems**

To get the latest information on the technology stack, see *Oracle Life Sciences Applications Supported Technology Stacks* (Document ID 180430.1) on My Oracle Support.

This section includes the following topics:

- Database Tier
- Application Tier
- Clients

### **Database Tier**

The Oracle LSH database tier can be installed on the following platforms:



To get the latest information on the technology stack, see *Oracle Life Sciences Applications Supported Technology Stacks* (Document ID 180430.1) on My Oracle Support.

- Linux x86-64 (64-Bit):
  - Oracle Enterprise Linux 7.4 or later, and 8.x
  - Red Hat Enterprise Linux 7.4 or later, and 8.x



The database global name cannot be greater than 64 characters.

### **Application Tier**

You can install the Oracle LSH application tier on the following platforms:



To get the latest information on the technology stack, see *Oracle Life Sciences Applications Supported Technology Stacks* (Document ID 180430.1) on My Oracle Support.

Linux x86-64 (64-Bit):

- Oracle Enterprise Linux 7 or 8
- Red Hat Enterprise 7.x or 8.x

#### Clients

Oracle LSH supports the following browsers on Microsoft Windows operating systems:

- Google Chrome: Tested using version 135.0.7049.85 (Official Build) (64-bit).
   Version 109.0.5414.120 (Official Build) (64-bit) and later are supported.
- Mozilla Firefox: Tested using version 137.0.1 (64-bit).
  - Version 109.0.1 (64-bit) and later are supported.
- Microsoft Edge Chromium: Tested using version 135.0.3179.73 (Official Build) (64-bit).
   Version 111.0.5500.0 (Official Build) (64-bit) and later are supported.

For Oracle JRE, Oracle LSH supports the same versions as Oracle E-Business Suite 12.2.9. To get the latest information:

- 1. Go to My Oracle Support at https://support.oracle.com and sign in.
- Click the Certifications tab.
- 3. In the Search area, enter Oracle E-Business Suite for Product and 12.2.9 for Release, and click Search.
- 4. In the Search Results page, expand Management and Development Tools.
- 5. Check the Oracle JRE versions displayed and click the link to see more.

### Hardware

Oracle Applications 12.2.9 and Oracle Database 19c can be installed on the same or different servers.

In addition, you need one computer running on Windows for use in installing Oracle Thesaurus Management System (Oracle TMS). You will not need this computer for Oracle LSH after installing Oracle TMS except to install any Oracle TMS patches that may be required in the

future. You need at least one Windows computer if you plan to use Oracle Analytics Server to define Business Areas and create data visualizations (Oracle Analytics Server Answers). You can use the same Windows computer for Oracle Analytics Server and Oracle TMS.

Note:

Oracle LSH does not support a Windows server for SAS.

In an installation where the application and database tiers are installed on different computers, those computers are typically connected by a local area network (LAN), while the application-tier computer is connected to clients in a wide area network (WAN).

Using Real Application Clusters (RAC) to install the database over several nodes is optional.

Oracle LSH uses Oracle XML Publisher (which is bundled with Oracle Applications) to generate PDF-format Report Sets. If you plan to use this feature and if your Report Sets are very large, you may want to dedicate one node to Oracle XML Publisher processing.

For system hardware requirements see the documentation for each component; see Assemble the Documentation.

#### In addition:

- The TCP/IP network connection to the server should be at least at 1 GB.
- Be sure to allow for growth in database storage capacity.
- Oracle recommends installing a test environment as similar as possible to the production environment, including all operating system and other patches and updates.

# **Technology Stack**

To get the latest information on the technology stack, see *Oracle Life Sciences Applications Supported Technology Stacks* (Document ID 180430.1) on My Oracle Support. At the time of publication of this document, the required technology stack for Oracle LSH consists of the following products:

Oracle Applications 12.2.9



Oracle Life Sciences Data Hub has been tested ONLY on Release 12.2.9 of Oracle Applications. Do not install more recent releases unless explicitly instructed to do so by an Oracle Life Sciences Data Hub note or alert on My Oracle Support.

- Java Development Kit (JDK) 1.8.0\_281 or later is required for the Oracle LSH Distributed Processing Server.
- Oracle Database 19c
- XML DB, which is included with the 19c database, is required for Oracle LSH.
- Oracle Thesaurus Management System 5.4.1 Database Tier is used internally for the Oracle LSH classification system.



- A zip utility and Java Development Kit (JDK) 1.8.0\_281 or later are required for the Oracle LSH Distributed Processing Server.
- WinZip or 7-Zip is required on clients used by Oracle LSH developers who launch integrated development environments (IDEs) such as SAS or the Oracle BI Administration Tool on their PC. Neither of these utilities is included on the media pack.
   For WinZip, use Pro 11.2 SR-1, WinZip 8.1, or any other WinZip version that includes WZUNZIP.exe.

# **Integrated External Systems**

Oracle LSH includes adapters to support integration with the following external systems.

- Oracle Clinical 5.2.2, 5.4, and 5.4.1
- SAS 9.1.3, SAS 9.2, SAS 9.3, and SAS 9.4: Optional and licensed separately.
- Oracle Business Intelligence Enterprise Edition (OBIEE) 12.2.1.4 can be used to create
  OBIEE visualizations of Oracle LSH data. Optional and licensed separately. The OBIEE
  Presentation Server, OBIEE Server, and the OBIEE Administrator's Tool are required if you
  are using Oracle Analytics Server. The latter two run on Windows only.



3

# Upgrade Oracle TMS Database to Release 5.4.1

Oracle LSH uses Oracle Thesaurus Management System (Oracle TMS) 5.4.1 database tier internally for its classification system. For more information, see Oracle Thesaurus Management System Installation Guide for release 5.4.1.

Users who runs Oracle LSH APIs that insert, delete, or modify Oracle LSH classification hierarchies and terms (LSH Classification Admin tasks) need security access for their Oracle LSH database account to the TMS instance that is installed as part of Oracle LSH. See "Creating Database Accounts" in the *Oracle Life Sciences Data Hub System Administrator's Guide* for further information.

#### Note:

If you have installed RAC and you have Load Balancing and Failover enabled, the database connection may change from one node to another on the server side. To avoid this problem, shut down all but one database node for the duration of the TMS installation.

If you are using an Oracle TMS release prior to 5.4.1, you must upgrade Oracle TMS database components required to support the Oracle LSH classification system to release 5.4.1.

To upgrade to Oracle TMS release 5.4.1:

- 1. Upgrade the Oracle TMS Database Server Code on a Windows computer as described in Oracle Thesaurus Management System Installation Guide for release 5.4.1.
- 2. Upgrade the Oracle TMS Database to 5.4.1 as described in Oracle Thesaurus Management System Installation Guide for release 5.4.1.

4

# Upgrade to Oracle LSH 3.4.2

To upgrade from Oracle LSH releases 3.3.x and 3.4.x to Oracle LSH release 3.4.2, follow instructions in the following topics:

- Run the Start Maintenance Script
- Stop Server Processes
- Back Up the Oracle E-Business Suite Database
- Database Tier Preinstallation Steps
- Upgrade to Oracle LSH 3.4.2
- Install the CdrRuntime.jar File
- Run the Post-Installation Programs
- Post-Upgrade Database Tasks
- Set Up the Distributed Processing Server
- Run the Stop Maintenance Script
- Start Server Processes
- Run the Health Check Scripts
- Migrate Secure File

# Run the Start Maintenance Script

Before you upgrade any of the software, follow the steps in this procedure to start the maintenance activity.

To run the Start Maintenace script:

- Download or copy the maintenance start script file from the Oracle LSH application server (EBS Middle Tier server) \$CDR\_TOP/patch/115/sql/cdrmaintstart.sql to the database server's ORACLE\_HOME location or any other preferred location.
- From the database server, log in to SQL\*Plus (not SQL Developer) as the APPS database user
- 3. Enter this command to stop the study health monitor scheduler:

```
SQL> EXECUTE DBMS_SCHEDULER.DISABLE('STUDY_HEALTH_REFRESH', FORCE
=> TRUE);
```

4. Enter this command to execute the script:

```
SQL> @cdrmaintstart.sql
```

Check the log file.

The log file validates the success of the Start Maintenance process and provides a maintenance ID. For example, it lists messages to show what it found up and running and what it stopped (such as the message queue and job queue).

# **Stop Server Processes**

This step is required for all upgrade paths.

Before you begin the upgrade, stop the following servers:

- Oracle LSH Distributed Processing (DP) Server
- Application Server

# Back Up the Oracle E-Business Suite Database

Oracle recommends that you make a cold backup of the Oracle E-Business Suite database in case you encounter problems during the upgrade process. You can use the backup to restore the database (if necessary).



Shut down the database using the NORMAL option to ensure you can use the backup to restore the database. Do not use the IMMEDIATE or ABORT option to shut down the database.

# Database Tier Preinstallation Steps

This section contains the following topics:

- Abort the Long-Running Jobs
- Cancel the Sessions Holding Locks on Application Objects
- Disconnect Blocking Sessions

### Abort the Long-Running Jobs

- Log in to SQL\*Plus as apps.
- 2. Run the following query to find the long running jobs:

```
select * from cdr_jobs where job_status_rc like '%EXECUTING%';
```

- 3. Log in to the Oracle LSH application.
- 4. Navigate to Life Sciences Data Hub > Job Execution.
- 5. Search for the job using the job ID and cancel it.

### Cancel the Sessions Holding Locks on Application Objects

1. Run the following query:

```
SELECT 'alter system kill session'||''''||sid||','||serial#||''''||' immediate;'from v$session where sid in ( select session id FROM
```

```
sys.dba_ddl_locks
WHERE (name like 'CDR_%' or name like 'DME_%') );
```

2. Run the alter statement to cancel the active sessions.

# **Disconnect Blocking Sessions**

Before you upgrade, check for and stop any current database sessions.

1. If WebLogic Server is running, stop it. See *Oracle® Fusion Middleware Administering Server Startup and Shutdown for Oracle WebLogic Server* (12.2.1.4) at https://docs.oracle.com/en/middleware/fusion-middleware/12.2.1.4/asadm/starting-and-stopping.html#GUID-B57BE53D-F90C-42FB-9B73-27A06AE3768B.

Log files for the AdminServer and the DMWServer are located in:

```
middleware home/user projects/domains/DMWDomain/servers/AdminServer/logs
```

#### and

middleware home/user projects/domains/DMWDomain/servers/DMWServer/logs

- 2. Log in to SQL\*Plus as apps.
- 3. Run the following guery to find current sessions:

```
SELECT 'USER: '||s.username||' SID: '||s.sid||' SERIAL #: '||S.SERIAL#
"USER
HOLDING LOCK", s.inst_id
FROM gv$lock l
,dba_objects o
,gv$session s
WHERE l.idl = o.object_id
AND s.sid = l.sid
AND o.owner = 'CDR'
AND o.object_name = 'DME_DISC_WORKTABLIST';
```

This guery returns the user, SID, serial number, and instance ID of each current session.

4. Disconnect each current session, passing in the SID and serial number:

```
alter system disconnect session 'SID, serial_number' IMMEDIATE
```

# Upgrade to Oracle LSH 3.4.2

You must upgrade to Oracle LSH 3.4.2 as a patch to Oracle Applications. The patch **37117489** is on the media pack.



The information on how to install the patch and set up the cleanup job are covered under document IDs 3019034.1 and 2925664.1 respectively on My Oracle Support. Contact Life Sciences Support to get these documents.

- Locate p37117489 R12 GENERIC.zip in the staging area.
- 2. Unzip p37117489 R12 GENERIC.zip to \$NE BASE/EBSapps/patch.
- Apply the patch. For information on how to apply the patch, see How To Apply Patches for LSH/DMW in Downtime Mode (Document ID 3019034.1) on My Oracle Support.
- 4. As an APPS user, run the following script:



While executing, pass the value as APPLSYS when it asks for parameter :1.

\$CDR TOP/patch/115/sql/dme342ddlscript.sql

5. Log in to the database as APPS and execute the following script:



Execute the following script only if you are upgrading from release 3.3.x, 3.4.0, or 3.4.0.1 to release 3.4.2.

\$CDR TOP/patch/115/sql/dmeErrLogChanges.txt

The script alters the name of the internal table "dme\_err\_log" and creates a public view on the table. The script creates a trigger on the view to prevent the unauthorized users from inserting or updating records from the script.

6. Set up the cleanup job. For information on how to set up the cleanup job, see document ID 2925664.1 on My Oracle Support.

## Install the CdrRuntime.jar File

- On the Oracle LSH server, navigate to the \$CDR\_TOP/jar folder. It contains the CdrRuntime.zip file.
- Copy the CdrRuntime.zip file to the Oracle database server in any temporary location.Then enter this command to unzip the file and extract CdrRuntime.jar:

```
unzip CdrRuntime.zip
```

Run the following commands as an Oracle home owner on the Oracle database server to load the java files to the database.

First, execute the following command:

```
dropjava -force -thin -user apps/<password>
@ (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=<DB hostname>) (PORT=<DB port
number>))) (CONNECT DATA=(SERVICE NAME=<DB service name>))) CdrRuntime.jar
```

#### Then, execute this command:

4. Run this query to return a set of alter java commands that should be run to compile invalid classes:

```
SELECT
'alter java class "'

|| object_name

|| '" compile;'

FROM
dba_objects
WHERE
object_type = 'JAVA CLASS'
and object_name LIKE '%cdr%'
AND status = 'INVALID';
```

- 5. Connect to PDB as APPS user and run the statements returned by the above query.
- 6. Rerun the query mentioned in step 4 and confirm that it does not return any rows.



If the query returns rows, execute the statements returned again. Repeat this process until the SQL does not return any rows.

# Run the Post-Installation Programs

You must run the Oracle LSH LOB Loader and post-installation concurrent programs.



If you are using RAC, shut down all but one database node before running the post-installation programs. If you leave more than one node up, the jobs may run successfully but you may get errors.

- · Log On to Oracle Applications
- Load the Adapter Files
- Run the Post-Installation Concurrent Program
- Grant Security Rights to Seeded Adapters
- Remove EBS Audit and Create New Auditing Process
- Configure Automated Workarea Tablespace Creation
   Configuration required to enable the automated workarea tablespace creation.

### Log On to Oracle Applications

To run the jobs, you must log on to Oracle Applications as an Oracle LSH user with the following roles:

- LSH Setup Admin
- LSH Adapter Security Admin



- Open your Web browser.
- 2. Enter the eBusiness Suite SSWA (Self-Service Web Application) URL as follows:

http://<host name>.<domain name>:<HTTP port>/oa\_servlets/AppsLogin

For example:

http://appshost.your\_company.com:8000/oa servlets/AppsLogin

The application's Login screen appears.

- Log in as a user with LSH Setup Admin and LSH Adapter Security Admin privileges. The Oracle Applications Home page appears.
- Select the LSH Setup Admin Responsibility by clicking on it. Lookups appears in the second column.
- 5. Click Lookups. If necessary, click Grant This Session or Grant Always.
- 6. From the View menu, select Requests.

### Load the Adapter Files

Oracle LSH includes predefined adapters that control the interaction between Oracle LSH and other systems. The Oracle LSH LOB Loader concurrent program finds all the adapter SQL files and loads them into a table in Oracle LSH.

To run the Oracle LSH LOB Loader:

- 1. Follow steps in Log On to Oracle Applications.
- 2. Click **Submit a New Request**. The Submit a New Request window opens.
- 3. Select Single Request and click OK.
- Click the gray LOV button on the right of the Name field.
- 5. Select LSH LOB Loader Concurrent Program and click OK.
- 6. Click Submit.
- 7. Click OK.
- 8. Click No.

To monitor the concurrent program's progress:

- Click Find.
- Click Refresh Data periodically to update the execution phase and status displayed on screen.

When the status is Complete, you can view the log file by clicking the View Log button.



#### Note:

- Always check the log file because the phase may be Complete and the status Normal, but the program may not have successfully completed all its tasks.
- If you see this message in the log file: "ORA-20001: APP-FND-02901: You do not have access privilege to any operating unit. Please check if your profile option MO: Security Profile includes any operating unit or the profile option MO: Operating Unit is set. has been detected in MO\_GLOBAL.INIT," see ORA-20001: APP-FND-02901 Errors Running Collections or Plan in 12.2 OR in Trying to View Request Log from Legacy Collections Self Service In R12.0/12.1 (Document ID 981828.1) on My Oracle Support.
- If you see this message in the log file: "ERROR: LOBLoaderCP.runProgram()
   Exception String index out of range: -1", see Problems Encountered During the
   Installation of LSH 2.2, Upgrade to LSH 2.2, and Execution of its Verification
   Tests (Document ID 1327829.1) on My Oracle Support.

### Run the Post-Installation Concurrent Program

Run the Job: To run the Oracle LSH post-installation concurrent process:

- 1. Click **Submit a New Request** under one of the following circumstances:
  - In the Requests window you used to monitor the Oracle LSH LOB Loader concurrent process.
  - After following the steps in Log On to Oracle Applications.
- 2. Select Single Request and click OK.
- 3. Click the gray LOV button on the right of the Name field.
- Select LSH: Post Installation Program and click OK.
- **5.** Enter values for the following parameters:

#### Note:

Carefully set the following parameters. You cannot change the values for some of the parameters after you run the job.

- Company ID. The company ID serves as part of the primary key for all the Oracle LSH
  objects you define in this instance of Oracle LSH.
- Owning Location. Enter the name of your Oracle application instance.
- **Object Sequence Start Value**. Enter a single digit. The system will end all object IDs with this digit to further distinguish objects created in this Oracle LSH instance.
- Object Sequence Start Value. Leave blank. The system will end all object IDs with the number 1.
- Database Host Name. Enter the machine name of the database server instance.
- Database Port Number. Enter the port number of the database server instance.
- 6. Click Submit.



Note the job ID and click No.

**Monitor the Process**: To monitor the concurrent process's progress:

- 1. Click **Find**. Use the job ID to search for the process.
- Click Refresh Data periodically to update the execution phase and status displayed on screen.
- When the phase is Complete, click View Log.



Always check the log file, because the phase may be Complete and the status Normal and yet the process may not have successfully completed all its tasks. In such case, contact Life Sciences Support.

Check the log file to make sure it did the following:

- Set the company ID.
- Set the owning location.
- Recreated the cdr\_object\_id\_seq with the start value you provided.
- Inserted one record each in the cdr\_namings and cdr\_naming\_versions tables for the instance domain.



The job does the above only the first time it runs.

• Set the profile to check if the post-installation has been run for this site.

# **Grant Security Rights to Seeded Adapters**

In order to ensure that seeded adapters have the security rights they need to call APIs, do the following:

- 1. Log in to the application server.
- 2. Source the RUN file system environment file from the Oracle LSH application server by using the following command:

```
source /<BASE LOCATION>/EBSapps.env RUN
```

- 3. Connect to PDB as apps user.
- 4. Run \$CDR TOP/patch/115/sql/cdradaptergrants.sql

### Remove EBS Audit and Create New Auditing Process

This section is applicable only if you are upgrading from a release prior to 3.4. It is not applicable if you are upgrading from release 3.4.x to 3.4.2.





You can execute the cdr34audpostprocess.sql script only once in the environment.

- Log in to the application server.
- 2. Source the RUN file system environment file from the Oracle LSH application server by using the following command:

```
source /<BASE_LOCATION>/EBSapps.env RUN
```

- 3. Connect to PDB as apps user.
- Run \$CDR\_TOP/patch/115/sql/cdr34audpostprocess.sql.

### Configure Automated Workarea Tablespace Creation

Configuration required to enable the automated workarea tablespace creation.

1. Verify that all the following objects are created. To do so, execute the following:

```
select OWNER, OBJECT_NAME, OBJECT_TYPE, STATUS, CREATED, LAST_DDL_TIME
from dba_objects
WHERE OBJECT_NAME IN
('CDR_WA_TBLSPC_NM_CNTR','CDR_WA_METADATA','CDR_WA_TLSPC_AUDT','CDR_WA_METADATA U1', 'CDR_CREATE WA TABLESPACE');
```

Configure the metadata in the metadata table CDR\_WA\_METADATA. To do so, log in to the database as APPS and execute the following script:

```
@$CDR TOP/patch/115/sql/cdrwatblspcinsmtdt.sql
```

The script prompts you for the different inputs as shown below:

```
********* DO YOU WANT TO ENABLE AUTO TABLESPACE CREATION WHEN THERE IS SPACE ISSUE (YES / NO) ***********

AUTO TABLESPACE CREATION: (YES/NO) <**TER REQUIRED VALUE>

********** ENTER DATAFILE DIRECTORY WHERE DATAFILES WILL BE CREATED *********

DATAFILE DIRECTORY <**ENTER COMPLETE DATAFILE PATH WHERE NEW TABLESPACES WILL BE CREATED >

********** ENABLE SENDING EMAIL ALERT (YES / NO ) **********

SEND ALERT EMAIL (YES / NO) <**THER REQUIRED VALUE>
```

After the script is executed successfully, verify the content of the metadata table CDR\_WA\_METADATA.

- To enable the automated workarea tablespace creation, perform the following steps:
  - a. As APPS user, execute the following command:

```
exec Cdr_Create_WA_Tablespace.P_WA_BIGFILE_TBLSPC(<NUMBER OF
TABLESPACES>);
```

Execute the following SQL to verify if the new tablespace has been created successfully:

```
select *
     from dba_tablespaces
     where tablespace name like 'CDR WA OBJ BFL TS %';
```



Execute the following SQL to verify if the new tablespace-related entry is present at metadata table CDR WA TBLSPC NM CNTR:

```
select *
     from CDR WA TBLSPC NM CNTR;
```

**b.** Schedule the weekly monitor job. Execute the following command:



You can set the repeat interval as per the requirement.

```
BEGIN

DBMS_SCHEDULER.create_job (
job_name => 'WA_BFL_TBLSPC_GRP_MONITOR',
job_type => 'PLSQL_BLOCK',
job_action => 'begin Cdr_Create_WA_Tablespace.P_WA_TBLSPC_FREESPACE();
end;',
start_date => SYSTIMESTAMP,
repeat_interval => 'FREQ=WEEKLY; BYDAY=SAT;',
enabled => TRUE);
END;
//
```

# Post-Upgrade Database Tasks

Perform the following tasks in Oracle Database 19c:

- Apply patch 32940955, if not already applied.
- Set the following values:
  - SGA\_MAX\_SIZE = 126 GB (after checking free huge pages)
  - SHARED\_POOL\_SIZE = 26 GB (at the CDB level)
  - Reset the SHARED\_POOL\_SIZE to 0 (at the PDB level) by executing the following command from PDB:

```
alter system reset shared pool size scope=both;
```

Execute the following commands:

```
alter session set container="CDB$ROOT"
alter system set "_gc_persistent_read_mostly"=false scope=spfile;
```

Log in as apps account and execute the following script:

```
SET serveroutput ON
declare
   status1 boolean;
begin
   status1 := cdr_profiles_pkg.SAVE
('DMW:Set Based Processing Enabled','$YESNO$NO','SITE');
   if status1 then
   dbms output.put line('Success');
```

```
else
  dbms_output.put_line('Failure');
  end if;
end;
/
commit;
```

#### Note:

Make sure that executing the following query returns the result as \$YESNO\$NO:

```
select cdr_profiles_pkg.value
('DMW:Set Based Processing Enabled') from dual;
```

If the result of the query is not \$YESNO\$NO, contact Life Sciences Support.

# Set Up the Distributed Processing Server

The Distributed Processing (DP) Server is the mechanism Oracle LSH uses to communicate with the external processing engines that run some Oracle LSH jobs.

Install the DP Server on each computer where you have installed an external processing engine (such as SAS) and where you have installed XML Publisher. If you install multiple external processing engines on the same computer, you can install the DP Server once on that computer.

For information about the DP Server, see "Setting Up Services" in the *Oracle Life Sciences Data Hub System Administrator's Guide*.

#### Note:

For Oracle DMW, the DP Server is required for File Watcher, for loading SAS and text data files. SAS files require the SAS processing engine and text files require the SQL\*Loader, which is installed with Oracle Database.

#### Note:

You would have already setup the DP Server during your fresh installation of the 3.3.x or 3.4.x release. However, ensure that the following tasks had been completed.

- Create the Distributed Processing Server User Account
- Install the Distributed Processing Server
- Secure Distributed Processing Server Files
- Set NLS\_LANG to UTF8
- Copy and Edit Files
- Define Service Locations and Services

- Start the Distributed Processing Server
- Start the Message Queue
- Restart and Enable the Job Queue

## Create the Distributed Processing Server User Account

You must run a script to create the Distributed Processing (DP) Server database account cdr dpserver and set its password. Use this account to start the DP Server.



When you start the DP Server on each service location, you need this password. You should change the default password for use within your company.

To change a password:

- Log in to SQL\*Plus.
- 2. Enter the following:

alter user old\_password identified by new\_password

#### To run the script:

- 1. Log in to the application server.
- 2. Source the RUN file system environment file from the Oracle LSH application server by using the following command:

source /<BASE LOCATION>/EBSapps.env RUN

- Go to \$CDR\_TOP/patch/115/sql.
- Log in to SQL\*Plus as apps
- **5.** Run the script:

cdrcreatedpserveruser.sql

At the prompt, enter the password you want to use for the cdr\_dpserver account.

Exit from SQL\*Plus.

### Install the Distributed Processing Server

On each computer where you have installed one or more processing engines for use with Oracle LSH, do the following to install the Oracle LSH Distributed Processing (DP) Server:

- Create a home directory for the DP Server. It can be located anywhere on the computer where the DP Server resides. Oracle recommends naming it DPServer Home.
- 2. In the DP Server Home directory, create two subdirectories: **lib** and **log**.

The lib directory will hold the jar files the DP Server uses. The log directory will hold DP Server log files. Each time you start the DP Server it creates one log file. The DP Server adds log information to that log file each time it runs a job.

3. Change to the lib directory.



**4.** Source the RUN file system environment file from the Oracle LSH application server by using the following command:

```
source /<BASE LOCATION>/EBSapps.env RUN
```

- Copy DPServer.zip from \$CDR\_TOP/jar to the DPServer Home/lib directory.
- 6. Using GNU zip or another utility, unzip **DPServer.zip** into the lib directory. The DPServer.zip file contains the following files:
  - DPServer.jar
  - fileWatcherServer.jar
  - xmlparserv2.jar
  - aqapi.jar
  - jmscommon.jar
  - jta.jar
  - ojdbc8.jar
  - orai18n-mapping.jar
  - ucp.jar
- Change directories to the DPServer\_Home directory.
- 8. Create a working directory with a meaningful name for each service that will run on this machine. For example, if you will run SAS jobs on this computer, create a directory such as SASWORK. If you will also run Oracle Reports jobs on this computer, create another directory with a name like REPWORK.
  - Each time one of these engines runs a job, the DP Server creates a directory containing the files required for the job and gives the directory the job ID as a name. When you define services in the Oracle LSH user interface, specify that you want the DP Server to create these job directories in the working directories you have created. For more details, see Define Service Locations and Services.
- 9. Set the TNS alias in the tnsnames.ora file to the global\_name of the database server. This is required because the DP server runs jobs, such as SAS programs, that connect to the database server using the global name.
- 10. On the DP Server machine, create a symbolic link from the location where SAS is installed to user home:

```
ln -s SAS_executalble_path/sas_u8 DP_Server_Home_path/sas
```

11. Ensure that JDK 1.8.0\_281 is installed on each DP Server machine.

#### Note:

If you need to set up the DP Server outside the firewall, make sure the computer outside the firewall can connect to the database server inside the firewall. To do this, change a firewall setting to allow external access to the TNS listener port on the database server.



### Secure Distributed Processing Server Files

The DP Server log files in the log directory may contain information that is sensitive to your organization. Oracle recommends granting full access to this directory only to the Oracle database user running the DP Server process and any other external processing engine user.

### Set NLS\_LANG to UTF8

On each Server where you install the DP Server, set the computer's NLS\_LANG environment variable to UTF8.

- Windows
- UNIX

#### Windows

Check and set your NLS\_LANG environment variable:

- Right-click the My Computer icon on your desktop, then click Properties.
- 2. Click the Advanced tab, then click Environment Variables.
- 3. In User Variables and System Variables, check if there is a variable named NLS LANG.
- If there is an NLS\_LANG variable, highlight it and click Edit.
- 5. Set the variable value to UTF8; for example: AMERICAN AMERICA.UTF8

If you do not have the NLS LANG environment variable, change your registry settings:

- 1. Click Start, then Run.
- 2. In the Run window, enter regedit and click OK.
- Locate one of the following registry key entries:
  - HKEY\_LOCAL\_MACHINE\SOFTWARE\ORACLE
  - HKEY\_LOCAL\_MACHINE\SOFTWARE\ORACLE\HOMEx
     where x is the unique number identifying the Oracle home
- 4. Add a new key named NLS\_LANG with a value including UTF8; for example:

```
NLS_LANG=AMERICAN_AMERICA.UTF8
```

#### UNIX

#### Do the following:

1. Check the environment variable NLS\_LANG:

```
echo $NLS LANG
```

2. Set the environment variable NLS\_LANG to UTF8; for example:

```
% setenv NLS_LANG American_America.UTF8
```

### Copy and Edit Files

This section contains the following topics:

- Copy DP Server Files
- Edit the DP Server Start Script
- Make Scripts Executable
- Copy RTF Template Files for XML Publisher
- Copy, Edit, and Grant Permissions to Execution Command Files for Processing Engines

### Copy DP Server Files

- 1. Go to the DP Server home directory you created when you installed the DP Server code.
- 2. Copy the following files from \$CDR TOP/admin/template to the DP Server home directory:
  - cdr\_apps\_dpserver.sh (or cdr\_apps\_dpserver.cmd for running Windows services such as OBIEE)
  - checkJSapps.sh
  - stopJSapps.sh
  - killproc.sh



Do not copy **killproc.sh** if the DP server is running on a Windows computer, for example, running the Oracle Analytics Server server.

### Edit the DP Server Start Script

You must add local values to **cdr\_apps\_dpserver.sh** (or **cdr\_apps\_dpserver.cmd** on Windows) before you can start the DP Server.

- 1. Log in as the owner of the DP Server Home Directory.
- 2. Go to the DP Server home directory.
- Edit cdr\_apps\_dpserver.sh (or cdr\_apps\_dpserver.cmd). Enter the actual value for each of the following:
  - \$DPSERVER\_HOME: Enter the full path for the DP Server home on this computer.
  - SVC. Enter the Service Location Name (not a Service name) that you defined or will
    define in the Service Location subtab for the Service Location that corresponds to this
    computer. (For more details, see Define Service Locations and Services.) The name is
    case-sensitive. For example:

SVC=SERVICE\_LOCATION\_NAME



On Windows you must enter this value at runtime.

JDK Location (JDK\_LOC): Enter the full path to the JDK 1.8 executable.
 For example:

JDK\_LOC=\$ORACLE\_HOME/jdk/bin

 JVM Arguments: Add the following line immediately after the Java command (COMMANDLINE=java), which follows the RAC flag setting:

```
-DFile.encoding=UTF8 -Duser.language=en -Duser.country=US
```

 Message Receive Interval: Enter the value for 'Message Receive Interval' as 1,200,000 milliseconds(20 minutes).
 For example:

```
Q_MRI=${9-1200000}
```

Debug Level (DEBUG\_LEVEL): Default value is "all" (which is same as pre 3.3 releases). The recommended value is "low" to generate the minimal set of log statements. Setting the value to "medium"/"all" generates verbose log statements and the size of the log files is expected to grow faster.
 For example:

```
DEBUG LEVEL=low
```

You can accept the default values for all other variables. Some values must be set at runtime. See Start the Distributed Processing Server for details.

### Make Scripts Executable

Make all the scripts executable with the following command:

```
chmod 755 *.sh
```

### Copy RTF Template Files for XML Publisher

The following steps are required only on the computer where you are running XML Publisher:

- In the DP Server home directory, create a directory called cdrtemplates.
- Copy the following files from \$CDR\_TOP/patch/115/publisher/templates to the new cdrtemplates directory:
  - cdr\_output\_summ\_cs.rtf
  - Ish-title-page.rtf
  - Ish-toc-template.rtf
  - Ish-pagenum.rtf
  - Ish-template.rtf
  - Ish-blank-page.pdf

# Copy, Edit, and Grant Permissions to Execution Command Files for Processing Engines

Do the following on each computer where you have installed a processing engine:

 From \$CDR\_TOP/admin/template, copy the sample execution command script for each processing engine installed on the computer. You can copy the scripts directly into the DP Server Home directory or create a subdirectory for them.



#### Note:

Keep a record of the absolute location of these scripts. You will need it when you define a service location for the computer. See Define Service Locations and Services for details.

#### The scripts include:

- cdrzip.sh and cdrunzip.shfor Text Data Marts
- sasNormal.sh for SAS Programs
- oraexp.sh for Oracle Export Data Marts
- orareprunner.sh for Oracle Reports Programs
- txtNormal.sh for Text Load Sets
- xmlprunner.sh for post-processing Report Sets
- xmlpreprunner.sh for the Oracle LSH system reports and for cover sheets for outputs
- obieeinstall.cmd for Oracle Business Intelligence Business Areas—required only on the BI Server
- obieedeploy.cmd for Oracle Business Intelligence Business Areas— required only on the BI Server
- 2. Edit each script with information specific to the computer, for example:
  - Oracle SID
  - Location of the technology server
  - Location of Oracle setup script coraenv
  - Paths

Ensure that environment variables are accessible to the DP server. For example, if the script refers to the variable \$ORACLE\_HOME, either define the variable or provide the full path in the script.



#### Note:

If you run SAS programs, add the following lines to sasNormal.sh to start SAS in UTF8 mode:

In UNIX:

sas -encoding UTF8

 In Windows, specify the version of SAS you are using. For example, for SAS 9.4:

C:\Program Files\SAS\SASFoundation\9.4\sas.exe" -CONFIG C:\Program
Files\SAS\SASFoundation\9.4\nls\u8\SASV9.CFG"



Do not include line breaks in your command. (The page width forces the line to break in the example shown.)

In addition, include the DP Server Home path in the environment variable as shown:

PATH=\$ORACLE\_HOME/bin:\$ORACLE\_HOME/lib32: DP\_Server\_Home\_Path:\$PATH export PATH

3. Make all the scripts executable on the UNIX system with the following command:

chmod 755 \*.sh

### **Define Service Locations and Services**

You must define Service Locations and Services in the Oracle LSH user interface for each computer where the Oracle LSH Distributed Processing (DP) Server will run. You define one service location for each computer, and at least one service for each engine or development environment that you want to run on that computer.

To define service locations and services you must have a user account with the Oracle LSH System Admin role assigned to it.

To log into Oracle LSH, do the following:

- Open your web browser.
- 2. Enter the eBusiness Suite SSWA (Self-Service Web Application) URL as follows:

http://<host name>.<domain name>:<HTTP port>/oa\_servlets/AppsLogin

For example:

http://appshost.your\_company.com:8000/oa\_servlets/AppsLogin

The Applications Login screen appears.

- Enter the username and password associated with the LSH System Admin responsibility and click Login.
- 4. Under Navigator, click **Life Sciences Data Hub**. The system displays the list of Oracle LSH user interface locations to which you have access.

Click Service Location. The Service Location screen opens.

To define service locations and services in the Oracle LSH user interface, follow the instructions in "Setting Up Services" in the *Oracle Life Sciences Data Hub System Administrator's Guide*.



For Oracle DMW, you need one or two Service Locations. You need two services; **Text for SQL\*Loader** and **SAS**. The two services can be on the same Service Location if it has access to both SQL\*Loader and the SAS processing engine as well as the folders you will create to put data files into for loading into Oracle DMW. You can put text and SAS files in different locations.

# Start the Distributed Processing Server

To start the Distributed Processing Server, do the following:

- 1. Log on as the owner of the Distributed Processing Server Home Directory.
- 2. Run the script by entering the following command for UNIX. Information on the parameters is given below.

```
./cdr_apps_dpserver.sh ORACLE_SID DB_HOST DB_PORT RAC_TNS RAC_FLAG FW_ENABLED FW FREQ FW POLL
```

#### or for Windows:

c:> cdr\_apps\_dpserver.cmd ORACLE\_SID DB\_HOST DB\_PORT RAC\_TNS RAC\_FLAG
FW\_ENABLED FW\_FREQ FW\_POLL

#### where:

ORACLE SID is the Oracle SID of the database



The Oracle SID is case-sensitive.

- DB HOST is the name of the computer where the Oracle\_SID resides.
- DB PORT is the SQL\*Net Listener port for the Oracle\_SID.
- RAC TNS is the JDBC connection string of the database server.
- RAC\_FLAG indicates whether you are using an Oracle RAC (Real Application Cluster) database installation. Set to RAC if you have a RAC installation. Set to NO-RAC if you do not.

The RAC\_FLAG setting determines which input parameter values the script uses when starting the Distributed Processing Server.

- If RAC FLAG is set to RAC, the script uses only the value for RAC TNS.
- If RAC\_FLAG is set to NO-RAC, the script uses the values for ORACLE\_SID, DB HOST, and DB PORT.



In either case, it does not matter what value you enter for the unused parameters.

- FW\_ENABLED Set to Yes to start the File Watcher service or No if you are not using Oracle DMW.
- FW\_FREQ (Applies only to Oracle DMW customers.) Refresh frequency in seconds. This
  value specifies the minimum interval between requests to the database to check if
  there is a new set of Watcher Configurations. This value cannot be set lower than 60
  seconds. A high setting will result in a delay between the user's addition or adjustment
  of a Watcher Configuration in Oracle DMW and the changes' taking effect in file
  detection behavior.
- FW\_POLL (Applies only to Oracle DMW customers.) Polling frequency in seconds. The
  polling frequency represents the minimum interval at which a File Watcher Service
  may run to detect if there are any files in the watched location that should be loaded
  into Oracle DMW. The minimum value permitted is 60 seconds.

#### **NO-RAC Example** when RAC\_FLAG is set to NO-RAC:

```
./cdr apps dpserver.sh LSHDB adxxxsdb.example.com 20502 NA NO-RAC NO 0 0
```

#### where:

- LSHDB is the Oracle SID
- adxxxsdb.example.com is the host
- 20502 is the port
- You may enter NA (Not Applicable) or any other value for RAC TNS.
- NO-RAC is the setting for RAC FLAG
- NO indicates that File Watcher is not enabled; Oracle DMW is not being used.
- 0 FileWatcher Refresh Frequency, since File Watcher is not enabled
- 0 FileWatcher Polling Frequency, since File Watcher is not enabled

#### RAC Example when RAC FLAG is set to RAC:

```
./cdr_apps_dpserver.sh NA NA NA 'jdbc:oracle:thin:@(DESCRIPTION=(LOAD_BALANCE=YES) (FAILOVER=YES) (ADDRESS_LIST=(ADDRESS=(PROTOCOL=tcp) (HOST=AP1RAC.example.com) (PORT=1521)) (ADDRESS=(PROTOCOL=tcp) (HOST=AP2RAC.example.com) (PORT=1521))) (CONNECT_DATA=(SERVICE_NAME=CDRXXX)))' RAC NO 0 0
```

#### where:

- You may enter NA (Not Applicable) or any other value for ORACLE\_SID.
- You may enter NA (Not Applicable) or any other value for DB\_PORT.
- You may enter NA (Not Applicable) or any other value for DB HOST.
- 'jdbc:oracle:thin:@(DESCRIPTION=(LOAD\_BALANCE=YES) (FAILOVER=YES)
  (ADDRESS\_LIST=(ADDRESS=(PROTOCOL=tcp) (HOST=AP1RAC.example.com) (PORT=1521))
  (ADDRESS=(PROTOCOL=tcp) (HOST=AP3RAC.example.com) (PORT=1521)))
  (CONNECT\_DATA=(SERVICE\_NAME=CDRXXX))) is the JDBC connection string of the database server
- RAC is the setting for RAC FLAG
- NO indicates that File Watcher is not enabled; Oracle DMW is not being used.
- 0 FileWatcher Refresh Frequency, since File Watcher is not enabled
- 0 FileWatcher Polling Frequency, since File Watcher is not enabled



- The script prompts you for a password. Enter the password for the cdr dpserver user.
- 4. Check if the DP server is running:

```
./checkJSapps.sh SID
```



Do not change the value of DB\_USER.

## Start the Message Queue

- 1. Connect to PDB as apps user.
- 2. Make sure the queue is stopped. View the log:

```
select MESSAGE from cdr msg queues log order by log message id;
```

If the most recent statement is the following, the queue is stopped.

```
End Procedure cdr exe msg submission.process queues()
```

If not, stop the queue:

```
begin cdr exe msg queues admin.stop processing queues; end; /
```

Wait until you see the "End Procedure" statement in the log.

**3.** After the queue is stopped, start and enable the queue:

```
begin
cdr_exe_msg_queues_admin.start_processing_queues;
cdr_exe_msg_queues_admin.enable_job_processing_queue;
end;
/
```

**4.** Check that the queue is started and enabled:

```
select MESSAGE from cdr_msg_queues_log order by log_message_id;
```

The output should contain the following statements (there may be Submission statements after these):

```
Begin Procedure cdr_exe_msg_submission.process_queues()
dequeued from control Q: _MSGCONTROL_ENABLE
```

#### Restart and Enable the Job Queue

Still logged in as apps:

1. Stop and disable the Job Queue:

```
begin
cdr_exe_job_queues.stop_processing_queues;
end;
/
```

2. Start and enable the job queue:

```
begin
cdr_exe_job_queues.start_jobq_process_enabled;
end;
/
```

## Run the Stop Maintenance Script

After you upgrade the software, follow the steps in this procedure to stop the maintenance activity.

To run the Stop Maintenace script:

- Download or copy the maintenance start script file from the Oracle LSH application server (EBS Middle Tier server) \$CDR\_TOP/patch/115/sql/cdrmaintstop.sql to the database server's ORACLE HOME location or any other preferred location.
- From the database server, log in to SQL\*Plus (not SQL Developer) as the APPS database user.
- **3.** Enter this command to execute the script:

```
SQL> @cdrmaintstop.sql
```

4. Check the log file.

The log file validates the success of the Stop Maintenance process and provides a maintenance ID. For example, it lists the job report (ID, user name, job duration, job type), Distributed Processing (DP) server report (location, description, and machine), and service details. If you notice that any errors with stopping the maintenance script, contact Oracle Support.

## **Start Server Processes**

This step is required for all upgrade paths.

Start the following servers:

- Application Server
- Oracle LSH Distributed Processing (DP) Server

If the following issue occurs during the DP server start process, add an entry to listener.ora and reload the listener (instructions are mentioned below):

```
[CdrExeJSExe] Exception thrown: Error in creating JDBC Connections for ConnectionPool.

Related SQL Exception: Unable to start the Universal Connection Pool: oracle.ucp.UniversalConnectionPoolException: Cannot get Connection from Datasource: java.sql.SQLRecoverableException: ORA-01034: ORACLE not
```

```
available
ORA-27101: shared memory realm does not exist
Linux-x86_64 Error: 2: No such file or directory
Additional information: 4460
Additional information: -1725901513
oracle.apps.cdr.dpserver.exec.server.CdrExeJSException: Error in creating
JDBC Connections for ConnectionPool.
at
oracle.apps.cdr.dpserver.exec.server.CdrExeJSDataSource.getConnection(CdrEx
eJSDataSource.java:191)
at
oracle.apps.cdr.dpserver.exec.server.CdrExeJSInitializer.<init>(CdrExeJSInitializer.java:92)
at
oracle.apps.cdr.dpserver.exec.server.CdrExeJSExe.startService(CdrExeJSExe.java:263)
at
oracle.apps.cdr.dpserver.exec.server.CdrExeJSExe.main(CdrExeJSExe.java:562)
```

1. Add the following entry to listener.ora:

```
USE_SID_AS_SERVICE_<Listener_Name> = ON
where, <Listener Name> is the listener name that is in use.
```

2. Reload the listener:

lsnrctl reload

## Run the Health Check Scripts

Run the Health Check scripts for Oracle LSH and Oracle DMW as described in My Oracle Support Article 2733714.1 (https://support.oracle.com).

## Migrate Secure File

If you have already migrated the secure file previously, **do not** perform the instructions in this section. To check, execute the following and check the value of the SECUREFILE column. If the value is YES, that means the Secure file migration is already completed for the table.

```
select OWNER, TABLE_NAME, COLUMN_NAME, SECUREFILE
from dba_lobs
where table_name in
('CDR_INSTALLATION_LOG', 'CDR_OUTPUT_BLOBS', 'CDR_OUTPUT_CLOBS', 'CDR_INSTALL_SCR
IPTS', 'DME_DISC_CSV_FILES');
```

#### This section includes the following topics:

- Initiate the Secure File Migration of CDR\_INSTALLATION\_LOG
- Monitor the Secure File Migration of CDR\_INSTALLATION\_LOG
- Post Secure File Migration Task for CDR INSTALLATION LOG
- Initiate the Secure File Migration of CDR OUTPUT BLOBS
- Monitor the Secure File Migration of CDR\_OUTPUT\_BLOBS
- Post Secure File Migration Task for CDR\_OUTPUT\_BLOBS

- Initiate the Secure File Migration of CDR OUTPUT CLOBS
- Monitor the Secure File Migration of CDR OUTPUT CLOBS
- Post Secure File Migration Task for CDR OUTPUT CLOBS
- Initiate the Secure File Migration of CDR\_INSTALL\_SCRIPTS
- Monitor the Secure File Migration of CDR\_INSTALL\_SCRIPTS
- Post Secure File Migration Task for CDR\_INSTALL\_SCRIPTS
- Migrate Secure File for DME\_DISC\_CSV\_FILES

## Initiate the Secure File Migration of CDR\_INSTALLATION\_LOG

- Log on to the application tier.
- 2. Source the environment file.
- 3. Navigate to the \$CDR TOP/patch/115/sql directory.
- 4. Log in to SQL\*Plus as the APPS user.
- 5. Execute the script cdrsfpostinstscript.sql.

A prompt to enter the number of threads appears.

Enter 4.

A prompt to enter the logfile pathname appears.

- 7. Press Enter to select the default logfile pathname or enter a name of your choice.
- 8. After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

The migration process starts.

### Monitor the Secure File Migration of CDR\_INSTALLATION\_LOG

Make sure at least two DBMS SCHEDULER JOBS are scheduled and running. These
jobs name starts with MIGRATE\_BASICFILE\_TO\_SECUREFILE. Execute the following
command to confirm:

```
select
   owner,
   job_name,
   job_ACTION,
   START_DATE,
   ENABLED,
   STATE
   from dba_SCHEDULER_JOBS
   where job name like 'MIGRATE BASICFILE TO SECUREFILE%';
```

2. Wait for the BASIC FILE to SECUREFILE migration to complete. You can monitor the migration progress by executing the following command:

```
select
   thread_id,
   Number_of_batch_to_processe,
   no_of_processed_batch,
   case when THREAD ID in (1,2) then 'DBMS JOB SHOULD BE RUNNING'
```

```
when Number_of_batch_to_processe > no_of_processed_batch then 'DBMS
JOB SHOULD BE RUNNING'
else 'DBMS JOB SHOULD NOT BE RUNNING' end as status
from
   (
   select thread_id,
   count(distinct batchid) Number_of_batch_to_processe,
   (
   select count(1)
   from CDR_INSTALLATION_LOG_SFM_TMP
   where THREAD_ID=a.THREAD_ID
   and status in ('COMPLETE','FAILED')
   )no_of_processed_batch
   from CDR_INSTALLATION_LOG_SFM_TMP a
   group by thread_id
);
```

## Post Secure File Migration Task for CDR\_INSTALLATION\_LOG

To perform the next set of tasks, wait for at least 12 hours after the secure file migration completes. A complete application downtime is required.

1. Stop all application tier services and job queue.



DO NOT stop the database.

- Stop the listener and database services.
- b. Disable all the enabled DBMS SCHEDULER JOBS.
- c. Make sure that no scheduler job is in the RUNNING state.
- d. Disable the Logon Trigger.
- e. Make sure that no application-related sessions are there in gv\$session.
- If there is any cronjob related to Oracle LSH or Oracle DMW, suspend them. Disable any custom scheduler or DBMS jobs related to Oracle LSH or Oracle DMW.
- 3. Note the count of the invalid objects of APPS, APPLSYS, and CDR schema by executing the following command:

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

- **4.** Once all the application tier services are stopped, execute the cutover script by performing the following steps:
  - a. Log in to the application tier.
  - Source the environment file.
  - c. Navigate to the \$CDR TOP/patch/115/sql directory.
  - d. Log in to SQL\*Plus as the APPS user.
  - e. Execute the script cdrsfinstallcutoff.sql.

A prompt to press enter to start the process appears.

f. Press Enter.

A prompt to enter the logfile pathname appears.

- g. Press Enter to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

It will take some time for the script to execute.

- 5. After the script cdrsfinstallcutoff.sql executes, make sure no DBMS SCHEDULER JOBS are running related to secure file migration.
- Make sure the new CDR\_INSTALLATION\_LOG table's LOB column LOG\_MESSAGE is of type SECUREFILE.

To do so, execute the following SQL command. The output of the SECUREFILE column should be YES corresponding to the CDR INSTALLATION LOG table.

```
select OWNER,

TABLE_NAME,

COLUMN_NAME,

SEGMENT_NAME,

TABLESPACE_NAME,

SECUREFILE

from dba_lobs

where table_name like 'CDR_INSTALLATION_LOG%'

and column_name = 'LOG_MESSAGE'

and OWNER='CDR';
```

If there are new INVALID objects in the APPS, APPLSYS, or CDR schema, compile those invalid objects.

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

a. Start the UTLRP and wait for its completion.

- b. Enable the Logon Trigger.
- c. Start the listener/database services.
- d. Enable all the DBMS SCHEDULER JOBS which were disabled at step 1.b.
- 8. After all validations are successful, start all the application tier services and job queue.

### Initiate the Secure File Migration of CDR\_OUTPUT\_BLOBS

- Log on to the application tier.
- 2. Source the environment file.
- 3. Navigate to the \$CDR TOP/patch/115/sql directory.
- Log in to SQL\*Plus as the APPS user.
- 5. Execute the script cdrsecfilepostinstblob.sql.

A prompt to enter the number of threads appears.

6. Enter 4.

A prompt to enter the logfile pathname appears.

- 7. Press **Enter** to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

The migration process starts.

### Monitor the Secure File Migration of CDR\_OUTPUT\_BLOBS

Make sure at least two DBMS SCHEDULER JOBS are scheduled and running. These
jobs name starts with MIGRATE\_BASICFILE\_TO\_SECUREFILE. Execute the following
command to confirm:

```
select
   owner,
   job_name,
   JOB_ACTION,
   START_DATE,
   ENABLED,
   STATE
   from dba_SCHEDULER_JOBS
   where job name like 'MIGRATE BASICFILE TO SECUREFILE%';
```

2. Wait for the BASIC FILE to SECUREFILE migration to complete. You can monitor the migration progress by executing the following command:

```
select
   thread_id,
   Number_of_batch_to_processe,
   no_of_processed_batch,
   case when THREAD_ID in (1,2) then 'DBMS JOB SHOULD BE RUNNING'
   when Number_of_batch_to_processe > no_of_processed_batch then 'DBMS
JOB SHOULD BE RUNNING'
   else 'DBMS JOB SHOULD NOT BE RUNNING' end as status
   from
```

```
(
select thread_id,
count(distinct batchid) Number_of_batch_to_processe,
(
select count(1)
from CDR_OUTPUT_BLOBS_SFM_TMP
where THREAD_ID=a.THREAD_ID
and status in ('COMPLETE','FAILED')
) no_of_processed_batch
from CDR_OUTPUT_BLOBS_SFM_TMP a
group by thread_id
);
```

## Post Secure File Migration Task for CDR\_OUTPUT\_BLOBS

To perform the next set of tasks, wait for at least 12 hours after the secure file migration completes. A complete application downtime is required.

1. Stop all application tier services and job queue.



DO NOT stop the database.

- a. Stop the listener and database services.
- b. Disable all the enabled DBMS SCHEDULER JOBS.
- c. Make sure that no scheduler job is in the RUNNING state.
- d. Disable the Logon Trigger.
- e. Make sure that no application-related sessions are there in gv\$session.
- If there is any cronjob related to Oracle LSH or Oracle DMW, suspend them. Disable any custom scheduler or DBMS jobs related to Oracle LSH or Oracle DMW.
- 3. Note the count of the invalid objects of APPS, APPLSYS, and CDR schema by executing the following command:

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

- 4. Once all the application tier services are stopped, execute the cutover script by performing the following steps:
  - Log in to the application tier.



- **b.** Source the environment file.
- c. Navigate to the \$CDR TOP/patch/115/sql directory.
- d. Log in to SQL\*Plus as the APPS user.
- e. Execute the script cdrsecfileblobcutoff.sql.

A prompt to press enter to start the process appears.

f. Press Enter.

A prompt to enter the logfile pathname appears.

- g. Press Enter to select the default logfile pathname or enter a name of your choice.
- h. After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

It will take some time for the script to execute.

- 5. After the script cdrsecfileblobcutoff.sql executes, make sure no DBMS SCHEDULER JOBS are running related to secure file migration.
- Make sure the new CDR\_OUTPUT\_BLOBS table's LOB column FILE\_BLOB is of type SECUREFILE.

To do so, execute the following SQL command. The output of the SECUREFILE column should be YES corresponding to the CDR\_OUTPUT\_BLOBS table.

If there are new INVALID objects in the APPS, APPLSYS, or CDR schema, compile those invalid objects.

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

- a. Start the UTLRP and wait for its completion.
- b. Enable the Logon Trigger.
- c. Start the listener/database services.
- d. Enable all the DBMS SCHEDULER JOBS which were disabled at step 1.b.

8. After all validations are successful, start all the application tier services and job queue.

### Initiate the Secure File Migration of CDR\_OUTPUT\_CLOBS

- Log on to the application tier.
- 2. Source the environment file.
- 3. Navigate to the \$CDR TOP/patch/115/sql directory.
- 4. Log in to SQL\*Plus as the APPS user.
- 5. Execute the script cdrsecfilepostinstclob.sql.
  - A prompt to enter the number of threads appears.
- 6. Enter 4.

A prompt to enter the logfile pathname appears.

- 7. Press **Enter** to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

The migration process starts.

### Monitor the Secure File Migration of CDR\_OUTPUT\_CLOBS

Make sure at least two DBMS SCHEDULER JOBS are scheduled and running. These
jobs name starts with MIGRATE\_BASICFILE\_TO\_SECUREFILE\_CLOB. Execute the
following command to confirm:

```
select
owner,
job_name,
Job_ACTION,
START_DATE,
ENABLED,
STATE
from dba_SCHEDULER_JOBS
where job name like 'MIGRATE BASICFILE TO SECUREFILE CLOB%';
```

2. Wait for the BASIC FILE to SECUREFILE migration to complete. You can monitor the migration progress by executing the following command:

```
from CDR_OUTPUT_CLOBS_SFM_TMP
where THREAD_ID=a.THREAD_ID
and status in ('COMPLETE','FAILED')
no_of_processed_batch
from CDR_OUTPUT_CLOBS_SFM_TMP a
group by thread_id
);
```

### Post Secure File Migration Task for CDR\_OUTPUT\_CLOBS

To perform the next set of tasks, wait for at least 12 hours after the secure file migration completes. A complete application downtime is required.

1. Stop all application tier services and job queue.



DO NOT stop the database.

- Stop the listener and database services.
- b. Disable all the enabled DBMS SCHEDULER JOBS.
- c. Make sure that no scheduler job is in the RUNNING state.
- d. Disable the Logon Trigger.
- e. Make sure that no application-related sessions are there in gv\$session.
- If there is any cronjob related to Oracle LSH or Oracle DMW, suspend them. Disable any custom scheduler or DBMS jobs related to Oracle LSH or Oracle DMW.
- 3. Note the count of the invalid objects of APPS, APPLSYS, and CDR schema by executing the following command:

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

Or, create a backup table with the list of all INVALID OBJECTS by executing the following command:

```
CREATE TABLE <TABLE_NAME> AS SELECT * FROM DBA_OBJECTS WHERE STATUS <>'VALID';
```

- 4. Once all the application tier services are stopped, execute the cutover script by performing the following steps:
  - Log in to the application tier.



- **b.** Source the environment file.
- c. Navigate to the \$CDR TOP/patch/115/sql directory.
- d. Log in to SQL\*Plus as the APPS user.
- e. Execute the script cdrsecfileclobcutoff.sql.

A prompt to press enter to start the process appears.

f. Press Enter.

A prompt to enter the logfile pathname appears.

- g. Press Enter to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

It will take some time for the script to execute.

- 5. After the script cdrsecfileclobcutoff.sql executes, make sure no DBMS SCHEDULER JOBS are running related to secure file migration.
- Make sure the new CDR\_OUTPUT\_CLOBS table's LOB column FILE\_CLOB is of type SECUREFILE.

To do so, execute the following SQL command. The output of the SECUREFILE column should be YES corresponding to the CDR\_OUTPUT\_CLOBS table.

```
select OWNER,

TABLE_NAME,

COLUMN_NAME,

SEGMENT_NAME,

TABLESPACE_NAME,

SECUREFILE

from dba_lobs

where table_name like 'CDR_OUTPUT_CLOBS%'

and column_name = 'FILE_CLOB'

and OWNER='CDR';
```

If there are new INVALID objects in the APPS, APPLSYS, or CDR schema, compile those invalid objects.

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

- a. Start the UTLRP and wait for its completion.
- b. Enable the Logon Trigger.
- c. Start the listener/database services.
- d. Enable all the DBMS SCHEDULER JOBS which were disabled at step 1.b.

8. After all validations are successful, start all the application tier services and job queue.

### Initiate the Secure File Migration of CDR\_INSTALL\_SCRIPTS

- Log on to the application tier.
- 2. Source the environment file.
- 3. Navigate to the \$CDR TOP/patch/115/sql directory.
- 4. Log in to SQL\*Plus as the APPS user.
- 5. Execute the script cdrsecfilepostinstscrpt.sql.

A prompt to enter the number of threads appears.

Enter 4.

A prompt to enter the logfile pathname appears.

- 7. Press Enter to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

### Monitor the Secure File Migration of CDR\_INSTALL\_SCRIPTS

Make sure at least two DBMS SCHEDULER JOBS are scheduled and running. These
jobs name starts with MIGRATE\_BASICFILE\_TO\_SECUREFILE\_SCRPT. Execute the
following command to confirm:

```
select
  owner,
  job_name,
  job_ACTION,
  START_DATE,
  ENABLED,
  STATE
  from dba_SCHEDULER_JOBS
  where job name like 'MIGRATE BASICFILE TO SECUREFILE SCRPT%';
```

2. Wait for the BASIC FILE to SECUREFILE migration to complete. You can monitor the migration progress by executing the following command:

```
thread_id,
    Number_of_batch_to_processe,
    no_of_processed_batch,
    case when THREAD_ID in (1,2) then 'DBMS JOB SHOULD BE RUNNING'
    when Number_of_batch_to_processe > no_of_processed_batch then
'DBMS JOB SHOULD BE RUNNING'
    else 'DBMS JOB SHOULD NOT BE RUNNING' end as status
    from
    (
        select thread_id,
        count(distinct batchid) Number_of_batch_to_processe,
        (
        select count(1)
        from CDR_INSTALL_SCRIPTS_SFM_TMP
```

```
where THREAD_ID=a.THREAD_ID
and status in ('COMPLETE','FAILED')
)no_of_processed_batch
from CDR_INSTALL_SCRIPTS_SFM_TMP a
group by thread_id
);
```

### Post Secure File Migration Task for CDR\_INSTALL\_SCRIPTS

To perform the next set of tasks, wait for at least 12 hours after the secure file migration completes. A complete application downtime is required.

1. Stop all application tier services and job queue.



DO NOT stop the database.

- a. Stop the listener and database services.
- b. Disable all the enabled DBMS SCHEDULER JOBS.
- c. Make sure that no scheduler job is in the RUNNING state.
- d. Disable the Logon Trigger.
- e. Make sure that no application-related sessions are there in gv\$session.
- If there is any cronjob related to Oracle LSH or Oracle DMW, suspend them. Disable any custom scheduler or DBMS jobs related to Oracle LSH or Oracle DMW.
- 3. Note the count of the invalid objects of APPS, APPLSYS, and CDR schema by executing the following command:

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

Or, create a backup table with the list of all INVALID OBJECTS by executing the following command:

```
CREATE TABLE <TABLE_NAME> AS SELECT * FROM DBA_OBJECTS WHERE STATUS <>'VALID';
```

- 4. Once all the application tier services are stopped, execute the cutover script by performing the following steps:
  - a. Log in to the application tier.
  - Source the environment file.



- c. Navigate to the \$CDR TOP/patch/115/sql directory.
- d. Log in to SQL\*Plus as the APPS user.
- e. Execute the script cdrsecfilescrptcutoff.sql.

A prompt to press enter to start the process appears.

f. Press Enter.

A prompt to enter the logfile pathname appears.

- g. Press **Enter** to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

It will take some time for the script to execute.

- 5. After the script cdrsecfilescrptcutoff.sql executes, make sure no DBMS SCHEDULER JOBS are running related to secure file migration.
- Make sure the new CDR\_INSTALL\_SCRIPTS table's LOB column SCRIPT is of type SECUREFILE.

To do so, execute the following SQL command. The output of the SECUREFILE column should be YES corresponding to the CDR\_INSTALL\_SCRIPTS table.

If there are new INVALID objects in the APPS, APPLSYS, or CDR schema, compile those invalid objects.

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

- a. Start the UTLRP and wait for its completion.
- **b.** Enable the Logon Trigger.
- c. Start the listener/database services.
- d. Enable all the DBMS SCHEDULER JOBS which were disabled at step 1.b.
- 8. After all validations are successful, start all the application tier services and job queue.

### Migrate Secure File for DME\_DISC\_CSV\_FILES

To perform the next set of tasks, wait for at least 12 hours after the secure file migration completes. A complete application downtime is required.

1. Stop all application tier services and job queue.



DO NOT stop the database.

- If there is any cronjob related to Oracle LSH or Oracle DMW, suspend them. Disable any custom scheduler or DBMS jobs related to Oracle LSH or Oracle DMW.
- 3. Note the count of the invalid objects of APPS, APPLSYS, and CDR schema by executing the following command:

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

Or, create a backup table with the list of all INVALID OBJECTS by executing the following command:

```
CREATE TABLE <TABLE_NAME> AS SELECT * FROM DBA_OBJECTS WHERE STATUS <>'VALID':
```

- 4. Once all the application tier services are stopped, execute the cutover script by performing the following steps:
  - a. Log in to the application tier.
  - **b.** Source the environment file.
  - c. Navigate to the \$CDR TOP/patch/115/sql directory.
  - d. Log in to SQL\*Plus as the APPS user.
  - e. Execute the script cdrsecfilecsvcutoff.sql.

A prompt to press enter to start the process appears.

f. Press Enter.

A prompt to enter the logfile pathname appears.

- g. Press Enter to select the default logfile pathname or enter a name of your choice.
- After the script execution is complete, check for any errors. In case of an error, contact Life Sciences Support.

It will take some time for the script to execute.

- 5. After the script cdrsecfilecsvcutoff.sql executes, make sure no DBMS SCHEDULER JOBS are running related to secure file migration.
- 6. Make sure the new DME\_DISC\_CSV\_FILES table's LOB column CONTENT is of type SECUREFILE.

To do so, execute the following SQL command. The output of the SECUREFILE column should be YES corresponding to the DME\_DISC\_CSV\_FILES table.

If there are new INVALID objects in the APPS, APPLSYS, or CDR schema, compile those invalid objects.

```
select owner,
    status,
    count(1)
    from dba_objects
    where status <> 'VALID'
    and owner in ('APPS', 'APPLSYS', 'CDR')
    AND object_name <> 'CDR_SECUREFILE_MIGRATION'
    AND object_name NOT LIKE 'CDR%SECFILE%'
    AND object_name NOT LIKE 'CDR%SFM%'
    group by owner,
    status;
```

8. After all validations are successful, start all the application tier services and job queue.



5

## What's Next

After you have finished all the installation tasks outlined in this book, you must do the following tasks before you can begin to use the Oracle LSH:



Oracle DMW users can skip this section and proceed to the *Oracle Life Sciences Data Management Workbench Installation Guide*.


- Define Oracle LSH Distributed Processing (DP) Server service locations and services to integrateOracle LSH with its processing engines and IDEs. See "Setting Up Services" in the Oracle Life Sciences Data Hub Administrator's Guide.
- Design an object security system, classification system, and organizational structure for your implementation of Oracle LSH. See "Designing a Security System," "Designing a Classification System," and "Designing an Organizational Structure" in the Oracle Life Sciences Data Hub Implementation Guide.
- Set up the security system, see "Setting Up the Security System" in the *Oracle Life Sciences Warehouse Security Guide*.
- Set up the classification system and organizational domains. See "Setting Up the Classification System" in the *Oracle Life Sciences Data Hub System Administrator's Guide* and "Applications User Interface" in *Oracle Life Sciences Data Hub Application Developer's Guide*.
- Define remote locations to integrate Oracle LSH with Oracle-based source data systems.
   See "Registering Locations and Connections" in the Oracle Life Sciences Data Hub System Administrator's Guide.
- If you plan to use OBIEE for visualizations or Oracle BIP for reports, do the additional setup required for each system. See the *Oracle Life Sciences Data Hub System Administrator's Guide* for information.
- If you plan to integrate with Oracle Identity Cloud Services (IDCS) for the single sign-on solution, follow instructions in *Oracle Life Sciences Data Hub and Oracle Life Sciences Data Management Workbench SSO Configuration with IDCS* (Doc ID 2862928.1) on My Oracle Support.





## **Architecture Overview**

The following figure shows the logical Oracle Life Sciences Data Hub architecture described in this section.



This section contains the following topics:

- Client Tier
- Application Tier
- Database Tier
- Adapters to External Systems

## **Client Tier**

There are two ways to set up a client, depending on the type of user:

**Consumers and Administrators:** Oracle Life Sciences Data Hub (Oracle LSH) Consumers, who retrieve information in the form of reports and visualizations, and Oracle LSH Administrators, who perform administrative tasks within Oracle LSH, require the following on their personal computers:

- A Web browser
- Java Virtual Machine (JVM)

Administrators require either JInitiator or JVM to use any of the Oracle Forms screens related to security, to run the post-installation jobs, and to set up user accounts and functional roles.

**Definers:** A full-service client for users who create (define) the programs that operate on Oracle LSH data and generate reports requires additional software:

- Oracle LSH plug-in for launching Integrated Development Environments (IDEs)
- WinZip
- Web browser
- In addition, Definers need one or more IDE clients. These may include: SAS PC, SQL\*Plus, SQL Developer, Oracle BI Administration Tool, Oracle Reports, and Oracle Business Intelligence Publisher.

# **Application Tier**

In addition to standard Oracle Applications components, the Oracle Life Sciences Data Hub application tier includes the following:

**Oracle LSH Application Server**: The Oracle LSH Application Server renders the user interface using the Oracle Applications Framework and handles the communication between the user interface and the database using the Java Runtime Environment.

**Oracle LSH Distributed Processing (DP) Server**: The Oracle LSH DP Server handles the communication between Oracle LSH and the external processing systems required to support the IDEs.

#### **Processing Systems**

XML Publisher is required for internal Oracle LSH processing. The other systems are required only if you are developing Oracle LSH Programs in those technologies:

- Oracle XML Publisher is used by Oracle LSH to run system reports. Oracle LSH also
  uses XML Publisher to create Report Sets as a single PDF output with a unified table of
  contents and custom templates.
- Oracle Reports executes user-developed Oracle Reports Programs.
- Oracle Business Intelligence Publisher executes user-developed Oracle BIP Programs.
- SAS executes user-developed SAS Programs.
- Oracle Discoverer Plus. Accessed by Consumer clients through a Web browser, this
  application generates data visualizations based on user-developed Oracle LSH Discoverer
  Business Areas.

#### **Database Tier**

The Oracle Life Sciences Data Hub database tier includes the following:



- Oracle Enterprise Edition RDBMS. All of the Oracle LSH database tier components use the Oracle Enterprise Edition database server and database.
- Oracle Applications Schema. The Oracle Applications Schema is the schema installed as part of the Oracle Applications installation.
- Oracle Workflow. Oracle LSH uses Oracle Workflow to allow users to create and execute Workflow programs. Oracle Workflow is installed with Oracle Applications.
- Oracle Thesaurus Management System (TMS). Oracle LSH uses the TMS database tier internally to run its classification system, which is a required part of Oracle LSH functionality.

#### **Oracle Enterprise Edition RDBMS**

All of the Oracle LSH database tier components use the Oracle Enterprise Edition database server and database.

#### **Oracle Applications Schema**

The Oracle Applications Schema is the schema installed as part of the Oracle Applications installation. It contains the Oracle LSH schema.

#### Oracle LSH Database Server and Schema

These include the Oracle LSH business logic in PL/SQL packages, internal Oracle LSH tables and views, security, adapters, and APIs; as well as Oracle LSH user-developed metadata tables and packages.

#### **Oracle Workflow**

Oracle LSH uses Oracle Workflow to allow users to create and execute Oracle LSH Workflow Programs. Oracle Workflow is installed with Oracle Applications.

#### **Oracle Thesaurus Management System (TMS)**


The Oracle LSH classification system is based on TMS.

# Adapters to External Systems

Oracle Life Sciences Data Hub (Oracle LSH) is intended for integration with other systems for a variety of purposes. Each external system integrated with Oracle LSH requires an adapter to handle whatever communication and exchange is required, depending on the purpose of the integration and the technical specifications of the external system. Oracle LSH is shipped with built-in adapters for loading data into Oracle LSH from other systems, for developing and executing programs operating on Oracle LSH data, and for exporting data out of Oracle LSH.

#GUID-F406D70F-BB51-42EE-B6DF-5AA0452F42C2/CBHGAICE shows the adapters that are included with Oracle LSH. Adapters to other systems may be available from third parties.





#### Oracle Life Sciences Data Hub Built-In Adapters

This section contains the following topics:

- Source Data Systems
- Data Transformation and Reporting Tools
- Visualization Tools
- Data Export Tools

#### Source Data Systems

Oracle Life Sciences Data Hub (Oracle LSH) includes adapters to external systems that you can use to load data into Oracle LSH:

- SAS. The SAS adapter allows you to load SAS data sets into Oracle LSH.
- Text. The Text adapter allows you to load text files from any system into Oracle LSH.
- Oracle Databases. The general Oracle Databases adapter allows you to load data from any Oracle database into Oracle LSH.
- Oracle Clinical. The Oracle Clinical adapter family includes eight specialized adapters for loading the following data and metadata from Oracle Clinical:
  - Data Extract SAS Views



- Data Extract Oracle Views
- Global Library
- Labs
- Study Data
- Study Design and Definition
- Stable Interface Tables
- Randomization

## **Data Transformation and Reporting Tools**

Oracle LSH includes adapters to set up the following systems as integrated development environments (IDEs) for developing and generating programs:

- SAS
- PL/SQL
- Oracle Reports
- Oracle Business Intelligence Publisher

#### **Visualization Tools**

Oracle LSH includes adapters to allow the following systems to display visualizations of Oracle LSH data:

- Oracle Discoverer
- Oracle Business Intelligence Enterprise Edition (OBIEE) Answers
- Oracle Clinical Development Analytics—to view visualizations in OBIEE Answers of Oracle Clinical data in Oracle LSH
- Generic Visualization Adapter—to integrate other visualization tools

### **Data Export Tools**

Oracle LSH includes adapters to allow exporting Oracle LSH data:

- Oracle Export
- SAS—Transport Files and Data Sets
- Text Files

