

# Oracle® Retail AI Foundation Cloud Service

## AI Foundation Private Endpoint Cloud Service: Database Access Implementation Guide



Release 24.2.301.0

G14174-01

July 2024

ORACLE®

G14174-01

Copyright © 2024, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

1	Introduction	
2	Prerequisites	
3	Client-side Configuration	
4	Credentials	
	Credential Exchange Endpoints	4-1

---

# Preface

## **Audience**

This document is intended for the users and administrators of Oracle Retail AI Foundation Cloud Service.

## **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>

## **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## **Customer Support**

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

## **Oracle Help Center (docs.oracle.com)**

Oracle Retail product documentation is available on the Oracle Help Center at <https://docs.oracle.com/en/industries/retail/index.html>.

(Data Model documents can be obtained through My Oracle Support.)

## **Comments and Suggestions**

Please give us feedback about Oracle Retail Help and Guides. You can send an e-mail to: [retail-doc\\_us@oracle.com](mailto:retail-doc_us@oracle.com)

## **Oracle Retail Cloud Services and Business Agility**

Included in the service is continuous technical support, access to software feature enhancements, hardware upgrades, and disaster recovery. The Cloud Service model helps to free customer IT resources from the need to perform these tasks, giving retailers greater business agility to respond to changing technologies and to perform more value-added tasks focused on business processes and innovation.

Oracle Retail Software Cloud Service is acquired exclusively through a subscription service (SaaS) model. This shifts funding from a capital investment in software to an operational

---


expense. Subscription-based pricing for retail applications offers flexibility and cost effectiveness.

# 1

## Introduction

The Oracle Retail AI Foundation Cloud Service database is accessible through Innovation Workbench including APEX and Notebook development environments. Private endpoints extend access to Retail AI Foundation Cloud Service within the virtual cloud network (VCN) on Oracle Cloud Infrastructure or to other networks peered to the VCN such as your corporate network. You can access Retail AI Foundation Cloud Service data from hosts within the virtual cloud network (VCN) or from the on-premises network.

**Figure 1-1 Retail AI Foundation Cloud Service Access through a Private Endpoint**



With a private endpoint, traffic does not go over the internet. A private endpoint is a private IP address within your VCN that can be used to access a given service within the Oracle Cloud Infrastructure. The service sets up the private endpoint in a subnet of your choice within the VCN. The private endpoint is just another Virtual Network Interface Card (VNIC) in your VCN.

You control access to it as you would for any other VNIC by using security rules. When you set up a private endpoint for Retail AI Foundation Cloud Service, however, the VNIC is set up for you, and its availability is maintained on your behalf. Your only responsibility is to maintain the subnet and the security rules. See Figure 1.

For additional information, consult the Oracle documentation on *OCI networking*, *OCI private access*, *FastConnect*, and *site-to-site VPN*.

When you request a private endpoint for Retail AI Foundation Cloud Service, you receive an endpoint for each of your environments: production, stage, and so on. You also receive a second private endpoint that gives you access to a Credential Exchange Service (discussed in more detail below). Establishing a private endpoint requires some lead time and a short outage on each environment (two to eight hours depending on environment size). The outage on each

environment precedes the availability of the endpoint by several days. In short, the time between your request for private endpoint access and its availability is measured in days not hours or minutes. Oracle support will contact you to schedule environment outages.

# 2

## Prerequisites

When you request a private endpoint for Retail AI Foundation Cloud Service begin by creating a private subnet in a compartment and VCN of your choice. Oracle Support will ask for the following information:

- Tenancy OCID
- Compartment Name
- Compartment OCID
- VCN OCID
- Subnet OCID

This information is readily available on the OCI Console and is accessible when you create your subnet. You may create a new child compartment as well as a new VCN if you choose. Once you have completed this task, put the following policies in place using the **Identity > Policies** screen on your OCI Console.

```
Allow service ORACLE_INDUSTRY_SAAS to manage ynics in compartment <Customer  
Compartment Name>
```

```
Allow service ORACLE_INDUSTRY_SAAS to use subnets in compartment <Customer  
Compartment Name>
```

```
Allow service ORACLE_INDUSTRY_SAAS to use network-security-groups in compartment  
<Customer Compartment Name>
```

```
Allow service ORACLE_INDUSTRY_SAAS to inspect work-requests in compartment  
<Customer Compartment Name>
```



# 3

## Client-side Configuration

When private endpoint setup is complete, Oracle Support provides details for each private endpoint, two per environment. To access Retail AI Foundation Cloud Service from within OCI, edit the security list Ingress Rules of the private subnet. Typical values are shown in the table below.

**Table 3-1 Example Ingress Rules for Private Endpoint**

Attribute	Value
STATELESS	No
SOURCE	CIDR (10.0.0.0/16)
IP PROTOCOL	TCP
SOURCE PORT RANGE	All
DESTINATION PORT RANGE	1521-1522
TYPE AND CODE	(Blank)
ALLOWS	All
DESCRIPTION	(Optional)

# 4

## Credentials

Database credentials are needed to access Retail AI Foundation Cloud Service through your private endpoint. Obtain these credentials by using the Credential Exchange Service, a REST endpoint, through its own private endpoint.

The endpoint provides a means of fetching the database credentials required to connect. Credentials are periodically refreshed when passwords are rotated. Notification of password rotation is received by registering one or more callback services or email addresses with the Credential Exchange Service. Any callback service should be accessible through the Private Endpoint. Repeatedly unavailable endpoints may be removed. Finally, credentials are not conveyed through the callback; you are only notified that they have changed.

## Credential Exchange Endpoints

### Fetching Credentials

Method	Endpoint
GET	/api/data-pe/v1/fetch-credentials

Returns the wallet and credentials for the schemas exposed by the Database Private Endpoint.

### Registering Notification Endpoints

Method	Endpoint
PUT	/api/data-pe/v1/rotation-notification

JSON payload: {"usecase": "credentialRotationNotification", "endpoint": "http://example.org:80/foo/bar/baz/notification1" }

This method inserts unique endpoints into the notification endpoint list. Duplicates are silently ignored (intended for repeat registrations from restarted callback services). The notification endpoint can be a URL in the form of http, https, or mailto (e.g., mailto:foo@bar.baz).

Registered http or https endpoints are called with an http POST containing a JSON payload describing the scope of the change: {"usecase": "credentialRotation", "change": "<all|credentials|wallet>" }

### Registered mailto endpoints are sent a notification email.

After receiving this notification, the consuming applications should refresh their credentials.

Method	Endpoint
DELETE	/api/data-pe/v1/rotation-notification

JSON payload: {"usecase": "credentialRotationNotification", "endpoint": "http://example.org:80/foo/bar/baz/notification1" }

Removes endpoints from a list. Non-existent endpoints are silently ignored.

Method	Endpoint
GET	/api/data-pe/v1/rotation-notification?tenantId=abc123

Returns endpoints[...] containing a list of registered endpoints, or empty endpoints [] if none exist.

#### Example

```
{ "endpoints": [ "http://example.org:80/foo/bar/baz/notification", "mailto:nobody@example.org" ] }
```

### Serialized Wallet and Credential Format

Credentials are serialized into JSON and, within that payload, Oracle Wallet file contents are base64 encoded.

Content	Purpose
wallets	Array of wallets, currently a single entry
walletName	Name of database wallet and instance, derived from tnsnames.ora within wallet
walletPassword	(Currently unused)
comment	(Currently unused)
certificateEndDate	Expiration date of wallet, derived from truststore certificate within wallet
certificateStartDate	Start date of wallet, derived from truststore certificate within wallet
lastRotationDate	Date of last rotation
schemas	Map of database credentials (username):(password)
wallet	Map of wallet file contents, (filename):(base64 encoded file)

#### Example

```
{
  "wallets": [
    {
      "certificateEndDate": 1746276157000,
      "certificateStartDate": 1588596157000,
      "comment": null,
      "lastRotationDate": 1624305815466,
      "schemas": {
        "username1": "password1",
        "username2": "password2",
        "username3": "password3",
        "username4": "password4",
      },
    },
  ],
  "wallet": {
    "README": "...base64-encoded-file...",
    "cwallet.sso": "...base64-encoded-file...",
    "ewallet.pl2": "...base64-encoded-file...",
    "keystore.jks": "...base64-encoded-file...",
    "ojdbc.properties": "...base64-encoded-file...",
    "sqlnet.ora": "...base64-encoded-file...",
    "tnsnames.ora": "...base64-encoded-file...",
  },
}
```

```
        "truststore.jks": "...base64-encoded-file..."
    },
    "walletName": "Wallet_RDSADWABC123",
    "walletPassword": null
}
]
```