

Oracle® Retail EFTLink

Xstore Compatibility Guide



Release 22.0

F74405-01

January 2023

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Retail EFTLink Xstore Compatibility Guide, Release 22.0

F74405-01

Copyright © 2023, Oracle and/or its affiliates.

Primary Author: Tracy Gunston

Contributors: Sean Hamill

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Send Us Your Comments

Preface

Audience	vi
Related Documents	vi
Customer Support	vi
Review Patch Documentation	vii
Improved Process for Oracle Retail Documentation Corrections	vii
Oracle Retail Documentation at the Oracle Help Center	vii
Conventions	vii

1 Overview

EFTLink Version History Overview	1-1
Xstore POS/EFTLink Version Compatibility	1-1

2 Xstore/EFTLink Core Compatibility

International	2-1
Adyen (Deprecated)	2-2
OPI Retail	2-3
PayByLink	2-5
US Region	2-6
AJB FiPay	2-6
Cayan	2-8
Tender Retail	2-9
Verifone Point US	2-10
European Region	2-12
Six Payment Services	2-12
TLG SolveConnect	2-12
Verifone Ocius Sentinel	2-14

3 EFTLink Xstore GA 15.0 Compatibility

4 EFTLink Xstore GA 16.0 Compatibility

5 EFTLink Xstore GA 17.0 Compatibility

6 EFTLink Xstore GA 18.0 Compatibility

7 EFTLink Xstore GA 19.0 Compatibility

8 EFTLink Xstore GA 20.0 Compatibility

9 EFTLink Xstore GA 21.0 Compatibility

10 EFTLink Xstore GA 22.0 Compatibility

Send Us Your Comments

Oracle® Retail EFTLink Xstore Compatibility Guide, Release 22.0

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).



Note:

Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Help Center (OHC) website (docs.oracle.com). It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our website at <http://www.oracle.com>.

Preface

The *Oracle Retail EFTLink Xstore Compatibility Guide* describes the compatibility of Oracle Retail Xstore and Oracle Retail EFTLink.

Audience

This guide is for the following audiences:

- System administrators and operations personnel
- Database administrators
- System analysts and programmers
- Integrators and implementation staff personnel

Related Documents

For more information, see the following documents in the Oracle Retail EFTLink Release 22.0 documentation set:

- *Oracle Retail EFTLink Release Notes*
- *Oracle Retail EFTLink Core Configuration Guide*
- *Oracle Retail EFTLink Framework Advanced Features Guide*
- *Oracle Retail EFTLink Framework Installation and Configuration Guide*
- *Oracle Retail EFTLink Security Guide*
- *Oracle Retail EFTLink Rest API Guide*
- *Oracle Retail EFTLink Validated Partners Guide*
- *Oracle Retail EFTLink Validated OPI Partners Guide*

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received

- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 22.0) or a later patch release (for example, 22.0.x). If you are installing the base release, additional patch, and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced at the Oracle Help Center (OHC) website (docs.oracle.com), or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

This process will prevent delays in making critical corrections available to customers. For the customer, it means that before you begin installation, you must verify that you have the most recent version of the Oracle Retail documentation set. Oracle Retail documentation is available at the Oracle Help Center at the following URL:

<https://docs.oracle.com/en/industries/retail/index.html>

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number F123456-02 is an updated version of a document with part number F123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

Oracle Retail Documentation at the Oracle Help Center

Oracle Retail product documentation is available on the following website:

<https://docs.oracle.com/en/industries/retail/index.html>

(Data Model documents are not available through Oracle Help Center. You can obtain them through My Oracle Support.)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.

Convention	Meaning
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Overview

This chapter provides an EFTLink and Xstore Compatibility Guide Overview. EFTLink provides many features through its API which earlier versions of Xstore will not support. This guide provides the historical information about when Xstore integrated with each specific EFTLink feature in order to help our System Implementation (SI) Partners understand how best to make the choice of which EFTLink version they should adopt for their Xstore implementation. Due to the nature of the Xstore and EFTLink integration, SI Partners and their customers may feel more comfortable making customizations on earlier versions of Xstore to bring in additional EFTLink features from later versions of EFTLink in order to facilitate a faster implementation.

EFTLink Version History Overview

Oracle Retail EFTLink was officially brought into the Oracle Retail Xstore Suite for GA Version 15.0. The following chapters will detail features that have been introduced for each GA version since GA version 15.0 in order to make it clear what each version of EFTLink has brought to the market for each GA version since GA 15.0.

[Xstore/EFTLink Core Compatibility](#)

[EFTLink Xstore GA 15.0 Compatibility](#)

[EFTLink Xstore GA 16.0 Compatibility](#)

[EFTLink Xstore GA 17.0 Compatibility](#)

[EFTLink Xstore GA 18.0 Compatibility](#)

[EFTLink Xstore GA 19.0 Compatibility](#)

[EFTLink Xstore GA 20.0 Compatibility](#)

[EFTLink Xstore GA 21.0 Compatibility](#)

[EFTLink Xstore GA 22.0 Compatibility](#)

Xstore POS/EFTLink Version Compatibility

Oracle Retail EFTLink has always been backwards compatible with earlier versions of Xstore. The following table clearly illustrates which versions of Xstore can communicate with which versions of EFTLink. Please note that in each case the EFTLink client library must be imported into the `Xstore\lib\ext` folder.

Table 1-1 Xstore POS/EFTLink Version Compatibility

Oracle Retail Xstore POS	Oracle Retail EFTLink
v15.0+	v15.0, v15.0.1, v15.0.2
	v16.0, v16.0.1, v16.0.2, v16.0.3

Table 1-1 (Cont.) Xstore POS/EFTLink Version Compatibility

Oracle Retail Xstore POS	Oracle Retail EFTLink
	v17.0, v17.0.1, v17.0.2
	v18.0, v18.0.1
	v19.0, v19.0.1
	v20.0*, v20.0.1*, v21.0*, v22.0*
v16.0+	v16.0, v16.0.1, v16.0.2, v16.0.3
	v17.0, v17.0.1, v17.0.2
	v18.0, v18.0.1
	v19.0, v19.0.1
	v20.0*, v20.0.1*, v21.0*, v22.0*
v17.0+	v17.0, v17.0.1, v17.0.2
	v18.0, v18.0.1
	v19.0, v19.0.1
	v20.0*, v20.0.1*, v21.0*, v22.0*
v18.0+	v18.0, v18.0.1
	v19.0, v19.0.1
	v20.0*, v20.0.1*, v21.0*, v22.0*
v19.0+	v19.0, v19.0.1
	v20.0*, v20.0.1*, v21.0*, v22.0*
v20.0+	v20.0, v20.0.1, v21.0, v22.0
v21.0+	v21.0, v22.0
v22.0+	v22.0

*Even though earlier versions of Xstore will be able to communicate with EFTLink v20.0 onwards they will not be able to consume all the new features introduced in these later releases as they will have to use the last v19.0.1 EFTLink library. This library is compatible with earlier versions of Xstore but for v20.0 onwards Xstore and EFTLink had to change the way the XML was consumed because of removing the dependency on the JDOM2 library.

It is recommended to always use the latest EFTLink maintenance release for a general release build. View the accompanying maintenance patch notes for details.

2

Xstore/EFTLink Core Compatibility

This chapter provides information relating to the release versions for compatibility of Xstore and EFTLink for payment terminal functionality in each Core.

Where Xstore does not support a function that is supported by one of the Cores, this would imply that a solution may be found in the customer overlay. If functionality is not listed here, then assume that it does not exist in the Core EPS API or in the Xstore base.

Cores are listed geographically:

- [International](#)
- [US Region](#)
- [European Region](#)

Table 2-1 Supported Cores by Geographical Area

Geographical Area	Cores
International	Adyen (Deprecated) OPI Retail
US Region	AJB FiPay Cayan Tender Retail Verifone Point US
European Region	Six Payment Services TLG SolveConnect Verifone Ocius Sentinel WorldPay

International

The following Cores are supported:

- [Adyen \(Deprecated\)](#)
- [OPI Retail](#)
- [PayByLink](#)

Adyen (Deprecated)

Note:

Adyen will end support of the POS JNI interface on March 29th, 2024. Until that time Oracle will only make bug fixes where appropriate. No new features will be added to this Core. Adyen and Oracle are working together strategically adding new features to the OPIRetail Core. Existing Adyen customers will be advised to migrate over to the OPIRetail Core as soon as possible.

Operating Areas: US, EU, AUS, Singapore

Supported Terminals:

Verifone

E285, E355, M400, MX915, MX925, P400, P400Plus, V400m, V440cPlus, VX680, VX690, VX820.

Castles

Saturn 1000E

Table 2-2 Xstore and EFTLink Compatibility for Adyen Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	16.0
Sign Off	NA	15.0	16.0
Card Payment	Payment by Credit	15.0	16.0
	Payment by Debit	15.0	16.0
Refund	Refund by Credit	15.0	16.0
	Refund by Debit	15.0	16.0
	Cardless Refund using Token	16.0	16.0
Reversal	Reversal of last transaction	15.0	16.0
	Reversal of last transaction within batch	15.0	16.0
DCC (currency conversion)	Foreign exchange tender amount, rate, currency code Functionality that is driven through the Core plugin by virtue of the <DeviceRequest> / <DeviceResponse> API	15.0	16.0
Token Support	Receive and record token for verified return	16.0	16.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	16.0

Table 2-2 (Cont.) Xstore and EFTLink Compatibility for Adyen Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Customer Display	Sale State Notification	15.0	16.0.1
	Tender Lines	19.0	19.0
EFTLink server compliant	NA	NA	16.0
IP PED	NA	NA	16.0
Stored Value Cards (Gift Cards)	Redeem	16.0	16.0.1
	Redeem Reversal	16.0	16.0.1
	Load	16.0	16.0.1
	Refund	16.0	16.0.1
	Balance Inquiry	16.0	16.0.1
	Activate and Load	16.0	16.0.1
	Activate Reversal	16.0	16.0.1
	Cash Out (close)	16.0.1	18.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	16.0.1

OPI Retail

Operating Countries: Please refer to *Oracle Retail EFTLink Validated OPI Partners Guide*.

Supported Terminals: Please refer to *Oracle Retail EFTLink Validated OPI Partners Guide*

Table 2-3 Xstore and EFTLink Compatibility for OPI Retail

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	17.0
Sign Off	NA	15.0	17.0
Card Payment	Payment by Credit	15.0	17.0
	Payment by Debit	15.0	17.0
	Manual Authorization	NA	17.0
	Payment by Installments	NA	19.0.1
	Payment by customers saved Card Token	20.0	20.0
Check Payment/Check Verification	Payment by Check	17.0	18.0
Refund	Refund by Credit	15.0	17.0
	Refund by Debit	15.0	17.0
	Cardless Refund using Token	16.0	18.0
	Cardless Refund using customers saved Card Token	21.0	20.0

Table 2-3 (Cont.) Xstore and EFTLink Compatibility for OPI Retail

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Token Support	Receive and record token for verified return	16.0	18.0
Reversal	Reversal of last transaction	15.0	18.0
	Reversal of last transaction within batch	15.0	17.0
Transaction Inquiry	Time out handling	-	18.0.1
DCC (currency conversion)	Foreign exchange tender amount, rate, currency code Functionality that is driven through the Core plugin by virtue of the <DeviceRequest> / <DeviceResponse> API	15.0	17.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	17.0
Customer Display	Sale State Notification	15.0	18.0
	Including Tender Lines	19.0	19.0
Stored Value Cards (Gift Cards)	Redeem	16.0	18.0
	Redeem Reversal	16.0	18.0
	Load	16.0	18.0
	Refund	16.0	18.0
	Balance Inquiry	16.0	18.0
	Activate and Load	16.0	18.0
	Activate Reversal	16.0	18.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	17.0
Cashback	Cashback prompted on PED, return amount to POS	15.0	18.0
Electronic Signature Capture	3 byte ASCII (3BA)	15.0	18.0
Card Swipe - non PCI cards	Get card data	15.0	18.0
Custom Forms	Terminal Display	NA	18.0
	Customer Question	NA	18.0
	Signature Capture	NA	18.0
	Phone Number Capture	NA	18.0
	Generic Numeric Capture	NA	18.0
	Date of Birth Capture	NA	18.0
	Email Address Capture	NA	18.0
	Generic Alphanumeric Capture	NA	18.0
	Charity Donation	NA	18.0
	Customer Survey	NA	18.0
	Display QR Code	NA	18.0

Table 2-3 (Cont.) Xstore and EFTLink Compatibility for OPI Retail

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
	Cancel QR Code	NA	18.0
Reconciliation	Reconciliation with Closure Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.	15.0	17.0
EWallet	Shopper initiated on PED - EWallet button pressed on PED (Flow 1).	19.0	19.0
	Cashier initiated with EWallet tender - QR code displayed on PED (Flow 2).	19.0	19.0
	Cashier initiated with EWallet tender - Scan QR code displayed on shopper's phone (Flow 3).	19.0	19.0
2 stage payment	Card Inserted Event / update payment / tax free shopping.	19.0	19.0
Quick Chip	Capture card details during sale.	NA	20.0
Card Token	Return Tokenized Card in Response.	20.0	20.0
	Accept Tokenized Card in Request for Payment.	20.0	20.0
	Accept Tokenized Card in Request for Refund.	21.0	20.0
Invoice Payments	Mid-sale Invoice or Bill payment.	21.0	21.0
Cell Phone Recharge	Mid-sale Cell/Mobile phone top-up.	21.0	21.0
Finalize EFT	Finalize EFT Transactions at end of sale.		22.0

PayByLink

Operating Areas: US, EU, AUS, Singapore

Supported Terminals:

Verifone

M400, P400 Plus, V240m Plus, V400c Plus, or V400m.

Castles

Saturn 1000E

Table 2-4 Xstore and EFTLink Compatibility for PayByLink Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	21.0
Sign Off	NA	15.0	21.0

Table 2-4 (Cont.) Xstore and EFTLink Compatibility for PayByLink Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Payment	Payment by Link	21.0	21.0
Refund	Refund by Credit	21.0	21.0
	Refund by Debit	21.0	21.0
Reversal	Reversal of last transaction	15.0	21.0
	Reversal of last transaction within batch	15.0	21.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	21.0
EFTLink server compliant	NA	NA	21.0
IP PED	NA	NA	21.0
Customer Not Present	CVV2/AVS/partial entry on PED	21.0	21.0

US Region

The following Cores are supported:

- [AJB FiPay](#)
- [Cayan](#)
- [Tender Retail](#)
- [Verifone Point US](#)

AJB FiPay

Operating Countries: USA, Canada

Supported Terminals:

Verifone

MX915, MX925, M400

Note:

AJB FiPay has six different SVC providers and therefore each SVC action will need to be checked that the SVC provider supports it.

Table 2-5 Xstore and EFTLink Compatibility for AJB FiPay Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Check Payment/Check Verification	Payment by Check	17.0	17.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
	Cardless Refund using Token	16.0	15.0
	Cardless Refund using Token + Expiry Date	16.0	16.0.0.1
Reversal	Reversal of last transaction	15.0	15.0
	Reversal of last transaction within batch	15.0	15.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	16.0.0.1
Electronic Signature Capture	3 byte ASCII (3BA)	15.0	15.0
Token Support	Receive and record token for verified return	16.0	15.0
Card Swipe - non PCI cards	Get card data	15.0	15.0.1
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	16.0
Customer Display	Sale State Notification	15.0	15.0
	Tender Lines	19.0	19.0
IP PED	NA	NA	15.0
Stored Value Cards (Gift Cards)	Redeem	16.0	16.0
	Redeem Reversal	16.0	16.0
	Cashback / Unload	16.0	16.0
	Load	16.0	16.0
	Refund	16.0	16.0
	Cash out (Close)	16.0.1	16.0
	Balance Inquiry	16.0	16.0
	Activate	16.0	16.0
	Activate and Load	16.0	16.0
	Activate Reversal	NA	16.0
	Deactivate / Stop	NA	16.0
	Deactivate / Stop Reversal	NA	16.0
Custom Forms	Terminal Display	NA	18.0
	Customer Question	NA	18.0
	Signature Capture	NA	18.0
	Phone Number Capture	NA	18.0

Cayan

Operating Countries: USA

Supported Terminals:

Verifone

MX925

Table 2-6 Xstore and EFTLink Compatibility for Cayan Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	16.0
Card Payment	Payment by Credit	15.0	16.0
	Payment by Debit	15.0	16.0
Refund	Refund by Credit	15.0	16.0
	Refund by Debit	15.0	16.0
	Cardless Refund using Token	16.0	16.0
Reversal	Reversal of last transaction	15.0	16.0
	Reversal of last transaction within batch	15.0	16.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	17.0
Cashback	Cashback prompted on PED, return amount to POS	15.0	16.0
Electronic Signature Capture	3 byte ASCII (3BA)	15.0	16.0
Gratuity	NA	NA	16.0
Token Support	Receive and record token for verified return	16.0	16.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	16.0
Customer Display	Sale State Notification	15.0	16.0
	Tender Lines	19.0	19.0
IP PED	NA	NA	16.0
Stored Value Cards (Gift Cards)	Redeem	16.0	16.0
	Redeem Reversal	16.0	16.0
	Load	16.0	16.0
	Balance Inquiry	16.0	16.0
	Activate Reversal	16.0	16.0
Custom Forms	Customer Question	NA	18.0
	Phone Number Capture	NA	18.0
	Generic Numeric Capture	NA	18.0
	Date Capture	NA	18.0
	Signature Capture	NA	18.0

Table 2-6 (Cont.) Xstore and EFTLink Compatibility for Cayan Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
	Cancel Signature Capture	NA	18.0

Tender Retail

Operating Countries: USA, Canada

Supported Terminals:

Verifone

MX915, MX925

Table 2-7 Xstore and EFTLink Compatibility for Tender Retail Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Card Payment	Payment by Credit	15.0	17.0
	Payment by Debit	15.0	17.0
Refund	Refund by Credit	15.0	17.0
	Refund by Debit	15.0	17.0
	Cardless Refund using Token	16.0	17.0
Reversal	Reversal of last transaction	15.0	17.0
	Reversal of last transaction within batch	15.0	17.0
Reconciliation	Reconciliation with Closure Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.	15.0	17.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	17.0
Electronic Signature Capture	3 byte ASCII (3BA)	15.0	17.0
Token Support	Receive and record token for verified return	16.0	17.0
Card Swipe-non PCI cards	Get card data	15.0	NA
	Get card data with abort	16.0	NA
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	17.0
Customer Display	Sale State Notification	15.0	17.0
	Tender Lines	19.0	19.0
Stored Value Cards (Gift Cards)	Redeem	16.0	17.0
	Redeem Reversal	16.0	17.0

Table 2-7 (Cont.) Xstore and EFTLink Compatibility for Tender Retail Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
	Cashback / Unload	16.0	17.0
	Load	16.0	17.0
	Balance Inquiry	16.0	17.0
	Activate	16.0	17.0
	Activate Reversal	16.0	17.0
	Deactivate / Stop	NA	NA
	Deactivate / Stop Reversal	NA	NA
EWallet	Payment. Cashier initiated with EWallet tender - QR displayed on the shoppers phone and scanned by the POS (flow 3).	NA	19.0.1
	Refund	NA	19.0.1
	Cancel	NA	19.0.1

Verifone Point US

Operating Countries: USA

Supported Terminals: Verifone

Verifone

E285, M400, M440, MX915, MX925.

Table 2-8 Xstore and EFTLink Compatibility for Verifone Point US Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
	Cardless Refund using Token	16.0	15.0.1
	Cardless Refund using Token + Expiry Date	16.0	15.0.1
Reversal	Reversal of last transaction	15.0	15.0
	Reversal of last transaction within batch	15.0	15.0
Reconciliation	Reconciliation with Closure Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.	15.0	15.0

Table 2-8 (Cont.) Xstore and EFTLink Compatibility for Verifone Point US Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Customer Not Present	CVV2/AVS/partial entry on PED	NA	16.0
Electronic Signature Capture	3 byte ASCII (3BA)	15.0	15.0
Gratuity	NA	NA	15.0
Token Support	Receive and record token for verified return	16.0	15.0.1
Card Swipe-non PCI cards	Get card data	15.0	15.0
	Get card data with abort	16.0	15.0.1
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	15.0
Customer Display	Sale State Notification	15.0	15.0
	Tender Lines	19.0	19.0
IP PED	NA	NA	15.0
Stored Value Cards (Gift Cards)	Redeem	16.0	16.0
	Redeem Reversal	16.0	16.0
	Cashback / Unload	16.0	16.0
	Load	16.0	16.0
	Balance Inquiry	16.0	16.0
	Activate	16.0	16.0
	Activate Reversal	16.0	16.0
	Deactivate / Stop	16.0	16.0
	Deactivate / Stop Reversal	NA	16.0
Custom Forms	Terminal Display	NA	17.0.1
	Customer Question	NA	17.0.1
	Phone Number Capture	NA	17.0.1
	Email Address Capture	NA	17.0.1
	Signature Capture	NA	17.0.1
	Charity Donation	NA	17.0.1
	Customer Survey	NA	17.0.1
	Customer Buttons	NA	17.0.1
	Display QR Code	NA	17.0.1
Cancel QR Code	NA	17.0.1	
EWallet	Shopper initiated on PED - EWallet button pressed on PED (Flow 1).	NA	19.0.1
	Cashier initiated with EWallet tender - QR code displayed on PED (Flow 2).	NA	20.0.1

European Region

The following Cores are supported:

- [Six Payment Services](#)
- [TLG SolveConnect](#)
- [Verifone Ocius Sentinel](#)
- [WorldPay](#)

Six Payment Services

Operating Countries: Europe

Supported Terminals:

Yomani terminal

Ingenico Desk/3500

Table 2-9 Xstore and EFTLink Compatibility for Six Payment Services

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	15.0
Sign Off	NA	15.0	15.0
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
Reversal	Reversal of last transaction	15.0	15.0
	Reversal of last transaction within batch	15.0	15.0
Reconciliation	Reconciliation with Closure Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.	15.0	15.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	15.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	15.0
EFTLink server compliant	NA	NA	15.0
IP PED	NA	NA	15.0

TLG SolveConnect

Operating Countries: UK

Supported Terminals:

Verifone

VX680, VX820.

Table 2-10 Xstore and EFTLink Compatibility for TLG SolveConnect

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
	Cardless Refund using Token	16.0	15.0
Reversal	Reversal of last transaction	15.0	16.0
	Reversal of last transaction within batch	15.0	16.0
DCC (currency conversion)	Foreign exchange tender amount, rate, currency code Functionality that is driven through the Core plugin by virtue of the <DeviceRequest> / <DeviceResponse> API.	17.0	16.0
Cashback	Cashback prompted on PED, return amount to POS	15.0	15.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	15.0
Gratuity	NA	NA	15.0
Token Support	Receive and record token for verified return	16.0	15.0
Card Swipe - non PCI cards	Get card data	15.0	15.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	16.0
	Suppress Merchant copy for EMV Chip transactions	NA	16.0
Ticket Reprint (Direct)		NA	15.0
EFTLink server compliant		NA	16.0
IP PED		NA	16.0
2 stage payment	Card Inserted Event / update payment	NA	15.0
Stored Value Cards (Gift Cards)	Redeem	16.0	15.0
Stored Value Cards (Gift Cards)	Redeem Reversal	16.0	15.0
	Cashback / Unload	16.0	15.0
	Load	16.0	15.0
	Balance Inquiry	16.0	15.0

Verifone Ocius Sentinel

Operating Countries: UK

Supported Terminals:

Verifone

VX810, VX820, P400.

Table 2-11 Xstore and EFTLink Compatibility for Verifone Ocius Sentinel

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	15.0
Sign Off	NA	15.0	15.0
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Check Payment/Check Verification		17.0	15.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
	Cardless Refund using Token	16.0	15.0
Reconciliation	Reconciliation with Closure	15.0	15.0
	Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.		
DCC (currency conversion)	Foreign exchange tender amount, rate, currency code Functionality that is driven through the Core plugin by virtue of the <DeviceRequest> / <DeviceResponse> API.	17.0	15.0
Cashback	Cashback prompted on PED, return amount to POS	15.0	15.0
Customer Not Present	CVV2/AVS/partial entry on PED	17.0	15.0
Gratuity	NA	NA	15.0
Token Support	Receive and record token for verified return	16.0	15.0
Card Swipe - non PCI cards	Get card data	15.0	15.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	15.0
	Suppress Merchant copy for EMV Chip transactions	NA	15.0
	Create receipt from XML elements provided by EPS	NA	15.0

Table 2-11 (Cont.) Xstore and EFTLink Compatibility for Verifone Ocius Sentinel

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Ticket Reprint (Direct)	NA	NA	15.0
IP PED	NA	NA	15.0
	Card read, card payment	16.0	15.0
Stored Value Cards (Gift Cards) Gift cards are supported on the VX820 only.	Redeem	16.0	15.0
	Redeem Reversal	16.0	15.0
	Cashback / Unload	16.0	15.0
	Load	16.0	15.0
	Balance Inquiry	16.0	15.0
	Activate	16.0	15.0

WorldPay

Operating Countries: UK

Supported Terminals:

Ingenico

iPP350

Table 2-12 Xstore and EFTLink Compatibility for WorldPay Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Sign On	NA	15.0	15.0
Card Payment	Payment by Credit	15.0	15.0
	Payment by Debit	15.0	15.0
Refund	Refund by Credit	15.0	15.0
	Refund by Debit	15.0	15.0
	Cardless Refund using Token	16.0	15.0
Reconciliation	Reconciliation with Closure	15.0	15.0
	Functionality that is typically available via the hardware maintenance menu on the Xstore POS client, that is, uses the <ServiceRequest> / <ServiceResponse> API.		
DCC (currency conversion)	Foreign exchange tender amount, rate, currency code	17.0	15.0
	Functionality that is driven through the Core plugin by virtue of the <DeviceRequest> / <DeviceResponse> API.		

Table 2-12 (Cont.) Xstore and EFTLink Compatibility for WorldPay Core

Payment Terminal Function	Subtype	Xstore Release Version	EFTLink Release Version
Cashback	Cashback prompted on PED, return amount to POS	NA	15.0
Token Support	Receive and record token for verified return	16.0	15.0
Combined EFT/Tax Receipts	Defer customer copy to <CardServiceResponse>	16.0	15.0
	Suppress Merchant copy for EMV Chip transactions	NA	15.0
IP PED	NA	NA	15.0

3

EFTLink Xstore GA 15.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v15.0

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - Customer Not Present
- Refund
- Tokenized Refund
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry
 - Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions

- Server Mode
- PED Pooling in Server Mode

EFTLink Features Integrated to Xstore for GA Release v15.0

- Logon
- Sale
- Refund
- Tokenized Refund
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions

4

EFTLink Xstore GA 16.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v16.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - **Card Acquisition [Tax Free Shopping Support]**
- Refund
- Tokenized Refund
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry
 - Cash Out

- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode

EFTLink Features Integrated to Xstore for GA Release v16.0

- Logon
- Sale
 - **Transaction Token Support**
- Refund
- **Tokenized Refund**
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- **Combined Receipts**
- **Stored Value Cards**
 - **Redeem**
 - **Redeem Reversal**
 - **Load**
 - **Load Reversal**
 - **Activate**
 - **Activate Reversal**
 - **Balance Inquiry**
 - **Cash Out**

5

EFTLink Xstore GA 17.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v17.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
- Refund
- Tokenized Refund
- **Check Payment / Verification**
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry

- Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode

EFTLink Features Integrated to Xstore for GA Release v17.0

- Logon
- Sale
 - Transaction Token Support
 - **Customer Not Present**
 - **DCC (Dynamic Currency Conversion)**
- Refund
- **Tokenized Refund**
- Check Payment / Verification
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Balance Inquiry
 - Cash Out

6

EFTLink Xstore GA 18.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v18.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
- Refund
- Tokenized Refund
- Check Payment / Verification
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry

- Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode
- **Custom Forms**

EFTLink Features Integrated to Xstore for GA Release v18.0

- Logon
- Sale
 - Transaction Token Support
 - Customer Not Present
 - DCC (Dynamic Currency Conversion)
 - Card Acquisition [Tax Free Shopping Support]
- Refund
- Tokenized Refund
- Check Payment / Verification
- Reversal (Void)
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Balance Inquiry

- Cash Out

7

EFTLink Xstore GA 19.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v19.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
 - **EWallet**
 - **Installments**
- Refund
 - Credit/Debit
 - **EWallet**
- Tokenized Refund
 - Credit/Debit
 - **EWallet**
- Check Payment / Verification
- Reversal (Void)
 - Credit/Debit
 - **EWallet**
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem

- Redeem Reversal
- Load
- Load Reversal
- Activate
- Activate Reversal
- Deactivate
- Deactivate Reversal
- Balance Inquiry
- Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
 - **Tender Lines**
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode
- Custom Forms
- **Record Payment Provider (Prevent cross tokens)**

EFTLink Features Integrated to Xstore for GA Release v19.0

- Logon
- Sale
 - Transaction Token Support
 - Customer Not Present
 - DCC (Dynamic Currency Conversion)
 - Card Acquisition [Tax Free Shopping Support]
 - **EWallet**
 - **Installments**
- Refund
 - Credit/Debit
 - **EWallet**
- Tokenized Refund
 - Credit/Debit
 - **EWallet**
- Check Payment / Verification
- Reversal (Void)
 - Credit/Debit

- **EWallet**
- Reversal of last transaction
- Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
 - **Tender Lines**
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Balance Inquiry
 - Cash Out
- **Record Payment Provider (Prevent cross tokens)**

8

EFTLink Xstore GA 20.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v20.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - * **Disable Cashback for SCO Mode**
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
 - EWallet
 - Installments
 - Card Token
 - * Return Tokenized Card in Response
 - * Accept Tokenized Card in Request for Payment
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
 - **Support Check Image**
- Reversal (Void)
 - Credit/Debit
 - EWallet

- Reversal of last transaction
- Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry
 - Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode
 - **PED Identification**
 - **Support Line Display for Default PED**
- **Multiple Core Support**
 - **EWallet**
 - **Stored Value Cards**
- Custom Forms
- Record Payment Provider (Prevent cross tokens)
- **REST API**
 - **Support custom applications using Xservices integrations**

EFTLink Features Integrated to Xstore for GA Release v20.0

- Logon
- Sale
 - Transaction Token Support
 - Customer Not Present
 - DCC (Dynamic Currency Conversion)

- Cash Back
 - * **Disable Cashback for SCO Mode**
- Card Acquisition [Tax Free Shopping Support]
- EWallet
- Installments
- **Card Token**
 - **Record Tokenized Card from EFTLink Response**
 - **Send Tokenized Card in Request for Payment**
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
- Reversal (Void)
 - Credit/Debit
 - EWallet
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Balance Inquiry
 - Cash Out

- Record Payment Provider (Prevent cross tokens)

9

EFTLink Xstore GA 21.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v21.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - * Disable Cashback for SCO Mode
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
 - EWallet
 - Installments
 - **Invoice Payments**
 - **Cell Phone Recharge**
 - Card Token
 - * Return Tokenized Card in Response
 - * Accept Tokenized Card in Request for Payment
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
 - Support Check Image
- Reversal (Void)

- Credit/Debit
- EWallet
- Reversal of last transaction
- Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry
 - Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode
 - PED Identification
 - Support Line Display for Default PED
- Multiple Core Support
 - EWallet
 - Stored Value Cards
 - **Pay By Link**
- Custom Forms
- Record Payment Provider (Prevent cross tokens)
- REST API
 - Support custom applications using Xservices integrations

EFTLink Features Integrated to Xstore for GA Release v21.0

- Logon
- Sale

- Transaction Token Support
- Customer Not Present
- DCC (Dynamic Currency Conversion)
- Cash Back
 - * Disable Cashback for SCO Mode
- Card Acquisition [Tax Free Shopping Support]
- EWallet
- Installments
- **Pay By Link**
- **Invoice Payments**
- **Cell Phone Recharge**
- Card Token
 - Record Tokenized Card from EFTLink Response
 - Send Tokenized Card in Request for Payment
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
- Reversal (Void)
 - Credit/Debit
 - EWallet
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal

- Load
- Load Reversal
- Activate
- Activate Reversal
- Balance Inquiry
- Cash Out
- Record Payment Provider (Prevent cross tokens)

10

EFTLink Xstore GA 22.0 Compatibility

This chapter provides feature compatibility information relating to the Xstore EFTLink GA versions. The lists below split out the features by product so it is clear what features EFTLink supports and which features Xstore implemented at that same time.

EFTLink Features Introduced and Supported in GA Release v22.0

[added features are **bold**]

- Logon
- Logoff
- Abort
- Sale
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - * Disable Cashback for SCO Mode
 - Customer Not Present
 - Offline Referral
 - Transaction Token Support
 - Card Acquisition [Tax Free Shopping Support]
 - EWallet
 - Installments
 - Invoice Payments
 - Cell Phone Recharge
 - Card Token
 - * Return Tokenized Card in Response
 - * Accept Tokenized Card in Request for Payment
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
 - Support Check Image
- Reversal (Void)

- Credit/Debit
- EWallet
- Reversal of last transaction
- Reversal of last transaction within batch (Post Void)
- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Deactivate
 - Deactivate Reversal
 - Balance Inquiry
 - Cash Out
- Card Read (Non PCI Cards)
- Customer Display - Sale State Notification
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions
- Server Mode
- PED Pooling in Server Mode
 - PED Identification
 - Support Line Display for Default PED
- Multiple Core Support
 - EWallet
 - Stored Value Cards
 - Pay By Link
- Custom Forms
- Record Payment Provider (Prevent cross tokens)
- REST API
 - Support custom applications using Xservices integrations
- **Support FinalizeEFT**
 - **New sub-type “FinalizeEFT” added to “CardFinancialAdvice”**
- **Support Additional L2/L3 fields**
 - **TotalTaxAmount, DestPostalCode, SaleItem.UnitTaxAmount**

EFTLink Features Integrated to Xstore for GA Release v22.0

- Logon
- Sale
 - Transaction Token Support
 - Customer Not Present
 - DCC (Dynamic Currency Conversion)
 - Cash Back
 - * Disable Cashback for SCO Mode
 - Card Acquisition [Tax Free Shopping Support]
 - EWallet
 - Installments
 - Pay By Link
 - Invoice Payments
 - Cell Phone Recharge
- Card Token
 - Record Tokenized Card from EFTLink Response
 - Send Tokenized Card in Request for Payment
- Refund
 - Credit/Debit
 - EWallet
- Tokenized Refund
 - Credit/Debit
 - EWallet
- Check Payment / Verification
- Reversal (Void)
 - Credit/Debit
 - EWallet
 - Reversal of last transaction
 - Reversal of last transaction within batch (Post Void)
- Customer Display - Sale State Notification
 - Start
 - Sale in Progress
 - Sale End
 - Tender Lines
- 3 Byte Ascii (3BA) Signature Support
- Maintenance Functions

- Combined Receipts
- Stored Value Cards
 - Redeem
 - Redeem Reversal
 - Load
 - Load Reversal
 - Activate
 - Activate Reversal
 - Balance Inquiry
 - Cash Out
- Record Payment Provider (Prevent cross tokens)