Oracle Linux Automation Manager 2 Release Notes



F76263-02 September 2023

ORACLE

Oracle Linux Automation Manager 2 Release Notes,

F76263-02

Copyright $\ensuremath{\mathbb{C}}$ 2022, 2023, Oracle and/or its affiliates.

Contents

Preface

Conventions	iv
Documentation Accessibility	iv
Access to Oracle Support for Accessibility	iv
Diversity and Inclusion	iv

1 About Oracle Linux Automation Manager and Oracle Linux Automation Engine

2 Component Versions

ew Features and Notable Changes				
Release 2.1	3-1			
Release 2.0	3-1			
Release 1.0.1	3-2			

4 Documentation Changes

Release 2.1	4-1
Release 2.0	4-1

5 About the Oracle Linux Automation Manager Life Cycle

6 Known Issues

Incorrect Job Status



6-1

Preface

Oracle Linux Automation Manager 2: Release Notes provides release information about Oracle Linux Automation Manager. This document includes information on component versions, new features, and documentation changes for Oracle Linux Automation Manager.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at https://www.oracle.com/corporate/accessibility/.

For information about the accessibility of the Oracle Help Center, see the Oracle Accessibility Conformance Report at https://www.oracle.com/corporate/accessibility/templates/t2-11535.html.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit https://www.oracle.com/corporate/accessibility/learning-support.html#support-tab.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees,



customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1 About Oracle Linux Automation Manager and Oracle Linux Automation Engine

Oracle Linux Automation Manager version 2.1, based on the open source projects Ansible and AWX, is a task engine and Web interface for scheduling and running Oracle Linux Automation Engine playbook tasks on the inventories the playbooks interact with. The Oracle Linux Automation Engine is an automation tool for deploying software, configuring systems, and orchestrating tasks such as upgrades and updates, in the form of playbooks.

Oracle Linux Automation Manager version 2.1 is based on the AWX version 19.5.1 opensource software. The AWX development branch and documentation are maintained at https:// github.com/ansible/awx/tree/19.5.1.

Oracle Linux Automation Manager, includes Oracle Linux Automation Engine which is based on the open source software package ansible-core-2.14.0. The development branch and documentation are maintained at https://github.com/ansible/ansible/tree/v2.14.0.

Ansible is a registered trademark of Red Hat, Inc. in the United States and other countries.



2 Component Versions

This section lists the version numbers of the major components included with Oracle Linux Automation Manager.

NGINX	1.14
Oracle Linux Automation Engine (ansible- core)	2.14
ol-automation-manager	2.1
ol-automation-manager-cli	2.1
postgresql	12 or 13
receptor	1.3
redis	5.0

 Table 2-1
 Oracle Linux Automation Manager Components



3 New Features and Notable Changes

This section contains information on notable changes, release updates and new features. For more information about upgrading Oracle Linux Automation Manager, see Oracle Linux Automation Manager 2: Installation Guide.

Release 2.1

Some notable changes in Oracle Linux Automation Manager Release 2.1 are:

Private Automation Hub:

This Oracle Linux Automation Manager feature is based on the galaxy_ng open source project that lets you synchronize your custom collections and execution environment images to use with your Oracle Linux Automation Manager deployments. Private Automation Hub can also synchronize collections and execution environments from remote container registries that you want to host locally. For more information about Private Automation Hub, see Oracle Linux Automation Manager 2: Private Automation Hub Installation Guide and Oracle Linux Automation Manager 2: Private Automation Hub User's Guide.

Builder Utility

The builder utility is based on the ansible-builder version 1.2 open source project that allows you to customize and create execution environments and then upload them to Private Automation Hub. Being able to use customized container images as execution environments to run playbooks allows you to ensure you have all the packages and dependencies you need on the container image necessary to run playbooks in a consistent and dependable way. For more information about the Builder utility, see Oracle Linux Automation Manager 2: Private Automation Hub Installation Guide and Oracle Linux Automation Manager 2: Private Automation Hub User's Guide.

Release 2.0

Some notable changes in Oracle Linux Automation Manager Release 2.0 are:

- Service Mesh: Service Mesh provides a multi-service network that links control and execution nodes within a secure mesh that enables the sharing of job execution. The Service Mesh can include up to 20 nodes. For more information about configuring the Service Mesh, see Oracle Linux Automation Manager 2: Installation Guide and Oracle Linux Automation Manager 2: User's Guide.
- Control Plane: The control plane is part of the Service Mesh that consists of control
 plane nodes that provide the user interface, role-based access control, and content
 management functionality. The Control Plane defines how automation is initiated,
 deployed, audited and delegated to the Execution Plane. From the Control Plane user
 interface or through the RESTful API, users can manage features such as inventory,
 schedule workflows, track changes, initiate reporting and so on. For more information,
 see Oracle Linux Automation Manager 2: Installation Guide and Oracle Linux Automation
 Manager 2: User's Guide.



- **Execution Plane**: The Execution Plane is part of the Service Mesh that consists of execution plane nodes that execute Oracle Linux Automation Engine playbooks. Execution plane nodes use a ready-built container with Oracle Linux, ansible-core, python and provides collections and libraries, which enables a consistent and defined environment every time they run. Execution environments replace python virtual environments. For more information, see Oracle Linux Automation Manager 2: Installation Guide and Oracle Linux Automation Manager 2: User's Guide.
- **Hop Nodes**: Hop nodes are connecting nodes that can link together cluster nodes within the Service Mesh, such as control and execution nodes, that cannot directly reach one another. These nodes do not appear as part of instance groups, but do appear as part of the Service Mesh peer relationships.
- **Remote Database Options**: You can now optionally install a PostgreSQL database on a separate host. For more information, see Oracle Linux Automation Manager 2: Installation Guide.
- **Upgrade Path from Release 1.0 to 2.0**: You can upgrade Oracle Linux Automation Manager Release 1.0 instances to Release 2.0. The upgrade path includes remaining on a single node instance to upgrading to a full clustered instance. For more information, see Oracle Linux Automation Manager 2: Installation Guide.
- Workflow Templates: You can create workflow templates using the Workflow Visualizer graphical tool. You can use the tool to specify the run sequence of disparate components such as job templates and management jobs, as nodes in a linear graph-like design. For more information, see Oracle Linux Automation Manager 2: User's Guide.
- **Instance Groups**: You can group control plane nodes and execution plane node into instance groups. By default, the Oracle Linux Automation Manager installation process creates a default instance group for control plane nodes and a default instance group for execution plane nodes. You can add or remove control and execution plane nodes to an instance group. And you can create additional instance groups for execution plane nodes to further manage what execution plane node runs a specific job. For more information, see Oracle Linux Automation Manager 2: Installation Guide and Oracle Linux Automation Manager 2: User's Guide.

Release 1.0.1

Some highlighted features in Oracle Linux Automation Manager Release 2.0 are:

- Oracle Linux Automation Manager REST API: You can now use the REST API to programmatically interact with Oracle Linux Automation Manager servers. The API is based on AWX version 15.0.1 open-source software and all upstream features are exposed in the REST API; however, support is limited to those features discussed in Getting Started With Oracle Linux Automation Manager. For more information, see Oracle Linux Automation Manager 1.0: CLI and API Reference Guide.
- Oracle Linux Automation Manager CLI: You can now install and use the Oracle Linux Automation Manager CLI to interact with Oracle Linux Automation Manager servers. The CLI is based on AWX version 15.0.1 open-source software and all upstream features are exposed in the CLI; however, support is limited to those features discussed in Getting Started With Oracle Linux Automation Manager. For more information, see Oracle Linux Automation Manager 1.0: CLI and API Reference Guide.

 Oracle Cloud Infrastructure Ansible Collection credential type: Oracle Linux Automation Manager now includes the OCI credential type for accessing the OCI Ansible collection within an Oracle Linux Automation Engine playbook. If your Oracle Linux Automation Engine playbook uses the OCI Ansible collection, see https:// docs.oracle.com/iaas/Content/API/SDKDocs/ansible.htm and find the setup instructions relating to AWX. The OCI credential type removes the need to manually create the OCI credential type as described in the Using Oracle Cloud Infrastructure with Ansible Tower and AWX blog post.

4 Documentation Changes

For the latest Oracle Linux Automation Manager Release 2.0 and Release 1.0 documentation, see Oracle Linux Automation Manager documentation.

Release 2.1

Release 2.1 includes the following new documents:

- Oracle Linux Automation Manager 2: Private Automation Hub Installation Guide: This
 document provides instructions about installing, backing up, and restoring Private
 Automation Hub and installing the Builder utility.
- Oracle Linux Automation Manager 2: Private Automation Hub User's Guide: This document provides instructions about using Private Automation Hub to manage collections and execution environments for use with Oracle Linux Automation Manager. In addition, this document provides instructions for using the Builder utility to create custom execution environments and upload them to Private Automation Hub.

Release 2.1 also includes the following notable changes to existing documentation:

- Oracle Linux Automation Manager 2: User's Guide: A new section is available about creating execution environments for using custom execution environment container images hosted on Private Automation Hub or on some other local container registry. New instructions are available about creating credentials for accessing custom execution environments and about creating credentials for accessing collections hosted on Private Automation Hub.
- Oracle Linux Automation Manager 2: Installation Guide: Existing installation procedures now includes information about using custom execution environments when defining default execution environments when running playbooks in Oracle Linux Automation Manager.

Release 2.0

The contents of Oracle Linux Automation Manager 1.0: Getting Started has been split into the following books in release 2.0:

- Oracle Linux Automation Manager 2: Installation Guide: The Installation Guide provides the following information
 - Hardware requirements
 - Installation options
 - Service Mesh topology examples
 - instructions for installing on a single host with a collocated database
 - instructions for installing on a single host with a remote database
 - instructions for installing in a cluster of host with a remote database
 - Instructions for configuring the Service Mesh nodes



- Instructions for adding and removing cluster nodes
- Instructions for upgrading Oracle Linux Automation Manager release 1.0 to release 2.0
- Oracle Linux Automation Manager 2: User's Guide: The User's Guide provides information about setting up permissions, teams, and users, setting up resources, and using views. Notable additions in Release 2.0 include the following:
 - Setting up Work flow Templates
 - Creating Schedules for Resources
 - Viewing Execution Environments
 - Managing Instance Groups
- Oracle Linux Automation Manager 2: Administrator's Guide: The Administrator's Guide includes information about general administrative tasks, configuring credential types, configuring notification templates, scheduling management jobs, and configuring settings. Notable additions in Release 2.0 include instructions for setting up LDAP authentication for user accounts configured in an LDAP server that log on to Oracle Linux Automation Manager.



5 About the Oracle Linux Automation Manager Life Cycle

Support for product enhancements, Common Vulnerabilities and Exposures (CVEs) and bug fix updates are available for Oracle Linux Automation Manager as described in Oracle Linux: Product Life Cycle Information.



6 Known Issues

This chapter contains information about known issues and limitations in this release.

Incorrect Job Status

In rare cases, some jobs that show a successful status in the Jobs summary page in the Resources area, report a failed job status on the individual Job's **Details** tab, even though the status icon shows a green status. For example, the following figure shows a job with a green status icon, but a failure error.

= 😴								• • • •	💄 admin 🔻
Views Dashboard	~	Jobs → ping Details							D
Jobs Schedules	-	Back to Jobs	Degils Output						
Activity Stream Workflow Approvals		Job ID Status	132	een marked as failed.					
Resources	*	Started	27/10/2022, 13:41:25	Finished	27/10/2022, 13:41:30	Job Type	Run Command		
Templates Credentials		Launched By Verbosity	admin O (Normal)	Inventory Execution Environment	OLAM DEMO INVENTORY OLAM EE (latest)	Limit Execution Node			
Projects Inventories		Instance Group	execution 27/10/2022 13:41:24 by admin	Machine Credential	sse 27/10/2022 13:41:25	Module Name	ping		
Hosts	,	Variables VAM	JSON		-, , ,,				×
Organizations Users		1							
Teams	v	Relaunch	Delete						
Credential Types									
Notifications Management Jobs									
Instance Groups									

Figure 6-1 Incorrect Status

This discrepancy in status is caused by the system job reaper running before the task completes and does not actually indicate that the job has failed. You can safely ignore these failure messages after verifying the job status shows that it has a <code>Successful</code> status on the Jobs page and shows a green status icon on the **Details** tab of the individual job. You can also verify the status of the job using the <code>/api/v2/jobs/</code> API call.

Resolved: This issue has been resolved in Oracle Linux Automation Manager release 2.1. Use the **REAPER_TIMEOUT_SEC** parameter to adjust the duration before the reaper timeout occurs. This prevents the reaper from changing the status of long running jobs to failed. For more information about the **REAPER_TIMEOUT_SEC** parameter, see the Oracle Linux Automation Manager 2: Installation Guide.

