

Oracle Linux 10

Configuring the File Access Policy Daemon



G34035-02
June 2025



Oracle Linux 10 Configuring the File Access Policy Daemon,

G34035-02

Copyright © 2025, Oracle and/or its affiliates.

Contents

Preface

Documentation License	v
Conventions	v
Documentation Accessibility	v
Access to Oracle Support for Accessibility	v
Diversity and Inclusion	v

1 About the File Access Policy Daemon

About the Trust Database	1-1
About Policy Rules	1-2

2 Installing and Running fapolicyd

Changing Runtime Configuration	2-1
Configuring Runtime Statistics Reporting	2-1
Logging Controls	2-2
Performance Controls	2-3
Debugging Interactively in Permissive Mode	2-3
Auditing Denial Events in Permissive Mode	2-4

3 Managing File Trusts

Refreshing the Trust Database	3-1
Adding Files to the Trust File Database	3-1
Updating the Trust File Database	3-2
Checking for Trust Mismatches	3-2
List the Entries in the Trust Database	3-3
Resetting the Trust Database	3-3

4 Managing Policies

Listing Policy Rules	4-1
Creating Policy Rules	4-2

Checking and Loading Policy Rules
Changing Default Policy Logging

4-5
4-6

Preface

[Oracle Linux 10: Configuring the File Access Policy Daemon](#) describes how you can install and configure the File Access Policy Daemon, `fapolicyd`, on Oracle Linux to improve system security through policy rules that either allow or block specific applications from running.

Documentation License

The content in this document is licensed under the [Creative Commons Attribution–Share Alike 4.0 \(CC-BY-SA\)](#) license. In accordance with CC-BY-SA, if you distribute this content or an adaptation of it, you must provide attribution to Oracle and retain the original copyright notices.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://www.oracle.com/corporate/accessibility/learning-support.html#support-tab>.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners,

we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1

About the File Access Policy Daemon

The File Access Policy Daemon, `fapolicyd`, is a service that can be used to help protect a system by limiting which applications have permission to run. The service can be used to complement other security related services, including SELinux. Unlike SELinux, which isn't concerned with how files and applications are installed onto the system and whether they're trusted, `fapolicyd` implements policy decisions based on whether applications are trusted and how they were installed onto the system.

`Fapolicyd` uses the `fanotify` kernel API to monitor file system events. When a file is accessed, `fapolicyd` decides whether the event can continue by checking the file against a trust database and evaluating a set of policy rules. If the file isn't in the trust database and a policy rule denies the action, the event is blocked and an `EACCESS` 'Permission denied' error is returned to the user.

`Fapolicyd` automatically adds files that are installed by DNF to the trust database, by using a DNF plugin. This approach helps to make `fapolicyd` more efficient when evaluating files that have been installed legitimately onto the system. Files can be evaluated based on their SHA-256 hash so that they can't be modified after they're added to the trust database. You can optionally add files to the trust database for files that aren't installed by DNF. You must reload the database after files are added manually or when files are installed by using the `rpm` command outside of the DNF framework.

A cache is used by `Fapolicyd` to help improve performance and to reduce the amount of time spent processing rules and performing database lookups for frequent events.

`Fapolicyd` rules define logging options that can be used to audit events. The default policy uses the audit log which can be viewed by using the `ausearch` command. You can change policy rules to log to the system log or to both the audit log and the system log to help with debugging.

For more information about the `Fapolicyd` see <https://github.com/linux-application-whitelisting/fapolicyd>.

About the Trust Database

`Fapolicyd` uses a trust database to efficiently lookup files that are trusted by the system. If a file isn't in the trust database, `fapolicyd` falls back to processing policy rules to decide whether an event is allowed or not.

The trust database is partitioned into information that `fapolicyd` gathers about installed RPM packages and information added manually by using configuration files.

The trust database is automatically populated with information about files that are installed onto the system, by copying information from the RPM database. When `fapolicyd` is started or an update is run, the trust database is updated for all files listed in the RPM database. The trust database is also updated automatically when new packages are installed or packages are updated by using DNF. The tracking of package data is handled by the `fapolicyd-dnf-plugin`, which notifies the `fapolicyd` daemon about DNF updates or installations.

If you install packages directly by using the `rpm` command, then the `fapolicyd` RPM database isn't updated and you might experience system freezes. In this case, it can be useful to refresh the trust database. See [Refreshing the Trust Database](#) for more information.

Administrators can also add files to the trust database manually when files are installed or added to the system outside of the usual DNF and RPM packaging mechanisms, such as compiling binaries from source, or when using the Python `pip` utility, Ruby's `gem` utility, Node.js's `npm` utility, or Perl's CPAN tooling.

The trust database distinguishes between these two types of trust: files that are trusted because they belong to the RPM database, and files that are trusted because they have been added manually to the trust database. For example, entries that are trusted from the RPM database are of the type `rpmdb`:

```
rpmdb /usr/bin/dnf-3 2092
0a53d05260ba7ed4573...7ec64816e3ad49a2078c84836aeb7833e
```

Files that are added manually to the trust database are of the type `filedb`, for example:

```
filedb /home/user/demo.bin 140468
e38cd120c925...46c9cd1aa83e44e697f0f3393d98b305
```

The database also stores the path to the file, the size of the file in bytes and a SHA-256 hash for the file. The file size and SHA-256 hash can be used to perform further integrity checks on files to make the system much more restrictive and robust against malicious activity. Although enabling integrity checking can protect against somebody working around `fapolicyd` by changing a file at a particular location, we don't recommend configuring `fapolicyd` for integrity checking because it increases the risk of system deadlock. Integrity checks are disabled in `fapolicyd` by default. See [Checking for Trust Mismatches](#) and [List the Entries in the Trust Database](#) for more information.

Note that processing of trusted files in the trust database is cached and is much quicker than the processing of individual policy rules. Therefore, if you need `fapolicyd` to trust particular applications or files that are made available to the system outside of DNF, it's more efficient to add them to the trust file database than to define rules for them. Only add policy rules for individual files if you need custom rules around user or group permissions.

About Policy Rules

Policy rules control how `fapolicyd` handles files that aren't explicitly listed within the trust database. Policy rules can also be used to further restrict behavior on the system for files that are in the trust database. You can use policy rules to make `fapolicyd` more or less restrictive. You can define policy rules to create exceptions that allow or deny certain applications for specified scenarios. For example, you can create rules to explicitly allow an application for a particular user or group, but to deny the application for all other users.

The `fapolicyd` package ships with two policy rule sets:

- The **known-libs** policy
The `known-libs` policy is the default rule set and is designed to protect the system by only allowing known applications or libraries to run. The policy is slightly more permissive because it allows Elf binaries, python programs, and shell scripts to run for trusted applications and libraries.
- The **restrictive** policy

The restrictive policy provides mostly the same rules as the known-libs policy, but includes several more restrictive rules that prevent the running of any application or library that's not within the trust database. This policy blocks any possibility of running any executable file that isn't trusted.

The rules for these policies are shipped in `/usr/share/fapolicyd/sample-rules/`. The rules that apply to the known-libs policy are copied into `/etc/fapolicyd/rules.d/` when the package is installed to make them active. The files that apply to each policy are described in `/usr/share/fapolicyd/sample-rules/README-rules`.

Fapolicyd processes rules based on their natural sort order, so rule files are named according to the following prefix convention:

- 10-: Definitions of macros that can be used in other rules.
- 20-: Rules to work around fapolicyd for system critical activity, such as when dracut builds kernel initramfs files or when DNF needs to run particular tools for updates.
- 30-: Rules that identify access patterns that show how a program might be started. A default rule checks for programs that are started by the runtime linker (`ld.so`).
- 40-: Rules for ELF binary files, such as rules to prevent malformed ELF files from running even if trusted, trust rules for ELF libraries and for trusted ELF binary executable files.
- 50-: Rules that set out which users or groups are trusted to run particular programs or access particular files.
- 60-: Rules for access to particular applications, where the application isn't in the trust database.
- 70-: Rules related to different programming languages or scripting languages, such as Python, Perl, PHP, Ruby, or Lua.
- 80-: Rules for trusted applications that might need advanced access controls.
- 90-: General catch-all allow and deny rules.

Rules are compiled into a single file in `/etc/fapolicyd/compiled.rules` that fapolicyd reads at runtime.

Rule structure is described in detail in the `fapolicyd.rules(5)` manual page.

2

Installing and Running `fapolicyd`

Use the `dnf` command to install `fapolicyd` from the Oracle Linux 10 AppStream repository.

1. Check that the repository is enabled.

Run the following command and ensure that the `ol10_appstream` repository appears in the output:

```
dnf repolist
```

2. Install the `fapolicyd` package.

Use `dnf` to install the `fapolicyd` package:

```
sudo dnf install fapolicyd
```

3. Enable and start the `fapolicyd` service.

Run the following command to start the `fapolicyd` service and make it start automatically when the system reboots:

```
sudo systemctl enable --now fapolicyd
```

Changing Runtime Configuration

Runtime configuration options are set in `/etc/fapolicyd/fapolicyd.conf`. The options are described in detail in the `fapolicyd.conf(6)` manual page. For more information, see also <https://github.com/linux-application-whitelisting/fapolicyd/blob/main/README.md>.

Configuring Runtime Statistics Reporting

By default, `fapolicyd` generates a runtime statistics report that provides useful information about accesses, denials, and cache performance. Use the information in the report to fine-tune configuration options or diagnose file access issues.

Configuration options that can be set to control this report include:

`do_stat_report`

Controls whether the statistics report is generated. Change this value from the default of 1 to 0 to disable statistics reporting.

`detailed_report`

Controls whether `fapolicyd` adds subject and object information to the usage statistics report, indicating the number of times particular subject-object events occur. This content can be useful when debugging but can be disabled to reduce the size of the log. The default value for this option is set to 1 to indicate that the option is enabled.

The report is generated at `/var/log/fapolicyd-access.log` when the `fapolicyd` service is stopped. The report content is similar to the following:

```
Permissive: false
q_size: 640
Inter-thread max queue depth 6
Allowed accesses: 668513
Denied accesses: 0
Trust database max pages: 25600
Trust database pages in use: 7567 (29%)
```

File access attempts from oldest to newest as of Wed Nov 15 16:46:59 2023

FILE	ATTEMPTS
/var/tmp/dracut.kZVhRg/initramfs/usr/lib/kbd/keymaps/xkb/tr-alt.map.gz	1
/var/tmp/dracut.kZVhRg/initramfs/usr/lib/kbd/unimaps/koi8u.uni	1
/var/tmp/dracut.kZVhRg/initramfs/usr/bin/stgTP4DF	1
...	
/usr/bin/mandb (?)	1
/usr/bin/mandb (?)	264

```
Subject cache size: 1549
Subject slots in use: 1549 (100%)
Subject hits: 666964
Subject misses: 46044
Subject evictions: 44495 (6%)
```

Logging Controls

Audit logging is mostly handled using fanotify events in the audit log, but you can also configure the policy to log to the system log. See [Changing Default Policy Logging](#), [Debugging Interactively in Permissive Mode](#) and [Auditing Denial Events in Permissive Mode](#).

When logging to the system log or running `fapolicyd` in debugging mode, you can control the content of the log output from access decisions by configuring the `syslog_format` option. The format is a comma separated list of the different values to indicate rule information with subject and object information delineated by use of a colon character. Note that system performance is affected by the amount of content that you log. The default value is:

```
rule,dec,perm,auid,pid,exe,:,path,ftype,trust.
```

Values available for the `syslog_format` option include:

- `rule`: The rule number from the compiled policy rules. See [Listing Policy Rules](#).
- `dec`: The decision that `fapolicyd` takes for the rule.
- `perm`: The permission that's applied in the rule.
- Any of the subject options.
- `::`: The separator to delineate between subject and object options.
- Any of the object options.

For more information about subject and object options, see [Creating Policy Rules](#).

Performance Controls

Performance control options can help improve memory usage and processing.

The following options are available to control the size of the caches that are used by `fafolicyd` to improve performance:

subj_cache_size

Controls how many entries the subject cache holds. The default value is 1549.

obj_cache_size

Controls how many entries the object cache holds. The default value is 8191.

For both options, aim to keep the allocated memory as small as feasibly possible, while ensuring that enough memory is allocated to the cache to maximize the ratio of hits to evictions. This ratio can be calculated from the statistics report.

To avoid cache churn resulting from collisions, consider setting cache size values to prime numbers.

Debugging Interactively in Permissive Mode

By default, `fafolicyd` is configured in enforcing mode. To help with debugging, you can configure permissive mode. In permissive mode, events that `fafolicyd` might have blocked in enforcing mode can run, but are audited. You can run `fafolicyd` in permissive mode interactively and enable debugging to see more information about these events.

1. Stop the `fafolicyd` service.

Use `systemctl` to stop the service:

```
sudo systemctl stop fafolicyd
```

2. Run `fafolicyd` in permissive mode with debugging enabled.

Run the following `fafolicyd` command with the `--permissive` and `--debug` options:

```
sudo fafolicyd --permissive --debug
```

The output of the command is similar to the following:

```
datetime [ INFO ]: Can handle 524288 file descriptors
date time [ INFO ]: Ruleset identity:
0a028cfb95e93569d565d732890384b69952d7841d10af060e3...
date time [ DEBUG ]: Loading rule file:
date time [ DEBUG ]: ## This file is automatically generated from /etc/
fafolicyd/rules.d
date time [ DEBUG ]: %languages=application/x-bytecode.ocaml,application/x-
bytecode.python...
date time [ DEBUG ]: allow perm=any uid=0 : dir=/var/tmp/
date time [ DEBUG ]: allow perm=any uid=0 trust=1 : all
date time [ DEBUG ]: allow perm=open exe=/usr/bin/rpm : all
date time [ DEBUG ]: allow perm=open exe=/usr/bin/python3.12 comm=dnf : all
date time [ DEBUG ]: deny_audit perm=any pattern=ld_so : all
date time [ DEBUG ]: deny_audit perm=any all : ftype=application/x-bad-elf
```

```

date time [ DEBUG ]: allow perm=open all : ftype=application/x-sharedlib
trust=1
date time [ DEBUG ]: deny_audit perm=open all : ftype=application/x-
sharedlib
date time [ DEBUG ]: allow perm=execute all : trust=1
date time [ DEBUG ]: allow perm=open all : ftype=%languages trust=1
date time [ DEBUG ]: deny_audit perm=any all : ftype=%languages
date time [ DEBUG ]: allow perm=any all : ftype=text/x-shellscript
date time [ DEBUG ]: deny_audit perm=execute all : all
date time [ DEBUG ]: allow perm=open all : all
date time [ DEBUG ]: Loaded 14 rules
date time [ DEBUG ]: Changed to uid 985
date time [ INFO ]: Initializing the trust database
date time [ INFO ]: fapolicyd integrity is 0
date time [ DEBUG ]: backend rpmdb registered
date time [ DEBUG ]: backend file registered
date time [ INFO ]: Loading rpmdb backend
date time [ DEBUG ]: Loading file backend
date time [ INFO ]: Checking if the trust database up to date
date time [ INFO ]: Importing trust data from rpmdb backend
date time [ INFO ]: Importing trust data from file backend
date time [ INFO ]: Entries in trust DB: 37080
date time [ INFO ]: Loaded trust info from all backends (without
duplicates): 37080
date time [ INFO ]: Trust database checks OK
date time [ DEBUG ]: added / mount point
date time [ DEBUG ]: added /dev/shm mount point

```

When events that would have been denied in enforcing mode run, they're tagged in the command output with `dec=deny_audit`.

 **Tip:**

Debug output can be verbose. Use the `--debug-deny` option instead of the standard `--debug` option to only output denial events. You don't need to run in debug mode to audit denial events, though. See [Auditing Denial Events in Permissive Mode](#) for more information. If you need to get more information about denial events, you can change rules to log to the system log. See [Changing Default Policy Logging](#) for more information.

3. Exit permissive mode.

When you're finished monitoring the `fapolicyd` output, stop the running daemon by pressing Ctrl-C to send a SIGINT to interrupt the process.

Auditing Denial Events in Permissive Mode

To enable permissive mode by default, edit `/etc/fapolicyd/fapolicyd.conf` and set the `permissive` configuration option to 1. You must restart the `fapolicyd` service for the change to take effect. All denial events are then sent to the audit log and tracked using `fanotify` messages.

You must have at least one rule defined for `auditd` to start logging `fapolicyd` events. If you don't have any rules defined, no events appear in the audit log. You can create any rule for auditing

to start working. For example, you can create a rule to audit changes to the configuration in `/etc/fapolicyd/` as follows:

```
sudo tee /etc/audit/rules.d/40-fapolicyd.rules > /dev/null <<'EOF'  
# This policy monitors /etc/fapolicyd/ for changes to configuration  
# This rule is generated to ensure that events are logged to the audit log  
  for fapolicyd tracking  
-w /etc/fapolicyd/ -p wa -k fapolicyd_changes  
EOF
```

You must restart the `auditd` service for this rule to take effect:

```
sudo service auditd restart
```



Note:

`auditd` can't be restarted by using the `systemctl` command.

Denial events are logged to the audit log. Review these by using the `ausearch` command. For example:

```
sudo ausearch --start today -m fanotify
```

Use `aureport` to create easier to read outputs. For example:

```
sudo ausearch --start today -m fanotify --raw | aureport --file
```

3

Managing File Trusts

File trusts are stored in the trust database. Trusts can either be generated based on information in the RPM database or can be manually defined by adding configuration entries in the file system. The contents of the trust database and how trusts work is discussed in more detail in [About the Trust Database](#).

Refreshing the Trust Database

Refresh the trust database if files on the system have been added or updated outside of the DNF framework.

To refresh the fapolicyd trust database manually, run:

```
sudo fapolicyd-cli --update
```

Adding Files to the Trust File Database

You can add any files that aren't installed by using DNF to the file database manually.

To add a file to the trust file database, run:

```
sudo fapolicyd-cli --file add <path_to_file> --trust-file trust_entry
```

If the file isn't already in a trust database, the command adds the file to the trust file configuration by creating an entry at `/etc/fapolicyd/trust.d/<trust_entry>`.

For example, to add `/home/user/demo.bin` to `/etc/fapolicyd/trust.d/demo`, run:

```
sudo fapolicyd-cli --file add /home/user/demo.bin --trust-file demo
```

Tip:

You can use command line tools such as `find` to add several entries to the trust file database at the same time. For example:

```
find /home/user/bin/ -type f -exec fapolicyd-cli --file add {} --  
trust-file trusted_user_bin \;
```

All entries in the trust file database are stored as plain text files in `/etc/fapolicyd/trust.d/` and can be edited with a text editor, if required. If you need to update file sizes or hash values, see [Updating the Trust File Database](#).

 **Tip:**

To remove a file from the trust file database, either edit the text file directly to remove the entry, or run:

```
sudo fapolicyd-cli --file delete <path_to_file>
```

 **Important:**

After you make any changes to the trust file database you must refresh the trust database before fapolicyd registers those changes. See [Refreshing the Trust Database](#).

Updating the Trust File Database

If you change the size or hash of any file in the file trust database, you must update the file trust database.

To update the trust file database for changes to all files in the file trust database, run:

```
fapolicyd-cli -f update
```

If you specify the path to a file, only the values for that file are updated in the database.

After you make any changes to the trust file database you must refresh the trust database for fapolicyd to register those changes. See [Refreshing the Trust Database](#).

Checking for Trust Mismatches

Trust mismatches occur when the file size or SHA-256 hash value for a file on the file system no longer matches the information stored for the file in the trust database. Changing a file outside of using DNF can cause a trust mismatch. For example, if a file is installed or updated by using the `rpm` command directly or when a user or process has changed the file.

 **Note:**

Although you can configure fapolicyd for file integrity checks based on size or on the SHA-256 hash, we don't recommend applying this option globally as it increases the likelihood of a system deadlock.

To check for trust mismatches on a system, run:

```
sudo fapolicyd-cli --check-trustdb
```

The output lists the files where a mismatch occurs and what the mismatch is. For example:

```
/etc/selinux/targeted/contexts/files/file_contexts mismatches: size sha256
/etc/selinux/targeted/policy/policy.33 mismatches: size sha256
/opt/rh/gcc-toolset-12/root/usr/bin/ld mismatches: size sha256
/usr/lib64/gconv/gconv-modules.cache mismatches: size sha256
...
```

Note that mismatches are expected because the size or content of some files change from the values in the RPM database after certain commands or services are run. Nonetheless, checking for mismatches can help alert you to files that might be in the trust database but which have changed after they were added to the database.

List the Entries in the Trust Database

You can view all the information in the trust database by dumping the data that the database contains.

To list the entries in the trust database, run:

```
sudo fapolicyd-cli -D
```

The output displays the type of trust, the path to the file that's trusted, the size of the file in bytes and the SHA-256 hash of the file.

Tip:

You can use command line tools such as `grep` to limit the data returned in the dump output. For example:

```
sudo fapolicyd-cli -D|grep '/usr/bin/dnf-3'
```

Resetting the Trust Database

You can reset the trust database by stopping the `fapolicyd` service and deleting the database. This can help debug issues in `fapolicyd`.

First, stop the `fapolicyd` service:

```
sudo systemctl stop fapolicyd
```

Then delete the database:

```
sudo fapolicyd-cli --delete-db
```

The trust database is removed entirely and then created and updated when you next start the `fapolicyd` service.

 **Caution:**

Never remove the `/var/lib/fapolicyd/` directory directly as this might prevent fapolicyd from functioning correctly and cause system lockout.

4

Managing Policies

The following tasks show how to manage the policy rules that fapolicyd uses.

For more information about policy rules and how they work, see [About Policy Rules](#).

Listing Policy Rules

This task shows you how to list the policy rules that fapolicyd is using.

To list the active fapolicyd policy rules, run the following command:

```
sudo fapolicyd-cli -l
```

The output of this command is similar to the following:

```
-> %languages=application/x-bytecode.ocaml,application/x-  
bytecode.python,application/java-archive...  
1. allow perm=any uid=0 : dir=/var/tmp/  
2. allow perm=any uid=0 trust=1 : all  
3. allow perm=open exe=/usr/bin/rpm : all  
4. allow perm=open exe=/usr/bin/python3.9 comm=dnf : all  
5. deny_audit perm=any pattern=ld_so : all  
6. deny_audit perm=any all : ftype=application/x-bad-elf  
7. allow perm=open all : ftype=application/x-sharedlib trust=1  
8. deny_audit perm=open all : ftype=application/x-sharedlib  
9. allow perm=execute all : trust=1  
10. allow perm=open all : ftype=%languages trust=1  
11. deny_audit perm=any all : ftype=%languages  
12. allow perm=any all : ftype=text/x-shellscript  
13. deny_audit perm=execute all : all  
14. allow perm=open all : all
```

Note that the rules are numbered. When fapolicyd runs in debug mode, the output displays the rule number that's enforced for an event. You can use this information to decide whether you need to insert a new policy rule to change the existing policy and to decide where that rule might need to be in the policy hierarchy. See [Debugging Interactively in Permissive Mode](#) for information on debugging.

You can compare this list to the compiled rules to check whether you need to reload the rules into fapolicyd.

```
sudo cat /etc/fapolicyd/compiled.rules
```

See [Checking and Loading Policy Rules](#).

Creating Policy Rules

You might need to create custom policy rules if the default policy is too restrictive and is preventing applications from running. You can also create custom policy rules to further restrict access to applications and files. Rules can be added to the `/etc/fapolicyd/rules.d` directory following the conventions described in [About Policy Rules](#) and in the `fapolicyd.rules(5)` manual page.

Rules have the following general format:

```
decision perm subject : object
```

decision

Whether to allow or deny an event and whether to log that action. Values can be `allow`, `deny`, `allow_audit`, `deny_audit`, `allow_syslog`, `deny_syslog`, `allow_log`, or `deny_log`.

perm

The type of permission applied to the file, such as whether to trigger when the object is opened, run, or for any activity on the object. Values can be `open`, `execute`, or `any`. If no permission is specified, the default value is `open`.

subject

The actor performing the action on the object that the permission and decision applies to. This value can be set to `all` for every actor, but can also be limited to a particular UID or GID or another executable file. Values can be `all`, `audit`, `uid`, `gid`, `sessionid`, `pid`, `ppid`, `trust`, `comm`, `exe`, `dir`, `device`, or `pattern`. See the `fapolicyd.rules(5)` manual page for more detail.

object

The files or applications that the decision applies to. This value can be specified in various ways, such as by providing the path to a particular file, the MIME type of the file or for file matches in the trust database. Values can be `all`, `path`, `dir`, `device`, `ftype`, `trust`, or `sha256hash`. See the `fapolicyd.rules(5)` manual page for more detail.

You can specify several subject and object directives for a single rule. For example, you can match the file path, MIME type, and file size as the object for a rule.

Rules can also be created to generate macros, or sets, that consist of a key and a set of values in the form of integers or strings in a comma-separated list. Set rules are prefixed with the percentage (%) symbol, and the set can be referenced when creating a rule by specifying the key prefixed with the percentage (%) symbol. The format of a set rule is as follows:

```
%key=value1,value2
```

You can see an example of a set rule in `/etc/fapolicyd/rules.d/10-languages.rules`.

The following example rules can be used to help guide you when creating custom rules for an environment.

Example 4-1 Create a rule to let a group of trusted users to run files matching the defined languages in their home directories

1. Create a system group and add trusted users to that group, or select an existing group of trusted users. In this example, we use the `adm` group for system administrators.

2. Create a policy rule file at `/etc/fapolicyd/rules.d/50-adm-home-trust.rules` and add the following content:

```
allow perm=any gid=adm : ftype=%languages dir=/home
deny_log perm=any all : ftype=%languages dir=/home
```

Two rules are defined:

- Grant all users in the group `adm` all permissions on any files, in the `/home` directory, of the type described in the `languages` set in `/etc/fapolicyd/rules.d/10-languages.rules`.
 - Deny all users any permissions on any files, in the `/home` directory, of the type described in the `languages` macro. The `deny_log` rule causes the event to be added to both the audit log and to the system log.
3. Compile and load the new rules.

```
sudo fagenrules --load
```

See [Checking and Loading Policy Rules](#) for more information.

4. Verify that the rule is in effect.
 - a. As a user in the `adm` group, create a test executable file in `$HOME/test_fapolicyd.py` with the following content:

```
#!/usr/bin/python3
print("Test succeeded")
```

- b. Set the file mode to executable:

```
chmod +x $HOME/test_fapolicyd.py
```

- c. Run the file:

```
$HOME/test_fapolicyd.py
```

The following output is displayed:

```
Test succeeded
```

- d. As a user that isn't in the `adm` group, repeat the same steps. When you run the test script, the following output is displayed:

```
bash: ./test_fapolicyd.py: Operation not permitted
```

If you have auditing configured, you can check for entries in the audit log as follows:

```
sudo ausearch --start today -m fanotify
```

Output similar to the following is displayed:

```
...
time->date time
type=PROCTITLE msg=audit(1704456339.181:406): proctitle="bash"
type=PATH msg=audit(1704456339.181:406): item=0 name="./
test_fapolicyd.py" inode=68153551
  dev=fc:00 mode=0100755 ouid=0 ogid=0 rdev=00:00
obj=unconfined_u:object_r:user_home_t:s0
  nametype=NORMAL cap_fp=0 cap_fi=0 cap_fe=0 cap_fver=0 cap_frootid=0
type=CWD msg=audit(1704456339.181:406): cwd="/home/guest"
type=SYSCALL msg=audit(1704456339.181:406): arch=c000003e syscall=257
success=no exit=-1
  a0=ffffff9c a1=555d4b74e050 a2=0 a3=0 items=1 ppid=46725 pid=46765
aid=1000 uid=1001
  gid=1001 euid=1001 suid=1001 fsuid=1001 egid=1001 sgid=1001
fsgid=1001 tty=pts0 ses=3
  comm="bash" exe="/usr/bin/bash"
  subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 key=(null)
type=FANOTIFY msg=audit(1704456339.181:406): resp=2
```

Example 4-2 Create a rule to let users to run a trusted application

Note that creating rules to let particular applications run is less efficient than adding the application to the trust database. See [Adding Files to the Trust File Database](#) for more information. Only add rules for specific files if you need to provide more explicit controls over file accesses. In this example, a rule is created controlling the ability to run a particular binary application that can only be run by using the trusted bash shell binary.

1. Create a policy rule file at `/etc/fapolicyd/rules.d/80-trustapp.rules` and add the following content:

```
allow_log perm=execute exe=/usr/bin/bash trust=1 : path=/opt/external/
app.bin ftype=application/x-executable trust=0
```

The rule states that if the trusted bash shell tries to run the untrusted application at the path `/opt/external/app.bin`, where that file is of MIME type `application/x-executable`, the action is allowed. Note that the decision is set to `allow_log` so that the action is logged to help verify that the rule is working. After you have verified the rule, you can change the decision to `allow`.

Tip:

To check the mime type of a file when writing rules, run the following command:

```
fapolicyd-cli --ftype /path-to-file
```

Note that by specifying the MIME type for the file and the way in which the file can be loaded, the rule is reasonably restrictive. You can optionally create a more restrictive rule based on the SHA-256 hash of the file, which would prevent the rule from applying if the file is changed:

- Obtain the SHA-256 hash for the file.

```
sha256sum /opt/external/app.bin|awk '{print $1}'
```

- Use the SHA-256 hash to rewrite the rule as follows:

```
allow perm=execute exe=/usr/bin/bash trust=1 : sha256hash=hash
```

Set the value of `sha256hash` to the value that you obtained from running the previous command.

2. Compile and load the new rule.

```
sudo fagenrules --load
```

See [Checking and Loading Policy Rules](#) for more information.

3. Verify that the rule is in effect.

When you try to run `/opt/external/app.bin` as a standard user from the Bash shell, it runs correctly. Because the decision in the rule is `allow_log`, you can view the `fapolicyd` log to see the rule in action. For example, run:

```
sudo journalctl -S today -u fapolicyd|tail
```

The output displays that the rule is being enforced, for example:

```
datetime ro-ansible-ol8 fapolicyd[45792]: rule=13 dec=allow_log
perm=execute auid=1000 pid=50439 exe=/usr/bin/bash : path=/opt/app.bin
ftype=application/x-executable trust=0
```

Checking and Loading Policy Rules

If rules have been added or changed, you must check for consistency with the compiled rule set that `fapolicyd` uses and load them into `fapolicyd`.

1. Check for inconsistencies between the rules in `/etc/fapolicyd/rules.d` and the compiled rules in `/etc/fapolicyd/compiled.rules`.

```
sudo fagenrules --check
```

If the rules in `/etc/fapolicyd/rules.d` have been updated and need to be recompiled and loaded, the output appears as follows:

```
/sbin/fagenrules: Rules have changed and should be updated
```

2. To compile the rules in `/etc/fapolicyd/rules.d` and load them into `fapolicyd`, run:

```
sudo fagenrules --load
```

You don't need to restart `fapolicyd` for the changes to take effect.

3. List the rules to verify that the changes have been loaded correctly into fapolicyd.

```
sudo fapolicyd-cli -l
```

Changing Default Policy Logging

The default policy rules shipped with fapolicyd are configured to only log to the audit log for denials. This configuration is appropriate for production systems but the information stored in these logs might be limited for debugging purposes. If you need to track which rules are being used to make the final decision on an event, you can either run fapolicyd in debugging mode, or you could change rules to output information to the system log. For more information on running fapolicyd in debugging mode, see [Debugging Interactively in Permissive Mode](#).

Policy rule decisions identify whether to log information and how that information must be logged. By default, for denial decisions, the rules that are included in the fapolicyd package use the `deny_audit` decision type. You can change all `deny_audit` decision type to `deny_log` to log information to both the audit log and to the system log.

To enhance logging:

1. Update rule definitions.

Update all rules in `/etc/fapolicyd/rules.d` to replace `deny_audit` with `deny_log`:

```
sudo bash -c 'for i in /etc/fapolicyd/rules.d/*; do sed -i "s/deny_audit/deny_log/g" $i; done'
```

You can also enable logging for any allow rules, but doing so can result in verbose output and have a significant impact on performance.

2. Check that the rules are updated.

Run the following command to verify that the rules have been updated successfully:

```
sudo fagenrules --check
```

3. Load the new rules.

Run the following command to load the new rules into fapolicyd:

```
sudo fagenrules --load
```

4. Review the rules.

Check that the changes are loaded correctly into fapolicyd:

```
sudo fapolicyd-cli -l | grep 'deny_log'
```

When an event is denied by fapolicyd and the decision is set to `deny_log`, an entry appears in the system log, similar to the following:

```
fapolicyd[1478]: rule=13 dec=deny_log perm=execute auid=1000 pid=5361  
exe=/usr/bin/bash :  
path=/home/user/demo.bin ftype=application/x-executable trust=0
```

Note that the output includes the rule number for the rule that fapolicyd used to make the final decision to deny the event.

To view system log entries for fapolicyd, run:

```
sudo journalctl -S today -u fapolicyd
```