Oracle® Argus Safety

Quickhelp for Administrators

Release 8.1.1

E90675-01

September 2017

Managing Access in Argus Safety

You can configure sites, groups, and users from the Argus Console. Each user must be assigned to at least one group in order to determine their security level. Each group is assigned a specific security level. This security level enables members of the group to view, modify, or restrict access rights to various sections of the Case Form, and so on.

To configure Argus Safety, begin by creating sites, groups, and users in the following order:

Adding User Sites

You must begin by configuring user sites as every user has to be assigned 1 site (and not more). Site information is also used to automatically assign case IDs.

- 1. Log into Argus Safety and navigate to the Argus Console.
- 2. Hover over the Access Management menu and click Sites.

Code Lists	Business Configuration	Access Management	System Configuration	Tools
		Argus 🕨	Sites	
			Groups	
			Users	

The Code List Maintenance screen is displayed.



rowser		User Sites Filter						
ganized by Code List		Field	Contains	Value		_Filter_		
intermediary Justifications	^	Total Number of Rows (51					
Lab Result Assessment Terms Lab Test Group Lab Test Group Letter Configuration Letter Configuration Lettery Otation Lettery Otation Local Evaluator Comment Type		Description CFR Site 1 new site for testing test2 United States US_SITE	Abbreviation CFR1 TST tst2 US US_S		Site Type Argus Argus Argus Argus Argus Argus		Intake File P:	sth
Count statutes controls type Medical Status Medical Status Methods Status Manue of Event Countypations Product Group Product Group Product Croup Reference Type Reference Type Report Type Report Type Report Products		Add New User Site	Initiality - Default	LAM Site	Add New	Add > < Remove Add All >> << Remove All	Delete	Print
Reporter Type Reporter Type Reporting Destination Reporting Destination Reporting Destination Suby Oenter Study Development Phase User Stass tp Text	v	Buik Report By Form (Default	denoainy - Letauit Approved Reports) -	Site Pri	nters Printer Name	,	rinter Path	Add Dolo

3. In the left pane, click **User Sites**.

The list of users appears in the right pane under Total Number of Rows.

4. Click Add New.

The Add New User Site tab is displayed.

5. Enter the required information (fields with a red flag are mandatory) and click **Save**.

Adding User Sites—Fields and Field Description	s—Fields and Field Descriptions
--	---------------------------------

Field	Description
Description	Enter a description of the site.
Abbreviation	Enter an abbreviation (1-4 characters) of the site name.
Site Type	Select one of the options from the drop-down list: Argus or LAM.
	Note: Each Argus Safety user must be assigned to exactly one user site. You cannot change the site type from LAM to Central if the current central site has an association with a LAM site, the current site is associated with any user, or the current LAM site has any events assigned to it.
Protect Patient Confidentiality -Default	Select this checkbox to protect Patient Confidentiality for the site.
Protect Reporter Confidentiality - Default	Select this checkbox to protect Reporter Confidentiality for the site.
Bulk report By form (Approved reports) -Default	Select this checkbox to protect availability of the Bulk Reports by Form for the site.
LAM Sites	Add or Remove previously created LAM sites using the Add >, Remove <, Add All >>, and Remove All << buttons.

Site Printers	Use the Add and Delete buttons to add/delete the Printer Name, and Printer Path.
	Note: The Printer Name is displayed in the application when referring to the printer. The name can have up to 20 characters.
	For the Printer Path textbox, enter the full path of the printer on the network. This path name can have upto 256 characters. The specified path should be accessible from the machine where Argus Safety Service is installed.

Adding User Groups

The Administrator can add and configure security levels for each work group. Radio buttons let you view the groups and assign access rights for the Case Form, Menu, Case and Report Workflow sections. If a user belongs to multiple groups, the access rights for the user will be the sum-total of the individual group access rights.

1. Hover over the Access Management menu and click Groups.

Code Lists	Business Configuration	Access Management	System Configuration	Tools
		Argus 🕨	Sites	
			Groups	
			Users 🖑	

The Groups and Users screen is displayed.

Code Lists	Business Confi	guration	Access Management	System Configurat	ion To	ols			
GROUPS AN	DUSERS								
Browser			Modify Group Information						
Organized by	Groups	×.	🌾 Group Name	Email			Supervisor E	Email	
Contains 🗸		Filter	Administrator Group	×					
💷 💕 User G	roups		Menus						
- 📑 💕 AR	GUS		File					Enable	d 🔿 Disabled
- i - 🗀 -	Administrator Group(27)		New Case					Enable	d 🔿 Disabled
🛓 🗎	AF User Group(3)		New Case From Image					Enable	d 🔿 Disabled
🛓 🖨	All Access Group(22)		Open Case					Enable	d 🔿 Disabled
🝙 · 🚞	Data Entry Group(1)		Save					Enable	d O Disabled
- E	EOSU_Group(1)		Case Form				Advanced Condi	ition	
1 분년	Medical Deview(0)		General Information	ΘM	odify O View	O No Access	No Access to	Create Advance	d Conditions
	US distribution(0)		Study Information	• M	odify O View	No Access	No Access to	Share Advanced	Conditions
	CAL AFFILIATE		Reporter Information	• M	lodify O View	O No Access	No Access to	View and Edit So	וכ
	LM User Group(1)		Patient Information	() N	odify View				
			Other Relevant History	• M	lodify O View	O No Access			
			Listedness Determination						
			Countries			Se	elected Countries		
			AFGHANISTAN		_	Add >			
			ALBANIA		^ <f< td=""><td>Remove</td><td></td><td></td><td></td></f<>	Remove			
			AMERICAN SAMOA						
			ANDORRA		× A0				
			JANGOLA		SSR	emove All			
			Restrictions						
			Products		🔎 Select	Studies			D Sele
			L						
	Add	User			Save	Add Group	Сору	Delete	Print

- 2. In the left pane, click User Groups.
- 3. Click Add Group.
- **4.** Enter the required information (fields with a red flag are mandatory) and click **Save**.

Configuring Users—Fields and Field Descriptions

Field / Control Name	Description
Group Name	Enter a group name. This should be a unique name associated with the group.
Email	Enter the email address, as applicable
Supervisor Email	Enter the supervisor's email address, as applicable.
Menus	
File/ New Case/New Case From Image/Open Case and so on	Select the Enable or Disable the options, as applicable.
Case Form	
General Information/Study Information/Reporter Information and so on	Select Modify, View, or No Access, as applicable.
Advanced Conditions	
No Access to Create Advanced Conditions	Select this checkbox if you do not want the group to have access to create advanced conditions.
No Access to Share Advanced Conditions	Select this checkbox if you do not want the group to have access to share advanced conditions.
No Access to View and Edit SQL	Select this checkbox if you do not want the group to have access to view and edit SQL.
Listedness Determination	In the Listedness Determination section, select a list of countries. This enables the end user to override the listedness determination in the Event Assessment section of the Case Form for product licenses that match the countries selected in this step.
	Add or Remove countries using the Add >, Remove <, Add All>>, and Remove All << buttons.
Restrictions -Products	Select the Products checkbox. Click Add Product , to open the Available Products dialog box. Select each product you want to add and click OK .
Restrictions -Studies	Select the Studies checkbox. Click Add Study , to open the Available Studies dialog box. Select each study you want to add and click OK .

Adding Users

Ensure that you have provisioned users in IDM before you begin the following procedure.

- 1. Log into Argus Safety and navigate to the Argus Console.
- 2. Hover over the Access Management menu and click Users.

Code Lists	Business Configuration	Access Management	System Configuration	Tools
		Argus 🕨	Sites	
			Groups	
			Users 0.	
			0	

The Groups and Users screen is displayed.

ORACLE		Welcome Po	wer User, W	ednesday, M	ay 15, 2013	(ARSIV001) Horse Help Clor
Code Lists Business Configuration	Access Management	System Configuration	Tools		research and	
DROUPS AND USERS	▼ User Hume If Smith User If Smith User If Smith User If Application Access Access If Access </th <th>Titler B Defrait Ap Defrait Ap Effects p Freespin Accurate Accurate Devrines</th> <th>ver Alias dication ssword char, ssword char, ssword char, ssword char, s</th> <th>ge at login jere every [</th> <th>m m m m m m m m m m m m m m m m m m m</th> <th>Resel Personal Antheres Interferences Antheres Antheres Antheres Person Antheres Ant</th>	Titler B Defrait Ap Defrait Ap Effects p Freespin Accurate Accurate Devrines	ver Alias dication ssword char, ssword char, ssword char, ssword char, s	ge at login jere every [m m m m m m m m m m m m m m m m m m m	Resel Personal Antheres Interferences Antheres Antheres Antheres Person Antheres Ant
	Site		No Access	View	Autho Full	strations Single Group
	USA Admino		e	e	0	-44-

3. In the left pane, click **Users**.

The list of users appears in the right pane.

- 4. Click Add New. The fields in the right pane become editable.
- **5.** Enter the details as needed and click **Save**.

Configuring Users—Fields and Field Descriptions

Field / Control Name	Description
User Name	Enter the full name.
User ID	Enter unique user identification (ID).
Reset Password	Reset the password of a user to a default value specified in the common profile section.
Email Address	Enter the user's e-mail address.
Application Access	Configure user access settings for Argus Console and Argus Safety.
	The default application access for the user can be selected from the list.
Enable LDAP Login	Authenticates users against the active directory server.
	When Enable LDAP Login is selected, all fields inside the Access section are disabled, excluding the Account Disabled option.
LDAP Server Alias	Click on the drop-down arrow and select the LDAP server which is listed.
Access	Configure user access settings for Argus Safety. Select the following checkboxes, as applicable:
	Account Disabled
	Forcer Password change at login
	Security Disabled Account
	Force Password to expire every_days
	Reset Password
Site	Assigns the user to a site. The values in this field are populated from the code list item User Sites.
User Group - Select	Attaches the user to pre-configured user groups.

Field / Control Name	Description
User Type	Select the type of user, such as, Argus J user from the drop-down list.
User Roles - Select	Attaches the user to pre-configured user roles such as Global Admin.
	By default, a Global Administrator role is granted only to an Administrator, who can grant/revoke this role to other Argus users. Such a user role must be assigned to users who need access to the Argus Global application. You can also select from other roles present within User Roles.
Enable site security	When this checkbox is checked, site-based data security is enabled for the user. If the box is not checked, the user has full access to data from all sites.
Enable LDAP Login	Authenticates users against the active directory server.
	When Enable LDAP Login is selected, all fields inside the Access section are disabled, excluding the Account Disabled option.
Account Disabled	When this option is selected, the user account is temporarily disabled to prevent users from logging in. This option is different from deleting a user as it enables the Administrator to re-activate the account at a later date.
Security Disabled Account	When unchecked, the login procedure keeps track of the number of consecutive unsuccessful attempts at logging into the system. If the count reaches three, the login procedure will always fail the password validation to lock the user out. Administrators with rights to user maintenance can reset the login attempts for the user to unlock the account.
	When checked, the login procedure that tracks the consecutive unsuccessful attempts at logging into the system do not apply.
Allow unblinding of	Enables the user to unblind a study case.
cases	For example, a user without unblinding rights will not see the Study Drug field. A user with unblinding rights sees a yellow Unblind tag next to the Concentration of Product field, and the Broken by Sponsor option in the Blinding Status drop-down list is enabled.
Protect from unblinded Information	When checked, the user cannot view any unblinded information.
Protect from printing unblinded Information	When checked, the user cannot print any unblinded information.
Allow locking of cases	Enables the user to lock/unlock cases.
Allow closing of cases	Enables the user to close cases.
Route on close case	Opens a routing dialog when the user closes the case.
Enable Checklist on	By default, this checkbox is selected.
Koute	If this checkbox is not selected, the checklist for the Workflow is not displayed to the user while routing cases, even if the rule that is being used has a checklist.

Disabling a User in Argus Safety

1. Log into Argus Safety and navigate to the Argus Console.

2. Hover over the Access Management menu and click Users.

The Groups and Users screen is displayed.

3. In the left pane, click **Users**.

The list of users appears in the right pane.

4. In the Access tab, select Account Disabled and click Save.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit
http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing
impaired.

Oracle Argus Safety Quickhelp for Administrators, Release 8.1.1 E90675-01

Copyright © 2017, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.