

JD Edwards EnterpriseOne Applications

Localizations for European Union Electronic Invoice Processing
Implementation Guide

Release 9.1.x

F17866-03

July 2019

JD Edwards EnterpriseOne Applications Localizations for European Union Electronic Invoice Processing Implementation Guide, Release 9.1.x

F17866-03

Copyright © 2019, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Preface	vii
Audience	vii
JD Edwards EnterpriseOne Products	vii
JD Edwards EnterpriseOne Application Fundamentals	vii
Documentation Accessibility	vii
JD Edwards EnterpriseOne Help	viii
Related Documents	viii
Conventions	viii

1 Introduction to JD Edwards EnterpriseOne Localizations for European Union Electronic Invoice Processing

1.1 JD Edwards EnterpriseOne Localizations for European Union Electronic Invoice Processing	1-1
---	-----

2 Understanding the System Setup

2.1 Understanding the System Setup for European Union Electronic Invoice Processing	2-1
2.2 Understanding the System Setup for EU Invoice Additional Information Program (P740002)	2-1
2.2.1 Setting Up the UDCs for the EU Invoice Additional Information Program.....	2-1
2.2.1.1 Tax Exempt (74/EF)	2-2
2.2.1.2 VAT Exemption Reason Code (74/ER)	2-2
2.2.1.3 Scheme Name (74/SN)	2-2
2.2.1.4 Scheme Id (74/SI)	2-2
2.2.1.5 Tax VAT Category Code (74/TC)	2-2
2.2.2 Understanding the EU Invoice Additional Information Program	2-2
2.3 Understanding the System Setup for Work With Additional Information for Sales Program (P740004)	2-3
2.4 Understanding the System Setup for Work With Additional Information for AR Program (P740005)	2-3
2.5 Understanding the System Setup to Work With EU Electronic Invoices	2-4
2.5.1 Setting Up UDCs to Work With Electronic Invoices	2-4
2.5.2 Setting Up the Generic Invoice Functionality.....	2-4
2.5.2.1 Form Used to Set Up the Generic Invoice Functionality	2-4
2.5.2.2 Setting Up the Generic Invoice Functionality	2-4
2.6 Setting Up Legal Documents.....	2-5
2.6.1 Forms Used to Setup Legal Documents and Relationships.....	2-5
2.6.2 Setting Up Legal Document Type	2-6
2.6.2.1 Entering Legal Document Types.....	2-6
2.6.3 Creating Associations Between Electronic Legal Document Types and Document Types.....	2-9
2.6.3.1 Associating Legal Document Types with Document Types	2-9
2.6.4 Setting Up Legal Documents Issue Places	2-9
2.6.4.1 Entering Issue Places.....	2-9
2.6.5 Setting Up Next Numbers for Legal Documents	2-10
2.6.5.1 Setting Up Next Numbers for Legal Documents	2-10
2.6.6 Specifying Programs and Versions to Print Legal Documents.....	2-10

2.6.6.1	Understanding Versions for Legal Documents.....	2-10
2.6.6.2	Understanding How to Set up Corresponding Versions	2-11
2.6.6.3	Specifying Versions and Print Programs	2-11
2.7	Setting Up the Email Address.....	2-11
2.7.1	Forms Used to Set Up the Email Address.....	2-12
2.7.2	Adding the Email Address Information to Who's Who Record.....	2-12

3 Working with European Union Electronic Invoice Processing

3.1	Understanding EU Electronic Invoice Processing	3-1
3.1.1	Understanding XML File Generation	3-1
3.2	Working with Accounts Receivable Invoice Processing	3-1
3.2.1	Prerequisites	3-2
3.2.2	The AR Invoice Process.....	3-2
3.2.3	Forms Used To Work With AR Invoices	3-3
3.2.4	Setting Processing Options for the PO - Localization Invoice Entry Program (P7433B11).....	3-3
3.2.4.1	General	3-3
3.2.4.2	Legal Number	3-3
3.2.4.3	Related Invoices	3-4
3.2.5	Setting Processing Options for the Generic Group Invoicing Program (R7030030) ..	3-4
3.2.5.1	Process.....	3-4
3.2.6	Setting the Processing Options for the Legal Document Print Process Program (R7430030)	3-5
3.2.6.1	General	3-5
3.2.7	Running the Legal Document Print Program (R7430030)	3-6
3.2.7.1	Generating the Electronic Invoice in Proof Mode	3-6
3.2.7.2	Generating the Electronic Invoice in Final Mode	3-6
3.3	Working with Sales Order Processing	3-6
3.3.1	Prerequisites	3-6
3.3.2	The Sales Order Process.....	3-7
3.3.3	Forms Used to Work With Sales Order Processing	3-8
3.3.4	Setting Processing Options for the Invoice Print Program (P7420565).....	3-8
3.3.4.1	General	3-8
3.3.4.2	Shipment Notes.....	3-9
3.3.4.3	Error Processing.....	3-9
3.3.5	Running the Invoice Print Program (R42565).....	3-9
3.3.5.1	Generating the Electronic Invoice in the Proof Mode	3-10
3.3.5.2	Generating the Electronic Invoice in the Final Mode.....	3-10

4 Working With EU Electronic Invoice Data Extraction and Response

4.1	Understanding the EU Electronic Invoice Data Extraction and Response	4-1
4.1.1	Extracting Invoice Data.....	4-1
4.1.2	Understanding the Work With EU Electronic Invoice Program (P740006)	4-2
4.1.2.1	Forms Used to View, Edit, and Cancel Invoices	4-2
4.1.2.2	Editing the Invoice Status.....	4-2
4.1.2.3	Canceling the Invoice.....	4-3
4.1.3	Understanding the System Setup to Work With XML Response Processing	4-3

4.1.3.1	Setting Up the UDC for the EU XML Response Processing Program	4-3
4.1.3.1.1	74/MR – Map Response Code With Status	4-3
4.1.3.2	Setting Up Folders	4-4
4.1.3.3	Setting the Processing Options for EU XML Response Processing Program (R740002).....	4-4
4.1.3.3.1	Process.....	4-4
4.1.3.4	Understanding the Process Flow to Setup and Manage the Processing of the EU XML Response Files	4-5

Preface

Welcome to the JD Edwards EnterpriseOne Applications Localizations for European Union Electronic Invoice Processing Implementation Guide.

Audience

This document is intended for implementers and end users of JD Edwards EnterpriseOne systems.

JD Edwards EnterpriseOne Products

This implementation guide refers to the following JD Edwards EnterpriseOne products from Oracle:

- JD Edwards EnterpriseOne Accounts Receivable.
- JD Edwards EnterpriseOne Sales Order Management.

JD Edwards EnterpriseOne Application Fundamentals

Additional, essential information describing the setup and design of your system appears in a companion volume of documentation called *JD Edwards EnterpriseOne Financial Management Application Fundamentals Implementation Guide*.

Customers must conform to the supported platforms for the release as detailed in the JD Edwards EnterpriseOne minimum technical requirements. See document 745831.1 (JD Edwards EnterpriseOne Minimum Technical Requirements Reference) on My Oracle Support:

<https://support.oracle.com/epmos/faces/DocumentDisplay?id=745831.1>

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

JD Edwards EnterpriseOne Help

Use the Help (?) icon to access JD Edwards EnterpriseOne Help within an application. You can access context-sensitive help or use Item Help for descriptions or user interface elements such as processing options, fields, check box options, and other elements. You can also access Item Help by placing the cursor in a field or option and pressing F1. Not all applications have context-sensitive help or Item Help. See Using Online Documentation in the *JD Edwards EnterpriseOne Tools Foundation Guide* for additional information.

Related Documents

For more information about JD Edwards EnterpriseOne applications, features, content, and training, visit the JD Edwards EnterpriseOne pages on the JD Edwards Resource Library located at:

<http://learnjde.com>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introduction to JD Edwards EnterpriseOne Localizations for European Union Electronic Invoice Processing

This chapter contains the following topics:

- [Section 1.1, "JD Edwards EnterpriseOne Localizations for European Union Electronic Invoice Processing"](#)

1.1 JD Edwards EnterpriseOne Localizations for European Union Electronic Invoice Processing

This guide includes information about generating electronic invoices in the Core Invoice (EN16391) template. The European Union countries are allowed to define a country-specific version (CIUS). EnterpriseOne Localizations for European Union allows customers to generate the required electronic invoices in XML based on EN16391 standards using a common template. You can modify this template based on the country-specific version (CIUS) before submitting the invoice to the tax authority.

In addition to the setup described in this guide, you must set up the base software for the particular process you implement. For example, you must follow the steps to set up the base software JD Edwards EnterpriseOne Accounts Receivable system in addition to performing the setup for any country-specific functionality for the JD Edwards EnterpriseOne Accounts Receivable system.

To enable a country-specific functionality without modifying or disrupting the standard software functionality or processes, see:

[Localizations: Country Server Methodology \(R96450\) \(Doc ID 2205125.2\)](#).

In the planning phase of your implementation, take advantage of all JD Edwards EnterpriseOne sources of information, including the installation guides and troubleshooting information.

When determining which electronic software updates (ESUs) to install for JD Edwards EnterpriseOne systems, use the EnterpriseOne and World Change Assistant. EnterpriseOne and World Change Assistant, a Java-based tool, reduces the time required to search and download ESUs by 75 percent or more and enables you to install multiple ESUs at one time.

See <https://updatecenter.oracle.com/res/deploy/GA/ChangeAssistant.jnlp>.

Understanding the System Setup

This chapter contains the following topics:

- Section 2.1, "Understanding the System Setup for European Union Electronic Invoice Processing"
- Section 2.2, "Understanding the System Setup for EU Invoice Additional Information Program (P740002)"
- Section 2.3, "Understanding the System Setup for Work With Additional Information for Sales Program (P740004)"
- Section 2.4, "Understanding the System Setup for Work With Additional Information for AR Program (P740005)"
- Section 2.5, "Understanding the System Setup to Work With EU Electronic Invoices"
- Section 2.6, "Setting Up Legal Documents"
- Section 2.7, "Setting Up the Email Address"

2.1 Understanding the System Setup for European Union Electronic Invoice Processing

Before you can start printing electronic invoices in the EN16391 template, you must enable the functionality, and set up additional information, legal companies, and the legal documents. JD Edwards EnterpriseOne Localizations simplify the process to set up your system and generate electronic invoices that meet legal requirements.

Navigate to EU Electronic Invoice (G74EU) to access the applications for system setup, daily processing, and periodic processing.

2.2 Understanding the System Setup for EU Invoice Additional Information Program (P740002)

Navigate to System Setup (G74EUS), Setup Addl. Infor. for Company Tax Rate Area Customer Program (P740002).

Use the EU Invoice Additional Information Program (P740002) to provide additional details about Address Number, Company, and the Tax Rate/Area.

2.2.1 Setting Up the UDCs for the EU Invoice Additional Information Program

Before you generate the electronic invoice in the EN16391 template, set up these UDC tables:

- 74/EF – Tax Exempt
- 74/ER – VAT Exempt Reason Code
- 74/SN – Scheme Name
- 74/SI – Scheme Id
- 74/TC – Tax VAT Category Code

2.2.1.1 Tax Exempt (74/EF)

These values are included in the software code for this program.

Code	Description
N	Taxable
Y	Tax Exempt

2.2.1.2 VAT Exemption Reason Code (74/ER)

Set up a coded statement of reason for why the amount is being exempted from VAT. It is mandatory to enter the reason if the tax is exempted.

2.2.1.3 Scheme Name (74/SN)

Set up the identification scheme identifier of the seller in the **Description 01** field of the UDC table. The identification number must be listed in ISO 6523.

2.2.1.4 Scheme Id (74/SI)

Set up the identification scheme identifier of the seller’s electronic address in the **Description 01** field of the UDC table. For example, 0088 is a valid value for this UDC.

2.2.1.5 Tax VAT Category Code (74/TC)

Set up the coded identification of the VAT category.

2.2.2 Understanding the EU Invoice Additional Information Program

You can perform any of the following actions in the EU Invoice Additional Information form:

- Click **Select** to select and edit a record.
- Click **Find** to view the existing records.
- Click **Delete** to delete the data for a record.

To edit the information about Address Number, Company, and Tax Rate/ Area, select a record and update the following fields:

Address Number

- Tax Representative Address Number: This field stores the tax representative number for the company with details stored in the Address Book Master Tagfile - EU - 74 table (F74101T).
- Scheme Code: Select a UDC code which represents the scheme identifier of the electronic address for the company or customer. You can add a description for the Schemeld.

- EndpointId: Enter the address for the company or customer to which the electronic invoice must be delivered.
- Generate Electronic Invoice Flag: Enter Y to generate the EU electronic invoice, or N to not generate the EU electronic invoice for the customer.

Note: To enable the EU invoice functionality for Italy and France, see "Understanding the System Setup to Work With Italy Electronic Invoices" in the *JD Edwards EnterpriseOne Applications Localizations for Italy Implementation Guide* and "Understanding the System Setup to Work With France Electronic Invoices" in the *JD Edwards EnterpriseOne Applications Localizations for France Implementation Guide* respectively.

Company

- Scheme Code: Select a UDC code which represents the ID of the seller.

Tax Rate/Area

- Tax VAT Category Code: Select a UDC code associated with the tax rate/area.
- Tax Exempt: Enter N if there is no tax exemption, or Y if there is a tax exemption.
- Exempt reason Code: Enter the reason for tax exemption if the tax is exempted.

2.3 Understanding the System Setup for Work With Additional Information for Sales Program (P740004)

Navigate to Daily Processing (G74EUD), Additional Information for Sales Order Program (P740004).

Use this program to provide additional information for sales order before generating the electronic invoice in the EN16391 template.

String Data

- Contract Document Number: Use this field to associate the contract document information with the sales order.
- Project Number: Use this field to associate the project number with the sales order.

2.4 Understanding the System Setup for Work With Additional Information for AR Program (P740005)

Navigate to Daily Processing (G74EUD), Additional Information for AR Document Program (P740005).

Use this program to provide additional information for an accounts receivable invoice before generating the electronic invoice in the EN16391 template.

String Data

- Contract Document Number: Use this field to associate the contract document information with the accounts receivable invoice.
- Project Number: Use this field to associate the project number with the accounts receivable invoice.

2.5 Understanding the System Setup to Work With EU Electronic Invoices

Before you can start working with electronic invoices, you must enable the functionality.

JD Edwards EnterpriseOne Localizations simplifies the process to set up your system and generate electronic invoices that meet legal requirements.

2.5.1 Setting Up UDCs to Work With Electronic Invoices

Before you generate the XML file, verify that the following UDC table is set up in your system:

- **Payment Mode Code (74/PM)**

Set up this UDC table to specify the legal code for payment instrument in the **Description 02** field of the UDC table. You must specify this code based on the Payment Instrument (00/PY) UDC table.

See Also: [Setting Up the UDCs for the EU Invoice Additional Information Program](#)

2.5.2 Setting Up the Generic Invoice Functionality

Note: This setup is not required for the countries Czech Republic, Hungary, Poland, and Portugal.

Use the Functionality by Country Setup Program (P700000) to enable the Generic Invoice functionality for the modules Accounts Receivable and Sales Order Processing.

The system uses this functionality to work with electronic invoices.

2.5.2.1 Form Used to Set Up the Generic Invoice Functionality

Form Name	Form ID	Navigation	Usage
Functionalities By Country	W700000A	Electronic Invoice Setup (G74DOC), Functionality by Country Setup	Enable or disable the electronic invoice functionality.

2.5.2.2 Setting Up the Generic Invoice Functionality

Access the Functionalities by Country form.

Country

Select the country code from the Localization Country Code UDC table (00/LC).

The system triggers the country-specific functionality based on the country code using the country server methodology in the base EnterpriseOne product.

Functionality

Select the value of the functionality that you want to enable from the Functionalities by Country UDC table (70/FC).

To enable the Generic Invoice functionality for Accounts Receivable, select the value **GI-ARINV**. To enable the Generic Invoice functionality for Sales Order Processing, select the value **GI-SOPINV**.

2.6 Setting Up Legal Documents

Before you can generate digital electronic invoices according to the requirements specified by the fiscal authorities, you must set up legal documents. You can generate electronic invoices for several types of documents as defined by fiscal regulations. The solution is not limited to invoices only.

After you set up the different legal document types, associate the legal document to the internal document types that your company uses, relate the legal document to the program that processes the documents, and set up the next number; you can generate and work with electronic invoices.

2.6.1 Forms Used to Setup Legal Documents and Relationships

Form Name	Form ID	Navigation	Usage
Work With Legal Document Types	W7400002A	Legal Document Set Up (G74LD00), Legal Document Type	Review or select an existing legal document type.
Legal Document Type Revision	W7400002B	On the Work With Legal Document Types form, click Add.	Enter legal document types.
Work with Legal Documents Types / Document Types Relationship	W7400003A	Legal Document Set Up (G74LD00), Legal Doc. Type/Doc. Type Relation	Review existing document type relationships.
Legal Documents Types / Document Types Relationship Revision	W7400003B	On the Work with Legal Documents Types / Document Types Relationship form, click Add.	Set up a legal document relationship for a company.
Work With Legal Documents Issue Places	W7400004A	Legal Document Set Up (G74LD00), Issue Place	Review or select an existing record.
Legal Documents Issue Places Revision	W7400004B	On the Work With Legal Documents Issue Places form, click Add.	Enter issue places.
Work with Next Legal Document Numbers	W7400001A	Legal Document Set Up (G74LD00), Legal Document Next Number	Review or select an existing numbering scheme.
Next Legal Document Numbers Revision	W7400001B	On the Work with Next Legal Document Numbers form, click Add.	Set up next numbers for legal documents.
Work With Legal Documents Print UBEs & Versions	W7430024A	Legal Document Set Up (G74LD00), Legal Document / Print UBE Relation	Select an existing record.

Form Name	Form ID	Navigation	Usage
Legal Documents Print UBEs & Versions Revision	W7430024B	On the Work With Legal Documents Print UBEs & Version form, click Add.	Documents Print UBEs & Version form, click Add. Specify the versions and print programs that the system uses to print legal documents

Note: To set up the legal documents for Italy and France, see "Forms Used to Set Up Legal Documents in Italy" in the *JD Edwards EnterpriseOne Applications Localizations for Italy Implementation Guide* and "Forms Used to Set Up Legal Documents in France" in the *JD Edwards EnterpriseOne Applications Localizations for France Implementation Guide*, respectively.

2.6.2 Setting Up Legal Document Type

You set up legal document types to specify how the system handles taxes for a type of document, whether the system must print the document on one page, and whether multiple payment terms are allowed for a document. Set up the legal documents for invoices and for credit and debit notes.

The system stores the legal document types that you create in the Legal Document Types table (F7400002).

2.6.2.1 Entering Legal Document Types

Access the Legal Document Type Revision form.

Figure 2–1 Legal Document Type Revision form

Legal Document Type Revision

✓ ✕ ⚙️ Tools

Legal Document Type

Description

Legal Document Type Group *Not Applicable / Other*

Calculate Taxes

Discriminate Taxes

One Page Document

Break on Payment Term

Number of Copies Source

Number of Legal Document Copies

Supplier Address Source

Company Country

Generate Bank Connection Information

Generate Contact Information

Legal Document Type

Enter the name code that you assign to a legal document type.

Legal Document Type Group

Enter a value that exists in the Legal Document Type Group (74/DG) UDC table to specify the group to which the legal document type belongs.

Calculate Taxes

Select to have the system calculate taxes. The system enables the Discriminate Taxes field when you select this option.

Discriminate Taxes

Enter a value that exists in the Discriminate Taxes (74/DL) UDC table to specify whether the system prints the value of the goods or services and the tax amounts separately (discriminates the taxes). The system enables the Discriminate Taxes field only when you select the Calculate Taxes option.

Values are:

- 0:** Do not discriminate. The taxes are included in the unit and extended prices.
- 1:** Discriminate by detail line. The taxes are not included in the price. The total tax rate and total tax amount of a line are printed in each detail line.
- 2:** Discriminate by tax code. The taxes are not included in the price; they are printed separately below each detail line. This option is not applicable when you select the One Page Document check box.
- 3:** Total taxes by tax code and rate. The taxes are not included in the price; they are grouped by tax rate at the end of the document. This option is not applicable when you select the One Page Document check box.

4: Discriminate by tax code and total. The taxes are not included in the price; they are printed separately below each detail line and also grouped by tax rate at the end of the document. This option is not applicable when you select the One Page Document check box.

One Page Document

Select to have the system print the legal document on one page.

Break on Payment Term

Select to have the system print the detail lines for only one payment term. If you do not select this check box, the system does not create a page break based on payment terms.

Number of Copies Source

Enter a value that exists in the Number of Copies Source (74/NC) UDC table. Values are:

Blank: Use the customer billing instructions that exist in the Customer Master Information (P03013) program to specify the number of copies.

L: Legal document. The system prints the number of copies that you specify in the Number of Legal Document Copies field.

Number of Legal Document Copies

Enter the number of copies to print. The system enables this field only when the value in Number of Copies Source field is L.

Supplier Address Source

Enter a value that exists in the Supplier Address Source (74/SC) UDC table to specify the source that the system uses for the entity that prints the document. Values are:

Blank: Legal company

B: Business Unit

C: Company

S: Country-Specific

Generate Bank Connection Information

Select this check box to have the system include banking information on the legal document. Navigate to Legal Document Set Up (G74LD00), Bank Connections for Legal Document Program (P700050) to specify the details of the banking information.

Generate Contact Information

Enter a value that exists in the Generate Contact Information (70/CI) UDC table to specify whether the system includes contact information in the header of the legal document. Values are:

Blank: Do not generate contact information

1: Generate from transaction originator. The system uses the address number of the user who generates the transaction to generate the contact information.

2: Generate from user ID. The system uses the address number of the user who prints the transaction to generate the contact information and retrieves information from the following tables:

- The professional title, mailing name and primary contact from the Who's Who table (F0111)

- The mailing address from the Electronic Address table (F01151)
- The phone number from the Address Book - Phone Numbers table (F0115)

If you complete the Contact Information Address Number processing option in the Sales Legal Document Print Program (R42565) for the PO - Sales Legal Document Generation Program (P7420565), or in the processing options for the Legal Document Print Process Program (R7430030), the system uses the specified address number to generate the contact information of the legal documents, even if you leave the Generate Contact Information field blank in the legal document setup. The processing option value overrides the value in the Generate Contact Information field of the setup.

2.6.3 Creating Associations Between Electronic Legal Document Types and Document Types

Before you can generate legal documents, you must set up document types (internal document types) in the Document Type (00/DT) UDC table for each legal document that you use. You associate the values in the 00/DT UDC table with the values that you create for legal document types.

You use the Legal Document Types Program to create legal document types, then use the Legal Doc. Type / Doc Type Relation Program (P7400003) to create the relationships between legal document types and internal document types. When you create the relationships, you also specify the company for which the relationship applies and the VAT Register VAT Condition for which the relationship applies.

The system stores the relationships in the Legal Document Types / Document Types Relationship (F7400003) table.

2.6.3.1 Associating Legal Document Types with Document Types

Access the Work With Legal Document Type form.

Legal Company

Enter the company for which the association applies.

Document Type

Enter the internal document type that you want to associate with the legal document type. You must enter a value that exists in the Document Type (00/DT) UDC table.

Legal Document Type

Enter the legal document type that you want to associate with the document type. The legal document type that you enter must exist in the F7400002 table

2.6.4 Setting Up Legal Documents Issue Places

You use the Issue Place Program (P7400004) to set up codes to represent the locations where legal documents are issued. You do not need to set up issue places unless you issue legal documents from more than one location.

The system stores the codes that you set up in the Legal Document Issue Places table (F7400004).

2.6.4.1 Entering Issue Places

Access the Legal Documents Issue Places Revision form.

Issue Place

Enter a code that represents the location where the document is issued.

2.6.5 Setting Up Next Numbers for Legal Documents

The numbering for each type of legal document must be consecutive. Because you can print some of the legal documents from more than one JD Edwards EnterpriseOne program, you set up next numbers for legal documents so that the system assigns a valid next number no matter which program you use to print a document.

You use the Legal Document Next Number Program (P7400001) to set up different next numbering schemes for each type of legal document. For example, you might set up a next numbering scheme for standard invoices and a different next numbering scheme for VAT invoices.

The system stores the next numbering schemes in the Legal Document Next Numbers table (F7400001).

2.6.5.1 Setting Up Next Numbers for Legal Documents

Access the Next Legal Document Numbers Revision form.

Legal Company

Enter the company for which you set up the next numbers.

Legal Document Type

Enter the legal document type for which you set up next numbers. The value that you enter must exist in the F7400002 table.

Issue Place

Enter the code that represents the place of issue for the legal document. The value that you enter must exist in the F7400004 table.

Legal Document Type Same As

Enter the legal document types that share the same next numbering scheme. The value that you enter must exist in the F7400002 table.

Next Legal Number

Enter the number that precedes the number that the system uses as the first number in the next numbering scheme. For example, if you enter 99, the system uses 100 as the first number in the next numbering scheme for the legal document type that you specify.

Note: For a country-specific setup of the next numbers for legal documents, see the localizations implementation guide for the country.

2.6.6 Specifying Programs and Versions to Print Legal Documents

This section provides overviews of versions for legal documents and corresponding versions and discusses how to specify versions and print programs.

2.6.6.1 Understanding Versions for Legal Documents

You use the Legal Document / Print UBEs Relation Program (P7430024) to associate legal document types with versions of print programs that generate legal documents.

The system stores the information for versions and programs in the F7430024 table.

2.6.6.2 Understanding How to Set up Corresponding Versions

A corresponding version is a version with an identical name. You set up the corresponding versions in addition to completing the steps to set up legal numbering and associate print templates with legal document types.

For legal documents that you printed from the JD Edwards EnterpriseOne Sales Order Management system, you must set up corresponding versions for the legal documents in the country-specific programs for the legal documents, and in the Print Invoices (R42565) program.

You use the PO - Sales Legal Document Generation Program (P7420565) to set up versions for electronic invoices.

Verify that a version with the same name exists for Program P7420565 for every version that you use with the Print Invoices Program (R42565).

2.6.6.3 Specifying Versions and Print Programs

Access the Legal Documents Print UBEs & Versions Revision form.

Legal Company

Enter the company for which you set up the association between a print program and a version for the print program.

Legal Document Type

Enter the legal document type for which you associate a print program and a version of the print program. The value that you enter must exist in the F7400002 table.

Issue Place

Enter the place of issue of the legal document. This field is optional.

User ID

Enter a user ID to confine permission to print the document to the specified person. This field is optional.

UBE (universal batch engine)

Enter the program to which you want to associate a version.

Specify R7030030 (Generic Invoice Grouping Program) for all the electronic invoices and legal documents types.

Version

Enter the version of the program that you specified in the UBE field that you want the system to use when you run the specified program.

2.7 Setting Up the Email Address

This section provides an overview of how to enter the email address that will be populated during the XML file generation.

Use the Work With Addresses Program (P01012) to set up the email address populated during the electronic invoice generation.

2.7.1 Forms Used to Set Up the Email Address

Form Name	Form ID	Navigation	Usage
Work with Addresses	W01012B	Address Book (G0110), Address Book Revisions	Review and select existing address book records.
Who's Who	W0111A	Select a record, and then select Who's Who from the Row menu on the Work With Addresses form.	Review and select a record.
Email/Internet	W01111I	Select the first record on the Who's Who form, and select E-mail/Internet from the Row menu.	Add electronic addresses to the Who's Who record.

2.7.2 Adding the Email Address Information to Who's Who Record

Access the E-mail/Internet form.

Electronic Address Type

Select a valid electronic address type.

Valid values for the electronic address type are included in the software code and are stored in the UDC table 01/ET.

Enter **E** for email address.

Electronic Address

Enter the Email address or Uniform Resource Locator (URL) for the company.

Messaging Indicator

Select the value **1** from the UDC table 01/HI.

Electronic Address Category

Select a value from the UDC table 01/CF. Specify the purpose for the electronic address.

This field is not applicable for EU electronic invoice processing.

Working with European Union Electronic Invoice Processing

This chapter contains the following topics:

- Section 3.1, "Understanding EU Electronic Invoice Processing"
- Section 3.2, "Working with Accounts Receivable Invoice Processing"
- Section 3.3, "Working with Sales Order Processing"

3.1 Understanding EU Electronic Invoice Processing

Companies in European Union are required to submit a digital version of the invoices in the EN16391 template. The countries can define a country-specific version (CIUS). The information in this electronic document is issued as an Extensible Markup Language (XML) file based on the EN16391 standards using a common template.

JD Edwards EnterpriseOne Localizations for European Union uses the standard programs to generate a printable invoice document, and country-specific generic invoice functionality to generate a digital electronic invoice.

See [European Union \(EU\) - Electronic Invoicing - XML Mapping \(Doc ID 2533515.1\)](#).

3.1.1 Understanding XML File Generation

The system uses Oracle's BI Publisher (Business Intelligence Publisher) to produce the required XML files.

To generate the different XML files that comply with the output information and format required by the fiscal authorities, the system uses specific templates and report definitions. Review the relationships in the following table:

Output	Batch Version Program	Version	Template	BI Publisher Report Definition
EU Electronic Invoice XML File	R7030040	ZJDE0004	TP7030040TS1	RD7030044
EU Electronic Invoice Credit Note XML File	R7030040	ZJDE0005	TP7030040TS2	RD7030045

3.2 Working with Accounts Receivable Invoice Processing

This section provides an overview of the process to work with AR invoices, lists prerequisites, the forms used to work with AR invoices, and discusses how to:

- Set the processing options for the PO - Localization Invoice Entry Program (P7433B11)
- Set the processing options for the Generic Invoice Grouping Program (R7030030).
- Set the options for the Legal Document Print Process Program (R7430030).
- Run the Legal Document Print Program (R7430030).

3.2.1 Prerequisites

Before you generate the electronic invoice:

- Set up your system with standard information for Accounts Receivable.
- Enter additional Address Book, Company, and Tax Rate/ Area information.
See [Understanding the System Setup for EU Invoice Additional Information Program \(P740002\)](#).
- Set up the Work With Additional Information for AR Program (P740005).
See [Understanding the System Setup for Work With Additional Information for AR Program \(P740005\)](#).
- Set up your system to work with the electronic invoice functionality.
See [Understanding the System Setup to Work With EU Electronic Invoices](#)
- Set up legal documents.
See [Setting Up Legal Documents](#).
- Set up the email address of the company that should be populated during the XML file generation using the Work With Addresses Program (P01012).
See [Setting Up the Email Address](#).
- Set the processing options for the Customer Ledger Inquiry Program (P03B2002).
- Modify the invoice template based on the country-specific regulations.
- Associate the credit notes with the original transactions to report your service transactions and amendments to the transactions using the Related Invoices for CN/DN Program (P7430016).

See "Associating Invoices with Debit Note or Credit Note" in the *JD Edwards EnterpriseOne Applications Common Features for Localizations Implementation Guide*.

3.2.2 The AR Invoice Process

To work with the Accounts Receivable invoice process for EU:

1. Generate Accounts Receivable Invoices using standard programs and processes.
2. Follow the country-specific localizations implementation guide to add additional information for the accounts receivable transactions.
3. Post the invoices using the General Ledger Post Program (R09801).
4. Run the Legal Document Print Process Program (R7430030) to launch the electronic invoice process and generate a digital XML electronic invoice file.

If the option Generate Electronic Invoice in the additional information entered for the customer is enabled the system will generate the electronic invoice.

- If applicable, submit the XML file that the system generates, to the fiscal authorities.

Important: Ensure to change the name of the .XML file generated by the system to meet the naming conventions specified by the fiscal authorities.

Note: The system dynamically generates the XML file name and removes special characters such as slash (/), backslash (\), colon (:), and so on added to the file name. The dynamically generated file name will be of the following structure:

Country Code appended by Tax ID Number_Formatted Legal Number.

3.2.3 Forms Used To Work With AR Invoices

Form Name	Form ID	Navigation	Usage
Work With Versions (PO - Localization Invoice Entry)	W7433B11A	Electronic Invoice Setup (G74DOC), PO - Localization Invoice Entry	Select the version for the Localization Standard Invoice Entry Program (P03B11) and set up the applicable processing options.
Work With Customer Ledger Inquiry	W03B2002A	Customer Invoice Entry (G03B11), Standard Invoice Entry	Select or review invoices
Standard Invoice Entry	W03B11A	On the Work With Customer Ledger Inquiry form, click Add.	Enter invoices.

3.2.4 Setting Processing Options for the PO - Localization Invoice Entry Program (P7433B11)

Navigate to Electronic Invoice Setup (G74DOC), PO - Localization Invoice Entry Program (P7433B11).

When you launch this program, you add or select a version. When you select a version, the system displays the processing options.

The Standard Invoice Entry Program (P03B11) uses these processing options when you enter an invoice.

3.2.4.1 General

1. Shipment Mandatory Date

Enter **1** to require entry of the shipping date. Leave this option blank or enter **0** to allow, but not require, the entry of the shipping date.

3.2.4.2 Legal Number

1. Issue Place

Specify the issue place for the legal document number.

3.2.4.3 Related Invoices

1. Related Invoices Entry

Enter **1** to allow the entry of related invoices for a debit or credit note. Leave this processing option blank to not allow entry of related invoices.

2. Multiple Related Invoices

Enter **1** to allow the entry of multiple related invoices for a credit or debit note. Leave this processing option blank to allow the entry of only one related invoice.

Complete this processing option if you entered 1 in the Related Invoices processing option.

3. Force Entry of Related Invoices

Enter **1** to require the entry of a related invoice. If no related invoice is entered, the system displays an error message and does not allow the user to continue until a related invoice is entered.

Leave this processing option blank to have the system display a warning message when no related invoice is entered. The warning message allows the user to continue without entering a related invoice.

4. Allow Different Address Number

Enter **1** to allow the entry of a related invoice with a different address book number from the record associated to the credit or debit note. Leave this processing option blank to have the system display an error message if the user enters a related invoice with a different address book number.

5. Allow Different Issue Place

Enter **1** to allow the entry of a related invoice issued with an Issue Place different than the issue place in the credit or debit note. Leave this processing option blank to have the system display an error message if the user enters a related invoice with a different Issue Place.

6. Display Error/Warning for Duplicate Related Invoices

Enter **1** to display an error when the user enters a duplicated related invoice. Leave this processing option blank or enter any value other than 1 to have the system display a warning if the user enters a duplicated related invoice.

3.2.5 Setting Processing Options for the Generic Group Invoicing Program (R7030030)

Navigate to Electronic Invoice Setup (G74DOC), Generic Invoice Grouping Program (R7030030).

Set these processing options to specify how the system should group the transaction records, use the invoice or the credit template, and generate the electronic XML file.

3.2.5.1 Process

1. Invoice Group Code

Select a value from the Invoice Group Code UDC table (70/IG) to specify whether the system should generate a single lot per invoice or a lot grouping invoices that meets a specific criteria when you work with electronic invoices. Values are:

1: The system generates one XML electronic file per invoice.

2: The system groups the transactions for the same customer into a single XML electronic file.

3: The system groups the transactions based on the invoice range that you specify into a single XML electronic file.

Note: For EU electronic invoice processing, the only valid value is 1.

2. EU E-Invoice (Y/N)

Select a value to specify whether the EU electronic invoice should be generated. Values are:

Blank or N: The EU electronic invoice will not be generated.

Y: The EU electronic invoice will be generated.

3. Invoice/Credit Note Template

Select a value to specify whether the invoice should be in the credit note template. Values are:

Blank: The system generates the invoice using the invoice template.

2: The system generates the invoice in the credit note template.

Note: This option is applicable only when the EU E-Invoice (Y/N) option is enabled.

3.2.6 Setting the Processing Options for the Legal Document Print Process Program (R7430030)

Processing options enable you to specify default processing values.

3.2.6.1 General

1. Print Mode

Enter **1** to process records in final mode. Leave this processing option blank to process records in proof mode.

2. Print Currency

Enter **D** to process records in domestic currency. Enter **F** to process records in foreign currency.

If you leave this processing option blank, the system processes records in domestic currency.

3. Launch UBE Automatically (launch universal batch engine automatically)

Leave this processing option blank to automatically launch the Print Invoice - PO Program (R7430030). Enter **1** to suppress the automatic launch of this program.

4. Print Line Attachment

Enter **1** to print the attachment that you specified when you entered the invoice. Leave this processing option blank to suppress printing of the attachment.

5. Contact Information Address Number

Enter the contact information address number or leave this processing option blank to use legal document type option instead.

3.2.7 Running the Legal Document Print Program (R7430030)

Navigate to Daily Processing (G74EUD), Print Legal Documents from A/R (R7430030).

3.2.7.1 Generating the Electronic Invoice in Proof Mode

To generate the AR invoice in proof mode:

- In the General processing options for the Legal Document Print Process Program (R7430030), leave the **Print Mode** option blank.

3.2.7.2 Generating the Electronic Invoice in Final Mode

To generate the AR invoice in final mode:

- In the General processing options for the Legal Document Print Process Program (R7430030), enter **1** for the **Print Mode** option.

3.3 Working with Sales Order Processing

This section provides an overview of the Sales Order Processing, lists the prerequisites, and discusses how to:

- Set the processing options for the Generic Invoice Grouping Program (R7030030).
- Set the processing options for the PO - Print Legal Documents from Sales Orders Program (P7420565).
- Run the Invoice Print Program (R42565).

3.3.1 Prerequisites

Before you generate the electronic invoice:

- Enter additional Address Book, Company, and Tax Area information.
See [Understanding the System Setup for EU Invoice Additional Information Program \(P740002\)](#).
- Set up the Work With Additional Information for Sales Program (P740004).
See [Understanding the System Setup for Work With Additional Information for Sales Program \(P740004\)](#).
- Set up your system to work with the electronic invoice functionality.
See [Understanding the System Setup to Work With EU Electronic Invoices](#)
- Set up legal documents.
See [Setting Up Legal Documents](#).
- Set up the email address for the company that should be populated during the XML generation using the Work With Addresses Program (P01012).
See [Setting Up the Email Address](#).
- Modify the invoice template based on the country-specific regulations.

3.3.2 The Sales Order Process

You use standard JD Edwards EnterpriseOne Sales Order Management to work with sales orders. You use country-specific programs to generate electronic invoices of your legal documents.

To work with sales orders, complete these tasks:

Process	Description
Enter sales orders.	You use the Sales Order Entry Program (P4210) to enter sales orders.
Manage existing sales orders.	You can use the Manage Existing Order Program (P42101) to manage the existing sales orders.
Set processing options for the Generic Invoice Grouping Program (R7030030).	<p>You set these processing options to specify how the system should group the transaction records to generate the electronic XML file.</p> <p>See Setting the Processing Options for the Legal Document Print Process Program (R7430030)</p>
Set processing options for the PO - Print Legal Documents from Sales Orders Program (P7420565).	<p>You set these processing options to specify additional parameters for the Standard Invoice Print Program (R42565). You must set up corresponding versions for P7420565 and R42565.</p> <p>The system uses the additional parameters to generate electronic invoices.</p>
Run the Print Invoices program to generate printable or electronic invoices.	<p>You use the Print Invoices Program (R42565) to generate a digital XML version of the sales orders that meets the requirements.</p> <p>The system automatically launches the Electronic Invoice process if the option Generate Electronic Invoice in the additional information entered for the customer is enabled.</p>

After completing these steps, submit the XML file that the system generates for the electronic invoices to the fiscal authorities (if applicable).

Important: Ensure to change the name of the .XML file generated by the system to meet the naming conventions specified by the fiscal authorities.

Note: The system dynamically generates the XML file name and removes special characters such as slash (/), backslash (\), colon (:), and so on added to the file name. The dynamically generated file name will be of the following structure:

Country Code appended by Tax ID Number_Formatted Legal Number.

3.3.3 Forms Used to Work With Sales Order Processing

Form Name	Form ID	Navigation	Usage
Work With Sales Order Headers	W4210H	<ul style="list-style-type: none"> ■ Sales Order Processing (G4211), Enter Orders Header ■ Sales Order Processing (G4211), Sales Order Detail <p>On the Customer Service Inquiry form, select SO Header Browse from the Form menu.</p>	Review and select sales order header records, or access forms to add a new sales order.

3.3.4 Setting Processing Options for the Invoice Print Program (P7420565)

Navigate to Electronic Invoice Setup (G74DOC), Print Legal Documents from Sales.

Use these processing options to specify the default values that the system uses when you run the Print Invoices Program (R42565) to print legal documents or generate electronic invoices. The system uses the PO - Print Legal Documents from Sales Orders Program (P7420565) when you run the Invoice Print Program.

3.3.4.1 General

1. Document Issue Place

Specify the legal document issue place.

2. Internal Document Type for Invoices

Specify the document type that you use to identify invoices for electronic invoices. The value that you enter must exist in the Document Type (00/DT) UDC table.

You must set up same document type for the Print Invoices Program (R42565) and the Print Invoice/Invoice Correction - PO Program (P7420565).

3. Internal Document Type for Shipment Notes

This processing option is not applicable.

4. Mode

Enter **1** to print in final mode. Leave this processing option blank to print in proof mode.

5. Summarize Sales Order Lines by Item

Enter **1** to summarize sales order lines by item. If you leave this processing option blank, the system prints all the lines in the sales order.

6. Automatic Printing

Leave this processing option blank to call the R7030030 Program and automatically generate electronic invoices. Generally, you leave this option blank. Enter **1** to suppress the automatic process.

7. Contact Information Address Number

Enter the contact information address number or leave this processing option blank to use legal document type option instead.

3.3.4.2 Shipment Notes

1. Weight Unit of Measure

Specify the unit of measure that the system uses to print the weight of the shipment. The value that you enter must exist in the Unit of Measure (00/UM) UDC table. If you do not complete this processing option, the system uses **Item** as the unit of measure.

This processing option is not applicable.

2. Volume Unit of Measure

This processing option is not applicable.

3.3.4.3 Error Processing

1. Last Status Code for Invoices

Specify the last status code that invoices should have attained. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the invoice has not attained the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **931** as the last status code.

2. Next Status Code for Invoices

Specify the next status code to which invoices will be moved. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the invoice does not move to the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **831** as the last status code.

3. Last Status Code for Shipment Notes

Specify the last status code that shipment notes should have attained. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the shipment note does not attained the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **932** as the last status code.

4. Next Status Code for Shipment Notes

Specify the next status code to which shipment notes will be moved. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the shipment note does not move to the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **832** as the last status code.

3.3.5 Running the Invoice Print Program (R42565)

From the Daily Processing menu (G74EUD), select Print Invoices.

If the option Generate E-Invoice is enabled in the additional information entered for the customer, the system generates an electronic .xml file document.

3.3.5.1 Generating the Electronic Invoice in the Proof Mode

To generate the EU electronic invoice in the proof mode:

- In the General processing options for the PO - Sales Legal Document Generation Program (P7420565), leave the **Mode** field blank.
- In the Default processing options for the Print Invoices Program (R42565):
 - Enter **1** in the **Prevent Next Status Update** field.
 - Enter **1** in the **Prevent A/R Number Assignment** field.

3.3.5.2 Generating the Electronic Invoice in the Final Mode

To generate the EU electronic invoice in the final mode:

- In the General processing options for the PO - Sales Legal Document Generation Program (P7420565) enter **1** in the **Mode** field.
- In the Default processing options for the Print Invoices Program (R42565):
 - Leave the **Prevent Next Status Update** field blank.
 - Leave the **Prevent A/R Number Assignment** field blank.

Working With EU Electronic Invoice Data Extraction and Response

This chapter contains the following topics:


Section 4.1, "Understanding the EU Electronic Invoice Data Extraction and Response".

4.1 Understanding the EU Electronic Invoice Data Extraction and Response

According to recent regulatory changes, companies in the European Union are required to provide the tax authorities with electronic invoices that comply with a new format called the Core Invoice (EN16391). You can use JD Edwards EnterpriseOne Localizations to process the response file and update the status of the electronic invoice in the JD Edwards EnterpriseOne system.

This image shows the business process flow of the EU electronic invoice extraction and response processing in the JD Edwards EnterpriseOne solution.

Figure 4–1 Process Flow for Processing EU XML Responses



4.1.1 Extracting Invoice Data

When the electronic invoice is generated in the final mode, the invoice details including the invoice status for example, A for Approved or G for Generated, are stored in the Legal Document Header Tagfile - EU - 74 table (F740006T). By default, when the invoice is generated, the invoice status will be G (Generated).

When the response is generated or reprocessed, the response code and the message text are stored in the F740006T table.

4.1.2 Understanding the Work With EU Electronic Invoice Program (P740006)

You use the Work With EU Electronic Invoice program (P740006) to view the invoice data and invoice status, edit the invoice status, and cancel the invoice. You can access the invoice records by using the following:

- Legal Company
- Address Number
- Legal Document Type
- Issue Place
- Legal Number
- From Legal Document Date
- Thru Legal Document Date

4.1.2.1 Forms Used to View, Edit, and Cancel Invoices

Form Name	Form ID	Navigation	Usage
Work With EU Electronic Invoice	W740006A	Daily processing (G74EUD), EU Electronic Invoice Details	Review and select an existing invoice.
Change Electronic Invoice Status	W740006B	On the Work With EU Electronic Invoice form, select Chg. Invoice Status from the Row menu.	Change the invoice status.
Cancel Invoice	W740006C	On the Work With EU Electronic Invoice form, select Cancel Invoice from the Row menu.	Cancel a sales order invoice.
Show Cancelled Inv.	W740006D	On the Work With EU Electronic Invoice form, select Cancelled Invoices from the Form menu.	View a canceled invoice.

4.1.2.2 Editing the Invoice Status

Access the Work With EU Electronic Invoice form.

Locate the invoice for which you want to change the status and from the Row menu, select the Chg. Invoice Status option. On the Change Electronic Invoice Status form, enter the UDC for the Invoice Status field and confirm the change.

Code	Description
A	Accepted
G	Generated
R	Rejected

Note: The invoice status for an accepted invoice (with the status A) cannot be changed.

4.1.2.3 Canceling the Invoice

You can cancel a Sales Order invoice using the Work With EU Electronic Invoice Program (P740006). An Accounts Receivable invoice cannot be canceled unless it is a void invoice.

Access the Work With EU Electronic Invoice form.

Locate the invoice that you want to cancel and from the Row menu, select the Cancel Invoice option and confirm the cancelation.

To view the canceled invoices, from the Form exit, select the Cancelled Invoices option. All the canceled invoices are displayed.

Note: The invoice with an accepted invoice status (A) cannot be canceled.

4.1.3 Understanding the System Setup to Work With XML Response Processing

When you receive the XML transmission response from the tax authorities, you must update your JD Edwards system to reflect the status of the transmission response. You use the EU XML Response Processing program (R740002) to automatically process the XML transmission response and update the invoice details in the Legal Document Header Tagfile - EU - 74 table (F740006T).

When you automatically process the XML response:

1. Run the EU XML Response Processing program (R740002).
2. The EU XML Response Processing program looks for unprocessed XML transmission response files in the source folder that is specified in a processing option.
3. If an unprocessed file exists in the source folder, the process retrieves and parses the XML transmission response.
4. The program updates the Legal Document Header Tagfile - EU - 74 table (F740006T).
5. The program moves the processed XML transmission response file to the target folder that is specified in a processing option.

4.1.3.1 Setting Up the UDC for the EU XML Response Processing Program

Before you process the XML transmission response files, set up the following UDC table:

- 74/MR – Map Response Code With Status

This UDC table maps the response code with the status of the invoice using the corresponding special handling codes.

Response Code is the value in the **ResponseCode** tag of the XML Response file. This code is a subset of the UNECE code list 4343 according to the open PEPPOL and BIS specifications.

4.1.3.1.1 74/MR – Map Response Code With Status

Navigate to System Setup (G74EUS), Map Response Code with Invoice status.
The values for this UDC table are included in the software code for this program.

Code	Description	Corresponding Special Handling Code
AP	Accepted	A
CA	Conditionally accepted	A
PD	Paid	A
RE	Rejected	R

4.1.3.2 Setting Up Folders

Before you use the automated process for receiving and processing XML transmission response files, you must set up folders in your system to hold the XML files. You can set up the folders in any location to which the EU Invoice Response Processing program can write data.

- **Source Folder:** You set up the source folder to hold the unprocessed XML transmission responses that you receive from the tax authorities through the transmission software. You can give any name to the folder. You will indicate the name and the path for the folder in a processing option. When you run the EU XML Response Processing program (R740002), the program looks in the specified folder for the unprocessed files.
- **Target Folder:** You set up a target folder to hold the processed XML transmission responses. You can give any name to the folder. You will indicate the name and the path for the folder in a processing option. After the EU XML Response Processing program (R740002) completes the parsing of the XML response file and writes the appropriate data to the F740006T, the program moves the XML response file from the source folder to the target folder.
- **Working Folder:** You set up a working folder which will be used by the EU XML Response Processing program as a temporary location while processing the response file. You can give any name to the folder. You will indicate the name and the path for the folder in a processing option. If the process fails, the system administrator can use the information in this folder to resolve the issues.

4.1.3.3 Setting the Processing Options for EU XML Response Processing Program (R740002)

Navigate to Periodic Processing (G74EUP), EU Invoice Response Processing (R740002).

4.1.3.3.1 Process

1. **Enter the source directory path for the unprocessed EU Response XML files (source folder)**

Specify the directory path and folder name for the unprocessed response transmission XML files. For example, if you run the file on a local machine, you might enter C:\Temp\Unprocessed\.

Important: You must enter a directory separator (/ or \) at the end of the path or the system does not process the XML file.

Note: If you run the program from a server, you must set up the folder on the server and enter the path to the folder on the server.

2. Enter the working directory path for the EU Response XML files that are in process (working folder).

Specify the directory path and folder name for the response transmission XML files that are in process. For example, if you run the file on a local machine, you might enter C:\Temp\InProgress\.

Important: You must enter a directory separator (/ or \) at the end of the path or the system does not process the XML file.

Note: If you run the program from a server, you must set up the folder on the server and enter the path to the folder on the server.

3. Enter the target directory path for the processed EU Response XML files (target folder)

Specify the directory path and folder name for the processed response transmission XML files. For example, if you run the file on a local machine, you might enter C:\Temp\Processed\.

Important: You must enter a directory separator (/ or \) at the end of the path or the system does not process the XML file.

Note: If you run the program from a server, you must set up the folder on the server and enter the path to the folder on the server.

4. Document Company

Specify the document company that is applicable for the invoices stored in the source folder.

4.1.3.4 Understanding the Process Flow to Setup and Manage the Processing of the EU XML Response Files

To set up and manage automatic processing of XML transmission responses:

1. Set up the folders for the source, target, and working XML files. You must set up folders for the XML response files that you receive (source folder), a folder for the XML response files that the system has processed (target folder), and a working folder for the XML response files that are in process.

See [Setting Up Folders](#).

2. Set up the UDC table 74/MR – Map Response Code With Status.

See [Setting Up the UDC for the EU XML Response Processing Program](#).

3. Set the processing options for the EU XML Response Processing program (R740002).

See [Setting the Processing Options for EU XML Response Processing Program \(R740002\)](#).

4. Add the response files that you receive, to the source folder.
5. Run a version of the EU XML Response Processing program (R740002) to generate the report.

Note: If the report runs into errors, check the work center to resolve the error and run the report again.
