



BEA AquaLogic® Interaction SharePoint Console

Installation and Upgrade Guide

Version 1.1 MP1
Document Revised: June 1, 2008

Contents:

1. Welcome

How to Use This Book	1-1
Audience	1-1
Organization.	1-1
Typographical Conventions	1-2
BEA Documentation and Resources	1-3

2. Installation Prerequisites

Hardware and Software Requirements	2-1
--	-----

3. Installation

Installing the SharePoint Console Components	3-1
Launching the SharePoint Console Installer	3-2
Completing the Installer Wizard Pages.	3-2
Manually Deploying the Image Service Files	3-3
Verifying the Installation	3-4
Importing the SharePoint Console Migration Package.	3-4

4. Upgrade

Upgrading from SharePoint Console 1.0 to SharePoint Console 1.1 MP1 MP1	4-1
---	-----

A. Uninstalling

Index

Welcome

This book describes how to install and deploy AquaLogic Interaction SharePoint Console 1.1 MP1. It also provides instructions for upgrading to SharePoint Console 1.1 MP1 from earlier versions.

How to Use This Book

This guide has detailed instructions suitable for users with installation experience as well as users installing for the first time.

Audience

This guide is written for the user responsible for installing or upgrading SharePoint Console. This user must have strong knowledge of the platform operating system, database, web and application servers, and any other third-party software required for installation.

Organization

This guide includes the following chapters:

- This chapter provides information on how to use this guide and describes other resources available to help install, deploy, upgrade, and administer SharePoint Console.
- [Chapter 2, “Installation Prerequisites,”](#) provides hardware and software requirements, as well as environmental and third-party software prerequisites. You must read this chapter and meet the prerequisites prior to proceeding to the installation or upgrade.

- [Chapter 3, “Installation,”](#) provides detailed instructions for installing and configuring SharePoint Console.
- [Chapter 4, “Upgrade,”](#) provides detailed instructions for upgrading to SharePoint Console 1.1 MP1.
- [Appendix A, “Uninstalling,”](#) provides instructions for uninstalling SharePoint Console.

Typographical Conventions

This book uses the following typographical conventions.

Table 1-1 Typographical Conventions

Convention	Typeface	Examples/Notes
<ul style="list-style-type: none">• Items you need to take action on (such as files or screen elements)	bold	<ul style="list-style-type: none">• Upload Procedures.doc to the portal.• To save your changes, click Apply Changes.
<ul style="list-style-type: none">• User-defined variables• New terms• Emphasis• Object example names	<i>italic</i>	<ul style="list-style-type: none">• The migration package file is located in <i>install_dir\serverpackages</i>.• <i>Portlets</i> are Web tools embedded in your portal.• The URI <i>must</i> be a unique number.• The example Knowledge Directory displayed in Figure 5 shows the <i>Human Resources</i> folder.
<ul style="list-style-type: none">• Text you enter• Computer generated text (such as error messages)• Code samples	<code>computer</code>	<ul style="list-style-type: none">• Type <code>Marketing</code> as the name of your community.• This script may generate the following error: <code>ORA-00942 table or view does not exist</code>• Example: <pre><setting name="SSOCookieIsSecure"> <value xsi:type="xsd:integer">0</value> </setting></pre>
<ul style="list-style-type: none">• Environment variables	<code>ALL_CAPS</code>	<ul style="list-style-type: none">• The default location of <code>BEA_HOME</code> is <code>C:\bea</code>.

BEA Documentation and Resources

This section describes other documentation and resources provided by BEA.

Table 1-2 BEA Documentation and Resources

Resource	Description
Release Notes	<p>The release notes provide information about new features, issues addressed, and known issues in the release.</p> <p>They are available on edocs.bea.com/alui/ali/docs61 and on any physical media provided for delivering the application.</p>
Administrator Guide	<p>This guide describes how to manage and maintain SharePoint Console.</p> <p>It is available on edocs.bea.com/alui/ali/docs61.</p>
Online Help	<p>The online help is written for all levels of SharePoint Console users. It describes the user interface for SharePoint Console and gives detailed instructions for completing tasks in SharePoint Console.</p> <p>To access online help, click the help icon.</p>
Deployment Guide	<p>This guide is written for business analysts and system administrators. It describes how to plan your AquaLogic User Interaction deployment.</p> <p>It is available on edocs.bea.com/alui/deployment/index.html.</p>
Developer Guides, Articles, API Documentation, Blogs, Newsgroups, and Sample Code	<p>These resources are provided for developers on the BEA dev2dev site (dev2dev.bea.com). They describe how to build custom applications using AquaLogic User Interaction and how to customize AquaLogic User Interaction products and features.</p>

Table 1-2 BEA Documentation and Resources

Resource	Description
<p>AquaLogic User Interaction (ALUI) and AquaLogic Business Process Management (ALBPM) Support Center</p>	<p>The ALUI and ALBPM Support Center is a comprehensive repository for technical information on ALUI and ALBPM products. From the Support Center, you can access products and documentation, search knowledge base articles, read the latest news and information, participate in a support community, get training, and find tools to meet most of your ALUI and ALBPM-related needs. The Support Center encompasses the following communities:</p> <p>Technical Support</p> <p>Submit online service requests, check the status of your requests, search the knowledge base, access documentation, and download maintenance packs and hotfixes.</p> <p>User Group</p> <p>Participate in user groups; view webinars, presentations, the CustomerConnection newsletter, and the Upcoming Events calendar.</p> <p>Product Center</p> <p>Download product updates, maintenance packs, and patches; view the Product Interoperability matrix (supported third-party products and interoperability between products).</p> <p>Developer Center</p> <p>Download developer tools, view code samples, access technical articles, and participate in discussions.</p> <p>Education Services</p> <p>Review the available education options, then choose courses by role and delivery method (Live Studio, Public Classroom Training, Remote Classroom, Private Training, or Self-Paced eLearning).</p> <p>Profile Center</p> <p>Manage your implementation details, local user accounts, subscriptions, and more.</p> <p>If you do not see the Support Center when you log in to http://support.plumtree.com, contact ALUISupport@bea.com or ALBPMsupport@bea.com for the appropriate access privileges.</p>

Table 1-2 BEA Documentation and Resources

Resource	Description
Technical Support	<p>If you cannot resolve an issue using the above resources, BEA Technical Support is happy to assist. Our staff is available 24 hours a day, 7 days a week to handle all your technical support needs.</p> <p>E-mail: ALUISupport@bea.com</p> <p>Phone Numbers:</p> <p>U.S.A. +1 866.262.PLUM (7586) or +1 415.263.1696</p> <p>Europe +44 1494 559127</p> <p>Australia/NZ +61 2.9923.4030</p> <p>Korea +82 27676 888</p> <p>Singapore +1 800.1811.202</p>

Welcome

Installation Prerequisites

Before you run the installer, complete the following steps:

1. Download the most up-to-date documentation from edocs.bea.com.
2. Read the release notes for additional information on compatibility issues, known problems, and workarounds that might affect how you proceed with your deployment. Release notes are located at the top-level directory of the product package and on edocs.
3. Provision host machines and configure software dependencies for your deployment. For details on software requirements, see [Hardware and Software Requirements](#).

Hardware and Software Requirements

Note: For the most current platform support information, refer to the Interoperability Matrix in the Product Center at support.plumtree.com. For more information on the role of SharePoint Console as a part of your complete AquaLogic User Interaction deployment, refer to the *Deployment Guide for BEA AquaLogic User Interaction*.

Caution: IPv6 is not supported. You should verify that IPv6 is not enabled prior to installing SharePoint Console

The following table describes the hardware, operating system and software requirements for SharePoint Console.

Table 2-1 Hardware and Software Requirements

Component	Requirement
SharePoint Console Host Machine	Hardware <ul style="list-style-type: none">• 1.6 GHz or higher, with 2 MB L2 cache• 512 MB memory• 128 MB disk space Operating System <ul style="list-style-type: none">• Microsoft Windows 2003 Server SP1 or R2, SP2, on x86 Application Server <ul style="list-style-type: none">• Microsoft IIS 6.0 with .NET Framework 2.0
Microsoft SharePoint	<ul style="list-style-type: none">• Microsoft Office SharePoint Server 2007• Windows SharePoint Services 2.0, 3.0
Portal	<ul style="list-style-type: none">• Plumtree Foundation 6.0, 6.0 SP1• BEA AquaLogic Interaction 6.1, 6.1 MP1, 6.1 MP2

Installation

This chapter describes how to install SharePoint Console. If you are upgrading SharePoint Console, see [Chapter 4, “Upgrade.”](#)

To install SharePoint Console:

1. Verify that you have completed the installation prerequisites. For details, see [Chapter 2, “Installation Prerequisites.”](#)
2. Install the SharePoint Console components. For details, see [“Installing the SharePoint Console Components” on page 3-1.](#)
3. Verify the installation. For details, see [“Verifying the Installation” on page 3-4.](#)

Installing the SharePoint Console Components

This section describes how to install the SharePoint Console components. The SharePoint Console components are:

- Image Service files
- SharePoint Console

Note: If the Image Service is installed on a machine other than the SharePoint Console host machine, you must also run the installer on that machine to install the Image Service component. For a non-Windows image service host, you must manually deploy the image service files. For more information, see [“Manually Deploying the Image Service Files” on page 3-3.](#)

Launching the SharePoint Console Installer

To launch the SharePoint Console installer:

1. Log in to the Windows host as the local Administrator.
2. Copy the **ALISharePointConsole_v1-1_mp1.exe** installer to a temporary location.
3. Close all unnecessary windows and applications.
4. Double-click **ALISharePointConsole_v1-1_mp1.exe** to launch the installer.

The installer wizard will launch. Complete the installer wizard pages as described in the next section.

Completing the Installer Wizard Pages

The following table describes the SharePoint Console installer wizard pages. The wizard pages that appear vary according to the selections you choose.

Note: If .NET Framework 2.0 is not installed on the SharePoint Console host machine, the installer will display an error message. It is possible to complete the installation but this is not recommended as SharePoint Console will not function properly.

Table 3-1 SharePoint Console Installer Wizard Pages

Wizard Page	Description
Introduction	Click Next to begin the installation. Click Cancel on any wizard page to end the installation.
Choose Components	Select the components you want to install on this machine.
Choose Install Folder	Accept the default installation folder or select a different folder in which to install the SharePoint Console component.
Fully Qualified Domain Name	Enter the fully qualified domain name of the host you are installing on. Example: mycomputer.mydomain.com

Table 3-1 SharePoint Console Installer Wizard Pages

Select IIS Web Site	<ul style="list-style-type: none"> • Use Default Web Site - Choose this option to create a virtual directory under the Default Web site. The default Web site listens to port 80. • Use another Web site - If you choose to use another Web site, the next wizard page allows you to enter the Web site name and port numbers. <p>Caution: Do not install SharePoint Console to the same Web site that hosts an instance of WSS. The default configuration of a Web site that hosts WSS will disable SharePoint Console. SharePoint Console can be installed to a Web site other than the Web site hosting WSS on the same machine.</p>
Specify IIS Web Site Information	Enter the IIS Web Site Name , IIS Web Site Port , and IIS Web Site Secure Port for your non-Default Web Site. Click Next .
Path to Image Service Files	Enter the location of the portal image service files.
Image Service URL	<p>Enter the URL to the Image Service, including the port number if it is not 80 or 443.</p> <p>Example: <code>http://web-apps.portal.com:8082/imageserver</code></p>
Pre-Installation Summary	Review the installation configuration information for accuracy. When satisfied with the installation settings, click Install .

Manually Deploying the Image Service Files

For any portal image service located on a non-Windows host, you must deploy the SharePoint Console image service files manually. The image service files can be found in compressed packages on the host where you installed the SharePoint Console component.

To manually deploy the image service files:

1. Copy the appropriate compressed package to the image service host. The packages are located in the directory **PT_HOME\ptsharepointcsw\1.1\packages** on the host where you installed the SharePoint Console service components. The two packages contain the same files, compressed in different fashions:
 - **imageserver_windows.zip**
 - **imageserver_unix.tar.gz**

2. Extract the compressed package to your image service folder. The default directory for the image service is **PT_HOME/ptimages/imageserver**.

Verifying the Installation

To verify the SharePoint Console service components have been installed, use the Windows Internet Information Services Manager to verify the SharePoint Console virtual directories have been installed.

1. From Administrative Tools, open the **Internet Information Services Manager**.
2. In the IIS Web site you specified when installing the SharePoint Console, these three virtual directories should be present: **SharePointCWS**, **CustomSearch**, and **SiteFeed**.

Importing the SharePoint Console Migration Package

This section describes how to import the SharePoint Console migration package. Importing the SharePoint Console package creates portal objects such as Web services, content sources, and intrinsic portlets used by SharePoint Console.

To import the SharePoint Console .pte file:

1. Verify that the AquaLogic Interaction Search Service is running.
2. From the Administration Select Utility drop-down list, use the **Migration - Import** utility to import the **SharePoint_Console.pte** file, which is located in the following location on the SharePoint Console host machine:

– **PT_HOME\ptsharepointcws\1.1\packages**

Select **Overwrite Remote Servers**. If necessary, adjust any import settings.

For details on using the Migration - Import utility, see *Administration Guide for BEA AquaLogic Interaction*.

Upgrade

This chapter describes the process of upgrading from a previous version of SharePoint Console to the current version.

Upgrading from SharePoint Console 1.0 to SharePoint Console 1.1 MP1 MP1

To upgrade from SharePoint Console 1.0 to SharePoint Console 1.1 MP1:

1. Back up your existing SharePoint Console installation directories, **PT_HOME\ptsharepointcws** and **PT_HOME\ptcustomsearch**.
1. Run the SharePoint Console installer. For details, see [“Launching the SharePoint Console Installer” on page 3-2](#).
Note: The installer will detect the location of your previous SharePoint Console installation. When prompted by the installer, choose a new installation directory if you want to install SharePoint Console 1.1 MP1 to a location other than that of your existing SharePoint Console installation.
2. Verify the installation. For details, see [“Verifying the Installation” on page 3-4](#).
3. Import the SharePoint Console migration package. For details, see [“Importing the SharePoint Console Migration Package” on page 3-4](#).

Upgrade

Uninstalling

This appendix describes how to uninstall the components of the SharePoint Console.

To uninstall the SharePoint Console:

1. Use the Windows Add/Remove Programs utility to launch the uninstaller.
2. On the Uninstall SharePoint Console page, click **Next**.
3. On the Uninstall Complete page, confirm successful uninstallation. The SharePoint Console installation directory and virtual directories are removed by the uninstaller.

Uninstalling

Index

B

BEA AquaLogic Interaction
supported versions 2-2

I

installer pages
choose components 3-2
choose install folder 3-2
fully qualified domain name 3-2
image service URL 3-3
path to image service files 3-3
select IIS Web site 3-3
specify IIS Web site information 3-3
installing image service files
manually deploying 3-3

L

launching the installer 3-2

P

Plumtree Foundation
supported versions 2-2
Portal
supported versions 2-2

S

SharePoint Console host machine 2-2

U

uninstall 5-1
upgrading SharePoint Console 4-1

V

verify installation 3-4
virtual directories
CustomSearch 3-4
SharePointCWS 3-4
sitefeed 3-4

W

Windows SharePoint Services
supported versions, Microsoft Office
SharePoint Server
supported versions 2-2

