

**Oracle® Documaker**

**Using the Documaker  
XTension with QuarkXPress**

Part number: E22582-01

June 2012

Copyright © 2009, 2012, Oracle and/or its affiliates. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

#### **U.S. GOVERNMENT RIGHTS**

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, and PeopleSoft are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

## **PLEASE NOTE**

THIS SOFTWARE PACKAGE HAS NOT BEEN WRITTEN, REVIEWED OR TESTED BY QUARK, THE QUARK AFFILIATED COMPANIES OR THEIR LICENSORS. QUARK, THE QUARK AFFILIATED COMPANIES AND THEIR LICENSORS MAKE NO WARRANTIES, EITHER EXPRESS OR IMPLIED, REGARDING THE ENCLOSED SOFTWARE PACKAGE, ITS MERCHANTABILITY, OR ITS FITNESS FOR ANY PARTICULAR PURPOSE. QUARK, THE QUARK AFFILIATED COMPANIES AND THEIR LICENSORS DISCLAIM ALL WARRANTIES RELATING TO THE ENCLOSED SOFTWARE PACKAGE. ALL OTHER WARRANTIES AND CONDITIONS, WHETHER EXPRESS, IMPLIED, OR COLLATERAL, AND WHETHER MADE BY THE DISTRIBUTORS, SYSTEMS INTEGRATORS, RETAILERS OR DEVELOPERS OF THE ENCLOSED SOFTWARE ARE DISCLAIMED BY QUARK, THE QUARK AFFILIATED COMPANIES AND THEIR LICENSORS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF NON-INFRINGEMENT, COMPATIBILITY, OR THAT THE SOFTWARE IS ERROR-FREE OR THAT ERRORS CAN OR WILL BE CORRECTED. Some jurisdictions, states or provinces do not allow limitations on implied warranties, so the above limitation may not apply to particular users.

IN NO EVENT SHALL QUARK, THE QUARK AFFILIATED COMPANIES OR THEIR LICENSORS BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, INCLUDING, BUT NOT LIMITED TO, ANY LOST PROFITS, LOST TIME, LOST SAVINGS, LOST DATA, LOST FEES, OR EXPENSES OF ANY KIND ARISING FROM INSTALLATION OR USE OF THE SOFTWARE OR ACCOMPANYING DOCUMENTATION IN ANY MANNER, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY. IF, NOTWITHSTANDING THE FOREGOING, QUARK, THE QUARK AFFILIATED COMPANIES AND/OR THEIR LICENSORS ARE FOUND SUCH LIABILITY SHALL BE LIMITED TO THE AMOUNT PAID BY USER TO QUARK WITHIN THE THREE YEAR PERIOD PRECEDING THE CLAIM, IF ANY, FOR THE LICENSE OF THE SPECIFIC QUARK PRODUCTS (EXCLUDING ANY THIRD-PARTY COMPONENTS ADDED BY END USER OR ANY THIRD PARTY, INCLUDING A DEVELOPER OR INTEGRATOR), OR THE LOWEST AMOUNT UNDER APPLICABLE LAW, WHICHEVER IS LESS. THESE LIMITATIONS WILL APPLY EVEN IF QUARK, THE QUARK AFFILIATED COMPANIES AND/OR THEIR LICENSORS HAVE BEEN ADVISED OF SUCH POSSIBLE DAMAGES. Some jurisdictions, states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply. All other limitations provided under applicable law, including Statutes of Limitation, shall continue to apply.



# Contents

iii Please Note

## Using QuarkXPress to Create Resources for Documaker

---

- 2 Installing the Documaker XTension
- 5 Customizing the Documaker XTension
- 6 Using the Documaker XTension
  - 7 Creating Documaker Resources
- 9 For Best Results
- 11 Limitations

13 Index



## Using QuarkXPress to Create Resources for Documaker

You can use the Documaker XTension with QuarkXPress to create Documaker resources from Quark files.

---

**NOTE:** The Documaker XTension can only be used with a valid, registered copy of QuarkXPress.

---

You can then open these resources in Documaker Studio to create your Documaker forms and form sets.

QuarkXPress is a page layout application typically used for designing magazines and brochures. Plug-ins designed for QuarkXPress are called *XTensions*. To use the XTension to export FAP files, you must have QuarkXPress version 6.5, 7.0, 8.01, 8.02, or 9.x

---

**NOTE:** The following information reflects changes made to the Documaker XTension in Oracle Documaker version 11.5/12.0 and Documaker version 12.1. These changes allow the Documaker XTension to work with QuarkXPress version 8.01, 8.02, or 9.x.

For QuarkXPress version 6.5, make sure you have installed Documaker version 11.1, patch 13 or higher to use the Documaker XTension.

To use this XTension with QuarkXPress version 7.0, make sure you have installed Documaker version 11.1, patch 23 or higher.

---

## INSTALLING THE DOCUMAKER XTENSION

The Documaker XTension module is packaged as a DLL file with these names:

For Quark version	Use this XTension file
6.5	QuarkToFAP.XNT
7.0	v7Docucorp.XNT
8.01 or 8.02	v8Skywire.XNT
9.x	v9Documaker.XNT

Keep in mind these requirements:

Documaker	Includes these XTensions	And requires these DLL files
11.4	QuarkToFAP.XNT v7Docucorp.XNT v8Skywire.XNT	ICUDT36 .DLL ICUUC36 .DLL LIBGFL254 .DLL
11.5 12.0	QuarkToFAP.XNT v7Docucorp.XNT v8Skywire.XNT	Only requires that the full Documaker installation be in the user's path.
12.1	QuarkToFAP.XNT v7Docucorp.XNT v8Skywire.XNT v9Documaker.XNT	Only requires that the full Documaker installation be in the user's path.


### Determining the version number

You can determine the version number of your Documaker XTension by opening the folder that contains the QuarkXPress XTensions and then right-clicking on the QuarkToFAP.XNT, v7Docucorp.XNT, v8Skywire.XNT, or v9Documaker.XNT file.

Select Properties from the menu and click the Versions tab to see the Documaker XTension version information.



Here is an example:



The Version tab shows you are using the v9Documaker.XNT module from Documaker version 12.1.

To install the Documaker XTension for Documaker version 11.4, copy the DLL files into the QuarkXPress XTensions directory, which should be similar to the example shown here:

For version	Copy to a directory similar to...
6.5	..\Program Files\Quark\QuarkXPress 6.1\XTension\
7.0	..\Program Files\Quark\QuarkXPress 7.0\XTension\
8.01 and 8.02	..\Program Files\Quark\QuarkXPress 8\XTension\
9.x	..\Program Files\Quark\QuarkXPress 9\XTension\

For Documaker version 11.5 and higher, perform these steps:

- 1 Copy the XTension file (\*.XNT) into the QuarkXPress XTensions directory.
- 2 Add the Documaker installation directory to the Path environment variable.

**NOTE:** Each time you upgrade your Documaker software, you should also upgrade the XNT file you are using. For instance, if you upgrade Documaker from version 12.1 to 12.2, perform the XNT file installation steps again to make sure you are using the 12.2 version of the XNT file.

---

**NOTE:** To export graphics based on Encapsulated PostScript (EPS) files, you must also install Ghostscript 8.00 or higher.

There are several variants of Ghostscript, such as GPL Ghostscript, GNU Ghostscript, ESP Ghostscript, and AFPL Ghostscript. This feature requires AFPL Ghostscript and will not work with the other versions of Ghostscript. For more information on Ghostscript, visit this web site:

<http://www.cs.wisc.edu/~ghost/>

Ghostscript is a free application that displays and prints PostScript files. EPS files are converted into Documaker graphics (LOG) files at 300 DPI, assuming you have Documaker 11.1, patch 23 or higher installed.

---

## CUSTOMIZING THE DOCUMAKER XTENSION

Use these options in your FSISYS.INI, FSIUSER.INI, or FAPCOMP.INI file to customize how the Documaker XTension works:

```
< MasterResource >
  DefLib = .\deflib\
  FormLib = .\forms\
  XRFFile = rel121
```

Option	Description
DefLib	This option is used to locate system files, such as font cross-reference files (*.FXR).
FormLib	This option is used by the export process to save bitmaps.
XrffFile	The font cross-reference file. This file contains information that allows the Documaker XTension to match Documaker fonts to those used in the QuarkXPress layout.

---

**NOTE:** Lower level functions called by the export procedures may use other INI settings.

---

## USING THE DOCUMAKER XTENSION

Here is an overview of the steps you would take to create Documaker resources from QuarkXPress files. Keep in mind that some QuarkXPress features have no equivalents in Documaker software. Also keep in mind that the consistency of your QuarkXPress layouts plays a part in the fidelity of your results.

- Generate a font report and make sure the required fonts are available in your font cross-reference (FXR) file. Use Documaker Studio's Font manager to import missing fonts into the FXR file. For more information, see [Optimize font selection on page 9](#).
- In QuarkXPress, remove tracking and kerning. Removing these attributes from the layout will cause QuarkXPress to reflow the document and allow the Documaker XTension to export a more suitable document.
- In QuarkXPress, make sure the layout contains the correct path to all of the required images. For more information, see [Verify picture locations on page 9](#).
- Generate an export file. See [Creating Documaker Resources on page 7](#) for more information.

---

**NOTE:** For the first attempt, make sure the Generate Font Report option is selected. When the report appears displayed, make sure the font substitutions match your expectations.

---


- Open the output, which will be a FAP file, in Documaker Studio. View the graphics to make sure they are correct. Graphics that are not created from disk files are of lower quality. Also look at the graphic's properties.
  - The names assigned to graphics from disk files will look like *MyLogo.log* or *MyLogo640x480.log*, where *640x480* is replaced by the actual dimensions of the graphics file.
  - The names assigned to graphics which are not from disk files are based on the name of the layout, with a numerical sequence appended, as in *MyLayout0001.log*.
- Review the [Limitations on page 11](#) and inspect the FAP file to see if it is affected by any of these limitations. If it does exhibit one of these problems, you may need to modify the layout in QuarkXPress.

If you do make changes to the layout, run the export again and test the result. When you are satisfied with the results, make any necessary changes to all of your QuarkXPress files, run the export again, and open the results in Documaker Studio.


## CREATING DOCUMAKER RESOURCES

To create Documaker resources from a QuarkXPress layout, follow these steps:

- 1 Open the file in QuarkXPress.
- 2 Select File, Export. Then select the As FAP option. The Export Layout to FAP window appears which lets you choose a Documaker INI file and specify the location of the output file.



Make the appropriate entries in the fields on this window. If multiple layouts are open, the window shown here appears instead, so you can select multiple layouts to export.



Field	Description
Select an INI File for the Conversion	Enter the name of the INI file you want to use. The default is the most recently used INI file.
Specify the Location for the Output Files	Enter the path where you want the exported file to reside and a name for this file. If you omit the name, the Documaker XTension assigns a <i>.FAP</i> extension to the name of the QuarkXPress layout. Click Browse to choose a location from the File window. If multiple layouts are open, the File window lets you choose a directory. The XTension remembers the last location used for an export and displays it as a default.
Export Picture Boxes	If there are pictures in the layout that do not exist on disk, click this field to create Documaker graphics (LOG) files for these pictures. If, for example, a picture overlaps a text object, you may prefer to uncheck this box to see just the text object.
Export Unsupported Boxes as Logos	Click this field to turn off the default behavior in which QuarkXPress objects that do not convert well into Documaker objects are exported as Documaker graphics (LOG) files. For instance, Documaker only lets you rotate text in increments of 90 degrees, while QuarkXPress lets you rotate text by any amount.
Mark All Objects Pre-printed	Use this option to tell the XTension to set the pre-printed flag on every object (boxes, bitmaps, vectors, text areas, and text labels) it creates. Having the pre-printed flag set on an object can be useful during forms creation or when test printing your forms, such as when you are using letterhead or special paper with the company name or graphics embossed on the paper. Inserting a text label or graphic on your form in the same location as the company name or graphics helps make sure the space is not inadvertently written over by other objects. These objects would reserve that space on the form. You may want to include pre-printed objects when test printing the form to compare against your special paper to make sure there is enough space on the special paper for the non pre-printed objects. By default, the Print window does not display a Pre-printed option. Any objects flagged as pre-printed will not print on the form.
Generate Font Report	Click this field if you want the Documaker XTension to display a list of all fonts used in the layout after it finishes the export. The list shows you both the original fonts used in the layout and the FAP fonts that were substituted for them. See <a href="#">Optimize font selection on page 9</a> for more information. This is only available when you are exporting a single layout.

When handling pictures that are loaded from disk, the Documaker XTension exports one picture for each size used in Documaker graphics (LOG) format. These files are named by appending the image size (width x height) to the original image name.

Before exporting, the Documaker XTension checks to see if the FAP file already exists. If it does, variable fields on the existing FAP file are preserved in the resulting document so you do not have to edit the output FAP file to reinsert fields.

## FOR BEST RESULTS

Here are some tips on how you can get the best results from of the Documaker XTension:

**Verify picture locations** QuarkXPress can display a picture even if the original image is no longer on disk, or is in a different location on disk. If this is the case, the Documaker XTension can only retrieve a 96 DPI capture of the image. If you make sure the picture locations are correct in the layout, using the Usage option on the Utilities menu, the Documaker XTension can create a full-resolution Documaker graphics (LOG) file.

**Optimize font selection** The Documaker XTension matches the fonts in the QuarkXpress layout to those in your FXR file to minimize any differences in word wrapping, line heights, and appearance. When the layout specifies a font, the Documaker XTension looks at each font in your FXR file and assigns it a score based upon several criteria, including...

- How closely the family and face names match those given by the layout
- How closely the size matches that specified in the layout
- Whether it is a symbol font
- Whether its type style — bold, italic, or Roman — matches that of the layout
- Whether its spacing type — proportional or fixed — matches that of the layout


Additionally, if the font has a substitute listed in the Window32Subs control group, the Documaker XTension uses the specified substitute. For example, if your INI file contains this option:

```
< Window32Subs >
    Albany MT = Arial
```

and the QuarkXPress layout specifies that Arial should be used, the Documaker XTension will substitute the Albany MT font.

In addition to using the Window32Subs control group, there are other ways you can configure the system to choose the best fonts possible.

- Use Documaker Studio's Font manager to import the fonts used by the QuarkXPress layouts into a Documaker FXR file. The font scoring system will add additional points if the name in the layout exactly matches that in the FXR file.
- Use the Generate Font Report field. After the export is complete, the following window appears:



Review the report and note any discrepancies between the original font and its substitute. Look specifically at the criteria mentioned previously. Do the sizes match? If not, use Documaker Studio's Font manager to import the needed size into your FXR file.

Make sure symbolic fonts are not being substituted for a non-symbolic font. Make sure the font you want is in your FXR file. You may want to use the Window32Subs control group to specify the font you want substituted.

The Documaker XTension tries to determine whether the font being requested is bold or italicized. This is not always possible because sometimes bold, italic, or oblique are characteristics of the font itself and the corresponding style is not set.



## LIMITATIONS

Keep in mind these limitations:

- QuarkXPress lets you lay out text along an arbitrary path. This feature has no equivalent in Documaker software. Boxes that contain text that is not placed normally or rotated in increments of 90 degrees are exported as graphics if the option to Export Unsupported Boxes as Logos is turned on.
- The Documaker XTension does not support these QuarkXPress features:
  - Paragraph rules — lines above or below the paragraph.
  - Vertical text alignment in a text area.
  - Font scaling.
  - *Z-ordering*, in which objects can cover other objects. In Documaker applications, underlying objects remain visible.
- In QuarkXPress, pressing SHIFT+TAB overrides existing tab stops and creates a right-justified tab at the right edge of the current text box. This behavior is a result of an attribute given the tab character itself; emulation of the behavior using only tab stops is likely to result in unpredictable formatting. Therefore, the Documaker XTension converts the SHIFT+TAB combination into a simple tab.
- QuarkXPress' runaround feature lets information flow around an object, such as an illustration. This feature is not supported by the Documaker XTension. If you are exporting layouts that use runaround, be sure to check for and correct any overlapping objects.
- QuarkXPress' tracking feature lets you adjust the horizontal spacing between letters. Tracking is not a part of the Documaker system and is ignored by the Documaker XTension. If there are big differences in where lines wrap, or in the way text flows in the output FAP file, this may be a result of tracking.

For best results, before you do the export select all of the affected text, then select the Track option from the QuarkXPress Style menu. When the window appears, enter zero (0) in the Track Amount field, and click Ok.

- In QuarkXPress, pressing CTRL+\ inserts an *Indent Here* character, which tells QuarkXPress to indent each subsequent line to the location of that character until the next paragraph marker. This feature is not a part of the Documaker system and is ignored by the Documaker XTension. Text affected by the Indent Here character in Quark will flow within previously set margins after the export.
- When exporting picture boxes and unsupported boxes as graphics, turn off guides for best results. To turn off guides, select the View, Hide Guides option from the QuarkXPress menu.
- Suppose a QuarkXPress layout uses two coincident boxes, one that can be exported fully and one that must be exported as a bitmap. Since there is no way for the Documaker XTension to understand the intent of the layout geometry, both boxes are exported with a result similar to that shown below. Experiment with the Export Picture Boxes and Export Unsupported Boxes as Logos fields on the Export Layout to FAP window to get the best results.



# Index

## A

---

AFPL Ghostscript 4

## D

---

DefLib option 5

Documaker Studio 6

Documaker XTension

    customizing 5

    installing 3

## E

---

Encapsulated PostScript (EPS)

    exporting 4

ESP Ghostscript 4

Export Layout to FAP window 7

Export Picture Boxes field 8

Export Unsupported Boxes as Logos field 8, 11

## F

---

font cross-reference file

    font report 6

    XrffFile option 5

---

Font Manager  
importing fonts 9  
font report 10  
generating 6  
fonts  
converting 9  
scaling 11  
FormLib option 5

## G

---

Generate Font Report field 6, 8, 9  
Ghostscript 4  
GNU Ghostscript 4  
GPL Ghostscript 4  
graphics  
exporting 4  
naming 6  
guides 11

## I

---

Indent Here character 11  
INI file 8

## K

---

kerning 6

## L

---

logos  
picture boxes 8

## M

---

Mark All Objects Pre-printed field 8

## P

---

paragraph rules 11  
pictures  
exporting 8  
resolution 9  
verifying locations 9  
pre-printed objects 8

## Q

---

QuarkXPress 1, 7

## R

---

runaround 11

## S

---

Select an INI File for the Conversion field  
8  
Specify the Location for the Output Files  
field 8  
symbolic fonts 10

## T

---

tab stops 11  
text alignment 11  
Track Amount field 11

---

tracking 6, 11

## V

---

vertical text alignment 11

## W

---

Window32Subs control group 9, 10

## X

---

XrfFile option 5

XTensions 1

## Z

---

z-ordering 11

