

FatWire | Content Server 7

Version 7.0.1

Dash Interface User's Guide

Document Revision Date: Jul. 12, 2007



FATWIRE CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event shall FatWire be liable for any loss of profits, loss of business, loss of use of data, interruption of business, or for indirect, special, incidental, or consequential damages of any kind, even if FatWire has been advised of the possibility of such damages arising from this publication. FatWire may revise this publication from time to time without notice. Some states or jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore, this statement may not apply to you.

Copyright © 2007 FatWire Corporation. All rights reserved.

This product may be covered under one or more of the following U.S. patents: 4477698, 4540855, 4720853, 4742538, 4742539, 4782510, 4797911, 4894857, 5070525, RE36416, 5309505, 5511112, 5581602, 5594791, 5675637, 5708780, 5715314, 5724424, 5812776, 5828731, 5909492, 5924090, 5963635, 6012071, 6049785, 6055522, 6118763, 6195649, 6199051, 6205437, 6212634, 6279112 and 6314089. Additional patents pending.

FatWire, Content Server, Content Server Bridge Enterprise, Content Server Bridge XML, Content Server COM Interfaces, Content Server Desktop, Content Server Direct, Content Server Direct Advantage, Content Server DocLink, Content Server Engage, Content Server InSite Editor, Content Server Satellite, and Transact are trademarks or registered trademarks of FatWire Corporation in the United States and other countries.

iPlanet, Java, J2EE, Solaris, Sun, and other Sun products referenced herein are trademarks or registered trademarks of Sun Microsystems, Inc. *AIX, IBM, WebSphere*, and other IBM products referenced herein are trademarks or registered trademarks of IBM Corporation. *WebLogic* is a registered trademark of BEA Systems, Inc. *Microsoft, Windows* and other Microsoft products referenced herein are trademarks or registered trademarks of Microsoft Corporation. *UNIX* is a registered trademark of The Open Group. Any other trademarks and product names used herein may be the trademarks of their respective owners.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>) and software developed by Sun Microsystems, Inc. This product contains encryption technology from Phaos Technology Corporation.

You may not download or otherwise export or reexport this Program, its Documentation, or any underlying information or technology except in full compliance with all United States and other applicable laws and regulations, including without limitations the United States Export Administration Act, the Trading with the Enemy Act, the International Emergency Economic Powers Act and any regulations thereunder. Any transfer of technical data outside the United States by any means, including the Internet, is an export control requirement under U.S. law. In particular, but without limitation, none of the Program, its Documentation, or underlying information of technology may be downloaded or otherwise exported or reexported (i) into (or to a national or resident, wherever located, of) Cuba, Libya, North Korea, Iran, Iraq, Sudan, Syria, or any other country to which the U.S. prohibits exports of goods or technical data; or (ii) to anyone on the U.S. Treasury Department's Specially Designated Nationals List or the Table of Denial Orders issued by the Department of Commerce. By downloading or using the Program or its Documentation, you are agreeing to the foregoing and you are representing and warranting that you are not located in, under the control of, or a national or resident of any such country or on any such list or table. In addition, if the Program or Documentation is identified as Domestic Only or Not-for-Export (for example, on the box, media, in the installation process, during the download process, or in the Documentation), then except for export to Canada for use in Canada by Canadian citizens, the Program, Documentation, and any underlying information or technology may not be exported outside the United States or to any foreign entity or "foreign person" as defined by U.S. Government regulations, including without limitation, anyone who is not a citizen, national, or lawful permanent resident of the United States. By using this Program and Documentation, you are agreeing to the foregoing and you are representing and warranting that you are not a "foreign person" or under the control of a "foreign person."

Content Server 7.0.1 Dash Interface User's Guide

Document Revision Date: Jul. 12, 2007

Product Version: 7.0.1

FatWire Technical Support

www.fatwire.com/Support

FatWire Headquarters

FatWire Corporation
330 Old Country Road
Suite 207
Mineola, NY 11501
www.fatwire.com

Table of

Contents

About This Guide	9
Who Should Use This Guide	10
How This Guide Is Organized	10
Part 1: Introduction	10
Part 2: Working in the Dash Interface	10
Part 3: Appendices	10
Other Helpful Information	10
Figures and Diagrams	10
Typographic Conventions	11
Related Publications	11

Part 1. Introduction

1 Overview	15
Introduction to Content Server	16
Exploring Content Management Concepts	20
Content: Asset Types and Assets	20
Structured Content Assets and Document Assets	24
Multilingual Assets	25
Design Assets	25
Content Server's Data Models	25
Content Management Sites	26
What Can You Do with Assets in the Dash Interface?	28
Permissions to Assets	28
Selecting Page Content	28
Dependencies	29
Approving and Publishing Assets	30
Approving Assets	30

Publishing Assets	30
Users, Roles, and Workflow Assignments	31
Revision Tracking	31
Check In and Check Out	31
Archive Options.	32
Cancelling Checkout	32
Rollback with Revision History.	32
Features in the Dash Interface	33

Part 2. Working in the Dash Interface

2 Getting Started	39
Logging In	40
Quick Tour	43
Additional Ways of Accessing Assets	52
Accessing Assets Using the Site Plan Tree	52
Accessing Assets Using the Asset Tree.	53
Switching to Another Site	54
Accessing the Advanced Interface	54
Quick Reference	55
Top Bar	55
Navigation Pane.	56
Workspace: Home View	57
Workspace: Asset Management View.	60
3 Creating and Editing Assets	65
Creating Assets	66
Which Assets Can You Create?	66
Creating a New Asset	67
Creating a New Asset by Copying an Existing Asset	70
Creating a New Asset in CS-Desktop	73
Creating a New Asset in CS-DocLink.	73
Editing Assets	74
Editing Assets in the Dash Interface	74
Editing Assets in CS-Desktop	76
Editing Assets in CS-DocLink.	76
Working with FCKEditor	77
Working with the Image Picker	79
Working with the Online Image Editor.	81
Working with Flash Content	85
Working with the Date Picker	87
Deleting Assets	88
Asset Deletion Rules	88

Deleting a Single Asset	88
Deleting Multiple Assets	89
4 Finding and Organizing Assets	91
Finding Assets	92
Search Behavior in the Dash Interface	92
Search Guidelines	92
Searching for Assets	94
Organizing Assets	96
Types of Tags	96
Creating a Tag	97
Adding Assets to a Tag	97
Running a Tag	97
Removing Assets from a Tag	98
Renaming a Tag	98
Deleting a Tag	99
5 Working with Multilingual Assets.....	101
Overview	102
Setting or Changing an Asset's Locale Designation	104
Creating a Translation of an Asset	105
Examining the Available Translations of an Asset	108
Comparing Language Versions	110
Changing the Master Asset of a Multilingual Set	112
6 Working with the InSite Interface	113
Overview	114
Accessing the InSite Interface.....	115
Previewing Assets	116
Editing Assets in the InSite Interface	119
Managing Page Content Using the InSite Interface	121
Adding or Replacing Content on a Page	122
Removing Content from a Page.....	125
Positioning Content on a Page.....	125
Searching for Assets Using the InSite Interface	127
Finishing Your Workflow Assignments Using the InSite Interface	128
Obtaining the InSite URL for an Asset	130
7 Advanced Content Management Features	131
Working with Asset Associations	132
Named Associations	132
Unnamed Associations	133
Associating Assets.....	133
Disassociating Assets.....	135
Placing and Unplacing Pages on a Site	136

Placing a Page	136
Repositioning a Page Within the Site Hierarchy	139
Unplacing a Page	141
Embedding Links Within Assets	142
Embedding an Internal Link	143
Embedding the Contents of an Asset	144
Sharing Assets with Other Sites	146
Rating Assets for Segments	147
Working with List Mode Static Lists Recommendations	148
Creating List Mode Static Lists Recommendations	148
Editing List Mode Static Lists Recommendations	151
8 Approval for Publishing	153
Overview	154
Dependencies	154
Approval States	154
Approval Tasks	155
Approving an Asset for Publishing	155
Checking an Asset's Approval Status	157
Removing Assets from the Publishing Queue	160
9 Workflow	161
Overview	162
Workflow and Assets	162
States and Steps	162
Users, Roles, and Participants	163
Workflow Assignments	164
Deadlocks	165
Sample Workflow	166
Sample Workflow States and Steps	166
Sample Workflow Scenario	167
Managing Your Workload	169
Viewing Your Assignments	169
Using Workflow Functions	170
Assigning an Asset to a Workflow	170
Setting a Process Deadline	172
Setting an Assignment Deadline	174
Finishing Your Assignments	176
Delegating Your Assignments	178
Abstaining from Voting	180
Resolving Deadlocks	181
Removing an Asset from Workflow	182
Viewing an Asset's Participant (Assignee) List	183
Setting Workflow Participants	184
Examining the Workflow Progress of an Asset	185

10 Revision Tracking	189
Overview	190
Manual Checkout and Checkin	190
Automatic Checkout and Checkin	190
Rollback and Revision History	192
Checking Out Assets	193
Examining Your Checkouts	194
Undoing a Checkout	194
Checking In Assets	195
Examining Revision History	195
Reverting to a Previous Version (Rollback)	196

Appendices

A. The Flex Asset Model	201
Overview of the Flex Asset Model	202

Index of Procedures	203
----------------------------	------------

Index	205
--------------	------------

About This Guide

This guide provides an overview of Content Server's functionality that you as a content provider will utilize to create, edit, and approve content for publication on your organization's online site.

Since this guide is written specifically for content providers, it is intended to help you use Content Server efficiently to perform your content management tasks without requiring technical proficiency. Typically, content providers are specialists in fields such as corporate communications, finance, human resources, sales, and marketing whose expertise is rooted in content, and not the software used to manage it.

This guide is also helpful to individuals who support content providers, perform their functions, or simply need to understand Content Server's basic concepts, such as administrators who support content providers by developing and customizing the installation to meet their needs.

Who Should Use This Guide

This guide was written especially for content providers — anyone who creates, reviews, and approves content from Content Server’s Dash interface. Typically, content providers are specialists in fields such as corporate communications, finance, human resources, sales, and marketing. The content providers’ expertise is rooted in the content, not in the software used to manage it. Technical proficiency is not required.

This guide is also helpful to individuals who support content providers, perform their functions, or simply need to understand Content Server’s basic concepts. For example, this guide is helpful to the CS administrator, who supports content providers by developing and customizing the installation to meet their needs. Furthermore, the administrator maintains the installation and provides the business users with technical services.

How This Guide Is Organized

To help you navigate through the information in this guide, the guide is divided into parts. Each part deals with a particular aspect of Content Server, and is divided into chapters, each dealing with a particular concept or process. The parts are as follows:

Part 1: Introduction

This part provides an introduction to Content Server and its underlying architecture. It describes the basic concepts and dependencies on which Content Server constructs are based.

Part 2: Working in the Dash Interface

This part describes how to use Content Server’s Dash interface. It explores the basics of the navigation and interaction with the Dash interface, explains tasks common to working with all asset types, and goes on to describe specific tasks and processes that you as a content provider will need to accomplish when working with Content Server.

Part 3: Appendices

This part contains appendix material helpful in further understanding some of the concepts presented in this guide.

Other Helpful Information

The end of the guide includes an index of procedures to help you quickly navigate to content management steps, as well as a general index containing most important terms and keywords used in this guide you can use as a quick reference.

Figures and Diagrams

This guide contains figures and diagrams that use parts of the Content Server interface running the FirstSite II sample site. Due to the highly customizable nature of Content Server, your interface might appear slightly different from the depictions used in this guide. Because of that, all such depictions are for reference only.

Typographic Conventions

To help you navigate and comprehend the information in this guide more easily, the following typographical conventions are used throughout:

- **bold type** – indicates names of buttons, links, fields, and form sections displayed in the interface, as well as any information you might be asked to enter verbatim into the Content Server interface.
- “text in quotes” – indicates names of forms, screens, and drop-down lists displayed in the interface.
- *italicized type* – indicates names of variables, as well as any text that varies depending on your selection.
- `monospaced type` – indicates a URL, a file system path, or a piece of code.

Related Publications

The FatWire library includes publications written for Content Server developers and administrators. The publications are provided as product manuals with your Content Server installation. They are also posted on the Web at the following URL:

`http://e-docs.fatwire.com/CS`

The documentation website is password-protected; you will need to obtain a password from FatWire Technical Support. For Technical Support contact information, see the following website:

`http://www.fatwire.com/Support/contact\_info.html`

Other publications, such as white papers, provide information about Content Server’s feature set and its business applications. To obtain these publications, contact `sales@fatwire.com`.

Part 1

Introduction

This part provides an introduction to Content Server. It contains the following chapter:

- [Chapter 1, “Overview”](#)

Chapter 1

Overview

As a content provider, you create, manage, and deliver web site content. Your expertise is rooted in the content, not in the software used to manage it. Since this guide is written specifically for content providers, it is intended to help you use Content Server efficiently to perform your content management tasks, without requiring technical proficiency.

This chapter contains the following sections:

- [Introduction to Content Server](#)
- [Exploring Content Management Concepts](#)
- [What Can You Do with Assets in the Dash Interface?](#)
- [Permissions to Assets](#)
- [Selecting Page Content](#)
- [Dependencies](#)
- [Approving and Publishing Assets](#)
- [Users, Roles, and Workflow Assignments](#)
- [Revision Tracking](#)
- [Features in the Dash Interface](#)

Introduction to Content Server

Content Server is a software suite that allows you to create and manage content to be published on your online site. The content is stored in Content Server's database. You create and manipulate the content using Content Server's interface, which provides a simple and intuitive way of accessing and working with the CS database.

The content that you manage with Content Server depends on the nature of your organization: a news site might produce articles, photos, and video clips; a human resources department might manage job postings and personnel policies; an online retailer might offer product descriptions, special offers, coupons, and so on.

The content objects that you manage using Content Server are called **assets**. Articles, product descriptions, photos, video clips, and other content stored in the CS database are assets. An asset moves from its creation to your online site in steps, and the process by which assets move from person to person through those steps is called **workflow**. As the asset moves through its workflow, you can use revision tracking to audit the changes made to the asset along the way.

Your end goal is to **publish** your content so that your site visitors can view it. When content is published, it is copied to your delivery system and made available to the visitors of your online site. (Publishing functions are available in the Advanced interface.)

Content Server Systems

Content management (CM) system: a Content Server system used by content providers to create and edit content. When ready for public delivery, the content is published (copied) from the CM system database to the delivery system database.

Delivery system: a Content Server system that accepts and stores a duplicate of the content published from the content management system. The delivery system is the online site that the visitors access. When the content is requested by a site visitor, the delivery system formats, lays out (unless the content is already cached) and delivers that content to the site visitor's browser.

When you create and edit content in Content Server, you use content entry forms. Their purpose is to give you an easy and intuitive way to access and work with the CS database that stores the content. A content entry form is specifically related to the online site and the CS database, as illustrated in [Figure 1](#) and [Figure 2](#), and explained below:

1. When you populate a content entry form (for example, the "Article" form in [Figure 1](#)) and save the content, Content Server stores the content in its database (step 1 in [Figure 1](#)).
2. After you (or another user) approve the content for publishing, you or the CS administrator publishes the content to the delivery system, where it is stored in a duplicate database (step 2 in [Figure 1](#)).
3. Finally, when the content is requested by a site visitor for viewing, it is retrieved from the database, formatted, laid out, (step 3 in [Figure 1](#)) and delivered to the site visitor's browser by code (step 4 in [Figure 2](#)). (This code is created by site designers and/or developers.)

Figure 1: A content entry form

Content (FSII Article): FSIINECUnveilsFirstMobilePhonewithHD Locale: en_US - Master Asset

Save & Close Save Cancel

* Sections with required fields Required field

Content *

Name:

FSIINECUnveilsFirstMobilePhonewithHD

Headline:

NEC Unveils 1st Mobile Phone with Hard Drive

Byline:

Abstract:


The phone makes its debut at ITU Telecom Asia 2004 in Busan.
 A tiny 1.5GB hard drive in the phone greatly expands memory capacity.
 The phone is also equipped with a 2.2" QVGA LCD and mega-pixel camera.
 (Sep 07, 2004 / SEC)

Body:

<p>BUSAN, Korea - September 7, 2004 : NewElectronicsCompany unveiled the first-ever mobile phone (model: SPH-V5400) with an internal hard disc drive. The company's latest innovation, which also comes with a mega-pixel camera, is currently being exhibited at the ITU Telecom Asia 2004 from September 6 to 11 at the Busan Exhibition and Conference Center (BEXCO).</p>
 <p>The V5400 is equipped with a 1-inch diagonal, 1.5GB hard disc drive that greatly expands the memory capacity of mobile phones from the conventional 100MB maximum capacity. In addition, the phone boasts a high-resolution (QVGA) 2.2-inch liquid crystal display and includes features, such as MP3 player, electronic book and Korean-English/English-Korean dictionaries. A powerful microphone enhances the camcorder function, while dual speakers


Add Link Include

1 Content entered into the content entry form is stored in the content management system's database.



Content Management System Database

2 After approving the content for publishing, a content provider or administrator publishes the content to the delivery system database.



Delivery System Database

3 When the content is ready for display on the online site, is retrieved from the database, formatted, and laid out by the code created by the site developers.





Figure 2: The online site

- 4 Formatted content is displayed on the online site.

In simple terms, a content entry form accepts raw content for storage in the CS database. When the content is requested by a site visitor, the delivery system renders the content (unless it is already cached) and displays it in viewer-ready form in the visitor's browser.

Content entry forms offer the following advantages:

- Users don't need to learn the specifics of Content Server's database.

A content entry form can be thought of as a window into Content Server's database. Content that you enter into a form is stored in the database. Content that you retrieve is read from the database and displayed in an editorial version of the content entry form.

Because a content entry form provides a standard interface to the variety of databases that Content Server supports, it spares users from having to learn the specifics of any database in particular. If one database is replaced with another (for example, SQL Server is replaced with DB2) the switch is transparent to users.

- Users don't need to know HTML or other markup languages.

No content entry form requires its users to format the content they enter or edit. Formatting is accomplished by code, which is created by the site developers to meet the site designer's specifications. As a content provider, you remain strictly focused on the content you are providing and its quality.

- Required information is clear.

In content entry forms, field names prompt users for certain kinds of information: a phone number, a job description, a file name, and so on. Users always know what kind of content is expected from them.

- Reusability and consistency are maximized.

Each piece of content that you enter into a form can be reused as many times as necessary, in as many formats as necessary, in as many locations within the online site as necessary. Reusability ensures consistency across the site by eliminating the need for re-creating content each time it must be used.

Exploring Content Management Concepts

This section explains how Content Server defines and treats content. It explains terms such as “assets,” and “asset types,” which are used throughout this guide.

Content: Asset Types and Assets

An “asset type” is an object that defines to CS users the type of content they are expected to provide. An asset type is used to create assets of that type. For example, if you publish magazine articles and sports car advertisements, you would create the articles from the “Article” asset type and the advertisements from the “Sports Car” asset type. Each asset type is created by a developer and actualized in the CS interface as a content entry form, such as the one you see in [Figure 1, on page 17](#) (The same content entry form is shown in [Figure 3](#).)

The content you are expected to provide is defined by the set of field names which make up the form and prompt you for the content. By populating the fields and saving your entries, you create an object called an “asset” in the CS database. That asset is content, which you can edit or delete, pass through a workflow, and publish. [Figure 3](#) illustrates the concept of an asset type and an asset, and shows how an asset containing a news article is related to the “Article” asset type.

Figure 3: The relation between an asset and its asset type

Content (FSII Article): FSIINECUnveilsFirstMobilePhonewithHD Locale: en_US - Master Asset

Save & Close Save Cancel

* Sections with required fields Required field

Name:
FSIINECUnveilsFirstMobilePhonewithHD

Headline:
NEC Unveils 1st Mobile Phone with Hard Drive

Byline:

Abstract:

- The phone makes its debut at ITU Telecom Asia 2004 in Busan.
- A tiny 1.5GB hard drive in the phone greatly expands memory capacity.
- The phone is also equipped with a 2.2" QVGA LCD and mega-pixel camera. (Sep 07, 2004 / SEC)

Body:

<p>BUSAN, Korea - September 7, 2004 : NewElectronicsCompany unveiled the first-ever mobile phone (model: SPH-V5400) with an internal hard disc drive. The company's latest innovation, which also comes with a mega-pixel camera, is currently being exhibited at the ITU Telecom Asia 2004 from September 6 to 11 at the Busan Exhibition and Conference Center (BEXCO).</p>

<p>The V5400 is equipped with a 1-inch diagonal, 1.5GB hard disc drive that greatly expands the memory capacity of mobile phones from the conventional 100MB maximum capacity. In addition, the phone boasts a high-resolution (QVGA) 2.2-inch liquid crystal display and includes features, such as MP3 player, electronic book and Korean-English/English-Korean dictionaries. A powerful microphone enhances the camcorder function, while dual speakers

Add Link Include


Field names
(created by
a developer)
define the
asset type.

Field values
(entered by
the content
provider)
define the
asset.

When you click
Save & Close,
the asset (a news
article in this
example) is saved
to the database as
a line item in one or
more tables.
(Because of the
content entry form,
you never have to
access the
database directly.)


"Article" Asset Type

Name	Headline	Byline	Abstract	Body
FSIINECUnveils...	NEC Unveils 1st Mo...		-The phone makes...	<p>BUSAN, Korea - Septe...


**CS Database**

An asset type is reusable, allowing you to create many unique assets from a single content entry form. Each asset is an instance of its asset type.

In our example in [Figure 3](#), we have the “Article” asset type from which a content provider created a newspaper article on the subject of phone technology. Other content providers created the Finance Article asset, the Gardening Article asset, the Sports Article asset, and the Music Article asset (shown below), all of which are instances of the “Article” asset type:.



In the next example, we have the “Sports Car” asset type, with a different set of fields, from which content providers created the Lotus, Ferrari, Maserati, and Bugatti assets. All are instances of the “Sports Car” asset type:.



Typically, developers create many different asset types, giving you an appropriate range and type of content to create and publish. Each asset type has its own content entry form, formatted as shown on this page, but with a unique set of fields. When saved, an asset is stored in Content Server's database. The asset can be edited, inspected, deleted, duplicated, placed into workflow, tracked through revision tracking, searched for, and delivered to the online site.

Note

To be technically accurate, the fields described in this section are *attributes*. The distinction is important to administrators and developers, but does not affect the content provider's work or understanding of content management in Content Server. For this reason, the terms "field" and "attribute" are used interchangeably throughout this guide.

Structured Content Assets and Document Assets

As a content provider, you are likely to manage two kinds of assets: **structured content** assets and **document** assets. The difference is that a structured content asset requires you to enter prescribed pieces of content directly into the Content Server interface, whereas a document asset requires you to provide a file with the content (or layout) of your choice. The developer who creates the asset type specifies whether the asset type supports structured content, or documents, or both.

Structured content is used to enforce uniformity and standards. By contrast, file-based content is used when a free-style approach is acceptable. File-based content gives you the freedom to compose content of your own choice, and to present it in your own format.

- **When creating a structured content asset**, you enter the content directly into a form (as explained earlier). The fields impose content structuring by prompting you for specific information—for example, a headline, a byline, and body text (as shown in the inset).

When the content is published, its format and layout (predetermined by site designers) are implemented in the template that you choose to render the content.

- **When creating a document asset**, you enter content into a file of the format of your choice (a Word document in this example), then attach the file to the document asset. Optionally, you enter information describing the content, such as name, file size, format, or associated keywords, into the additional fields that developers might have created to help you describe the file and its content.

CS-DocLink, an extension to Windows Explorer, provides an easy way to create and manage document assets outside the CS interface. See [“Creating a New Asset in CS-DocLink,” on page 73](#) for more information. To find out if your system is set up to support the CS-DocLink client, contact your administrator.

Depending on how your site is designed by developers, you might encounter assets that accept both structured and document-based content – for example, an “Article” asset that accepts an image file to accompany the article text. You will provide both types of content when creating or editing such assets.

Structured Content Asset

save & close apply cancel

Content
Metadata
Relations
Marketing
Workflow
Publishing
Sharing
Versions

Headline:

Byline:

Body:

Copyright:

Keywords:

Document Asset

save & close apply cancel

Content
Metadata
Relations
Marketing
Workflow
Publishing
Sharing
Versions

Name:

Description:

FSII Folder: link parent

Document File: Browse...

Title:

Subject:

Author:

Keyword: add new

Multilingual Assets

If your organization maintains localized sites for different geographic regions, each piece of content you create is likely to be translated into languages other than the one in which the content was originally created.

Content Server allows you to assign a locale designation to each asset, and to group together assets that are translations of one another. This way, you can easily track, manage, and publish multiple language versions of your content.

For example, a global press release written in English can be translated into French, Spanish, and German, and the translations published on the respective regional sites. The press release and its translations exist in the Content Server database as separate assets, linked with each other into a multilingual set. Members of multilingual sets can be managed, passed through workflow, approved, and published to one or more destinations just like their non-localized counterparts.

On the other hand, you are free to create assets in different languages and assign locale designations to them independently of one another, without creating the translation links. For example, you would treat in this way content that is specific to one region only and should not be translated nor published elsewhere.

When configuring your site for multilingual support, your developers provide the site visitors with a way to specify their preferred language (or languages). The delivery system then determines (by checking which locales are enabled for the site, and through locale filtering, if applicable) which language version of each asset is displayed on the online site.

Design Assets

Structured content assets are called **design assets** if they are used to format and organize web site content. Design assets are created by developers for your use. Your access to design assets depends on which design assets were created and on the permissions granted to you by your CS administrator. The following list describes the design assets you can use (given the appropriate permissions).

- **“Template” assets** create the look and feel of the web site. As a content provider, you assign “Template” assets to structured content assets to apply specific formatting to your content. Each “Template” asset formats assets of a specific type. Consult your site developers for instructions on how to work with the “Template” assets available to you.
- **“Page” assets** are “containers” that reference the assets constituting a page (or a portion of a page) in the online site; they provide the structure and organization for the displayed content. You can inspect and preview “Page” assets by invoking them from the **Site Plan** tree, the **Asset Tree**, or a list search results.

If you have the appropriate permissions, you can add, edit, remove, and position content directly on a rendered page using the InSite interface, assuming your site and assets support InSite functionality. (For more information, see [Chapter 6](#), “[Working with the InSite Interface](#).”)

Content Server’s Data Models

Asset data models define how content is stored in the Content Server database—in either a flat (single-level) or hierarchical (multi-level) structure. In Content Server, the flat model is referred to as the basic model, and the hierarchical model as the flex model.

The data model is chosen by the developers during asset type creation to suit site design requirements. In most of your tasks as a content provider, the distinction between the asset models is not relevant, since the majority of the functions you perform in Content Server are the same whether you are working with basic or flex assets. This guide indicates when a function or situation is unique to either basic or flex assets. Consult your administrator to determine the assets model(s) used on your site.

Basic vs. Flex

The differences between the basic and flex asset models are summarized below:

- **Basic assets** are instances of basic asset types and always have the same set of properties (attributes), as defined by the asset type. They can be associated with other assets to form single-level “parent-child” dependencies, but they cannot inherit each other’s properties. Thus, no complex hierarchies can be created with the basic asset model.
- **Flex assets** have the ability to inherit structure and content from multiple parents and grandparents, which makes them excellent for building complex hierarchical data structures (for example, creating large online catalogs of products). Unlike basic assets, flex assets in a given flex family can have different properties (attributes) based on the established hierarchy and inheritance rules set up by the administrator. For more information, see [Appendix A](#), “The Flex Asset Model.”

Content Management Sites

A content management (CM) site is the backend for the online site or one of its sections, and like everything else in Content Server, it is stored in the CS database. A CM site is the structural and logical framework that references several types of information:

- A CM site references all of the assets, asset types, and asset relationships that constitute the actual online site (or a section of it).

You can view a hierarchical representation of the site design for the CM site you are logged in to by clicking the **Site Plan** bar in the navigation pane. For example, a section of the site plan for the FirstSite II sample site looks like this:



Notice the hierarchical structure in which the content is organized.

- A CM site also references the users, roles, and workflow processes used to manage and organize the site's content. The CS administrator is responsible for managing these objects. Which CM sites you can work with is determined by the permissions granted to you by the CS administrator.

If you have permissions to work with more than one site, a site select screen appears when you log in to Content Server, allowing you to select the CM site you want to work with. You can also switch between CM sites during your session using the “Currently logged into:” drop-down list at the top left of the Dash interface.

Once you are granted access to a site, the administrator also grants you permissions to perform specific tasks within the site. For example, you may have the permissions to edit assets but not delete them.

The FirstSite II sample site has a number of users holding different sets of permissions to functions (such as searching or editing assets) and specific types of assets, as shown in the following figure:

User Role Management

Site: [FirstSiteII](#)

Select the user to modify:

User Name	Roles
 Arthur	ArtworkAuthor
 Connie	ContentEditor, DocumentEditor
 Conrad	ContentAuthor, DocumentAuthor
 Desiree	ArtworkAuthor, Designer
 Mark	ProductAuthor, MarketingAuthor
 Martha	ArtworkEditor
 Mary	ProductEditor, MarketingEditor
 Napoleon	Approver, WorkflowAdmin, SiteAdmin
 Rose	ProductEditor
 firstsite	ArtworkEditor, GeneralAdmin, Approver, ContentEditor, WorkflowAdmin, Analyst, Pricer, Marketer, SiteAdmin, Checker, MarketingAuthor, MarketingEditor, Author, Editor, ContentAuthor, Expert, HelloAuthor, ProductAuthor, ProductEditor, HelloEditor, HelloDesigner, DocumentAuthor, ArtworkAuthor, DocumentEditor, Designer

This list is available only to administrators using the Advanced interface.

It is important to note that a CM site is not synonymous with the online site that visitors see in their browsers. For example, a small web site might have all of its assets contained in one CM site. A very large web site, on the other hand, might be divided into several sections, each contained in and managed through a separate CM site. A Content Server CM site is thus the supporting structure behind the actual web site (or a section of it), but they are not one and the same.

Note

Throughout this guide, the phrase “current site” refers to the CM site you are logged in to at the time, and not the online site that the visitors access.

What Can You Do with Assets in the Dash Interface?

The Dash interface provides access to Content Server features listed in [Table 1, on page 33](#). What you can do individually is determined by the role(s) granted to your user name by the administrator. If you do not have the right permissions, the function is unavailable to you — it is either grayed out, hidden from your interface, or it produces an error message when you attempt to use it.

Permissions to Assets

Permissions are the access privileges to functions such as creating, viewing, or editing assets; participating in a workflow; and approving assets for publication. They also determine which assets and asset types are available for you to work on. Permissions, are, thus, also responsible for the appearance of your Content Server interface. Your permissions are granted by your CS administrator, either directly, or through a workflow.

For example, the administrator may deny you the permission to create assets of a particular type; in such case, the asset type will not be displayed in the “Create New...” drop-down list or the “Quick Access” pane. You will also not be able to create new assets of that type by copying or creating translations of existing assets of that type.

If an asset is in a workflow, your permissions to the asset change depending on the workflow state the asset is in at the moment. For example, if you are not a participant of a particular workflow state, you cannot work with assets in that state.

Selecting Page Content

As a content provider, you may be responsible for associating (through the InSite interface) content you want to display on a particular page on the online site with the appropriate “Page” asset. “Page” assets are “containers” that reference all of the assets constituting each section of the online site; they are created for you by site developers as a way of organizing content on the rendered page.

Before you can select the correct content for your “Page” assets, you must be familiar with how your site is structured and what the “Page” and “Template” assets available to you are designed to do. Because of that, site developers, who create the “Page” assets you work with, usually provide instructions on how to work with the page and “Template” assets available to you.

When the “Page” assets are rendered into online pages, Content Server uses the templates assigned to each asset referenced by the “Page” asset to apply the desired look and feel to the rendered content. The templates control which content goes where, how it is formatted, which buttons appear and what they do, and so on.

Dependencies

Dependencies are an important consideration for the content provider, because they govern how assets can be managed—for example, if (and in what order) assets can be deleted or approved.

Dependencies are relationships that exist among assets which have somehow been associated with each other. You associate assets with each other for the following reasons:

- To keep and publish together assets you want to stay together – for example, a “Product” asset and the supporting “Image” and “Datasheet” assets. This ensures the integrity of your site by avoiding broken links and missing data.
- To avoid repetition and errors by sharing information among assets. When multiple assets share a piece of content, you ensure that the content remains identical.

Depending on the asset model, relationships are either inherent to the data model (pre-defined by Content Server) or created by developers. In any case, the relationships are actualized at the asset level by content providers. For example:

- Developers can create a data model that hierarchically associates one type of asset with another. You then associate assets of those types when you create the assets. For example, you can associate a particular “Product” asset (such as an MP3 player) with a particular “Document” asset (such as an owner’s manual in PDF format). The association creates a dependency.
- If your system is set up to use CS-DocLink, you can associate document assets with each other. For example, you create dependencies by attaching document assets to folder assets, and the folder assets to parent folder assets, and so on.

Whenever dependencies prevent you from performing a task, Content Server warns you of that fact and identifies the offending assets. You can then take appropriate actions to resolve the conflicts.

For example, if you try to delete an asset that is referenced by other assets, Content Server displays a list of assets referencing the asset you are trying to delete. You must first remove the reference creating the dependency between the assets; only then can the referenced asset be deleted. If a hierarchical relationship exists between multiple assets, you must remove the dependencies the bottom of the hierarchy up.

Approving and Publishing Assets

As a content provider, your ultimate goal when using Content Server is to publish content to your delivery site. Before assets can be published, however, they must be approved.

Approving Assets

The purpose of approving assets for publishing is to ensure that both the parent assets and their dependent assets are approved before the assets are published. This safeguards against broken links on your delivery site.

Note

In some instances, unapproved assets are automatically published. For example, if a previously published asset is deleted from the content management system, it is automatically approved for publication to the delivery system as a “deleted” asset. When the next publishing session runs, the status of the asset is synchronized between the systems which results in the asset being deleted from the delivery system.

While certain asset dependencies are intrinsic, designers and administrators are responsible for establishing explicit dependencies.

An asset dependency exists when there is an association of some kind between assets. For example, a “Page” asset has an association with three “Article” assets; two of these articles have associations with “Media” assets, while the third one has associations with four “Document” assets. This tree hierarchy forms a set of parent/child dependencies among all these assets. Because of that, all of these assets must be approved before they can be published. Content Server displays an error message when assets cannot be approved for publication, listing the offending assets.

As a content provider, if you have approval permissions, your role is to resolve any errors that might arise during the approval process so that you can publish your content successfully. Content Server enforces the dependencies put in place by the design team and identifies conflicts so that you can resolve them.

For instructions on approving assets for publishing, see [Chapter 8, “Approval for Publishing.”](#) For an in-depth explanation of Content Server’s approval mechanisms, see the *Content Server Advanced Interface User’s Guide*.

Publishing Assets

Assets that are approved for publishing are marked as such in the CS database until a publishing session is initiated. A publishing session can be either scheduled (on a one-time or recurring basis), or launched manually by the administrator or a content provider with the appropriate permissions. When a publishing session is running, every asset flagged as “ready to publish” is published.

Note that publishing is a background operation; you can continue to work in the Content Server interface while a publishing session is running. However, the assets being published cannot be opened, edited, or deleted until the publishing session ends.

For an in-depth explanation of Content Server’s publishing mechanisms, see the *Content Server Advanced Interface User’s Guide*.

Users, Roles, and Workflow Assignments

In most organizations, people have different roles or responsibilities, and web sites are published by many people working together. Sometimes there are many people who perform the same role. Sometimes one person has more than one role. In Content Server, responsibilities are called **roles**, people are called **users**, and everyone has a user name, which they use to identify themselves and to log in.

Work moves from one person to another. For example, an author writes or assembles some text for an article and passes it to an editor. The editor makes suggestions and sends them back to the author along with the article, or makes changes and sends the article off for final review and approval. This process—the movement of content from one person to another in a predictable way—is called **workflow**.

You can assign a workflow process to an asset you create, but more typically, the administrator has already assigned workflow and set participants for the assets you are allowed to create, during the configuration of the workflow feature on your CS system.

When workflow is in use on your CS system, tasks and permissions are for the most part assigned to roles rather than user names. Although you log in with your user name, it is your assigned role that determines what you can do. (Hover your cursor over the **View** link next to the **My Roles** item in the “Quick Info” pane to see a list of your roles.)

When you log in to the Dash interface, the “Quick Info” pane shows you a snapshot of your current workload. To see all of the assets assigned to you, click the **Assignments** link in the “Quick Info” pane. (Alternatively, you can click the **My Assignments** tag in the **Tags** tree in the navigation pane).

If you know you will be unavailable, (such as going on vacation) you can delegate your assignment to someone else who has the same role as you. If you are unable to complete your assignment, you can relinquish your participation by using the **Abstain from Voting** function.

When you are done working with an asset, you indicate that you have finished your workflow assignment for that asset by using the **Finish My Assignment** function. Content Server then changes the asset’s state and determines who gets the assignment next, according to the workflow process. For more information about workflow, see [Chapter 9, “Workflow.”](#)

Revision Tracking

Content Server can track and recall changes made to assets. If your administrator has enabled revision tracking for a particular asset type, then you can do the following with assets of that type (for detailed information, see [Chapter 10, “Revision Tracking”](#)):

- Check out an asset, which prevents others from modifying or deleting it until you check it back in.
- Review the changes made to an asset.
- Restore an asset to a previous version (rollback).

Check In and Check Out

To work with an asset when revision tracking is enabled:

1. You check the asset out from the database.

Keep in mind that an asset can be checked out to only one user at a time. This means that when an asset is checked out to you, only you can edit it, delete it, or assign it to a workflow. If you open an asset for editing without deliberately checking it out first, Content Server checks it out to you automatically.

2. After you have edited an asset, you check it back in.

Checking in saves a new version of the asset, but does not overwrite the earlier versions stored in the CS database unless the maximum number of allowed revisions is reached (this limit is set by the administrator). When checked in, the asset becomes available for editing to other users. If you are working on an asset that was checked out to you automatically, Content Server checks it back in automatically when you save the asset.

Archive Options

You can check in an asset so you have an archived version saved, but keep it checked out to continue your work on it.

Cancelling Checkout

If you check out an asset and then decide that you do not want to save the changes you just made to it, or if you checked an asset out by mistake, you can undo the checkout. In such cases, Content Server does not store a new version of the asset, nor make a record of the checkout in the database.

Rollback with Revision History

If, after saving an asset, you decide you do not want to keep the changes you made to it, you can roll the asset back to any of its stored previous versions by using the **Rollback** function. When you have an asset checked out, you can roll it back to any previous version. If you try to roll back an asset that is checked in, CS checks it out to you automatically. You or any user can examine the asset's revision (version) history.

Features in the Dash Interface

Table 1 provides an overview of the features available in the Dash interface. It also shows which features are exclusive to either the Dash or Advanced interface.

Table 1: Features comparison

Feature	Dash	Advanced
Administrative Controls		
Perform administrative tasks		✓
Asset Model		
Work with basic assets	✓	✓
Work with flex assets	✓	✓
Editorial Functions		
Create and copy assets	✓	✓
Edit assets	✓	✓
Delete assets	✓	✓
Finding Assets		
Perform simple searches	✓	✓
Perform advanced searches	Using Lucene's query syntax	Form-based
Sort search results	✓	✓
Save search criteria		✓
Save search results	✓	✓
Attribute value search	✓	Pre-defined attributes only
Visually browse a site's structure (site plan)	✓	✓
Visually browse flex family hierarchies	✓	✓
Organizing Assets		
Work with tags	✓	N/A
Work with the Active List	N/A	✓
Share assets across sites	✓	✓
WYSIWYG Editors		
Work with FCKEditor	✓	✓
Work with eWebEditPro	N/A	✓
Work with RealObjects	N/A	✓
Work with the DatePicker	✓	✓
Work with the Image Picker	✓	✓
Work with the Online Image Editor	✓	✓
Work with Flash content	✓	✓

Table 1: Features comparison *(continued)*

Feature	Dash	Advanced
InSite Interface		
Preview assets	✓	✓
Edit assets (“Editing” mode)	✓	✓
Add, replace, remove, and position assets on a page (“Page Layout” mode)	✓	✓
Finish workflow assignments	✓	✓
Search for assets	✓	✓
Asset Associations		
Associate assets with other assets	✓	✓
Assign templates to assets	✓	✓
Assign assets to pages	✓	✓
Work with collections		✓
Place and unplace pages	✓	✓
Embedded Links		
Embed links to other assets	WYSIWYG-enabled text fields only	Standard and WYSIWYG-enabled text fields
Embed contents of other assets by reference	WYSIWYG-enabled text fields only	Standard and WYSIWYG-enabled text fields
Embed links to external web sites	WYSIWYG-enabled text fields only	Standard and WYSIWYG-enabled text fields
Work with “Link” assets		✓
Multilingual Assets		
Assign locale designations to assets	✓	✓
Work with linked translations of content	✓	✓
Compare translations	✓	N/A
Workflow		
Pass assets through workflow	✓	✓
Work with workflow groups		✓
Work with workflow reports		✓

Table 1: Features comparison *(continued)*

Feature	Dash	Advanced
Engage		
Work with segments		✓
Rate assets for segments	✓	✓
Work with promotions		✓
Work with recommendations	List mode Static Lists only	✓
Publishing		
Approve assets for publishing	✓	✓
Remove assets from the publishing queue	✓	✓
Publish assets		✓
Monitor and manage publishing sessions		✓
Revision Tracking		
Track revisions to assets	✓	✓
Roll assets back to previous versions	✓	✓

Part 2

Working in the Dash Interface

Assets are objects that serve as the building blocks of Content Server. They can be created, edited, inspected, deleted, duplicated, translated, assigned to workflow, tracked through revision tracking, searched for, previewed, and approved for publishing. Although there can be many different types of assets, you work with all of them in similar ways, using the same procedures.

This part describes how to use Content Server's Dash and InSite interfaces to perform simple and advanced asset management tasks. It contains the following chapters:

- [Chapter 2, “Getting Started”](#)
- [Chapter 3, “Creating and Editing Assets”](#)
- [Chapter 4, “Finding and Organizing Assets”](#)
- [Chapter 5, “Working with Multilingual Assets”](#)
- [Chapter 6, “Working with the InSite Interface”](#)
- [Chapter 7, “Advanced Content Management Features”](#)
- [Chapter 8, “Approval for Publishing”](#)
- [Chapter 9, “Workflow”](#)
- [Chapter 10, “Revision Tracking”](#)

Chapter 2

Getting Started

This chapter describes how to log in to and use Content Server's Dash interface. It includes the following sections:

- [Logging In](#)
- [Quick Tour](#)
- [Additional Ways of Accessing Assets](#)
- [Switching to Another Site](#)
- [Accessing the Advanced Interface](#)
- [Quick Reference](#)

Logging In

Follow the instructions in this section to log in to Content Server's Dash interface.

Note

Make sure you are using a supported browser. Contact your CS administrator if you are not sure whether your browser is supported.

To log in to the Dash interface

1. Open your browser and enter the URL to your Content Server system. You can obtain this URL from your administrator. The URL has the following syntax:

`http://<server>:<port>/<context>`

where:

- `<server>` is the host name or IP address of the machine running Content Server.
- `<port>` is the number of the port on which Content Server is listening for connections.
- `<context>` refers to the application context root (URI) assigned to the Content Server application when it was installed.

Note

- If you have questions about the Content Server URL, your user name, or password, contact your administrator.
- The exercises throughout this guide are based on the `firstsite` user (password `firstsite`) logged in to the FirstSite II sample site.

The login page appears. The page contains the login form:



Note

Your developers might have customized the login page to include links and other information specific to your organization. Consult your developers to find out more about such custom content.

Notice that the bottom left of the login page lists which FatWire products are installed:

Installed Products:

Content Server 7.0.1

CS-Engage 7.0.1

Commerce Connector 7.0.1

2. Log in to the site you want to work with. Do the following:
 - a. (Optional) If you have previously worked with Content Server in this browser on this machine, select the site you want to work with from the “Select Site” drop-down list.

Note the following about this list:

- The “Select Site” drop-down list shows the sites available to the user name you most recently used to log in to Content Server. The site you logged in to most recently is pre-selected in the list. The list is updated each time you log in.
- If you are logging in for the first time, or you have recently cleared the browser’s cookies, this list is unavailable (greyed out). If so, proceed to [step b](#).
- If you are logging in with credentials different from those you used during your last session, this list will be invalid. In such case, proceed to the next step; you will select the site you want to work with after you log in.
- This list is stored in a browser cookie on your machine. If you use a different browser or machine from the one you normally use to log in to Content Server, the contents of this list will not be carried to the new browser or machine.

- b. Enter your user name and password into the appropriate fields.
- c. (Optional) If you want Content Server to save your user name so that you don’t have to enter it the next time you log in, select **Remember my user name**.

Your user name is stored in a browser cookie on your machine. If you clear your cookies, you will have to re-enter your user name the next time you log in.

- d. Click **Login**.
- e. (Optional) If the “Select Site” drop-down list in [step a](#) was unavailable, or you are logging in with credentials different from those you used during your last session, Content Server displays a list of sites you have permissions to work with:

You are currently logged in as 'firstsite'
Select a site that you want to work on:

Select	Name	Description	Roles
☐	BurlingtonFinancial	Burlington Financial	ArtworkEditor, GeneralAdmin, Approver, ContentEditor, WorkflowAdmin, Analyst, Marketer, Pricer, SiteAdmin, Checker, MarketingAuthor, MarketingEditor, Author, Editor, ContentAuthor, Expert, HelloAuthor, ProductAuthor, HelloEditor, ProductEditor, HelloDesigner, DocumentAuthor, Designer, DocumentEditor, ArtworkAuthor
☐	FirstSiteII	FirstSite Mark II	ArtworkEditor, GeneralAdmin, Approver, ContentEditor, WorkflowAdmin, Analyst, Pricer, Marketer, SiteAdmin, Checker, MarketingAuthor, MarketingEditor, Author, Editor, ContentAuthor, Expert, ProductAuthor, HelloAuthor, ProductEditor, HelloEditor, HelloDesigner, DocumentAuthor, DocumentEditor, Designer, ArtworkAuthor

Select


In such case, select the site you want to work with and click **Select Site**.

Note

- You can work with only one site at a time, but once logged in, you can switch between sites, provided that other sites to which you have access rights are available.
- When following exercises in this guide, select the FirstSite II sample site (if installed) whenever you are asked to log in.

The Dash interface loads.

Figure 4: The home view of Dash interface.



Quick Tour

The view shown in [Figure 4](#) is your default view after logging in. If you perform an action, the view will change. For example, if you perform a search, the workspace displays the results of your search; if you create a new asset, the workspace displays the appropriate asset form, and so on. This section provides a quick tour of the Dash interface.

Note


The exercises in this section, and throughout this guide, are based on the `firstsite` user logged in to the FirstSite II sample site. The `firstsite` user has all the permissions that a content provider can be granted. In your installation, the appearance of your interface will be determined by the permissions granted to you by the CS administrator (and the FatWire products installed on your system).

In this section, you will complete the following exercises:

- Determine your roles ([step 1](#))
- Perform a search ([step 2 on page 44](#))
- Open an asset ([step 3 on page 45](#))
- Edit an asset ([step 4 on page 46](#))
- Preview an asset ([step 5 on page 47](#))
- Enter split view mode ([step 6a on page 48](#))
- Create a tag ([step 6b on page 50](#))
- Add an asset to a tag ([step 6c on page 50](#))
- Run a tag ([page 50](#))
- Log out ([page 51](#))

Let's start the tour!

1. Determine your roles in the current site. In the “Quick Info” pane, hover your cursor over the **View** link displayed in line with the **My Roles** item to show a list of roles:



A role is a set of permissions assigned to you by the administrator. These permissions determine which tasks you can perform and which assets you can work with. Because of this, they also determine the appearance of your interface.

For example, if you have the Editor role, you have the permissions to create, edit, and search for assets of one or more asset types, and therefore, you have access to the interface elements that allow you to perform those functions (for example, the “Create New...” drop down list, or the **Search** field in the top bar).


You might also have access to workflow features such as finishing your assignment or approving content for publishing; again, your roles determine which workflow-related interface elements you can access.

Note


Your administrator determines the exact permissions assigned to each role on your system. The roles and permissions described in this section are examples only.

2. In the Dash interface, most asset management functions are accessible with a single click. Let’s say you want to find an asset that contains the word “product”:

- a. In the **Search** field in the top bar, enter **product**.



- b. (Optional) If you want to limit your search to a specific asset type, select that asset type from the “Search Criteria” drop-down list (**Find Product** in our example). If you want to search across all asset types, do not select anything from the list.
- c. Click **Search**. Content Server displays a list of assets matching your search criteria.



Search results pane

The search results list shows a brief amount of information about each item on the list, such as name, asset type, and modification date. By default, the results are sorted by relevance (indicated by a green bar in the “Relevance” column), starting with the most relevant asset.

- d. Click a column heading to sort the search results by the selected criterion. To reverse the sort order, click the same column heading again.
- e. Click **Next** at the top right of the search results list to go to the next page of results; click **Previous** to go to the previous page.

To find out more about searching for assets, see “[Finding Assets](#),” on page 92.

3. When you have reviewed your search results, open the asset you are interested in:

- a. In the list of search results, click **FSII FSE Digital Audio Player**.

The workspace displays the asset pane, showing the asset in the “Inspect” form.

The screenshot displays the FatWire Content Server 7.0.1 Dash Interface. The interface is divided into several sections:

- Form section selector:** A vertical list on the left side of the main content area, containing options like Content *, Metadata, Relations, Versions, Marketing, Workflow, Publishing, and Sharing. The 'Content *' option is highlighted with a red circle.
- Name of the asset you are working on:** The title bar of the asset pane, which reads 'Product (FSII Product): FSII FSE Digital Audio Player'. This title bar is also highlighted with a red circle.
- Asset pane displaying the asset in the “Inspect” form:** The main content area on the right, showing the details of the selected asset. It includes fields for Name, Description, FSII Subcategory(M), FSII Manufacturer(s), SKU, Long Description, Price, Image, and Keyword. The 'Long Description' field contains a detailed paragraph about the FSE PORTABLE AUDIO PLAYER.

Annotations with arrows point from the text labels to the corresponding elements in the interface:

- An arrow points from 'Form section selector' to the 'Content *' option in the left sidebar.
- An arrow points from 'Name of the asset you are working on' to the title bar of the asset pane.
- An arrow points from 'Asset pane displaying the asset in the “Inspect” form' to the main content area of the asset pane.

- b. Inspect your asset, and any information relating to it, by selecting different sections of the form. When you are finished, return to the **Content** section.

For more information, see “[Asset Pane](#),” on page 62.

4. Suppose you found some errors in the content and want to correct them. To do that, edit the asset:

- a. Click **Edit** at the top of the “Inspect” form.

Content Server opens the asset in the “Edit” form.

The screenshot shows the 'Edit' form for an asset. At the top, the action bar displays 'Product (FSII Product): FSII FSE Digital Audio Player' and 'Locale: en_US - Master Asset'. Below the action bar are buttons for 'Save & Close', 'Save', and 'Cancel'. The main form area has a left sidebar with tabs: Content *, Metadata, Relations, Versions, Marketing, Workflow, Publishing, and Sharing. The 'Content' tab is selected. The form fields include:

- Name:** FSII FSE Digital Audio Player
- Description:** FSE Digital Audio Player with 256MB of Built-in Memory, Silver
- FSIIManufacturer(s):** FSII FS Electronics Ltd. (with 'Show Assets' and 'Link Parent' buttons)
- SKU:** FSE-DAP30S
- Long Description:** A rich text editor containing the text: 'The FSE PORTABLE AUDIO PLAYER is water-resistant and designed to deliver outstanding audio entertainment in tough, outdoor conditions. It is rugged enough to withstand shock and vibration, yet easy to use. If your life is action packed, pack a player that's built for action!' and 'FSE Digital Audio Player with 256MB of Built-in Memory, Silver Dimensions (H x W x D) 21/8" x 33/16" x 07/8" Weight .13 lbs'.

 Annotations with arrows point to:

- 'Asset type and name of the asset you are working on' pointing to the action bar.
- 'Highlighted fields are required' pointing to the 'Long Description' field.
- 'WYSIWYG editor controls' pointing to the rich text editor toolbar.
- 'Action bar' pointing to the top right area.

The asset type and name of the asset you are working on is displayed in the action bar.

- b. Make changes to the contents of the **Name** and **SKU** fields.

Note that fields whose names are highlighted in yellow are required, which means you cannot leave them blank. If you leave a required field blank, Content Server will not let you save the asset.

Note

Depending on how your site is set up, one or more fields in your “Edit” forms might be WYSIWYG-enabled. A WYSIWYG-enabled field allows you to apply MS Word-style formatting to your content right in the “Edit” form. For more information, see [“Working with FCKEditor,” on page 77](#).


- c. (Optional) Click **Save** to save your progress and continue working on the asset.
When you click **Save**, Content Server saves the changes you have made to the asset so far, but keeps the “Edit” form open.
 - d. Click within the **Long Description** field to load FCKEditor. When FCKEditor appears, make changes to the displayed text. If you are familiar with Microsoft Word, explore the features available in FCKEditor – its functionality mimics that of Word.
 - e. Click **Save & Close**.
Content Server saves the changes you have made to the asset and redisplay the asset in the “Inspect” form, showing the changes you have made to the asset.
5. When you are finished editing (or creating) an asset, preview it to see how it will look when rendered on the online site.

Note

You can only preview an asset that has a template assigned to it. For more information, contact your site developers or CS administrator.

- a. In the “Inspect” form, click **Preview**.

A new browser window opens, showing the asset as it will appear on the online site.



- b. In the preview window, review the content you have edited. Note any changes to the asset you still want to make.

Note

Depending on how your site is set up, and the permissions you hold, you might have the ability to work with content directly on a rendered page using the InSite interface. See [Chapter 6, “Working with the InSite Interface”](#) for details.

- c. Close the preview window and return to the Dash interface.
 - d. (Optional) If you need to make additional changes to the asset, click **Edit** and make your changes. When you are finished, click **Save & Close**.
6. If your search results contain one or more assets you want to come back to later, you can add those assets to a tag. Tags allow you to create personalized lists of assets which you can easily retrieve later.
- a. Click the **Show Split Pane** button in the right-hand section of the top bar.

The workspace displays the search results pane (showing the results of the search you performed in [step 2 on page 44](#)) above the asset pane.

The screenshot shows the FatWire Content Server 7.0.1 Dash Interface. The top navigation bar includes tabs for 'advanced', 'dash', 'insite', and 'analytics'. The 'dash' tab is active. The 'Search Criteria' dropdown is set to 'digital'. The 'Search Results' pane displays a table of search results. The table has columns for 'Select', 'Name', 'Description', 'Type', 'Modified', 'Locale', and 'Relevance'. The results include items like 'FSIIAudioCoFirstUnderWaterMP3Player', 'FSII AudioCo. America Announces H300 series', 'FSIIFSEIntroducesDVDRRecorder', 'FSIISuperiorSystemsAndNECJoinForces', and 'FSII FS Electronics Ltd.'. A red circle highlights the 'FSII FS Electronics Ltd.' row. To the right of the table, a text label 'Drag handle on the pane divider' points to a horizontal line in the table's right margin. Below the table, the 'Product (FSII Product): FSII FSE Digital Audio Player' details are shown, including fields for Name, Description, FSII Subcategory(M), FSII Manufacturer(S), SKU, and Long Description. The 'Long Description' field contains text about the FSE PORTABLE AUDIO PLAYER.

Select	Name	Description	Type	Modified	Locale	Relevance
☐	FSIIAudioCoFirstUnderWaterMP3Player	AudioCoFirstUnderWaterMP3Player	Content_C(FSII Article)	Oct 25, 2004 14:32 PM	en_US	
☐	FSII AudioCo. America Announces H300 series	AudioCo. America Announces H300 series	Content_C(FSII Article)	Nov 2, 2004 16:47 PM	en_US	
☐	FSIIFSEIntroducesDVDRRecorder		Content_C(FSII Article)	Oct 25, 2004 14:33 PM	en_US	
☐	FSIISuperiorSystemsAndNECJoinForces		Content_C(FSII Article)	Nov 2, 2004 16:30 PM	en_US	
☐	FSII FS Electronics Ltd.	FS Electronics Ltd.	Product_P	Nov 2, 2004 16:30 PM	en_US	

Product (FSII Product): FSII FSE Digital Audio Player Locale: en_US - Master Asset

Name: FSII FSE Digital Audio Player

Description: FSE Digital Audio Player with 256MB of Built-in Memory, Silver

FSII Subcategory(M): FSII Portable Audio

FSII Manufacturer(S): FSII FS Electronics Ltd.

SKU: FSE-DAP30S

Long Description: The FSE PORTABLE AUDIO PLAYER is water-resistant and designed to deliver outstanding audio entertainment in tough, outdoor conditions. It is rugged enough to withstand shock and vibration, yet easy to use. If your life is action packed, pack a player that's built for action!


FSE Digital Audio Player with 256MB of Built-in Memory, Silver Dimensions (H x W x D) 21/8" x 33/16" x 07/8" Weight .13 lbs

Tip

Drag the pane divider up or down to adjust the size of the panes.


See “[Workspace: Asset Management View](#),” on [page 60](#) for details on split mode.

- b. In the **New Tag** field in the navigation pane, enter **My Products** and click **New**.



The new tag appears in the **Tags** tree.

- c. In the search results list, select the check boxes for the following assets:
- **FSII FSE Digital Audio Player**
 - **FSII FSE DVD VCR Combo**
- d. In the **Add to...** drop down list at the top right of the search results pane, select **My Products**.




Content Server adds the selected assets to the **My Products** tag.

- e. Click the **Show Asset Pane** button (in the right-hand section of the top bar) to hide the search results and expand the asset pane across the entire workspace.



7. If you want to work with an asset assigned to a tag, run the tag and select the asset from the list of returned assets:
- a. Select the **My Products** tag in the **Tags** tree.
Content Server displays a list of assets returned by the tag.
 - b. In the list of returned assets, click **FSII FSE DVD VCR Combo**.

The workspace switches to split mode and displays the asset pane underneath the search results pane. The asset pane shows the asset in the “Inspect” form.



- c. Edit and save the asset the same way you have learned earlier during the tour.
8. When your work is complete, click **Logout** in the right portion of the top bar to end your session and log out of Content Server.

Congratulations! You are now familiar with asset management tasks that you will be performing every time you work in the Dash interface. Log back in and continue on to the next sections to learn more about the interface and its features.

Additional Ways of Accessing Assets

In addition to performing a search and running a tag, you can also access assets using one of the following methods:

- [Accessing Assets Using the Site Plan Tree](#)
- [Accessing Assets Using the Asset Tree](#)

Accessing Assets Using the Site Plan Tree


The **Site Plan** tree allows you to browse pages and assets that have been or will be published to your online site, according to the hierarchy in which they are organized on the site. The tree helps you visualize the configuration of pages and their contents as well as understand the relationships and dependencies that exist for any given page. Placing and organizing pages on your site is usually the responsibility of your site designers.

Note

Which assets you see and are able to access through the tree is determined by the permissions granted to you by your CS administrator.

To access assets using the site plan tree

1. Log in to the site you want to work with.
2. In the navigation pane, click the **Site Plan** bar.
The navigation pane displays the site plan tree.
3. Navigate the site plan by doing the following:
 - a. **Drill down the hierarchy.** Click the green plus sign next to a parent node to expand the node and display its children.



When you expand a node, the workspace displays a list of assets associated with that node (such as child pages, content, and so on). For example, the following figure shows a list of assets associated with the **FSIIHome** page.

Select	Name	Description	Type	Modified	Locale
☐	FSIIHomePageText		FSII Article(Content_C)	2005-08-28 23:21:17	en_US
☐	FSIIAbout	About	Standard(Page)	2005-08-25 01:23:12	en_US
☐	FSIIArticles	Articles	Standard(Page)	2005-08-24 23:41:29	en_US
☐	FSIIShoppingCart	Shopping Cart	Cart(Page)	2005-08-22 18:13:18	en_US
☐	FSIIProducts	Products	Product(Page)	2005-08-22 18:09:51	en_US
☐	FSIILogin	My Site	Profile(Page)	2005-08-11 17:39:24	en_US

Continue down the hierarchy until you find the asset you want to work with.

- b. **Open the desired asset.** In the list of assets displayed in the workspace, click the asset you want to work with. (You can also click the asset directly in the tree.) Content Server opens the asset in the “Inspect” form.

Accessing Assets Using the Asset Tree

The asset tree allows you to visually browse the flex asset hierarchies present in your site.

Note

Which assets you see and are able to access through the tree is determined by the permissions granted to you by your CS administrator.

To access assets using the asset tree

1. Log in to the site you want to work with.
2. In the navigation pane, click the **Asset Tree** bar.
The navigation pane displays the asset tree.
3. Browse the assets in the tree by doing the following:
 - a. **Drill down the hierarchy.** Click the green plus sign next to a parent node to expand the node and display its children.



When you expand a node, the workspace displays a list of assets associated with that node. For example, the following figure shows a list of child assets associated with the **FSII Portable Audio** flex parent.

Currently Logged In To: FirstSite Mark II

Create New...

Asset Tree

- Asset Tree
 - Artwork
 - Content
 - Products
 - FSII Manufacturers
 - FSII Product Categories
 - FSII Audio
 - FSII Portable Audio
 - FSII AudioCo iAC-008 Portable MP3 Player
 - FSII AudioCo iAC-083 Portable Audio Player
 - FSII FSE Digital Audio Player
 - FSII Innovative MiniDisc Digital Audio Player

Search Results: product

Select All Select None

Select	Name	Description	Type	Modified	Locale	Relevance
☐	FSII AudioCo iAC-083 Portable Audio Player	AudioCo iAC-083 Portable Audio Player	FSII Product (Product_C)	Nov 2, 2004 15:53 PM	en_US	
☐	FSII Innovative MiniDisc Digital Audio Player	Innovative's Digital Music Player combines high quality sound and a large storage capacity	FSII Product (Product_C)	Nov 2, 2004 15:50 PM	en_US	
☐	FSII FSE Digital Audio Player	FSE Digital Audio Player with 256MB of Built-in Memory, Silver	FSII Product (Product_C)	Nov 2, 2004 15:18 PM	en_US	
☐	FSII AudioCo iAC-008 Portable MP3 Player	AudioCo iAC-008 Portable MP3 Player	FSII Product (Product_C)	Nov 2, 2004 15:15 PM	en_US	

Delete

Continue down the hierarchy until you find the asset you want to work with.

- b. **Open the desired asset.** In the list of assets displayed in the workspace, click the asset you want to work with. (You can also click the asset directly in the tree.) Content Server opens the asset in the “Inspect” form.

Switching to Another Site

When working in the Dash interface, you can switch between the sites you have permissions to work in, without having to log out and back in.

To switch to another site

1. Log in to the site you want to work with.
2. In the “Currently logged in to:” drop-down list, select the site you want to switch to.

Note

The “Currently logged in to:” drop-down list contains only sites for which you have the appropriate permissions.

Content Server logs you in to the site you selected.

Accessing the Advanced Interface

If you have the appropriate permissions, you can access the Advanced interface (from the top bar) to perform the following tasks:

- Access Engage functionality (if Engage is installed), such as collections, recommendations, promotions, and segments.
- Perform advanced content management tasks such as configuring, placing, and unplacing “Page” assets, creating and editing templates, and more.
- Perform administrative tasks on your CS system (if you hold administrative privileges).

To learn more about the Advanced interface, see the *Content Server Advanced Interface User’s Guide*.

To access the Advanced interface from the top bar

1. In the top bar, click **Advanced**.

A new browser window opens and the Advanced interface loads.

Note


- When you access the Advanced interface from the top bar, Content Server automatically logs you in to the current site.
- If you do not have the permissions to use the Advanced interface, the new browser window displays an error message notifying you of that fact. If you have any questions, contact your CS administrator.

2. Perform the desired tasks.
3. When you are finished, close the browser window displaying the Advanced interface.

Quick Reference

This section provides a quick reference briefly explaining the functions of the most commonly used components of the Dash interface.


Top Bar



The top bar contains the following functionality:

- **Advanced** – opens Content Server’s Advanced interface in a new browser window. See “[Accessing the Advanced Interface](#),” on page 54.
The Advanced interface provides access to Engage functionality and administrative controls of Content Server. For information on working in the Advanced interface, see the *Content Server Advanced Interface User’s Guide*.
- **Dash** – returns you to the home view. The home view is the view you see when you log in to the Dash interface. See “[Workspace: Home View](#),” on page 57.
- **InSite** – if the InSite interface is open in another window, brings that window to front.
- **Analytics** – if FatWire Analytics is installed, opens the Analytics interface in a new window.
- **User** – displays your user name.
- **Search** field – allows you to perform a search. See “[Finding Assets](#),” on page 92.
- “**Search Criteria**” drop-down list – allows you to limit your search to a specific asset type. See “[Finding Assets](#),” on page 92.
- **Help** – opens the FatWire e-docs site in a new browser window.
- **Logout** – ends your session and logs you out of Content Server.

Navigation Pane



Tip

Drag the right edge of the navigation pane to adjust the pane's width.

The navigation pane provides the following functionality:

- **“Currently logged in to” drop-down list** – allows you to switch to another CM site, provided you have permissions to work in that site. (The default selection in this drop-down list is the site you are currently logged in to.) See [“Switching to Another Site,”](#) on page 54.
- **“Create New...” drop-down list** – allows you to create new assets of the asset types available in the list. After you select the desired asset type, click **Search** to display the “New” asset form. Note that the contents of this list are determined by the permissions granted to you by the CS administrator. See [“Creating Assets,”](#) on page 66.
- **Tags tree** – allows you to create, run, rename, and delete tags. See [“Organizing Assets,”](#) on page 96.
- **Site Plan tree** – provides a hierarchical view of the way the pages and their associated assets on your site are organized, which helps you visualize the configuration of pages and their contents, and allows you to place and unplace pages in the site's hierarchy. The **Site Plan** tree also helps you understand the relationships and dependencies that exist for any given page. For instructions on navigating the site plan, see [“Accessing Assets Using the Site Plan Tree,”](#) on page 52. For instructions on placing and unplacing pages, see [“Placing and Unplacing Pages on a Site,”](#) on page 136.
- **Asset Tree** – shows the assets available in the current site, organized according to their respective asset types and flex relationship hierarchies. For instructions on navigating the asset tree, see [“Accessing Assets Using the Asset Tree,”](#) on page 53.


Workspace: Home View

The home view is the view you see when you log in to Content Server, as shown in [Figure 4, on page 42](#).

Note

You can return to the home view at any time by clicking **Dash** in the top bar.


In home view, the workspace displays the following:



- **“Quick Access” pane** – provides shortcuts to creating assets from the asset types that you have permissions to create (permissions are set up by the administrator). For more information, see [“Quick Access Pane,” on page 58](#).
- **“Quick Info” pane** – provides a summary of your present workload in the current site, as well as other session-specific information. For more information, see [“Quick Info Pane,” on page 58](#).
- **“Help and Support” pane** – provides access to useful resources such as online help, the FatWire e-docs site, and FatWire Support. (Your administrator can customize the contents of this pane.) For more information, see [“Help and Support Pane,” on page 59](#).

Quick Access Pane

The “Quick Access” pane provides shortcuts for creating new assets. Each asset type is represented by a unique icon, as shown below:



By default, the asset types available in the pane match the asset types available in your “Create New...” drop-down list. The CS administrator selects the asset types available to you in both locations.

Quick Info Pane

Quick Info	
My Roles	View
Assignments	8
Checkouts	0
Last Item Edited	Parent1 / May 15,2007 13:31 PM
Tasks I have Assigned	5
Last Time Logged In	May 15,2007 13:10 PM

The “Quick Info” pane provides the following information about your current session:

- **My Roles** – hover your mouse cursor over the **View** link to see the roles associated with your user name (and therefore the permissions granted to you) in the current site.
- A snapshot summary of your present workload in the current site. The items displayed in the pane are explained in the following table:

Field	Explanation
Last Time Logged In	The date and time you last logged in.
Last Item Edited	The last asset you edited, and the date and time of the edit. Click the link to open the asset in the “Inspect” form.
Assignments	The number of workflow assignments you have pending. Click the link to see a list of assets currently assigned to you to work on.
Checkouts	The number of assets currently checked out to you. Click the link to see a list of assets checked out to you.
Tasks I Have Assigned	The number of workflow assignments you have given to other users.

Help and Support Pane

The “Help and Support” pane provides one-click access to resources meant to aid you during your work with Content Server.

Note

Your CS administrator has the ability to customize the contents of the “Help and Support” pane to include content specific to your organization. If the pane has been customized on your CS system, consult your CS administrator for information on the contents of this pane.

In the default Content Server implementation, the pane contains the following sections:

- **How Do I...** – provides links to instructions for the most commonly performed content management tasks.
- **Learn More** – provides links to useful online resources, including the FatWire e-docs site, FatWire Support, and the FatWire DeveloperNet site.

Workspace: Asset Management View

When you log in and access an asset (by running a tag, performing a search, and so on), the workspace switches to the **asset management view**. In this view, the workspace displays the search results pane, the asset pane, or both panes simultaneously.

The first time you access an asset after logging in, the list of returned assets fills the workspace. When you click an asset in the list, the asset pane fills the workspace and displays the asset you selected. If you then try to access another asset, the list of assets returned by the function you used is displayed above the currently open asset. This is called **split mode**. Here is an example view of the workspace in split mode:

The screenshot shows the FatWire Content Server 7.0.1 Dash Interface. The top bar includes navigation tabs (advanced, dash, insite, analytics) and a search bar. The left sidebar contains a 'Tags' section with links like 'User', 'Top Priority', 'Campaign 2007', 'My List', 'Back Burner', 'History', 'My Checkouts', and 'My Assignments'. The main workspace is split into two panes. The top pane, labeled 'Search Results pane', displays a table of search results for the query 'digital'. The bottom pane, labeled 'Asset pane', displays detailed information for the selected asset, 'FSII FSE Digital Audio Player'. A red circle highlights the drag handle between the two panes, and a label 'Drag handle' points to it. The asset pane shows fields for Name, Description, FSII Subcategory(M), FSII Manufacturer(s), SKU, and Long Description.

Select	Name	Description	Type	Modified	Locale	Relevance
☐	FSIIAudioCoFirstUnderWaterMP3Player	AudioCoFirstUnderWaterMP3Player	Content_C(FSII Article)	Oct 25, 2004 14:32 PM	en_US	
☐	FSII AudioCo. America Announces H300 series	AudioCo. America Announces H300 series	Content_C(FSII Article)	Nov 2, 2004 16:47 PM	en_US	
☐	FSIIFSEIntroducesDVDRRecorder	System	Content_C(FSII Article)	Oct 25, 2004 14:33 PM	en_US	
☐	FSIISuperiorSystemsAndNECJoinForces		Content_C(FSII Article)	Nov 2, 2004 16:30 PM	en_US	
☐	FSII FS Electronics Ltd.	FS Electronics Ltd.	Product_P	Nov ...	en_US	

Product (FSII Product): FSII FSE Digital Audio Player
Locale: en_US - Master Asset

Name: FSII FSE Digital Audio Player

Description: FSE Digital Audio Player with 256MB of Built-in Memory, Silver

FSII Subcategory(M): FSII Portable Audio

FSII Manufacturer(s): FSII FS Electronics Ltd.

SKU: FSE-DAP30S

Long Description: The FSE PORTABLE AUDIO PLAYER is water-resistant and designed to deliver outstanding audio entertainment in tough, outdoor conditions. It is rugged enough to withstand shock and vibration, yet easy to use. If your life is action packed, pack a player that's built for action!

FSE Digital Audio Player with 256MB of Built-in Memory, Silver Dimensions (H x W x D) 21/8" x 33/16" x 07/8" Weight .13 lbs

Tip: Drag the pane divider to adjust the size of the panes.

To switch from split mode to full mode, do one of the following:

- If you want to see only the search results, click **Show Search Results** in the top bar.
- If you want to see only the asset pane, click **Show Asset Pane** in the top bar.

Show Search Results button

Show Asset Pane button



To switch from full mode to split mode, click the **Show Split Pane** button in the top bar:

Show Split Pane button



Search Results Pane

The search results pane displays lists of assets returned by the content management functions you request in the interface. To display the search results pane, do one of the following:

- Perform a search – Content Server displays a list of assets matching your search criteria. For more information, see [“Finding Assets,” on page 92.](#)
- Run a tag – Content Server displays a list of assets returned by the tag. For more information, see [“Running a Tag,” on page 97.](#)
- Expand a node in the **Site Plan** tree – Content Server displays a list of assets associated with the node you expanded. See [“Accessing Assets Using the Site Plan Tree,” on page 52.](#)
- Expand a node in the **Asset Tree** – Content Server displays a list of children belonging to the node you expanded. See [“Accessing Assets Using the Asset Tree,” on page 53.](#)

The search results pane consists of the following components:

Search Results: product Add to...

Delete

Select	Name	Description	Type	Modified	Locale	Relevance
☐	FSIIAbout	About FirstSiteII	Content_C(FSII Article)	Aug 23,2005 13:52 PM	en_US	
☐	FSIINECUnveilsFirstMobilePhonewithHD		Content_C(FSII Article)	Nov 2,2004 16:32 PM	en_US	
☐	FSII Portable Audio	Portable Audio	Product_P (FSIISubcategory)	Oct 20,2004 15:10 PM	en_US	
☐	FSII Combination TVs	Combination TVs	Product_P (FSIISubcategory)	Oct 20,2004 15:12 PM	en_US	
☐	FSII Combination VCRs	Combination VCRs	Product_P (FSIISubcategory)	Oct 20,2004 15:13 PM	en_US	
☐	FSII Standard VCRs	Standard VCRs	Product_P (FSIISubcategory)	Oct 20,2004 15:14 PM	en_US	
☐	FSII FS Electronics Ltd.	FS Electronics Ltd.	Product_P (FSIIManufacturer)	Nov 2,2004 08:55 AM	en_US	
☐	FSII Audio	We have incredible low prices on the hottest products in Audio	Product_P (FSIICategory)	Nov 2,2004 09:52 AM	en_US	
☐	FSII DVD Players	We have incredible prices on an excellent selection of DVD products.	Product_P (FSIICategory)	Nov 2,2004 09:53 AM	en_US	
☐	FSII Televisions	We have incredible prices on an excellent selection of Combination, HD and Plasma TVs.	Product_P (FSIICategory)	Nov 2,2004 09:55 AM	en_US	
☐	FSII Video	We have incredible low prices on the hottest products in Video	Product_P (FSIICategory)	Nov 2,2004 09:52 AM	en_US	
☐	FSII Combination DVD Players	Combination DVD Players	Product_P (FSIISubcategory)	Oct 20,2004 15:11 PM	en_US	
☐	FSII Standard DVD Players	Standard DVD Players	Product_P (FSIISubcategory)	Oct 20,2004 15:11 PM	en_US	
☐	FSII High-Definition TVs	High-Definition TVs	Product_P (FSIISubcategory)	Oct 20,2004 15:12 PM	en_US	
☐	FSII Plasma Screen TVs	Plasma Screen TVs	Product_P (FSIISubcategory)	Oct 20,2004 15:13 PM	en_US	
☐	FSIIProducts	Products	Page	Aug 22,2005 18:09 PM	en_US	
☐	FSII Product Information Sheets		Document_P(FSII Folder)	Nov 2,2004 14:44 PM		
☐	FSII Product Specification Sheets		Document_P(FSII Folder)	Nov 2,2004 14:44 PM		
☐	FSII Product Operation Manuals		Document_P(FSII Folder)	Nov 2,2004 14:45 PM		

Navigation bar

Search results list

- **Navigation bar** – provide the means to navigate through your search results
- **Search results list** – displays a list of assets matching your search criteria

For more information, see [Chapter 4, “Finding and Organizing Assets.”](#)

Asset Pane

When you create, inspect, or edit an asset, the asset pane displays the appropriate asset form. In each asset form, you interact with the following:

- [Action Bar](#)
- [Form Sections](#)

Asset type and name of the asset you are working on

Form section selector

Product (FSII Product): FSII FSE Digital Audio Player Locale: **en_US - Master Asset**

Preview Edit Copy Delete

* Sections with required fields Required field

Form section selector:

- ☒ Content *
- ☐ Metadata
- ☐ Relations
- ☐ Versions
- ☐ Marketing
- ☐ Workflow
- ☐ Publishing
- ☐ Sharing

Name: FSII FSE Digital Audio Player

Description: FSE Digital Audio Player with 256MB of Built-in Memory, Silver

Image:

SKU: FSE-DAP30S

Long Description: The FSE PORTABLE AUDIO PLAYER is water-resistant and designed to deliver audio entertainment in tough, outdoor conditions. It is rugged enough to withstand shock and vibration, yet easy to use. If your life is action packed, pack a player that's built for action! FSE Digital Audio Player with 256MB of Built-in Memory, Silver Dimensions (H x W x D) 21/8" x 33/16" x 07/8" Weight .13 lbs

Price: 189.95

Action bar

Content section of an "Inspect" form

Note

Note the following:

- Depending on your role(s) in the site, the way your developers configured the asset types available to you, and the task you want to accomplish, some of the interface elements and form sections described in this section may not appear or be accessible to you.
- Your CS administrator may have customized the asset form sections available to you. In such case, the descriptions in this guide might not match the form sections you see in your interface. You may also see custom sections that are not part of Content Server's default implementation.

Action Bar

The action bar at the top of each asset form allows you to initiate many asset management functions, such as editing, saving, or previewing an asset.

The action bar is dynamic; that is, it displays different functions based on the following:

- The content management task you are performing
- Whether you have the permissions necessary to perform the selected task
- Whether your site is set up for multilingual support
- Whether the asset you are working has been translated into other languages

The action bar also displays the name and asset type of the asset you are working on.

Form Sections

Asset forms are divided into sections, accessible via the form section selector. Your administrator has the ability to customize the asset forms (and their individual sections) on your site, as well as grant or deny you permissions to access specific form sections.

The default Content Server implementation contains the following form sections:

Table 2: Asset form sections

This section	Allows you to...
Content	View and edit the content stored in the asset. For more information, see Chapter 3, “Creating and Editing Assets.” (Your administrator can customize this section.)
Metadata	View the asset’s metadata, such as creation date, asset ID, and any asset type-specific attributes. Modify the asset’s Locale setting (for more information see “Setting or Changing an Asset’s Locale Designation,” on page 104). Select a template for the asset. Select a subtype or category for the asset. (Your administrator can customize this section.)
Relations	View the assets this asset is related to or associated with. Create and modify associations for the asset For more information, see “Working with Asset Associations,” on page 132. (Your administrator can customize this section.)
Marketing	View and edit Engage (if installed) options for the asset. For more information, see “Rating Assets for Segments,” on page 147. (Your administrator can customize this section.)

Table 2: Asset form sections *(continued)*

This section	Allows you to...
Workflow	View workflow-related information for the asset. Perform workflow actions, such as finishing your assignments. For more information, see Chapter 9, “Workflow.” If no workflow processes are enabled for the current site, this selection is unavailable (greyed-out).
Publishing	Approve the asset for publishing to one or more destinations. Approve dependent (blocking) assets, if asset has dependencies. Monitor the publishing status of the asset. For more information, see Chapter 8, “Approval for Publishing.” If no publishing destinations are enabled for the current site, this section is unavailable (greyed-out) in the section selector.
Sharing	Share the asset with other sites that you have permissions to work with. For more information, see “Sharing Assets with Other Sites,” on page 146. If the requirements for sharing the asset (outlined in “Sharing Assets with Other Sites,” on page 146) are not met, this section is unavailable (greyed-out) in the section selector.
Versions	View the asset’s revision history. Roll asset back to a previous version. For more information, see Chapter 10, “Revision Tracking.” If revision tracking is not enabled for the asset type, this selection is unavailable (greyed-out) in the section selector.

Chapter 3

Creating and Editing Assets

This chapter describes the basic procedures for creating, editing, and deleting assets, illustrated with examples from the FirstSite II sample site.

This chapter contains the following sections:

- [Creating Assets](#)
- [Editing Assets](#)
- [Working with FCKEditor](#)
- [Working with the Image Picker](#)
- [Working with the Online Image Editor](#)
- [Working with Flash Content](#)
- [Working with the Date Picker](#)
- [Deleting Assets](#)

Creating Assets

If you have the right permissions, you can create brand new assets “from scratch,” using Content Server’s Dash interface. If the new asset that you want to create is similar to an existing one, you can copy the existing asset and make changes to the copy, which saves you a few steps. Both methods are described later in this section.

You can also create new assets using the Advanced interface (described in the *Content Server Advanced Interface User’s Guide*), or one of the Windows-based clients:

- **Content Server Desktop**, which enables you to create assets from within Microsoft Word.
- **Content Server DocLink**, which (in the form of a Windows Explorer extension) enables you to create document assets out of a variety of popular file formats, such as Microsoft Word or PDF documents.

The difference between the two Windows clients is in how the assets they create are stored in the CS database: the assets you create with CS-Desktop are converted to the fields that you see in the asset forms in Content Server’s interface; the assets you create with CS-DocLink are stored in their native format as single objects called **blobs**, or **binary large objects**.

Note

Multilingual asset management functions, such as assigning locale designations or creating translations of assets, are not supported in CS-Desktop nor CS-DocLink.

Which Assets Can You Create?

The assets you can create (and copy) are determined by how the administrator has personalized the “Create New...” drop-down list for your role. The purpose of personalizing the contents of the “Create New...” drop-down list is to make your job easier.

- You should not have to see assets you are not interested in.
- You should not have to provide information that is already known, or that you have no way of knowing without researching.
- If set values are required, you should not be able to alter these values.
- Reasonable defaults should be preselected for you.
- A flex asset that is based on an asset definition should have that definition preselected.
- An asset that must enter a workflow upon creation should be preassigned to the appropriate workflow process.

By personalizing the contents of the “Create New...” drop-down list, the administrator makes sure that you can focus on the quality of the content you create, and not on the technical aspects of entering and storing it in the Content Server system.


Creating a New Asset

Note

Which assets you can create is determined by the asset types made available to you by your CS administrator.

To create a new asset

1. Log in to the site you want to work with.
2. Select the type of asset you want to create. Do one of the following:
 - In the “Create New...” drop-down list at the top of the navigation pane, select the type of the asset you want to create, or
 - (Optional) If the “Quick Access” pane is displayed, do the following:
 - 1) Use the left and right arrows located at the edges of the pane to scroll through the asset types available to you.



- 2) Click the icon representing the desired asset type.

Content Server displays the “Create New Asset” form:

3. In the “Create New Asset” form, do the following:
 - a. Enter a name for the asset. Note the following conventions when naming the asset:
 - The name must be between 1 and 64 alphanumeric characters.
 - The following characters are not allowed: single quote ('), double quote ("), semicolon (;), colon (:), and question mark (?).
 - The name can contain spaces (except for names of flex attributes), but cannot start with a space.

- b. (Optional) If you plan to create translations of the asset, or if you are required to specify the language of the content you create, select the asset's target language in the "Locale" drop-down list.

For more information, see [Chapter 5, "Working with Multilingual Assets."](#)

- c. (Optional) If the administrator configured the asset type such that all new assets of that type are placed into workflow upon creation, you will see the following fields:
 - The **Workflow Process** field, showing the pre-assigned workflow process
 - The **Assignees** field, listing possible assignees for each role required by the process

Select at least one assignee for each role to proceed with the creation of the asset. Any of these users can complete the next step in the workflow process.

For more information, see [Chapter 9, "Workflow."](#)

- d. Click **Next**.

Content Server displays an empty "Edit" form. The name you entered in [step a](#) is pre-filled in the **Name** field.

- 4. Fill in the "Edit" form as follows:

Save your work as you go. Click **Save** to save your progress as you work on the asset. When you click **Save**, Content Server commits the changes to the database and keeps the asset open in the "Edit" form so that you can keep working.

If any of the fields or form sections are unfamiliar to you, consult your developers or CS administrator.

- a. When populating the form, take note of the following:
 - **Required fields.** You must fill in all required (highlighted) fields before you are permitted to save the asset. Fill in all other fields as necessary.
 - **WYSIWYG text fields.** You may see one or more text fields that are WYSIWYG-enabled (What You See Is What You Get) via a WYSIWYG editor, such as FCKEditor. These text fields allow you to enter and format your content using controls similar to those of Microsoft Word. For more information, see ["Working with FCKEditor," on page 77](#).
 - **Date fields.** You may see a **Date Picker** (calendar) icon next to a date field. Clicking the icon invokes the Date Picker attribute editor; see ["Working with the Date Picker," on page 87](#) for more information.
 - **Image Picker fields.** You may see one or more fields that prompt you to visually select an image asset to be associated with the asset you are creating. In such cases, you will see a **Browse Image Repository** link next to the field. Clicking the link invokes the Image Picker attribute editor; for more information on Image Picker, see ["Working with the Image Picker," on page 79](#).
 - **Online Image Editor fields.** You may see a field (or fields) that allows you to compose and edit graphics and images directly in the asset form, using the Online Image Editor tool. For detailed instructions, see ["Working with the Online Image Editor," on page 81](#).
 - **Flash content fields.** You may see a section in the asset form that prompts you to compose Flash content from Flash templates, images and text of your

choice. For detailed instructions, see [“Working with Flash Content,” on page 85.](#)

- **Fields that prompt you to select assets.** You may see a field (or fields) that prompt you to select a flex parent or a template, or associate an asset (such as an image) with the asset you are creating.

- 1) If the field displays a drop-down list, select the desired asset from the list.
If the field displays a **Link Asset** (or **Link Parent**) and a **Show Assets** button, proceed to the next step.

- 2) Click **Show Assets**.

Content Server displays a list of assets eligible as values for the field.

- 3) In the list of assets, navigate to the desired asset and select its check box.

- 4) Click **Link Asset** (or **Link Parent**).

Content Server links the asset you selected to the new asset. The name of the linked asset is displayed in the field.

- 5) (Optional) If you see **(M)** next to the field, repeat [steps 3](#) and [4](#) to add another asset (usually, a flex parent) to the field.

- b. Select the next section in the form section selector.

- c. Populate the next section as outlined in [step a](#). Continue until you have populated all required sections (marked with an asterisk). Populate other sections as necessary.

5. Save the asset by clicking **Save & Close**.

When you save the asset, Content Server displays the asset in the “Inspect” form, unless:

- You have left out one or more required fields in one or more sections
- An entry or selection you have made in is not permitted

If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

6. (Optional) If the asset is not preassigned to a workflow and you want to use the workflow feature, you can assign the asset to a workflow process as described in the section [“Assigning an Asset to a Workflow,” on page 170.](#)

7. (Optional) If you want to see how the asset would look if it were published, you can preview it. To do so, click **Preview** in the action bar at the top of the asset’s “Inspect” form. A new window opens and displays the asset in its rendered form. (Note that for the preview function to work, the asset must have a template assigned to it.)

Creating a New Asset by Copying an Existing Asset

You can create a new asset by copying an existing asset. You can then work on the copy, reusing the information already present and making changes where necessary. You can copy an asset even if it is checked out by another user.

Note

Which assets you can copy is determined by the asset types made available to you by your CS administrator.

To create a new asset by copying an existing asset

1. Log in to the site you want to work with.
2. Find and open the asset you want to copy:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form, underneath the search results.

3. In the action bar, click **Copy**.

Note

If the **Copy** button is not displayed, stop here. You do not have the permissions to copy the asset. If you have questions about your permissions, contact your CS administrator.

Content Server displays the “Create New Asset” form:

The screenshot shows the 'Create New Content' form. At the top, there is a title bar with 'Create New Content' and buttons for 'Save & Close', 'Apply', 'Cancel', and 'Next'. Below the title bar, there is a 'Name:' field. Underneath, it says 'Content Definition: FSII Article'. Then, there is a 'Locale:' dropdown menu currently showing 'Locale'. Below that, it says 'Workflow process: FSII: Approval for Content'. At the bottom, there is a section titled 'Assignees:' which lists 'ContentEditor' and two checkboxes: 'Connie' and 'firstsite'.

4. In the “Create New Asset” form, do the following:
 - a. In the **Name** field, enter a name that uniquely identifies the new asset.
Note the following conventions when naming the asset:
 - The name must be between 1 and 64 alphanumeric characters.
 - The following characters are not allowed: single quote ('), double quote ("), semicolon (;), colon (:), and question mark (?).
 - The name can contain spaces (except for names of flex attributes), but cannot start with a space.
 - b. (Optional) Set or change the new asset’s locale designation in the “Locale” drop-down list.
If you do not make a selection, one of the following happens:
 - If the source asset has a locale designation, the new asset will retain the locale designation of the source asset.
 - If the source asset has no locale designation, the new asset will not have a locale designation until you manually assign one.For more information, see [Chapter 5, “Working with Multilingual Assets.”](#)
 - c. (Optional) If the administrator configured the asset type such that all new assets of that type are placed into workflow upon creation, you will see the following fields:
 - The **Workflow Process** field, showing the pre-assigned workflow process
 - The **Assignees** field, listing possible assignees for each role required by the processYou must select at least one assignee for each role to proceed with the creation of the asset. Any of these users can complete the next step in the workflow process.
For more information, see [Chapter 9, “Workflow.”](#)
 - d. Click **Next**.
An “Edit” form containing the fields and values of the asset you copied appears.
5. Make your changes in the “Edit” form as follows:

Save your work as you go. Click **Save** to save your progress as you work on the asset. When you click **Save**, Content Server commits the changes to the database and keeps the asset open in the “Edit” form so that you can keep working.

If any of the fields or form sections are unfamiliar to you, consult your developers or CS administrator.

- a. For each field, replace the copied content with new content as necessary. When making your changes, take note of the following:
 - **Required fields.** Do not leave any required (highlighted) fields blank. If you do, you will not be permitted to save the asset. Make changes to all other fields as necessary.
 - **WYSIWYG text fields.** You may see one or more text fields that are WYSIWYG-enabled (What You See Is What You Get) via a WYSIWYG editor, such as FCKEditor. These text fields allow you to enter and format your content using controls similar to those of Microsoft Word. For more information, see [“Working with FCKEditor,” on page 77.](#)

- **Date fields.** You may see a **Date Picker** (little calendar) icon next to a date field. Clicking the icon invokes the Date Picker attribute editor; see [“Working with the Date Picker,” on page 87](#) for more information.
 - **Image Picker fields.** You may see one or more fields that prompt you to visually select an image asset to be associated with the asset you are creating. In such cases, you will see a **Browse Image Repository** link next to the field. Clicking the link invokes the Image Picker attribute editor; for more information on Image Picker, see [“Working with the Image Picker,” on page 79](#).
 - **Online Image Editor fields.** You may see a field (or fields) that allows you to compose and edit graphics and images directly in the asset form, using the Online Image Editor tool. For detailed instructions, see [“Working with the Online Image Editor,” on page 81](#).
 - **Flash content fields.** You may see a section in the asset form that prompts you to compose Flash content from Flash templates, images and text of your choice. For detailed instructions, see [“Working with Flash Content,” on page 85](#).
 - **Fields that prompt you to select assets.** You may see a field (or fields) that prompt you to select a flex parent or a template, or associate an asset (such as a PDF document) with the asset you are creating.
 - 1) If the field displays a drop-down list, select the desired asset from the list.
If the field displays a **Link Asset** (or **Link Parent**) and a **Show Assets** button, proceed to the next step.
 - 2) Click **Show Assets**.
Content Server displays a list of assets eligible as values for the field.
 - 3) In the list of assets, navigate to the desired asset and select its check box.
 - 4) Click **Link Asset** (or **Link Parent**).
Content Server links the asset you selected to the new asset. The name of the linked asset is displayed in the field.
 - 5) (Optional) If you see **(M)** next to the field, repeat [steps 3](#) and [4](#) to add another asset (usually, a flex parent) to the field.
 - b. Select the next section in the form section selector.
 - c. Populate the next section as outlined in [step a](#). Continue until you have populated all required sections (marked with an asterisk). Populate other sections as necessary.
6. Save the asset by clicking **Save & Close**.
- When you save the asset, Content Server displays the asset in the “Inspect” form, unless:
- You have left out one or more required fields in one or more sections
 - An entry or selection you have made in is not permitted
- If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.
7. (Optional) If the asset is not preassigned to a workflow and you want to use the workflow feature, you can assign the asset to a workflow process as described in the section [“Assigning an Asset to a Workflow,” on page 170](#).

8. (Optional) If you want to see how the asset would look if it were published, you can preview it. To do so, click **Preview** in the action bar at the top of the asset's "Inspect" form. A new window opens and displays the asset in its rendered form. (Note that for the preview function to work, the asset must have a template assigned to it.)

Creating a New Asset in CS-Desktop

You can create new assets using the CS-Desktop client, provided your system is set up to support it. When using CS-Desktop, the assets you create originate as Word documents. The content from each document is entered into the Content Server database as an asset by mapping document contents to asset fields directly from within Microsoft Word. To do this mapping, you must have the CS-Desktop client installed on your local machine.

When you install the client, you also install an online Help file that describes how to use CS-Desktop. After the client is installed, the Help file is accessible from within Word. To install the client (and the Help file), extract the provided archive (`csdesktop.zip`) and launch the `setup.exe` file.

Note that the CS-Desktop client does not support locale-related functionality, such as setting an asset's locale, or creating a translation. To perform such functions, use the Dash or Advanced interfaces.

Creating a New Asset in CS-DocLink

You can create new assets from common binary file types such as text files, spreadsheets, and images using CS-DocLink, provided your system is set up to use it and you have the client software installed on your machine. You create new assets by dragging and dropping files into a folder-like hierarchical view of the Content Server database in Windows Explorer.

When you install the client, you also install an online Help file that describes how to use CS-DocLink. After the client is installed, the Help file is accessible from within Windows Explorer. To install the client (and the Help file), extract the provided archive (`CSDoclink.zip`) and launch the `setup.exe` file.

Note that the CS-DocLink client does not support locale-related functionality, such as setting an asset's locale, or creating a translation. To perform such functions, use the Dash or Advanced interfaces.

Editing Assets

Assets can be edited in a variety of ways, depending on the asset type and your system configuration. You can edit an asset by using any of the following interfaces:

- Content Server’s Dash interface
- Content Server’s Advanced interface (described in the *Content Server Advanced Interface User’s Guide*)
- CS-Desktop
- CS-DocLink
- In your Internet browser, using the InSite interface (for instructions, see [Chapter 6](#), “Working with the InSite Interface”)

Note

- You must have the right permissions to edit assets.
- To use the CS-Desktop and CS-DocLink clients, or the InSite interface, your site must be specifically set up to enable such functionality.

Editing Assets in the Dash Interface

To edit an asset in the Dash interface

1. Log in to the site you want to work with.
2. Find and open the asset you want to edit:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form, underneath the search results.

3. In the action bar, click **Edit**.

Content Server displays the asset in the “Edit” form.

4. Make your changes in the “Edit” form as follows:

Save your work as you go. Click **Save** to save your progress as you work on the asset. When you click **Save**, Content Server commits the changes to the database and keeps the asset open in the “Edit” form so that you can keep working.

If any of the fields or form sections are unfamiliar to you, consult your developers or CS administrator.

- a. For each field, replace the existing content with new content as necessary. When making your changes, take note of the following:

- **Required fields.** Do not leave any required (highlighted) fields blank. If you do, you will not be permitted to save the asset. Make changes to all other fields as necessary.
- **WYSIWYG text fields.** You may see one or more text fields that are WYSIWYG-enabled (What You See Is What You Get) via a WYSIWYG editor, such as FCKEditor. These text fields allow you to enter and format your content using controls similar to those of Microsoft Word. For more information, see [“Working with FCKEditor,” on page 77.](#)
- **Date fields.** You may see a **Date Picker** (little calendar) icon next to a date field. Clicking the icon invokes the Date Picker attribute editor; see [“Working with the Date Picker,” on page 87](#) for more information.
- **Image Picker fields.** You may see one or more fields that prompt you to visually select an image asset to be associated with the asset you are editing. In such cases, you will see a **Browse Image Repository** link next to the field. Clicking the link invokes the Image Picker attribute editor; for more information on Image Picker, see [“Working with the Image Picker,” on page 79.](#)
- **Online Image Editor fields.** You may see a field (or fields) that allows you to compose and edit graphics and images directly in the asset form, using the Online Image Editor tool. For detailed instructions, see [“Working with the Online Image Editor,” on page 81.](#)
- **Flash content fields.** You may see a section in the asset form that prompts you to compose Flash content from Flash templates, images and text of your choice. For detailed instructions, see [“Working with Flash Content,” on page 85.](#)
- **Fields that prompt you to select assets.** You may see a field (or fields) that prompt you to select a flex parent or a template, or associate an asset (such as an image) with the asset you are editing.
 - 1) If the field displays a drop-down list, select the desired asset from the list.
If the field displays a **Link Asset** (or **Link Parent**) and a **Show Assets** button, proceed to the next step.
 - 2) Click **Show Assets**.
Content Server displays a list of assets eligible as values for the field.
 - 3) In the list of assets, navigate to the desired asset and select its check box.
 - 4) Click **Link Asset** (or **Link Parent**).
Content Server links the asset you selected to the new asset. The name of the linked asset is displayed in the field.
 - 5) (Optional) If you see **(M)** next to the field, repeat [steps 3](#) and [4](#) to add another asset (usually, a flex parent) to the field.
- b. Select the next section in the form section selector.
- c. Populate the next section as outlined in [step a](#). Continue until you have populated all required sections (marked with an asterisk). Populate other sections as necessary.

5. Save the asset by clicking **Save & Close**.

When you save the asset, Content Server displays the asset in the “Inspect” form, unless:

- You have left out one or more required fields in one or more sections
- An entry or selection you have made in is not permitted

If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

6. (Optional) If the asset is not preassigned to a workflow and you want to use the workflow feature, you can assign the asset to a workflow process as described in the section “[Assigning an Asset to a Workflow](#),” on page 170.
7. (Optional) If you want to see how the asset would look if it were published, you can preview it. To do so, click **Preview** in the action bar at the top of the asset’s “Inspect” form. A new window opens and displays the asset in its rendered form. (Note that for the preview function to work, the asset must have a template assigned to it.)

Editing Assets in CS-Desktop

To edit an asset that was created in Microsoft Word, you use the CS-Desktop toolbar, which is added to the Word interface when you install the CS-Desktop client on your local machine. For complete information about using CS-Desktop, consult the CS-Desktop Help file accessible from the CS-Desktop toolbar inside Microsoft Word.

Note

If you use Content Server’s Dash or Advanced interfaces to edit an asset that was created in CS-Desktop, the link between that asset and CS-Desktop will be irreversibly severed, and you will no longer be able to edit that asset in CS-Desktop. Content Server warns you of this fact when you attempt to edit a CS-Desktop asset in the Dash or Advanced interfaces. A link to the CS-Desktop client installer is also provided at that time.

Note that the CS-Desktop client does not support locale-related functionality, such as setting an asset’s locale, or creating a translation. To perform such functions, use the Dash or Advanced interfaces.

Editing Assets in CS-DocLink

When you install the CS-DocLink client software, a “CS-DocLink” node is added to the tree in the left pane of the Windows Explorer window. To edit an asset that was created from a binary file, you navigate to the asset in the CS-DocLink hierarchy as if you were browsing your local file system, and drag the asset to your desktop. You then open the file in its native application and make the appropriate changes. To save the modified file to the Content Server database, you save it in its native application and then drag it from your desktop back to where you found it in the CS-DocLink hierarchy.

For complete information on how to use CS-DocLink, see the online Help that is installed with the client software.

Note that the CS-DocLink client does not support locale-related functionality, such as setting an asset’s locale, or creating a translation. To perform such functions, use the Dash or Advanced interfaces.

Working with FCKEditor


The Dash interface supports FCKEditor, a popular third-party WYSIWYG (What You See Is What You Get) text editor.

Note

Your site developers enable FCKEditor on a per-field basis when configuring the asset types for your site.

A WYSIWYG editor allows you to apply style characteristics such as bold, italics, and underlining, and closely mimics the text editing behavior of Microsoft Word. You can change font size and color, make bulleted lists, insert tables, images, and hyperlinked text. Your changes to the contents of the text field are instantly visible in the editor window. You can also use a WYSIWYG editor to edit fields in the InSite interface.

If your system is set up to use FCKEditor, the editor appears as part of the “Edit” forms, replacing the standard text box for each field that is WYSIWYG-enabled when you click the field to make changes. The example below shows the **Body** field of a “Content” asset, being edited in FCKEditor:



When you save an asset containing one or more WYSIWYG-enabled text fields, the contents of those fields appear in their rendered form in the asset’s “Inspect” form.


Note

If your FCKEditor toolbar includes an **Upload Image** function, consult your CS administrator before using this function. An image uploaded in this manner is not an asset, and will not be mirror published when the asset that uploaded it is published to the delivery system.

To work more comfortably, use the **Maximize** function to expand FCKEditor to fill your workspace:

Click **Maximize** to expand the FCKEditor window to fill the entire workspace.

To restore FCKEditor to its normal size, click **Maximize** again.



FCKEditor also provides advanced features, such as access to your content's underlying HTML code or the ability to accept pre-formatted content from MS Word documents.

To find out more about FCKEditor and its capabilities, consult the FCKEditor documentation, available at <http://wiki.fckeditor.net>.

Working with the Image Picker

When working with assets whose forms allow you to associate them with one or more image assets, you may have the option to visually choose an image asset to associate with the asset you are creating or editing. This method of selection is made possible through the Image Picker attribute editor.

Note

When configuring the asset type of the parent asset, your developers decide the following:

- The fields for which Image Picker is enabled
- The asset type of the image assets displayed by Image Picker


Perform the following steps to associate an image asset with the parent asset:

To associate an image asset with a parent asset using the Image Picker

1. In the asset's "Edit" form, navigate to the desired field and click **Browse**.



Content Server opens a pop-up window which displays the Image Picker:



By default, the Image Picker displays all assets of the asset type configured as associable with the parent asset type through the selected field. For each displayed image asset, Image Picker shows a thumbnail of the image, as well as its properties, such as file name, dimensions (in pixels), file size, and MIME type.

2. (Optional) In the “Category” drop-down list, select a category to which you want to restrict the displayed images.

The Image Picker window refreshes, showing only images that belong to the category you selected.

3. (Optional) If the pool of available images is large, you may choose to search for a specific image asset. To do so, enter one or more keywords describing the asset into the **Search** field at the top of the Image Picker window and click **Go**. Image Picker displays the images matching your search criteria.




4. (Optional) Adjust the size of the displayed thumbnails by selecting a pixel width from the “Size” drop-down list. Available sizes range from 100 to 200 pixels in 25-pixel increments.

Tip: Hover your cursor over an image to see a larger version.

5. Navigate to the desired image and click it.

The Image Picker window closes and the image asset you selected is associated with the parent asset. If the field was already populated with an image asset, that asset is replaced by the new asset you selected. A thumbnail of the corresponding image appears in the field you have edited.



6. Click **Save & Close** to save your changes to the parent asset.

Working with the Online Image Editor

The Online Image Editor (OIE) is a feature that allows you to compose graphics from images and text directly in an asset form, or on a rendered page through the InSite interface.

Note

Your site developers enable Online Image Editor on a per-field basis when configuring the asset types for your site.

You compose an image through the following steps:

1. Select a background template. Your site designers create template images that contain placeholders for the foreground image and text you will be adding.
2. Add the foreground image. Depending on how your site is set up, you may choose an image from a pool of images made available to you by your site designers, or upload your own image from your local machine, if allowed by your administrator.
3. Add text and make other edits as necessary.
4. Save the asset. This automatically combines the template, foreground image, and text into a new flat image, unless the OIE feature has been configured to preserve layers.

If you have any questions about these steps, consult your site designers or developers.

To compose graphics using the Online Image Editor

Note


Before using this feature, make sure that:

- Your developers have coded the asset type to support the image editing functionality
- Your site designers have created the appropriate background and foreground images and made them available to you

If you have any questions, contact your site designers or developers.

1. Do one of the following:
 - If you are working in the Dash interface, navigate to the appropriate field and click the **Edit** (pencil) icon.
 - If you are working in the InSite interface, click **Edit Image** next to the image you want to edit. An “Edit” form for the selected image opens in a pop-up window.
2. If you are using Online Image Editor for the first time on your machine, a dialog box appears prompting you to install the OIE application, `OIE.cab`. Click **Install** and wait until OIE appears in the asset form.

The Online Image Editor looks similar to the following figure:



3. Select a background template:

Note

You can clear the canvas at any point by clicking the **Clear** (red X) button to the right of the OIE window.

- a. In the selected field, click **Browse Images**.
The Image Picker opens in a pop-up window.
- b. In the Image Picker window, find and select the desired background template. For instructions, see [“Working with the Image Picker”](#) on page 79.

Note

The Image Picker displays thumbnails for JPEG and GIF images, but not for OIE (Online Image Editor) files. To view an OIE image, select it and examine it in the Online Image Editor window.

When you select the template, the Image Picker window closes.

- c. If you determine that the background template you selected is not the best choice, repeat [steps a](#) and [b](#) to select another template.
4. Add a foreground image:
 - To select an image from the pool created by your site designers:
 - 1) In the selected field, click **Insert Image**.
The Image Picker opens in a pop-up window.
 - 2) In the Image Picker window, find and select the desired foreground image. For instructions, see [“Working with the Image Picker”](#) on page 79.
When you select the image, the Image Picker window closes.
 - 3) If you decide that another image is more appropriate, repeat [steps 1](#) and [2](#) to select another image.
 - To select an image stored on your machine, do the following:
 - 1) Click the **Open** (yellow folder) button in the OIE toolbar.
 - 2) In the “Open File” dialog box, navigate to and select the desired image file. Consult your developers to find out which image file formats are accepted.
 - 3) Click **Open**.
 5. Position the image over the background template as appropriate. Your site designers might have included a placeholder in the template to aid you in positioning the image.
 6. Add text and make other edits as necessary. For instructions on using specific functions, click the **Help** (white question mark) button in the OIE toolbar.

Note

Your developers have the ability to customize the functions available in the OIE toolbar. Consult your developers to find out which OIE functions have been made available to you.

7. Save the asset. Do one of the following:
 - If you are working in the Dash interface, fill in all required fields in the asset form, then click **Save & Close** to save the asset.

- If you are working in the InSite interface, click **Save Changes**. The pop-up window automatically closes.

Once you save the asset, one of the following happens, depending on how the developers configured the OIE feature:

- If the OIE feature has been configured to save flat images (such as JPEG or GIF), the components you selected (that is, the background, foreground, and text) are combined.
- If the OIE feature has been configured to preserve layers, your work is saved as separate components (background, foreground, text, and any other layers you might have added).

Working with Flash Content

Content Server allows you to compose Flash content from Flash templates, images, and text, directly in an asset's "Edit" form. You compose Flash Content through the following steps:

1. Select a Flash template. Your site designers create Flash templates that accept the foreground image and text you will be adding.
2. Add an image. The images and Flash templates, made available to you by your developers, have been designed to form complete pieces of content when combined.
3. Add supporting text.
4. Preview the resulting Flash content and make further changes if necessary.
5. Save and close the asset. When the Flash content is rendered on the online site, the image and text you have added will be embedded automatically.
6. (Optional) Preview the asset and make further changes if necessary.

If you have any questions about this process, consult your site developers.

To compose Flash content

Note

This procedure is an example, based on the FirstSite II sample site, meant to illustrate the steps necessary to compose Flash content. The asset forms on your site may be set up differently from our example.

Before using this feature, make sure that:

- Your developers have coded the asset type and associated templates to support the image editing functionality
- Your site designers have created the appropriate Flash templates and images

If you have any questions, contact your site designers or developers.

1. Log in to the site you want to work with.
2. Create a new Flash asset or find and open an existing asset that you want to modify.
3. In the asset form, navigate to the appropriate section and field. (In our example, the **Content** section contains a group of fields whose names begin with **Flash**. Consult your developers for information on the fields and sections available in the asset forms on your site.)
4. Select a Flash template:
 - a. In the **FlashTemplate** field, click **Show Assets**.
Content Server displays a list of assets eligible as values for the field.
 - b. In the list of assets, navigate to the desired asset and select its check box.
 - c. Click **Link Asset**.
The name of the Flash template asset you selected is displayed in the field.

5. Add an image:
 - a. In the **FlashImages** field, click **Browse**.
The Image Picker opens in a pop-up window.
 - b. In the Image Picker window, find and select the desired image. For instructions, see [“Working with the Image Picker”](#) on page 79.
When you select the image, the Image Picker window closes.
 - c. If you decide that another image is more appropriate, repeat [steps a](#) and [b](#) to select another image.
6. Enter caption text into the **FlashText** field.
7. Click **Save** to preview the resulting Flash content.

Flash Asset (Flash Asset): My Flash Asset

Save & Close Save Cancel

* Sections with required fields Required field

☒ Content *
☐ Metadata
☐ Marketing
☐ Versions
☐ Workflow
☐ Publishing
☐ Sharing

Name:
My Flash Asset

Description:

FlashTemplate:
Slider

FlashImages:
 Browse X
Add New

FlashText:
Super MP3
Add New

FlashPreview:

Super MP3

When you click **Save**, the **FlashPreview** field displays a preview of the resulting Flash content.

8. (Optional) To add another image and caption, do the following:
 - a. In the **FlashImages** field, click **Add New**.
A new **FlashImages** field appears in the form.
 - b. Repeat [step 5](#) to populate the field with an image.

- c. In the **FlashText** field, click **Add New**.
A new **FlashText** field appears in the form.
- d. In the new **FlashText** field, enter a supporting caption.
- e. (Optional) To change the order in which the captions appear in the Flash content, use the up and down arrow buttons next to the desired **FlashText** field to move it.
9. Fill in all required fields in the form, then click **Save & Close** to save the asset.
10. (Optional) Click **Preview** in the action bar to preview the asset and see the resulting Flash content.

Content Server opens a new window and displays the asset in its rendered form. Note that for the **Preview** function to work, the asset must have a template assigned to it.


Working with the Date Picker

When working with assets whose forms require you to enter a date (such as a post date, release date, and so on), you may encounter one or more fields that allow you to visually select a date using the Date Picker attribute editor, in addition to the standard text box. The Date Picker allows you to select a date using a calendar-like interface found in many personal information management (PIM) applications (for example, Microsoft Outlook).

Perform the following steps to enter a date into an field using the Date Picker:


To enter a date into a field using the Date Picker

1. In the asset's "Edit" form, scroll to the desired field and click the **Date Picker** icon.



Content Server opens the Date Picker pop-up window.

1. Select the **month** from the drop-down list.



2. Select the **year** from the drop-down list.

3. Click the desired **day**.

2. In the Date Picker pop-up window, select the desired month, year, and day. Make sure you select the day last; when you click the desired day, the Date Picker pop-up window automatically closes, and the date you selected is reflected in the corresponding field in the asset's "Edit" form.

Deleting Assets

When you use the **Delete** function, the asset is not immediately removed from the database. Instead, its status is changed to void. The asset is removed from the database the next time the administrator performs a database purge.

When a previously published asset is marked for deletion on the content management system, it is automatically approved for publishing to any destination it had ever been published to, placed in the publish queue, and published as “deleted” during the next publishing session. Publishing the asset as deleted serves as a way to synchronize assets between the content management and delivery systems; assets deleted on the content management system are removed from the delivery site when the publishing session runs.

Asset Deletion Rules

The following restrictions are enforced when you delete assets:

- You can delete an asset only if you have the permissions to do so.
- If an asset is in a workflow and is assigned to someone other than you, you cannot delete that asset even if you have the permissions to delete assets.
- You cannot delete a placed “Page” asset.
- You cannot delete an asset if it is associated with another asset. If you attempt to do so, Content Server displays a list of the offending associations. You can then edit the parent assets to disassociate the child asset you want to delete.

Deleting a Single Asset

To delete a single asset

1. Log in to the site you want to work with.
 2. Find and open the asset you want to delete:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)
- For more information on finding assets, see [“Finding Assets,” on page 92](#).
- b. In the search results list, navigate to the desired asset and click its name.
- Content Server opens the asset in the “Inspect” form.
3. In the asset’s “Inspect” form, click **Delete**.

Content Server displays a message asking to confirm the deletion of the asset.



The screenshot shows a dialog box titled "GamingMicroworldsArticle". At the top, there are two buttons: "Cancel" (with a red X icon) and "Delete" (with a trash can icon). Below the buttons, the text reads: "Are you sure you want to delete GamingMicroworldsArticle?". Underneath, there is a table with the following details:

Name	GamingMicroworldsArticle
Description	
Status	PL
ID	1179321947925
Modified	May 21,2007 10:25 AM by firstsite

Note

If the asset has one or more dependencies preventing it from being deleted, Content Server displays a message identifying the offending dependencies. If that happens, stop here. you must remove the associations between the asset and its dependencies before you can delete the asset.

4. If you are sure you want to delete the asset, click **Delete**. Otherwise, click **Cancel**.
Once the asset is deleted, Content Server displays a message confirming the deletion. The database status of the asset is changed to "void." Searches will not retrieve assets that are marked as void.

Deleting Multiple Assets

To delete multiple assets at once

1. Log in to the site you want to work with.
2. Find the assets you want to delete. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the assets you want to delete, then click **Search**.
 - In the **Tags** tree, select the tag that contains the assets.

For more information on finding assets, see "[Finding Assets](#)," on page 92.

3. In the list of results, navigate to each asset you want to delete and select its check box.
4. Click **Delete**.

Content Server displays a message asking to confirm the deletion of the assets.

Note

If one of the assets you want to delete has dependencies preventing it from being deleted, Content Server displays a message identifying the offending dependencies. If that happens, stop here. You must remove the associations between the asset and its dependencies before you can delete the asset.

5. If you are sure you want to delete the asset (or assets), click **Delete**. Otherwise, click **Cancel**.

Once the assets are deleted, Content Server's interface displays a message confirming the deletion. The database status of the assets is changed to "void." Searches will not retrieve assets that are marked as void.

Chapter 4

Finding and Organizing Assets

Content Server provides an easy and effective way to find assets you want to work on. Once you find them, you can organize them into personalized lists for easy future access.

This chapter describes the basic procedures for finding and organizing assets, illustrated with examples from the FirstSite II sample site.

This chapter contains the following sections:

- [Finding Assets](#)
- [Organizing Assets](#)

Finding Assets

Content Server allows you to easily find assets matching the criteria you specify. Note that search results will include only assets that you have permissions to work with. (Permissions are set by your CS administrator.)

Search Behavior in the Dash Interface

The Dash interface, introduced in this release of Content Server, contains search capabilities that differ from those found in the Advanced interface. The differences, due to the integration with the Lucene search engine, are as follows:

- Before you can perform searches in the Dash interface, the administrator must enable search indexing on your system (through the Advanced interface).
- The Dash interface allows you to search across all asset types in a given site. You no longer have to know the asset type of the asset(s) you want to find in order to begin a search. You do, however, have the option to limit your search to a specific asset type.
- The Dash interface searches through the names and values of all fields within all assets. For example, you can search for all assets that contain the word **flowers** without having to select specific attribute names to search through.
- The Dash interface allows you to customize your searches by formulating your search queries, as described in [“Search Guidelines.”](#)

Search Guidelines

When performing searches in the Dash interface, use the guidelines in [Table 3](#) to formulate your search queries. Customizing your search queries allows you to perform more precise searches.

Note that searching in the Dash interface is not case-sensitive. For example, searching for **Jack** will return assets that contain **Jack** and assets that contain **jack**.

Table 3: Lucene search query guidelines

To find...	...do the following	Example
Assets that contain a phrase.	Enclose the phrase in quotes.	To find assets that contain the phrase blue flowers , enter “ blue flowers ” as your search query.
Assets that contain variations of a term. (The variations must match the character length of the term.)	Use the ? (question mark) symbol to indicate a single-character wildcard. A search term cannot begin with a wildcard.	To find assets that contain test or text , enter te?t as your search query. To find assets that contain either book or back , enter b??k as your search query.
Assets that contain variations of a term. (The variations may or may not match the character length of the term.)	Use the * symbol to indicate a multi-character wildcard. A search term cannot begin with a wildcard.	To find assets that contain test , tester , or testing , enter test* as your search query. To find assets that contain jeanne or jeanine , enter jea*e as your search query.

Table 3: Lucene search query guidelines (*continued*)

To find...	...do the following	Example
Assets that contain all of the specified terms.	Join the terms with the AND operator.	To find assets that contain both jack and jill , enter jack AND jill as your search query.
Assets that contain a specific term but do not contain another term you specify.	Exclude the unwanted terms using the NOT operator.	To find assets that contain jack but do not contain jill , enter jack NOT jill as your search query.
Assets that must contain a specific term and may contain another term you specify.	Precede a term with the + (required) operator to indicate it is a required term.	To find assets that must contain jack and may contain jill , enter +jack jill as your search query.
Assets that contain a specific term, excluding assets that also contain another term you specify.	Precede a term with the - (prohibited) operator to indicate the exclusion.	To find assets that contain jack but exclude those that also contain jill , enter jack -jill as your search query.
Assets that contain terms similar in spelling to the term you specify.	Append the ~ (tilde) operator to a term to perform a fuzzy search on that term.	To find assets that contain jack , including occurrences that are misspelled, enter jack~ as your search query.

Searching for Assets

Note

The asset types that you can search for are determined by your permissions (set by the CS administrator).

To search for an asset

1. Log in to the site you want to work with.
2. Specify your search criteria. In the top bar, do the following:
 - a. (Optional) In the “Search Criteria” drop-down list, select the asset type to which you want to limit your search. If you do not make a selection, Content Server will search across all asset types in the current site.
 - b. In the **Search** field, enter the desired search criteria. Refer to “[Search Guidelines](#),” on [page 92](#) to find out how to formulate your search query to narrow the scope of your search.
3. Click **Search**.

Note

In the Dash interface, your search results are based on information drawn from a database index which is updated at regular intervals. As such, your search results may not include the changes that occurred since the last index update, until the next update occurs. If you have questions, consult your CS administrator.

Content Server displays the results of your search, sorted by relevance.

Search Results: product

Add to...

Delete

Previous 1-25 of 53 Next 25						
Select All Select None						
Select	Name	Description	Type	Modified	Locale	Relevance ▲
☐	FSIIAbout	About FirstSiteII	Content_C(FSII Article)	Aug 23,2005 13:52 PM	en_US	
☐	FSIINECUnveilsFirstMobilePhonewithHD		Content_C(FSII Article)	Nov 2,2004 16:32 PM	en_US	
☐	FSII Portable Audio	Portable Audio	Product_P (FSIISubcategory)	Oct 20,2004 15:10 PM	en_US	
☐	FSII Combination TVs	Combination TVs	Product_P (FSIISubcategory)	Oct 20,2004 15:12 PM	en_US	
☐	FSII Combination VCRs	Combination VCRs	Product_P (FSIISubcategory)	Oct 20,2004 15:13 PM	en_US	
☐	FSII Standard VCRs	Standard VCRs	Product_P (FSIISubcategory)	Oct 20,2004 15:14 PM	en_US	
☐	FSII FS Electronics Ltd.	FS Electronics Ltd.	Product_P (FSIIManufacturer)	Nov 2,2004 08:55 AM	en_US	
☐	FSII Audio	We have incredible low prices on the hottest products in Audio	Product_P (FSIICategory)	Nov 2,2004 09:52 AM	en_US	
☐	FSII DVD Players	We have incredible prices on an excellent selection of DVD products.	Product_P (FSIICategory)	Nov 2,2004 09:53 AM	en_US	
☐	FSII Televisions	We have incredible prices on an excellent selection of Combination, HD and Plasma TVs.	Product_P (FSIICategory)	Nov 2,2004 09:55 AM	en_US	
☐	FSII Video	We have incredible low prices on the hottest products in Video	Product_P (FSIICategory)	Nov 2,2004 09:52 AM	en_US	
☐	FSII Combination DVD Players	Combination DVD Players	Product_P (FSIISubcategory)	Oct 20,2004 15:11 PM	en_US	
☐	FSII Standard DVD Players	Standard DVD Players	Product_P (FSIISubcategory)	Oct 20,2004 15:11 PM	en_US	
☐	FSII High-Definition TVs	High-Definition TVs	Product_P (FSIISubcategory)	Oct 20,2004 15:12 PM	en_US	

4. (Optional) sort your search results by clicking one of the columns:

- **Name**
- **Description**
- **Type**
- **Modified**
- **Locale**
- **Relevance**

Tip


Once your results are sorted, click the same column again to reverse the sort order.

5. If you want to do one of the following, select the check box in the **Select** column next to each asset on which you want to perform the desired operation:
- Add assets to a tag — proceed to [step 5](#) in “[Adding Assets to a Tag](#)” on [page 97](#).
 - Remove assets from a tag — proceed to [step 5](#) in “[Removing Assets from a Tag](#)” on [page 98](#).
 - Delete assets — proceed to [step 4](#) in “[Deleting Multiple Assets](#)” on [page 89](#).


Navigating Through Your Search Results

The search results list displays 25 matching assets per page of results. If your search returns more than 25 assets, you can:

1. Go to the next page of search results by clicking **Next xx** in the top right corner of the search area, where **xx** is the number of assets that will be displayed on the next page.



2. Go back to the previous page of search results by clicking **Previous xx**, where **xx** indicates the number of assets displayed on the page of search results preceding the currently displayed page.



3. Jump to a specific page of results by selecting the corresponding asset range in the drop-down list located between the **Previous xx** and **Next xx** hyperlinks. For example, if your search returned 36 assets and you want to jump to the results page displaying assets 26–36, select **26–36 of 36** from the drop-down list.

Saving the Results of Your Search

To save the results of the search you performed, proceed to [step 4](#) of the procedure, “[Adding Assets to a Tag](#),” on [page 97](#).

Organizing Assets

Content Server allows you to organize assets into groups by adding them to tags. Tags are keywords which you use to label assets sharing one or more common factors (for example, a theme or topic). By adding assets to tags, you create personalized lists of assets that you can easily retrieve in the future. For example, you can create a tag named “My Articles” and use it to maintain a list of all “Article” assets you have created so far.

You can add and delete assets to and from a tag at any time. When you run a tag, Content Server returns a list of assets assigned to that tag. An asset can be assigned to more than one tag. If you delete a tag, all assets assigned to that tag are automatically disassociated from the tag before it is deleted.

Note

You can use tags only for managing and organizing your work. You cannot use tags to group assets for delivery purposes.

Types of Tags

Content Server supports the following types of tags:

System Tags

System tags are pre-defined tags that help you keep track of your workload. They are displayed under the **System** node in the **Tags** tree, as follows:

- **My Checkouts** — returns a list of assets currently checked out to you.
- **My Assignments** — returns a list of assets presently assigned to you in the current site via one or more workflow processes.
- **History** — returns a list of assets you have worked on during the current session. This list is cleared every time you switch sites or log out of Content Server.

You cannot create, modify, or delete system tags.

User Tags

User tags allow you to create personalized lists of assets by saving the results of your searches. You can create, add assets to, remove assets from, rename, and delete user tags, assuming you have the appropriate permissions.

Note

User tags are user- and site-specific; in other words, the tags you create in a given site will be accessible only to you and only within that site.

Creating a Tag

Before you can add assets to a tag, you must first create the tag that will store them.

To create a new tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. In the **New Tag** field at the bottom of the navigation pane, enter a name for the new tag.
4. Click **New**.

The new tag appears under the **User** node in the **Tags** tree.

Adding Assets to a Tag

By adding assets to a tag, you can save your search results and create personalized lists of assets for easy retrieval at a later time. The tag can either be a new tag, or a tag you have used before.

To add assets to a tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. Perform a search, as described in “[Searching for Assets](#),” on page 94.
4. In the search results, select the check box next to each asset you want to add to a tag.
5. (Optional) If you want to create a new tag to hold the assets, enter a name for your new tag in the **New Tag** field at the bottom of the navigation pane, then click **New**.

The new tag appears in the **Tags** tree and in the “Add To ...” drop-down list above the search results.

6. In the “Add To...” drop-down list, select the tag you want to add the assets to.

Content Server adds the selected assets to the tag you chose.

Running a Tag

Run a tag to retrieve the list of assets you have stored in the tag.

To run a tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. In the **Tags** tree, click the desired tag.


Content Server displays a list of assets returned by the tag.

Removing Assets from a Tag

If you decide that an asset no longer belongs to the tag to which it is assigned, you can remove it from the tag.

To remove assets from a tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. In the **Tags** tree, select the tag from which you want to remove one or more assets.
Content Server displays a list of assets currently assigned to the selected tag.
4. In the “Select” column, select the check boxes next to the assets you want to remove from the tag.
5. In the “Add To...” drop-down list, scroll to the “Remove from...” section, and select the tag from which you want to remove the selected assets.



Content Server removes the assets from the tag and refreshes the asset list to reflect the change.

Renaming a Tag

This section shows you how to rename a tag.

To rename a tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. At the bottom of the **Tags** tree, click **Edit**.

Content Server displays a list of tags you have created so far in the current site.

Edit Labels		
Top Priority	Rename	Delete
Campaign 2007	Rename	Delete
My List	Rename	Delete
Back Burner	Rename	Delete
My Products	Rename	Delete

4. In the list of tags, locate the tag you want to rename, and click its **Rename** link.

The name of the tag becomes an editable field.

Edit Labels		
Top Priority	Rename	Delete
Campaign 2007	Rename	Delete
My List	Save	Delete
Back Burner	Rename	Delete
My Products	Rename	Delete

5. Make your changes, then click **Save**.

Content Server redisplay the list of tags, showing the changes you have made.

Deleting a Tag

When you delete a tag, all assets assigned to the tag are automatically removed from the tag before it is deleted.

To delete a tag

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar in the navigation pane.
3. At the bottom of the **Tags** tree, click **Edit**.

Content Server displays a list of tags you have created so far in the current site.

Edit Labels		
Top Priority	Rename	Delete
Campaign 2007	Rename	Delete
My List	Rename	Delete
Back Burner	Rename	Delete
My Products	Rename	Delete

4. In the list of tags, locate the tag you want to delete, and click its **Delete** link.

Content Server deletes the tag and redisplay the list of tags, showing your changes.

Chapter 5

Working with Multilingual Assets

This chapter shows you how to work with localized assets and multilingual asset sets.

This chapter contains the following sections:

- [Overview](#)
- [Setting or Changing an Asset's Locale Designation](#)
- [Creating a Translation of an Asset](#)
- [Examining the Available Translations of an Asset](#)
- [Comparing Language Versions](#)
- [Changing the Master Asset of a Multilingual Set](#)

Overview

Very often, organizations maintain one or more localized online sites that serve different geographic regions. Such sites will host content in one or more languages local to the region served by the site. In such cases, a piece of content can exist in multiple language versions, or **locales**.

If two or more locales are set up on your site, you can create translations of assets, in the languages available on your site. When you create the first translation of an asset, the asset and its translation become a **multilingual set**, and the source asset is automatically designated as the **master asset** of the set. Once an asset is designated as the master of a set, it remains so until you designate another member of the set as the master.

You can create subsequent translations either from the master asset, or from an existing translation. The master asset and its translations are linked to one another to indicate they are members of the multilingual set. Each member contains the same piece of content but in a different language. You can not delete the master asset if at least one translation exists in the set. You will have to delete all of the translations linked to the master asset before you can delete it.

Each asset can have only one translation in each available language. For example, once a Canadian French translation of an asset exists, you cannot create another Canadian French translation within the same multilingual set.

To create a translation of an asset, you must do the following:

1. Select the target language of the translation. Content Server does the following:
 - a. Creates a copy of the source asset
 - b. Sets the target language of the copy according to your selection
 - c. Links the copy to the master asset and marks the copy as a translation of the master. If this is the first translation of the asset, a multilingual set is created and the source asset is designated as the master.
2. Translate the source content and store the translated content in the translation asset.
3. (Optional) Translate the assets associated with the source asset and associate the translated versions with the translation of the source asset. See [Table 4, on page 103](#) for information on how asset relationships are handled when you create translations of assets.

Note

Before performing the procedures in this chapter, note the following:

- Your CS interface will contain locale-related functionality only if the administrator has set up your site to support multiple languages.
- If you plan to work with content in a language that uses non-English characters, your machine must be configured for input and display of such characters.

If you have any questions, contact your CS administrator.

Table 4: Asset relationship behavior for multilingual assets

Relationship Type	Behavior
Named and Unnamed Associations	When you create a translation of an asset that contains named or unnamed associations, all assets associated with the source asset are automatically associated with the translation. You then have the choice to translate the associated assets and associate the translated versions with the translated parent asset.
Static Lists Recommendations	When you create a new language version of a Static Lists recommendation, the new “Recommendation” asset retains the member assets of the source asset. You then have the choice to translate the member assets and place the translated versions in the new “Recommendation” asset, replacing the member assets carried over from the old collection.
Asset-Type Attributes	When an asset containing associations through asset-type attributes is translated, all assets associated with the source asset are automatically associated with the translation. You then have the choice to translate the associated assets and associate the translated versions with the translated parent asset.
Embedded Links	Embedded links are not affected. When an asset containing embedded links is translated, you must manually update the links to point to the corresponding translations of the linked content (if they exist).

For more information, see [“Working with Asset Associations,”](#) on page 132.

Note

If you want to share a localized asset to another site, the locale assigned to the asset must be enabled on the target site. If you have questions about locales, contact your CS administrator.

Setting or Changing an Asset's Locale Designation

Before you can create a translation of an asset, the asset must have a locale designation assigned to it. (Typically, you assign the locale designation when you create an asset.)

If you want to create a translation of an asset that has no locale designation, follow the steps below, then continue on to [step 3](#) of the next section, “[Creating a Translation of an Asset](#),” on page 105.

You can also change the locale designation of an asset that already has one assigned to it, if necessary. For example, if the administrator decides to divide the asset's locale into specific flavors, (such as dividing French into Canadian French and Belgian French) you can update your assets to use the new locale designations.

Note

You can only assign locales that have been enabled on your site by the CS administrator.

To set or change an asset's locale designation

1. Log in to the site you want to work with.
2. Find and open the asset whose locale designation you want to set or change:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the search results list, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
3. Set or change the asset's locale designation:
 - a. Switch to the **Metadata** section of the form by clicking **Metadata** in the form section selector.
 - b. In the action bar, click **Edit**.
Content Server displays the asset in the “Edit” form.
 - c. In the “Locale” drop-down list, select the desired locale.
 - d. In the action bar, click **Save & Close**.
Content Server displays the asset in the “Inspect” form, showing the new locale.
 - e. (Optional) If your next step is to create a translation of the asset, switch back to the **Content** section of the “Inspect” form by clicking **Content** in the form section selector, and proceed to [step 3](#) of the next section, “[Creating a Translation of an Asset](#),” on page 105.

Creating a Translation of an Asset

Note

- Before you can create a translation of an asset, the asset must have a locale designation already assigned to it. (The asset's locale is listed in the **Metadata** section of the asset form and is typically assigned by the user who creates the asset.) If the asset does not have a locale designation, follow the steps in [“Setting or Changing an Asset's Locale Designation,” on page 104](#), then skip to [step 3](#) of this procedure.
- If you are creating the first translation of an asset, you are automatically creating a multilingual set consisting of the source asset and the translation. The source asset will be automatically designated as the master asset of the multilingual set.

To create a translation of an asset

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to create a translation:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is not already visible, expand it by clicking the **Tags** bar.)

For more information on finding assets, see [“Finding Assets,” on page 92](#).

 - b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.
3. Set the target language of the translation. In the “Locales” drop-down list in the action bar, select **Add new locale**, where **locale** is the target language.



Note

If the “Locales” drop-down list is not displayed, stop here. You do not have the permissions to translate the asset, or your site has less than two locales set up. If you have questions about locales or your permissions, contact your CS administrator.

Content Server displays the “Create New Asset Type” form:

4. In the “Create New Asset Type” form, do the following:
 - a. In the **Name** field, enter a name that uniquely identifies the new asset as a translation of the source asset.
 Note the following conventions when naming the asset:
 - The name must be between 1 and 64 alphanumeric characters.
 - The following characters are not allowed: single quote ('), double quote ("), semicolon (;), colon (:), and question mark (?).
 - The name can contain spaces, but cannot start with a space.
 - b. (Optional) If the administrator configured the asset type such that all new assets of that type are placed into workflow upon creation, you will see the following fields:
 - The **Workflow Process** field, showing the pre-assigned workflow process
 - The **Assignees** field, listing possible assignees for each role required by the process
 You must select at least one assignee for each role to proceed with the creation of the asset. Any of these users can complete the next step in the workflow process.
 For more information, see [Chapter 9, “Workflow.”](#)
 - c. Click **Next**.

An “Edit” form containing the fields and values of the source asset appears.

5. Translate the asset as follows:

Save your work as you go. Click **Save** to save your progress as you work on the asset. When you click **Save**, Content Server commits the changes to the database and keeps the asset open in the “Edit” form so that you can keep working.

If any of the fields or form sections are unfamiliar to you, consult your developers or CS administrator.

- a. For each field, replace the copied content with an appropriate translation. When making your changes, take note of the following:
 - **Required fields.** Do not leave any required (highlighted in yellow) fields blank. If you do, you will not be permitted to save the asset. Make changes to all other fields as necessary.

- **Date fields.** You may see a **Date Picker** (little calendar) icon next to a date field. Clicking the icon invokes the Date Picker attribute editor; see [“Working with the Date Picker,” on page 87](#) for more information.
 - **WYSIWYG text fields.** You may see one or more text fields that are WYSIWYG-enabled (What You See Is What You Get) via a WYSIWYG editor, such as FCKEditor. These text fields allow you to enter and format your content using controls similar to those of Microsoft Word. For more information, see [“Working with FCKEditor,” on page 77](#).
 - **Image Picker fields.** You may see one or more fields that prompt you to visually select an image asset to be associated with the asset you are creating. In such cases, you will see a **Browse Image Repository** link next to the field. Clicking the link invokes the Image Picker attribute editor; for more information on Image Picker, see [“Working with the Image Picker,” on page 79](#).
 - **Online Image Editor fields.** You may see a field (or fields) that allows you to compose and edit graphics and images directly in the asset form, using the Online Image Editor tool. For detailed instructions, see [“Working with the Online Image Editor,” on page 81](#).
 - **Flash content fields.** You may see a section in the asset form that prompts you to compose Flash content from Flash templates, images and text of your choice. For detailed instructions, see [“Working with Flash Content,” on page 85](#).
 - **Fields that prompt you to select assets.** You may see a field (or fields) that prompt you to select a flex parent or a template, or associate an asset (such as an image) with the asset you are creating.
 - 1) If the field displays a drop-down list, select the desired asset from the list.
If the field displays a **Link Asset** (or **Link Parent**) and a **Show Assets** button, proceed to the next step.
 - 2) Click **Show Assets**.
Content Server displays a list of assets eligible as values for the field.
 - 3) in the list of assets, navigate to the desired asset and select its check box.
 - 4) Click **Link Asset** (or **Link Parent**).
Content Server links the asset you selected to the new asset. The name of the linked asset is displayed in the field.
 - 5) (Optional) If you see **(M)** next to the field, repeat [steps 3](#) and [4](#) to add another asset (usually, a flex parent) to the field.
 - b. Select the next section in the form section selector.
 - c. Populate the next section as outlined in [step a](#). Continue until you have populated all required sections (marked with an asterisk). Populate other sections as necessary.
6. Save the asset by clicking **Save & Close**.
- When you save the asset, Content Server displays the asset in the “Inspect” form, unless:
- You have left out one or more required fields in one or more sections
 - An entry or selection you have made in is not permitted

If either of these conditions is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

7. (Optional) If the asset is not preassigned to a workflow and you want to use the workflow feature, you can assign the asset to a workflow process as described in the section “[Assigning an Asset to a Workflow](#),” on page 170.
8. (Optional) If you want to see how the asset would look if it were published, you can preview it. To do so, click **Preview** in the action bar at the top of the asset’s “Inspect” form. A new window opens and displays the asset in its rendered form. (Note that for the preview function to work, the asset must have a template assigned to it.)

When you are finished previewing the asset, close the preview window.

9. Review the assets associated with the translation asset to determine which associated assets need to be translated into the target language.
 - a. Switch to the **Relations** section of the form.
 - b. Review the assets associated with the translation asset and determine which ones need to be translated.

When you create a translation of an asset, the assets associated with the source asset are automatically associated with the translation asset.

Depending on the nature of the associated assets, you may want to translate them and associate the translated versions with the translation asset you created in the previous steps. For example, an image depicting a product might not require a localized version, but a data sheet for the product will need to be translated.

See [Table 4, on page 103](#) for information on how Content Server handles asset relationships with respect to multilingual assets.

- c. (Optional) If in [step b](#) you determined that one or more assets associated with the translation asset have to be translated, translate each asset requiring translation by repeating this procedure, then follow the steps in “[Associating Assets](#),” on [page 133](#) to associate the translated versions with the translation asset you created in the previous steps.

Examining the Available Translations of an Asset

If you want to check if a translation of an asset exists in a specific language, open the asset and examine the “Locales” drop-down list in the action bar. If the desired translation exists for a given language, you can open it by selecting it from the drop-down list.

To check whether a specific translation of an asset exists

1. Log in to the site you want to work with.
2. Find and open the asset whose translations you want to examine:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is not already visible, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on [page 92](#).

- b. In the search results list, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
3. Examine the contents of the “Locales” drop-down list in the action bar. If a translation in a given language exists, you will see a **Show in language...** entry for that language in the drop-down list.



Note

If the drop-down list does not contain a **Show in locale** entry for the desired language, stop here. The asset has not yet been translated into that language. You can translate the asset by following the steps in “[Creating a Translation of an Asset](#),” on page 105.

- (Optional) If you want to open a specific translation of the asset for viewing, select the corresponding **Show in language...** entry from the “Locales” drop-down list.
- (Optional) If you want to compare the asset to one of its translations, follow the instructions in [step 4 on page 110](#).

Comparing Language Versions

If at least one translation of an asset exists in the current site, you can edit two language versions of the asset side by side by toggling the locale compare mode on.

To compare two language versions of an asset

1. Log in to the site you want to work with.
2. Find and open the asset whose language versions you want to compare:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information, see [“Finding Assets,” on page 92](#).

- b. In the search results list, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.

3. (Optional) If you want to make changes to the selected asset while comparing it to another language version, click **Edit** in the action bar. (For more information, see [“Editing Assets,” on page 74](#).)

Content Server displays the asset in the “Edit” form.

4. Toggle the locale “Compare” mode on and choose the language version to which you want to compare the selected asset.
 - 1) In the action bar, select the **Compare** check box.


Note

If you do not see the Compare check box, stop here. No translations of the asset you are viewing exist yet. You can translate the asset by following the steps in [“Creating a Translation of an Asset,” on page 105](#).

The “Compare Locale” drop-down list appears in the action bar.

- 2) In the “Compare Locale” drop-down list, select the language version you want to compare to the selected asset.

The asset form switches to the locale “Compare” mode. In this mode, each field is shown twice: the selected asset on top, and the language version to which you are comparing the selected asset underneath.



5. (Optional) If you opened the asset for editing in [step 3](#), make your changes, then click **Save & Close**.

Note

If for some reason you want to discard the new asset, click **Cancel**.

Note that if you used the **Save** button to save your progress while working on the asset, clicking **Cancel** will only discard the changes you have made since the last time you clicked **Save**. This is because the asset is saved to the database the first time you click **Save**. In such cases, you cannot discard the asset by clicking **Cancel**.

When you save the asset, Content Server displays the asset in the “Inspect” form, unless:

- You have left out one or more required fields in one or more sections
- An entry or selection you have made in is not permitted

If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

Changing the Master Asset of a Multilingual Set

When you create the first translation of an asset, the source asset becomes the master asset of a multilingual asset set consisting of the asset itself and its translation. As more translations of the source asset are created, the multilingual set grows.

If you need to designate another member of the set as the master (for example, when the multilingual set is copied to a site in another language), you can do so from the “Inspect” form of any member of the set.

The following procedure shows you how to set a new master asset from the “Inspect” form of the set’s current master asset.

To change the master asset of a multilingual set

Note

Note the following:

- The master asset of a multilingual set is indicated in the “Locales” drop-down list in the action bar.
- If a multilingual set is being revision-tracked, you must manually check out all members of the set before you can change the set’s master asset. For instructions, see [“Checking Out Assets,” on page 193](#).

1. Log in to the site you want to work with.
2. Find the master asset of the multilingual set:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on searching, see [“Finding Assets,” on page 92](#).

- b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.

3. Open the translation which you want to designate as the new master asset. In the “Locales” drop-down list, select **Show in language...** where *language* is the locale of the desired translation.

Content Server displays the selected translation in the “Inspect” form.

4. In the action bar, click **Make Master**.

The currently open translation asset is designated as the master of the multilingual set it belongs to.

Chapter 6

Working with the InSite Interface


This chapter describes how to use the InSite interface to add, edit, replace, and position content directly on a rendered page.

This chapter contains the following sections:

- [Overview](#)
- [Accessing the InSite Interface](#)
- [Previewing Assets](#)
- [Editing Assets in the InSite Interface](#)
- [Managing Page Content Using the InSite Interface](#)
- [Searching for Assets Using the InSite Interface](#)
- [Finishing Your Workflow Assignments Using the InSite Interface](#)
- [Obtaining the InSite URL for an Asset](#)

Overview

Business users who do not ordinarily work in Content Server's interface, but who occasionally need to approve or make changes to content, can do so directly on a rendered page, using the InSite interface. The InSite interface provides access to Content Server's most commonly used content management functions, and is displayed alongside the rendered page, as follows:



Note

- The examples in this section are based on the FirstSite II sample site. Depending on how your site is set up, your interface may differ from the depictions in this section.
- Previous releases of Content Server contain a drag-and-drop templating feature called InSite Templating. In this release, InSite Templating has been integrated into the InSite interface as the “Page Layout” mode.

The InSite interface allows you to preview, edit, add, remove, replace, and position content directly on a rendered page. To accomplish these tasks, you work on content in one of the following modes:

- **Preview** – allows you to see how the content would look on the online site. For more information, see [“Previewing Assets,” on page 116](#).
- **Editing** – allows you to edit content directly on a rendered page. For more information, see [“Editing Assets in the InSite Interface,” on page 119](#).
- **Page Layout** – allows you to add, remove, replace, and position content on a page. For more information, see [“Managing Page Content Using the InSite Interface,” on page 121](#).

Additionally, you can access the following functions through the InSite pane:

- **Search** – allows you to find other assets you want to work with in the InSite interface. For instructions, see [“Searching for Assets Using the InSite Interface,” on page 127](#).
- **Assignments** – allows you to finish your workflow assignments. For instructions, see [“Finishing Your Workflow Assignments Using the InSite Interface,” on page 128](#).

Accessing the InSite Interface

Note

To use the InSite interface, the following conditions must be satisfied:

- You must have the appropriate permissions.
- You must be using a supported browser.
- The template used to display the asset you want to work on (and the asset’s parent page, if applicable) must support InSite functionality.

Consult your CS administrator or site developers if you have any questions.

You access the InSite interface by previewing an asset. Once you have previewed the asset, you can use the InSite interface to perform other content management tasks.

You can preview an asset in several ways. For example:

- Use the search feature of the Dash interface to find the desired asset, then preview it.
- Drill down the **Site Plan** or **Asset** trees in the navigation pane to open the desired asset, then preview it.
- Obtain the InSite URL for the asset from another user or your CS administrator. For example, your colleague would e-mail you the InSite URL for an asset he or she has worked on, so that you can review it or make changes, depending on your permissions.

Note

Use the **Get Link to This InSite Page** function to obtain the InSite URL for an asset. Once you have the URL, you can give it to another user so that he or she can work on the asset in the InSite interface (assuming the user has the appropriate permissions). For more information, see [“Obtaining the InSite URL for an Asset,” on page 130](#).

When you access the InSite URL, you will be asked to log in. Once you log in, the InSite interface displays the asset in “Preview” mode.

Note

There are a number of ways to preview an asset. The procedures in this section assume you are previewing an asset as described in the next section, “[Previewing Assets](#).”

Previewing Assets

Previewing an asset displays the asset in its rendered form in the InSite interface.

Note


You can only preview an asset that has a template assigned in the **Template** field (located in the **Metadata** section of the asset form).

If you have any questions, consult your site designers or CS administrator.

To preview an asset

1. Log in to the site you want to work with.
2. Find and open the asset you want to preview. Do the following:
 - a. (Optional) If you want to limit your search to a specific asset type, select the asset type from the “Search Criteria” drop-down list.
 - b. In the **Search** field in the top bar, enter the desired search criteria and click **Search**.
For more information on searching, see “[Finding Assets](#),” on page 92.
 - c. In the search results list, navigate to the desired asset and click its name.
Content Server opens the selected asset in the “Inspect” form.
3. Preview the asset. In the action bar at the top of the asset form, click **Preview**.
Content Server opens a new browser window and displays the selected asset in the InSite interface.

Here is an example view of the InSite interface showing the FirstSite II home page in “Preview” mode:



The InSite interface contains the following components, as shown in the above figure:

- **InSite pane** – displays the type, name, and template (including descriptions) of the asset you are working with; allows you to switch between InSite modes (“Preview,” “Editing,” or “Page Layout”), search for assets, and finish your workflow assignments.
- **Top bar** – allows you to open a new instance of the Advanced interface; preview the asset without displaying the InSite interface; toggle the InSite pane on and off; access the FatWire e-docs site; and end your InSite session.

- **InSite bar** – denotes the InSite mode you are working in; allows you to obtain the InSite URL of the displayed asset, and view the asset using alternate templates and wrapper pages.
4. (Optional) If you would like to see how the asset would look when rendered by a different template or wrapper page, select a template from the “Template” drop-down list, and/or a wrapper page from the “Wrapper Page” drop-down list in the InSite bar. Consult your site developers for information on the templates and wrapper pages available to you.
 5. Once you have previewed the asset, you can perform the following tasks:
 - Edit the asset using the “Editing” mode. For instructions, see [“Editing Assets in the InSite Interface,” on page 119.](#)
 - If the asset you are previewing is assigned to a page (or is a page): add, remove, replace, and position content on the page using the “Page Layout” mode. For instructions, see [“Managing Page Content Using the InSite Interface,” on page 121.](#)
 - Find other assets to work on in the InSite interface. For instructions, see [“Searching for Assets Using the InSite Interface,” on page 127.](#)
 - Finish your workflow assignments. For instructions, see [“Finishing Your Workflow Assignments Using the InSite Interface,” on page 128.](#)
 - Obtain the InSite URL for the asset. For instructions, see [“Obtaining the InSite URL for an Asset,” on page 130.](#)

Editing Assets in the InSite Interface

To edit an asset in the InSite interface

1. Make sure the template assigned to the asset you want to edit supports InSite Editing. Consult your site designers if you have any questions.
2. Preview the asset, as described in “[Previewing Assets](#),” on page 116.
3. In the InSite pane, click **Editing**. The InSite interface switches to the “Editing” mode.
 - If you see an **Edit** icon or button next to one or more fields, as shown below, the asset is editable in the InSite interface. Proceed to the next step.
 - If you do not see any **Edit** icons or buttons, stop here. The asset’s template does not support InSite Editing. If you have any questions, consult your developers.

Click **Save** to commit your changes to the database, or **Cancel** to discard them.

The cyan dotted outline indicates the field has not yet been edited. Click the **Edit** (pencil) icon to edit the field.

The green dotted outline indicates the field is being edited. When finished, click the **View** (checkmark) icon.

The red dotted outline indicates the field has been edited.

Click the **Edit** button to edit the field in a WYSIWYG editor.

The InSite pane shows which field and asset are being edited, as well as a history of your edits in the current session.

When you are finished editing a WYSIWYG-enabled field, click the **View** button.

4. (Optional) If you would like to view the asset using a template other than the one assigned to the asset, select a template from the “Template” drop-down list in the InSite bar. Consult your site developers for information on the templates available to you.
5. Click the **Edit** icon or button next to a field of your choice and make changes to the contents of the field. The difference between the **Edit** icon and button is as follows:
 - The **Edit** (pencil) icon indicates a simple text field. When you click the **Edit** icon, it changes to the **View** (checkmark) icon, and the field is enclosed in a dotted line, indicating that you can make your edits to the text within the field. You cannot, however, alter the appearance of the text.
 - The **Edit** button indicates a field that can be edited in an embedded WYSIWYG editor (such as FCKEditor). When you click the **Edit** button, the WYSIWYG editor replaces the field and displays the field’s contents in editable form. You can then make your edits to both the text and its appearance. (See “[Working with FCKEditor](#),” on page 77 for more information.)
 - The **Edit Image** button next to an image indicates that the image can be edited in the Online Image Editor (OIE). Click the button to open the image asset’s “Edit” form in a pop-up window and edit the image in OIE. For instructions, see page 102 in the *Content Server Advanced Interface User’s Guide*.
 - The **Edit Flash** button next to a piece of Flash content indicates that the content can be edited by following the steps on page 105 in the *Content Server Advanced Interface User’s Guide*. Clicking the button opens the Flash content asset’s “Edit” form in a pop-up window.

The InSite pane shows the name of the field you are currently editing, and the asset to which the field belongs. It also shows a history of assets you have edited during your current InSite session.

Note

When making your changes, keep the following in mind:

- To make your job easier, toggle off the InSite pane to maximize the visible area on the page. Toggle the pane back on when you are ready to commit your changes to the database. (Use the **Toggle InSite Pane** button near the right end of the top bar to toggle the pane off and on).
- If an editable field is protected by revision tracking, a lock icon replaces the **Edit** icon (or button) to indicate that the field cannot currently be edited.
- When you are finished editing a field, click its **View** icon (or button) to return the field to the view-only state. While not required, doing so will help you keep track of the changes you make as your work progresses.

6. When you are finished making your changes, click **Save** in the InSite pane to commit your changes to the CS database.

If you click **Cancel**, your changes will be discarded and the asset redisplayed in its unmodified state.

7. (Optional) If you would like to work on another asset using the InSite interface, find the asset by performing the steps in “[Searching for Assets Using the InSite Interface](#),” on page 127, and repeat this procedure.

Managing Page Content Using the InSite Interface

If the asset you want to work with is a page (or is assigned to a page), you can work with content directly on the page using the “Page Layout” mode, provided the page has been set up to support slots.

Note

Consult your site designers to find out which pages on your site support slots.

In “Page Layout” mode, each slot on the page accepts one piece of content – an asset. You add, remove, replace, and position content on the page by dragging and dropping assets into slots. Below is an example view of the InSite interface showing the FirstSite II home page in “Page Layout” mode:

Click **Save** to commit your changes to the database, or **Cancel** to discard them.

This slot is occupied by an asset.
You can remove the asset from the slot, or replace it with another asset.

The screenshot displays the InSite interface for 'FirstSiteII'. The top navigation bar includes 'advanced', 'dash', 'insite', and 'analytics' tabs. The 'insite' tab is active, showing 'Page Layout' mode. The 'Template' is set to 'FSIILayout'. The 'Wrapper page' is 'FSIIPreviewWrapper'. The main content area shows a 'Welcome to FirstSite' header and a text slot. The search pane on the left shows a list of assets, including 'FSII AudioCo. America Announces ...', 'FSII AudioCo.NewMediaPlayerOffer...', 'FSIIAbout', 'FSIIAudioCoFirstUnderWaterMP3Pla...', and 'FSIIFSEIntroducesDVDRRecorder'. The 'Save' button is highlighted in the search pane. The text slot is occupied by an asset, and the slot below it is empty.

Use the InSite pane to **find and select assets** to drop into slots.

This slot is empty. You can drop an asset into it.

This section contains the following procedures:

- [Adding or Replacing Content on a Page](#)
- [Removing Content from a Page](#)
- [Positioning Content on a Page](#)

Adding or Replacing Content on a Page

This section shows you how to use the InSite interface to add or replace content on a page.

To add or replace content on a page using the InSite interface

1. Make sure the page you want to work with supports slots. Consult your site designers if you have any questions.
2. Preview the desired page, as described in “[Previewing Assets](#),” on page 116.
3. In the InSite pane, click **Page Layout**.


The InSite interface switches to the “Page Layout” mode.

- If the page supports slots, you will see occupied and/or empty slots, similar to the ones shown in the figure on [page 121](#).
- If you do not see slots on the page, stop here. The page does not support slots.

If you have any questions, consult your developers.

4. Find the asset you want to add to or use as a replacement on the page. Do the following in the InSite pane:
 - a. In the “Type” drop-down list, select the type of asset you want to find.
 - b. In the **Containing** field, enter search criteria describing the asset.
 - c. In the “Template” drop-down list, select a template. Only assets to which the selected template is assigned will be returned.
 - d. Click **Search**.

The results of your search appear in the “Search Results” area of the pane:



The screenshot shows the InSite interface with the 'Page Layout' mode selected. The 'Search' section is active, displaying a 'Type' dropdown set to 'Find Content', a 'Containing' text field with 'FSII', and a 'Template' dropdown set to 'FSIIDetail'. A 'Search' button is located below these fields. The 'Search results' section is highlighted with a red circle and contains a table with the following data:

Name
FSII AudioCo. America Announces ...
FSII AudioCo.NewMediaPlayerOffer...
FSIIAbout
FSIIAudioCoFirstUnderWaterMP3Pla...
FSIIFSEIntroducesDVDRecorder

A 'next >' link is visible at the bottom right of the search results table.

- e. In the list of search results, navigate to the desired asset. The list shows five assets at a time, sorted alphabetically. Do the following:
 - Click **Next** to view the next page of results.
 - Click **Prev** to view the previous page of results.
5. In the list of search results, select the asset you want to add to the page.

The screenshot displays the FatWire Content Server 7.0.1 Dash Interface. The top navigation bar includes 'advanced', 'dash', 'insite', and 'analytics' tabs. The 'insite' tab is active, showing the 'Page Layout' section. The 'Site: FirstSiteII' is selected, and the 'Template: FSIILayout' is chosen. The 'Wrapper page: FSIIPreviewWrapper' is also selected. The 'Search' section on the left shows the search criteria: 'Type: Find Content', 'Containing: FSII', and 'Template: FSIIDetail'. The 'Search results' table lists five assets, with 'FSIIFSEIntroducesDVDRecorder' highlighted. The 'Preview' button is visible. The main content area shows the rendered page layout for 'FSIIFSEIntroducesDVDRecorder', featuring a blue header with the 'FIRST SITE 2' logo and navigation links (Home, Articles, Products, Shopping Cart, My Site, About). The page content includes a title 'FS Electronics Introduces First DVD Recorder', a byline 'By: FS Electronics', and a detailed description of the DVD recorder's features and capabilities. A list of other features is provided at the bottom of the preview window.

Search results

Name
FSII AudioCo. America Announces ...
FSII AudioCo. NewMediaPlayerOffer...
FSIIAbout
FSIIAudioCoFirstUnderWaterMP3Pla...
FSIIFSEIntroducesDVDRecorder

Search results

By: FS Electronics

INDIANAPOLIS, IN (September 9, 2004) - FS Electronics' new recordable DVD home theater system lets consumers enjoy the latest audio and video technologies with one convenient, high-performance package. The system completes the home theater experience, whether it's listening to music on CDs and DVD-Audio discs, watching the latest blockbuster movies on DVD, or recording favorite TV programs. The unit's DVD recorder offers multi-format playback (DVD video, DVD-Audio, DVD-RAM, DVD-R1, CD, CD-R/RW2 and MP3).


Other features include:

- High-speed recording from the hard disk to DVD-RAM and DVD-R discs
- Direct Navigator displays thumbnail scenes of recorded content
- Time Slip feature: allows viewers to replay a scene recorded 30 seconds earlier without disrupting the recording process, simply by touching a button on the remote.
- One-touch recording
- Playlist Playback
- Progressive scan4 DVD video playback
- Dialogue Enhancer

The asset is displayed in its rendered form as a floating object that you can drag and drop into a slot on the page.

6. Drag and drop the asset into the slot of your choice. Do one of the following:
 - If adding content to the page, drag the asset by its title bar into an empty slot.

1. Click on the asset's title bar to drag it.
(Your cursor changes to a multi-directional arrow which indicates you can drag the asset.)




2. Drag the asset's title bar over the slot.

3. When the slot border turns into a "perforated" line, drop the asset into the slot.

- If replacing content on the page, drag the asset by its title bar into the slot containing the content you want to replace.

1. Click on the asset's title bar to drag it.
(Your cursor changes to a multi-directional arrow which indicates you can drag the asset.)



2. Drag the asset's title bar over the slot.

3. When the slot border turns into a "perforated" line, drop the asset into the slot.

When the slot is ready to accept the asset, the slot's border changes from a solid line to a "perforated" line. When that happens, drop the asset into the slot.

Note

If you are replacing content on a page, the asset currently occupying the slot is automatically removed from the slot when you drop in the new asset.

7. In the InSite pane, click **Save** to commit your changes to the CS database.
(If you click **Cancel**, your changes will be discarded and the page redisplayed in its unmodified state.)
Content Server refreshes the page, showing your changes.

Removing Content from a Page

This section shows you how to remove content from a page using the InSite interface.

To remove content from a page using the InSite interface


1. Make sure the page you want to work with supports slots. Consult your site designers if you have any questions.
2. Preview the desired page, as described in “[Previewing Assets](#),” on page 116.
3. In the InSite pane, click **Page Layout**.

The InSite interface switches to the “Page Layout” mode.

- If the page supports slots, you will see occupied and/or empty slots, similar to the ones shown in the figure on [page 121](#).
- If you do not see slots on the page, stop here. The page does not support slots.

If you have any questions, consult your developers.

4. On the page, locate the asset you want to remove and click the **Delete Slot Content (X)** button in the asset’s title bar.



Content Server removes the asset from the slot.

5. In the InSite pane, click **Save** to commit your changes to the CS database.
If you click **Cancel**, your changes will be discarded and the page redisplayed in its unmodified state.
6. (Optional) If you would like to populate the empty slot with another asset, go to [step 4](#) of “[Adding or Replacing Content on a Page](#),” on page 122.

Positioning Content on a Page

This section shows you how to position content on a page by moving an asset from one slot to another.

To position content on a page using the InSite interface

1. Make sure the page you want to work with supports slots. Consult your site designers if you have any questions.
2. Preview the desired page, as described in “[Previewing Assets](#),” on page 116.
3. In the InSite pane, click **Page Layout**.

The InSite interface switches to the “Page Layout” mode.


- If the page supports slots, you will see occupied and/or empty slots, similar to the ones shown in the figure on [page 121](#).

- If you do not see slots on the page, stop here. The page does not support slots.

If you have any questions, consult your developers.

4. On the page, locate the asset you want to move to another slot, and choose the destination slot to which you will move the asset. The destination can be an empty slot or a slot already occupied by another asset.
5. Drag and drop the asset into the desired slot.

1. Click on the asset's title bar to drag it.
(Your cursor changes to a multi-directional arrow, indicating you can drag the asset.)



2. Drag the asset's title bar over the slot.
3. When the slot border turns into a "perforated" line, drop the asset into the slot.

When the destination slot is ready to accept the asset, the slot's border changes from a solid line to a "perforated" line. When that happens, drop the asset into the slot.

Note

If you are moving an asset to a slot that is already occupied by another asset, the asset you are moving automatically replaces the asset currently occupying the slot.

6. In the InSite pane, click **Save** to commit your changes to the CS database.
If you click **Cancel**, your changes will be discarded and the page redisplayed in its unmodified state.
Content Server refreshes the page, showing your changes.


Searching for Assets Using the InSite Interface

This section shows you how to search for assets from within the InSite interface. Once you find the desired asset, select it to open it in the InSite interface.

To search for assets from within the InSite interface

1. (Optional) If you have not already done so, save the changes you have made to the asset you are working on by clicking **Save** in the InSite pane.
2. In the InSite pane, click **Search** to expand the **Search** section.
3. In the **Search** section of the pane, do the following:
 - a. In the “Type” drop-down list, select the type of asset you want to find.
 - b. In the **Containing** field, enter your search criteria.
 - c. Click **Search**.

The results of your search appear underneath the fields.



The screenshot shows a search interface titled "Site: FirstSiteII". Below the title is a "Search" section with a magnifying glass icon. It contains a "Type:" dropdown menu set to "Find Content", a "Containing:" text field with the value "FSII", and a "Search" button. Below the search fields is a table of search results with a "Name" header. The table lists five assets, each preceded by a document icon: "FSII AudioCo. America Announces H...", "FSII AudioCo.NewMediaPlayerOffers...", "FSIIAbout", "FSIIAudioCoFirstUnderWaterMP3Play...", and "FSIIFSEIntroducesDVDRecorder". At the bottom of the table is a "next >" link.

4. In the list of search results, navigate to the desired asset. The list shows five assets at a time, sorted alphabetically. Do the following:
 - Click **Next** to view the next page of results.
 - Click **Prev** to view the previous page of results.
5. Click the desired asset.

The InSite interface displays the asset in “Preview” mode. You can now perform the tasks described earlier in this section:

- [Editing Assets in the InSite Interface](#)
- [Managing Page Content Using the InSite Interface](#)
- [Finishing Your Workflow Assignments Using the InSite Interface](#)
- [Obtaining the InSite URL for an Asset](#)


Finishing Your Workflow Assignments Using the InSite Interface

If the asset you are working on in the InSite interface is assigned to a workflow, and you hold an assignment for the asset, you can finish your assignment right in the InSite interface. (For more information on workflow, see [Chapter 9](#), “Workflow.”)

To finish a workflow assignment using the InSite interface

1. (Optional) If you have not already done so, save the changes you have made to the asset you are working on by clicking **Save** in the InSite pane.
2. In the InSite pane, click **Assignments** to expand the **Assignments** section.


The **Assignments** section displays a list of your current workflow assignments.



Site: FirstSiteII		
Assignments		
Assignment	Finish	
Home		
Page Principale		
Home (es)		
Home (de)		

3. (Optional) If you have not yet completed the necessary work on the assigned asset, do the following (otherwise, proceed to the next step):
 - a. Hover your cursor over the **Info (i)** icon next to the asset's name to see a pop-up description of the work you have been assigned to complete on the asset. (This description has been entered by the previous assignee.)
 - b. Select the asset to open it in the InSite interface.
 - c. Complete the necessary work on the asset by following the steps in “[Editing Assets in the InSite Interface](#),” on page 119 and “[Managing Page Content Using the InSite Interface](#),” on page 121, whichever is applicable.
 - d. Return to [step 2](#) of this procedure.
4. In the list of workflow assignments, locate the asset for which you want to finish the workflow assignment, and click its **Finish Assignment** (green check mark) icon.

The InSite pane displays the “Finish My Assignment” form. The top of the form indicates the workflow process to which the asset is assigned.



Site: FirstSiteII

Assignments

FSII: Approval for Structure

Step:

☐ Send for Approval

☐ Send for Approval

Action Taken:

Action to Take:

Finish Assignment Cancel

5. In the form, do the following:
 - a. (Optional) If the form lists more than one step leading to the next workflow state, select the next workflow step to take.
 - b. (Optional) In the **Action Taken** field, enter a short description of the work you completed on the asset.
 - c. (Optional) In the **Action to Take** field, enter a short suggestion for the next person who will work with the asset.
 - d. Click **Finish Assignment**.
6. (Optional) If the administrator has set up the workflow process in a way that requires you to choose assignees for the next step when you finish your assignment, Content Server prompts you to select assignees for the next workflow step, as follows:

The screenshot shows a dialog box titled "Site: FirstSiteII" with a sub-header "Assignments". Below this, it says "Choose Assignees: Please select at least one user from each role:". There is a label "* Approver:" followed by a list box containing "firstsite" and "Napoleon". At the bottom are "Save" and "Cancel" buttons.

In such case, do one of the following, select at least one user for each displayed role, then click **Save**.

What happens after you complete your assignment depends on the way the administrator set up the next workflow step. There are five possible options:

- **Retain “From” State Assignees** — you keep the assignment as the asset moves to the next state; this allows you to continue working on the asset in that state. You probably know why it is appropriate for you to keep the assignment, but if you don’t, ask your administrator.
- **No Assignments** — as the asset moves to the next state, it remains in the workflow so that function privileges defined for the workflow process are enforced. However, the asset is assigned to no one and participant roles alone (through their assigned function privileges) determine who can work on the asset, and how.
- **Assign To Everyone** — the asset is assigned to all users holding roles participating in the current workflow process.
- **Assign From a List of Participants** — When you (or another user with the appropriate privileges) assign an asset to a workflow, you have the option to decide which participants in each role get the assignment when the asset enters a workflow state requiring those roles. This is the default mechanism for moving an asset through a workflow.
- **Choose Assignees When Step is Taken** — this option is similar to the “Assign From a List of Participants” option described above, but instead of predetermining at the beginning of the workflow who will get the assignment during which workflow state(s), you choose assignees for the next workflow state in real-time each time you take a step. In such case, when you use the **Finish My Assignment** function to take the next step, Content Server prompts you to choose assignees for the asset for the next workflow state by showing a form like the one in [step 6](#).

Obtaining the InSite URL for an Asset

If you would like a colleague to view or work on a particular asset using the InSite interface, you can give them a special URL that allows them to open the asset directly in the InSite interface. Such URL is called an InSite URL and can be obtained as follows:

To obtain an InSite URL for an asset

1. Preview the asset, as described in “[Previewing Assets](#),” on page 116.
2. In the InSite bar, click **Get Link to This InSite Page**.
Content Server displays a confirmation message indicating the InSite URL for the asset has been copied to the clipboard.
3. Paste the URL into the application of your choice (for example, a new e-mail message to your colleague).

Note

The recipient of the URL must hold a role that permits them to work with the asset and the InSite interface.

Chapter 7

Advanced Content Management Features

Content Server offers advanced asset management features such as link embedding, placing and unplacing pages, sharing assets across sites, associating assets with one another, and deciding which assets to show to which visitors by rating the assets for segments. This chapter shows you how to use those features in the Dash interface.

This chapter contains the following sections:

- [Working with Asset Associations](#)
- [Placing and Unplacing Pages on a Site](#)
- [Embedding Links Within Assets](#)
- [Sharing Assets with Other Sites](#)
- [Rating Assets for Segments](#)
- [Working with List Mode Static Lists Recommendations](#)


Working with Asset Associations

Suppose you want to publish an article that refers to a number of supporting images and source documents. In such case, you can associate the supporting assets with your article so that you can publish them together as a set. By associating your “Article” asset with its supporting “Image” and “Document” assets, you designate your “Article” asset as the “parent” for its associated assets, which then become its “children.”

Named Associations

A named association is a definition for an explicit relationship set up by your administrator between two selected asset types. Named associations are represented as fields in the parent asset’s “Edit” form; the name of each field is the name of each association defined for that asset type.

For example, the “Product” asset type included in the FirstSite II sample site contains several predefined associations with “Media” assets — when you select a “Media” asset in the **Image** field of a “Product” asset, the selected “Media” asset becomes a child of the “Product” asset. (This does not, however, prevent that “Media” asset from becoming a child of other assets.) For example, the field for an associated image in the sample “Product” asset’s “Edit” form appears as follows:




The administrator can limit the scope of a named association to a specific subtype of a particular asset type. In the Burlington Financial sample site for example, you can limit the association between “ImageFile” and “Article” assets to only the “Standard” (and not the “Columnist”) subtype of the “Article” asset type. In such cases, the asset’s “Edit” form will show only the named associations applicable to the asset type and subtype chosen in the association. Because an asset subtype can be specific to a particular CS site, this mechanism can be used to make asset associations site-specific as well.

Note

Remember that merely associating assets with other assets does not ensure that they will appear on the actual page. The template elements for your assets must be coded to recognize and format the related or associated assets or they will not be displayed on your delivery site.

Unnamed Associations

In certain situations, an asset can be associated with another asset without involving a named association. For example, when a “Product” asset is assigned to a “Page” asset, the “Product” asset becomes a child of the “Page” asset (which automatically becomes its parent), even though no explicit association definition is involved. In such cases, the association made between the assets is implicit, or unnamed. The example below shows an unnamed association manifested as a field in the “Page” asset’s “Edit” form:




Unnamed associations are therefore a way of establishing parent-child relationships between assets for the sole purpose of creating a dependency between them. Unlike named associations, unnamed associations are not limited to linking exactly two assets of two specific asset types; an asset can have as many child assets of as many types linked to it via unnamed associations as necessary.

Associating Assets

This procedure shows you how to associate one or more assets with a parent asset through a named or unnamed association (whichever is supported by the parent asset). This procedure uses the FirstSite II sample site as an example.

To associate an asset with another asset

1. Log in to the site you want to work with.
2. Do one of the following, as desired:
 - Begin creating a new parent asset (for instructions, see “[Creating Assets](#),” on [page 66](#)). When the “Edit” form appears, proceed to [step 3](#) of this procedure.
 - Open an existing parent asset for editing (for instructions, see “[Editing Assets](#),” on [page 74](#)). When the “Edit” form appears, proceed to [step 3](#) of this procedure.
3. In the “Edit” form, navigate to the field representing the desired association and click the **Show Assets** button next to the field.




Content Server displays a list of assets eligible as values for the selected field.

4. In the list of assets, select the check box next to the asset (or assets) you want to link with the parent asset.


Note

When making your selection, keep in mind that named associations accept a single asset, whereas unnamed associations accept one or more assets as their values.

5. In the parent asset's "Edit" form, click **Link Asset** next to the selected field.
Content Server associates the assets you selected in [step 4](#) with the parent asset. The names of the associated assets appear in the selected field. For example:
For named associations:



For unnamed associations:



6. (Optional) If you are working with an unnamed association and have associated two or more assets with the parent asset, arrange the child assets in the list as follows:

Note

The order in which the child assets appear in the list is the order in which they will be displayed on the online site.

- To move an asset up in the list, click the **up arrow** button next to the asset.
 - To move an asset down in the list, click the **down arrow** button next to the asset.
 - To remove an asset from the list, click the **Delete** (red X) button next to the asset.
7. (Optional) Repeat [steps 3–6](#) for each additional association you want to complete.
 8. When you are finished, click **Save & Close** in the action bar.

Content Server displays the asset in the "Inspect" form, showing the associated assets.

Disassociating Assets

To disassociate an asset from another asset

1. Log in to the site you want to work with.
2. Find and open the parent asset from which you want to disassociate one or more children:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)


For more information on searching, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.


Content Server displays the asset in the “Inspect” form.

3. In the action bar, click **Edit**.
Content Server displays the asset in the “Edit” form.
4. In the “Edit” form, navigate to the field representing the desired association and click the **Delete** (red X) button next to the asset you want to disassociate. For example:

For named associations:



For unnamed associations:



Content Server disassociates the child asset from the parent asset.

5. In the action bar, click **Save & Close**.
Content Server displays the asset in the “Inspect” form, showing your changes.

Placing and Unplacing Pages on a Site

If you hold the appropriate role, you can place and unplace pages on the online site; in other words, you decide which “Page” assets appear on the online site, and where on the site they appear. You also have the ability to move an already placed page to a new position within the site’s hierarchy (for example, move it under a different parent page). For more information on “Page” assets, see the *Content Server Advanced Interface User’s Guide* or consult your developers.

Note

Before you perform the procedures in this section, consult your developers to familiarize yourself with the structure of your online site so that you know where each page belongs in the site’s hierarchy.

This section covers the following procedures:

- [Placing a Page](#)
- [Repositioning a Page Within the Site Hierarchy](#)
- [Unplacing a Page](#)

Placing a Page


This section shows you how to place a “Page” asset on an online site. After you place a page, the online site will be updated with your changes during the next publishing session.

To place a page on the online site

1. Log in to the site you want to work with.
2. In the navigation pane, click the **Site Plan** tab. The pane displays the **Site Plan** tree.
3. Expand the **Unplaced Pages** node and navigate the hierarchy under it to find the “Page” asset you want to place on the site.
4. In the **Site Plan** tree, expand the **Placed Pages** node and navigate the hierarchy under it to find the parent page under which you want to place a new page. (If necessary, expand the parent.) If the parent has multiple children, determine the target position for the selected page among the parent’s children.

First, find the page you want to place on the site (step 3 above).

In our example, we are using the FSIISearchResults page.




Then, find the target location for the page within the **Placed Pages** hierarchy (step 4 above).

In our example, we are placing the FSIISearchResults page under the FSIIHome page (the parent), between the FSIILogin and FSIIAbout pages.

5. Click the desired page and drag it to the target location within the **Placed Pages** hierarchy. When you drag the page, a black marker (either an “underscore” or an arrow) indicates one of the following:
 - A black **“underscore”** marker under a page’s icon indicates that the page you are placing will become the child of the same parent as the page whose icon is displaying the black marker. For example:

The black “underscore” marker indicates that the page you are placing will become the child of the same parent as the page whose icon is displaying the marker.

In this example, the FSIISearchResults page will become the child of the FSIIHome page.




Note

If the marker appears under the icon of a top-level page, the page you are placing will become a top-level page.


- A black **arrow** underneath a page’s name indicates that the page you are placing will become a child of the page under whose name the black arrow appears. For example:

The black arrow indicates that the page you are placing will become the child of the page under whose name the arrow appears.

In this example, the FSIISearchResults page will become the child of the FSIILogin page.



6. When you have positioned the page over the target location, release the page. The page appears within the **Placed Pages** hierarchy.




7. Click **Save and Close** to save your changes to the CS database. The online site will be updated with your changes during the next publishing session.

Repositioning a Page Within the Site Hierarchy

This section shows you how to reposition an already placed page within the site hierarchy; that is, assign the desired page to a new parent page and place it in the desired order if necessary. After you reposition a page, the online site will be updated with your changes during the next publishing session.

To reposition a page within the site hierarchy

1. Log in to the site you want to work with.
2. In the navigation pane, click the **Site Plan** tab. The pane displays the **Site Plan** tree.
3. Navigate the **Placed Pages** hierarchy to find the page you want to reposition.




4. In the **Site Plan** tree, expand the **Placed Pages** node and navigate the hierarchy under it to find the target parent page (that is, the page under which you will move the selected child page in the next step). If the parent has multiple children, determine the target position for the selected page among the parent's children.

5. Click the desired page and drag it to the target location within the **Placed Pages** hierarchy. When you drag the page, a black marker (either an “underscore” or an arrow) indicates one of the following:
 - A black **“underscore”** marker under a page’s icon indicates that the page you are placing will become the child of the same parent as the page whose icon is displaying the black marker. For example:

The black “underscore” marker indicates that the page you are placing will become the child of the same parent as the page whose icon is displaying the marker.

In this example, the FSIISearchResults page will become the child of the FSIIHome page.




Note

If the marker appears under the icon of a top-level page, the page you are placing will become a top-level page.


- A black **arrow** underneath a page’s name indicates that the page you are placing will become a child of the page under whose name the black arrow appears. For example:

The black arrow indicates that the page you are placing will become the child of the page under whose name the arrow appears.

In this example, the FSIISearchResults page will become the child of the FSIIArticles page.



- When you have positioned the page over the target location, release the page. The page appears within the **Placed Pages** hierarchy.




- Click **Save and Close** to save your changes to the CS database. The online site will be updated with your changes during the next publishing session.

Unplacing a Page


This section shows you how to unplace a “Page” asset – that is, remove it from the online site. After you unplace a page, the online site will be updated with your changes during the next publishing session.

To unplace a page on the online site

- Log in to the site you want to work with.
- In the navigation pane, click the **Site Plan** tab. The pane displays the **Site Plan** tree.
- In the **Site Plan** tree, expand the **Placed Pages** node and navigate the hierarchy under it to find the page you want to unplace.
- Click the desired page and drag it from the **Placed Pages** hierarchy and under the **Unplaced Pages** node. A black arrow appears under the **Unplaced Pages** node to indicate that the page will be placed there when you release it. For example:



5. When you have positioned the page under the **Unplaced Pages** node, release the page. The page appears under the **Unplaced Pages** node.



6. Click **Save and Close** to save your changes to the CS database. The online site will be updated with your changes during the next publishing session.

Embedding Links Within Assets

When creating and updating assets, you may need to:

- Embed a hyperlink to another asset from the current site. For example, you may want to include a hyperlink to a related article within the body text of another article. When site visitors access the content, they will be able to follow the link and access the related content.
- Include the contents of another asset from the current site. For example, you may want to include a direct citation from an article in another article, without manually duplicating the content. This way, if the linked content changes, the content in which the link is embedded stays up to date.

When site visitors access content containing this type of link, Content Server automatically embeds the content from the linked asset at the specified insertion point.

The extent to which these capabilities are available to you depends on how your site designers have implemented them as part of the custom asset design. For example, the “Content” asset type that ships with the FirstSite II sample site supports both types of embedded links in its **Body** field.

Note

Only WYSIWYG-enabled fields support link embedding. (For more information, see [“Working with FCKEditor,” on page 77.](#))

Embedding an Internal Link

An internal link is one that invokes another asset within the current site. You cannot link to an asset from another site unless you or another user explicitly shares that asset to the current site. (For more information, see [“Sharing Assets with Other Sites,”](#) on page 146.)

Consult your administrator to find out which asset types on your system permit link embedding. Also, some assets may contain multiple fields that allow link embedding within their contents; in such cases, determine in which field you would like to embed the link before starting the procedure.

To insert an internal link into a text field of an asset

1. Log in to the site you want to work with.
2. Find and open the asset in which you want to embed an internal link:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)

For more information on searching, see [“Finding Assets,”](#) on page 92.
 - b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.
3. In the action bar, click **Edit**.
- Content Server displays the asset in the “Edit” form.
4. Find the asset which will be referenced by the internal link. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
5. In the list of results, navigate to the desired asset and select its check box.
6. In the “Edit” form, click within the field into which you want to embed an internal link. When FCKEditor loads, highlight the text you would like to be hyperlinked. (Alternatively, you can add new text and highlight it.)
7. Click the field’s **Add Link** button.

The “Add Embedded Link” pop-up window appears:

8. In the pop-up window, do the following:
 - a. (Optional) In the “Select Template” drop-down list, select the template that will be used to display the linked asset. The linked asset’s default template is preselected.
 - b. (Optional) In the **Link Text** field, edit the text you chose in the contents of the field to be hyperlinked.
 - c. Click **Save & Close** to save the embedded link and close the pop-up window.

The pop-up window closes and Content Server embeds the hyperlink into the selected field. The text you selected turns blue to indicate it is hyperlinked.

9. In the action bar, click **Save & Close** to save the asset.

Content Server displays the asset in the “Inspect” form, showing your changes.

Embedding the Contents of an Asset

You can embed the contents of another asset from the current site into an asset of your choice. (That asset content is displayed by a particular template, typically a pagelet.) You cannot embed the contents of an asset from another site unless you or another user explicitly shares that asset to the current site. Consult your administrator to find out which asset types on your system permit content embedding.

To embed the contents of an asset into another asset

1. Log in to the site you want to work with.
2. Find and open the target asset (that is, the asset into which you want to embed the contents of another asset):
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)

For more information on searching, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.

3. In the action bar, click **Edit**.

Content Server displays the asset in the “Edit” form.

4. Find the source asset (that is, the asset whose contents will be embedded into the target asset). Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)

Content Server displays a list of returned assets above the asset pane.

5. In the list of results, navigate to the desired asset and select its check box.
6. In the “Edit” form, click within the field into which you want to embed the contents of the selected source asset. When FCKEditor loads, enter some text at the desired insertion point. Any text will do; whatever you enter will be replaced by the contents of the asset you are embedding.
7. Highlight the text you have entered and click the field’s **Include** button.

The “Add Inclusion” pop-up window appears.

Add Inclusion	
Name:	FSIIAbout
Type :	Content_C
Select Template	FSIILayout
To	
Name:	FSIIAbout
Type:	Content
Field:	Body
Cancel Save & Close	

8. In the pop-up window, do the following:
 - a. (Optional) In the “Select Template” drop-down list, select the template that will be used to display the linked asset. The linked asset’s default template is preselected.
 - b. Click **Save & Close** to save the embedded link and close the pop-up window.

The pop-up window closes and Content Server embeds an inclusion link at the specified insertion point. At render time, the contents of the source asset will be automatically embedded into the target asset at the selected insertion point.

9. In the action bar, click **Save & Close**.

Content Server displays the target asset in the “Inspect” form, showing your changes.

Sharing Assets with Other Sites

If you are working with an asset that you want to use in more than one site, you can share it so that you do not have to create it more than once and maintain it across multiple sites.

Before you share an asset, consider the following:

- You must have the right permissions to share an asset.
- You can share an asset only to sites that you have access to. If you have access to only one site, the **Sharing** form section is not available to you.
- You cannot share “Page” assets.
- Share an asset only if the content it contains does not have to be unique to the target site. For example, you can share an asset containing your company’s logo, because the same image can be probably be used on all of the company’s sites.

If the nature of the content dictates the need for a separate, unique version for each site, do not share the asset – instead, create a new asset for each site that requires a unique version of the content.

- Because of the nature of asset sharing, if a shared asset is deleted, it automatically disappears from all of the sites it was shared to.
- If the asset is in a workflow, you and others can change its workflow status only when you are working in the asset’s original site.
- It is good practice to share the asset only when you are ready to publish it; that is, wait to share the asset until it has been approved.
- If you want to share a localized asset to another site, the asset’s locale must be enabled on the target site.

To share an asset to another site

1. Find and open the asset you want to share to another site:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.
 - b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.
2. Click **Sharing** in the section selector.
3. In the **Sharing** section, select the site (or sites) to which you want to share the asset.

Select the sites to share this content with

- ☒ Burlington Financial
- ☒ FirstSite Mark II

Share

4. Click **Share**. A message confirms that the asset is now available in the selected site(s).

Rating Assets for Segments

This procedure shows you how to rate assets for segments. Rating assets for segments determines which assets are shown to the site visitors, based on information (such as age or income) the visitors provide about themselves.

Note

You can rate assets for segments only if Engage is installed. For a complete explanation of segments, ratings, and other Engage functionality, see the *Content Server Advanced Interface User's Guide* or consult your CS administrator.

To rate an asset for one or more segments

1. Find and open the asset you want to rate:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you know the asset is assigned to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane.

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.

2. In the action bar, click **Edit**.

Content Server displays the asset in the “Edit” form.

3. Click **Marketing** in the section selector.

The **Marketing** section lists all segments available in the current site. For example:

Ratings:	
Segment	In Segment Out of Segment
AffluentYoungSingles	
No segment ratings apply	

4. Using a range of 0 through 100 (100 is the highest value), rate this asset for the segments in the list:
 - Enter a value in a segment’s **In Segment** column to rate the asset for members of this segment.
 - Enter a value in a segment’s **Out of Segment** column to rate the asset for visitors who are not members of this segment.
 - Enter a value in the **No segment ratings apply** field to assign an intrinsic rating to the asset; this rating is be used when no segments are defined or the asset is assigned to a recommendation that does not recognize segments (List mode Static Lists recommendation).

For more information about ratings, see the *Content Server Advanced Interface User's Guide*.

5. When you are finished, click **Save & Close**.

Content Server displays the asset in the “Inspect” form, showing your changes.

Working with List Mode Static Lists Recommendations

This section shows you how to create and configure List mode Static Lists recommendations.

Note

Recommendations types other than List mode Static Lists are available only in the Advanced interface. For detailed information about recommendations, see the *Content Server Advanced Interface User's Guide*.

Creating List Mode Static Lists Recommendations

To create a List mode Static Lists recommendation

1. Log in to the site you want to work with.
2. In the “Create New...” drop-down list at the top of the navigation pane, select **New Recommendation**.

Content Server displays the “Create New Recommendation” form:

3. In the form, do the following:
 - a. Enter a name for the asset. Note the following conventions when naming the asset:
 - The name must be between 1 and 64 alphanumeric characters.
 - The following characters are not allowed: single quote ('), double quote ("), semicolon (;), colon (:), and question mark (?).
 - The name can contain spaces (except for names of flex attributes), but cannot start with a space.
 - b. (Optional) If you are required to specify a locale for this asset, select the asset's target language in the “Locale” drop-down list.

For more information, see [Chapter 5, “Working with Multilingual Assets.”](#)

- c. (Optional) If the administrator configured the asset type such that all new “Recommendation” assets are placed into workflow upon creation, you will see the following fields:

- The **Workflow Process** field, showing the pre-assigned workflow process
- The **Assignees** field, listing possible assignees for each role required by the process

Select at least one assignee for each role to proceed with the creation of the asset. Any of these users can complete the next step in the workflow process.

For more information, see [Chapter 9, “Workflow.”](#)

- d. Click **Next**. Content Server displays the “Edit” form for the recommendation.

The screenshot shows the 'Recommendation (): My Recommendation' form. At the top, there are buttons for 'Save & Close', 'Save', and 'Cancel'. A legend indicates that yellow boxes denote 'Sections with required fields' and yellow squares denote 'Required fields'.

On the left, a sidebar contains radio buttons for 'Content *', 'Metadata', 'Workflow', 'Versions', 'Publishing', and 'Sharing'. The 'Content *' option is selected.

The main form area contains the following sections:

- Name:** A text input field containing 'My Recommendation'.
- Description:** A text input field.
- Options:** Two checkboxes: 'Include children of recommended assets' and 'Promotions can override these recommendation', both of which are currently unchecked.
- Asset Types:** A section with a checkbox 'This recommendation applies to all asset types.' Below this is a list of asset types on the left, a set of action buttons in the middle, and a larger empty box on the right.
 - Asset Types List:** Attribute Editor, CSElement, Content, Content Attribute, Content Definition, Content Filter, Content Parent, Content Parent Definition, DimensionSet, Document, Document Attribute, Document Definition, Document Filter, Document Parent, Document Parent Definition, History Attribute, History Definition, Media, Media Attribute.
 - Action Buttons:** Move, Move All, Remove, Remove All.
- Select Assets:** Two buttons: 'Show Assets' and 'Link Asset'.

4. (Optional) In the **Description** field, enter a short, informative description for the recommendation.
5. In the **Options** field, select the options appropriate for the recommendation’s intended purpose.

6. Select the asset types of the assets that this recommendation will include:

Note


If you want this recommendation to apply to all asset types, select the appropriate check box in the form and skip the remainder of this step. (Note that clicking **Move All** in the list of asset type has the same effect as selecting the check box).

- a. In the left-hand list in the **Asset Types** field, select the desired asset types.
To select multiple asset types, **Ctrl-click** each desired asset type. You can also select a range of asset types by **Shift-clicking** the first and last asset type in the range.
- b. Click **Move**. The selected asset types appear in the right-hand list.

Note

To remove one or more asset types from the right-hand list, select them in the list and click **Remove**. To clear the list, click **Remove All**.

7. Add assets of the selected asset types to the recommendation:
 - a. In the **Select Assets** field, click **Show Assets**. Content Server displays a list of eligible assets above the asset pane.
 - b. In the list of eligible assets, select the check box next to each asset you want to add to the recommendation.
 - c. In the **Selected Assets** field, click **Link Asset**.
8. Arrange the assets you added in the desired order. The order in which the assets appear in the list is the order in which they will be displayed on the online site.



- To move an asset up in the list, click the **up arrow** button next to the asset.
 - To move an asset down in the list, click the **down arrow** next to the asset.
 - To delete the asset from the list, click the **Delete** (red X) button next to the asset.
9. Save the asset by clicking **Save & Close**.

When you save the asset, Content Server displays the asset in the “Inspect” form, unless:

- You have left out one or more required fields (highlighted in yellow)
- An entry or selection you have made in is not permitted

If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

Editing List Mode Static Lists Recommendations

To edit a List Mode Static Lists recommendation

1. Log in to the site you want to work with.
2. Find and open the “Recommendation” asset you want to edit:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the list of results, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form, underneath the search results.

3. In the action bar, click **Edit**.

Content Server displays the asset in the “Edit” form.

The screenshot shows the 'Recommendation (): My Recommendation' edit form. At the top, there is a title bar with 'Recommendation (): My Recommendation' and buttons for 'Save & Close', 'Save', and 'Cancel'. Below the title bar, there is a legend: '* Sections with required fields' and 'Required field'. The form is divided into several sections:


- Content ***: A sidebar on the left with radio buttons for 'Content *', 'Metadata', 'Workflow', 'Versions', 'Publishing', and 'Sharing'.
- Name:** A text input field containing 'My Recommendation'.
- Description:** A text input field.
- Options:** Two checkboxes: 'Include children of recommended assets' and 'Promotions can override these recommendation'.
- Asset Types:** A section with a checkbox 'This recommendation applies to all asset types.' Below it is a list of asset types: 'Attribute Editor', 'CSElement', 'Content', 'Content Attribute', 'Content Definition', 'Content Filter', 'Content Parent', 'Content Parent Definition', 'Dimension', 'DimensionSet', 'Document', 'Document Attribute', 'Document Definition', 'Document Filter', 'Document Parent', 'Document Parent Definition', 'History Attribute', 'History Definition', 'Media', and 'Media Attribute'. To the right of the list are buttons: 'Move', 'Move All', 'Remove', and 'Remove All'.
- Select Assets:** A section with two buttons: 'Show Assets' and 'Link Asset'.

4. If necessary, select or deselect the appropriate options in the **Options** field.

Note

Save your work as you go. Click **Save** to save your progress as you work on the asset. When you click **Save**, Content Server commits the changes to the database and keeps the asset open in the “Edit” form so that you can keep working.

5. In the **Asset Types** field, add or remove asset types to which this recommendation applies:
- To add asset types, select them in the left-hand list and click **Move**. To add all available asset types, click **Move All**. (This has the same effect as selecting the **This recommendation applies to all asset types** check box above the list.)
 - To remove asset types, select them in the right-hand list and click **Remove**. To clear the list, click **Remove All**.
6. In the **Select Assets** field, make your changes to the list of assets associated with this recommendation as follows:



- To add assets to the list, do the following:
 - 1) Click **Show Assets**. Content Server displays a list of assets eligible as values for this field.
 - 2) In the list of eligible assets, select the check box next to each desired asset.
 - 3) Click **Link Asset**.
 - To remove assets from the list, click the **Delete** (red X) button next to each asset you want to remove.
 - To change the order in which the assets appear in the list, click the up or down arrow next to each asset you want to move within the list.
- The order in which the assets appear in the list is the order in which they will be displayed on the online site.
7. Save the asset by clicking **Save & Close**.

When you save the asset, Content Server displays the asset in the “Inspect” form, unless:

- You have left out one or more required fields (highlighted in yellow)
- An entry or selection you have made in is not permitted

If either of the above is true, Content Server displays an error message indicating the offending fields. Correct the errors, then click **Save & Close**.

Chapter 8

Approval for Publishing

The goal of using Content Server is to publish content to a web site where site visitors can read and interact with that content. Before an asset can be published, it has to be approved for publishing.

This chapter describes the procedures used to approve assets for publishing. It includes the following sections:

- [Overview](#)
- [Approval Tasks](#)

Overview

Before an asset can be published, it must be **approved** for publishing. Requiring approval is a safeguard against publishing an asset whose dependent assets (parents or children) are not ready to be published. This prevents broken links on the delivery system. You approve assets for one or more **destinations** that the administrator sets up on your site. Having multiple destinations allows for the use of multiple publishing methods, such as Mirror to Server or Export to Disk. (For more information on destinations and available publishing methods, see the *Content Server Advanced Interface User's Guide*.)

Asset approval can be either manual or automatic. You can manually approve assets one at a time from the **Publishing** section of the asset's "Inspect" form. If the asset has dependent assets that need approval, Content Server displays a list of dependent assets which you can then approve in bulk. You cannot, however, perform bulk approval on a group of assets of your own choice; this capability is reserved to the administrator.

Asset approval can also be automated. For example, the "Normal Article Process" workflow included with the Burlington Financial sample site has a final step that automatically approves assets in the workflow for publishing to the included Static and Dynamic target destinations. (For more information, see the section "[Sample Workflow](#)," on page 166.)

Dependencies

Dependencies are conditions that determine whether an asset can be published. An asset dependency exists when there is an association of some kind between assets. For example, a "Product" asset has an association with a "Datasheet" asset. The "Datasheet" asset has an association with three "Image" assets. Two of these images have associations with "Article" assets. This tree hierarchy forms a set of parent/child dependencies among all these assets.

The **approval status** of an asset indicates whether the asset can be safely published; that is, whether any dependency conflicts exist. An asset's approval status is determined by its dependency relationships, which include the approval status of all assets associated with a particular asset, as well as the dependency relationships of those associated assets.

For more information on how Content Server calculates asset dependencies during approval and publishing, see the publishing chapter of the *Content Server Advanced Interface User's Guide*.

Approval States

Because of the dependencies between assets, as well as the nature of the dependencies, approving an asset involves the concept of **approval states**. For example, "held" is an approval state an asset enters when the asset is approved for publishing, but its dependent assets are not. In such case, the asset is then held from publishing until its dependents are approved. See "[Approval States](#)," on page 159 for detailed descriptions of the possible approval states an asset can enter.

If an asset enters an approval state that prevents publication, Content Server displays a list of dependent assets that require approval. Once all assets are approved, they can be published.

To learn more about the approval and publishing mechanisms employed by Content Server, see the *Content Server Advanced Interface User's Guide*.

Approval Tasks

This section describes how to approve assets for publishing.

This section describes the following tasks:

- [Approving an Asset for Publishing](#)
- [Checking an Asset's Approval Status](#)

Approving an Asset for Publishing

The following procedure describes how to manually approve an asset for publishing. Before approving an asset for publishing, you should preview it first.

To manually approve an asset for publishing

1. Log in to the site you want to work with.
2. Find and open the asset you want to approve for publishing:
 - **If the asset is currently assigned to you to work on:**
 - a. In the **Tags** tree, click **My Assignments**. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

Content Server displays a list of assets currently assigned to you to work on.
 - b. Navigate to the desired asset and click its name.

Content Server displays the asset's "Inspect" form.
 - **If the asset is not currently assigned to you to work on:**
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see "[Finding Assets](#)," on page 92.
 - b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the "Inspect" form.
3. (Optional) To preview the asset before you approve it for publishing, click **Preview** in the action bar.

Content Server opens a new browser window displaying the asset in its rendered form.

 - If you are satisfied with the way the asset looks, close the preview window and continue to the next step.
 - If you want to make changes to the asset, close the preview window and click **Edit** in the action bar to open the asset's "Edit" form. Make your changes, and click **Save & Close** to save the asset.
4. Click **Publishing** in the section selector.

5. In the **Publishing** section, click **Show** for the destination for which you want to approve the asset.

Note

Note the following:

- You can approve an asset for only one destination at a time; repeat this procedure to approve the asset for additional destinations.
- Consult your administrator to find out where (which destinations) and how (using which publishing method) your content is published on your system.

Content Server displays the asset's details for the selected destination.

Details		Destination	
▼ Hide		FSII Destination (dynamic)	
Approval State:		Needs Approval.	
Last Published:		No publish history found	
Publishing Cycle:		No existing publish event	
		Approve To Publish this asset all dependencies must first be approved.	

6. Click **Approve**. At this point, one of the following happens:
- If the asset has no dependencies, Content Server displays a message confirming the approval of the asset.
 - If the asset has dependencies that are preventing publication, Content Server notifies you of that fact and displays the **Click here to approve dependencies...** link. Do the following:
 - Click the link to display a list of the dependent assets.

Select All Select None					
Select	Name	Description	Type	Modified By	Modified
☐	FSIIAbstract	Abstract	Content_A	admin	Oct 19,2004 09:35 AM
☐	FSII Articles	Articles	Content_P	admin	Nov 2,2004 13:41 PM
☐	FSIIBody	Body	Content_A	admin	Nov 3,2004 10:19 AM
☐	de_DE	de_DE	Dimension	firstsite	Aug 2,2006 16:54 PM
☐	FSIITemplateAttr	TemplateAttr	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIHeadline	Headline	Content_A	admin	Oct 19,2004 09:37 AM
☐	FSIIDescriptionAttr	DescriptionAttr	Content_A	admin	Oct 19,2004 09:36 AM
☐	FSII Article	Article	Content_CD	admin	Oct 19,2004 09:51 AM
☐	FSIISubheadline	Subheadline	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIPostDate	PostDate	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIByline	Byline	Content_A	admin	Oct 19,2004 09:36 AM
☐	FSIINameAttr	NameAttr	Content_A	admin	Oct 19,2004 09:37 AM
☐	FSII FieldCopier	FieldCopier	Content_F	admin	Oct 19,2004 09:41 AM
☐	FSIIAbout	About FirstSiteII	Content_C	firstsite	Aug 23,2005 13:52 PM

- 2) At the top of the list, click **Select All** to select all assets in the list.
- 3) In the action bar, click **Approve Blocking Assets**.

Content Server approves the dependent assets and calculates their dependencies. If any of the dependent assets have their own dependencies, Content Server displays a list of the dependent assets' dependencies; again, click **Select All**, and then click **Approve Blocking Assets**. Continue this process until all dependencies for all assets are approved.

When all dependencies for the original asset are approved, Content Server displays a message confirming the original asset is approved for publishing to the selected destination.

Checking an Asset's Approval Status

To check an asset's approval status

1. Log in to the site you want to work with.
2. Find and open the asset you want to approve for publishing:
 - **If the asset is currently assigned to you to work on:**
 - a) In the **Tags** tree, click **My Assignments**. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)
Content Server displays a list of assets currently assigned to you to work on.
 - b) Navigate to the desired asset and click its name.
Content Server displays the asset's "Inspect" form.
 - **If the asset is not currently assigned to you to work on:**
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see "[Finding Assets](#)," on page 92.
 - b. In the search results list, navigate to the desired asset and click its name.
Content Server displays the asset in the "Inspect" form.
3. Click **Publishing** in the section selector.
4. In the **Publishing** section, click **Show** next to the destination for which you want to check the asset's approval status. Content Server displays the asset's details for the selected destination.

Details	Destination
▼ Hide	FSII Destination (dynamic)
Approval State: Needs Approval	 To Publish this asset all dependencies must first be approved.
Last Published: No publish history found	
Publishing Cycle: No existing publish event	

The form displays the status of the asset for the selected destination. The options available in the form are:

- **Approval State** – describes the asset’s present approval state. For more information, see “[Approval States](#),” on page 159.
- **Last Published** – denotes when the asset was last published to the selected destination.
- **Publishing Cycle** – denotes the publishing session, if one is running, in which the asset is being published.
- **Approve** button – appears only if the asset has not been approved yet. Approves the asset for publishing to the selected destination. If the asset has dependencies preventing publication, the **Click here to approve dependencies...** link appears when you click **Approve**.
- **Unapprove** button – appears only if the asset has already been approved. Removes the asset from the publishing queue for the selected destination. When you use this function, all assets that depend on this asset (that is, the asset’s parents) are removed from the publishing queue as well.
- **Click here to approve dependencies...** link – clicking this link displays the asset’s dependencies which are preventing the asset’s publication:

Select All Select None					
Select	Name	Description	Type	Modified By	Modified
☐	FSIIAbstract	Abstract	Content_A	admin	Oct 19,2004 09:35 AM
☐	FSII Articles	Articles	Content_P	admin	Nov 2,2004 13:41 PM
☐	FSIIBody	Body	Content_A	admin	Nov 3,2004 10:19 AM
☐	de_DE	de_DE	Dimension	firstsite	Aug 2,2006 16:54 PM
☐	FSIITemplateAttr	TemplateAttr	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIHeadline	Headline	Content_A	admin	Oct 19,2004 09:37 AM
☐	FSIIDescriptionAttr	DescriptionAttr	Content_A	admin	Oct 19,2004 09:36 AM
☐	FSII Article	Article	Content_CD	admin	Oct 19,2004 09:51 AM
☐	FSIISubheadline	Subheadline	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIPostDate	PostDate	Content_A	admin	Oct 19,2004 09:38 AM
☐	FSIIByline	Byline	Content_A	admin	Oct 19,2004 09:36 AM
☐	FSIINameAttr	NameAttr	Content_A	admin	Oct 19,2004 09:37 AM
☐	FSII FieldCopier	FieldCopier	Content_F	admin	Oct 19,2004 09:41 AM
☐	FSIIAbout	About FirstSiteII	Content_C	firstsite	Aug 23,2005 13:52 PM

Click **Select All** and then click **Approve Blocking Assets** to approve the asset’s dependencies. If any of the dependent assets have their own dependencies, Content Server displays a list of the dependent assets’ dependencies; again, click **Select All**, and then click **Approve Blocking Assets**. Continue this process until all dependencies for all assets are approved.

Approval States

The following table lists the approval states that can appear in the **Approval State** field in an asset's publishing details form for a destination, what the states mean, and the action to take, as appropriate:

State	Meaning
Approved	(Informational) This asset will be published during the next publishing session to this destination, unless the asset, or one of its dependent assets (in Exact dependencies), is edited.
Published	(Informational) An asset with an exact dependency has been published to this destination.
Checked Out	(Action may be required) The asset is checked out under revision tracking. Although approved, it cannot be published until revision tracking relinquishes control in one of the following ways: • Checkin - the asset must be reapproved. • Undo Checkout - the asset remains approved and can be published. • Rollback - the asset must be reapproved.
Changed	(Action required) The asset must be reapproved. Click Approve to initiate the approval process.
Held	(Action required) The asset will be held until the dependents are approved. Click the Click here to approve dependencies... link to view and approve the dependents.
Needs Approval	(Action required) The asset must be approved. Click Approve to initiate the approval process.

Removing Assets from the Publishing Queue

If you decide that an asset that has already been approved for publishing (but not yet published) to a given destination should not be published to that destination, you can **unapprove** it. When you unapprove an asset, Content Server removes it from the publishing queue for the destination and changes its status to “Held.”

If the asset is a child of one or more assets present in the publishing queue, Content Server removes the parent assets from the publishing queue for the destination and changes their approval states to “Held.”

To remove an asset from the publishing queue

1. Log in to the site you want to work with.
2. Find and open the asset which you want to unapprove:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)
 - For more information on finding assets, see [“Finding Assets,” on page 92](#).
 - b. In the search results list, navigate to the desired asset and click its name.
- Content Server displays the asset in the “Inspect” form.
3. Click **Publishing** in the section selector.
- Content Server displays the **Publishing** section of the asset form.
4. In the form, select the destination for which you want to unapprove the asset.
- Content Server displays the asset’s details for the selected destination.
5. Click **Unapprove**.
- Content Server removes the asset from the publishing queue and changes its approval state to “Held.” If the asset is a child of one or more assets present in the publishing queue, Content Server removes the parent assets from the queue and changes their approval states to “Held.”

Chapter 9

Workflow

Most web sites are produced by a team of people in which different individuals assemble content, edit and review it, decide what goes where and when to update the pages. Work flows from one person to the next in a predictable way, and that process is called **workflow**.

This chapter presents a brief overview of workflow concepts followed by procedures on how to perform specific tasks related to workflow. It includes the following sections:

- [Overview](#)
- [Sample Workflow](#)
- [Managing Your Workload](#)
- [Using Workflow Functions](#)

Overview

The following sections describe basic workflow concepts and terminology.

Note

In addition to the functionality described in this chapter, Content Server provides the following workflow functionality through the Advanced interface:

- **Workflow groups** – allow you to manage a defined set of assets in a coordinated manner that allows those assets to reach the end of the workflow process together, prior to publishing.
- **Workflow reports** – allow you to track the progression of assets and user assignments in workflow.

For information on workflow groups and reports, see the *Content Server Advanced Interface User's Guide*.

Workflow and Assets

Assets can (but do not have to) be assigned to a **workflow**. A workflow routes an asset through a series of editorial tasks (states) by assigning the tasks to the appropriate users at the appropriate times. Either specific assets or all assets of a certain type can be assigned to a workflow.

Depending on how your site is configured, assets might be assigned to a workflow either automatically (for example, when you create a new asset) or manually. The workflow system lets Content Server direct and track the assignment of assets to users and specifies what users can do with those assets through permissions.

The flow of the editorial tasks performed on the asset, as well as who is authorized to perform those tasks at each point in the workflow is defined by a **workflow process**. The workflow administrator can define as many workflow processes per asset type as needed.

Note

During workflow, the asset is not electronically transferred from one person to the next. What is transferred is permissions to the asset. The asset itself remains in its original location in the database throughout the workflow process and throughout its lifetime in Content Server.

States and Steps

A workflow process defines a series of **states**. A state is a point in the workflow process that represents the status of the asset at that point, for example, “Ready to Edit” or “Ready for Approval.”

States are linked together in a specific order by **steps**. A step is the movement of the asset between states. Because creating workflow steps links workflow states in a specific order, creating steps in a workflow process is what organizes the process. In each step, the asset goes from a start (“from”) state to an end (“to”) state. When creating the workflow process, the administrator defines the states and links them via the appropriate steps.

Steps and states have names; for example, in the FirstSite II sample site, “Send for Approval” is a step originating from the “Ready to Edit” state and resulting in the “Ready for Approval” state. An asset can move from one state to another via more than one step. For example, an asset that is ready for approval can be rejected because of factual errors or stylistic problems, each type of rejection having its own step.

Assets are assigned to users by role. As an asset progresses through the workflow, each step assigns it to users holding roles authorized to work on the asset in the next state. For each step, there is at least one role authorized to complete work on an asset and allow it to continue moving through the workflow. In certain cases, a user holding the appropriate role can choose between steps; for example, a user holding the Approver role can either approve or reject an asset assigned to him/her for approval.

When you log in to Content Server, the “Quick Info” pane provides a summary of your present workload, from which you can access a list of your assignments. (You can also see this list by selecting the **My Assignments** tag in the **Tags** tree.) When your work on the asset is complete, you use the **Finish Assignment** function to invoke the next step in the workflow; the workflow process then moves the asset to the next state and assigns the asset to the appropriate users. Note that a step can be conditional; that is, certain users or all users can be prevented from taking a step until some condition is met.

Users, Roles, and Participants

A **user** in Content Server is a person who is assigned a Content Server user name which he/she uses to identify him/herself and to log in to the system. What a user can or cannot do is determined by the role (or roles) assigned to that user by the administrator.

A **role** describes and determines the function(s) of a user in a CM site by granting him/her permissions to perform specific functions; in the context of workflow, these permissions are called **function privileges**.

The workflow process grants roles (not individual users) the appropriate function privileges. The function privileges are enforced only when an asset has been assigned to a workflow. Function privileges depend not only on the user’s role, but also on the state of the asset and whether or not the asset has been assigned to the user.

Note

Because function privileges are granted to a user through his/her role(s), they function independently of the access permissions assigned by the administrator at the user level.

For example, a user might not normally have the permission to edit “Content” assets, but he/she can have the function privilege to do so if he/she has the Editor role, is participating in a workflow process for “Content” assets, and the asset he/she wants to edit is in the appropriate workflow state.

Each role required by a particular workflow state in a workflow process is a participating role. Participating roles are chosen for each state in a workflow process by the administrator. Each user whose assigned role(s) match those required by that workflow state is therefore a **participant** for that state in the workflow process and is authorized to take the workflow step leading from that state to the next state.

Unless the administrator decides otherwise, assets placed in workflow are assigned to all available participants for a given role. You can, however, limit which users can work with

a particular asset by choosing the desired assignees from among the participants available in each participating role.

An **assignee** is a workflow participant chosen to work on a specific assignment. The ability to choose assignees is granted to specific roles, as defined in the workflow process. Assignees are set when an asset is assigned to a workflow, but can also be changed when an asset is already in a workflow process. When choosing assignees, you select at least one user for each role.

When assignees are set for a given asset in the workflow, only the chosen assignees will see the asset in their assignment lists, and only they will have to complete the assignment before the workflow process changes the state of the asset.

Workflow Assignments

An assignment is an asset that a chosen participant (an assignee) is (or is supposed to be) working on. An asset appears on the participant's assignment list as soon as the asset enters a state for which the participant has a role to fulfill.

A typical workflow design generates an e-mail notification when you are given a workflow assignment. You can see an updated list of your assignments at any time by selecting the **My Assignments** tag in the **Tags** tree.

Assignment Duration

Each workflow state has an associated estimated time to completion (deadline) for an assignment. If the administrator has granted you the appropriate permission, you can override the default estimate for the next assignment.

As the assignment deadline nears, associated assignment actions in the form of e-mail notifications can be triggered as timed events relative to the estimated time to completion. For example:

- You receive a reminder the day before your assignment is due.
- You and the workflow initiator receive a warning the day the assignment is due.
- The initiator receives notification the day after the due date that the assignment has not been completed.

Voting Your Assignments

If you participate in workflow, you have a vote. **Voting** means taking a workflow step that moves the asset from its current state to the next, after you have completed the task required by the current workflow state (such as editing an article) and committed the changes to the CS database (saved the asset), if applicable. You cast your vote by using the **Finish Assignment** function (available in the action bar of the “Inspect” form when the **Workflow** section is selected). If more than one participant with a given role has the assignment, either one, or all of them must vote before the asset moves to the next state, depending on how the workflow was set up by the administrator.

Depending on your role in the workflow process, the **Finish Assignment** function can give you a choice of steps to take; for example, if you are an approver and your current assignment is to either approve an asset for publishing or reject it, you can use the **Finish Assignment** function to invoke either a step that approves the asset for publishing, or a step that rejects it due to factual error, depending on your choice. When you vote, the asset moves to the next workflow state unless the step you chose is in disagreement with the step chosen by other assignees with the same role as you.

If, for some reason, you are unable to complete your assignment, you can **abstain from voting**, as long as yours is not the last (or only) vote for that particular role and/or step. When you abstain, you still have the assignment, but the asset can continue through workflow. If you change your mind, you can reverse your abstention by voting again (using the **Finish Assignment** function), as long as the asset has not already moved to the next state.

Delegating Your Assignments

Another way of handling an assignment is to **delegate** it to another participant holding the same role as you, assuming the asset you are delegating is not already assigned to that person for the current workflow state.

Your function privileges (set by the administrator) determine whether you can delegate your assignments. Also, the administrator can delegate assignments on your and other assignees' behalf, if necessary.

Delegating an assignment can trigger associated **delegate actions** in the form of e-mail notifications. For example:

- The recipient of the new assignment is notified.
- The workflow administrator is notified of the assignment delegation.

Deadlocks

An asset moves from one state to the next when assignees cast their votes (that is, take a step) using the **Finish Assignment** function. When defining the workflow process, the administrator decides whether each step is **all-voting**, that is, whether all assignees must vote (take the step) for the asset to move to the next state. By default, steps are not all-voting, which means that the first assignee to vote in a given workflow state determines the flow of the asset, and the assignments for the remaining assignees for that workflow state are cancelled. If the administrator set the step to be all-voting, the asset is held in its current workflow state until all assignees have voted, at which time the asset moves to the next state.

If there is a choice of steps and each step is all-voting, the potential for a deadlock exists. A deadlock occurs when all of the assignees must vote, and the voting is not unanimous on which step to take. A workflow process typically includes a **deadlock action** to generate e-mail notifications to all assignees, showing the vote tally and advising all assignees to vote again in favor of the majority. Deadlocks cause additional work for all the users involved, and should be avoided whenever possible. They should also be resolved as quickly as possible so that the flow of work is not hindered.


Sample Workflow

The FirstSite II sample site includes six sample workflow processes which guide assets of different types from creation to approval for publishing. The sample workflows are simple, transitioning through three states via five possible steps, but they serve to illustrate how a workflow process works. This section is based on the FSII: Approval for Content sample workflow process included in the FirstSite II sample site.

The FSII: Approval for Content sample workflow process has three roles participating: Author, Editor, and Approver. Each role has only a single participant (your organization will most likely have more complex processes, with several users participating in each role). A participant from any of the four roles can create a new “Content” asset, which automatically assigns it to the FSII: Approval for Content workflow. By creating the asset, workflow is initiated. The asset then moves from author to editor to approver. The approver can either approve or reject the asset. If the approver rejects the asset, it goes back to the editor.

Sample Workflow States and Steps

The FirstSite II sample site includes a sample workflow process called FSII: Approval for Content. The flow of the process is shown in the following diagram:



The steps and states from this workflow process are described in the following table:

Table 5: States and Steps

Asset in State...	Step	Description	Asset Moves to State...
none	Create	A user with the ContentAuthor role creates a “Content” asset, which automatically assigns it to the FSII: Approval for Content workflow.	Ready to Edit
Ready to Edit	Send for Approval	A user with the ContentEditor role receives e-mail notification of the assignment. The editor revises the asset to complete the assignment.	Ready for Approval

Table 5: States and Steps (*continued*)

Asset in State...	Step	Description	Asset Moves to State...
Ready for Approval	Reject	A user with the Approver role receives an e-mail notification of the assignment. The approver completes the assignment by rejecting the asset because of factual errors. The rejection triggers a notice to the editor, who must make some corrections and resubmit the asset for approval.	Ready to Edit
	Approve and Lock	The approver completes the assignments by approving the asset. The asset is flagged in the CS database as “ready to publish” for selected destinations.	Approved and Locked
Approved and Locked	Return for Edit	The workflow administrator reviews the asset and determines the content needs to be updated with additional information. The workflow administrator then uses the Finish Assignment function to return the asset to the editor for revision.	Ready to Edit

Sample Workflow Scenario

This section describes the typical flow of a “Content” asset through the FSII: Approval for Content workflow process.

1. The author creates the asset and writes the content

The process starts when Conrad the author creates the “Content” asset. Since the “Content” asset type in the FirstSite II sample site is configured to automatically place each new “Content” asset in workflow, Conrad’s asset is automatically placed into the FSII: Approval for Content workflow process. Conrad writes the content and saves the “Content” asset.

When Conrad saves the asset, the workflow process automatically changes the state of the asset to “Ready to Edit,” assigns it to Connie the editor, and sends Connie an e-mail notice about the new assignment.

2. The editor edits the asset and sends it for approval

Connie the editor logs in, checks her assignment list, and opens the “Content” asset for editing. She reads the content and fixes some punctuation. When done, Connie saves her changes and uses the **Finish Assignment** function to send the asset on for approval.

The workflow process changes the state of the asset to “Ready for Approval,” assigns it to Napoleon the approver, and sends Napoleon an e-mail notice about his new assignment.

3. The approver approves the asset

Napoleon the approver is already logged in, so when he receives his e-mail, he runs the **My Assignments** tag to display his assignment list. Napoleon opens the newly assigned “Content” asset and examines it. It looks fine, so he uses the **Finish Assignment** function. Because Napoleon can either approve or reject the asset, the workflow process presents both options to him.

Note

If two or more users with the same role have the same assignment in a given workflow state, the first vote cast determines the next state for the asset.

For example, if the FSII: Approval for Content workflow process included two approver users who both had a vote when approving the asset for publishing, a rejection by either of them would cancel the assignment of the other person and return the asset to the editor.

Your administrator might set up a workflow in which a disagreement like this causes a deadlock (see “[Deadlocks](#),” on page 165) that has to be resolved before the asset is returned to the previous state or moved to the next one.

The workflow process changes the state of the asset to “Approved and Locked,” and flags it in the database as “ready to publish.” The asset will be published to the online site during the next publishing session.

4. The workflow administrator returns the asset to the editor

When new information becomes available, it has to be added to the asset. When that happens, the workflow administrator uses the **Finish Assignment** function to return the asset to Connie for review and updating.

The workflow process automatically changes the state of the asset to “Ready to Edit,” assigns it to Connie the editor, and sends Connie an e-mail notice about the new assignment.

When Connie finishes her assignment, the updated asset will need to be re-approved before it can be re-published to the online site.

Managing Your Workload

When completing your workflow assignments, you can use the following functionality to manage your workload:

- [Viewing Your Assignments](#) – see a list of your current assignments and their status
- [Using Workflow Functions](#) – see a list of the assignments you have given to other users, and the status of those assignments

Viewing Your Assignments

You can access your assignment list by running the **My Assignments** tag, or using the “Quick Info” pane.

Note

As you work in the interface, new assignments might be given to you, and you may complete some of your current assignments, causing your assignment list to change. Check your assignment list periodically to make sure you stay up to date with your assignments.

To view a list of your workflow assignments

1. Log in to the site you want to work with.
2. Do one of the following:
 - In the **Tags** tree, click **My Assignments**. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
 - If the “Quick Info” pane is displayed, click **Assignments**.

Quick Info	
My Roles	View
Assignments	8
Checkouts	0
Last Item Edited	Parent1 / May 15,2007 13:31 PM
Tasks I have Assigned	5
Last Time Logged In	May 15,2007 13:10 PM

Content Server displays a list of your pending workflow assignments.

Select All		Select None				
Select	Name	Description	Type	Due	Locale	Workflow state
☐	FSIIHome	Home	Page		en_US	FSII: Ready to Edit
☐	Home (de)	Home (de)	Page		de_DE	FSII: Ready to Edit
☐	FSII DVD VCR Combo (DE)	Double Feature DVD/VCR Combination Deck, Black Universal Remote Control Included	FSII Product (Product_C)	May 21,2007 10:00 AM	de_DE	FSII: Ready to Edit
☐	Ungefähr FirstSiteII	Ungefähr FirstSiteII	FSII Article (Content_C)		de_DE	FSII: Ready to Edit
☐	Home (es)	Home (es)	Page		es_ES	FSII: Ready to Edit
☐	Home (fr)	Page Principale	Page		fr_FR	FSII: Ready to Edit

3. Click an asset's name to open it in the “Inspect” form.

Using Workflow Functions

The following subsections describe the workflow functions you use in the Dash interface. These functions are available in the action bar of the “Inspect” form when you select the **Workflow** section of the form. Depending on your function privileges, not all of the described functions might be available to you.

This section describes the following topics:

- [Assigning an Asset to a Workflow](#)
- [Setting a Process Deadline](#)
- [Setting an Assignment Deadline](#)
- [Finishing Your Assignments](#)
- [Delegating Your Assignments](#)
- [Abstaining from Voting](#)
- [Resolving Deadlocks](#)
- [Removing an Asset from Workflow](#)
- [Viewing an Asset's Participant \(Assignee\) List](#)
- [Setting Workflow Participants](#)
- [Examining the Workflow Progress of an Asset](#)

Assigning an Asset to a Workflow

An asset can be assigned to a workflow either automatically or manually.

Automatic workflow assignment is set up by the administrator for selected asset types. When you create a new asset of such type, the asset is automatically placed in the workflow process assigned to that asset type. Consult your administrator to find out which asset types are set up for automatic workflow assignment.

Manual workflow assignment is available to users with appropriate permissions, assuming a workflow process is assigned to the selected asset type.

To manually assign an asset to a workflow

Note

Before an asset can be assigned to a workflow, the administrator must first assign one or more workflow processes to the asset type of the asset in question; otherwise, the option to assign the asset to a workflow is not available. Consult your administrator to find out which workflow processes are available to which asset types on your system.

1. Log in to the site you want to work with.
2. Find and open the asset you want to place in workflow:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.

- If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on searching, see “[Finding Assets](#),” on page 92.

- In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.

- Click **Workflow** in the section selector.
- In the action bar, choose **Select Workflow** from the “Select a Workflow Command...” drop-down list.

Content Server displays the “Select Workflow Process” form:

- Select a workflow process from the “Workflow Process” drop-down list.
- (Optional) In the **First Action to Take** field, enter brief instructions for the person receiving the assignment.
- Click **Next**.
- (Optional) If the administrator enabled the selection of assignees for this assignment, Content Server displays the “Assign Users to Workflow” screen:

In such case, select at least one user for each role, then click **Start Workflow**.

Content Server displays the asset's workflow summary, showing the new workflow assignment in the "Status" list.

Workflow process:

FSII: Approval for Products

Workflow state:

FSII: Ready to Edit

Status:

Action to Take ▲	Assigned to	Assigned by	Assigned date	Step Chosen	Task Status
Fast-track this one!	Rose(ProductEditor)	firstsite	May 18,2007 15:12 PM	-	active

Workflow history:

Action Taken ▲	Assigned to	Assigned date	Resolution Date	Resolved by	Task Status
----------------	-------------	---------------	-----------------	-------------	-------------

At this point, the asset is in workflow; participants with roles required by the next state typically receive e-mail notifications of their assignments.

Setting a Process Deadline

A process deadline is the overall time allotted for an asset to pass through a workflow process. By default, no process deadline is set. This deadline is independent of the assignment deadline described later in this section; that is, the total of the individual assignment deadlines does not necessarily add up to a process deadline.

Note

Deadlines are informational only — the system does not impose any sort of penalty or issue error messages when a deadline is exceeded.

Before you can set a process deadline, the workflow administrator must first have done the following:

- Allowed a process deadline to be set for this workflow process.
- Assigned you a workflow administrator role for the workflow process, or otherwise provided you with the right function privileges.

The option to set a process deadline is available only if both of the above conditions are met. Contact your administrator to find out if you have the appropriate privileges and whether setting a process deadline is enabled for the workflow process in question.

To set a process deadline

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to set a process deadline:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.

- If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on searching, see “[Finding Assets](#),” on page 92.

- In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.

- Click **Workflow** in the section selector.
- In the action bar, choose **Set Process Deadline** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Set Process Deadline** function in the drop-down list, stop here. The function was not enabled by the administrator or you do not have the right permissions to access it.

Content Server displays the “Set Process Deadline” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Set Process Deadline Set Process Deadline Finish Assignment Save Cancel

* Sections with required fields Required field

Content *
Metadata
Relations
Versions
Marketing
Workflow
Publishing
Sharing

Workflow process:
FSII: Approval for Products

Asset Type:
Product

Current Process Deadline:
Not Set

Set Process Deadline:

☒ Use default
☐ Due

00:00:00

- Select the **Due** radio button and enter a time and date in the prescribed format.

When setting a process deadline, you should consider where the asset is in the workflow process, and the cumulative time of the remaining steps. The default is to have no process deadline.

- Click **Save**.

Content Server redisplay the asset’s workflow summary.

Setting an Assignment Deadline

An assignment deadline is the time allotted to the assignee to complete an assignment as an asset advances through workflow. This deadline is independent of the process deadline described earlier in this section; that is, the total of the individual assignment deadlines does not necessarily add up to a process deadline.

Note

Deadlines are informational only — the system does not impose any sort of penalty or issue error messages when a deadline is exceeded.

Before you can set an assignment deadline, the workflow administrator must first have done the following:

- Allowed an assignment deadline to be set for this workflow state.
- Assigned you a workflow administrator role for the workflow process, or otherwise provided you with the right function privileges.

The option to set the assignment deadline is available only if both of these conditions are met. Contact your administrator to find out if you have the appropriate privileges and whether an assignment deadline is allowed for the workflow state in question.

To set an assignment deadline

Note

This procedure describes how to set an assignment deadline from an asset's "Inspect" form. You can also set an assignment deadline when you complete an assignment for an asset. In such case, the "Finish My Assignment" form will include a **Set Assignment Deadline** field.

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to set an assignment deadline:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree in the navigation pane. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on searching, see "[Finding Assets](#)," on page 92.
 - b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the "Inspect" form.
3. Click **Workflow** in the section selector.

4. In the action bar, choose **Set Assignment Deadline** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Set Assignment Deadline** function in the drop-down list, stop here. The function was not enabled by the administrator or you do not have the right permissions to access it.

Content Server displays the “Set Assignment Deadline” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Set Assignment Deadline Set Assignment Deadline Finish Assignment Save Cancel

* Sections with required fields Required field

☐ Content *

☐ Metadata

☐ Relations

☐ Versions

☐ Marketing

☒ Workflow

☐ Publishing

☐ Sharing

Workflow process:
FSII: Approval for Products

Workflow state:
FSII: Ready to Edit

Asset Type:
Product

Current Assignment Deadline:
Not Set

Set Assignment Deadline:

☒ Use default

☐ Due

5. Enter a date in the prescribed format. The default assignment deadline is set by the administrator in the workflow state definition. For example, in the FSII: Approval for Content sample workflow, each state has a duration of one year from the current date and time.
6. Click **Save**.

Content Server redisplay the asset’s workflow summary.

Finishing Your Assignments

After you complete your work for an assignment, you need to notify the system that you are finished so the asset can continue to move through the workflow.

To finish your assignment for an asset

1. Log in to the site you want to work with.
2. Open the asset in the “Inspect” form by doing one of the following:
 - **If you are currently working on the asset in the “Edit” form:**
 - a. Review your work and click **Save & Close** to save the asset.
Content Server displays the asset in the “Inspect” form.
 - b. Proceed to [step 3](#) of this procedure.
 - **If you have already completed your work and saved the asset:**
 - a. In the **Tags** tree, select **My Assignments**. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)
Content Server displays a list of assets currently assigned to you to work on.
 - b. Navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
 - c. Proceed to [step 3](#) of this procedure.
3. Click **Workflow** in the section selector.
4. In the action bar, click **Finish Assignment**.

Content Server displays the “Finish My Assignment” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Finish My Assignment Select a Workflow Command... Next Cancel

* Sections with required fields Required field

☐ Content *
☐ Metadata
☐ Relations
☒ Versions
☐ Marketing
☒ Workflow
☐ Publishing
☐ Sharing

Workflow Process Name:
FSII: Approval for Products

Workflow State Name:
FSII: Ready to Edit

Assigned User Role:
ProductEditor

Choose the Step and State For Finish Assignment:
Send for Approval -> FSII: Ready for Approval

Action Taken:

Action to Take:

Set Assignment Deadline

☒ Use default
☐ Due 00:00:00

5. Complete the form as follows:

Note

You can cancel this procedure at any time by clicking **Cancel** in the action bar.

- a. (Optional) If you hold multiple participant roles in the workflow process, select the role for which you are finishing this assignment.
- b. Select the next step for the asset.
- c. (Optional) In the **Action Taken** field, enter a short description of the work you completed on the asset.
- d. (Optional) In the **Action to Take** field, enter a short suggestion for the next person who will work with the asset.
- e. (Optional) If setting the assignment deadline is enabled for the next step you chose to take, the **Set Assignment Deadline** field appears in the “Finish Assignment...” form.

If you want to override the time allotted for the next assignment, use the **Set Assignment Deadline** field to enter a date in the prescribed format. If you do not enter a specific date, the assignment is due within the time determined by the next workflow state.

Note

This feature appears only if enabled by the workflow administrator.

To set the assignment deadline, you must hold an administrative role in the workflow process or otherwise have the right privileges. For more information, see “[Setting an Assignment Deadline](#),” on page 174.

6. Click **Save**.

7. (Optional) If the administrator has set up the workflow process in a way that requires you to choose assignees for the next step when you finish your assignment, Content Server displays the “Assign Users to Workflow” form:

In such case, select at least one user for each displayed role, then click **Save**.

Content Server redisplay the asset’s workflow summary, showing the changes. The action taken is visible in the “Workflow History” list. The action to take is visible in the “Status” field.

Workflow process:

FSII: Approval for Products

Workflow state:

FSII: Ready for Approval

Status:

Action to Take ▲	Assigned to	Assigned by	Assigned date	Step Chosen	Task Status
Approve for publishing.	Napoleon(Approver)	Rose	May 18,2007 15:37 PM	-	active

Workflow history:

Action Taken ▲	Assigned to	Assigned date	Resolution Date	Resolved by	Task Status
Checked it, looks great.	Rose(ProductEditor)	May 18,2007 15:12 PM	May 18,2007 15:37 PM	Rose	completed

What happens after you complete your assignment depends on the way the administrator set up the next workflow step. There are five possible options:

- **Assign From a List of Participants** — when you (or another user with the appropriate privileges) assign an asset to a workflow, you have the option to decide which participants in each role get the assignment when the asset enters a workflow state requiring those roles. This is the default mechanism for moving an asset through a workflow.
- **Choose Assignees When Step is Taken** — this option, described in [step 7](#), is similar to the “Assign From a List of Participants” option described earlier, but instead of predetermining at the beginning of the workflow who will get the assignment during which workflow state(s), you choose assignees for the next workflow state in real-time each time you take a step.
- **Retain “From” State Assignees** — you keep the assignment as the asset moves to the next state; this allows you to continue working on the asset in that state. You probably know why it is appropriate for you to keep the assignment, but if you do not, ask your CS or workflow administrator.
- **Assign To Everyone** — the asset is assigned to all users holding roles participating in the current workflow process.
- **No Assignments** — as the asset moves to the next state, it remains in the workflow so that function privileges defined for the workflow process are enforced. However, the asset is assigned to no one and participant roles alone (through their assigned function privileges) determine who can work on the asset, and how.

Delegating Your Assignments

As you review your assignment list, you might find that you will be unable to complete certain assignments. For example, you might notice that an assignment’s due date falls during your scheduled vacation time. In such situations, you can delegate your assignment to another user who has the same role as you, assuming that the user does not already have an identical assignment for the asset; that is, if both you and another user have the Editor role, you cannot delegate the asset to the other user if he/she already has the asset assigned

through the Editor role. (The asset can still be assigned to the user through a different role or another workflow process.)

To delegate an assignment

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to delegate your assignment:
 - a. (Optional) If the **Tags** tree in the navigation pane is collapsed, click the **Tags** bar to expand it.
 - b. In the **Tags** tree, click **My Assignments**.
Content Server displays a list of assets assigned to you to work on.
 - c. Navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
3. Select **Workflow** in the section selector.
4. In the action bar, select **Delegate Assignment** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Delegate Assignment** function in the drop-down list, stop here. You do not have the right permissions to access the function or there are no other users in your role to whom you can delegate your assignment.

Content Server displays the “Delegate Workflow Assignment” screen.

Product (FSII Product): FSII DVD VCR Combo (DE)

Delegate Assignment | Delegate Assignment | Finish Assignment | Save | Cancel

* Sections with required fields Required field

Content *
Metadata
Relations
Versions
Marketing
Workflow
Publishing
Sharing

Workflow process:
FSII: Approval for Products

Workflow state:
FSII: Ready for Approval

Assigned to:
Napoleon (Approver)

Delegate to:
firstsite

Action Taken:

5. (Optional) If you hold multiple participant roles in the workflow process, use the “Assigned to” drop-down list to select the role for which you are delegating this assignment.

6. Select the user to whom you want to delegate the assignment. Optionally, enter a comment about your action.
7. Click **Save**.

Content Server displays the asset's workflow summary. The delegation is denoted in the "Workflow History" list, and the new assignee is displayed in the "Status" field. This action also triggers a notification e-mail to the new assignee, assuming your site is configured to do so.

Abstaining from Voting

Sometimes, you are unable to deal with a particular assignment: your workload is too heavy, or perhaps you have been miscast in your role. In such situations, you can abstain from voting (that is, waive your participation), as long as yours is not the last (or only) vote for that particular role and/or step. When you abstain, you still have the assignment, but the asset can continue through workflow.

To abstain from voting on an assignment

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to abstain from voting:
 - a. (Optional) If the **Tags** tree in the navigation pane is collapsed, click the **Tags** bar to expand it.
 - b. In the **Tags** tree, click **My Assignments**.
Content Server displays a list of assets assigned to you to work on.
 - c. Navigate to the desired asset and click its name.
Content Server displays the asset in the "Inspect" form.
3. Select **Workflow** in the section selector.
4. In the action bar, select **Abstain From Voting** from the "Select a Workflow Command..." drop-down list.

Note

If you do not see the **Abstain From Voting** function in the drop-down list, stop here. You do not have the right permissions to access it or you are the only (or the only remaining) participant in your current role. In this case, you must find some other means of dealing with your assignment.

Content Server displays the “Abstain From Voting” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Abstain from Voting Abstain from Voting Finish Assignment Save Cancel

* Sections with required fields Required field

Content *
Metadata
Relations
Versions
Marketing
Workflow
Publishing
Sharing

Workflow process:
FSII: Approval for Products

Workflow state:
FSII: Ready to Edit

Currently Assigned to:

Role	User
ProductEditor	firstsite,Rose

Please pick a role to abstain from voting.

☒ ProductEditor

Action Taken:

5. (Optional) If you hold multiple participant roles in the workflow process, select the role for which you are abstaining from voting on this assignment.
6. Enter a brief explanation for your abstention and click **Save**.

Content Server displays the asset’s workflow summary. The abstention is denoted in the “Workflow History” list. Keep in mind that abstaining does not cancel your assignment.

Resolving Deadlocks

A deadlock can occur when there is a choice of steps to move the asset to the next state, and each step requires all assignees to vote. If the vote is not unanimous in favor of a single step, there is a deadlock.

Frequently, resolving deadlocks involves offline communication and negotiation among assignees to achieve consensus; as such, deadlocks cause additional work for everyone involved and should be avoided whenever possible. If a deadlock occurs, it should be resolved as quickly as possible so that the flow of work suffers minimal delay.

To resolve a deadlock, certain participants must change their votes to achieve unanimity. If you receive an e-mail notification that your vote is the one causing the deadlock, you must vote again to break the deadlock.

To resolve a deadlock, do one of the following:

- Use the **Finish Assignment** function to vote again on your assignment.
- In some cases, you can also resolve the deadlock by changing your vote to an abstention, which clears the way for the asset to move to the next workflow state (see “[Abstaining from Voting](#),” on page 180).

Removing an Asset from Workflow

You can remove an asset from workflow assuming you have the permissions to do so. When you remove an asset from workflow, all assignments for the asset are cancelled.

To remove an asset from workflow

1. Log in to the site you want to work with.
2. Find the asset you want to remove from workflow:
 - If the asset is currently assigned to you, select **My Assignments** in the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
Content Server displays a list of assets currently assigned to you to work on.
 - If the asset is not currently assigned to you, enter search criteria identifying the asset into the **Search** field in the top bar, and click **Search**.
Content Server displays a list of assets matching the criteria you specified.
For more information on searching, see “[Finding Assets](#),” on page 92.
3. In the list of assets, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
4. Click **Workflow** in the section selector.
5. In the action bar, choose **Remove from Workflow** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Remove from Workflow** function in the drop-down list, stop here. You do not have the right permissions to access the function. Contact your CS administrator if you have questions about your permissions.

Content Server displays the “Remove from Workflow” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Remove from Workflow Remove from Workflow Finish Assignment Save Cancel

* Sections with required fields Required field

☐ Content *
☐ Metadata
☐ Relations
☒ Versions
☐ Marketing
☐ Workflow
☐ Publishing
☐ Sharing

Workflow process:
FSII: Approval for Products

Workflow state:
FSII: Ready to Edit

Currently Assigned to:

Role	User Name
ProductEditor	firstsite,Rose

6. If you are sure you want to remove the asset from workflow, click **Save**. (Otherwise, click **Cancel**.)

Content Server redisplay the asset’s workflow summary, denoting the removal. All assignments for the asset are automatically cancelled.

Viewing an Asset's Participant (Assignee) List

To examine an asset's participant (assignee) list

1. Log in to the site you want to work with.
2. Find the asset whose participant list you want to view:
 - If the asset is currently assigned to you, select **My Assignments** in the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
Content Server displays a list of assets currently assigned to you to work on.
 - If the asset is not currently assigned to you, enter search criteria identifying the asset into the **Search** field in the top bar, and click **Search**.
Content Server displays a list of assets matching the criteria you specified.
For more information on searching, see “[Finding Assets](#),” on page 92.
3. In the list of assets, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
4. Select **Workflow** in the section selector.
5. In the action bar, select **Show Participants** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Show Participants** function in the drop-down list, stop here. The administrator has not enabled the function or you do not have the right permissions to access it.

Content Server displays the “Show Participants” summary for the asset:

Product (FSII Product): FSII DVD VCR Combo (DE)

Show Participants Show Participants Finish Assignment Done

* Sections with required fields Required field

☐ Content *
☐ Metadata
☐ Relations
☒ Versions
☐ Marketing
☒ Workflow
☐ Publishing
☐ Sharing

Workflow process:
FSII: Approval for Products

Workflow state:
FSII: Ready for Approval

Participants:

Step Name ▲	Users Authorized	Users Notified
Approve and Lock	firstsite, fwadmin, Napoleon	No Users.
Create	firstsite, fwadmin, Mark	Rose, firstsite, fwadmin, Mary
Reject	firstsite, fwadmin, Napoleon	Rose, firstsite, fwadmin, Mary
Return for Edit	firstsite, fwadmin, Napoleon	Rose, firstsite, fwadmin, Mary
Send for Approval	Rose, firstsite, fwadmin, Mary	firstsite, fwadmin, Napoleon

For each step in the workflow process, the “Show Participants” summary displays the following:

- The authorized users – those who are authorized to take the next step using the **Finish Assignment** function when they hold the assignment for the asset.
 - The notified users – those who will get the next assignment for the asset.
6. When you are finished viewing the list, click **Done** in the action bar to return to the asset's workflow summary.

Setting Workflow Participants

Once you have placed an asset in a workflow and chosen the assignees for each role in the workflow process, you might find that you forgot to include a certain user as an assignee for a particular role. Or perhaps you realized that you gave the assignment to a certain user by mistake. In such cases, you can modify the list of participants for an asset while the asset is in workflow.

To set workflow participants

1. Log in to the site you want to work with.
2. Find and open the asset for which you want to set participants:
 - If the asset is currently assigned to you, select **My Assignments** in the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
Content Server displays a list of assets currently assigned to you to work on.
 - If the asset is not currently assigned to you, enter search criteria identifying the asset into the **Search** field in the top bar, and click **Search**.
Content Server displays a list of assets matching the criteria you specified.
For more information on searching, see “[Finding Assets](#),” on page 92.
3. In the list of assets, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
4. Select **Workflow** in the section selector.
5. In the action bar, select **Set Participants** from the “Select a Workflow Command...” drop-down list.

Note

If you do not see the **Set Participants** function in the drop-down list, stop here. The administrator has not enabled the function or you do not have the right permissions to access it.

Content Server displays the “Set Participants” form:

Product (FSII Product): FSII DVD VCR Combo (DE)

Set Participants Set Participants Save Cancel

* Sections with required fields Required field

Content *
Metadata
Relations
Versions
Marketing
Workflow
Publishing
Sharing

Workflow process: FSII: Approval for Products

Participants:

- Approver (3 users(s))
 - ☐ Napoleon
 - ☐ firstsite
 - ☐ fwadmin
- ProductAuthor (3 users(s))
- ProductEditor (4 users(s))

Each participant you select in this form becomes an assignee in the respective role(s) for this asset.

6. Choose the desired assignees for this assignment by selecting the check boxes next to their user names in each of the role lists. To expand a role list, click on the right arrow near the left edge of the list's title bar.
7. When you have selected the desired assignees, click **Save**.

Content Server displays the asset's workflow summary, denoting the newly selected assignees.

Note

The participants list will be updated as you requested, but added users will get the assignment only if the workflow state assigned to their role has not been reached yet.

Examining the Workflow Progress of an Asset

To examine the workflow progress of an asset

1. Log in to the site you want to work with.
2. Find and open the asset whose workflow progress you want to see:
 - If the asset is currently assigned to you, select **My Assignments** in the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
Content Server displays a list of assets currently assigned to you to work on.
 - If the asset is not currently assigned to you, enter search criteria identifying the asset into the **Search** field in the top bar, and click **Search**.
Content Server displays a list of assets matching the criteria you specified.
For more information on searching, see "[Finding Assets](#)," on page 92.
3. In the list of assets, navigate to the desired asset and click its name.
Content Server displays the asset in the "Inspect" form.
4. Select **Workflow** in the section selector. Content Server displays the asset's workflow summary:

Workflow process:

FSII: Approval for Products

Workflow state:

FSII: Ready for Approval

Status:

Action to Take ▲	Assigned to	Assigned by	Assigned date	Step Chosen	Task Status
Publish ASAP.	fwadmin(Approver)	firstsite	May 21,2007 09:16 AM	-	active
Publish ASAP.	Napoleon(Approver)	firstsite	May 21,2007 09:16 AM	-	active

Workflow history:

Action Taken ▲	Assigned to	Assigned date	Resolution Date	Resolved by	Task Status
Checked it, looks great.	Rose(ProductEditor)	May 18,2007 15:12 PM	May 18,2007 15:37 PM	Rose	completed
Looked over, looks good.	firstsite(ProductEditor)	May 18,2007 16:19 PM	May 21,2007 09:16 AM	firstsite	completed
Looks good, approved for publishing.	Napoleon(Approver)	May 18,2007 15:37 PM	May 18,2007 16:01 PM	Napoleon	completed

The workflow summary contains the following information:

- The **Workflow process** field indicates the workflow process which the asset is currently passing through.
- The **Workflow state** field indicates where the asset currently is in the workflow process.
- The “Status” list shows to whom the asset is currently assigned, and the status of each assignment. Each row in the list represents a single assignment. Items are ordered with the most recent assignment at the top of the list.
- The “Workflow history” list shows the assignments completed on the asset so far, and the result of each assignment. Each row in the list represents a single assignment. Items are ordered with the most recently completed assignment at the top of the list.

The following table defines all of the columns in the “Status” and “Workflow history” lists.

Table 6: Workflow summary list columns

Column	Definition
Assigned To	The user name(s) of the assignee(s) for each assignment. Note that the user’s role appears in parentheses following the user name.
Assigned By	The user name of the assignee who finished working with the asset and assigned it to the next participant. In the “Workflow history” list, the very first entry in this column (at the bottom of the list) shows the user name of the person who assigned the asset to the workflow process.
Assigned Date	The date and time the asset was assigned to the user.
Action to Take	Instructions from the user who assigned the asset, assuming that person entered instructions in the “Finish Assignment” form when they finished their assignment (see page 176). “No Comment” appears if no instructions were entered. If the text is longer than the width of the column, click the text to view its entirety.
Step Chosen	The step indicated by the user who completed the assignment, when there is a choice of next step in the “Finish Assignment” form.
	This warning icon appears next to the name of the chosen step in the “Step Chosen” column and denotes a deadlock condition for the workflow state. The deadlock icon appears next to each step involved in the deadlock.
Action Taken	Information about the work this user did with the asset (if information was entered on the form; appears as “No Comment” otherwise). Click to view the full text, if incomplete in this view.
Resolved By	The person whose action moved the asset to the next state.
Resolution Date	The date and time the action was taken to move the asset to the next state.

Table 6: Workflow summary list columns *(continued)*

Column	Definition
Task Status	The status of the assignment. Possible values are as follows: • Abstain - the assignee has abstained from voting. • Active - the asset is currently assigned to someone. • Cancelled - the first vote moved the asset to the next state, so the assignment has been canceled for the other assignees, or the asset has been removed from workflow. • Completed - the assignee has completed the step. • Delegated - the assignment has been delegated to another user in the same role. • Queued - the asset has multiple assignees for the current state, the next step is all-voting, and not everyone has voted yet. (Also appears if the asset is deadlocked.)

Chapter 10

Revision Tracking

Revision tracking is a configurable feature and must be enabled by the CS administrator for the asset types on your sites. Revision tracking allows you to track and control the changes made to your assets.

With revision tracking, you can:

- Enforce that only one person at a time can edit or delete an asset.
- Keep track of past versions of an asset and who created them.
- Restore (roll back) an asset to a previous version.

This chapter describes revision tracking and the procedures used to track assets.

It contains the following sections:

- [Overview](#)
- [Checking Out Assets](#)
- [Examining Your Checkouts](#)
- [Undoing a Checkout](#)
- [Checking In Assets](#)
- [Examining Revision History](#)
- [Reverting to a Previous Version \(Rollback\)](#)

Note

In the FirstSite II sample site, revision tracking is not enabled by default.

Contact your administrator if you have any questions or concerns about revision tracking as it applies to you.

Overview

Revision tracking allows you to check out, or lock, assets. When you check out an asset, no one else can edit or delete it. When you are finished working with the asset, you check it back in. The asset is then again available for modification by other users. An asset that is checked out to you, however, can still be viewed and searched for by other users, as well as retrieved by queries or collections.

When revision tracking is enabled, you control access to an asset by checking it out and back in. You can either check assets out and back in manually, or let Content Server handle the process automatically.

Manual Checkout and Checkin

When manual checkout is enabled, the following commands control access to assets:

- **Check out.** Only one user can check out an asset at any given time. If other users try to check the asset out or modify it, CS informs them that the asset is unavailable.

If an asset is assigned to you in a workflow, and you have checked out the asset, then you cannot finish your assignment until you check the asset back in.

An asset that is checked out cannot be approved for publishing until it is checked in.

- **Undo Checkout.** If you check out an asset and then decide that you do not want to save the changes you have made to it, cancel or “undo” the checkout. In this case, the asset is simply unlocked and no new version is saved.
- **Check in.** You check in assets that you have checked out. After the asset is checked in, others can work with it, and if the asset is assigned to you in a workflow, you can finish your assignment.

When you check in an asset that you have checked out, a record is made of the checkin, and a copy of the last saved version of the asset is preserved (the number of versions kept is set by the administrator).

Another option is to check in the asset so that you have an archived version but to keep it checked out. This option enables you to store a version but keeps the asset available to you alone.

Automatic Checkout and Checkin

If you try to edit, delete, or assign a workflow process to an asset that is not already checked out, CS checks it out to you automatically. When you save the edited asset, CS checks it back in automatically and saves the new version. (When you manually check out an asset, edit it, and then save it, the new version is not saved until you manually check the asset back in.) Therefore, if the situation requires it, you can choose to bypass the step of manually checking out and checking in an asset and rely on the automatic revision tracking feature instead.

When to Use Automatic Checkout

Be sure that you rely on automatic checkout only when it is appropriate to do so. For example, if you are going to make one simple change to an asset, you can use automatic checkout. However, if you are making extensive revisions, you should not use automatic checkout for the following reasons:

- The volume of revisions that could be saved (depending on your configuration)

- Overwriting a version of the asset you might need later

When an asset is automatically checked out to you, CS saves an official, archived version of the asset each time you click **Save & Close**. Therefore, if you make several changes to an asset—saving and inspecting each change separately—CS checks in a version of the asset at each save. Depending on the number of versions CS is configured by the administrator to store, you might overwrite older versions that you wanted to keep with the automatically checked-in versions.

Releasing Locked Assets

Because automatic checkout is in effect when revision tracking is enabled, you might accidentally check out an asset while you work in Content Server’s interface. This locks the asset and prevents other users from working with it. To make sure that you are not stopping other people from working with assets that you have inadvertently checked out, review the assets checked out to you by viewing your “My Checkouts” list and check in (or, if you do not want to commit your changes to the database, undo the checkout of) any assets that you do not need.

Functions That Use Automatic Checkout and Checkin

The following table describes asset management functions that check assets out or in automatically:

Command	Effect on Revision Control
Create	As soon as you open a “Create New Asset Type” form, the asset is checked out to you and a SYSTEM version is stored. This version has no content. When you save the asset, another (second) version is stored.
Edit	Checks out the asset and prohibits other users from editing or deleting it.
Save & Close	Checks in the asset, but only if it was checked out automatically.
Copy	Checks out a new copy of the asset. The source asset is not checked out during the copy operation. The new copy behaves as if you created a new asset as described above in the “Create” function column. The only difference is that there is more data included in the copied version. The copied asset is displayed in an “Edit” form. When the asset is saved, a second version of the asset is created.
Delete	Checks out the asset. When the user confirms the deletion, CS checks the asset back in.
Rollback	Clicking Rollback checks out the asset, then immediately checks it back in.

Rollback and Revision History

When you check in an asset that you have checked out, CS stores a new version of the asset and adds it to a list of previous versions (assuming the administrator allowed the storage of multiple versions). You can later restore the asset to one of those previous versions and you can examine the asset's revision history.

- **Rollback** means restoring the asset to a previous version. When you have an asset checked out, you can roll it back to any previous version. Rollback restores the contents of the asset, but does not reset its status (created, edited, received, and so forth) as of the previous version, nor does it affect workflow status. If the asset is part of a workflow, anyone who has the appropriate permissions can restore it to a previous version.
- **Revision History.** You or any user can list and examine the revision history of an asset. The revision history also shows who, if anyone, currently has the asset checked out. You can tell whether a version was created by an automatic or manual checkout by looking at the comment section of the revision history. Versions created through automatic checkout will be automatically commented by Content Server with "Version created by *function name*." Versions created through manual checkout will either have comments entered by the users who edited the asset at the time or have no comments at all if the user who edited the asset at the time chose not to enter any.



The screenshot shows a 'Rollback' button with a circular arrow icon. Below it is a table with five columns: 'Select', 'Versions', 'Date', 'User', and 'Comments'. The table lists five versions of an asset. Version 5 is selected with a radio button. Arrows point from the 'Comments' column to two text labels on the right: 'Versions created through automatic checkout.' pointing to version 5, and 'Versions created through manual checkout.' pointing to versions 3 and 4.

Select	Versions	Date	User	Comments
☒	5	May 18,2007 14:28 PM	firstsite	Version created by Rollback
☐	4	May 18,2007 14:27 PM	firstsite	Version created by Edit
☐	3	May 18,2007 14:11 PM	firstsite	Fixed troublesome phrasing.
☐	2	May 18,2007 14:08 PM	firstsite	Fixed punctuation.
☐	1	May 18,2007 13:20 PM	SYSTEM	

Checking Out Assets

This section shows you how to check out an asset.

To check out an asset

1. Log in to the site you want to work with.
2. Find and open the asset you want to check out:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see “[Finding Assets](#),” on page 92.

- b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.


3. In the action bar, click **Check Out**.



Note

Note the following:

- If you do not see the **Check Out** button in the asset’s “Inspect” form, revision tracking for that asset type is not enabled on your site.
- If the asset is already checked out to another user, the **Check Out** button is replaced by a message denoting such fact:



Content Server checks the asset out to you and displays a confirmation message in the action bar:



Examining Your Checkouts

To view a list of assets currently checked out to you, perform the following steps:

To view a list of assets currently checked out to you

1. Log in to the site you want to work with.
2. Do one of the following:
 - In the navigation pane, select **My Checkouts** from the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
 - If the “Quick Info” pane is displayed, click **Checkouts**.

Quick Info	
My Roles	View
Assignments	8
Checkouts	0
Last Item Edited	Parent1 / May 15,2007 13:31 PM
Tasks I have Assigned	5
Last Time Logged In	May 15,2007 13:10 PM

Content Server displays a list of assets currently checked out to you.

3. (Optional) If you want to open an asset, click its name in the list.

Content Server displays the asset in the “Inspect” form.

Undoing a Checkout

This section shows you how to undo the checkout of an asset.

To undo the checkout of an asset

1. Log in to the site you want to work with.
2. Find the asset for which you want to undo the checkout and open it:
 - a. In the navigation pane, select **My Checkouts** from the **Tags** tree. (If the **Tags** tree is collapsed, click the **Tags** bar to expand it.)
Content Server displays a list of assets presently checked out to you.
 - b. In the list of assets, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.
3. In the action bar, click **Undo Checkout**.



Content Server undoes the checkout of the asset and redisplay the asset in the “Inspect” form.

Checking In Assets

To check in an asset

1. Log in to the site you want to work with.
2. (Optional) If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.
3. In the **Tags** tree, select **My Checkouts**.
Content Server displays a list of assets presently checked out to you.
4. Click the name of the asset you want to check back in.
Content Server displays the asset in the “Inspect” form.
5. In the action bar, click **Check In**.
The action bar displays the following:

6. (Optional) In the **Comment** field, enter comments or instructions that pertain to the version that you are checking in. The comments you enter here are displayed in the asset’s revision history.
7. (Optional) If you want to back up the asset but need to continue working on it, select the **Keep Checked Out** box.
8. Click **Check In**.
Content Server checks the asset in to the database and redisplay the “Inspect” form.

Examining Revision History

To examine an asset’s revision history

1. Log in to the site you want to work with.
2. Find the asset whose revision history you want to view and open it:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)For more information on finding assets, see “[Finding Assets](#),” on page 92.
 - b. In the search results list, navigate to the desired asset and click its name.
Content Server displays the asset in the “Inspect” form.

3. Switch to the **Versions** section of the form.

Note

If the **Versions** section in the section selector is unavailable (greyed out), stop here. Revision tracking is not enabled for the asset type, or you do not have the permissions to view the **Versions** section of the form. If you have questions about revision tracking or your permissions, contact your CS administrator.

Content Server displays the asset's revision history:



Select	Versions	Date	User	Comments
☒	5	May 18,2007 14:28 PM	firstsite	Version created by Rollback
☐	4	May 18,2007 14:27 PM	firstsite	Version created by Edit
☐	3	May 18,2007 14:11 PM	firstsite	Fixed troublesome phrasing.
☐	2	May 18,2007 14:08 PM	firstsite	Fixed punctuation.
☐	1	May 18,2007 13:20 PM	SYSTEM	

Reverting to a Previous Version (Rollback)

This section shows you how to roll an asset back to a previous version.

To roll back an asset

1. Log in to the site you want to work with.
2. Find the asset you want to roll back to a previous version and open it:
 - a. Do one of the following:
 - In the **Search** field in the top bar, enter search criteria identifying the asset and click **Search**.
 - If you previously added the asset to a tag, select the tag that contains the asset in the **Tags** tree. (If the **Tags** tree is collapsed, expand it by clicking the **Tags** bar.)

For more information on finding assets, see [“Finding Assets,” on page 92](#).
 - b. In the search results list, navigate to the desired asset and click its name.

Content Server displays the asset in the “Inspect” form.
3. Switch to the **Versions** section of the form.

Note

If the **Versions** section in the section selector is unavailable (greyed out), stop here. Revision tracking is not enabled for the asset type, or you do not have the permissions to view the **Versions** section of the form. If you have questions about revision tracking or your permissions, contact your CS administrator.

Content Server displays the asset's revision history:



Select	Versions	Date	User	Comments
☒	5	May 18,2007 14:28 PM	firstsite	Version created by Rollback
☐	4	May 18,2007 14:27 PM	firstsite	Version created by Edit
☐	3	May 18,2007 14:11 PM	firstsite	Fixed troublesome phrasing.
☐	2	May 18,2007 14:08 PM	firstsite	Fixed punctuation.
☐	1	May 18,2007 13:20 PM	SYSTEM	

Note

If the asset is already checked out to another user, you cannot roll it back to a previous version. In such cases, Content Server displays a message informing you of this situation. To roll the asset back, wait until the user working on it finishes his/her work and checks the asset back in.

4. In the **Select** column, select the version of the asset you want to roll back to.
5. Click **Rollback**.

Content Server rolls the asset back to the version you selected and redisplay the "Inspect" form.

Note

Note that rolling back an asset creates another version of it. Versions created by the rollback function are marked as such in the **Comments** column.

Appendices

This part contains the following appendix:

- [Appendix A, “The Flex Asset Model”](#)

Appendix A

The Flex Asset Model

As a content provider, you do not need to understand all of the details of the flex asset model. The purpose of this appendix is to help you develop a general understanding of this data model and how it relates to you as a content provider.

This appendix contains the following section:

- [Overview of the Flex Asset Model](#)

Overview of the Flex Asset Model

As mentioned in [Chapter 1, “Overview,”](#) Content Server developers use two asset data models to create asset types and define how asset data is stored in the Content Server database: the basic asset model and the flex asset model.

The flex asset model is more complex than the basic asset model. Unlike basic assets, where the information for one instance of an asset is stored in one row of a database table, the information for one instance of a flex asset is stored in multiple database tables.

Whereas basic asset types are standalone asset types, flex asset types are composed of families of asset types. The members of a flex family are:

- flex attribute type (required)
- flex asset type (required)
- flex definition (required)
- flex parent (required)
- flex parent definition (required)
- flex filter type (optional)

The members of a flex family form an asset inheritance tree, where child assets inherit various attributes from their parents.

As a content provider, you will not directly work with all of the members of the flex family. In fact, you will mainly be working with flex assets, which are the key members of flex families (all of the other members of a flex family contribute to the flex asset in some way). If you have the appropriate permissions, you may also be responsible for creating new flex attributes, which are characteristics of flex assets.

Index of Procedures

To log in to the Dash interface	40
To access assets using the site plan tree	52
To access assets using the asset tree	53
To switch to another site	54
To access the Advanced interface from the top bar.	54
To create a new asset.	67
To create a new asset by copying an existing asset.	70
To edit an asset in the Dash interface	74
To associate an image asset with a parent asset using the Image Picker.	79
To compose graphics using the Online Image Editor	82
To compose Flash content.	85
To enter a date into a field using the Date Picker	87
To delete a single asset	88
To delete multiple assets at once.	89
To search for an asset	94
To create a new tag	97
To add assets to a tag.	97
To run a tag	97
To remove assets from a tag	98
To rename a tag	98
To delete a tag	99
To set or change an asset's locale designation	104
To create a translation of an asset	105
To check whether a specific translation of an asset exists	108
To compare two language versions of an asset	110
To change the master asset of a multilingual set.	112
To preview an asset	116
To add or replace content on a page using the InSite interface.	122

To remove content from a page using the InSite interface	125
To position content on a page using the InSite interface.	125
To search for assets from within the InSite interface	127
To finish a workflow assignment using the InSite interface	128
To obtain an InSite URL for an asset	130
To associate an asset with another asset	133
To disassociate an asset from another asset.	135
To place a page on the online site	136
To reposition a page within the site hierarchy.	139
To unplace a page on the online site	141
To insert an internal link into a text field of an asset	143
To embed the contents of an asset into another asset	144
To share an asset to another site	146
To rate an asset for one or more segments	147
To create a List mode Static Lists recommendation	148
To edit a List Mode Static Lists recommendation.	151
To manually approve an asset for publishing	155
To check an asset's approval status.	157
To remove an asset from the publishing queue.	160
To view a list of your workflow assignments	169
To manually assign an asset to a workflow.	170
To set a process deadline.	172
To set an assignment deadline.	174
To finish your assignment for an asset	176
To delegate an assignment.	179
To abstain from voting on an assignment	180
To remove an asset from workflow.	182
To examine an asset's participant (assignee) list	183
To set workflow participants.	184
To examine the workflow progress of an asset	185
To check out an asset.	193
To view a list of assets currently checked out to you	194
To undo the checkout of an asset.	194
To check in an asset.	195
To examine an asset's revision history	195
To roll back an asset	196

Index

A

- Abstain from voting form 181
- Action Taken field (workflow) 129, 177
- Action to Take field (workflow) 129, 177
- approval
 - dependencies 30, 154
 - status 159
- approving assets
 - for publishing 30, 154
 - procedure 155
- asset types
 - page 25, 28
- assets
 - approving 30, 154
 - associating 133
 - checking in 190, 195
 - checking out 190, 193
 - deleting 88
 - dependencies 30, 154
 - disassociating 135
 - editing 74
 - embedding an internal link 143
 - examining revision history 195
 - examining workflow progress 185
 - finding 92
 - organizing 96
 - participants list 183
 - permissions to work with 28
 - previewing 116
 - rating for segments 147
 - relationships 132
 - removing from workflow 182
 - rolling back 196
 - sharing 146
 - undoing checkout 194
 - viewing participant/assignee list 183
 - workflow variations 162
- assignments
 - abstaining from voting 165
 - canceled 165
 - delegating 165, 179
 - due by 164
 - finishing 176
 - in workflow 31
 - keeping 178
 - queued 165
 - viewing 164
 - voting 164
- assignments list 164
- associations
 - assets 30
 - named 132
 - unnamed 133
- automatic checkout or checkin 190

B

- basic assets
 - dependencies 154
 - description 26

C

- check in

- definition 190
- performing 195
- check out
 - definition 190
 - performing 193
- checkins
 - automatic 190
- checkouts
 - automatic 190
- completing assignments 176
- Content Server Desktop
 - client software 73, 76
 - creating Word assets 73
 - editing Word assets 76
 - online Help 73, 76
- Content Server DocLink
 - client software 73, 76
 - creating file assets 73
 - editing file assets 76
 - online Help 73, 76
- creating
 - assets 66
- CS-Desktop, *See* Content Server Desktop
- CS-DocLink, *See* Content Server DocLink

D

- deadlines
 - workflow assignment 174
 - workflow process 172
- deadlocks
 - definition 165
 - resolving 181
- deleting
 - assets 88
- dependencies
 - basic assets 154
 - flex assets 154
 - publishing 30
 - resolving 157
- design assets 25
- document asset
 - definition 24

E

- editing
 - assets 74

- e-mail notifications
 - deadlocks 165
 - delegated assignments 165, 180
 - workflow assignments 164
- embedded links
 - inclusion 143, 144
 - internal 143
 - types 142

F

- FCKEditor 77
- Flash
 - composing content 85
- flex assets
 - dependencies 154
 - description 26
- forms
 - Abstain from voting 181
 - login 40

I

- ImagePicker 79
- In Segment
 - column 147
- InSite Interface 114
 - accessing 115
 - editing assets 119
 - finishing workflow assignments 128
 - InSite URL of an asset 130
 - managing page content 121
 - searching for assets 127

K

- keeping workflow assignments 178

L

- locale
 - setting 104

M

- master asset
 - changing 112
- Microsoft Word
 - See also* Content Server Desktop

- creating assets 66, 73
- modifying assets 66, 76
- multilingual assets 102

N

- no segment ratings apply field 147
- Normal Article Process sample workflow 154, 166

O

- Online Image Editor
 - composing images 82
- Out of Segment
 - column 147

P

- page assets
 - as a core asset type 25, 28
- participants
 - definition 163
 - setting 184
 - viewing 183
- permissions
 - approving for publishing 154
 - granted to roles 31, 163
 - sharing assets 146
 - working with assets 28
- publishing
 - dependencies 30
 - resolving dependencies 157
- publishing approval
 - automated 168

R

- Rating column (flex asset form) 147
- resolving deadlocks 165, 181
- resolving dependencies 157
- reverting to a previous version 196
- revision history 192, 195
- revision tracking
 - automatic checkout or checkin 190
 - check in 32, 190, 195
 - check out 32, 190, 193

- checking in assets 195
- examining checkouts 194
- examining revision history 195
- revision history 192, 195
- rollback 32, 192, 196
- rolling back assets 196
- show versions 195
- undo checkout 32, 190, 194
- undoing checkout 194

- roles

- workflow 163
- rollback 192, 196

S

- sample workflow 154, 166
- searching for assets 94
- selecting
 - site on login 42
- sharing
 - assets 146
- sites
 - selecting on login 42
- states
 - sample workflow 166
 - workflow 163
- Status form 159
- steps
 - sample workflow 166
 - workflow 163
- structured content asset
 - definition 24

T

- tags
 - adding assets to 97
 - creating 97
 - deleting 99
 - removing assets from 98
 - renaming 98
 - running 97
 - types 96
- translations
 - comparing 110
 - creating 105
 - examining existing 108

U

undo checkout 190, 194

users

and roles 163

V

voting

deadlocks 165

revoting to resolve deadlocks 181

W

Windows applications

creating assets 73

Word, *See* Microsoft Word, Content Server

Desktop

workflow

abstaining from voting 180

assigning assets to 170

assignments 31, 164

completing assignments 176

definition 31

delegating assignments 178, 179

keeping assignments 178

overview 162

participants 163

permissions 28, 163

removing assets 182

resolving deadlocks 181

roles 31

sample 166

setting assignment deadline 174

setting participants 184

setting process deadline 172

states 163, 166

steps 163, 166

task status 187

viewing assignment list 169

viewing participants 183