

MSPKS_PROCESS_MT101 Package

Extensible Hook Details

12.3

December 2016

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_ASSIGN_INTO_CPG/5/2	1
2. FN_ASSIGN_INTO_CPG/8/1	1
3. FN_ASSIGN_INTO_CPG_KERNEL/7/1	2
4. FN_INSERT_INTO_CPG/5/1	2
5. FN_SET_LO_DATA_TABLE_101/6/2	3
6. FN_SET_LO_DATA_TABLE_101/9/1	3
7. FN_VALIDATE_MT101/4/2	4
8. FN_VALIDATE_MT101/7/1	4
9. FN_VALIDATE_MT101_KERNEL/6/1	5
10. FN_VALIDATE_MT101_KERNEL/6/2	5

Parameter	Description
Function	FN_ASSIGN_INT0_CPG
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ASSIGN_INT0_CPG
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg(),
Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg(), All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	15964413

Parameter	Description
Function	FN_ASSIGN_INT0_CPG
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ASSIGN_INT0_CPG
Additional parameters	l_skip_kernel, l_skip_precluster, l_skip_postcluster
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg()
Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg() All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	15964413

Parameter	Description
Function	FN_ASSIGN_INT0_CPG_KERNEL
No of Parameters	7

Function Call Id	1
Cluster/Custom Function Name	FN_ASSIGN_INTO_CPG
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg_kernel(), to assign value into variable cpg table type ends.
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_assign_into_cpg_kernel(), to assign value into variable cpg table type ends.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24472132

Parameter	Description
Function	FN_INSERT_INTO_CPG
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_INSERT_INTO_CPG
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_insert_into_cpg(), to populate data into main table ends.
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_insert_into_cpg(), to populate data into main table ends.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24472132

Parameter	Description
Function	FN_SET_LO_DATA_TABLE_101
No of Parameters	6
Function Call Id	2

Cluster/Custom Function Name	FN_POST_SET_LO_DATA_TABLE_101
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_set_lo_data_table_101()
Description	<p>Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_set_lo_data_table_101()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	15964413

Parameter	Description
Function	FN_SET_LO_DATA_TABLE_101
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SET_LO_DATA_TABLE_101
Additional parameters	l_skip_kernel, l_skip_precluster, l_skip_postcluster
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_set_lo_data_table_101()
Description	<p>Standard hooks provided in package MSPKS_PROCESS_MT101 in function fn_set_lo_data_table_101()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	15964413

Parameter	Description
Function	FN_VALIDATE_MT101
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_POST_VALIDATE_MT101
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101(), for CCBFCC00404 enhancement.
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101(), for CCBFCC00404 enhancement.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	15964413

Parameter	Description
Function	FN_VALIDATE_MT101
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_VALIDATE_MT101
Additional parameters	l_skip_kernel, l_skip_precluster, l_skip_postcluster
Sent to Extensible layer	
Received from Extensible layer	
Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101(), for CCBFCC00404 enhancement.
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101(), for CCBFCC00404 enhancement.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	15964413

Parameter	Description
Function	FN_VALIDATE_MT101_KERNEL
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_MT101
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None

Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101_kernel(), to skip the client agreement validation.
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101_kernel(), to skip the client agreement validation.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24472132

Parameter	Description
Function	FN_VALIDATE_MT101_KERNEL
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_VALIDATE_MT101
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101_kernel(), to provide Out of box agreement facility before charge account validation (FT-101-08) and Instructing Party validation (FT-101-09).
Description	<p>Hooks provided in package MSPKS_PROCESS_MT101 in function fn_validate_mt101_kernel(), to provide Out of box agreement facility before charge account validation (FT-101-08) and Instructing Party validation (FT-101-09).</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23655994