

CLPKS_SCHEDULES Package

Extensible Hook Details

14.3

May 2019

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_ADD_A_SCHEDULE/4/1	1
2. FN_APPLY_AMT_ACCRUED/0/1	1
3. FN_APPLY_AMT_ACCRUED/0/2	2
4. FN_COMPUTE_SCHEDULE_DATES/16/1	2
5. FN_GEN_CREATE_SCHEDULE/6/1	3
6. FN_GEN_CREATE_SCHEDULE/6/1	4
7. FN_GEN_SHIFT_SCHEDULES/5/1	4
8. FN_GET_FINAL_SCHEDULE_DATE/12/1	5
9. FN_GET_NEXT_SCHEDULE_DATE/3/1	5
10. FN_GET_NEXT_SCHEDULE_DATE/5/4	6

Parameter	Description
Function	FN_ADD_A_SCHEDULE
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_POST_ADD_A_SCHEDULE
Additional parameters	l_fn_call_id l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_ADD_A_SCHEDULE(), System to support installment status change movement STSH (Status Change for Schedule) based on Grace period Due Date, new SDE (System Data Element) to be provided for Grace period Due date
Description	Hook is provided in FN_ADD_A_SCHEDULE(), System to support installment status change movement STSH (Status Change for Schedule) based on Grace period Due Date, new SDE (System Data Element) to be provided for Grace period Due date All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19465964
Parameter	Description
Function	FN_APPLY_AMT_ACCRUED
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_APPLY_AMT_ACCRUED
Additional parameters	
Sent to Extensible layer	
Received from Extensible layer	
Hook Description	Pre Hook has been provided in function FN_APPLY_AMT_ACCRUED in package clpks_schedules.
Description	Pre Hook has been provided in function FN_APPLY_AMT_ACCRUED in package clpks_schedules. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28737466

Parameter	Description
Function	FN_APPLY_AMT_ACCRUED
No of Parameters	0
Function Call Id	2
Cluster/Custom Function Name	FN_POST_APPLY_AMT_ACCRUED
Additional parameters	
Sent to Extensible layer	
Received from Extensible layer	
Hook Description	Post Hook has been provided in function FN_APPLY_AMT_ACCRUED in package clpks_schedules.
Description	<p>Post Hook has been provided in function FN_APPLY_AMT_ACCRUED in package clpks_schedules.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28737466

Parameter	Description
Function	FN_COMPUTE_SCHEDULE_DATES
No of Parameters	16
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COMPUTE_SCHEDULE_DATES
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_COMPUTE_SCHEDULE_DATES().
Description	<p>Hook is provided in FN_COMPUTE_SCHEDULE_DATES().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0

Parameter	Description
Function	FN_GEN_CREATE_SCHEDULE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_POST_GEN_CREATE_SCHEDULE

Additional parameters	I_fn_call_id I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided in clpks_schedules. Grace Days maintenance at account level. Allowing the user to override grace days at account level which has defaulted from product. same will be populated at account schedules for all schedule component and using this grace days due date will be calculated.
Description	Hook provided in clpks_schedules. Grace Days maintenance at account level. Allowing the user to override grace days at account level which has defaulted from product. same will be populated at account schedules for all schedule component and using this grace days due date will be calculated. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19133457

Parameter	Description
Function	FN_GEN_CREATE_SCHEDULE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_GEN_CREATE_SCHEDULE
Additional parameters	I_fn_call_id I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided in clpks_schedules(). Grace Days maintenance at account level. Allowing the user to override grace days at account level which has defaulted from product. same will be populated at account schedules for all schedule component and using this grace days due date will be calculated.

Description	<p>Hook provided in clpks_schedules().</p> <p>Grace Days maintenance at account level.</p> <p>Allowing the user to override grace days at account level which has defaulted from product.</p> <p>same will be populated at account schedules for all schedule component and using this grace days due date will be calculated.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19133457

Parameter	Description
Function	FN_GEN_SHIFT_SCHEDULES
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POST_SHIFT_SCHEDULES
Additional parameters	l_fn_call_id l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>Hook provided to schedule maintenance Loan contract and Commitment contract for all component to have new column to show the Grace period Due date which is defaulted from the product based on the number of grace periods maintained for that component.</p> <p>User should have a possibility to change the Grace period Due date for current and future schedules</p>
Description	<p>Hook provided to schedule maintenance Loan contract and Commitment contract for all component to have new column to show the Grace period Due date which is defaulted from the product based on the number of grace periods maintained for that component.</p> <p>User should have a possibility to change the Grace period Due date for current and future schedules</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19641793

Parameter	Description
Function	FN_GET_FINAL_SCHEDULE_DATE
No of Parameters	12
Function Call Id	1

Cluster/Custom Function Name	FN_POST_FINAL_SCHEDULE_DATE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_GET_FINAL_SCHEDULE_DATE().
Description	<p>Hook is provided in FN_GET_FINAL_SCHEDULE_DATE().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0

Parameter	Description
Function	FN_GET_NEXT_SCHEDULE_DATE
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_GET_NEXT_SCHEDULE_DATE
Additional parameters	L_SCHEDULE_DATE l_Fn_Call_Id l_Tb_Cluster_Data p_err_code p_err_param
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard Pre Hook is provided in FN_GET_NEXT_SCHEDULE_DATE().
Description	<p>Standard Pre Hook is provided in FN_GET_NEXT_SCHEDULE_DATE().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0

Parameter	Description
Function	FN_GET_NEXT_SCHEDULE_DATE
No of Parameters	5
Function Call Id	4
Cluster/Custom Function Name	FN_PRE_GET_NEXT_SCHEDULE_DATE

Additional parameters	<code>l_comp_idx,</code> <code>l_frm_type_Flag,</code> <code>l_fn_call_id,</code> <code>L_TB_CLUSTER_DATA</code>
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in <code>FN_GET_NEXT_SCHEDULE_DATE()</code> .
Description	<p>Hook is provided in <code>FN_GET_NEXT_SCHEDULE_DATE()</code>.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24702528