

DEPKS\_RTL\_TELLER Package

**Extensible Hook Details**

Release 14.4.0.1.0

**Part No. F33267-01**

August 2020

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2007, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Contents

1. FN_REVERSE/5/1	1
2. FN_SAVE/5/2	1
3. FN_SAVE/5/3	2
4. FN_SAVE/6/1	2
5. FN_SAVE/8/7	3
6. FN_SAVE/9/3	3
7. FN_TRNSBYFT/5/1	4
8. FN_TRNSBYFT/5/2	4
9. FN_USER_ALLOWED_ACC/5/1	5
10. FN_USER_ALLOWED_ACC/5/2	5
11. FN_VALIDATE/6/1	6
12. FN_VALIDATE/6/2	6
13. FN_VALIDATE/6/3	7
14. FN_VALIDATE/6/4	7
15. FN_VALIDATE/6/10	8
16. PR_BUILD_CHG_ENTRIES/7/1	8
17. PR_BUILD_CHG_ENTRIES/7/2	9
18. PR_BUILD_CHG_ENTRIES/7/3	9
19. PR_SUPERSCRIBE_ARC/6/1	10
20. PR_SUPERSCRIBE_ARC/6/2	10
21. PR_UPDATE_REC/2/1	11

Parameter	Description
Function	FN_REVERSE
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_REVERSE
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to handle inter branch transaction between flexcube and non flexcube systems
Description	<p>Hooks provided to handle inter branch transaction between flexcube and non flexcube systems</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18973148
Parameter	Description
Function	FN_SAVE
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_SAVE
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to overwrite the arc charges with a separate charge maintenance setup.
Description	<p>Hooks provided to overwrite the arc charges with a separate charge maintenance setup.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19793624

Parameter	Description
Function	FN_SAVE
No of Parameters	5
Function Call Id	3

Cluster/Custom Function Name	FN_SAVE
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to overwrite the arc charges with a separate charge maintenance setup.
Description	<p>Hooks provided to overwrite the arc charges with a separate charge maintenance setup.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19793624

Parameter	Description
Function	FN_SAVE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_SAVE
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Inline Hook provided in FN_SAVE() with function call id 1.
Description	<p>Inline Hook provided in FN_SAVE() with function call id 1.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0

Parameter	Description
Function	FN_SAVE
No of Parameters	8
Function Call Id	7
Cluster/Custom Function Name	FN_SAVE
Additional parameters	<p>pkg_arc_row</p> <p>pkg_lcy</p> <p>p_acc_hand</p> <p>I_tb_cluster_data</p>
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hooks provided for enhancement where differentiation between Gain/Loss occurring from the difference between Deal rate & Mid rate should be tracked to the customer/product/account level.
Description	<p>Hooks provided for enhancement where differentiation between Gain/Loss occurring from the difference between Deal rate &amp; Mid rate should be tracked to the customer/product/account level.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23655706

Parameter	Description
Function	FN_SAVE
No of Parameters	9
Function Call Id	3
Cluster/Custom Function Name	FN_SAVE
Additional parameters	pkg_arc_row pkg_lcy g_Txnamt_Flag g_Ofsamt_Flag l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided so that Negotiate rate to be defaulted During save operation
Description	<p>Hooks provided so that Negotiate rate to be defaulted During save operation</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18518527

Parameter	Description
Function	FN_TRNSBYFT
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_TRNSBYFT_PRE
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hooks provided to assign Sender to receiver, Intermediary, receiver correspondent and our correspondent information in l_Ftdtronl.v_istbs_contractis.
Description	<p>Hooks provided to assign Sender to receiver, Intermediary, receiver correspondent and our correspondent information in l_Ftdtronl.v_istbs_contractis.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664551

Parameter	Description
Function	FN_TRNSBYFT
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_TRNSBYFT_POST
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to assign Sender to receiver, Intermediary, receiver correspondent and our correspondent information in l_Ftdtronl.v_istbs_contractis.
Description	<p>Hooks provided to assign Sender to receiver, Intermediary, receiver correspondent and our correspondent information in l_Ftdtronl.v_istbs_contractis.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664551

Parameter	Description
Function	FN_USER_ALLOWED_ACC
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_USER_ALLOWED_ACC
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None

Hook Description	Hooks provided so that validation are relaxed for Teller screens.
Description	<p>Hooks provided so that validation are relaxed for Teller screens.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20013371

Parameter	Description
Function	FN_USER_ALLOWED_ACC
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_USER_ALLOWED_ACC
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to skip call to procedure Pr_Validate_GL
Description	<p>Hooks provided to skip call to procedure Pr_Validate_GL</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23655299

Parameter	Description
Function	FN_VALIDATE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE
Additional parameters	Pkg_Rtl_Teller_Rec l_rate_indicator l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for customization of credit card payment transaction when done from FCDB



Description	<p>Hooks provided for customization of credit card payment transaction when done from FCDB</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17588323

Parameter	Description
Function	FN_VALIDATE
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_VALIDATE
Additional parameters	Pkg_Rtl_Teller_Rec l_rate_indicator l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	l_Tb_Cluster_Data(l_Rate)
Hook Description	Hooks provided to allow user to select deal code for cross currency transactions and default exchange rate from deal rate.
Description	<p>Hooks provided to allow user to select deal code for cross currency transactions and default exchange rate from deal rate.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18481473

Parameter	Description
Function	FN_VALIDATE
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_VALIDATE
Additional parameters	Pkg_Rtl_Teller_Rec l_rate_indicator l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to skip the product allowed for the account validation as the account does not belong to the flexcube system

Description	<p>Hooks provided to skip the product allowed for the account validation as the account does not belong to the flexcube system</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18973148

Parameter	Description
Function	FN_VALIDATE
No of Parameters	6
Function Call Id	4
Cluster/Custom Function Name	FN_VALIDATE
Additional parameters	Pkg_Rtl_Teller_Rec l_rate_indicator l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to skip the validation done for the duplicate check of instrument code in the package depks_rtl_teller
Description	<p>Hooks provided to skip the validation done for the duplicate check of instrument code in the package depks_rtl_teller</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20677720

Parameter	Description
Function	FN_VALIDATE
No of Parameters	6
Function Call Id	10
Cluster/Custom Function Name	FN_VALIDATE
Additional parameters	Pkg_Rtl_Teller_Rec l_rate_indicator l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_VALIDATE().

Description	<p>Hook is provided in FN_VALIDATE().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	PR_BUILD_CHG_ENTRIES
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	PR_BUILD_CHG_ENTRIES
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided to remove all card validations as part of transaction processing and to enhanced fields Such as Transaction Amount, Reconciliation Amount, Billing Amount from 12 digit to 16 digit number
Description	<p>Hooks provided to remove all card validations as part of transaction processing and to enhanced fields Such as Transaction Amount, Reconciliation Amount, Billing Amount from 12 digit to 16 digit number</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18456524

Parameter	Description
Function	PR_BUILD_CHG_ENTRIES
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	PR_BUILD_CHG_ENTRIES
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	<p>I_Tb_Cluster_Data(Chg_Acc)</p> <p>I_Tb_Cluster_Data(Chg_Acc_Brn)</p> <p>I_Tb_Cluster_Data(Chg_Acc_Ccy)</p>
Received from Extensible layer	<p>I_Tb_Cluster_Data(Chg_Acc)</p> <p>I_Tb_Cluster_Data(Chg_Acc_Brn)</p> <p>I_Tb_Cluster_Data(Chg_Acc_Ccy)</p>
Hook Description	Hook is provided in PR_BUILD_CHG_ENTRIES().

Description	<p>Hook is provided in PR_BUILD_CHG_ENTRIES().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	PR_BUILD_CHG_ENTRIES
No of Parameters	7
Function Call Id	3
Cluster/Custom Function Name	PR_BUILD_CHG_ENTRIES
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(j)
Received from Extensible layer	None
Hook Description	Hook is provided in PR_BUILD_CHG_ENTRIES().
Description	<p>Hook is provided in PR_BUILD_CHG_ENTRIES().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	PR_SUPERSCRIBE_ARC
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	PR_SUPERSCRIBE_ARC
Additional parameters	Pkg_Rtl_Teller_Rec Pkg_Prod.Rate_Code_Preferred I_tb_cluster_data p_Err_Code p_Err_Param
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for customization of credit card payment transaction when done from FCDB

Description	<p>Hooks provided for customization of credit card payment transaction when done from FCDB</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17588323

Parameter	Description
Function	PR_SUPERSCRIBE_ARC
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	PR_SUPERSCRIBE_ARC
Additional parameters	Pkg_Rtl_Teller_Rec Pkg_Prod.Rate_Code_Preferred l_tb_cluster_data p_Err_Code p_Err_Param
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for maintenance of Cash Deposit Fee Waiver
Description	<p>Hooks provided for maintenance of Cash Deposit Fee Waiver</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20242054

Parameter	Description
Function	PR_UPDATE_REC
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	PR_UPDATE_REC
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(trn_ref_no)
Received from Extensible layer	None
Hook Description	<p>Hooks provided for maintenance of denomination wise variance for a given currency against another currency.</p>

Description	<p>Hooks provided for maintenance of denomination wise variance for a given currency against another currency.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20670200