

Oracle® Financial Services Data Governance for North America Regulatory Reporting

Installation Guide

Release 8.1.2.11.0

September 2026

G48681-02

ORACLE
Financial Services

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Table of Contents

- 1 About the Guide 4**
 - 1.1 Intended Audience.....4
 - 1.2 Documentation Accessibility.....4
 - 1.3 Access to Oracle Support.....4
 - 1.4 Related Resources.....4
 - 1.5 Conventions4
- 2 OFS DGUSRR Application Pack Release 6**
 - 2.1 Prerequisites.....6
 - 2.2 Pre-installation.....6
 - 2.3 Installing this Release.....6
- 3 Post-installation Configuration 9**
 - 3.1 Publishing the Regulatory Reporting Reports9
 - 3.2 Changing Batch Ownership for Key Indicator and Account Mapper Batch..... 10
 - 3.3 Populating the PMF Batch Task Details..... 10
 - 3.4 Merging and Updating Key Indicators 11
 - 3.5 Configuring Process Monitoring Runs and Tasks OFS REG REP USFED 11
 - 3.6 Configuring Process Monitoring Runs and Tasks OFS REG REP OSFI12
 - 3.7 OBIEE Configuration and Deployment13
 - 3.8 Run Chart for Batch Executions 14

1 About the Guide

This section provides supporting information for the Oracle Financial Services Data Governance for North America Regulatory Reporting (OFS DGUSRR) Application Installation Guide.

1.1 Intended Audience

The OFS DGUSRR Installation Guide is intended for Administrators, Business Users, Strategists, Data Analysts, and Implementation Consultants who are responsible for installing and maintaining the Application Components. This document assumes that you have experience installing Enterprise Components and basic knowledge of the following:

- OFS Data Governance for North America Regulatory Reporting Application Components
- OFSAA Architecture
- UNIX Commands
- Database Concepts
- Web Server or Web Application Server

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.3 Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Related Resources

- OFS Data Governance for North America Regulatory Reporting
- OFS Analytical Applications Infrastructure
- OFSAA Licensing Information User Manual
- OFS Analytical Applications Technology Matrix

1.5 Conventions

The following text conventions are used in this document.

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.

Convention	Meaning
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

2 OFS DGUSRR Application Pack Release

This section covers the instructions to install the OFS DGUSRR Application pack maintenance release 8.1.2.11.0.

2.1 Prerequisites

Ensure that the following prerequisites are installed:

- Oracle Financial Services Data Foundation Application Pack v8.1.2.0.0
- Minimum patch set level must be OFS DGUSRR Release v8.1.2.0.0
- OFS US Fed Regulatory Reporting Release v8.1.2.0.0 (applicable only if you are installing US Fed)
- Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada Applications Pack Release v8.1.2.0.0 (applicable only if you are installing OSFI)
- OFS US Fed Regulatory Reporting Release 8.1.2.11.0 (applicable only if you are installing US Fed)
- Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada Applications Pack Release v8.1.2.11.0 (applicable only if you are installing OSFI)
- Download the Datamodel Patch:
 - OFS DGS 8.1.2.0.0 DATA MODEL ERWIN FILES FOR 2020 R2 VERSION(Patch ID: 35149539)

NOTE

See the OFS Analytical Applications Technology Matrix for the Hardware and Software Requirements.

2.2 Pre-installation

Execute below script in atomic schema after replacing the placeholder ##APP_ID##

[fsi_rr_dg_ds_grain_col_map_osfi.sql](#)

2.3 Installing this Release

To install this release:

1. Log in to [My Oracle Support](#) and search ID **39671947** under the Patches and Updates Tab.
2. Download the OFS_DGS_8.1.2.11.0_GENERIC.zip archive file and copy it to your OFSAA server in Binary Mode.
3. Shut down all the OFSAAI Services.

For more information, see the *Stopping Infrastructure Services* section in the [Oracle Financial Services Data Governance for North America Regulatory Reporting Installation Guide 8.1.2.0.0](#).

4. Login to the OFSAA Server with the user credentials that were used to install OFS DGS.

5. Extract the contents of the patch archive file using the command:

```
unzip -a <name of the file to be extracted>
```

For example: `unzip -a OFS_DGS_8.1.2.11.0_GENERIC.zip`

NOTE

If you notice an error message “unzip: not found [No such file or directory]” before the package is installed, contact your UNIX Administrator.

6. If you already have an unzip utility installed, skip to the next step.

If you do not have an unzip utility, download the unzip utility (OS-specific), and copy it in Binary Mode to the directory that is included in your PATH variable, typically \$HOME Path or the directory in which you have copied the v8.1.2.11.0 ML installer.

Give EXECUTE permission to the file using the following command:

```
chmod 755 appsLibConfig OFS_DGS DataModel
```

7. Modify the `params.conf` file present in the `appsLibConfig/conf` directory and update the following parameters using the instructions.

8. In the `params.conf` file, update the value in the `UPLOAD_MODEL` parameter to 0.

- These properties are required only for one-off patch or extension pack or standalone application.
- Leave these values blank if they are not applicable to your installation.
- Specify the web server type and version
Examples:
 - `WEBSERVER_TYPE=TOMCAT`
 - `WEBSERVER_VERSION=10.1`
 - `WEBSERVER_TYPE=WEBLOGIC`
 - `WEBSERVER_VERSION=14.1.1`
 - `WEBSERVER_TYPE=TOMCAT`
 - `WEBSERVER_VERSION=9.0.109`

9. Give EXECUTE permission to the installer file. Navigate to the `OFS_DGS/bin` directory and execute the following command:

```
chmod -R 755 setup.sh
```

10. Execute the software upgrade command: `./setup.sh SILENT`

Verify that the maintenance level release is applied successfully by checking the following log files generated in the installation folder:

- `OFS_DGS/logs/OFS_DGS_installation.log` for the Oracle Financial Services Data Governance for US Regulatory Reporting installation log file.

11. You can ignore the following errors in the log files:

- ORA-00001

If there are other errors, contact [My Oracle Support](#).

12. After successful installation, follow these steps:

Clear the application cache. Navigate to the following directories depending on the Configured Web Application Server and delete the following files:

- a. Tomcat: <Tomcat installation location>/work/Catalina/localhost/<Application Name>/org/apache/jsp
- b. WebLogic: <WebLogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>/<auto generated folder>/jsp_servlet

13. Delete the existing EAR or WAR file present in the `$FIC_HOME/ficweb` directory.

14. Generate the application EAR or WAR file and redeploy the application on your Configured Web Application Server.

For more information on generating and deploying the EAR or WAR file, see the *Post Installation Configuration* section in the [Oracle Financial Services Data Governance for North America Regulatory Reporting Installation Guide 8.1.2.0.0](#).

15. After the successful installation of the release, restart all OFSAI Services. For more information, see the *Starting or Stopping Infrastructure Services* section in [Oracle Financial Services Data Governance for North America Regulatory Reporting Installation Guide 8.1.2.0.0](#).

3 Post-installation Configuration

On successful installation of the OFS Data Governance for North America Regulatory Reporting, follow these Post-Installation Configuration steps.

- Set the flag ENABLE_EDIT_CHECK marked as Y in FSI_DGS_CONFIGURATION table for validation rules execution.

Module Name	KI
V_Lookup_Code	ENABLE_EDIT_CHECK.
V_Lookup_value	N
V_Lookup_Code_desc	Edit checks Enable/Disable option

- Execute below script in atomic schema after replacing the placeholder ##APP_ID##
[fsi_rr_dg_grain_mapper_map_osfi.sql](#)
- Ensure that the batch: REG_FISCAL_PERIODS_USFED is executed as part of the [US Regulatory Reporting runchart v.8.12.11.0](#)
- Before executing the DGS DQ Control Batch, ensure that you copy the jar files from the following locations:
- For Tomcat:

ficweb path:

<fichome home>/ficweb/webroot/WEB-INF/lib/aai-icc-service.jar

To deploy path:

<fichome home>/ficdb/lib/aai-icc-service.jar

- For Weblogic:

ficweb path:

<fichome home>/ficweb/webroot/WEB-INF/lib/aai-icc-service.jar

To deploy path:

<fichome home>/ficdb/lib/aai-icc-service.jar

3.1 Publishing the Regulatory Reporting Reports

For information, see the Reports Publish section in the following documents:

- [Oracle Financial Services Regulatory Reporting for US Federal Reserve User Guide](#)
- [Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions Canada \(OFS REG REP OSFI\) User Guide](#)

NOTE

- For Open Y reports, users must first perform the Report Publish in the OSFI and USFED application UI. After that, they should click the **Deploy to DGS** button in the Report Mapping UI.
- After every period Report Publish, users should mandatorily perform click the **Deploy to DGS** button in the Report Mapping UI for Open Y Reports and then execute the DGS_RR_KI_CONFIGURATION batch and DGS batches from the run chart.

3.2 Changing Batch Ownership for Key Indicator and Account Mapper Batch

All the Seeded Batches are created with SYSADMN as the owner by default. This needs to be updated with the username of the user who is responsible for the maintenance of the batches. This can be done by executing the below procedure in the Config Schema:

```
begin AAI_OBJECT_ADMIN.TRANSFER_BATCH_OWNERSHIP('fromUser','toUser', 'infodom');end;
```

OR

```
begin AAI_OBJECT_ADMIN.TRANSFER_BATCH_OWNERSHIP('fromuser','touser'); end;
```

where:

- `fromUser` indicates the user who currently owns the batch.
- `toUser` indicates the user to which ownership needs to be transferred.
- `infodom` is an optional parameter.

3.3 Populating the PMF Batch Task Details

This batch populates data for PMF batch task details.

To populate the PMF Batch Task details:

1. From the Financial Services Data Foundation window navigate to **Operations** and select **Batch Maintenance**.
2. Select the batch **DGS_PMF_BATCH_TASK_STATS** and provide the required input parameters `PMFBatchTaskDetails.sh`, `<logged in username>`, `<infodom>`, and `<locale>`. For more details, see the following screenshot.

Figure 3-1 Task Definition

The screenshot shows a 'Task Definition' form. At the top, there's a 'Task ID' field with the value 'Task1' and a 'Description' field with the value 'PMF batch task population for OP Controls'. Below these is a 'Components' dropdown menu showing 'RUN EXECUTABLE'. The 'Dynamic Parameters List' section contains a table with the following data:

Property	Value
Datastore Type	EDW
Datastore Name	DGSCINFO
Primary IP For Runtime Processes	100.76.152.149
Executable	PMFBatchTaskDetails.sh,DGSUSER,DGSCINFO,en_US
Wait	N
Batch Parameter	Y
Optional Parameters	null

At the bottom, the 'Audit Panel' shows 'Created By: DGSUSER', 'Creation Date: 25 apr 2016 06:50:31', 'Last modified by: DGSUSER', and 'Last Modification Date: NaN'.

3. Execute the batch.

3.4 Merging and Updating Key Indicators

Execute the **DGS_RR_KI_CONFIGURATION** batch. This batch does the following tasks:

- Merges the variance and edit checks into the Key Indicators.
- Updates the measure name, map key, and measure key for the Key Indicators available in the system.
- Updates the MDRM work cell to non-work MDRM.
- Updates the Actual Formula for the Key Indicator. This batch generates the report, schedule, and cells required for Key Indicator assessment configurations.

3.5 Configuring Process Monitoring Runs and Tasks OFS REG REP USFED

As a prerequisite, before configuring the runs and tasks, ensure the following:

- Oracle Financial Services Regulatory Reporting for US Federal Reserve (OFS REG REP USFED 8.1.2.0.0 or OFS AGILE RP USFED 8.1.2.0.0) is installed and configured.
- MDB Publish is performed for Oracle Financial Services Regulatory Reporting for US Federal Reserve 8.1.2.0.0.
- Execute the batch POP_DATA_ELEMENTS_DGS.


NOTE

For more details for installing and configuring, see the [Oracle Financial Services Regulatory Reporting for US Federal Reserve Installation Guide](#).

As part of configurations to load the Process Monitoring-related plans, runs, and tasks associated with OFS REG REP USFED install, follow these steps:

1. Login to OFSAAI using a user having permissions for running batches.
2. From the Financial Services Data Foundation window, navigate to **Operations** and select **Batch Execution**.

Figure 3-2 Batch Execution



3. Select the **MIS Date** and execute the batch **Process_Monitoring_Batch**.
4. Check and ensure that the batch is executed successfully.
5. Navigate to the **Process Monitoring** menu under Data Governance application and ensure that the Plans, Runs, and Tasks are displayed for OFS REG REP USFED.

3.6 Configuring Process Monitoring Runs and Tasks OFS REG REP OSFI

As a prerequisite, before configuring the runs and tasks, ensure the following:

- Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada Applications Pack (OFS RR OSFI 8.1.2.0.0) is installed and configured.
- MDB Publish is performed for Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada 8.1.2.0.0.
- Execute the batch POP_DATA_ELEMENTS_FSDF.


NOTE

For more details for installing and configuring, see the [OFS Regulatory Reporting for Office of Superintendent of Financial Institutes Canada Applications Pack Installation Guide](#).

As part of configurations to load the Process Monitoring-related plans, runs, and tasks associated with OFS REG REP OSFI install, follow these steps:

1. Login to OFSAAI using a user having permissions for running batches.
2. From the Financial Services Data Foundation window, navigate to **Operations** and select **Batch Execution**.

Figure 3-3 Batch Execution



3. Select the **MIS Date** and execute the batch **Process_Monitoring_Batch**.
4. Check and ensure that the batch is executed successfully.
5. Navigate to the **Process Monitoring** menu under Data Governance application and ensure that the Plans, Runs, and Tasks are displayed for OFS REG REP OSFI.
6. Execute the following SQL statement in the Atomic schema:

```
Update fsi_app_run_task_lookup set
RUN_ID='1669044749051' where RUN_CODE='OSFI Regulatory
Reporting Run';

commit;
```

3.7 OBIEE Configuration and Deployment

The following OBIEE Configuration files must be updated to change the user's preferred currency:

1. Login to the OBIEE Server.

2. Copy the DGS.catalog and DGS.rpd files from the <FIC_HOME>/DGSBI directory to your local machine and redeploy the DGS.catalog and DGS.rpd files.

DGS adjustment framework operates only with SFTP transfer protocol with Password Authentication.

Navigate to OFSAA UI > Administration > System Configuration > Configure Application **Server**>

Application Server Details, and perform the following actions:

1. Click **Modify** to edit the server configuration.
2. Set the Transfer Protocol to **SFTP**.
3. Set the Authentication Type to **Password Authentication**.
4. Click **Save** to apply the changes.

NOTE

For more information, refer to the [OFS Analytical Applications Infrastructure documentation](#).

3.8 Run Chart for Batch Executions

For Batch Executions, see the [Data Governance Run Chart](#).