

Installer EAR Building
Oracle Banking Corporate Lending
Release 14.6.0.0.0
Part No. F56379-01
[May] [2022]



Table of Contents

1. BUILDING APPLICATION FOR SETUP 1-1

1. Building Application for Setup

The process of building EAR files includes the following steps:

- Obtain the fcubs.properties (Refer *Property File Creation*) file generated by the GUI Installer which is saved in the required path.
- fcubs.properties file will be used for building the ear. This will be created as part of the initial property file creation
- env.properties file parameters gets updated during every property file creation (like FCUBS, Gateway, Scheduler etc). After Property file creation, proceed with respective EAR build and then proceed with other components property file creations and build.
- Run the respective EAR bat (Windows) or respective EAR.sh (Linux) file.
- The command window closes after the EAR is generated
- The EAR will be generated in the EAR destination path provided during property file creation
- JS and UIXML will also be generated in the EAR destination path if external JS/UIXML is selected during property file creation.
- The external path for JS/UIXML and EAR destination path can be referred in env.properties file
- Manually copy the JS/UIXML generated in the EAR destination path, to external JS/UIXML path

Maintain the following Application Type accordingly for building respective EARs:

Product Type	Application Type	EAR Name	BAT/sh file to be run	Property file to be used
ROFC	FCUBS	Any Distinct Name	ROFCEarRun.bat or ROFCEarRun.sh	fcubs.properties
GW-Integrated	INTEGRATED	Any Distinct Name	ROFCGatewayEarRun.b at or ROFCGatewayEarRun.s h	GW_WS_Prop.prop erties
GW-Individual	INDIVIDUAL	Not Required	ROFCGatewayEarRun.b at or ROFCGatewayEarRun.s h	GW_WS_Prop.pprop erties
GW-REST	INDIVIDUAL	Any Distinct	ROFCGatewayRestEar Run.bat or	GW_REST_Prop.pr operties and

		Name	ROFCGatewayRestEarRun.sh	GW_RESTEJB_Prop.properties
GW-MDB	GATEWAY	Any Distinct Name	GWMDBEarRun.bat GWMDBEarRun.sh	GW_MDB_Prop.properties
GW-HTTP	GATEWAY	Any Distinct Name	GWHTTPEarRun.bat GWHTTPEarRun.sh	GW_HTTP_Prop.properties
GW- EJB	GATEWAY	Any Distinct Name	GWEJBEarRun.bat or GWEJBEarRun	GW_ EJB_Prop.properties
Scheduler	SCHDLR	Any Distinct Name	SchedulerEarRun.bat or SchedulerEarRun.sh	Scheduler.properties
ODT	ODT	Any Distinct Name	ODTWarRun.bat or ODTWarRun.sh	ODT.properties

This table shows the BAT/sh scripts that need to be run individually for each EAR creation. The env.properties will have the appropriate application type set.

1. Goto **INSTALLER\SOFT** path and execute the **<Product Type>EarRun** bat file for EAR build.

For Example : <Product Type>EarRun.bat :- ROFCEarRun.bat (ROFCEarRun.sh for running in Linux machine) for ROFC and so on.

EAR file will be generated in the mentioned destination path. Similarly for all the EAR Build follow the same steps.
2. For Gateway EAR, execute <Product Name>GatewayEarRun.bat (<Product Name>GatewayEarRun.sh)
3. For EJB, MDB and HTTP gateways , run the respective bat files i.e. GWEJBEarRun.bat (GWEJBEarRun.sh), GWMDBEarRun.bat (GWMDBEarRun.sh) and GWHTTPEarRun.bat (GWHTTPEarRun.sh).
4. For ODT, execute ODTWarRun.bat in Windows (ODTWarRun.sh in Linux) after building odt.properties.

5. For STAND ALONE SCHEDULER, execute SchedulerEarRun.bat in Windows (SchedulerEarRun.sh in Linux) for ROFC, execute TRSchedulerEarRun.bat in windows (TRSchedulerEarRun.sh in Linux) for OBTR, execute TFSchedulerEarRun.bat in windows (TFSchedulerEarRun.sh in Linux) for OBTF. After this deploy the EAR in the application console.

Note:

ExtAdapter.(JAR or WAR) is generated for ROFC in case of ELCM_INSTALLED, S(Standalone) and C(Co-deployed) OBCLExtAdapter.

(JAR or WAR) is generated for OBCL in case of ELCM_INSTALLED S(Standalone) and C(Co-deployed) both OBCLExtAdapter.

(JAR or WAR) and ExtAdapter.(JAR or WAR) is generated for OBCL and ROFC CoDeployed in case of ELCM_INSTALLED S(Standalone) and C(Co-deployed).

In case of Oracle Banking Corporate Lending , 'OBCLCalcEngine' WAR file is generated along with EAR. This WAR file is required to be deployed as standalone component for RFR (Risk Free Rates) calculations.

Note: Please ensure the necessary resources are created in the application server as mentioned in the *Resources To Be Created* document.



Installer EAR Building
[May] [2022]
Version 14.6.0.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
<https://www.oracle.com/industries/financial-services/index.html>

Copyright © [2007], [2022], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.