

Hong Kong Faster Payment System User Guide

Oracle Banking Payments

Release 14.6.1.0.0

Part No. F70985-01

September 2022

Hong Kong Faster Payment System User Guide
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2020, 2022 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1.	About this Manual	1-1
1.1	Introduction.....	1-1
1.2	Audience.....	1-1
1.3	Documentation Accessibility.....	1-1
1.4	Organization	1-1
1.5	Glossary of Icons.....	1-2
2.	Hong Kong Faster Payment System	2-1
2.1	Introduction.....	2-1
2.2	Maintenance Screens.....	2-1
	2.2.1 HKFPS Outbound Credit Transfer Payment Preferences	2-1
	2.2.2 HKFPS Inbound Credit Transfer Payment Preferences	2-4
	2.2.3 HKFPS Network Currency Details	2-7
	2.2.4 HKFPS Network Directory	2-10
	2.2.5 Branch Identifier for HKFPS Network	2-12
	2.2.6 Network Connectivity Maintenance	2-13
2.3	Outbound Transaction screens	2-15
	2.3.1 HKFPS Outbound Credit Transfer Transaction Input	2-15
	2.3.2 HKFPS Outbound Credit Transfer Transaction View	2-24
	2.3.3 HKFPS Outbound Real Time Credit Transfer Message Browser.....	2-35
2.4	Inbound Transaction screens	2-36
	2.4.1 HKFPS Inbound Credit Transfer Transaction View	2-36
	2.4.2 HKFPS Inbound Real Time Credit Transfer Message Browser.....	2-47
3.	HKFPS Processing	3-1
3.1	Outbound Credit Transfer Processing.....	3-1
	3.1.1 OBPM Internal/External Queues	3-1
	3.1.2 Mandatory Checks.....	3-1
	3.1.3 Referential Integrity Check & Initial Validations	3-1
	3.1.4 Holiday Check & Date Derivation	3-2
	3.1.5 Network Validations & Special Character Replacement.....	3-2
	3.1.6 Duplicate Check.....	3-3
	3.1.7 Sanction Check.....	3-3
	3.1.8 Small FX Limit Check & Currency Conversion	3-4
	3.1.9 Pricing Check.....	3-4
	3.1.10 ECA Check	3-5
	3.1.11 Accounting Preferences Check	3-5
	3.1.12 Network Cutoff Check.....	3-6
	3.1.13 Message Generation and Dispatch	3-6
	3.1.14 On-Us Transfer Check.....	3-7
	3.1.15 Notifications	3-7
	3.1.16 Inbound Pacs.002 Payment Settlement Message Processing.....	3-7
3.2	Inbound Credit Transfer Processing.....	3-8
	3.2.1 OBPM Internal/External Queues	3-8
	3.2.2 Message Upload - Account Branch/Host/Network/Transaction Type Derivation.....	3-8
	3.2.3 Mandatory Checks.....	3-9

3.2.4 Referential Integrity Check & Initial Validations	3-9
3.2.5 Duplicate Check.....	3-10
3.2.6 Sanction Check.....	3-10
3.2.7 FX Limit Check	3-10
3.2.8 External Account Check	3-11
3.2.9 Pricing Check.....	3-11
3.2.10 Debit/Credit Liquidation	3-11
3.2.11 Notifications	3-12
4. Function ID Glossary	4-1

1. About this Manual

1.1 Introduction

This manual is designed to help you to quickly get familiar with Hong Kong Faster Payment System of Oracle Banking Payments.

You can further obtain information specific to a particular field by placing the cursor on the relevant field and striking <F1> on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Payment Department Operators	Payments Transaction Input functions except Authorization.
Back Office Payment Department Operators	Payments related maintenances/Payment Transaction Input functions except Authorization
Payment Department Officers	Payments Maintenance/ Transaction Authorization
Bank's Financial Controller/ Payment Department Manager	Host level processing related setup for PM module and PM Dashboard/Query functions

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.


1.4 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	About this Manual gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	This chapter helps you perform fund transfer between two accounts of the same bank in Payments.
Chapter 3	Function ID Glossary has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation

1.5 Glossary of Icons

This User Manual may refer to all or some of the following icons:

Icons	Function
	Exit
	Add row
	Delete row
	Option List

2. Hong Kong Faster Payment System

2.1 Introduction

OBPM supports:

- to process HK FPS Credit Transfer in real time mode for HKD, RMB currencies.
- to generate/process below messages for outbound Credit Transfers (Real Time):
 - Pacs.008 to FPS (without payee account verification)
 - Pacs.002 from FPS (Payment Status Report from FPS)
- Outbound HKFPS CT transactions is not logged in queue in case of any validation failure and upfront rejected.
- Support to process below messages for inbound Credit Transfers (Real Time):
 - Pacs.008 from FPS (without payee account verification)
- Credit/Debit Notifications to payer/payee

2.2 Maintenance Screens

2.2.1 HKFPS Outbound Credit Transfer Payment Preferences

You can invoke “HKFPS Outbound Credit Transfer Payment Preferences” screen by typing ‘PKDOCTPF’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

HKFPS Outbound Credit Transfer Payment Preferences

New Enter Query

Host Code * Network Type Description

Network Code * Network Description

Network Currency Processing Mode * Real Time

Limit Details Exchange Rate Preference

Maximum Amount FX Rate Type

Minimum Amount Rate Override Variance%

Accounting Codes Rate Stop Variance%

Debit Liquidation * External FX Applicable

Credit Liquidation * FX Cancellation FX Unwind Queue

Network Account Details Small FX Limits

Network Account Limit Currency

Limit Amount

Price Code Details Processing Preferences

Transaction Price Code Accounting Preferences Before Messaging

Dispatch On Us Transfer

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

Host Code

System defaults the Host Code details on clicking the ‘New’ button.

Network Code

Select the specific Network Code from list of values. The list of values lists HK FPS network defined in the host (Open/Authorized) - Network code for Payment Type 'Hong Kong FPS' defined in Network Code Maintenance (PMDNWCOD).

Network Code Description

System defaults the description of the Network code.

Network Type Description

System defaults the Network Type Description of the Network selected.

Network Currency

Specify the Network Currency from list of values. Currency codes defined are listed.

Processing Mode

By-default, Real Time is selected as the Processing Mode.

Limit Details**Minimum Amount**

Specify the Minimum transaction amount.

Maximum Amount

Specify the Maximum transaction amount.

Exchange Rate Preference**FX Rate Type**

Specify the Currency Rate Type from the list of values.

Rate Override Variance%

Specify the Exchange Rate Variance for override.

Rate Stop Variance%

Specify the Exchange Rate Variance for processing stop.

External FX Applicable

This check box is to indicate whether external exchange rate applicable or not.

FX Cancellation

Select the FX Cancellation from below values:

- FX Unwind Queue
- Auto Interface

Accounting Codes**Debit Liquidation**

Specify the Debit Liquidation from the list of values. List of all valid (Open/Authorized) accounting codes defined in the host where Main Transaction Dr/Cr Indicator is 'Debit'.

Credit Liquidation

Specify the Credit Liquidation from the list of values. List of all valid (Open/Authorized) accounting codes defined in the host where Main Transaction Dr/Cr Indicator is 'Credit'.

Network Account Details

Network Account

Specify the Network Account from the list of values. List of all valid (Open/Authorized) accounts defined in the host for the selected currency.

Small FX Limit

Small FX Limit Currency

Specify the Small FX Limit Currency from the list of values. List of all valid (Open/Authorized) currency codes are defined.

Small FX Limit Amount

Specify the Small FX Limit Amount.

Price Code Details

Transaction Price Code

Specify the Transaction Price Code from the list of values.

Processing Preferences

Accounting Preferences

Select the Accounting Preferences from below values:

- Before Messaging (Default)
- After Messaging

Dispatch On Us Transfer

This check box is to indicate dispatch outbound message or not for the on-us transfer.

2.2.1.1 HKFPS Outbound Credit Transfer Payment Preferences Summary

You can invoke “HKFPS Outbound Credit Transfer Payment Preferences Summary” screen by typing ‘PKSOCTPF’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Authorization Status	Record Status	Network Code	Payment Type	Network Currency	Host Code	Processing Mode	Network Account	Rate Over
----------------------	---------------	--------------	--------------	------------------	-----------	-----------------	-----------------	-----------

You can search using the following parameter:

- Authorization Status

- Record Status
- Network code
- Payment Type
- Network Currency
- Processing Mode

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

2.2.2 HKFPS Inbound Credit Transfer Payment Preferences

You can invoke “HKFPS Inbound Credit Transfer Payment Preferences” screen by typing ‘PKDICTPF’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

You can specify the following fields:

Host Code

System defaults the Host Code details on clicking the 'New' button.

Network Code

Select the specific Network Code from list of values. Lists HK FPS network defined in the host (Open/Authorized) - Network code for Payment Type 'Hong Kong FPS' defined in Network Code Maintenance (PMDNWCOD).

Network Code Description

System defaults the description of the Network code.

Network Type Description

System defaults the Network Type Description of the Network code.

Network Currency

Specify the Network Currency from list of values. Currency codes defined are listed.

Processing Mode

By-default, Real Time is selected as the Processing Mode.

Accounting Codes

Debit Liquidation

Specify the Debit Liquidation from the list of values. List of all valid (Open/Authorized) accounting codes defined in the host where Main Transaction Dr/Cr Indicator is 'Debit'.

Credit Liquidation

Specify the Credit Liquidation from the list of values. List of all valid (Open/Authorized) accounting codes defined in the host where Main Transaction Dr/Cr Indicator is 'Credit'.

Exchange Rate Preference

FX Rate Type

Specify the Currency Rate Type from the list of values.

Rate Stop Variance%

Specify the Exchange Rate Variance for processing stop.

External FX Applicable

This check box is to indicate whether external exchange rate applicable or not.

FX Cancellation

Select the FX Cancellation from below values:

- FX Unwind Queue
- Auto Interface

Network Account Details

Network Account

Specify the Network Account from the list of values. List of all valid (Open/Authorized) accounts defined in the host for the selected currency.

Small FX Limit

Small FX Limit Currency

Specify the Small FX Limit Currency from the list of values. List of all valid (Open/Authorized) currency codes are defined.

Small FX Limit Amount

Specify the Small FX Limit Amount.

Price Code Details

Transaction Price Code

Specify the Transaction Price Code from the list of values.

2.2.2.1 HKFPS Inbound Credit Transfer Payment Preferences Summary

You can invoke “HKFPS Inbound Credit Transfer Payment Preferences Summary” screen by typing ‘PKSICTPF’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows a web application window titled "HKFPS Inbound Credit Transfer Payment Preferences Summary". At the top, there are search options: "Search", "Advanced Search", "Reset", and "Clear All". Below this is a "Case Sensitive" section with several search criteria: "Authorization Status" (dropdown), "Record Status" (dropdown), "Network Code" (text input with a refresh icon), "Payment Type" (dropdown), "Network Currency" (text input with a refresh icon), and "Processing Mode" (dropdown). Below the search criteria is a table with columns: "Authorization Status", "Record Status", "Network Code", "Payment Type", "Network Currency", "Host Code", and "Processing Mode". The table is currently empty. At the bottom right of the window is an "Exit" button.

You can search using the following parameter:

- Authorization Status
- Record Status
- Network code
- Payment Type
- Network Currency
- Processing Mode

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

2.2.3 HKFPS Network Currency Details

You can invoke “HKFPS Network Currency Details” screen by typing ‘PKDHFNC’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

The screenshot shows the 'HKFPS Network Currency Details' application window. The window title is 'HKFPS Network Currency Details'. It features a 'New' button and an 'Enter Query' field. The form is divided into several sections: 'Host Code*', 'Network Code*', and 'Network Currency' at the top; 'Service ID Details' (Network Service ID, Proprietary Service ID) and 'Network Identifiers' (Clearing System Code, Clearing System Proprietary, Network Member ID) on the left; and 'Network Type Description', 'Network Description', and 'Other Details' (Network Directory Key*, Network Participation, Business Service*, Sender Bank Clearing Code*, Receiver Bank Clearing Code*) on the right. A status bar at the bottom contains fields for Maker, Checker, Date Time, Mod No, Record Status, Authorization Status, and an Exit button.

You can specify the following fields:

Host Code

System defaults the Host Code details on clicking the ‘New’ button.

Network Code

Select the specific Network Code from list of values. The list of values lists HK FPS network defined in the host (Open/Authorized) - Network code for Payment Type 'Hong Kong FPS' defined in Network Code Maintenance (PMDNWCOD).

Network Code Description

System defaults the description of the Network code.

Network Type Description

System defaults the description of the Network code.

Network Currency

Specify the Network Currency from list of values. System allows HKFPS outbound/inbound payments only in the currencies maintained here for the HKFPS network.

Service ID Details

Network Service ID

Specify the Network Service ID from the list of values. The list of values lists of ISO Clearing code- Service ID.

Proprietary Service ID

Specify the Service ID value proprietary. HKF value can be maintained.

Network Identifiers

Clearing System Code

Specify the Clearing System Code from the list of values. The list of values lists of ISO Clearing code.

Clearing System Proprietary

Specify the Clearing system Proprietary.

Network Member ID

Specify the Member Id.

Network Account Details**Network Account**

Specify the Network Account from the list of values. List of all valid (Open/Authorized) accounts defined in the host for the selected currency.

Other Details**Network Directory Key**

Specify the Network Directory Key from the list of values. List of all valid (Open/Authorized) Network Directory Key maintained in the existing screen 'Network Directory Key Maintenance (PMDDRKEY)'.

Network Participation

Select the Network Participation from the following values:

- Direct
- Indirect

Business Service

Select the Business Service Code from the following values:

- PAYC01
- PAYC02
- PAYC03

Sender Bank Clearing Code

Specify the Sender Bank Clearing Code from the list of values. List of all valid (Open/Authorized) Network Clearing code defined in 'HKFPS Network Directory'.

Receiver Bank Clearing Code

Specify the Receiver Bank Clearing Code from the list of values. List of all valid (Open/Authorized) Network Clearing code defined in 'HKFPS Network Directory'.

2.2.3.1 HKFPS Network Currency Details Summary

You can invoke “HKFPS Network Currency Details Summary” screen by typing ‘PKSHKFN’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

HKFPS Network Currency Details Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status Record Status

Network Code Network Directory Key

Payment Type Network Currency

Records per page 15 1 Of 1 Lock Columns 0

Authorization Status	Record Status	Host Code	Network Code	Business Service	Clearing System Code	Clearing System Proprietary	Network Des

Exit

You can search using the following parameter:

- Authorization Status
- Record Status
- Network code
- Network Directory Key
- Payment Type
- Network Currency

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

2.2.4 HKFPS Network Directory

You can invoke “HKFPS Network Directory” screen by typing ‘PKDCHKFDR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

HKFPS Network Directory

New Enter Query

Network Directory Key * _____ Valid From Date YYYY-MM-DD
Clearing Code * _____ Valid Till Date YYYY-MM-DD
Bank Name _____
Clearing System Code _____
Clearing System Proprietary _____

Address Details

Address Line 1 _____ Address Line 5 _____
Address Line 2 _____ Address Line 6 _____
Address Line 3 _____ Address Line 7 _____
Address Line 4 _____ Room _____
Department _____ Post Code _____
Sub Department _____ Town Name _____
Street Name _____ Town Location Name _____
Building Number _____ District Name _____
Building Name _____ Country Sub Division _____
Floor _____ Country _____
Post Box _____

Maker _____ Date Time: _____ Mod No _____ Record Status _____
Checker _____ Date Time: _____ Authorization Status _____ Exit

You can specify the following fields:

Network Directory Key

Select the specific Network Code from list of values. The list of values lists Network Directory Key maintained in the existing screen 'Network Directory Key Maintenance (PMDDRKEY) are linked here.

Clearing Code

Specify the Clearing Code.

Bank Name

Specify the Bank Name.

Clearing System Code

Specify the Clearing System Code from the list of values.

Clearing System Proprietary

Specify the Clearing system Proprietary.

Valid From Date

Specify the Valid From Date.

Valid Till Date

Specify the Valid Till Date.

Address Details

Specify the following fields with appropriate values

- Address Line 1, 2, 3, 4, 5, 6, 7
- Department
- Sub Department
- Street Name

- Building Number
- Building Name
- Floor
- Post Box
- Room
- Post Code
- Town Name
- Town Location Name
- District Name
- Country Sub Division
- Country

2.2.4.1 **HKFPS Network Directory Summary**

You can invoke “HKFPS Network Directory Summary” screen by typing ‘PKSHKFDR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can search using the following parameter:

- Authorization Status
- Record Status
- Network Directory Key
- Clearing Code
- Bank Name
- Network Participation

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

2.2.5 Branch Identifier for HKFPS Network

You can invoke “Branch Identifier for HKFPS Network” screen by typing ‘PKDHKFBR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click New button on the Application toolbar.

The screenshot shows a web application window titled "Branch Identifier for HKFPS Network". At the top left, there are buttons for "New" and "Enter Query". Below these are several input fields: "Host Code *" and "Network Code *" in red text, and "Host Description", "Network Description", and "Network Type Description" in black text. A navigation bar in the middle shows "1 Of 1" records and a "Go" button. Below the navigation bar are two columns: "Branch Code *" and "Clearing Code *". At the bottom of the window, there are fields for "Maker", "Checker", "Date Time", "Mod No", "Record Status", and "Authorization Status", along with an "Exit" button.

You can specify the following fields:

Host Code

System defaults the Host Code details on clicking the ‘New’ button.

Host Code Description

System defaults the Description of the Host Code displayed.

Network Code

Select the specific Network Code from list of values. Lists HK FPS network defined in the host (Open/Authorized) - Network code for Payment Type 'Hong Kong FPS' defined in Network Code Maintenance (PMDNWCOD).

Network Code Description

System defaults the description of the Network code.

Branch Code

Specify the specific Network Code from list of values. List of Branch Codes (Open/Authorized) defined in the current host.

Clearing Code

Specify the Clearing Code from list of values. List of Clearing codes (Open/Authorized) defined in the Hong Kong Network Directory maintained.

Network Type Description

System defaults the Description of the Network Code displayed.

2.2.5.1 Branch Identifier for HKFPS Network Summary

You can invoke “Branch Identifier for HKFPS Network Summary” screen by typing ‘PKSHKFBR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Branch Identifier for HKFPS Network Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status Record Status

Host Code Network Code

Records per page 15 1 Of 1 Lock Columns 0

Authorization Status	Record Status	Host Code	Network Code
----------------------	---------------	-----------	--------------

Exit

You can search using the following parameter:

- Authorization Status
- Record Status
- Host Code
- Network code

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

2.2.6 Network Connectivity Maintenance

You can invoke “Network Connectivity Maintenance” screen by typing ‘PKDHFCT’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

Network Connectivity Maintenance

New Enter Query

Host Code * Host Description

Network Code * Network Description

Outgoing Queue Details Incoming Queue Details

Outgoing Queue Profile Incoming Queue Profile

Outgoing Queue Name Incoming Queue Name

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

Host Code

System defaults the Host Code details on clicking the 'New' button.

Host Code Description

System defaults the description of the host code.

Network Code

Select the specific Network Code from list of values. List of all valid (Open/Authorized) HKFPS networks defined in the host.

Network Code Description

System defaults the description of the Network code.

Outgoing Queue Details

Outgoing Queue Profile

Specify the Outgoing Queue Profile from the list of values.

Outgoing Queue Name

Specify the Queue name.

Incoming Queue Details

Incoming Queue Profile


Specify the Incoming Queue Profile from the list of values.

Incoming Queue Name

Specify the Queue name.

2.2.6.1 Network Connectivity Maintenance Summary

You can invoke "Network Connectivity Maintenance Summary" screen by typing 'PKSHKFACT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



You can search using the following parameter:

- Authorization Status

- Record Status
- Host Code
- Network code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

2.3 Outbound Transaction screens

2.3.1 HKFPS Outbound Credit Transfer Transaction Input

You can invoke "HKFPS Outbound Credit Transfer Transaction Input" screen by typing 'PKDOTONL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

You can specify the following fields:

Transaction Branch

System defaults the Transaction Branch details on clicking the 'New' button.

Transaction Branch Number

System defaults the Transaction Branch Number on clicking the 'New' button, using the current logic.

Host Code

System defaults the Host Code details on clicking the 'New' button.

Transaction ID

This field gets generated on authorization of the outbound HKFPS payment.

Transaction ID (PKDOTONL/PKDOVIEW) is generated using the UETR number generation logic (used in Cross Border Module). However, with the 4 hyphens removed, resulting in a total length of 32 characters.

Source code

For manually input transactions, source code is defaulted as MANL. For transactions received through web services or rest services, the source code is populated as received in the request.

End To End ID

End to End ID is populated as the transaction reference. You can modify the same.

Network Code

If only one Network is maintained for with payment type as 'Faster Payment' ('K') for the host code, the same is defaulted in this field. In case multiple networks are found for the same combination, all applicable networks are listed for the field. You can select the required network.

Message ID

This field is generated at the time of message generation on authorization of the outbound HKFPS payment.

Format: M[Clearing Code][YYYYMMDD][Others]

Clearing Code which is part of mask: This is populated as the Sender Bank Clearing Code as maintained in 'HKFPS Network Currency Details' [PKDHKFNC]

"[YYYYMMDD]" is the activation date in YYYYMMDD format [pick up from PKDOTONL]

"[Others]" is transaction reference number generated and defaulted in field 'Payment Details Reference' in the transaction screen.

Valid example: M00120160801-A10200/N3001

Payee Account Verification

By default, this field is un-checked. During message generation,

- If Checked: populate 'PERFORM_PYE_VRF'
- If un-checked: populate 'SKIP_PYE_VRF'

2.3.1.1 Main Tab

Payer Details

Payer Account Number

Specify the Payer Account Number from the list of values. All open and authorized accounts maintained in the External Customer Account maintenance (STDCRACC) are listed for this field.

Payer Account Currency and Account Branch

Specify the Payer Account Currency and Branch. These fields are auto-populated based on the debtor account selected.

Payer Name

Specify the Payer Name. This field is populated based on debtor account customer.

Payer ID(Customer Number)

Specify the Payer ID. The customer number linked to the payer account are populated.

Debit Amount

This field is populated as the transfer amount converted in debtor account currency. Exchange rate pick up is based on network preferences maintained. This field is disabled for user input.

Payee Details**Payee Bank Clearing Code**

Specify the Payee Bank Clearing Code from the list values. Lists all the open/authorized clearing codes maintained in HKFPS Network Directory (PKDHKFDR).

Payee Account Number Type

Select the Payee Account Number Type from below values provided in the drop down:

- BBAN - Customer / bank account number
- AIIN - Credit card number
- SVID - FPS identifier
- EMAL - Email address
- MOBN - Mobile number
- CUST - Customer ID

Specify the following fields, as required:

- Payee Account number
- Payee Mobile number
- Payee Email ID
- Payee FPS ID
- Payee Name
- Payee ID (Customer number)

Payment Details**Booking Date**

This field is defaulted as application server date,

Instruction Date

This field gets defaulted as booking date. Back date / future date is not allowed. It is current dated always for Hong Kong FPS.

Activation Date

Activation date is a derived field based on the instruction date provided. Payment is processed on Activation date. If Instruction date is back-dated, Activation date is moved to Current date.

Branch Holidays, Network Holidays are not applicable, if processing mode is Real-Time as maintained in PKDOCTPF.

Instructed Currency Indicator

Select the Instructed Currency Indicator from below values:

- Debit Currency
- Transfer Currency

If transfer currency is selected, it is mandatory to provide transfer amount. If debit currency is selected, it is mandatory to input debit amount.

Instructed Currency

Specify the Instructed Currency from the list of values.

Instructed Amount

Specify the Instructed Amount.

Transfer Currency

Specify the Transfer Currency. If the network allows only single currency as per HKFPS Network currency preferences (PKDHFNC) maintained, this currency is populated as transfer currency. If multiple currencies (HKD, RMB, CNY, USD as applicable) are allowed, you can select from the list of allowed currencies.

Transfer Amount

Specify the Transfer Amount that is to be sent in the outbound payment.

Exchange Rate

If transfer currency and debtor (payer) account currency are different, then exchange rate can be provided by user. System retains the input value and validates the same against override and stop variances maintained at HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF) level.

If exchange rate is not a user input, system picks up exchange rate during 'Enrich' provided the transfer amount is less than small FX limit maintained. If there exchange rate is not available, a proper error message is shown.

Based on debit amount/transfer amount input, the other amount is computed by the system.

If transfer amount is more than small FX limit and if external exchange rate is applicable, then rate pick up happens during transaction processing.

FX Reference Number

Specify the FX Reference Number.

Remarks

Specify the Remarks, if any.

Payment Details Reference

You can specify any payment specific reference this field. This is defaulted to transaction reference number and editable.

Category Purpose Code

Select the Category Purpose Code from the following drop down values.

- CXPSNL - For General Personal Payment
- CXBSNS - For General Business Payment
- CXMRCH - For Merchant Payment
- CXSALA - For Salary and Benefits Payment

The default value is General Personal Payment.

Enrich Button

On enrich, populate exchange rate, debit amount and charge/tax amounts.

On Us Transfer

This field is displayed based on the payee branch clearing code from the following drop down values.

- Yes

- No

2.3.1.2 **Additional Details**

When you click on Additional Details Button, below screen is displayed:

The screenshot shows a dialog box titled "Additional Details" with a close button (X) in the top right corner. The dialog contains the following fields:

- Transaction Reference Number
- Network Code
- Host Code
- Activation Date
- Payment Details (Unstructured)
 - Remittance Information 1
 - Remittance Information 2
 - Remittance Information 3
 - Remittance Information 4
 - Remittance Information 5
 - Remittance Information 6
- Purpose Details
 - Category Purpose Code
 - Purpose Value

At the bottom right, there are "Ok" and "Cancel" buttons.

You can specify the following fields:

Transaction Reference Number

This field displays the Transaction Reference Number.

Host Code

This field displays the Host Code.

Network Code

Specify the Network Code.

Activation Date

This field displays the Host Code.

Payment Details (Unstructured)

Remittance Information 1-6

You can specify the payment related information here. For HKFPS, add information details in only one line.

Purpose Details

Category Purpose Code

Specify the ISO Category Purpose Code from the list of values.

Purpose Value

Specify any non-ISO purpose codes here.

2.3.1.3 Pricing Tab

You can view the charge amount computed by the system for each of the Pricing components of the Pricing code linked to the network code of the transaction. Click the “Pricing” tab.

The screenshot displays the 'HKFPS Outbound Credit Transfer Transaction Input' window. At the top, there are input fields for 'Transaction Branch *', 'Host Code *', 'Source Code *', and 'Network Code *'. To the right, there are fields for 'Transaction Reference Number *', 'Transaction ID', 'End to End ID', and 'Message ID'. A 'Payee Account Verification' checkbox is located below these fields. A 'Main' menu is visible with the 'Pricing' tab selected. Below the menu is a table with the following columns: 'Pricing Component', 'Pricing Currency', 'Pricing Amount', 'Waiver', 'Debit Currency', and 'Debit Amount'. The table is currently empty. At the bottom of the screen, there is a status bar with fields for 'Maker Id', 'Maker Date Stamp', 'Checker ID', 'Checker Date Stamp', and 'Authorization Status', along with an 'Exit' button.

For the Transaction initiated, system displays the fees/tax charged in this section.

Pricing Component

The system displays each Pricing component of the Pricing code from the Pricing Code maintenance.

Pricing Currency

The system displays the Pricing currency of each Pricing component of the Pricing code.

Pricing Amount

The system displays the calculated Charge amount for each Pricing component of the Pricing code.

Waived

The system displays if charges for any Pricing component are waived in the Pricing maintenance.

Debit Currency

The system displays the currency of the Charge account to be debited for the charges.


Debit Amount

The system displays the Charge amount for each Pricing component debited to the charge account in Debit currency. If the Pricing currency is different from the Debit currency the calculated charges are converted to the Debit currency and populated in this field.

2.3.1.4 UDF Tab

Click the 'UDF' Section in the Transaction View screen to invoke this sub screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the 'Manual' source.



The screenshot shows a window titled 'Fields' with a close button (X) in the top right corner. Inside the window, there is a sub-header 'Fields' and a navigation bar with a 'Go' button and '1 Of 1' indicator. Below this is a table with two columns: 'Field Label' (with a red asterisk) and 'Value'. The table is currently empty. At the bottom right of the window, there are 'Ok' and 'Cancel' buttons.

Specify the following details.

Fields

Field Label

The system displays all fields that are part of the associated UDF group.

Value

The system displays the default value, where exists for the UDF fields. You can change the default value or specify value for other fields (where default value does not exist)

2.3.1.5 **MIS Tab**

You can maintain the MIS information for the Transaction. If the MIS details are not entered for the Transaction the same is defaulted from the product maintenance. Click the 'MIS' link to invoke the 'MIS' sub-screen

The screenshot shows a web application window titled 'MIS'. At the top, there is a search bar labeled 'Enter Query'. Below it, there are two main input sections. The first section contains a text input field labeled 'Transaction Reference no *' and a dropdown menu labeled 'MIS Group' with a 'Default' button next to it. The second section contains two columns of text input fields: 'Transaction MIS' on the left and 'Composite MIS' on the right. At the bottom right of the window, there are 'Ok' and 'Exit' buttons.

Specify the following details

Transaction Reference

The system displays the transaction reference number of the transaction.

MIS Group

Specify the MIS group code. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

Default button

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

Transaction MIS

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

Composite MIS

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

2.3.1.6 HKFPS Outbound Credit Transfer Transaction Summary

You can invoke “HKFPS Outbound Credit Transfer Transaction Summary” screen by typing ‘PKSOTONL’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'HKFPS Outbound Credit Transfer Transaction Input Summary' application window. At the top, there are search options: 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below this is a 'Case Sensitive' section with several input fields: 'Transfer Currency', 'Network Code', 'Payer ID(Customer Number)', 'Transaction Reference Number', 'Authorization Status', and 'Payee Account Number'. Each field has a magnifying glass icon to its right. Below the search fields is a pagination bar showing 'Records per page 15', '1 Of 1', and 'Lock Columns 0'. Below the pagination bar is a table with the following columns: 'Transfer Amount', 'Transfer Currency', 'Transaction Branch', 'Transaction Reference Number', 'Network Code', 'Activation Date', 'Authorization Status', and 'Booki'. The table is currently empty. At the bottom right of the window is an 'Exit' button.

You can search using the following parameter:

- Transfer Currency
- Transaction Reference Number
- Network code
- Authorization Status
- Payer ID(Customer Number)
- Payee Account Number

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

2.3.2 HKFPS Outbound Credit Transfer Transaction View

You can invoke “HKFPS Outbound Credit Transfer Transaction View” screen by typing ‘PKDOVIEW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

You can specify the following fields:

Transaction Branch

This field displays the Transaction Branch details.

Transaction Branch Number

This field displays the Transaction Branch Number, using the current logic.

Host Code

This field displays the Host Code details.

Transaction ID

This field gets generated on authorization of the outbound HKFPS payment.

Transaction ID (PKDOTONL/PKDOVIEW) is generated using the UETR number generation logic (used in Cross Border Module). However, with the 4 hyphens removed, resulting in a total length of 32 characters.

Source code

For manually input transactions, source code is defaulted as MANL. For transactions received through web services or rest services, the source code is populated as received in the request.

End To End ID

End to End ID is populated as the transaction reference.

Network Code

If only one Network is maintained for with payment type as 'Faster Payment' ('K') for the host code, the same is displayed in this field. In case multiple networks are found for the same combination, all applicable networks are listed for the field. You can select the required network.

Message ID

This field is generated at the time of message generation on authorization of the outbound HKFPS payment.

Format: M[Clearing Code][YYYYMMDD][Others]

Clearing Code which is part of mask: This is populated as the Sender Bank Clearing Code as maintained in 'HKFPS Network Currency Details' [PKDHKFNC]

"[YYYYMMDD]" is the activation date in YYYYMMDD format [pick up from PKDOTONL]

"[Others]" is transaction reference number generated and defaulted in field 'Payment Details Reference' in the transaction screen.

Valid example: M00120160801-A10200/N3001

Payee Account Verification

By default, this field is un-checked. During message generation,

- If Checked: populate 'PERFORM_PYE_VRF'
- If un-checked: populate 'SKIP_PYE_VRF'

2.3.2.1 Main Tab

Payer Details

Payer Account Number

This field displays the Payer Account Number from the list of values. All open and authorized accounts maintained in the External Customer Account maintenance (STDCRACC) are listed for this field.

Payer Account Currency and Account Branch

This field displays the Payer Account Currency and Branch. These fields are auto-populated based on the debtor account selected.

Payer Name

This field displays the Payer Name. This field is populated based on debtor account customer.

Payer ID(Customer Number)

This field displays the Payer ID. The customer number linked to the payer account are populated.

Debit Amount

This field is populated as the transfer amount converted in debtor account currency. Exchange rate pick up is based on network preferences maintained. This field is disabled for user input.

Payee Details

Payee Bank Clearing Code

This field displays the Payee Bank Clearing Code from the list values. Lists all the open/authorized clearing codes maintained in HKFPS Network Directory (PKDHKFDR).

Payee Account Number Type

This field displays the Payee Account Number Type from below values provided in the drop down:

- BBAN - Customer / bank account number

- AIIN - Credit card number
- SVID - FPS identifier
- EMAL - Email address
- MOBN - Mobile number
- CUST - Customer ID

Specify the following fields, as required:

- Payee Account number
- Payee Mobile number
- Payee Email ID
- Payee FPS ID
- Payee Name
- Payee ID (Customer number)

Payment Details

Booking Date

This field is defaulted as application server date,

Instruction Date

This field gets defaulted as booking date. Back date / future date is not allowed. It is current dated always for Hong Kong FPS.

Activation Date

Activation date is a derived field based on the instruction date provided. Payment is processed on Activation date.

If Instruction date is back-dated, Activation date is moved to Current date.

Branch Holidays, Network Holidays are not applicable, if processing mode is Real-Time as maintained in PKDOCTPF.

Instructed Currency Indicator

This field displays the Instructed Currency Indicator from below values:

- Debit Currency
- Transfer Currency

If transfer currency is selected, it is mandatory to provide transfer amount. If debit currency is selected, it is mandatory to input debit amount.

Instructed Currency

This field displays the Instructed Currency from the list of values.

Instructed Amount

This field displays the Instructed Amount.

Transfer Currency

This field displays the Transfer Currency. If the network allows only single currency as per HKFPS Network currency preferences (PKDHFNC) maintained, this currency is populated as transfer currency. If multiple currencies (HKD, RMB, CNY, USD as applicable) are allowed, you can select from the list of allowed currencies.

Transfer Amount

This field displays the Transfer Amount that is to be sent in the outbound payment.

Exchange Rate

If transfer currency and debtor (payer) account currency are different, then exchange rate can be provided by user. System retains the input value and validates the same against override and stop variances maintained at HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF) level.

If exchange rate is not a user input, system picks up exchange rate during 'Enrich' provided the transfer amount is less than small FX limit maintained. If there exchange rate is not available, a proper error message is shown.

Based on debit amount/transfer amount input, the other amount is computed by the system.

If transfer amount is more than small FX limit and if external exchange rate is applicable, then rate pick up happens during transaction processing.

FX Reference Number

This field displays the FX Reference Number.

Remarks

This field displays the Remarks, if any.

Payment Details Reference

You can specify any payment specific reference this field. This is defaulted to transaction reference number and editable.

Category Purpose Code

This field displays the Category Purpose Code from the following drop down values.

- CXPSNL - For General Personal Payment
- CXBSNS - For General Business Payment
- CXMRCH - For Merchant Payment
- CXSALA - For Salary and Benefits Payment

The default value is General Personal Payment.

Sanction Seizure

This field displays Sanction Seizure.

On Us Transfer

This field displays the following drop down values.

- Yes
- No

2.3.2.2 Additional Details

When you click on Additional Details Button, below screen is displayed:

The screenshot shows a dialog box titled "Additional Details" with a close button (X) in the top right corner. The dialog is divided into several sections:

- Transaction Reference Number:** A single text input field.
- Network Code:** A single text input field.
- Host Code:** A single text input field.
- Activation Date:** A date input field.
- Payment Details (Unstructured):** A section containing six text input fields labeled "Remittance Information 1" through "Remittance Information 6".
- Purpose Details:** A section containing two text input fields: "Category Purpose Code" and "Purpose Value".

At the bottom right of the dialog, there are two buttons: "Ok" and "Cancel".

You can specify the following fields:

Transaction Reference Number

This field displays the Transaction Reference Number.

Host Code

This field displays the Host Code.

Network Code

This field displays the Network Code.

Activation Date

This field displays the Host Code.

Payment Details (Unstructured)

Remittance Information 1-6

This field displays the payment related information here.

Purpose Details

Category Purpose Code

This field displays the Category Purpose Code from the list of values.

Purpose Value

This field displays any non-ISO purpose codes here.

2.3.2.3 Processing Status

This tab provides the transaction status details and the External System Requests Status details.

The screenshot displays the 'Processing Status' tab within a software application. The interface is organized into several sections:

- Main Navigation:** 'Main', 'Processing Status' (active), 'Pricing', 'Exception'.
- Status Details:** Includes dropdown menus for 'Transaction Status', 'Exception Queue', 'DRLQ Status', 'CRLQ Status', 'Settlement Status', and 'On-Us Credit Transfer'. A 'View Queue' button is located below the 'Exception Queue' dropdown.
- External Communications:** Includes dropdown menus for 'Sanction Check Status', 'Sanction Seizure', 'External Credit Approval Status', 'External Exchange Rate Status', and text input fields for 'Sanction Check Reference', 'Sanction Seizure', 'External Credit Approval Reference', and 'External Exchange Rate Reference'.
- Dispatch Details:** Includes text input fields for 'Dispatch Reference', 'File Reference Number', and 'File Name'.
- Error Details:** Includes text input fields for 'Error Code' and 'Error Description'.
- Footer:** Contains 'UDF | MIS | View Queue Action | Accounting Entries | All Messages', 'Maker Id', 'Maker Date Stamp', 'Checker ID', 'Checker Date Stamp', 'Authorization Status', and an 'Exit' button.

2.3.2.4 Pricing Tab

You can view the charge amount computed by the system for each of the Pricing components of the Pricing code linked to the network code of the transaction. Click the “Pricing” tab.

The screenshot shows the 'HKFPS Outbound Credit Transfer Transaction View' window. At the top, there is an 'Enter Query' section with several input fields: Transaction Branch, Host Code, Source Code, Network Code, Transaction Reference Number* (in red), Transaction ID, End To End ID, and Message ID. A checkbox for 'Payee Account Verification' is located below these fields. Below the search area, there are tabs for 'Main', 'Processing Status', 'Pricing' (which is highlighted in red), and 'Exception'. A table header is visible with columns: Pricing Component, Pricing Currency, Pricing Amount, Waiver, Debit Currency, and Debit Amount. The bottom status bar includes fields for Maker Id, Maker Date Stamp, Checker ID, Checker Date Stamp, and Authorization Status, along with an 'Exit' button.

For the Transaction initiated, system displays the fees/tax charged in this section.

Pricing Component

The system displays each Pricing component of the Pricing code from the Pricing Code maintenance.

Pricing Currency

The system displays the Pricing currency of each Pricing component of the Pricing code.

Pricing Amount

The system displays the calculated Charge amount for each Pricing component of the Pricing code.

Waived

The system displays if charges for any Pricing component are waived in the Pricing maintenance.

Debit Currency

The system displays the currency of the Charge account to be debited for the charges.

Debit Amount

The system displays the Charge amount for each Pricing component debited to the charge account in Debit currency. If the Pricing currency is different from the Debit currency the calculated charges are converted to the Debit currency and populated in this field.

2.3.2.5 Exception

This tab provides the Return and Network Reject Details.

2.3.2.6 UDF Tab

Click the 'UDF' Section in the Transaction View screen to invoke this sub screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the 'Manual' source.

Specify the following details.

Fields

Field Label

The system displays all fields that are part of the associated UDF group.

Value

The system displays the default value, where exists for the UDF fields. You can change the default value or specify value for other fields (where default value does not exist)

2.3.2.7 **MIS Tab**

You can maintain the MIS information for the Transaction. If the MIS details are not entered for the Transaction the same is defaulted from the product maintenance. Click the 'MIS' link to invoke the 'MIS' sub-screen

The screenshot shows a web application window titled "MIS". At the top, there is a search bar labeled "Enter Query". Below it, there are two input fields: "Transaction Reference no *" and "MIS Group". The "MIS Group" field has a dropdown arrow and a "Default" button next to it. Below these fields, there are two columns: "Transaction MIS" and "Composite MIS". Each column contains a table with multiple rows and columns, but the data is currently blank. At the bottom right of the window, there are two buttons: "Ok" and "Exit".

Specify the following details

Transaction Reference

The system displays the transaction reference number of the transaction.

MIS Group

Specify the MIS group code. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

Default button

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

Transaction MIS

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

Composite MIS

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

2.3.2.8 View Queue Action Log

You can view all the queue actions for the respective transaction initiated. You can invoke this screen by clicking the 'View Queue Action' tab in PKDOVIEW screen, where the Transaction Reference Number is auto populated and Queue movement related details are displayed.

The screenshot shows a web application window titled "View Queue Action Log". At the top, there is an "Execute Query" section with two input fields: "Transaction Reference Number" and "Network Code". Below the input fields is a table with the following columns: "Transaction Reference Number", "Action", "Remarks", "Queue Code", "Authorization Status", "Maker Id", and "Maker Date Stamp". The table shows "1 Of 1" records. At the bottom of the window, there are three buttons: "View Request Message", "View Response Message", and "Cancel".

Following details are displayed:

- Transaction Reference Number
- Network Code
- Action
- Remarks
- Queue Code
- Authorization Status
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp
- Queue Status
- Queue Reference No
- Primary External Status
- Secondary External Status
- External Reference Number

You can view the request sent and the corresponding response received for each row in Queue Action Log.


Also you can view the request sent to and the response received from external systems for the following:

- Sanction system
- External credit approval
- External Account Check
- External FX fetch

- External price fetch
- Accounting system

2.3.2.9 Accounting Entries

Click the Accounting Entries tab and view the accounting entries for the transaction initiated.




By default, the following attributes of the **Accounting Entries** tab are displayed:

- Event Code
- Transaction Date
- Value Date
- Account
- Account Branch
- TRN Code
- Dr/Cr.
- Amount Tag
- Account Currency
- Transaction Amount
- Netting
- Offset Account
- Offset Account Branch
- Offset TRN Code
- Offset Amount Tag
- Offset Currency
- Offset Amount
- Offset Netting
- Handoff Status


2.3.2.10 All Messages

You can invoke this screen by clicking 'All Messages' tab in the screen. On click of 'All Messages', system displays the below screen, with the outbound pacs.008 message sent, inbound pacs.002 settlement message received



2.3.2.11 HKFPS Outbound Credit Transfer Transaction View Summary

You can invoke "HKFPS Outbound Credit Transfer Transaction View Summary" screen by typing 'PKSOVIEW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



You can search using the following parameter:

- Transaction Reference Number
- Transaction Status
- Exception Queue
- Payer Account Number
- Dispatch Status
- Booking Date

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

2.3.3 HKFPS Outbound Real Time Credit Transfer Message Browser

You can invoke “HKFPS Outbound Real Time Credit Transfer Message Browser” screen by typing ‘PKSOUTBR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

HKFPS Outbound Real Time Credit Transfer Message Browser

Search Advanced Search Reset Clear All

Case Sensitive

Branch Message Id Transaction Id
Message Date Settlement Status Network Code
Transaction Reference Number Message Status Message Type

Records per page 15 1 Of 1 Lock Columns 0

Branch	Message Id	Transaction Id	Message Date	Settlement Status	Network Code	Transaction Reference Number	Message Status	Message Type	Dispatch Status	Message Reference Num
--------	------------	----------------	--------------	-------------------	--------------	------------------------------	----------------	--------------	-----------------	-----------------------

View Message | View Payment Status Message | View Transaction

Exit

You can search using the following parameter:

- Branch
- Message Id
- Transaction Id
- Message Date
- Settlement Status
- Network code
- Transaction Reference Number
- Message Status
- Message Type

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Below Sub screens are available:

View Message - This sub screen shows outgoing pacs.008 messages applicable.

View Payment Status Message - This sub screen shows incoming pacs.002 payment status report messages. Matched based on 'Message ID' of the outbound payment.

View Transaction - This sub screen displays the outbound view screen (PKDOVIEW) for pacs.008 messages.

2.4 Inbound Transaction screens

2.4.1 HKFPS Inbound Credit Transfer Transaction View

You can invoke “HKFPS Inbound Credit Transfer Transaction View” screen by typing ‘PKDIVIEW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can specify the following fields:

Transaction Branch

This field displays the Transaction Branch details.

Transaction Branch Number

This field displays the Transaction Branch Number, using the current logic.

Host Code

This field displays the Host Code details.

Transaction ID

Transaction ID received in the pacs.008 message is be populated.

Source code

This field populates as 'HKPFS' for transactions received from the clearing network.

End To End ID

End to End id received in the pacs.008 message is populated.

Network Code

Network Code maintained in PKDICTPF screen for the inbound payment is displayed.

Message ID

Message Id received in the pacs.008 message is populated.

Payee Account Verification

If 'PERFORM_PYE_VRF', this is checked.

If 'SKIP_PYE_VRF', this is un-checked.

2.4.1.1 Main Tab**Payee Details****Payee Account Number Type**

This field displays the Payee Account Number Type.

Payee Account Number

Payee Account Number as received in the pacs.008 message is displayed.

Payee Account Currency

This field displays the Payee Account Currency.

Payee Name

This field displays the Payee Name.

Payee ID(Customer Number)

This field displays the Payee ID. The customer number linked to the payee account are populated.

Payee Mobile Number

This field displays the Payee Mobile Number.

Payee Email ID

This field displays the Payee Email ID.

Payee FPS ID

This field displays the Payee FPS ID.

Payer Details**Payee Account Number**

Payer Account Number as received in the pacs.008 message is displayed here.

Debtor Name

This field displays the Debtor Name.

Payer ID

This field displays the Payer ID.

Payee Bank Clearing Code

Payer Bank Clearing Code as received in the pacs.008 message is displayed here.

Payment Details**Booking Date**

This field is defaulted as application server date,

Instruction Date

This field gets defaulted as booking date. Back date / future date is not allowed. It is current dated always for Hong Kong FPS.

Activation Date

Activation date is a derived field based on the instruction date provided. Payment is processed on Activation date.

If Instruction date is back-dated, Activation date is moved to Current date.

Branch Holidays, Network Holidays are not applicable, if processing mode is Real-Time as maintained in PKDOCTPF.

Instructed Currency Indicator

This field displays the Instructed Currency Indicator from below values:

- Debit Currency
- Transfer Currency

Instructed Currency

This field displays the Instructed Currency.

Instructed Amount

This field displays the Instructed Amount.

Transfer Currency

This field displays the Transfer Currency. If the network allows only single currency as per HKFPS Network currency preferences (PKDHKFNC) maintained, this currency is populated as transfer currency.

Transfer Amount

This field displays the Transfer Amount received in the outbound payment.

Exchange Rate

System picks up exchange rate during 'Enrich' provided the transfer amount is less than small FX limit maintained. If there exchange rate is not available, a proper error message is shown.

Based on transfer amount input, the other amount is computed by the system.

If transfer amount is more than small FX limit and if external exchange rate is applicable, then rate pick up happens during transaction processing.

FX Reference Number

This field displays the FX Reference Number.

Remarks

This field displays the Remarks, if any.

Payment Details Reference

This field displays any payment specific reference this field. This is defaulted to transaction reference number and editable.

Category Purpose Code

This field displays the Category Purpose Code from the following drop down values.

- CXPSNL - For General Personal Payment
- CXBSNS - For General Business Payment
- CXMRCH - For Merchant Payment
- CXSALA - For Salary and Benefits Payment

The default value is General Personal Payment.

Sanction Seizure

This field displays Sanction Seizure.

On Us Transfer

This field displays the following drop down values.

- Yes
- No

2.4.1.2 Additional Details

When you click on Additional Details Button, below screen is displayed:



You can specify the following fields:

Transaction Reference Number

This field displays the Transaction Reference Number.

Host Code

This field displays the Host Code.

Network Code

This field displays the Network Code.

Activation Date

This field displays the Host Code.

Payment Details (Unstructured)

Remittance Information 1-6

This field displays the payment related information here.

Purpose Details

Category Purpose Code

This field displays the Category Purpose Code from the list of values.

Purpose Value

This field displays any non-ISO purpose codes here.

2.4.1.3 Processing Status

This tab provides the transaction status details and the External System Requests Status details.

Main | Processing Status | Pricing | Exception

Status Details

Transaction Status DRLQ Status Settlement Status
Exception Queue CRLQ Status On-Us Credit Transfer

External Communications

Sanction Check Status External Credit Approval Status External Exchange Rate Status
Sanction Check Reference External Credit Approval Reference External Exchange Rate Reference
Sanction Seizure

Dispatch Details **Error Details**
Dispatch Reference Error Code
File Reference Number Error Description
File Name

UDF | MIS | View Queue Action | Accounting Entries | All Messages

Maker Id Checker Id Authorization Status
Maker Date Stamp Checker Date Stamp

2.4.1.4 Pricing Tab

You can view the charge amount computed by the system for each of the Pricing components of the Pricing code linked to the network code of the transaction. Click the “Pricing” tab.

HKFPS Outbound Credit Transfer Transaction View

Enter Query

Transaction Branch Transaction Reference Number*
Host Code Transaction ID
Source Code End To End ID
Network Code Message ID
 Payee Account Verification

Main | Processing Status | Pricing | Exception

1 of 1

Pricing Component	Pricing Currency	Pricing Amount	Waiver	Debit Currency	Debit Amount
-------------------	------------------	----------------	--------	----------------	--------------

UDF | MIS | View Queue Action | Accounting Entries | All Messages

Maker Id Checker Id Authorization Status
Maker Date Stamp Checker Date Stamp

For the Transaction initiated, system displays the fees/tax charged in this section.

Pricing Component

The system displays each Pricing component of the Pricing code from the Pricing Code maintenance.

Pricing Currency

The system displays the Pricing currency of each Pricing component of the Pricing code.

Pricing Amount

The system displays the calculated Charge amount for each Pricing component of the Pricing code.

Waived

The system displays if charges for any Pricing component are waived in the Pricing maintenance.

Credit Currency

The system displays the currency of the Charge account to be credited for the charges.

Credit Amount

The system displays the Charge amount for each Pricing component credited to the charge account in Debit currency. If the Pricing currency is different from the Credit currency the calculated charges are converted to the Credit currency and populated in this field.

2.4.1.5 Exception


This tab provides the Return and Network Reject Details.

The screenshot shows a web application window titled "HKFPS Outbound Credit Transfer Transaction View". The interface includes a search bar labeled "Enter Query" with fields for Transaction Branch, Host Code, Source Code, Network Code, Transaction Reference Number*, Transaction ID, End To End ID, and Message ID. A "Payee Account Verification" checkbox is also present. Below the search bar is a navigation menu with tabs for "Main", "Processing Status", "Pricing", and "Exception" (which is highlighted in red). The main content area is divided into two sections: "Return Details" and "Network Reject Details". The "Return Details" section includes fields for Return Reference, Return Date, Return Reason Code, Return Reason, and Returned Amount, with a "View Details" button below. The "Network Reject Details" section includes fields for Reject Reference, Reject Date, and Reject Code. At the bottom of the screen, there is a status bar with fields for "Maker Id", "Maker Date Stamp", "Checker ID", "Checker Date Stamp", and "Authorization Status", along with an "Exit" button.

2.4.1.6 UDF Tab

Click the 'UDF' Section in the Transaction View screen to invoke this sub screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the 'Manual' source.



The screenshot shows a window titled 'Fields' with a close button (X) in the top right corner. Inside the window, there is a sub-header 'Fields' and a navigation bar with '1 Of 1' and a 'Go' button. Below the navigation bar is a table with two columns: 'Field Label' (with a red asterisk) and 'Value'. The table is currently empty. At the bottom right of the window, there are 'Ok' and 'Cancel' buttons.

Specify the following details.

Fields

Field Label

The system displays all fields that are part of the associated UDF group.

Value

The system displays the default value, where exists for the UDF fields. You can change the default value or specify value for other fields (where default value does not exist)

2.4.1.7 **MIS Tab**

You can maintain the MIS information for the Transaction. If the MIS details are not entered for the Transaction the same is defaulted from the product maintenance. Click the 'MIS' link to invoke the 'MIS' sub-screen

The screenshot shows a web application window titled 'MIS'. At the top, there is a search bar labeled 'Enter Query'. Below it, there are two main input fields: 'Transaction Reference no *' and 'MIS Group'. The 'MIS Group' field has a 'Default' button next to it. Below these fields, there are two columns of input fields: 'Transaction MIS' and 'Composite MIS'. Each column has five rows of input fields. At the bottom right of the window, there are 'Ok' and 'Exit' buttons.

Specify the following details

Transaction Reference

The system displays the transaction reference number of the transaction.

MIS Group

Specify the MIS group code. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

Default button

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

Transaction MIS

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

Composite MIS

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

2.4.1.8 View Queue Action Log

You can view all the queue actions for the respective transaction initiated. You can invoke this screen by clicking the 'View Queue Action' tab in PKDOVIEW screen, where the Transaction Reference Number is auto populated and Queue movement related details are displayed.

The screenshot shows a web application window titled "View Queue Action Log". At the top, there is a section labeled "Execute Query" with two input fields: "Transaction Reference Number" and "Network Code". Below the input fields is a table with the following columns: "Transaction Reference Number", "Action", "Remarks", "Queue Code", "Authorization Status", "Maker Id", and "Maker Date Stamp". The table currently displays "1 Of 1" records. At the bottom of the window, there are three buttons: "View Request Message", "View Response Message", and "Cancel".

Following details are displayed:

- Transaction Reference Number
- Network Code
- Action
- Remarks
- Queue Code
- Authorization Status
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp
- Queue Status
- Queue Reference No
- Primary External Status
- Secondary External Status
- External Reference Number

You can view the request sent and the corresponding response received for each row in Queue Action Log.


Also you can view the request sent to and the response received from external systems for the following:

- Sanction system
- External credit approval
- External Account Check
- External FX fetch

- External price fetch
- Accounting system

2.4.1.9 Accounting Entries

Click the Accounting Entries tab and view the accounting entries for the transaction initiated.




By default, the following attributes of the **Accounting Entries** tab are displayed:

- Event Code
- Transaction Date
- Value Date
- Account
- Account Branch
- TRN Code
- Dr/Cr.
- Amount Tag
- Account Currency
- Transaction Amount
- Netting
- Offset Account
- Offset Account Branch
- Offset TRN Code
- Offset Amount Tag
- Offset Currency
- Offset Amount
- Offset Netting
- Handoff Status


2.4.1.10 All Messages

You can invoke this screen by clicking 'All Messages' tab in the screen. On click of 'All Messages', system displays the below new screen, with the incoming pacs.008 message received.



2.4.1.11 HKFPS Inbound Credit Transfer Transaction View Summary

You can invoke "HKFPS Inbound Credit Transfer Transaction View Summary" screen by typing 'PKSIVIEW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



You can search using the following parameter:

- Transaction Reference Number
- Transaction Status
- Authorization Status
- Checker Date Stamp
- Checker ID
- Maker Date Stamp
- Maker ID

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

2.4.2 HKFPS Inbound Real Time Credit Transfer Message Browser

You can invoke "HKFPS Inbound Real Time Credit Transfer Message Browser" screen by typing 'PKSINBRW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

HKFPS Inbound Real Time Credit Transfer Message Browser

Search Advanced Search Reset Clear All

Case Sensitive

Branch

Original Transaction ID

Network Code

FPS Reference Number

Settlement Status

Original Message ID

Message Type

Transaction Reference Number

Message Status

Message Date

Records per page 15 1 Of 1 Go Lock Columns 0

Branch	Original Message ID	Original Transaction ID	Message Type	Network Code	Transaction Reference Number	FPS Reference Number	Message

View Message | View Transaction

Exit

You can search using the following parameter:

- Branch
- Original Message ID
- Original Transaction ID
- Message Type
- Network code
- Transaction Reference Number
- FPS Reference Number
- Message Status
- Settlement Status
- Message Date

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

3. HKFPS Processing

3.1 Outbound Credit Transfer Processing

3.1.1 OBPM Internal/External Queues

Exception queues are not applicable.

Transactions are logged in queue in case of any validation failure and upfront rejected with the appropriate error message depending on the stage at which transaction failed.

Below are the validation done on Save of the transaction:

3.1.2 Mandatory Checks

Mandatory checks are done as per current functionality for processing outbound payments

Below fields are mandatory in the request for HKFPS outbound payment:

- Host Code
- Network Code
- Source Code
- Payer Account Number
- Payee Bank Clearing Code
- Payee Account Number
- Payee Mobile Number
- Payee Email ID
- Payee FPS ID
- Payee Name
- Transfer Currency
- Transfer Amount
- Instruction Date

3.1.3 Referential Integrity Check & Initial Validations

Following parameters are validated with the static maintenances available for existence of the values:

Network code: Validated against the static maintenances (PMDNWCOD) available.

Currency Codes: In HKFPS Network Currency preferences (PKDHFNC), a record should be available for the Network Code, Network Currency combination. i.e HKD, RMB as required.

Host Code: This field is checked against valid host codes available in Host Code maintenance (STDHSTCD)

Transaction Branch Code: This has to be a valid branch maintained in system.

Debit Customer (Payer): This is validated to check whether customer number is valid and existing.

Customer Account (Payer): The customer account is verified to check whether it is valid and existing for the customer.

Transaction Branch - HKFPS Network Directory Check: To identify if the network is allowed for the bank branch clearing code (Transaction Branch), system performs below check:

- Derive the transaction branch clearing code from 'Branch Identifier for HKFPS Network (PKDHKFBR)' based on the transaction branch code.
- Check if the Network Directory key is maintained as same in the following screens/ tables:
 - Network Directory Key maintained at 'HKFPS Network Directory (PKDHKFDR)' for the derived transaction branch clearing code = Network Directory Key maintained at 'HKFPS Network Currency Details (PKDHKFNC)' for the corresponding network code- transfer currency.
- If the above condition is not satisfied, a proper error message is given 'Transaction Branch clearing code, Network Directory Key combination does not match the Network Currency - Network Directory combination.

On Us Transfer: If the payee account belongs to the same Bank and Host and Dispatch is not applicable, then 'On Us Transfer' flag is checked by the system during processing. This flag indicates that payee account is internal to Bank and dispatch to Network is not applicable.

If any of the above validation fails, transaction is rejected with proper error code.

3.1.4 Holiday Check & Date Derivation

Holiday Check i.e., Branch Holidays, Network Holidays are not applicable for outbound HKFPS payments if processing mode is real time as maintained in (PKDOCTPF).

Activation Date is derived as same as Instruction Date.

Future date as Instruction Date is not allowed. Transaction is rejected with proper error code.

If Instruction date is back-dated, Activation date is moved to Current date.

3.1.5 Network Validations & Special Character Replacement

Payer/Payee/Bank/Additional details entered for a payment transaction are validated against valid characters allowed for the network.

- HKFPS Allowed characters set: A-Z, a-z, 0-9
- HKFPS Allowed special characters: !@#%&*()_+{}|:<>?-=();',./

If fields contain any invalid HKFPS character, then transaction is rejected with proper error code. Following fields are validated:

- Payer Name, Payer ID
- Payee Mobile Number, Payee Email ID, Payee FPS ID, Payee Name, Payee ID
- Remarks

Special characters entered in a payment transaction are validated and replaced with specific characters as defined in Special Characters maintenance

3.1.6 Duplicate Check

Duplicate checks are done during transaction processing. Payment fields maintained for duplicate check in Source maintenance (PMDSORCE) are matched with all the payments booked within the duplicate period.

Booking date of the payments are considered for checking duplicate payments. Duplicate period is considered based on the number of days maintained for duplicate check for the source (PMDSORCE). If the maintenance is not available, no duplicate check is done.

Transaction is rejected with proper error code in case of duplicate transaction.

The following parameters are available for duplicate check:

- Payer Account : DBTR_ACC
- Payee Account: CRDTR_ACC (Mobile Number, Email ID, FPS ID is mapped to this element.)
- Transfer Amount: TFR_AMT
- Instruction Date: VALUE_DATE
- Payee Bank Clearing Code: CRDTR_BANK_CODE (For HKFPS, Clearing Codes are mapped for this element)

Below are the validations done on Authorization of the transaction:

3.1.7 Sanction Check

Sanction check for HKFPS outbound payment transaction is done on payment activation date (current dated).

System verifies whether sanction check is applicable in Network Preferences, for outbound transaction type and initiates sanction check validation. Sanction check reference number is generated by system.

Out queue name for sending the sanction check relevant transaction details and In queue name for the response is fetched from 'Sanction Check System' maintenance.

Sanction Check system provides a response for the request. External system sanction status can be mapped to a system sanction status. This maintenance is available as part of Sanction Check Maintenance.

The system sanction status can be:

- Approved: Sanction check is approved by the external system
- Interim: Interim status or approval with override is received from external system
- Rejected.:This indicates that the contract failed sanction check.

If the sanction check response status for a payment transaction is 'Approved', then further processing continues.

If the sanction check response status is 'Interim' or 'Rejected' then transaction is rejected with proper error code.

The seizure functionality of parking the funds to Seizure GL applies if a transaction is rejected and “Seize on Reject” flag is enabled at Sanctions Check System maintenance.

During seizure processing, the customer account (for outbound)/Nostro or Clearing GL (for incoming) is debited and Compliance Suspense GL is credited. Transaction Charges are not computed. Dispatch/Message generation is skipped for outbound transactions. Transaction status is marked as 'Cancelled' and 'SC Seizure' flag at transaction level is marked as 'Yes'.

3.1.8 Small FX Limit Check & Currency Conversion

For a cross currency payment transaction where debit currency and transfer currency are different, exchange rate maintained for the transaction branch in the Core system is considered.

If Small FX limit is defined in HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF), then the auto rate pick up happens only if the transfer amount is within the small FX limit.

Transfer amount is converted limit currency maintained using midrate of FX rate type linked and limit check is done.

Exchange Rate Type is based on HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF), maintained. Buy/Sell indicator is derived by the system based on the currency pair maintenance available.

If the transfer amount is above the small FX limit specified, system checks whether External Exchange Rate is applicable in HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF).

If external system is available the transaction details, then system interfaces with external system for receiving the exchange rate along with FX Reference Number.

Based on the response received, exchange rate is populated and further processing of transaction continues.

If Small FX limit is not maintained auto rate pick up is done for all cross currency payment transactions without any limit check.

Payment is rejected in the following cases with proper error code details:

- Exchange Rate derivation based on core system maintenance fails
- Small FX limit is breached and no external exchange rate system maintenance is available

For transactions received from UI input, exchange rate is already available as part of transaction details and no processing on exchange rate is done again.

3.1.9 Pricing Check

Charge computation for HKFPS payment transaction is made based on the “External Pricing Applicable” flag set at Source Network Preferences level.

If External pricing is not applicable for the Source and Network combination, then Charge and tax for HKFPS Payment transaction is calculated based on the Pricing Code linked in the outbound credit transfer payment preferences (PKDOCTPF).

Pricing components applicable to the price code and the attributes like whether the component is a charge or tax, Pricing currency and the exchange rate type are derived from Pricing Code maintenance (PPDCDMNT).

For the payment source of the transaction and applicable service model of debit customer, pricing values are fetched from Pricing Value Maintenance (PPDVLMT).

The pricing value record valid for current date only is considered. Any pricing value record maintained with a future effective date is excluded.

Charge components are processed prior to tax components involved. If a charge component is waived, the related tax also is waived automatically.

If "External Pricing Applicable" flag is set as Yes at Source Network Preferences, charge calculation is skipped and system captures the pricing details from External Pricing System.

If the pricing check response status is 'Interim' or 'Rejected', then transaction is rejected with proper error code.

3.1.10 ECA Check

Payments is sending debit accounting entries pertaining to payment amount and charge/tax amounts to external system for credit checks. ECA checks are done on activation date (current dated).

External Credit Approval is done for all the external accounts for which debit entries are getting posted. Debit account entry details are sent in JMS queues to external ECA system.

Transaction ECA status is updated based on the response received from the external system.

The ECA system is expected to validate the following and send the response:

- Existence of the account
- Currency of the account specified is correct
- Account belongs to the customer specified
- Account exists on the specified branch
- Account is authorized, active & open
- Account status is Normal i.e., not Dormant
- Debit is not restricted on the account
- Clear available balance in the account is greater than the transaction amount specified
- Amount block is successfully executed for the specified transaction amount. Expiry date of the transaction is transaction value date

If the ECA response status for a payment transaction is 'Approved', then further processing continues

If ECA validation fails i.e. the status is 'Interim' or 'Rejected', transaction is rejected with proper error codes.

3.1.11 Accounting Preferences Check

Before Messaging: If the accounting preference chosen for the Network is 'Before Messaging' as maintained in 'HKFPS Outbound Credit Transfer Preferences' (PKDOCTPF), the Message Generation and Handoff of Payment message is subsequent to debit/credit accounting for the outbound payment. However, the payment processor do not wait for the accounting success/failure response from Accounting/DDA system.

- In case of payment rejection as per pacs.002 response from network, Accounting reversal request is sent to DDA system and payment status is reversed.

On Confirmation from CI: If the accounting preference selected is 'On confirmation from ICL', the debit /credit accounting is passed only after the receipt of pacs.002 response from network. If the payment is rejected the balance block (ECA) reversal request is sent to DDA system.

Accounting entries: The following details are sent to accounting system in an xml format to External Accounting System as part of Debit/Credit liquidation:

Details in Accounting hand-off	Debit Liquidation	Credit Liquidation
Accounting Event	DRLQ	CRLQ
Amount Tag	XFER_AMT	XFER_AMT
Transaction Account	Payer Account	Outward Clearing GL maintained in the Accounting code. If Nostro Account (Network Account) is maintained in (PKDOCTPF) that is considered
Offset Account	This is picked from the Debit Liquidation Accounting code maintenance.	This is picked from the Credit Liquidation Accounting code maintenance.
Transaction Currency	Debit Account Currency	Transfer Currency
Transaction Amount	Debit Amount	Transfer Amount
Transaction Date/ Value Date	Activation Date	Activation Date
Offset Currency	Transfer Currency	Transfer Currency
Offset Amount	Transfer Amount	Transfer Amount
Local Currency Amount	If either transaction currency or offset currency is local currency, corresponding amount is handed off as local currency amount. If not, transfer amount is converted to local currency in mid-rate.	Local currency amount of DRLQ is used.

3.1.12 Network Cutoff Check

Network Cutoff check is not applicable for outbound HKFPS payments if processing mode is real time as maintained in (PKDOCTPF).

3.1.13 Message Generation and Dispatch

Only 'Real Time' processing mode is supported.

System generates real-time dispatch of pacs.008 message with single payment transaction in HKFPS standard ISO 20022 format.

Message dispatch is done on activation date (current dated) for real time payments.

3.1.14 On-Us Transfer Check

Before dispatch of the outbound pacs.008 message, system checks if the outbound payment is On-Us Transfer or not.

If the outbound payment is derived as 'On-Us Transfer' (Yes), then system further checks

- If 'Dispatch On-Us Transfer' flag is 'checked' or 'un-checked' at 'HKFPS Outbound Credit Transfer Payment Preferences screen (PKDOCTPF).
 - If 'Y' (Checked), then system hand-off the outbound pacs.008 message to FPS.
 - If 'N' (Un-checked), then outbound pacs.008 message is not handed off to FPS. Instead system automatically books an inbound credit transfer payment for the same.

On Us Transfer: Payer & Payee Account numbers are within the different branches of the same bank or within the same branch. A record for payee bank clearing code is present in 'Branch Identifier for HKFPS Network (PKDHKFBR)'.

- If the outbound payment is not a 'On-Us Transfer',
 - Outbound pacs.008 message is handed off to FPS.

3.1.15 Notifications

Notifications are posted asynchronously to Notification Queue in a generic xml format for payment status (and is available for consumption to external systems).

Applicable Notification events: PAYMENT_SUCCESS, PAYMENT_CANCEL, PAYMENT_CREDIT_CONFIRMED (on receipt of pacs.002).

The generated notifications can be viewed from Notification Browser (PMSNOTFY)

3.1.16 Inbound Pacs.002 Payment Settlement Message Processing

On receipt of incoming pacs.002, system matches to the original outbound payment based on 'Message ID'.

- Check <Document><pacs.002.001.08">, if <TxInfAndSts/TxSts> is 'ACSC' or not,
- Match based on <OrgnMsgld> of incoming pacs.002 = <Msgld> of outgoing pacs.008
- and update the outbound CT payment settlement status (New Field in main) 'Settled', 'Rejected' or 'Pending' (i.e. pacs.002 message yet to be received).

Reason Code <TxInfAndSts/TxSts>	Settlement Status	Transaction Status
If 'ACSC	Settled	Processed
If Other than 'ACSC	Rejected	Rejected

3.2 Inbound Credit Transfer Processing

3.2.1 OBPM Internal/External Queues

Exception queues are not applicable.

Transactions are logged in queue (except the below) in case of any validation failure and upfront rejected with the appropriate error message depending on the stage at which transaction failed:

- **Sanction Check** - However Payment is auto- rejected (with appropriate reject reason code) in case SC Response is 'Rejected', 'Interim'. None of the queue actions are allowed.
- **EAC Check** - However Payment is auto- rejected (with appropriate reject reason code) in case EAC Response is 'Rejected', 'Interim'. None of the queue actions are allowed.
- **Exchange Rate Queue** - Rate Input, Resend actions are allowed.

3.2.2 Message Upload - Account Branch/Host/Network/Transaction Type Derivation

Background job is available for reading the incoming pacs.008 message and to populate the data into staging table. Source code is derived as 'HKFPS'.(Hard-Coded Value)

System performs branch, network & value date resolutions at this stage.

Transaction Account Branch & Host Resolution:

- System derives the transaction account branch from the below tag in the incoming pacs.008 message:
- <CtrAgt\FinInstnId\BICFI\CtrSysMmbld\Mmbld>
- Above, transaction branch clearing code is compared with branch codes mapped in 'Branch Identifier for HKFPS Network (PKDHFBR)'
- Once the branch code is identified, system checks Core maintenance for branches (STDCRBRN) to derive the linked Host code for the branch.

Network & Transaction Type Resolution

- Network Code is derived based on 'Network Directory Key' (Hard-Coded Value 'HKFPS') maintained in 'HKFPS Network Currency Details (PKDHFNC)'.
- The Transaction type* is derived as 'Incoming' based on the network code maintained in 'HKFPS Inbound Credit Transfer Preferences' (PKDICTPF)
- * This term has been used as reference. There is no corresponding field.

Payment Value Date Resolution

- Holiday Check i.e., Branch Holidays are not applicable for inbound HKFPS payments if processing mode is real time as maintained in (PKDICTPF).
- Interbank Settlement Date <IntrBkSttlmDt> is considered as Instruction date for incoming payment.
- Activation Date is derived as same as Instruction Date.
- If Instruction date is back-dated, Activation date is moved to Current date.

Transaction reference number is generated as per existing logic.

Reference Numbers as received from incoming message are stored in the following fields:

- Transaction Identification stored in Original Transaction ID
- End to end Identification stored in End to End ID
- Clearing system reference stored in FPS Reference Number

Interbank settlement amount/currency is considered as transfer currency for incoming transactions

System performs mandatory field checks & referential integrity checks during transaction saving.

3.2.2.1 Payee Account Verification Check

System checks for the following from the incoming pacs.008 message:

- <LclInstrm><Prtry> ="SKIP_PYE_VRF".
- If the above condition is satisfied, in case of any subsequent validation failure during processing of inbound payments, system generates pacs.004 payment return message.

3.2.3 Mandatory Checks

Below fields are mandatory for booking HKFPS incoming payment:

- Host Code
- Transaction Branch
- Network Code
- Source Code
- Payer Account Number
- Payer Bank Clearing Code
- Payee Bank Clearing Code
- Payee Account Number
- Transfer Currency
- Transfer Amount
- Instruction Date

3.2.4 Referential Integrity Check & Initial Validations

Following parameters are validated with the static maintenances available for existence of the values:

Network code: Validated against the static maintenances (PMDNWCOD) available.

Currency Codes: In HKFPS Network Currency preferences (PKDHFNC), a record should be available for the Network Code, Network Currency combination. i.e HKD, RMB as required.

Host Code: This field is checked against valid host codes available in Host Code maintenance (STDHSTCD).

Transaction Branch Code: This has to be a valid branch in core maintenance.

Payee Customer Account: This is validated to check whether customer number is valid and existing.

Payee Customer Account: The customer account is verified to check whether it is valid and existing for the customer.

3.2.5 Duplicate Check

Duplicate checks are done during transaction processing. Payment fields maintained for duplicate check in Source maintenance (PMDSORCE) are matched with all the payments booked within the duplicate period.

Transaction is rejected with proper error code in case of duplicate transaction.

The following parameters are available for duplicate check:

- Payer Account : DBTR_ACC
- Payee Account: CRDTR_ACC (Mobile Number, Email ID, FPS ID is mapped to this element.)
- Transfer Amount: TFR_AMT
- Instruction Date: VALUE_DATE
- Payee Bank Clearing Code: CRDTR_BANK_CODE (For HKFPS, Clearing Codes is mapped for this element)

3.2.6 Sanction Check

Sanction check for HKFPS incoming payment transaction is done on payment activation date.

If sanction is approved, the transaction is resumed with the further processing.

In case of seizure, Nostro account is debited, and the Seizure GL is credited. (No response is generated)

If the status is rejected, interim or timed out, the transaction is rejected. If SC status is,

- Rejected/Interim- Transaction is returned.
 - System do not consider SC Final Response for the 'interim' status.
- Pending - OBPM awaits a response from SC system and based on the response received, it processes further as above.

3.2.7 FX Limit Check

For a cross currency payment transaction where debit currency and transfer currency are different, exchange rate maintained for the transaction branch in the Core system is considered.

If Small FX limit is defined in HKFPS Inbound Credit Transfer Preferences (PKDICTPF), then the auto rate pick up happens only if the transfer amount is within the small FX limit.

Transfer amount is converted limit currency maintained using midrate of FX rate type linked and limit check is done.

Exchange Rate Type is based on HKFPS Inbound Credit Transfer Preferences' (PKDICTPF), maintained. Buy/Sell indicator is derived by the system based on the currency pair maintenance available.

If the transfer amount is above the small FX limit specified, system checks whether External Exchange Rate is applicable in HKFPS Inbound Credit Transfer Preferences' (PKDICTPF).

If external system is available the transaction details, then system interfaces with external system for receiving the exchange rate along with FX Reference Number.

Based on the response received, exchange rate is populated and further processing of transaction continues.

If Small FX limit is not maintained auto rate pick up is done for all cross currency payment transactions without any limit check.

Payment is moved to Exchange Rate Queue in the following cases with proper error code details:

- Exchange Rate derivation based on core system maintenance fails.
- Small FX limit is breached and no external exchange rate system maintenance is available.
- Only Resend, Rate Input actions are allowed from the queue.

3.2.8 External Account Check

Credit entry details to payee account are sent to external DDA system for validating external account status.

Credit amount net of charges to be credited to customer account is sent in the JMS request header details. Details about transaction amount, transaction code, netting details and component wise charge details are also part of request message.

- If External Account Check is 'Approved', the transaction is marked as 'Processed'.
- If the EAC status is 'Rejected', 'Interim', then the transaction is returned.
- System do not consider EAC/DDA Final Response for the 'interim' status.

If the EAC status is 'Pending', OBPM awaits a response from EAC/DDA system and based on the response received, it processes further as above.

3.2.9 Pricing Check

Charge/Tax computation is similar to HKFPS inbound transactions.

Internal pricing calculations is performed for the inbound payment, if applicable.

3.2.10 Debit/Credit Liquidation

Debit and credit liquidation is done based on the accounting code maintained in HKFPS Inbound Credit Transfer Preferences (PKDICTPF).

The following details are sent to accounting system in an xml format to External Accounting System as part of Debit/Credit liquidation:.

Details in Accounting hand-off	Debit Liquidation	Credit Liquidation
Accounting Event	DRLQ	CRLQ
Amount Tag	XFER_AMT	XFER_AMT

Details in Accounting hand-off	Debit Liquidation	Credit Liquidation
Transaction Account	Inward Clearing GL maintained in the Accounting code. If Nostro Account (Network Account) is maintained in (PKDICTPF) that is considered.	Payee Account
Offset Account	This is picked from the Debit Liquidation Accounting code maintenance.	This is picked from the Credit Liquidation Accounting code maintenance.
Transaction Currency	Transfer Currency	Credit Account Currency
Transaction Amount	Transfer Amount	Credit Amount
Transaction Date/ Value Date	Activation Date	Activation Date
Offset Currency	Transfer Currency	Transfer Currency
Offset Amount	Transfer Amount	Transfer Amount
Local Currency Amount	Local currency amount of DRLQ is used	If either transaction currency or offset currency is local currency, corresponding amount is handed off as local currency amount. If not, transfer amount is converted to local currency in mid-rate.

3.2.11 Notifications

Notifications are posted asynchronously to Notification Queue in a generic xml format for payment status and is available for consumption to external systems.

Applicable Notification events: PAYMENT_SUCCESS.

The generated notifications can be viewed from Notification Browser (PMSNOTFY)

4. Function ID Glossary

P

PKDHKFBR2-12
PKDHKFCT2-13
PKDHKFDR2-10
PKDHKFNC2-7
PKDICTPF2-4
PKDIVIEW2-36
PKDOCTPF2-1
PKDOTONL2-15
PKDOVIEW2-24

PKSHKFBR 2-13
PKSHKFCT 2-14
PKSHKFDR 2-11
PKSHKFNC 2-9
PKSICTPF 2-6
PKSINBRW 2-47
PKSIVIEW 2-46
PKSOCTPF 2-3
PKSOTONL 2-23
PKSOUTBR 2-35
PKSOVIEW 2-34